



ROAD TABLE

Tandem Drive Network 2.1

Listed by Local Government Order



Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H001	Albany Hwy	Albany Hwy	Canning (C) Gosnells (C)	5.95	Ashburton St & John St Sth	10.16	Kenwick Link & William St	<ul style="list-style-type: none"> Intersection Ewing St Sth & Bedford St : No left turn permitted into Ewing St from Albany Hwy
H001	Albany Hwy	Albany Hwy	Gosnells (C)	13.28	McIntyre Wy	13.65	Kenwick Link & Austin Av	
H001	Albany Hwy	Albany Hwy	Gosnells (C) Armadaale (C)	19.78	Tonkin Hwy Access Ramp off to Albany Hwy & Albany Hwy on to Tonkin Hwy (Northbound) Access Ramp	26.77	Armadaale Rd & South Western Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access Brookton Highway.
H001	Albany Hwy	Albany Hwy	Armadaale (C)	26.77	Armadaale Rd & South Western Hwy	35.22	Road Train Assembly Area Access	<ul style="list-style-type: none"> RAVs must travel in the left-hand lane at all times, unless; <ul style="list-style-type: none"> avoiding an obstruction; obeying a traffic-control signal; or intending to turn off the carriageway, and in order to do so safely it is necessary to position the vehicle in another lane before starting the turn. When descending Bedforddale Hill, drivers must ensure they engage low gear, use their auxiliary brakes and must not exceed a maximum speed of 40 km/h.
H001	Albany Hwy	Albany Hwy	Armadaale (C) Wandering Boddington Williams West Arthur Woodanilling Kojonup Broomehill - Tambellup Cranbrook Plantagenet Albany (C)	35.22	Road Train Assembly Area Access	404.19	Chester Pass Rty	<ul style="list-style-type: none"> Intersection Neymerup Rd : No left turn permitted into Albany Hwy from Neymerup Rd Intersection Brooking St & Nunijup Rd : No left turn permitted into Brooking St from Albany Hwy Intersection Link Rd : No left turn permitted into Link Rd from Albany Hwy. Intersection Locke St : No left turn permitted into Locke St from Albany Hwy
H002	Melville Mandurah Hwy	Stock Rd Rockingham Rd Patterson Rd Ennis Av Mandurah Rd	Melville (C) Fremantle (C) Cockburn (C) Kwinana (C) Rockingham (C) Mandurah (C)	0.00	Stock Rd & Leach Hwy	56.04	Mandjoogoordap Dr Rty	<ul style="list-style-type: none"> Intersection Wattleup Rd : No U-turn permitted in either direction on Melville Mandurah Hwy at the Wattleup Road intersection.
H003	Eyre Hwy	Eyre Hwy	Dundas	0.00	Coolgardie Esperance Hwy	721.18	Eyre Hwy - Wa-Sa Border	
H004	Brand Hwy	Brand Hwy	Chittering Gingin Dandaragan Coorow Carnamah Three Springs Irwin Greater Geraldton (C)	0.00	Brand Hwy Rty	367.98	John Willcock Link (Eastbound) off to Brand Hwy & Brand Hwy on to North West Coastal Hwy (Northbound)	
H005	Great Eastern Hwy	Great Eastern Hwy	Belmont (C) Swan (C)	6.25	Great Eastern Hwy on to Tonkin Hwy (Northbound)	10.02	Kalamunda Rd	
H005	Great Eastern Hwy	Great Eastern Hwy	Swan (C) Mundaring	15.97	Lloyd St	17.76	Farrall Rd & Horace St	<ul style="list-style-type: none"> Intersection Lloyd St : No left turn permitted into Lloyd St from Great Eastern Hwy

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H005	Great Eastern Hwy	Great Eastern Hwy	Mundaring	17.76	Farrall Rd & Horace St	23.54	Bilgoman Rd	<ul style="list-style-type: none"> RAVs must travel in the left-hand lane at all times, unless; <ul style="list-style-type: none"> avoiding an obstruction; obeying a traffic-control signal; or intending to turn off the carriageway, and in order to do so safely it is necessary to position the vehicle in another lane before starting the turn. RAVs must not park in the stopping bay. RAVs must only stop long enough to conduct a brake check, select low gear, select the appropriate auxiliary brake setting and commence descent. Prior to descending Greenmount Hill, RAVs must pull into the bay at the top of the hill (SLK 23.48), stop & conduct a brake system check. When descending Greenmount Hill, drivers must ensure they engage low gear, use their auxiliary brakes and must not exceed a maximum speed of 40 km/h.
H005	Great Eastern Hwy	Great Eastern Hwy Dreyer St Throssell St Johnston St Donnan St Massingham St Orion St Bayley St Hannan St	Mundaring Northam Cunderdin Tammin Kellerberrin Merredin Westonia Yilgarn Coolgardie Kalgoorlie - Boulder (C)	23.54	Bilgoman Rd	591.54	Lane St	<ul style="list-style-type: none"> Intersection Ochiltree St : No Access To Ochiltree St From Great Eastern Hwy
H006	Great Northern Hwy	Great Northern Hwy	Swan (C) Chittering	3.17	Roe Hwy & Reid Hwy & Great Northern Hwy	36.86	Mucua East Rd & Granary Dr	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
H006	Great Northern Hwy	Great Northern Hwy Leahy St	Chittering Victoria Plains Moora Dalwallinu Perenjori Yalgoo Mount Magnet	36.86	Mucua East Rd & Granary Dr	549.83	0.19km Before Carroll St	<ul style="list-style-type: none"> Intersection Bell Rd : No access permitted into Bell Rd from Great Northern Hwy. Intersection Glowery St : No left turn permitted into Glowery St from Great Northern Hwy.
H006	Great Northern Hwy	Great Northern Hwy Hepburn St	Mount Magnet	549.83	0.19km Before Carroll St	551.72	0.66km After Welcome St	<ul style="list-style-type: none"> Maximum speed 50 km/h
H006	Great Northern Hwy	Great Northern Hwy Austin St Main St O'Donnell St McPhee St Harbour Rd	Mount Magnet Cue Meekatharra East Pilbara Ashburton Port Hedland (T) Broome Derby - West Kimberley Halls Creek Wyndham - East Kimberley	551.72	0.66km After Welcome St	3194.66	Gully Rd & Meat Works Rd	<ul style="list-style-type: none"> Intersection Wandarrrie - Merroe Access Rd : No right turn permitted into Wandarrrie Merroe Rd from Great Northern Hwy

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H007	North West Coastal Hwy	North West Coastal Hwy Hampton St Cleaverville Rd Roe St Carnarvon Tce	Greater Geraldton (C) Chapman Valley Northampton Shark Bay Carnarvon Ashburton Karratha (C) Port Hedland (T)	0.15	John Willcock Link & Brand Hwy on to North West Coastal Hwy (Northbound)	1299.59	Great Northern Hwy	<ul style="list-style-type: none"> Intersection Starling Rd : No access permitted into Starling Rd from North West Coast Hwy
H008	South Coast Hwy	Chester Pass Rd South Coast Hwy Hassell Rd	Albany (C) Jerramungup Ravensthorpe Esperance	0.00	Chester Pass Rty	474.44	Harbour Rd	<ul style="list-style-type: none"> Intersection Kelly St : No left turn permitted into Kelly St from South Coast Hwy Intersection Drawbin Rd : Left turn permitted only into Drawbin Rd from South Coast Hwy. Intersection Wellstead Access Rd : No left turn permitted into Wellstead Access Rd from South Coast Hwy (SLK 96.03)
H009	South Western Hwy	South Western Hwy George St McLarty Rd Robertson Dr Southwestern Hwy Hampton St Mottram St South Coast Hwy High St	Armada (C) Serpentine - Jarrahdale Murray Waroona Harvey Dardanup Bunbury (C) Capel Donnybrook - Balingup Bridgetown - Greenbushes Manjimup Denmark Albany (C)	0.00	Armada Rd & Albany Hwy	509.22	South Coast Hwy - Menang Dr Link	<ul style="list-style-type: none"> Intersection Sandalwood Rd : No right turn permitted into Sandalwood Road from South Western Highway Intersection Centenary Rd : No left turn permitted into Centenary Rd from South Western Hwy Intersection Bandit Rd : No left turn permitted into Bandit Rd from Albany Hwy
H009	South Western Hwy	South Coast Hwy	Albany (C)	509.22	South Coast Hwy - Menang Dr Link	514.09	Albany Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Intersection Albany Hwy : No right turn permitted into Albany Hwy from South Western Hwy. Heavy vehicles to use Albany Ring Rd.
H010	Coolgardie Esperance Hwy	Coolgardie Esperance Hwy Prinsep St Norseman Rd Harbour Rd	Coolgardie Dundas Esperance	0.00	Great Eastern Hwy	370.82	Smith St & Upper Port Access Rd	<ul style="list-style-type: none"> Intersection Swan Lagoon Rd & Hawkey Rd : No access permitted to Hawkey Rd from Coolgardie-Esperance Hwy.
H011	Victoria Hwy	Victoria Hwy	Wyndham - East Kimberley	0.00	Great Northern Hwy	87.51	Victoria Hwy - State Border	
H012	Leach Hwy	High St Leach Hwy	Fremantle (C) Melville (C)	0.13	Stirling Hwy - High St Rty	2.86	Stock Rd	<ul style="list-style-type: none"> Unless otherwise approved in writing by Main Roads, the RAV must not be loaded with more than 3 loaded Twenty-foot Equivalent Units (3 TEU's), e.g. 3 twenty-foot intermodal containers or 1 forty-foot and 1 twenty-foot intermodal container.
H012	Leach Hwy	Leach Hwy	Melville (C)	2.86	Stock Rd	8.78	Kwinana Fwy (Southbound) off to Leach Hwy & Bullcreek Station Bus Access (East Exit)	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H012	Leach Hwy	Leach Hwy	Canning (C) Belmont (C)	17.08	Leach Hwy(Westbound) off to Albany Hwy	22.79	Leach Hwy (Eastbound) on to Tonkin Hwy (Southbound)	
H013	Canning Hwy	Canning Hwy	East Fremantle (T) Fremantle (C)	15.40	Stirling Hwy	16.06	Queen Victoria St	
H014	Stirling Hwy	Stirling Hwy	Fremantle (C)	14.15	0.40km North of Leslie Rd	15.14	Tydeman Rd & John St	
H014	Stirling Hwy	Stirling Hwy	Fremantle (C) East Fremantle (T)	15.14	Tydeman Rd & John St	17.05	Stirling Hwy - High St Rty	<ul style="list-style-type: none"> Unless otherwise approved in writing by Main Roads, the RAV must not be loaded with more than 3 loaded Twenty-foot Equivalent Units (3 TEU's), e.g. 3 twenty-foot intermodal containers or 1 forty-foot and 1 twenty-foot intermodal container.
H015	Kwinana Fwy	Kwinana Fwy	South Perth (C) Melville (C)	0.00	Mitchell Fwy	9.83	Leach Hwy (Melville)	<ul style="list-style-type: none"> Height must not exceed 4.3 metres
H015	Kwinana Fwy	Kwinana Fwy	Melville (C) Cockburn (C) Kwinana (C) Rockingham (C) Mandurah (C) Murray	9.83	Leach Hwy (Melville)	71.55	Forrest Hwy	<ul style="list-style-type: none"> Intersection Kwinana Fwy (Southbound) off to Leach Hwy : No access permitted to Leach Hwy eastbound
H016	Mitchell Fwy	Mitchell Fwy	Perth (C) Cambridge (T) Stirling (C)	0.00	Kwinana Fwy	8.00	Hutton St on to Mitchell Fwy (Northbound)	<ul style="list-style-type: none"> Height must not exceed 4.3 metres.
H016	Mitchell Fwy	Mitchell Fwy	Stirling (C) Joondalup (C) Wanneroo (C)	8.00	Hutton St on to Mitchell Fwy (Northbound)	40.65	Butler Blvd on to Romeo Rd Off Ramp & Mitchell Fwy (Northbound) off to Romeo Rd	
H017	Tonkin Hwy	Tonkin Hwy	Chittering Swan (C) Bayswater (C) Belmont (C) Kalamunda Gosnells (C) Armadaale (C) Serpentine - Jarrahdale	0.00	Great Northern Hwy & Great Northern Hwy (Southbound) off to Brand Hwy Rty	81.25	Thomas Rd	
H018	Roe Hwy	Roe Hwy	Cockburn (C) Canning (C) Melville (C) Gosnells (C) Kalamunda Swan (C) Mundaring	9.76	Kwinana Fwy (Northbound) to Roe Hwy (Eastbound) & Link From Murdoch Dr to Roe Hwy	44.61	Reid Hwy & Great Northern Hwy	
H019	Great Eastern Hwy Bypa	Great Eastern Hwy Bypa	Swan (C)	8.53	Great Eastern Hwy	14.11	Roe Hwy	
H021	Reid Hwy	Reid Hwy	Stirling (C) Swan (C)	0.00	North Beach Rd & Marmion Av	23.82	Roe Hwy & Great Northern Hwy	<ul style="list-style-type: none"> Intersection Erindale Rd : No left turn permitted into Reid Highway from Erindale Road.
H022	Kenwick Link	Kenwick Link	Gosnells (C)	10.16	William St & Albany Hwy	13.45	Austin Av & Albany Hwy	
H023	Armadaale Rd	Armadaale Rd	Armadaale (C) Cockburn (C)	0.00	Albany Hwy & South Western Hwy	16.06	North Lake Rd	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H025	Cockburn Rd	Cockburn Rd Russell Rd (West)	Cockburn (C)	0.00	Rockingham Rd & Hampton Rd	9.80	Rockingham Rd	
H026	Guildford Rd	Guildford Rd	Bayswater (C) Bassendean (T)	1.26	Whatley Cr & Guildford Rd	8.24	Collier Rd	<ul style="list-style-type: none"> Combinations exceeding (20m length - 2.5m width - 4.3m height) are not permitted.
H027	Rivervale Wattle Grove Link	Orrong Rd Welshpool Rd East	Belmont (C) Canning (C) Kalamunda	2.67	Cohn St	10.16	Tonkin Hwy & Welshpool Rd East	<ul style="list-style-type: none"> Intersection Kew St : No Access Onto Orrong Rd From Kew St
H029	Marmion Av	Marmion Av	Stirling (C)	0.00	West Coast Hwy & Karrinyup Rd	1.84	Reid Hwy & North Beach Rd	<ul style="list-style-type: none"> Unless otherwise approved in writing by Main Roads, the RAV must not be loaded with more than 3 loaded Twenty-foot Equivalent Units (3 TEU's), e.g. 3 twenty-foot intermodal containers or 1 forty-foot and 1 twenty-foot intermodal container.
H029	Marmion Av	Marmion Av	Stirling (C) Joondalup (C) Wanneroo (C)	1.84	Reid Hwy & North Beach Rd	23.45	Marmion Av - Hester Av Rty	
H030	Port Beach Rd	Port Beach Rd	Fremantle (C)	0.34	Port Beach Rd (Fpa)	1.06	Tydeman Rd	
H030	Port Beach Rd	Port Beach Rd Walter Pl Curtin Av	Fremantle (C)	1.06	Tydeman Rd	2.98	Curtin Av	<ul style="list-style-type: none"> Unless otherwise approved in writing by Main Roads, the RAV must not be loaded with more than 3 loaded Twenty-foot Equivalent Units (3 TEU's), e.g. 3 twenty-foot intermodal containers or 1 forty-foot and 1 twenty-foot intermodal container.
H031	Queen Victoria St	Queen Victoria St	Fremantle (C)	0.68	Canning Hwy	0.88	Beach St Link & Queen Victoria St	
H032	South St	South St	Fremantle (C)	1.89	Hines Rd	2.81	Stock Rd	
H032	South St	South St	Fremantle (C) Melville (C)	2.81	Stock Rd	8.43	Kwinana Fwy	<ul style="list-style-type: none"> No Freight containers except for delivery or collection from an address on South Street between Perth-Bunbury Hwy and Kwinana Fwy or within the O'Connor industrial area as specified by regulations.
H032	South St	South St	Melville (C)	8.43	Kwinana Fwy	8.80	South St on to Kwinana Fwy (Southbound) & Murdoch Station Bus Access & Murdoch Stn East Carpark Exit	
H032	South St	South St	Canning (C)	12.36	South St on to Roe Hwy (Eastbound) & Roe Hwy (Eastbound) off to South St	12.48	Roe Hwy (Westbound) off to South St & South St & South St on to Roe Hwy (Westbound)	
H033	Toodyay Rd	Toodyay Rd	Swan (C)	0.00	Roe Hwy & Toodyay Rd	2.65	Campersic Rd	
H033	Toodyay Rd	Toodyay Rd	Swan (C)	2.65	Campersic Rd	11.89	Roland Rd	<ul style="list-style-type: none"> When descending Red Hill, drivers must ensure they engage low gear and use their auxiliary brakes.
H033	Toodyay Rd	Toodyay Rd	Swan (C)	11.89	Roland Rd	22.07	Old Toodyay Rd & Toodyay Rd	
H034	Tydeman Rd	Tydeman Rd	Fremantle (C)	0.00	Stirling Hwy & John St	0.61	Napier Rd	<ul style="list-style-type: none"> Unless otherwise approved in writing by Main Roads, the RAV must not be loaded with more than 3 loaded Twenty-foot Equivalent Units (3 TEU's), e.g. 3 twenty-foot intermodal containers or 1 forty-foot and 1 twenty-foot intermodal container.
H034	Tydeman Rd	Tydeman Rd	Fremantle (C)	0.61	Napier Rd	1.04	Port Beach Rd	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H035	Wanneroo Rd	Wanneroo Rd	Stirling (C) Wanneroo (C)	9.05	Balcatta Rd	46.93	Indian Ocean Dr & Yanchep Beach Rd	
H036	West Coast Hwy	Curtin Av West Coast Hwy	Mosman Park (T) Cottesloe (T) Nedlands (C) Cambridge (T) Stirling (C)	2.77	Curtin Av	20.42	Karrinyup Rd & Marmion Av	<ul style="list-style-type: none"> Unless otherwise approved in writing by Main Roads, the RAV must not be loaded with more than 3 loaded Twenty-foot Equivalent Units (3 TEU's), e.g. 3 twenty-foot intermodal containers or 1 forty-foot and 1 twenty-foot intermodal container.
H038	Thomas Rd	Thomas Rd	Kwinana (C) Serpentine - Jarrahdale	0.00	Rockingham Rd	22.50	South Western Hwy	<ul style="list-style-type: none"> Intersection McLaughlan Rd : No left turn permitted into McLaughlan Rd from Thomas Rd
H040	Albany Port Rd	Hanrahan Rd	Albany (C)	0.00	Chester Pass Rty	0.95	Cuming Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
H040	Albany Port Rd	Hanrahan Rd Hahrahan Rd Princess Royal Dr	Albany (C)	0.95	Cuming Rd	7.29	Brunswick Rd	
H041	Anzac Dr	Anzac Dr	Kalgoorlie - Boulder (C)	0.00	Great Eastern Hwy & West Kalgoorlie Rd	7.04	Lane St Rty	
H042	Broome Hwy	Broome Rd	Broome	0.00	Great Northern Hwy	30.40	50m Before Tanami Dr	
H042	Broome Hwy	Broome Rd Gubinge Rd	Broome	30.40	50m Before Tanami Dr	31.65	50m After Magabala Rd	<ul style="list-style-type: none"> Maximum speed 40 km/h
H042	Broome Hwy	Gubinge Rd	Broome	31.65	50m After Magabala Rd	36.50	100m After Gantheaume Point Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
H042	Broome Hwy	Gubinge Rd Port Dr	Broome	36.50	100m After Gantheaume Point Rd	41.03	Port Dr (Bpa)	
H043	Bussell Hwy	Robertson Dr Bussell Hwy Busselton Bypa Busselton Bypass Perimeter Rd	Bunbury (C) Capel Busselton (C) Augusta - Margaret River	0.00	South Western Hwy & Brittain Rd & Robertson Dr	139.83	Allnutt Tce	<ul style="list-style-type: none"> Intersection Roberts Rd : No left turn permitted into Roberts Rd from Bussell Hwy Intersection Harmans Mill Rd : No left turn permitted into Harmans Mill Rd from Bussell Hwy Intersection Stockdill Rd : No left turn permitted into Stockdill Rd from Bussell Hwy Intersection Poole Rd : No left turn permitted into Poole Rd from Bussell Hwy
H043	Bussell Hwy	Blackwood Av Bussell Hwy	Augusta - Margaret River	139.83	Allnutt Tce	140.73	Ellis St & Blackwood Av	<ul style="list-style-type: none"> 10 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
H044	Carnarvon Rd	Robinson St	Carnarvon	0.00	North West Coastal Hwy	5.09	Olivia Tce & Robinson St	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H045	Coalfields Hwy	Coalfields Rd	Harvey Collie	0.00	South Western Hwy	4.26	3.34km After Seven Hills Rd	<ul style="list-style-type: none"> RAVs must travel in the left-hand lane at all times, unless; <ul style="list-style-type: none"> avoiding an obstruction; obeying a traffic-control signal; or intending to turn off the carriageway, and in order to do so safely it is necessary to position the vehicle in another lane before starting the turn. Prior to descending Roelands Hill, RAVs must pull into the bay at the top of the hill (SLK 4.26), stop & conduct a brake system check. When descending Roelands Hill, drivers must ensure they engage low gear, use their auxiliary brakes and must not exceed a maximum speed of 40 km/h.
H045	Coalfields Hwy	Coalfields Rd Throssell St	Collie Harvey	4.26	3.34km After Seven Hills Rd	36.25	Throssell St & Paterson St	
H046	Dampier Rd	Dampier Rd Dampier Dr	Karratha (C)	0.00	Madigan Rd & Dampier Rd	12.94	Central Av & Parker Point Rd	
H047	Derby Hwy	Derby Hwy Loch St	Derby - West Kimberley	0.00	Great Northern Hwy	42.86	Elder St & Jetty Rd	
H048	Minilya Exmouth Rd	Minilya Exmouth Rd	Carnarvon Exmouth	0.00	North West Coastal Hwy	211.75	Murat Rd & Preston St	
H049	Goldfields Hwy	Goldfields Hwy Tower St Wiluna Bypa	Coolgardie Kalgoorlie - Boulder (C) Menzies Leonora Wiluna Meekatharra	0.00	Coolgardie Esperance Hwy	793.28	Great Northern Hwy & Main St	
H050	Geraldton Mt Magnet Rd	Geraldton Mt Magnet Rd Gray St Maitland Rd Piesse St	Greater Geraldton (C) Yalgoo Mount Magnet	0.00	North West Coastal Hwy	335.00	Great Northern Hwy	
H051	Port Hedland Rd	Wilson St	Port Hedland (T)	0.00	Wallwork Rd	10.38	Wedge St	
H052	Brookton Hwy	Brookton Hwy Brookton-Corrigin Rd Kunjin St Corrigin Kondinin Rd Graham St Nicholls St Kondinin Hyden Rd Marshall St Hyden-Lake King Rd Varley Rd Newdegate Ravensthorpe Rd	Armadale (C) Beverley Brookton Corrigin Kondinin Kulin Lake Grace Ravensthorpe	0.00	Albany Hwy	519.50	South Coast Hwy	<ul style="list-style-type: none"> Intersection Hewett Rd : No left turn permitted into Hewett Rd from Brookton Hwy Intersection Kunjin South Rd : No right turn permitted into Kunjin South Rd from Brookton Hwy Intersection Willis Rd : No left turn permitted into Brookton Highway from Willis Road.
H053	Williams Narrogin Hwy	Narrogin Rd Williams Kondinin Rd	Williams Narrogin	0.00	Albany Hwy	29.05	Lefroy St	
H053	Williams Narrogin Hwy	Clayton Rd Kipling St	Narrogin	31.18	Earl St North & Clayton Rd	31.45	Pioneer Dr Rty	<ul style="list-style-type: none"> Intersection Eston St : No access permitted into Eston St from Williams Narrogin Hwy

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H054	Menang Dr	Menang Dr	Albany (C)	0.00	Chester Pass Rd	16.07	Slip From Hanrahan Rty Link on to Menang Dr (Southbound) & Princess Royal Dr	
H055	Madigan Rd	Madigan Rd	Karratha (C)	0.00	North West Coastal Hwy	5.78	Dampier Rd	
H056	Beach St (Victoria Quay Access)	Beach St Link Beach St (Victoria Quay Access) Peter Hughes Dr	Fremantle (C)	0.00	Queen Victoria St	0.27	Unknown Rd (Fpa)	
H057	Forrest Hwy	Forrest Hwy Robertson Dr	Murray Waroona Harvey Dardanup Bunbury (C)	0.00	Kwinana Fwy	95.67	South Western Hwy & Robertson Dr & Picton Rd	<ul style="list-style-type: none"> Intersection Riverdale Rd & Harris Rd : No right turn permitted into Riverdale Rd from Forrest Hwy
H058	Wilman Wadandi Hwy	Wilman Wadandi Hwy	Harvey Dardanup Bunbury (C) Capel	0.00	Forrest Hwy & Forrest Hwy (Southbound) off to Forrest Hwy (Southbound)	27.68	Bussell Hwy	
H059	Willinge Dr	Estuary Dr Willinge Dr	Bunbury (C) Dardanup	0.00	Leschenault Dr Rty	10.40	South Western Hwy - Willinge Dr Rty	
H061	Australind Roelands Link	Raymond Rd	Harvey	0.00	Forrest Hwy & Raymond Rd Acceleration Lane	6.70	South Western Hwy	
H062	John Willcock Link	John Willcock Link	Greater Geraldton (C)	0.00	Connell Rd & Ian Bogle Rd	4.17	North West Coastal Hwy & Brand Hwy on to North West Coastal Hwy (Northbound)	
H065	Horrie Miller Dr	Horrie Miller Dr	Belmont (C)	0.00	Kewdale Rd	0.22	Horrie Miller Dr (Federal)	
H066	Airport Dr	Airport Dr	Belmont (C)	0.00	Leach Hwy	0.16	Tonkin Hwy (Southbound) off to Airport Dr (Southbound)	
H068	Kwinana Beach Rd	Kwinana Beach Rd Rockingham Beach Rd	Kwinana (C) Rockingham (C)	0.00	Patterson Rd	3.69	Rockingham Beach Rd	
H069	Ocean Reef Upper Swan Hwy	Ocean Reef Rd Gnangara Rd	Joondalup (C) Wanneroo (C) Swan (C)	0.00	Ocean Reef Rd & Marmion Av	17.77	Gnangara Rd	
H072	Beeliar Dr	Beeliar Dr	Cockburn (C)	0.00	Beeliar Dr-Solomon Rd Rty	0.61	Beeliar Dr	
H081	Frenchman Bay Rd	Frenchman Bay Rd	Albany (C)	0.00	Hanrahan Rd Rty	0.69	Frenchman Bay Rd Rty	
H1016	South Coast Hwy - Menang Dr Link	South Coast Hwy - Menang Dr Link	Albany (C)	0.00	South Coast Hwy	0.35	Menang Dr	
H1018	Menang Dr - Hanrahan Rd Rty Link	Menang Dr - Hanrahan Rd Rty Link	Albany (C)	0.00	Menang Dr	0.25	Hanrahan Rd Rty	
H228	Clifton Rd Link	Clifton Rd Link	Harvey	0.00	Clifton Rd	0.25	Forrest Hwy - Paris Rd Rty	
H259	Dunreath Dr	Dunreath Dr (L Cwy) Dunreath Dr (R Cwy)	Belmont (C)	0.00	Dunreath Dr (L Cwy)	0.66	Dunreath Dr (R Cwy)	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H923	Old Great Northern Hwy (Miling)	Old Great Northern Hwy (Miling) Great Northern Hwy	Moora	0.00	Great Northern Hwy	1.48	End of Road	
H924	Old Great Northern Hwy (Muchea)	Old Great Northern Hwy (Muchea)	Chittering	0.00	GNH Access Road Brand Hwy Muchea & Old Gingin Rd	1.69	0.23km Before Reserve Rd	
H924	Old Great Northern Hwy (Muchea)	Great Northern Hwy	Chittering	1.92	Great Northern Hwy	5.31		
H924	Old Great Northern Hwy (Muchea)	Great Northern Hwy	Chittering	6.53	Great Northern Hwy	7.80	End Road Section - H924	
M001	Albany Lake Grace	Chester Pass Rd Nyabing Pingrup Rd Sanderson St Paterson St Pingrup Lake Grace Rd South Rd	Albany (C) Plantagenet Gnowangerup Kent Lake Grace	0.00	Chester Pass Rd & South Coast Hwy	229.03	South Rd & Stubbs St	<ul style="list-style-type: none"> Intersection Porongurup Rd : No right turn permitted into Porongurup Rd from Albany Lake Grace Rd Intersection Mason St : No left turn permitted into Mason St from Albany Lake Grace Rd
M002	Bindoon Moora	Bindoon Moora Rd	Chittering	0.00	Great Northern Hwy	4.21	Mooliabeenee Rd	
M002	Bindoon Moora	Bindoon Moora Rd Padbury St	Chittering Victoria Plains Moora	27.35	Wannamal West Rd	86.26	Padbury St & Clinch St	<ul style="list-style-type: none"> Intersection West Point Rd : No left turn permitted into West Point Rd from Bindoon Moora Rd.
M003	Bannister Marradong	Bannister Marradong Rd Bannister Rd Marradong Rd	Boddington	0.00	Albany Hwy	21.92	Pinjarra Williams Rd	
M004	Bremer Bay	Borden Bremer Bay Rd	Jerramungup	0.00	South Coast Hwy	59.38	Bremer Bay Rd	
M005	Broomehill Jerramungup	Broomehill Gnowangerup Rd Yougenup Rd Gnowangerup Jerramungup Rd	Broomehill - Tambellup Gnowangerup Jerramungup	0.00	Great Southern Hwy	130.21	Hassell Rd & South Coast Hwy	<ul style="list-style-type: none"> 10 km/h below posted speed limit Speed restriction applies through townsite ONLY Intersection Pallinup Rd : No left turn permitted into Pallinup Rd from Broomehill Jerramungup Intersection Martinup Rd : No left turn permitted into Martinup Rd (B) from Broomehill Jerramungup Intersection Heron Rd : No right turn permitted into Heron Rd from Broomehill Jerramungup Intersection Allardyce St : No left turn permitted into Allardyce St (westbound) from Broomehill Jerramungup Rd Intersection Woodlands Rd : No left turn permitted into Woodlands Rd from Broomehill Jerramungup
M006	Bridgetown Boyup Brook	Steere St Gifford Rd Bridgetown Boyup Brook Rd Jayes Rd	Bridgetown - Greenbushes Boyup Brook	0.00	Hampton St & Henry St	30.48	Abel St & Boyup Brook - Arthur River Rd	
M007	Burkett	Burkett Rd	Exmouth	0.00	North West Coastal Hwy	78.51	Minilya Exmouth Rd	
M008	Vasse	Vasse Hwy Warren Rd Brockman Hwy Brockman St	Busseilton (C) Nannup Manjimup	0.00	Busseilton Hwy	150.74	South Western Hwy	<ul style="list-style-type: none"> Intersection Slee Rd : No left turn permitted into Slee Road from Vasse Highway Intersection Packer Rd : No left turn permitted into Packer Rd from Vasse Hwy

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
M009	Burrup Peninsula	Burrup Peninsula Rd	Karratha (C)	0.00	Dampier Rd	9.25	Woodside Access Rd (P) & Withnell Bay Access Rd	
M010	Chidlow York	Great Southern Hwy Henrietta St	Mundaring Northam York	0.00	Great Eastern Hwy	46.02	Avon Tce & Balladong St	<ul style="list-style-type: none"> Intersection Ashworth Rd : No left turn permitted into Ashworth Rd from Chidlow York Rd Intersection Morris Edwards Dr : No access permitted into Morris Edwards Dr from Chidlow York Intersection Forrest St : No left turn permitted into Forrest St (Southbound) from Chidlow York Rd (Westbound)
M011	Shark Bay	Shark Bay Rd	Shark Bay	0.00	North West Coastal Hwy	128.18	Denham Rd & Monkey Mia Rd	
M012	Gibb River	Derby Gibb River Rd Gibb River Wyndham Rd	Derby - West Kimberley Wyndham - East Kimberley	0.00	Derby Hwy	646.87	Great Northern Hwy	
M013	Donnybrook Kojonup	Donnybrook Kojonup Rd Abel St Bridge St Blackwood Rd	Donnybrook - Balingup Boyup Brook Kojonup	0.00	South Western Hwy	157.45	Albany Hwy	<ul style="list-style-type: none"> Intersection Orchid Valley Rd : No access permitted into Orchid Valley Rd from Donnybrook - Kojonup Rd Intersection White Elephant Rd : No access permitted into White Elephant Rd from Donnybrook - Kojonup Rd Intersection Narlingup Rd : No access permitted into Narlingup Rd from Donnybrook Kojonup Rd.
M014	Denmark Mt Barker	Denmark Mt Barker Rd	Denmark Plantagenet	0.00	South Coast Hwy	39.66	Muir Hwy	<ul style="list-style-type: none"> Intersection Blue Lake Rd : No left turn permitted into Blue Lake Rd from Denmark Mt Barker Rd Intersection Harvey Rd : Left turn only to Harvey Rd from Denmark Mount Barker Rd. No right turn permitted west into Harvey Rd from Denmark Mt Barker Rd Intersection Wragg Rd : No left turn permitted into Denmark Mount Barker Rd from Wragg Rdd.
M015	Formby South	Formby Rd South	Gnowangerup	0.00	Gnowangerup Jerramungup Rd	48.78	Chester Pass Rd	
M016	Goomalling Merredin	Goomalling Wyalkatchem Rd Goldfields Rd Hands Dr Nungarin Wyalkatchem Rd Railway St Railway Av Merredin Nungarin Rd Gamenya Av Barrack St	Goomalling Dowerin Wyalkatchem Trayning Nungarin Merredin	0.00	Unknown Rd & Northam Pithara Rd	171.93	Great Eastern Hwy	<ul style="list-style-type: none"> Intersection Benjaberring South Rd & Davies South Rd : No access permitted into Davies South Rd from Goomalling Merredin Rd Intersection Allan Rd : No access permitted into Allan Rd from Goomalling Merredin Rd
M017	Gorge Rock Lake Grace	Corrigin Kulin Rd Davies Rd	Corrigin Kulin	0.00	Corrigin Kondinin Rd	29.07	Kulin West Rd	
M017	Gorge Rock Lake Grace	Davies Rd	Kulin	29.07	Kulin West Rd	30.11	Williams Kondinin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
M017	Gorge Rock Lake Grace	Johnston St Kulin Lake Grace Rd South Rd	Kulin Lake Grace	30.46	Johnston St & High St	101.68	South Rd & Stubbs St	<ul style="list-style-type: none"> Intersection Stewart St & Johnston St : No left turn permitted into Stewart St from Gorge Rock Lake Grace Intersection Cbh Access Rd & Kulin Kondinin Rd : No access permitted into CBH Access Rd from Gorge Rock Lake Grace

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
M020	Marvel Loch	Southern Cross Marvel Loch Rd Lenneberg St	Yilgarn	0.00	Orion St & Antares St	32.94	Marvel Loch - Forrestania Rd & Argent St & Lenneberg St	
M021	Kojonup Pingrup	Kojonup Katanning Rd Bay St Drove St Katanning Nyabing Rd Nyabing Pingrup Rd	Kojonup Katanning Kent	0.00	Albany Hwy	123.33	Nyabing Pingrup Rd & Chester Pass Rd	
M022	Leonora Laverton	Rochester St (Leonora) Leonora Laverton Rd Beria Rd	Leonora Laverton	0.00	Tower St & Rochester St	123.78	Augusta St Roundabout	
M023	Pinjarra	Pinjarra Rd	Mandurah (C) Murray	2.46	Mandurah Rd & Pinjarra Rd	19.32	George St	<ul style="list-style-type: none"> Intersection Old Mandurah Rd : No left turn permitted into Old Mandurah Rd from Pinjarra Rd.
M024	Muir	Brain St Muir Hwy	Manjimup Cranbrook Plantagenet	0.00	Pritchard St & Mottram St	161.43	Woogenellup Rd Rty	<ul style="list-style-type: none"> Intersection Banks Rd : No left turn permitted into Banks Rd from Muirs Hwy Intersection Nabagup Rd : No left turn permitted into Nabagup Rd from Muir Hwy Intersection Frankland - Rocky Gully Rd : No left turn permitted into Frankland-Rocky Gully Road from Muir Highway.
M025	Mingenew Morawa	Mingenew Morawa Rd	Mingenew Morawa	0.00	William St & Midlands Rd	58.75	Morawa - Yalgoo Rd & Mullewa Wubin Rd	
M026	Toodyay	Toodyay Rd	Swan (C) Mundaring Toodyay	0.00	Old Toodyay Rd & Toodyay Rd	40.46	Stirling Tce & Goomalling Toodyay Rd	
M027	Brockman	Brockman Hwy	Nannup Augusta - Margaret River	0.00	Brockman Hwy & Vasse Hwy	73.18	Bussell Hwy	<ul style="list-style-type: none"> Intersection Clive Rd : No Left Turn Into Clive Rd From Brockman Hwy
M028	Midlands	Midlands Rd Gardiner St Clinch St Roberts Rd Poynton Pde Railway Rd	Moora Coorow Carnamah Three Springs Mingenew Irwin	0.00	Great Northern Hwy	262.86	Brand Hwy	<ul style="list-style-type: none"> Intersection Franklin Rd : No left turn permitted into Franklin Rd from Midlands Rd Intersection Sunset Rd & Rothsay Rd : No left turn permitted into Rothsay Rd from Midlands Rd. Intersection Tabletop Rd : No access permitted into Tabletop Rd from Midlands
M029	Nanutarra Munjina	Nanutarra Munjina Rd Nanutarra Munjina	Ashburton	0.00	North West Coastal Hwy	328.19	Hamersley Rd	<ul style="list-style-type: none"> Intersection Manuwarra Red Dog Hwy : No access permit into Manuwarra Red Dog Hwy from Nanutarra Munjina Rd.
M029	Nanutarra Munjina	Nanutarra Munjina Rd	Ashburton	333.25	4.1km From Hamersley Gorge Rd	338.85	9.7km From Hamersley Gorge Rd	
M029	Nanutarra Munjina	Nanutarra Munjina Rd	Ashburton	338.85	From 9.70 Km (North) Past Hamersley Gorge Rd	417.12	Great Northern Hwy	<ul style="list-style-type: none"> Maximum speed 60 km/h
M030	Marble Bar	Marble Bar Rd	East Pilbara Port Hedland (T)	0.00	Great Northern Hwy	433.94	Great Northern Hwy	
M031	Northam Cranbrook	Peel Tce Yilgarn Av	Northam	0.00	Taylor St & Fitzgerald St & Peel Tce	1.36	Yilgarn Av	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
M031	Northam Cranbrook	York Rd Northam York Rd Panmure Rd Balladong St Avon Tce Great Southern Hwy Hunt Rd Williams St Quadrant St Parade St Pioneer Dr Reeves Rd Tudor St Moojebing Rd Indus St Garritty St Climie St	Northam York Beverley Brookton Pingelly Cuballing Narrogin Wagin Woodanilling Katanning Broomehill - Tambellup Cranbrook	1.36	Yilgarn Av	352.23	Albany Hwy	<ul style="list-style-type: none"> Intersection Walwalling Rd : No left turn permitted into Walwalling Rd from Northam Cranbrook Intersection Popanyinning West Rd & Bunmulling Rd : No left turn permitted into Bunmulling Rd from Northam Cranbrook Rd Intersection Piesseville - Jalaran Rd : No access permitted into Piesseville - Jalaran Rd from Northam Cranbrook Intersection Walkers Rd : No right turn permitted into Walkers Rd from Northam Cranbrook Intersection Condining Rd : No right turn permitted into Condining Rd from Northam Cranbrook Rd Intersection Tavistock St : No right turn permitted into Tavistock Street from Northam Cranbrook (Tudor Street). No left turn permitted into Tavistock Street from Northam Cranbrook (Tudor Street). Intersection Tie Line Rd : No access permitted to or from Tieline Road from either direction Intersection Greenhills Rd : No left turn permitted into Greenhills Rd from Northam Cranbrook Intersection Bridge St : No left turn permitted into Bridge St from Northam Cranbrook Intersection Toolbrunup Rd : No access permitted into Toolbrunup Rd from Northam Cranbrook Rd Intersection Wansbrough West Rd : No access permitted into Wansbrough West Rd from Northam Cranbrook Intersection Salt River Rd & Cranbrook - Frankland East Rd : No access permitted into Cranbrook-Frankland East Rd from Northam Cranbrook.
M032	Northam Pithara	Taylor St Goomalling Rd	Northam	0.00	Peel Tce & Fitzgerald St	3.38	Northam Pithara Rd Link Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
M032	Northam Pithara	Northam Pithara Rd Throssell St Main St Wongan Rd Carter Rd	Northam Goomalling Wongan - Ballidu Dalwallinu	3.38	Northam Pithara Rd Link Rd	152.40	Great Northern Hwy	<ul style="list-style-type: none"> Intersection Short St : No left turn permitted into Short St from Northam Pithara Rd
M033	Northam Toodyay	Northam Toodyay Rd	Northam Toodyay	2.59	Northam Toodyay Rd Link Rd & Newcastle Rd & McMillan Pl	23.64	Toodyay Rd	
M035	Point Samson Roebourne	Point Samson Roebourne Rd	Karratha (C)	4.77	Cape Lambert Rd	18.94	Cleaverville Rd	
M036	Pemberton Northcliffe	Pemberton Northcliffe Rd Zamia St	Manjimup	0.00	Vasse Hwy	27.73	Muirillup Rd & Wheatley Coast Rd & Windy Harbour Rd	<ul style="list-style-type: none"> Intersection Richardson Rd : No right turn permitted into Richardson Rd from Pemberton Northcliffe Rd

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
M037	Collie Lake King	Throssell St Cameron Rd Gibbs Rd Coalfields Rd Arthur Rd Tudhoe St Wagin Dumbleyung Rd Absolon St Ebsary St Dumbleyung Lake Grace Rd Stubbs St Lake Grace Newdegate Rd Mitchell St Maler St Newdegate Ravensthorpe Rd	Collie West Arthur Wagin Dumbleyung Lake Grace	36.35	Throssell St & Paterson St	390.44	Newdegate Ravensthorpe Rd & Varley Rd & Lake King-Norseman Rd	<ul style="list-style-type: none"> Intersection De Lyanine North Rd : No access permitted into De Lyanine North Rd from Collie Lake King Rd Intersection Nelson Rd : No access permitted into Nelson Rd from Collie Lake King Intersection Ranford St : No right turn permitted into Ranford Street from Collie Lake King (Tudhoe Street). Right turn only permitted into Ranford Street from Collie Lake King (Tudhoe Street). Intersection Behn Ord Rd : No right turn permitted into Behn Ord Rd from Collie Lake King Rd Intersection White Well Rd : No left turn permitted into White Well Rd from Collie Lake King Rd
M038	Narrogin Kondinin	Kipling St Doney St Williams Kondinin Rd Wogolin Rd	Narrogin Cuballing Wickein Kulin	31.61	Pioneer Dr Rty	138.49	Jilakin St	<ul style="list-style-type: none"> Intersection Leeson Rd : No Left Turn Into Leeson Road Permitted
M038	Narrogin Kondinin	Johnston St Kulin Kondinin Rd	Kulin Kondinin	138.49	Jilakin St	162.56	Nicholls St & Graham St & Kondinin Lake Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h Intersection Young Rd : No left turn permitted into Young Rd from Narrogin Kondinin Rd Intersection Link to Young Rd : No right turn permitted into Link to Young Rd from Narrogin Kondinin Rd
M039	Wubin Mullewa	Mullewa Wubin Rd Fowler St Winfield St Wubin Mullewa	Dalwallinu Perenjori Morawa Greater Geraldton (C)	0.00	Great Northern Hwy	221.46	Geraldton Mt Magnet Rd	<ul style="list-style-type: none"> Maximum speed through Morawa Townsite 40 km/h, from approx. 570 m north of Burton Rd to approx. 260 m north of Solomon Tce Intersection Wilder Rd : No right turn permitted into Wilder Rd from Wubin Mullewa Rd Intersection Bell Rd & Vandeleur Rd : No access permitted into Bell Rd from Wubin-Mullewa Rd Intersection Pintharuka Dam : No access permitted into Pintharuka Dam from Wubin-Mullewa Rd
M040	Bullfinch	Antares St Bullfinch Rd	Yilgarn	1.54	Rigel St	35.68	Koorda - Bullfinch Rd & Manxman Rd	
M041	York Merredin	Panmure Rd York Rd Quairading York Rd	York Beverley Quairading	0.00	Balladong St & Panmure Rd	66.18	Weir Rd	<ul style="list-style-type: none"> Intersection Greenhills Rd : No right turn permitted into Greenhills Rd from York Merredin Rd Intersection Toapin Rd : No left or right turn permitted into Toapin Rd from York Merredin Rd
M041	York Merredin	Quairading York Rd	Quairading	66.18	Weir Rd	67.34	Cubbine Rd	<ul style="list-style-type: none"> HVS Update 7-2022 Intersection Junction Rd : No right turn permitted into Junction Rd from York Merredin Rd

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
M041	York Merredin	Quairading York Rd Jennaberring Rd Bruce Rock Quairading Rd Swan St Johnson St Osborne St Bruce Rock Merredin Rd South Av	Quairading Bruce Rock Merredin	67.34	Cubbine Rd	193.85	Great Eastern Hwy	<ul style="list-style-type: none"> Intersection Buller Link Rd & Corrigin - Bruce Rock Rd : No left turn permitted into Buller Link Rd from York Merredin Rd. Intersection Buller Rd : No left turn permitted into Buller Rd from Bruce Rock Quairading Rd (York Merredin Rd) Intersection Dampier St : No left turn permitted into Dampier St from York Merredin Intersection Belka East Rd : No access permitted into Belka East Rd from York Merredin Rd. No access permitted into York Merredin Rd from Belka East Rd
M042	Goodwood	Capel Dr Forrest Rd Hutton Rd Goodwood Rd Emerald St Marmion St	Capel Donnybrook - Balingup	0.00	Gavins Rd & Capel Dr & Widdeson Rd	37.68	South Western Hwy	
M043	Caves	Bussell Hwy Caves Rd	Busselton (C) Augusta - Margaret River	0.00	Busselton Bypass West Rty	111.00	Bussell Hwy	<ul style="list-style-type: none"> Intersection Ellen Brook Rd : No left turn permitted into Ellen Brook Rd from Caves Rd northbound Intersection Redgate Rd : No left or right turn permitted onto Redgate Rd from Caves Rd
M045	Indian Ocean Dr	Indian Ocean Dr	Wanneroo (C) Gingin Dandaragan	0.00	Wanneroo Rd & Yanchep Beach Rd	86.17	3.83km Past Nilgen Lookout Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Maximum speed 80 km/h Intersection Tuart Rise : No left turn permitted into Tuart Rise from Indian Ocean Dr Intersection Lancelin Rd : No right turn permitted into Lancelin Rd from Indian Ocean Dr
M045	Indian Ocean Dr	Indian Ocean Dr	Dandaragan	89.73	Meadows Rd	100.61	10.88km North of Meadows Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Maximum speed 80 km/h
M045	Indian Ocean Dr	Indian Ocean Dr Bashford St	Dandaragan Coorow Carnamah Irwin	144.19	Cervantes Rd	267.29	Brand Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Maximum speed 80 km/h
M046	Collie Mumballup	Paterson St Preston St Preston Rd Collie Preston Rd	Collie Donnybrook - Balingup	0.00	Throssell St	21.28	Donnybrook Kojonup Rd	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
M047	Coral Bay	Coral Bay Rd	Carnarvon	0.00	Minilya Exmouth Rd & Unknown Rd	12.03		
M049	Onslow	Onslow Rd	Ashburton	0.00	North West Coastal Hwy	61.85	1.16km From Warrirda Rd	<ul style="list-style-type: none"> Not to exceed the lesser of 90 km/h or the posted speed limit.
M049	Onslow	Onslow Rd	Ashburton	61.85	1.16km From Warrirda Rd	63.67		
M049	Onslow	Onslow Rd	Ashburton	63.67		76.74	McAullay Rd	<ul style="list-style-type: none"> Not to exceed the lesser of 90 km/h or the posted speed limit.
M050	Pannawonica	Pannawonica Rd	Ashburton	0.00	North West Coastal Hwy	46.00	Deepdale Dr	<ul style="list-style-type: none"> Maximum speed 80 km/h
M051	Paraburdoo Tom Price	Paraburdoo Rd Camp Rd Rocklea Rd Tom Price Rd	Ashburton	0.00	Nanutarra Munjina Rd	130.78	Manuwarra Red Dog Hwy & Bingarn Rd	
M052	Boyanup Picton	Bridge St Boyanup Picton Rd	Capel Bunbury (C) Dardanup	0.00	Bridge St & South Western Hwy	17.61	Picton Rty	
M053	Pinjarra Williams	Pinjarra Williams Rd McLarty St	Murray Boddington	0.00	George St	71.62	Worsley Bauxite Mine Access	
M053	Pinjarra Williams	Pinjarra Williams Rd	Boddington Williams	71.62	Worsley Bauxite Mine Access	91.95	Harvey - Quindanning Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
M053	Pinjarra Williams	Pinjarra Williams Rd	Williams	91.95	Harvey - Quindanning Rd	125.53	William St & Albany Hwy	<ul style="list-style-type: none"> Intersection Harvey - Quindanning Rd : No right turn permitted into Harvey-Quindanning Road from Pinjarra-Williams Road.
M054	Geraldton Walkaway	Edward Rd	Greater Geraldton (C)	3.49	Edward Rd Rty	23.62	Levett Rd & Walkaway - Nangetty Rd	
M056	Wongan Hills Calingiri	Ninan St Calingiri-Wongan Hills Rd Yulgering Rd Railway St Calingiri Rd	Wongan - Ballidu Victoria Plains Chittering	0.00	Wongan Rd	68.82	Great Northern Hwy	<ul style="list-style-type: none"> Intersection Catabody Rd : No left turn permitted into Catabody Rd from Wongan Hills - Calingiri Rd
M057	Monkey Mia	Monkey Mia Rd	Shark Bay	0.00	Denham Rd & Shark Bay Rd	25.34	Monkey Mia - End Road	
M058	Northampton Kalbarri	Stephen St Horrocks Rd Port Gregory Rd George Grey Dr	Northampton	0.00	Hampton St	70.14	Ogilvie West Rd	
M059	Ravensthorpe Hopetoun	Hopetoun-Ravensthorpe Rd	Ravensthorpe	0.00	Ravensthorpe Bypass Rty	47.31	Hamersley Dr & Veal St	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit
M060	Goomalling Toodyay	Railway Tce Lockyer St Goomalling Toodyay Rd	Goomalling Toodyay	0.00	Throssell St & Main St	48.02	Stirling Tce & Toodyay Rd	<ul style="list-style-type: none"> Intersection Hughes Rd : No left turn permitted into Hughes Rd from Goomalling Toodyay Rd
M061	Boyanup Capel	Trigwell Rd Railway Rd Gavins Rd Capel Dr	Capel	0.00	South Western Hwy	17.35	Bussell Hwy	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
M062	Karjini Dr	Karjini Dr	Ashburton	0.00	Great Northern Hwy	108.66	Tom Price Rd	
M063	Ripon Hills Rd	Ripon Hills Rd	East Pilbara	0.00	Marble Bar Rd	130.94	Woodie Woodie Rd	
M064	Moonyoonooka Yuna Rd	Narra Tarra Moonyoonooka Rd Morrell Rd Chapman Valley Rd	Greater Geraldton (C) Chapman Valley	0.00	Geraldton Mt Magnet Rd	47.89	Marrah Rd	<ul style="list-style-type: none"> Intersection McCagh Rd : No left turn permitted into McCagh Road from Moonyoonooka Yuna Road Intersection Old Nabawa - Northampton Rd : No right turn permitted into Old Nabawa Northampton Rd from Moonyoonooka Yuna Rd
M064	Moonyoonooka Yuna Rd	Chapman Valley Rd	Chapman Valley	47.89	Marrah Rd	56.04	Naraling - East Yuna Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h
M064	Moonyoonooka Yuna Rd	Chapman Valley Rd Yuna Tenindewa Rd	Chapman Valley	56.04	Naraling - East Yuna Rd	72.16	Dartmoor Rd & Yuna - Tenindewa Rd	
M065	Manuwarra Red Dog Hwy	Manuwarra Red Dog Hwy	Karratha (C) Ashburton	0.00	North West Coastal Hwy	274.76	Mine Rd	<ul style="list-style-type: none"> Intersection Nanutarra Munjina Rd : No access permitted into Nanutarra Munjina Rd from Manuwarra Red Dog Hwy
M065	Manuwarra Red Dog Hwy	Manuwarra Red Dog Hwy	Ashburton	274.76	Mine Rd	275.18	Haulpak Access (P) & Doradeen Rd	<ul style="list-style-type: none"> A RAV must not be driven on this road in excess of 4.5 metres in height
M065	Manuwarra Red Dog Hwy	Manuwarra Red Dog Hwy	Ashburton	275.18	Haulpak Access (P) & Doradeen Rd	275.26	Tom Price Rd & Bingarn Rd	
M066	Collie Williams	Paul St Palmer Rd Williams Rd Collie Williams Rd	Collie Williams	0.00	Gibbs Rd	64.93	Pinjarra Williams Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Quindanning - Darkan Rd : Left turn only permitted into Quindanning - Darkan Rd from Collie Williams Rd Intersection Marling Rd : No right turn permitted into Marling Rd from Collie Williams Rd Intersection Pig Gully Rd : No access permitted to Pig Gully Rd from Collie Williams
M069	Mt Magnet Leinster Rd	Richardson St Mt Magnet Sandstone Rd Agnew Sandstone Rd Agnew Leinster Rd	Mount Magnet Sandstone Leonora	0.00	Hepburn St & Richardson St	300.73	Goldfields Hwy	
M073	Greenlands Rd	Greenlands Rd	Murray	0.00	Forrest Hwy	5.81	Greenlands Rd Rty	
M074	Lakelands Lake Clifton	Mandjoogoordap Dr Mandurah Rd Old Coast Rd Dawesville Bypa	Mandurah (C) Waroona	0.00	Lymon Rd	54.98	Forrest Hwy & Old Coast Rd Slip From/To Forrest Hwy (Southbound)	
M075	Warrirda Rd	Warrirda Rd	Ashburton	0.00	Onslow Rd	14.83	End Road - Warrirda Rd	
M076	Broome Cape Leveque Rd	Broome Rd & Broome - Cape Leveque Rd	Broome	0.06	Broome Rd - Broome - Cape Leveque Rd Rty	0.31		
M076	Broome Cape Leveque Rd	Broome Rd & Broome - Cape Leveque Rd	Broome	0.31		3.22	McGuigan Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
M076	Broome Cape Leveque Rd	Broome - Cape Leveque Rd	Broome	3.22	McGuigan Rd	192.69	Kooljaman Access Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Dry season use only.
M077	Granary Dr	Granary Dr	Chittering	0.00	Muchea East Rd & Great Northern Hwy	3.25	Granary Dr on to Brand Hwy (Northbound) & Brand Hwy (Southbound) off to Granary Dr	
M079	Marriott Rd	Marriott Rd	Harvey	0.00	South Western Hwy	12.47	Forrest Hwy	
M080	Stewart Rd	Stewart Rd	Nannup	0.00	Vasse Hwy	27.56	Brockman Hwy	
M081	Sues Rd	Sues Rd	Busselton (C) Augusta - Margaret River Nannup	0.10	Bussell Hwy - Sues Rd Rty	58.59	Brockman Hwy	
M083	Lillydale Rd	Lillydale Rd	Capel	0.00	Wilman Wadandi Hwy - Lillydale Rd Rty & Wilman Wadandi Hwy	2.34	Bussell Hwy - Lillydale Rd Rty & Bussell Hwy	
M405	Corrigin Kulin Rd Slip Rd	Corrigin Kulin Rd Slip Rd	Kulin	0.00	Corrigin Kulin Rd & Davies Rd	0.22	Corrigin Kulin Rd	
H1001	Great Northern Hwy - Apple St - Coondaree Pde Rty	Great Northern Hwy - Apple St - Coondaree Pde Rty	Swan (C)	0.00	Great Northern Hwy	0.22	Great Northern Hwy	
H1002	Broome Rd - Broome - Cape Leveque Rd Rty	Broome Rd - Broome - Cape Leveque Rd Rty	Broome	0.00	Broome Rd	0.20	Broome Rd	
H1006	Thomas Rd - Central Av Rty	Thomas Rd - Central Av Rty	Kwinana (C)	0.00	Thomas Rd	0.22	Thomas Rd	
H1008	Great Northern Hwy - Stock Rd Rty	Great Northern Hwy - Stock Rd Rty	Swan (C)	0.00	Great Northern Hwy	0.23	Great Northern Hwy	
H1017	Hanrahan Rd Rty	Hanrahan Rd Rty	Albany (C)	0.00	Hahrahan Rd	0.25	Hahrahan Rd	
H1021	Vittoria Rd Rty	Vittoria Rd Rty	Bunbury (C)	0.00	South Western Hwy	0.18	South Western Hwy	
H1022	Frenchman Bay Rd Rty	Frenchman Bay Rd Rty	Albany (C)	0.00	Frenchman Bay Rd	0.18	Frenchman Bay Rd	
H1023	Bussell Hwy - Lillydale Rd Rty	Bussell Hwy - Lillydale Rd Rty	Capel	0.00	Bussell Hwy & Lillydale Rd	0.25	Bussell Hwy & Lillydale Rd	
H1026	South Western Hwy - Lillydale Rd Rty	South Western Hwy - Willinge Dr Rty	Capel	0.00	South Western Hwy	0.23	South Western Hwy	
H1032	Thomas Rd - Nicholson Rd Rty	Thomas Rd - Nicholson Rd Rty	Serpentine - Jarrahdale	0.00	Thomas Rd	0.20	Thomas Rd	
H1035	Thomas Rd - Kargotich Rd Rty	Thomas Rd - Kargotich Rd Rty	Serpentine - Jarrahdale	0.00	Thomas Rd	0.21	Thomas Rd	
H1037	Bussell Hwy - Sues Rd Rty	Bussell Hwy - Sues Rd Rty	Busselton (C)	0.00	Bussell Hwy	0.20	Bussell Hwy	
H401	Chester Pass Rty	Chester Pass Rty	Albany (C)	0.00	Chester Pass Rd	0.29	Chester Pass Rd	
H402	Eelup Rty	Eelup Rty	Bunbury (C)	0.00	Robertson Dr	0.60	Robertson Dr	
H403	Lane St Rty	Lane St Rty	Kalgoorlie - Boulder (C)	0.00	Lane St	0.31	Lane St	
H405	Causeway Rd Rty	Causeway Rd Rty	Busselton (C)	0.00	Busselton Bypa	0.32	Busselton Bypa	
H406	Busselton Bypass West Rty	Busselton Bypass West Rty	Busselton (C)	0.00	Northerly St	0.21	Northerly St	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H407	Chapman Valley Rd Rty	Chapman Valley Rd Rty	Greater Geraldton (C)	0.00	Chapman Valley Rd	0.13	Chapman Valley Rd	
H409	Robertson Dr Rty	Robertson Dr Rty	Bunbury (C)	0.00	Bussell Hwy	0.20	Bussell Hwy	
H410	Armadale Rd - Anstey Rd Rty	Armadale Rd - Anstey Rd Rty	Armadale (C)	0.00	Weld St	0.16	Weld St	
H411	Twelfth Rd Rty	Twelfth Rd Rty	Armadale (C)	0.00	Twelfth Rd	0.16	Twelfth Rd	
H412	Strelly St Rty	Strelly St Rty	Busselton (C)	0.00	Chapman Hill Rd	0.21	Chapman Hill Rd	
H413	Jigal Dr Rty	Jigal Dr Rty	Broome	0.00	Jigal Dr	0.20	Jigal Dr	
H414	Cable Beach Rd West Rty	Cable Beach Rd West Rty	Broome	0.00	Gubinge Rd	0.20	Gubinge Rd	
H415	Cable Beach Rd East Rty	Cable Beach Rd East Rty	Broome	0.00	Cable Beach Rd East	0.20	Cable Beach Rd East	
H416	Woogenellup Rd Rty	Woogenellup Rd Rty	Plantagenet	0.00	Woogenellup Rd	0.19	Woogenellup Rd	
H418	Edward Rd Rty	Edward Rd Rty	Greater Geraldton (C)	0.00	Edward Rd	0.30	Edward Rd	
H419	Leschenault Dr Rty	Leschenault Dr Rty	Bunbury (C)	0.00	Estuary Dr	0.12	Estuary Dr	
H420	Estuary Dr Rty	Estuary Dr Rty	Bunbury (C)	0.00	Estuary Dr	0.16	Estuary Dr	
H421	Greenlands Rd Rty	Greenlands Rd Rty	Murray	0.00	H421 & Future M53 Connection	0.23	H421 & Future M53 Connection	
H422	Mandjoogoordap Dr Rty	Mandjoogoordap Dr Rty	Mandurah (C)	0.00	Mandjoogoordap Dr	0.20	Mandjoogoordap Dr	
H423	Picton Rty	Picton Rty	Bunbury (C)	0.00	Willinge Dr	0.17	Willinge Dr	
H424	Wilman Wadandi Hwy Willinge Dr Rty	Wilman Wadandi Hwy Willinge Dr Rty	Bunbury (C)	0.12	Wilman Wadandi Hwy	0.12	Wilman Wadandi Hwy	
H425	Wilman Wadandi Hwy South West Hwy Rty	Wilman Wadandi Hwy South West Hwy Rty	Capel	0.00	South Western Hwy	0.16	South Western Hwy	
H427	Margaret River South Rty	Margaret River South Rty	Augusta - Margaret River	0.00	Bussell Hwy	0.19	Bussell Hwy	
H429	The Promenade Rty	The Promenade Rty	Swan (C)	0.00	The Promenade	0.53	The Promenade	
H430	Ravensthorpe Bypass Rty	Ravensthorpe Bypass Rty	Ravensthorpe	0.00	South Coast Hwy	0.18	South Coast Hwy	
H431	Stock West Rd Rty	Stock West Rd Rty	Swan (C)	0.00	Stock Rd	0.56	Stock Rd	
H432	Neaves Rd Rty	Neaves Rd Rty	Swan (C)	0.00	Neaves Rd	0.54	Neaves Rd	
H433	Brand Hwy Rty	Brand Hwy Rty	Chittering	0.00	Great Northern Hwy	0.69	Great Northern Hwy	
H434	Beeliar Dr-Solomon Rd Rty	Beeliar Dr-Solomon Rd Rty	Cockburn (C)	0.00	Beeliar Dr	0.21	Beeliar Dr	
H435	Tapper Rd - Verde Dr Rty	Tapper Rd-Verde Dr Rty	Cockburn (C)	0.00	Tapper Rd	0.20	Tapper Rd	
H436	Armadale Rd - Nicholson Rd Rty	Armadale Rd - Nicholson Rd Rty	Armadale (C)	0.00	Nicholson Rd Rty on to Armadale Rd (Eastbound)	0.22	Nicholson Rd Rty on to Armadale Rd (Eastbound)	
H437	Armadale Rd - Taylor Rd - Wright Rd Rty	Armadale Rd - Taylor Rd - Wright Rd Rty	Armadale (C)	0.00	Armadale Rd	0.24	Armadale Rd	
H438	Armadale Rd - Liddelow Rd Rty	Armadale Rd - Liddelow Rd Rty	Armadale (C)	0.00	Armadale Rd	0.24	Armadale Rd	
H439	Giblett St - Blechynden St Rty	Giblett St - Blechynden St Rty	Manjimup	0.00	South Western Hwy	0.12	South Western Hwy	
H440	Hosken St Rty	Hosken St Rty	Greater Geraldton (C)	0.00	North West Coastal Hwy	0.15	North West Coastal Hwy	
H441	Margaret River North Rty	Margaret River North Rty	Augusta - Margaret River	0.00	Bussell Hwy	0.20	Bussell Hwy	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H442	John Archibald Dr Rty	John Archibald Dr Rty	Augusta - Margaret River	0.00	Perimeter Rd	0.19	Perimeter Rd	
H443	Fairway Dr Rty	Fairway Dr Rty	Busselton (C)	0.00	Busselton Bypa	0.17	Busselton Bypa	
H444	Forrest Rd - Paris Rd Rty	Forrest Hwy - Paris Rd Rty	Harvey	0.00	Forrest Hwy	0.21	Forrest Hwy	
H446	South Western Hwy - Willinge Dr Rty	South Western Hwy Rty	Dardanup	0.00	South Western Hwy	0.25	South Western Hwy	
H448	Willinge Dr - Timber Rd Rty	Willinge Dr - Timber Rd Rty	Bunbury (C)	0.00	Willinge Dr & Timber Rd	0.24	Willinge Dr & Timber Rd	
H449	Wilman Wadandi Hwy - Lillydale Rd Rty	Wilman Wadandi Hwy - Lillydale Rd Rty	Capel	0.00	Wilman Wadandi Hwy	0.25	Wilman Wadandi Hwy	
H450	Leach Hwy-Welshpool Rd Rty	Leach Hwy-Welshpool Rd Rty	Canning (C)	0.00	Welshpool Rd & Leach Hwy (Northbound) off to Welshpool Rd	0.23	Welshpool Rd & Leach Hwy (Northbound) off to Welshpool Rd	
H451	Marmion Av - Shenton Av Rty	Marmion Av - Shenton Av Rty	Joondalup (C)	0.00	Marmion Av	0.19	Marmion Av	
H452	Marmion Av - Edinburgh Av Rty	Marmion Av - Edinburgh Av Rty	Joondalup (C)	0.00	Marmion Av	0.17	Marmion Av	
H453	Marmion Av - Neerabup Rd Rty	Marmion Av - Neerabup Rd Rty	Wanneroo (C)	0.00	Marmion Av	0.19	Marmion Av	
H454	Marmion Av - Hester Av Rty	Marmion Av - Hester Av Rty	Wanneroo (C)	0.00	Marmion Av	0.19	Marmion Av	
H456	Wanneroo Rd - Joondalup Dr Rty	Wanneroo Rd Joondalup Dr Rty	Wanneroo (C)	0.00	Wanneroo Rd & Wanneroo Rd - Joondalup Dr Rty off to Joondalup Dr (Westbound)	0.20	Wanneroo Rd & Wanneroo Rd - Joondalup Dr Rty off to Joondalup Dr (Westbound)	
H461	Stirling Hwy - High St Rty	Stirling Hwy - High St Rty	Fremantle (C)	0.00	High St	0.23	High St	
M400	Dunsborough Access Rty	Dunsborough Access Rty	Busselton (C)	0.00	Dunsborough Lakes Dr	0.13	Dunsborough Lakes Dr	
M401	Commonage Rd Rty	Commonage Rd Rty	Busselton (C)	0.00	Commonage Rd	0.13	Commonage Rd	
M402	Pioneer Dr Rty	Pioneer Dr Rty	Narrogin	0.00	Great Southern Hwy	0.19	Great Southern Hwy	
M403	Monaghans Rty	Monaghans Rty	Busselton (C)	0.00	Caves Rd	0.16	Caves Rd	
M404	Lake Clifton Rty	Lake Clifton Rty	Waroona	0.00	Old Coast Rd	0.16	Old Coast Rd	
M406	Clive St Rty	Clive St Rty	Katanning	0.00	Moojebing Rd	0.19	Moojebing Rd	
M407	Narrogin South Rty	Narrogin South Rty	Narrogin	0.00	Pioneer Dr	0.16	Pioneer Dr	
M410	Lillydale Rd - Allenville Rd Rty	Lillydale - Allenville Rd Rty	Capel	0.00	Lillydale Rd	0.21	Lillydale Rd	
M411	Lillydale Rd - Jules Rd North Rty	Lillydale Rd - Jules Rd North Rty	Capel	0.00	Lillydale Rd	0.21		
H1009	Albany Hwy (Southbound) off to Menang Dr (Northbound)	Albany Hwy (Southbound) off to Menang Dr (Northbound)	Albany (C)	0.00	Albany Hwy	0.78	Menang Dr	
H1010	Albany Hwy (Southbound) off to Menang Dr (Southbound)	Albany Hwy (Southbound) off to Menang Dr (Southbound)	Albany (C)	0.00	Albany Hwy	0.58	Menang Dr	
H1011	Albany Hwy (Northbound) off to Menang Dr	Albany Hwy (Northbound) off to Menang Dr	Albany (C)	0.00	Albany Hwy	0.55	Menang Dr	
H1012	Menang Dr on to Albany Hwy	Menang Dr on to Albany Hwy	Albany (C)	0.00	Menang Dr	0.52	Albany Hwy	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H1013	Menang Dr (Northbound) on to Albany Hwy (Northbound)	Menang Dr (Northbound) on to Albany Hwy (Northbound)	Albany (C)	0.00	Menang Dr	0.62	Albany Hwy	
H1014	Slip From Menang Dr on to Albany Hwy On Ramp	Slip From Menang Dr on to Albany Hwy On Ramp	Albany (C)	0.00	Menang Dr	0.12	Menang Dr on to Albany Hwy	
H1015	Slip From Menang Dr Off Ramp on to Albany Hwy (Northbound)	Slip From Menang Dr Off Ramp on to Albany Hwy (Northbound)	Albany (C)	0.00	Menang Dr on to Albany Hwy	0.07	Albany Hwy	
H1019	Slip From Menang Dr (Southbound) on to Hanrahan Rty Link	Slip From Menang Dr (Southbound) on to Hanrahan Rty Link	Albany (C)	0.00	Menang Dr	0.07	Menang Dr - Hanrahan Rd Rty Link	
H1020	Slip From Hanrahan Rty Link on to Menang Dr (Southbound)	Slip From Hanrahan Rty Link on to Menang Dr (Southbound)	Albany (C)	0.00	Menang Dr - Hanrahan Rd Rty Link	0.17	Menang Dr	
H1024	Bussell Hwy (Southbound) off to Lillydale Rd	Bussell Hwy(Southbound) off to Lillydale Rd	Capel	0.00	Bussell Hwy	0.08	Lillydale Rd	
H1025	Lillydale Rd on to Bussell Hwy (Southbound)	Lillydale Rd on to Bussell Hwy (Southbound)	Capel	0.00	Lillydale Rd	0.10	Bussell Hwy	
H1027	South Western Hwy (Westbound) on to Wilman Wadandi Hwy On Ramp	South Western Hwy (Westbound) on to Wilman Wadandi Hwy On Ramp	Dardanup	0.00	South Western Hwy	0.27	South Western Hwy on to Wilman Wadandi Hwy (Southbound)	
H1028	Slip From Wilman Wadandi Hwy Off Ramp to South Western Hwy	Slip From Wilman Wadandi Hwy Off Ramp to South Western Hwy	Dardanup	0.00	Wilman Wadandi Hwy (Northbound) off to South Western Hwy	0.07	South Western Hwy & South Western Hwy Rty	
H1029	Willinge Dr (Southbound) on to South Western Hwy (Southbound)	Willinge Dr (Southbound) on to South Western Hwy (Southbound)	Capel	0.00	Willinge Dr	0.38	South Western Hwy	
H1030	Slip From Forrest Hwy Off Ramp to Clifton Rd Link	Slip From Forrest Hwy Off Ramp to Clifton Rd Link	Harvey	0.00	Forrest Hwy (Southbound) off to Forrest Hwy (Southbound)	0.07	Clifton Rd Link	
H1031	Slip From South Western Hwy (Southbound) on to Wilman Wadandi Hwy (Northbound)	Slip From South Western Hwy (Southbound) on to Wilman Wadandi Hwy (Northbound)	Bunbury (C)	0.00	South Western Hwy	0.14	Wilman Wadandi Hwy	
H1033	Slip From Thomas Rd (Eastbound) to Nicholson Rd (Northbound)	Slip From Thomas Rd (Eastbound) to Nicholson Rd (Northbound)	Serpentine - Jarrahdale	0.00	Thomas Rd	0.36	Nicholson Rd	
H150	Leach Hwy (Northbound) off to Welshpool Rd	Leach Hwy (Northbound) off to Welshpool Rd	Canning (C)	0.00	Leach Hwy	0.26	Welshpool Rd & Leach Hwy- Welshpool Rd Rty	
H151	Welshpool Rd on to Leach Hwy (Northbound)	Welshpool Rd on to Leach Hwy (Northbound)	Canning (C)	0.00	Welshpool Rd & Leach Hwy- Welshpool Rd Rty	0.30	Leach Hwy	
H153	Leach Hwy (Southbound) off to Welshpool Rd	Leach Hwy (Southbound) off to Welshpool Rd	Canning (C)	0.00	Leach Hwy	0.30	Welshpool Rd & Leach Hwy- Welshpool Rd Rty	
H154	Welshpool Rd (Westbound) on to Leach Hwy (Southbound)	Welshpool Rd (Westbound) on to Leach Hwy (Southbound)	Canning (C)	0.00	Welshpool Rd	0.13	Welshpool Rd on to Leach Hwy (Southbound)	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H155	Welshpool Rd on to Leach Hwy (Southbound)	Welshpool Rd on to Leach Hwy (Southbound)	Canning (C)	0.00	Welshpool Rd & Leach Hwy- Welshpool Rd Rty	0.44	Leach Hwy	
H163	Wanneroo Rd (Northbound) off to Joondalup Dr (Westbound)	Wanneroo Rd (Northbound) off to Joondalup Dr (Westbound)	Wanneroo (C)	0.00	Wanneroo Rd	0.10	Wanneroo Rd - Joondalup Dr Rty off to Joondalup Dr (Westbound)	
H168	Wilman Wadandi Hwy Slip to South Western Hwy	Wilman Wadandi Hwy Slip to South Western Hwy	Bunbury (C)	0.00	Wilman Wadandi Hwy	0.08	Southwestern Hwy	
H169	Wilman Wadandi Hwy Slip to Willinge Dr	Wilman Wadandi Hwy Slip to Willinge Dr	Bunbury (C)	0.00	Wilman Wadandi Hwy	0.11	Willinge Dr	
H170	Hester Av on to Mitchell Fwy (Northbound)	Hester Av on to Mitchell Fwy (Northbound)	Wanneroo (C)	0.00	Hester Av	0.35	Mitchell Fwy	
H171	Mitchell Fwy (Southbound) off to Hester Av	Mitchell Fwy (Southbound) off to Hester Av	Wanneroo (C)	0.00	Mitchell Fwy	0.45	Hester Av	
H176	Mitchell Fwy (Northbound) off to Romeo Rd	Mitchell Fwy (Northbound) off to Romeo Rd	Wanneroo (C)	0.00	Mitchell Fwy & Butler Blvd on to Romeo Rd Off Ramp	0.65	Romeo Rd	
H177	Romeo Rd on to Mitchell Fwy (Southbound)	Romeo Rd on to Mitchell Fwy (Southbound)	Wanneroo (C)	0.00	Romeo Rd	0.50	Mitchell Fwy & Romeo Rd On Ramp (Southbound) off to Butler Blvd	
H200	Forrest Hwy (Southbound) off to Forrest Hwy (Southbound)	Forrest Hwy (Southbound) off to Forrest Hwy (Southbound)	Harvey	0.00	Forrest Hwy & Wilman Wadandi Hwy	0.74	Forrest Hwy	
H201	Forrest Hwy - Paris Rd Rty on to Forrest Hwy (Northbound)	Forrest Hwy - Paris Rd Rty on to Forrest Hwy (Northbound)	Harvey	0.00	Forrest Hwy - Paris Rd Rty	0.40	Forrest Hwy & Wilman Wadandi Hwy	
H202	Wilman Wadandi Hwy (Southbound) off to Raymond Rd	Wilman Wadandi Hwy (Southbound) off to Raymond Rd	Harvey	0.00	Wilman Wadandi Hwy	0.51	Raymond Rd	
H203	Raymond Rd on to Wilman Wadandi Hwy (Southbound)	Raymond Rd on to Wilman Wadandi Hwy (Southbound)	Harvey	0.00	Raymond Rd	0.49	Wilman Wadandi Hwy	
H205	Raymond Rd on to Wilman Wadandi Hwy (Northbound)	Raymond Rd on to Wilman Wadandi Hwy (Northbound)	Harvey	0.00	Raymond Rd	0.48	Wilman Wadandi Hwy	
H206	Wilman Wadandi Hwy (Southbound) off to South Western Hwy	Wilman Wadandi Hwy (Southbound) off to South Western Hwy	Dardanup	0.00	Wilman Wadandi Hwy	0.35	South Western Hwy	
H207	South Western Hwy on to Wilman Wadandi Hwy (Southbound)	South Western Hwy on to Wilman Wadandi Hwy (Southbound)	Dardanup	0.00	South Western Hwy	0.50	Wilman Wadandi Hwy	
H208	Wilman Wadandi Hwy (Northbound) off to South Western Hwy	Wilman Wadandi Hwy (Northbound) off to South Western Hwy	Dardanup	0.00	Wilman Wadandi Hwy	0.85	South Western Hwy	
H209	South Western Hwy on to Wilman Wadandi Hwy (Northbound)	South Western Hwy on to Wilman Wadandi Hwy (Northbound)	Dardanup	0.00	South Western Hwy & South Western Hwy Rty	0.74	Wilman Wadandi Hwy	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H214	Wilman Wadandi Hwy (Southbound) off to Willinge Dr	Wilman Wadandi Hwy (Southbound) off to Willinge Dr	Dardanup	0.00	Wilman Wadandi Hwy	0.23	Willinge Dr	
H215	Willinge Dr on to Wilman Wadandi Hwy (Southbound)	Willinge Dr on to Wilman Wadandi Hwy (Southbound)	Bunbury (C)	0.00	Willinge Dr	0.23	Wilman Wadandi Hwy	
H223	Lillydale Rd on to Wilman Wadandi Hwy (Northbound)	Lillydale Rd on to Wilman Wadandi Hwy (Northbound)	Capel	0.00	Lillydale Rd	0.09	Wilman Wadandi Hwy	
H249	Ocean Reef Rd (Eastbound) on to Wanneroo Rd (Northbound)	Ocean Reef Rd (Eastbound) on to Wanneroo Rd (Northbound)	Wanneroo (C)	0.00	Ocean Reef Rd	0.39	Wanneroo Rd	
H251	Horrie Miller Dr on to Tonkin Hwy (Eastbound)	Horrie Miller Dr on to Tonkin Hwy (Eastbound)	Belmont (C)	0.00	Horrie Miller Dr	0.40	Tonkin Hwy	
H252	Tonkin Hwy (Westbound) off to Kewdale Rd	Tonkin Hwy (Westbound) off to Kewdale Rd	Belmont (C)	0.00	Tonkin Hwy	0.37	Kewdale Rd	
H253	Tonkin Hwy (Eastbound) off to Roe Hwy (Southbound)	Tonkin Hwy (Eastbound) off to Roe Hwy (Southbound)	Belmont (C) Kalamunda	0.00	Tonkin Hwy	1.98	Roe Hwy	
H254	Abernethy Rd on to Tonkin Hwy (Southbound)	Abernethy Rd on to Tonkin Hwy	Belmont (C)	0.00	Abernethy Rd	0.40	Tonkin Hwy (Eastbound) off to Roe Hwy (Southbound)	
H255	Tonkin Hwy (Eastbound) Off Ramp on to Roe Hwy (Northbound)	Tonkin Hwy (Eastbound) Off Ramp on to Roe Hwy (Northbound)	Kalamunda	0.00	Tonkin Hwy (Eastbound) off to Roe Hwy (Southbound)	0.62	Roe Hwy	
H257	Roe Hwy (Southbound) off to Tonkin Hwy (Eastbound)	Roe Hwy (Southbound) off to Tonkin Hwy (Eastbound)	Kalamunda	0.00	Roe Hwy	0.98	Tonkin Hwy	
H258	Tonkin Hwy (Eastbound) Off Ramp on to Tonkin Hwy (Eastbound) On Ramp	Tonkin Hwy (Eastbound) Off Ramp on to Tonkin Hwy (Eastbound) On Ramp	Kalamunda	0.00	Tonkin Hwy (Eastbound) off to Roe Hwy (Southbound)	0.37	Roe Hwy (Southbound) off to Tonkin Hwy (Eastbound)	
H260	Raymond Rd Acceleration Lane	Raymond Rd Acceleration Lane	Harvey	0.00	Forrest Hwy & Raymond Rd	0.14	Forrest Hwy	
H264	Burns Beach Rd on to Mitchell Fwy (Northbound)	Burns Beach Rd on to Mitchell Fwy (Northbound)	Joondalup (C)	0.00	Mitchell Fwy (Northbound) off to Burns Beach Rd & Burns Beach Rd	0.65	Mitchell Fwy	
H265	Mitchell Fwy (Southbound) off to Burns Beach Rd	Mitchell Fwy (Southbound) off to Burns Beach Rd	Wanneroo (C)	0.00	Mitchell Fwy	0.70	Burns Beach Rd on to Mitchell Fwy (Southbound) & Burns Beach Rd	
H266	Mitchell Fwy (Northbound) off to Neerabup Rd	Mitchell Fwy (Northbound) off to Neerabup Rd	Wanneroo (C)	0.00	Mitchell Fwy	0.46	Neerabup Rd on to Mitchell Fwy (Northbound) & Neerabup Rd & Neerabup Dr	
H267	Neerabup Rd on to Mitchell Fwy (Southbound)	Neerabup Rd on to Mitchell Fwy (Southbound)	Wanneroo (C)	0.00	Neerabup Rd & Mitchell Fwy (Southbound) off to Neerabup Rd	0.56	Mitchell Fwy	
H268	Neerabup Rd on to Mitchell Fwy (Northbound)	Neerabup Rd on to Mitchell Fwy (Northbound)	Wanneroo (C)	0.00	Neerabup Rd & Mitchell Fwy (Northbound) off to Neerabup Rd & Neerabup Dr	0.37	Mitchell Fwy	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H269	Mitchell Fwy (Southbound) off to Neerabup Rd	Mitchell Fwy (Southbound) off to Neerabup Rd	Wanneroo (C)	0.00	Mitchell Fwy	0.52	Neerabup Rd on to Mitchell Fwy (Southbound) & Neerabup Rd	
H270	Mitchell Fwy (Northbound) off to Hester Av	Mitchell Fwy (Northbound) off to Hester Av	Wanneroo (C)	0.00	Mitchell Fwy	0.46	Hester Av	
H271	Hester Av on to Mitchell Fwy (Southbound)	Hester Av on to Mitchell Fwy (Southbound)	Wanneroo (C)	0.00	Nowergup Rail Depot Access & Hester Av	0.67	Mitchell Fwy	
H272	Reid Hwy (Westbound) on to Mitchell Fwy (Northbound)	Reid Hwy (Westbound) on to Mitchell Fwy (Northbound)	Stirling (C)	0.00	Reid Hwy	0.63	Mitchell Fwy	
H275	Roe Hwy (Northbound) off to Berkshire Rd	Roe Hwy (Northbound) off to Berkshire Rd	Kalamunda	0.00	Roe Hwy	0.76	Berkshire Rd & Berkshire Rd on to Roe Hwy (Northbound)	
H276	Berkshire Rd (Westbound) on to Roe Hwy (Southbound)	Berkshire Rd (Westbound) on to Roe Hwy (Southbound)	Kalamunda	0.00	Berkshire Rd & Roe Hwy (Southbound) off to Berkshire Rd	0.52	Roe Hwy	
H277	Berkshire Rd on to Roe Hwy (Northbound)	Berkshire Rd on to Roe Hwy (Northbound)	Kalamunda	0.00	Roe Hwy (Northbound) off to Berkshire Rd & Berkshire Rd	0.50	Roe Hwy	
H278	Roe Hwy (Southbound) off to Berkshire Rd	Roe Hwy (Southbound) off to Berkshire Rd	Kalamunda	0.00	Roe Hwy	0.41	Berkshire Rd & Berkshire Rd (Westbound) on to Roe Hwy (Southbound)	
H279	Tonkin Hwy (Southbound) Off Ramp on to Collier Link (Eastbound)	Tonkin Hwy (Southbound) Off Ramp on to Collier Link (Eastbound)	Bayswater (C)	0.00	Tonkin Hwy (Southbound) off to Collier Link (Westbound)	0.05	Collier Link	
H280	Collier Link (Eastbound) on to Tonkin Hwy (Northbound) Ramp	Collier Link (Eastbound) on to Tonkin Hwy (Northbound) Ramp	Bayswater (C)	0.00	Collier Link	0.06	Collier Link (Westbound) on to Tonkin Hwy (Northbound)	
H281	Tonkin Hwy (Southbound) off to Collier Link (Westbound)	Tonkin Hwy (Southbound) off to Collier Link (Westbound)	Bayswater (C)	0.00	Tonkin Hwy	0.39	Collier Link (Westbound) on to Tonkin Hwy (Northbound) & Collier Link (Eastbound) on to Tonkin Hwy (Southbound) & Collier Link & Tonkin Hwy (Northbound) off to Collier Link (Eastbound)	
H282	Collier Link (Westbound) on to Tonkin Hwy (Northbound)	Collier Link (Westbound) on to Tonkin Hwy (Northbound)	Bayswater (C)	0.00	Tonkin Hwy (Southbound) off to Collier Link (Westbound) & Collier Link (Eastbound) on to Tonkin Hwy (Southbound) & Collier Link & Tonkin Hwy (Northbound) off to Collier Link (Eastbound)	0.54	Tonkin Hwy	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H283	Collier Link (Eastbound) on to Tonkin Hwy (Southbound)	Collier Link (Eastbound) on to Tonkin Hwy (Southbound)	Bayswater (C)	0.00	Tonkin Hwy (Southbound) off to Collier Link (Westbound) & Collier Link (Westbound) on to Tonkin Hwy (Northbound) & Collier Link & Tonkin Hwy (Northbound) off to Collier Link (Eastbound)	0.55	Tonkin Hwy	
H284	Tonkin Hwy (Northbound) off to Collier Link (Eastbound)	Tonkin Hwy (Northbound) off to Collier Link (Eastbound)	Bayswater (C)	0.00	Tonkin Hwy	0.45	Tonkin Hwy (Southbound) off to Collier Link (Westbound) & Collier Link (Westbound) on to Tonkin Hwy (Northbound) & Collier Link (Eastbound) on to Tonkin Hwy (Southbound) & Collier Link	
H285	Collier Link (Westbound) on to Tonkin Hwy (Southbound) Ramp	Collier Link (Westbound) on to Tonkin Hwy (Southbound) Ramp	Bayswater (C)	0.00	Collier Link	0.08	Collier Link (Eastbound) on to Tonkin Hwy (Southbound)	
H286	Tonkin Hwy (Northbound) Off Ramp on to Collier Link (Westbound)	Tonkin Hwy (Northbound) Off Ramp on to Collier Link (Westbound)	Bayswater (C)	0.00	Tonkin Hwy (Northbound) off to Collier Link (Eastbound)	0.06	Collier Link	
H293	Malaga Dr on to Reid Hwy (Eastbound)	Malaga Dr on to Reid Hwy (Eastbound)	Swan (C)	0.00	Malaga Dr & Reid Hwy (Eastbound) off to Malaga Dr	0.59	Reid Hwy	
H294	Malaga Dr on to Reid Hwy (Westbound)	Malaga Dr on to Reid Hwy (Westbound)	Bayswater (C)	0.00	Malaga Dr & Reid Hwy (Westbound) off to Malaga Dr	0.52	Reid Hwy	
H295	Reid Hwy (Eastbound) off to Malaga Dr	Reid Hwy (Eastbound) off to Malaga Dr	Swan (C)	0.00	Reid Hwy	0.44	Malaga Dr & Malaga Dr on to Reid Hwy (Eastbound)	
H296	Reid Hwy (Westbound) off to Malaga Dr	Reid Hwy (Westbound) off to Malaga Dr	Bayswater (C)	0.04	Reid Hwy	0.53	Malaga Dr & Malaga Dr on to Reid Hwy (Westbound)	
H297	Perimeter Rd on to Bussell Hwy	Perimeter Rd on to Bussell Hwy	Augusta - Margaret River	0.00	Perimeter Rd	0.13	Bussell Hwy	
H298	Melville Mandurah Hwy off to Port Kennedy Dr	Melville Mandurah Hwy off to Port Kennedy Dr	Rockingham (C)	0.00	Ennis Av	0.28	Port Kennedy Dr & Ennis Av & Port Kennedy Dr Acceleration Lane	
H299	Tonkin Hwy (Northbound) off to Reid Hwy (Westbound)	Tonkin Hwy (Northbound) off to Reid Hwy (Westbound)	Bayswater (C)	0.00	Tonkin Hwy (Northbound) off to Reid Hwy (Eastbound)	0.78	Reid Hwy	
H300	Reid Hwy (Eastbound) on to Tonkin Hwy (Southbound)	Reid Hwy (Eastbound) on to Tonkin Hwy (Southbound)	Swan (C)	0.00	Reid Hwy	1.12	Reid Hwy (Westbound) on to Tonkin Hwy (Southbound)	
H301	Reid Hwy (Westbound) on to Tonkin Hwy (Northbound)	Reid Hwy (Westbound) on to Tonkin Hwy (Northbound)	Swan (C)	0.00	Reid Hwy (Westbound) on to Tonkin Hwy (Southbound)	1.24	Tonkin Hwy	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H302	Reid Hwy (Eastbound) on to Tonkin Hwy (Northbound)	Reid Hwy (Eastbound) on to Tonkin Hwy (Northbound)	Swan (C)	0.00	Reid Hwy (Eastbound) on to Tonkin Hwy (Southbound)	0.48	Reid Hwy (Westbound) on to Tonkin Hwy (Northbound)	
H303	Tonkin Hwy (Northbound) off to Reid Hwy (Eastbound)	Tonkin Hwy (Northbound) off to Reid Hwy (Eastbound)	Bayswater (C) Swan (C)	0.00	Tonkin Hwy	1.47	Reid Hwy	
H304	Tonkin Hwy (Southbound) off to Reid Hwy (Westbound)	Tonkin Hwy (Southbound) off to Reid Hwy (Westbound)	Swan (C)	0.00	Tonkin Hwy (Southbound) off to Reid Hwy (Eastbound)	1.28	Reid Hwy	
H305	Tonkin Hwy (Southbound) off to Reid Hwy (Eastbound)	Tonkin Hwy (Southbound) off to Reid Hwy (Eastbound)	Swan (C)	0.00	Tonkin Hwy	0.96	Reid Hwy	
H306	Reid Hwy (Westbound) on to Tonkin Hwy (Southbound)	Reid Hwy (Westbound) on to Tonkin Hwy (Southbound)	Swan (C)	0.00	Reid Hwy	1.15	Tonkin Hwy	
H315	Tonkin Hwy (Northbound) off to Gnangara Rd (Westbound)	Tonkin Hwy (Northbound) off to Gnangara Rd (Westbound)	Swan (C)	0.00	Tonkin Hwy (Northbound) off to Gnangara Rd (Eastbound)	0.29	Tonkin Hwy (Southbound) off to Gnangara Rd (Westbound)	
H316	Tonkin Hwy (Northbound) off to Gnangara Rd (Eastbound)	Tonkin Hwy (Northbound) off to Gnangara Rd (Eastbound)	Swan (C)	0.00	Tonkin Hwy	1.38	Gnangara Rd	
H317	Gnangara Rd (Eastbound) on to Tonkin Hwy (Northbound)	Gnangara Rd (Eastbound) on to Tonkin Hwy (Northbound)	Swan (C)	0.00	Gnangara Rd	0.69	Tonkin Hwy	
H318	Gnangara Rd (Westbound) on to Tonkin Hwy (Northbound)	Gnangara Rd (Westbound) on to Tonkin Hwy (Northbound)	Swan (C)	0.00	Gnangara Rd	0.15	Gnangara Rd (Eastbound) on to Tonkin Hwy (Northbound)	
H319	Tonkin Hwy (Southbound) off to Gnangara Rd (Eastbound)	Tonkin Hwy (Southbound) off to Gnangara Rd (Eastbound)	Swan (C)	0.00	Tonkin Hwy (Southbound) off to Gnangara Rd (Westbound)	0.28	Tonkin Hwy (Northbound) off to Gnangara Rd (Eastbound)	
H320	Gnangara Rd (Westbound) on to Tonkin Hwy (Southbound)	Gnangara Rd (Westbound) on to Tonkin Hwy (Southbound)	Swan (C)	0.00	Gnangara Rd	0.94	Tonkin Hwy	
H321	Gnangara Rd (Eastbound) on to Tonkin Hwy (Southbound)	Gnangara Rd (Eastbound) on to Tonkin Hwy (Southbound)	Swan (C)	0.00	Gnangara Rd	0.24	Gnangara Rd (Westbound) on to Tonkin Hwy (Southbound)	
H322	Tonkin Hwy (Southbound) off to Gnangara Rd (Westbound)	Tonkin Hwy (Southbound) off to Gnangara Rd (Westbound)	Swan (C)	0.00	Tonkin Hwy	1.39	Gnangara Rd	
H323	Tonkin Hwy (North Bound) off to The Promenade Rty	Tonkin Hwy (North Bound) off to The Promenade Rty	Swan (C)	0.00	Tonkin Hwy	0.34	The Promenade Rty	
H324	The Promenade Rty on to Tonkin Hwy (Northbound)	The Promenade Rty on to Tonkin Hwy (Northbound)	Swan (C)	0.00	The Promenade Rty	0.44	Tonkin Hwy	
H325	Tonkin Hwy (Southbound) off to The Promenade Rty	Tonkin Hwy (Southbound) off to The Promenade Rty	Swan (C)	0.00	Tonkin Hwy	0.76	The Promenade Rty	
H326	Tonkin Hwy (Southbound) off to The Promenade (Eastbound)	Tonkin Hwy (Southbound) off to The Promenade (Eastbound)	Swan (C)	0.00	Tonkin Hwy (Southbound) off to The Promenade Rty	0.16	The Promenade	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H327	The Promenade (Westbound) on to Tonkin Hwy (Southbound)	The Promenade (Westbound) on to Tonkin Hwy (Southbound)	Swan (C)	0.00	The Promenade	0.31	The Promenade Rty on to Tonkin Hwy (Southbound)	
H328	The Promenade Rty on to Tonkin Hwy (Southbound)	The Promenade Rty on to Tonkin Hwy (Southbound)	Swan (C)	0.00	The Promenade Rty	0.63	Tonkin Hwy	
H330	Kwinana Fwy (Southbound) off to Baldivis Services	Kwinana Fwy (Southbound) off to Baldivis Services	Rockingham (C)	0.00	Kwinana Fwy	0.17	Baldivis Services	
H331	Baldivis Services on to Kwinana Fwy (Southbound)	Baldivis Services on to Kwinana Fwy (Southbound)	Rockingham (C)	0.00	Baldivis Services	0.29	Kwinana Fwy	
H333	Baldivis Services on to Kwinana Fwy (Northbound)	Baldivis Services on to Kwinana Fwy (Northbound)	Rockingham (C)	0.00	Baldivis Services	0.29	Kwinana Fwy	
H341	Armada Rd (Eastbound) off to Beeliar Dr-Solomon Rd Rty	Armada Rd (Eastbound) off to Beeliar Dr-Solomon Rd Rty	Cockburn (C)	0.00	Armada Rd	0.19	Beeliar Dr-Solomon Rd Rty	
H342	Beeliar Dr-Solomon Rd Rty to Tapper Rd-Verde Dr Rty	Beeliar Dr-Solomon Rd Rty to Tapper Rd-Verde Dr Rty	Cockburn (C)	0.00	Beeliar Dr-Solomon Rd Rty	0.42	Tapper Rd-Verde Dr Rty	
H343	Tapper Rd-Verde Dr Rty on to Armada Rd (Eastbound)	Tapper Rd-Verde Dr Rty on to Armada Rd (Eastbound)	Cockburn (C)	0.00	Tapper Rd-Verde Dr Rty	0.35	Armada Rd	
H344	Armada Rd (Westbound) off to Tapper Rd-Verde Dr Rty	Armada Rd (Westbound) off to Tapper Rd-Verde Dr Rty	Cockburn (C)	0.00	Armada Rd	0.24	Tapper Rd-Verde Dr Rty	
H345	Tapper Rd-Verde Dr Rty to Beeliar Dr-Solomon Rd Rty	Tapper Rd-Verde Dr Rty to Beeliar Dr-Solomon Rd Rty	Cockburn (C)	0.00	Tapper Rd-Verde Dr Rty	0.42	Beeliar Dr-Solomon Rd Rty	
H346	Beeliar Dr-Solomon Rd Rty on to Armada Rd (Westbound)	Beeliar Dr-Solomon Rd Rty on to Armada Rd (Westbound)	Cockburn (C)	0.00	Beeliar Dr-Solomon Rd Rty	0.21	Armada Rd	
H347	Armada Rd (Westbound) off to Nicholson Rd Rty	Armada Rd (Westbound) off to Nicholson Rd Rty	Armada (C)	0.00	Armada Rd	0.32	Armada Rd - Nicholson Rd Rty	
H348	Nicholson Rd Rty on to Armada Rd (Westbound)	Nicholson Rd Rty on to Armada Rd (Westbound)	Armada (C)	0.00	Armada Rd - Nicholson Rd Rty	0.38	Armada Rd	
H349	Armada Rd (Eastbound) off to Nicholson Rd Rty	Armada Rd (Eastbound) off to Nicholson Rd Rty	Armada (C)	0.00	Armada Rd	0.32	Armada Rd - Nicholson Rd Rty	
H350	Nicholson Rd Rty on to Armada Rd (Eastbound)	Nicholson Rd Rty on to Armada Rd (Eastbound)	Armada (C)	0.00	Armada Rd - Nicholson Rd Rty	0.49	Armada Rd	
H351	Wanneroo Rd (Northbound) off to Ocean Reef Rd	Wanneroo Rd (Northbound) off to Ocean Reef Rd	Wanneroo (C)	0.00	Wanneroo Rd	0.23	Ocean Reef Rd	
H352	Ocean Reef Rd (Westbound) on to Wanneroo Rd (Northbound)	Ocean Reef Rd (Westbound) on to Wanneroo Rd (Northbound)	Wanneroo (C)	0.00	Ocean Reef Rd	0.23	Wanneroo Rd	
H353	Roe Hwy (Northbound) off to Tonkin Hwy (Westbound)	Roe Hwy (Northbound) off to Tonkin Hwy (Westbound)	Kalamunda	0.00	Roe Hwy	0.38	Tonkin Hwy	
H355	Tonkin Hwy (Northbound) off to Stock West Rd Rty	Tonkin Hwy (Northbound) off to Stock West Rd Rty	Swan (C)	0.00	Tonkin Hwy	0.39	Stock West Rd Rty	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H356	Stock West Rd Rty on to Tonkin Hwy (Northbound)	Stock West Rd Rty on to Tonkin Hwy (Northbound)	Swan (C)	0.00	Stock West Rd Rty	0.61	Tonkin Hwy	
H358	Tonkin Hwy (Southbound) off to Stock West Rd Rty	Tonkin Hwy (Southbound) off to Stock West Rd Rty	Swan (C)	0.00	Tonkin Hwy	0.52	Stock West Rd Rty	
H360	Stock West Rd Rty on to Tonkin Hwy (Southbound)	Stock West Rd Rty on to Tonkin Hwy (Southbound)	Swan (C)	0.00	Stock West Rd Rty	0.55	Tonkin Hwy	
H362	Tonkin Hwy (Northbound) off to Neaves Rd Rty	Tonkin Hwy (Northbound) off to Neaves Rd Rty	Swan (C)	0.00	Tonkin Hwy	0.53	Neaves Rd Rty	
H364	Neaves Rd Rty on to Tonkin Hwy (Northbound)	Neaves Rd Rty on to Tonkin Hwy (Northbound)	Swan (C)	0.00	Neaves Rd Rty	0.59	Tonkin Hwy	
H365	Tonkin Hwy (Southbound) off to Neaves Rd Rty	Tonkin Hwy (Southbound) off to Neaves Rd Rty	Swan (C)	0.00	Tonkin Hwy	0.44	Neaves Rd Rty	
H366	Neaves Rd Rty on to Tonkin Hwy (Southbound)	Neaves Rd Rty on to Tonkin Hwy (Southbound)	Swan (C)	0.00	Neaves Rd Rty	0.59	Tonkin Hwy	
H367	Tonkin Hwy (Northbound) off to Brand Hwy (Northbound)	Tonkin Hwy (Northbound) off to Brand Hwy (Northbound)	Chittering	0.00	Tonkin Hwy (Northbound) off to Brand Hwy Rty	0.32	Brand Hwy	
H368	Tonkin Hwy (Northbound) off to Brand Hwy Rty	Tonkin Hwy (Northbound) off to Brand Hwy Rty	Chittering	0.00	Tonkin Hwy	0.49	Brand Hwy Rty	
H369	Brand Hwy Rty on to Great Northern Hwy (Northbound)	Brand Hwy Rty on to Great Northern Hwy (Northbound)	Chittering	0.00	Brand Hwy Rty	0.60	Tonkin Hwy & Great Northern Hwy	
H370	Great Northern Hwy (Southbound) off to Brand Hwy Rty	Great Northern Hwy (Southbound) off to Brand Hwy Rty	Chittering	0.00	Tonkin Hwy & Great Northern Hwy	0.59	Brand Hwy Rty	
H371	Brand Hwy Rty on to Tonkin Hwy (Southbound)	Brand Hwy Rty on to Tonkin Hwy (Southbound)	Chittering	0.00	Brand Hwy Rty	0.63	Tonkin Hwy	
H372	Granary Dr on to Brand Hwy (Northbound)	Granary Dr on to Brand Hwy (Northbound)	Chittering	0.00	Granary Dr & Brand Hwy (Southbound) off to Granary Dr	0.75	Brand Hwy	
H373	Brand Hwy (Southbound) off to Granary Dr	Brand Hwy (Southbound) off to Granary Dr	Chittering	0.00	Brand Hwy	0.91	Granary Dr on to Brand Hwy (Northbound) & Granary Dr	
H374	North West Coastal Hwy - Great Northern Hwy Slip Rd	North West Coastal Hwy - Great Northern Hwy Slip Rd	Port Hedland (T)	0.00	North West Coastal Hwy	0.38	Great Northern Hwy	
H377	Berrigan Dr to North Lake Rd Cd Rd	Berrigan Dr to North Lake Rd Cd Rd	Cockburn (C)	0.00	Kwinana Fwy	1.71	Kwinana Fwy	
H378	North Lake Rd to Berrigan Dr Cd Rd	North Lake Rd to Berrigan Dr Cd Rd	Cockburn (C)	0.00	Kwinana Fwy	0.90	Kwinana Fwy	
H379	Berrigan Dr to North Lake Rd Cd Rd off to North Lake Rd	Berrigan Dr to North Lake Rd Cd Rd off to North Lake Rd	Cockburn (C)	0.00	Berrigan Dr to North Lake Rd Cd Rd	0.39	Armadaled Rd	
H380	North Lake Rd on to North Lake Rd to Berrigan Dr Cd Rd	North Lake Rd on to North Lake Rd to Berrigan Dr Cd Rd	Cockburn (C)	0.00	Armadaled Rd	0.50	North Lake Rd to Berrigan Dr Cd Rd	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H385	Forrest Hwy (Southbound) off to West Pinjarra Service Centre	Forrest Hwy (Southbound) off to West Pinjarra Service Centre	Murray	0.00	Forrest Hwy	0.15	West Pinjarra Service Centre (Sth Bnd)	
H386	West Pinjarra Service Centre on to Forrest Hwy (Southbound)	West Pinjarra Service Centre on to Forrest Hwy (Southbound)	Murray	0.00	West Pinjarra Service Centre (Sth Bnd)	0.34	Forrest Hwy	
H387	Forrest Hwy (Northbound) off to West Pinjarra Service Centre	Forrest Hwy (Northbound) off to West Pinjarra Service Centre	Murray	0.00	Forrest Hwy	0.15	West Pinjarra Service Centre (Nth Bnd)	
H388	West Pinjarra Service Centre on to Forrest Hwy (Northbound)	West Pinjarra Service Centre on to Forrest Hwy (Northbound)	Murray	0.00	West Pinjarra Service Centre (Nth Bnd)	0.33	Forrest Hwy	
H390	Bussell Hwy (Southbound) to Perimeter Rd	Bussell Hwy (Southbound) to Perimeter Rd	Augusta - Margaret River	0.00	Bussell Hwy	0.25	Perimeter Rd	
H391	Old Bussell Hwy to Bussell Hwy (Northbound)	Old Bussell Hwy to Bussell Hwy (Northbound)	Augusta - Margaret River	0.00	Bussell Hwy	0.16	Bussell Hwy	
H394	Guildford Rd to Great Eastern Hwy Cd Rd	Guildford Rd to Great Eastern Hwy Cd Rd	Bayswater (C) Belmont (C)	0.00	Tonkin Hwy	1.34	Tonkin Hwy	
H395	Great Eastern Hwy to Guildford Rd Cd Rd	Great Eastern Hwy to Guildford Rd Cd Rd	Belmont (C) Bayswater (C)	0.00	Tonkin Hwy	1.80	Tonkin Hwy	
H396	Great Eastern Hwy (Westbound) on to Tonkin Hwy (Northbound)	Great Eastern Hwy (Westbound) on to Tonkin Hwy (Northbound)	Belmont (C)	0.00	Great Eastern Hwy	0.33	Great Eastern Hwy to Guildford Rd Cd Rd	
H398	Wanneroo Rd (Southbound) off to Ocean Reef Rd	Wanneroo Rd (Southbound) off to Ocean Reef Rd	Wanneroo (C)	0.00	Wanneroo Rd	0.33	Ocean Reef Rd & Ocean Reef Rd on to Wanneroo Rd (Southbound)	
H399	Ocean Reef Rd on to Wanneroo Rd (Southbound)	Ocean Reef Rd on to Wanneroo Rd (Southbound)	Wanneroo (C)	0.00	Ocean Reef Rd & Wanneroo Rd (Southbound) off to Ocean Reef Rd	0.35	Wanneroo Rd	
H554	Leach Hwy (Eastbound) on to Kwinana Fwy (Northbound)	Leach Hwy (Eastbound) on to Kwinana Fwy (Northbound)	Melville (C)	0.00	Leach Hwy	0.55	Kwinana Fwy	
H555	Kwinana Fwy (Southbound) off to Leach Hwy	Kwinana Fwy (Southbound) off to Leach Hwy	Melville (C)	0.00	Kwinana Fwy	0.37	Leach Hwy & Bullcreek Station Bus Access (East Exit)	
H556	Leach Hwy (Eastbound) on to Kwinana Fwy (Southbound)	Leach Hwy (Eastbound) on to Kwinana Fwy (Southbound)	Melville (C)	0.00	Leach Hwy	0.51	Kwinana Fwy	
H558	Leach Hwy (Westbound) on to Kwinana Fwy (Northbound)	Leach Hwy (Westbound) on to Kwinana Fwy (Northbound)	Melville (C)	0.00	Leach Hwy	0.54	Kwinana Fwy	
H559	Kwinana Fwy (Northbound) off to Leach Hwy	Kwinana Fwy (Northbound) off to Leach Hwy	Melville (C)	0.00	Kwinana Fwy	0.56	Leach Hwy & Bullcreek Station Bus Access	
H560	Mitchell Fwy (Northbound) off to Hutton St	Mitchell Fwy (Northbound) off to Hutton St	Stirling (C)	0.04	Mitchell Fwy	0.81	Hutton St on to Mitchell Fwy (Northbound) & Hutton St	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H561	Hutton St on to Mitchell Fwy (Southbound)	Hutton St on to Mitchell Fwy (Southbound)	Stirling (C)	0.00	Mitchell Fwy (Southbound) off to Hutton St & Hutton St	0.74	Mitchell Fwy	<ul style="list-style-type: none"> Height must not exceed 4.3m.
H562	Hutton St on to Mitchell Fwy (Northbound)	Hutton St on to Mitchell Fwy (Northbound)	Stirling (C)	0.00	Mitchell Fwy (Northbound) off to Hutton St & Hutton St	0.29	Mitchell Fwy	
H563	Mitchell Fwy (Southbound) off to Hutton St	Mitchell Fwy (Southbound) off to Hutton St	Stirling (C)	0.00	Mitchell Fwy	0.29	Hutton St on to Mitchell Fwy (Southbound) & Hutton St	
H574	Mitchell Fwy (Northbound) off to Erindale Rd	Mitchell Fwy (Northbound) off to Erindale Rd	Stirling (C)	0.00	Mitchell Fwy	0.29	Erindale Rd	
H575	Erindale Rd on to Mitchell Fwy (Southbound)	Erindale Rd on to Mitchell Fwy (Southbound)	Stirling (C)	0.00	Erindale Rd	0.30	Mitchell Fwy	
H576	Reid Hwy on to Mitchell Fwy (Northbound)	Reid Hwy on to Mitchell Fwy (Northbound)	Stirling (C)	0.00	Mitchell Fwy (Northbound) to Reid Hwy & Reid Hwy & High Wide Load Oversize Cross Over (Restricted Access) H021 to H576	0.42	Mitchell Fwy	
H577	Mitchell Fwy (Southbound) off to Reid Hwy	Mitchell Fwy (Southbound) off to Reid Hwy	Stirling (C)	0.00	Mitchell Fwy	0.60	Reid Hwy on to Mitchell Fwy (Southbound) & Balcatta Rd & Reid Hwy	
H578	Roe Hwy (Northbound) off to Clayton St	Roe Hwy (Northbound) off to Clayton St	Swan (C)	0.00	Roe Hwy	0.37	Clayton St & Robinson Rd	
H579	Clayton St on to Roe Hwy (Southbound)	Clayton St on to Roe Hwy (Southbound)	Swan (C)	0.00	Clayton St	0.38	Roe Hwy	
H582	Albany Hwy on to Leach Hwy (Eastbound)	Albany Hwy on to Leach Hwy (Eastbound)	Canning (C)	0.00	Leach Hwy (Eastbound) off to Albany Hwy & Albany Hwy	0.39	Leach Hwy	
H583	Leach Hwy (Westbound) off to Albany Hwy	Leach Hwy (Westbound) off to Albany Hwy	Canning (C)	0.00	Leach Hwy	0.29	Albany Hwy on to Leach Hwy (Westbound) & Albany Hwy	
H589	Mitchell Fwy (Northbound) off to Hepburn Av	Mitchell Fwy (Northbound) off to Hepburn Av	Joondalup (C)	0.00	Mitchell Fwy	0.37	Hepburn Av on to Mitchell Fwy (Northbound) & Hepburn Av	
H590	Hepburn Av on to Mitchell Fwy (Southbound)	Hepburn Av on to Mitchell Fwy (Southbound)	Joondalup (C)	0.00	Mitchell Fwy (Southbound) off to Hepburn Av & Hepburn Av	0.63	Mitchell Fwy	
H595	Great Eastern Hwy (Westbound) on to Tonkin Hwy (Southbound)	Great Eastern Hwy (Westbound) on to Tonkin Hwy (Southbound)	Belmont (C)	0.00	Great Eastern Hwy	0.23	Great Eastern Hwy (Eastbound) on to Tonkin Hwy (Southbound)	
H596	Tonkin Hwy (Northbound) off to Great Eastern Hwy	Tonkin Hwy (Northbound) off to Great Eastern Hwy	Belmont (C)	0.00	Tonkin Hwy	0.58	Great Eastern Hwy	
H599	Hepburn Av on to Mitchell Fwy (Northbound)	Hepburn Av on to Mitchell Fwy (Northbound)	Joondalup (C)	0.00	Hepburn Av & Mitchell Fwy (Northbound) off to Hepburn Av	0.37	Mitchell Fwy	
H600	Mitchell Fwy (Southbound) off to Hepburn Av	Mitchell Fwy (Southbound) off to Hepburn Av	Joondalup (C)	0.00	Mitchell Fwy	0.43	Hepburn Av & Hepburn Av on to Mitchell Fwy (Southbound)	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H601	Mitchell Fwy (Northbound) off to Whitfords Av	Mitchell Fwy (Northbound) off to Whitfords Av	Joondalup (C)	0.00	Mitchell Fwy	0.41	Whitfords Av & Whitfords Av on to Mitchell Fwy (Northbound)	
H602	Whitfords Av on to Mitchell Fwy (Southbound)	Whitfords Av on to Mitchell Fwy (Southbound)	Joondalup (C)	0.00	Whitfords Av & Mitchell Fwy (Southbound) off to Whitfords Av	0.60	Mitchell Fwy	
H603	Whitfords Av on to Mitchell Fwy (Northbound)	Whitfords Av on to Mitchell Fwy (Northbound)	Joondalup (C)	0.00	Whitfords Av & Mitchell Fwy (Northbound) off to Whitfords Av	0.36	Mitchell Fwy	
H604	Mitchell Fwy (Southbound) off to Whitfords Av	Mitchell Fwy (Southbound) off to Whitfords Av	Joondalup (C)	0.00	Mitchell Fwy	0.36	Whitfords Av & Whitfords Av on to Mitchell Fwy (Southbound)	
H605	Tonkin Hwy (Southbound) off to Great Eastern Hwy	Tonkin Hwy (Southbound) off to Great Eastern Hwy	Belmont (C)	0.00	Guildford Rd to Great Eastern Hwy Cd Rd	0.38	Great Eastern Hwy	
H606	Great Eastern Hwy (Eastbound) on to Tonkin Hwy (Southbound)	Great Eastern Hwy (Eastbound) on to Tonkin Hwy (Southbound)	Belmont (C)	0.00	Great Eastern Hwy	0.90	Tonkin Hwy	
H608	Guildford Rd on to Tonkin Hwy (Northbound)	Guildford Rd on to Tonkin Hwy (Northbound)	Bayswater (C)	0.00	Guildford Rd & Tonkin Hwy (Northbound) off to Guildford Rd	0.68	Tonkin Hwy	<ul style="list-style-type: none"> Combinations exceeding (20m length - 2.5m width - 4.3m height) are not permitted.
H609	Tonkin Hwy (Southbound) off to Guildford Rd	Tonkin Hwy (Southbound) off to Guildford Rd	Bayswater (C)	0.00	Tonkin Hwy	0.70	Guildford Rd & Guildford Rd on to Tonkin Hwy (Southbound)	<ul style="list-style-type: none"> Combinations exceeding (20m length - 2.5m width - 4.3m height) are not permitted.
H610	Tonkin Hwy (Northbound) off to Guildford Rd	Tonkin Hwy (Northbound) off to Guildford Rd	Bayswater (C)	0.00	Great Eastern Hwy to Guildford Rd Cd Rd	0.63	Guildford Rd & Guildford Rd on to Tonkin Hwy (Northbound)	<ul style="list-style-type: none"> Combinations exceeding (20m length - 2.5m width - 4.3m height) are not permitted.
H611	Guildford Rd on to Tonkin Hwy (Southbound)	Guildford Rd on to Tonkin Hwy (Southbound)	Bayswater (C)	0.00	Tonkin Hwy (Southbound) off to Guildford Rd & Guildford Rd	0.50	Guildford Rd to Great Eastern Hwy Cd Rd	<ul style="list-style-type: none"> Combinations exceeding (20m length - 2.5m width - 4.3m height) are not permitted.
H612	Mitchell Fwy (Northbound) off to Ocean Reef Rd	Mitchell Fwy (Northbound) off to Ocean Reef Rd	Joondalup (C)	0.00	Mitchell Fwy	0.38	Ocean Reef Rd & Ocean Reef Rd on to Mitchell Fwy (Northbound)	
H613	Ocean Reef Rd on to Mitchell Fwy (Southbound)	Ocean Reef Rd on to Mitchell Fwy (Southbound)	Joondalup (C)	0.00	Mitchell Fwy (Southbound) off to Ocean Reef Rd & Ocean Reef Rd	0.32	Mitchell Fwy	
H616	Kwinana Fwy (Southbound) off to South St	Kwinana Fwy (Southbound) off to South St	Melville (C)	0.00	Kwinana Fwy	0.37	South St	
H617	South St on to Kwinana Fwy (Northbound)	South St on to Kwinana Fwy (Northbound)	Melville (C)	0.00	South St & Kwinana Fwy (Northbound) off to South St & Murdoch Station Bus Access	0.58	Kwinana Fwy	
H618	Kwinana Fwy (Northbound) off to South St	Kwinana Fwy (Northbound) off to South St	Melville (C)	0.00	Kwinana Fwy	0.75	South St & South St on to Kwinana Fwy (Northbound) & Murdoch Station Bus Access	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H619	South St on to Kwinana Fwy (Southbound)	South St on to Kwinana Fwy (Southbound)	Melville (C)	0.00	South St & Murdoch Station Bus Access & Murdoch Stn East Carpark Exit	0.57	Kwinana Fwy	
H631	Reid Hwy (Westbound) off to Wanneroo Rd	Reid Hwy (Westbound) off to Wanneroo Rd	Stirling (C)	0.00	Reid Hwy	0.34	Wanneroo Rd & Wanneroo Rd on to Reid Hwy (Westbound)	
H632	Wanneroo Rd on to Reid Hwy (Eastbound)	Wanneroo Rd on to Reid Hwy (Eastbound)	Stirling (C)	0.00	Reid Hwy (Eastbound) off to Wanneroo Rd & Wanneroo Rd	0.37	Reid Hwy	
H633	Orrong Rd & Welshpool Rd East on to Roe Hwy (Northbound)	Orrong Rd & Welshpool Rd East on to Roe Hwy (Northbound)	Canning (C)	0.00	Roe Hwy (Northbound) off to Orrong Rd & Welshpool Rd East & Welshpool Rd East & Orrong Rd	0.32	Roe Hwy	
H634	Roe Hwy (Southbound) off to Welshpool Rd East & Orrong Rd	Roe Hwy (Southbound) off to Welshpool Rd East & Orrong Rd	Canning (C)	0.00	Roe Hwy	0.37	Welshpool Rd East & Orrong Rd on to Roe Hwy (Southbound) & Welshpool Rd East	
H635	Welshpool Rd East & Orrong Rd on to Roe Hwy (Southbound)	Welshpool Rd East & Orrong Rd on to Roe Hwy (Southbound)	Canning (C)	0.00	Welshpool Rd East & Roe Hwy (Southbound) off to Welshpool Rd East & Orrong Rd	0.55	Roe Hwy	
H636	Roe Hwy (Northbound) off to Orrong Rd & Welshpool Rd East	Roe Hwy (Northbound) off to Orrong Rd & Welshpool Rd East	Canning (C)	0.00	Roe Hwy	0.30	Welshpool Rd East & Orrong Rd & Orrong Rd & Welshpool Rd East on to Roe Hwy (Northbound)	
H639	Tonkin Hwy (Northbound) off to Roe Hwy	Tonkin Hwy (Northbound) off to Roe Hwy	Kalamunda	0.00	Tonkin Hwy	0.27	Roe Hwy & Roe Hwy on to Tonkin Hwy (Westbound)	
H640	Roe Hwy on to Tonkin Hwy (Westbound)	Roe Hwy on to Tonkin Hwy (Westbound)	Kalamunda	0.00	Roe Hwy & Tonkin Hwy (Northbound) off to Roe Hwy	0.12	Roe Hwy (Northbound) off to Tonkin Hwy (Westbound)	
H643	Reid Hwy (Eastbound) off to Wanneroo Rd	Reid Hwy (Eastbound) off to Wanneroo Rd	Stirling (C)	0.00	Reid Hwy	0.34	Wanneroo Rd on to Reid Hwy (Eastbound) & Wanneroo Rd	
H644	Wanneroo Rd on to Reid Hwy (Westbound)	Wanneroo Rd on to Reid Hwy (Westbound)	Stirling (C)	0.00	Wanneroo Rd & Reid Hwy (Westbound) off to Wanneroo Rd	0.41	Reid Hwy	
H656	Ocean Reef Rd on to Mitchell Fwy (Northbound)	Ocean Reef Rd on to Mitchell Fwy (Northbound)	Joondalup (C)	0.00	Mitchell Fwy (Northbound) off to Ocean Reef Rd & Ocean Reef Rd	0.38	Mitchell Fwy	
H657	Mitchell Fwy (Southbound) off to Ocean Reef Rd	Mitchell Fwy (Southbound) off to Ocean Reef Rd	Joondalup (C)	0.00	Mitchell Fwy	0.34	Ocean Reef Rd & Ocean Reef Rd on to Mitchell Fwy (Southbound)	
H658	Mitchell Fwy (Northbound) off to Hodges Dr	Mitchell Fwy (Northbound) off to Hodges Dr	Joondalup (C)	0.00	Mitchell Fwy	0.71	Hodges Dr & Hodges Dr on to Mitchell Fwy (Northbound)	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H659	Hodges Dr on to Mitchell Fwy (Southbound)	Hodges Dr on to Mitchell Fwy (Southbound)	Joondalup (C)	0.00	Mitchell Fwy (Southbound) off to Hodges Dr & Hodges Dr	0.43	Mitchell Fwy	
H679	Tonkin Hwy (Northbound) off to McDowell St	Tonkin Hwy (Northbound) off to McDowell St	Belmont (C)	0.00	Tonkin Hwy	0.18	Baldwin St & McDowell St	
H682	Kwinana Fwy (Southbound) off to Berrigan Dr	Kwinana Fwy (Southbound) off to Berrigan Dr	Cockburn (C)	0.00	Kwinana Fwy	0.47	Berrigan Dr on to Kwinana Fwy (Southbound) & Berrigan Dr	
H683	Berrigan Dr on to Kwinana Fwy (Southbound)	Berrigan Dr on to Kwinana Fwy (Southbound)	Cockburn (C)	0.00	Berrigan Dr & Kwinana Fwy (Southbound) off to Berrigan Dr	0.35	Berrigan Dr to North Lake Rd Cd Rd	
H684	Kwinana Fwy (Northbound) off to Berrigan Dr	Kwinana Fwy (Northbound) off to Berrigan Dr	Cockburn (C)	0.00	North Lake Rd to Berrigan Dr Cd Rd	0.48	Berrigan Dr on to Kwinana Fwy (Northbound) & Berrigan Dr	
H685	Berrigan Dr on to Kwinana Fwy (Northbound)	Berrigan Dr on to Kwinana Fwy (Northbound)	Cockburn (C)	0.00	Berrigan Dr & Kwinana Fwy (Northbound) off to Berrigan Dr	0.40	Kwinana Fwy	
H686	Kwinana Fwy (Southbound) off to Beeliar Dr	Kwinana Fwy (Southbound) off to Beeliar Dr	Cockburn (C)	0.00	Berrigan Dr to North Lake Rd Cd Rd	0.51	Beeliar Dr on to Kwinana Fwy (Southbound) & Beeliar Dr	
H687	Beeliar Dr on to Kwinana Fwy (Southbound)	Beeliar Dr on to Kwinana Fwy (Southbound)	Cockburn (C)	0.00	Beeliar Dr & Kwinana Fwy (Southbound) off to Beeliar Dr	0.42	Kwinana Fwy	
H688	Kwinana Fwy (Northbound) off to Beeliar Dr	Kwinana Fwy (Northbound) off to Beeliar Dr	Cockburn (C)	0.00	Kwinana Fwy	0.31	Beeliar Dr on to Kwinana Fwy (Northbound) & Beeliar Dr	
H689	Beeliar Dr on to Kwinana Fwy (Northbound)	Beeliar Dr on to Kwinana Fwy (Northbound)	Cockburn (C)	0.00	Kwinana Fwy (Northbound) off to Beeliar Dr & Beeliar Dr	0.72	North Lake Rd to Berrigan Dr Cd Rd	
H690	Kwinana Fwy (Southbound) off to Russell Rd	Kwinana Fwy (Southbound) off to Russell Rd	Cockburn (C)	0.00	Kwinana Fwy	0.29	Russell Rd & Gibbs Rd & Russell Rd on to Kwinana Fwy (Southbound)	
H691	Russell Rd on to Kwinana Fwy (Southbound)	Russell Rd on to Kwinana Fwy (Southbound)	Cockburn (C)	0.00	Kwinana Fwy (Southbound) off to Russell Rd & Russell Rd & Gibbs Rd	0.61	Kwinana Fwy	
H692	Kwinana Fwy (Northbound) off to Russell Rd	Kwinana Fwy (Northbound) off to Russell Rd	Cockburn (C)	0.00	Kwinana Fwy	0.41	Russell Rd & Russell Rd on to Kwinana Fwy (Northbound)	
H693	Russell Rd on to Kwinana Fwy (Northbound)	Russell Rd on to Kwinana Fwy (Northbound)	Cockburn (C)	0.00	Kwinana Fwy (Northbound) off to Russell Rd & Russell Rd	0.59	Kwinana Fwy	
H694	Kwinana Fwy (Southbound) off to Rowley Rd	Kwinana Fwy (Southbound) off to Rowley Rd	Cockburn (C)	0.00	Kwinana Fwy	0.45	Rowley Rd on to Kwinana Fwy (Southbound) & Rowley Rd	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H695	Rowley Rd on to Kwinana Fwy (Southbound)	Rowley Rd on to Kwinana Fwy (Southbound)	Kwinana (C)	0.00	Kwinana Fwy (Southbound) off to Rowley Rd & Rowley Rd	0.35	Kwinana Fwy	
H696	Kwinana Fwy (Northbound) off to Rowley Rd	Kwinana Fwy (Northbound) off to Rowley Rd	Kwinana (C)	0.00	Kwinana Fwy	0.34	Rowley Rd & Rowley Rd on to Kwinana Fwy (Northbound)	
H697	Rowley Rd on to Kwinana Fwy (Northbound)	Rowley Rd on to Kwinana Fwy (Northbound)	Cockburn (C)	0.00	Rowley Rd & Kwinana Fwy (Northbound) off to Rowley Rd	0.27	Kwinana Fwy	
H698	Kwinana Fwy (Southbound) off to Anketell Rd	Kwinana Fwy (Southbound) off to Anketell Rd	Kwinana (C)	0.00	Kwinana Fwy	0.45	Anketell Rd on to Kwinana Fwy (Southbound) & Anketell Rd	
H699	Anketell Rd on to Kwinana Fwy (Southbound)	Anketell Rd on to Kwinana Fwy (Southbound)	Kwinana (C)	0.00	Anketell Rd & Kwinana Fwy (Southbound) off to Anketell Rd	0.37	Kwinana Fwy	
H700	Kwinana Fwy (Northbound) off to Anketell Rd	Kwinana Fwy (Northbound) off to Anketell Rd	Kwinana (C)	0.00	Kwinana Fwy	0.31	Anketell Rd & Anketell Rd on to Kwinana Fwy (Northbound)	
H701	Anketell Rd on to Kwinana Fwy (Northbound)	Anketell Rd on to Kwinana Fwy (Northbound)	Kwinana (C)	0.00	Anketell Rd & Kwinana Fwy (Northbound) off to Anketell Rd	0.34	Kwinana Fwy	
H702	Kwinana Fwy (Southbound) off to Thomas Rd	Kwinana Fwy (Southbound) off to Thomas Rd	Kwinana (C)	0.00	Kwinana Fwy	0.42	Thomas Rd on to Kwinana Fwy (Southbound) & Thomas Rd	
H703	Thomas Rd on to Kwinana Fwy (Southbound)	Thomas Rd on to Kwinana Fwy (Southbound)	Kwinana (C)	0.00	Thomas Rd & Kwinana Fwy (Southbound) off to Thomas Rd	0.35	Kwinana Fwy	
H704	Kwinana Fwy (Northbound) off to Thomas Rd	Kwinana Fwy (Northbound) off to Thomas Rd	Kwinana (C)	0.00	Kwinana Fwy	0.32	Thomas Rd on to Kwinana Fwy (Northbound) & Thomas Rd	
H705	Thomas Rd on to Kwinana Fwy (Northbound)	Thomas Rd on to Kwinana Fwy (Northbound)	Kwinana (C)	0.00	Thomas Rd & Kwinana Fwy (Northbound) off to Thomas Rd	0.31	Kwinana Fwy	
H710	Kwinana Fwy (Southbound) off to Mundijong Rd	Kwinana Fwy (Southbound) off to Mundijong Rd	Rockingham (C)	0.00	Kwinana Fwy	0.35	Mundijong Rd & Mundijong Rd on to Kwinana Fwy (Southbound)	
H711	Mundijong Rd on to Kwinana Fwy (Southbound)	Mundijong Rd on to Kwinana Fwy (Southbound)	Rockingham (C)	0.00	Mundijong Rd & Kwinana Fwy (Southbound) off to Mundijong Rd	0.39	Kwinana Fwy	
H712	Kwinana Fwy (Northbound) off to Mundijong Rd	Kwinana Fwy (Northbound) off to Mundijong Rd	Rockingham (C)	0.00	Kwinana Fwy	0.38	Mundijong Rd on to Kwinana Fwy (Northbound) & Kulija Rd	
H713	Mundijong Rd on to Kwinana Fwy (Northbound)	Mundijong Rd on to Kwinana Fwy (Northbound)	Rockingham (C)	0.00	Kulija Rd & Kwinana Fwy (Northbound) off to Mundijong Rd	0.35	Kwinana Fwy	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H723	Great Eastern Hwy (Eastbound) Slip At Start Great Eastern Hwy Bypa	Great Eastern Hwy (Eastbound) Slip At Start Great Eastern Hwy Bypa	Swan (C)	0.00	Great Eastern Hwy	0.05	Great Eastern Hwy	
H724	Mitchell Fwy (Northbound) to Reid Hwy	Mitchell Fwy (Northbound) to Reid Hwy	Stirling (C)	0.00	Mitchell Fwy	0.59	Reid Hwy on to Mitchell Fwy (Northbound) & Reid Hwy & High Wide Load Oversize Cross Over (Restricted Access) H021 to H576	
H725	Reid Hwy on to Mitchell Fwy (Southbound)	Reid Hwy on to Mitchell Fwy (Southbound)	Stirling (C)	0.00	Mitchell Fwy (Southbound) off to Reid Hwy & Balcatta Rd & Reid Hwy	0.55	Mitchell Fwy	
H732	Kenwick Link on to Roe Hwy (Northbound)	Kenwick Link on to Roe Hwy (Northbound)	Gosnells (C)	0.00	Kenwick Link & Roe Hwy (Northbound) off to Kenwick Link	0.28	Roe Hwy	
H733	Roe Hwy (Southbound) off to Kenwick Link	Roe Hwy (Southbound) off to Kenwick Link	Gosnells (C)	0.00	Roe Hwy	0.32	Kenwick Link & Kenwick Link on to Roe Hwy (Southbound)	
H734	Kenwick Link on to Roe Hwy (Southbound)	Kenwick Link on to Roe Hwy (Southbound)	Gosnells (C)	0.00	Kenwick Link & Roe Hwy (Southbound) off to Kenwick Link	0.25	Roe Hwy	
H735	Roe Hwy (Northbound) off to Kenwick Link	Roe Hwy (Northbound) off to Kenwick Link	Gosnells (C)	0.00	Roe Hwy	0.30	Kenwick Link & Kenwick Link on to Roe Hwy (Northbound)	
H736	Nicholson Rd on to Roe Hwy (Eastbound)	Nicholson Rd on to Roe Hwy (Eastbound)	Gosnells (C)	0.00	Roe Hwy (Eastbound) off to Nicholson Rd & Nicholson Rd	0.29	Roe Hwy	
H737	Roe Hwy (Westbound) off to Nicholson Rd	Roe Hwy (Westbound) off to Nicholson Rd	Gosnells (C)	0.00	Roe Hwy	0.34	Nicholson Rd on to Roe Hwy (Westbound) & Nicholson Rd	
H738	Nicholson Rd on to Roe Hwy (Westbound)	Nicholson Rd on to Roe Hwy (Westbound)	Canning (C)	0.00	Roe Hwy (Westbound) off to Nicholson Rd & Nicholson Rd	0.26	Roe Hwy	
H739	Roe Hwy (Eastbound) off to Nicholson Rd	Roe Hwy (Eastbound) off to Nicholson Rd	Canning (C)	0.00	Roe Hwy	0.42	Nicholson Rd on to Roe Hwy (Eastbound) & Nicholson Rd	
H741	Northam Toodyay Rd Link Rd	Northam Toodyay Rd Link Rd	Northam	0.00	Great Eastern Hwy	0.28	Newcastle Rd & Northam Toodyay Rd & McMillan Pl	
H742	Northam Pithara Rd Link Rd	Northam Pithara Rd Link Rd	Northam	0.00	Great Eastern Hwy	0.24	Northam Pithara Rd & Goomalling Rd	
H749	Willeri Dr on to Roe Hwy (Eastbound)	Willeri Dr on to Roe Hwy (Eastbound)	Canning (C)	0.00	Willeri Dr & Roe Hwy (Eastbound) off to Willeri Dr	0.25	Roe Hwy	
H750	Roe Hwy (Westbound) off to Willeri Dr	Roe Hwy (Westbound) off to Willeri Dr	Canning (C)	0.00	Roe Hwy	0.34	Willeri Dr on to Roe Hwy (Westbound) & Willeri Dr	
H751	Willeri Dr on to Roe Hwy (Westbound)	Willeri Dr on to Roe Hwy (Westbound)	Canning (C)	0.00	Willeri Dr & Roe Hwy (Westbound) off to Willeri Dr	0.27	Roe Hwy	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H752	Roe Hwy (Eastbound) off to Willeri Dr	Roe Hwy (Eastbound) off to Willeri Dr	Canning (C)	0.00	Roe Hwy	0.27	Willeri Dr & Willeri Dr on to Roe Hwy (Eastbound)	
H753	South St on to Roe Hwy (Eastbound)	South St on to Roe Hwy (Eastbound)	Canning (C)	0.00	South St & Roe Hwy (Eastbound) off to South St	0.54	Roe Hwy	
H754	Roe Hwy (Westbound) off to South St	Roe Hwy (Westbound) off to South St	Canning (C)	0.00	Roe Hwy	0.54	South St & South St on to Roe Hwy (Westbound)	
H755	South St on to Roe Hwy (Westbound)	South St on to Roe Hwy (Westbound)	Canning (C)	0.00	Roe Hwy (Westbound) off to South St & South St	0.55	Roe Hwy	
H756	Tonkin Hwy (Southbound) Access Ramp off to Albany Hwy	Tonkin Hwy (Southbound) Access Ramp off to Albany Hwy	Gosnells (C)	0.00	Tonkin Hwy (Southbound) Access Ramp For Albany Hwy & Corfield Rd	0.39	Albany Hwy & Albany Hwy on to Tonkin Hwy (Southbound) Access Ramp	
H757	Albany Hwy on to Tonkin Hwy (Southbound) Access Ramp	Albany Hwy on to Tonkin Hwy (Southbound) Access Ramp	Gosnells (C)	0.00	Tonkin Hwy (Southbound) Access Ramp off to Albany Hwy & Albany Hwy	0.34	Tonkin Hwy (Southbound) Access Ramp For Albany Hwy & Corfield Rd	
H758	Tonkin Hwy Access Ramp off to Albany Hwy	Tonkin Hwy Access Ramp off to Albany Hwy	Gosnells (C)	0.00	Tonkin Hwy (Northbound) Access Ramp For Albany Hwy & Corfield Rd	0.22	Albany Hwy & Albany Hwy on to Tonkin Hwy (Northbound) Access Ramp	
H759	Albany Hwy on to Tonkin Hwy (Northbound) Access Ramp	Albany Hwy on to Tonkin Hwy (Northbound) Access Ramp	Gosnells (C)	0.00	Tonkin Hwy Access Ramp off to Albany Hwy & Albany Hwy	0.30	Tonkin Hwy (Northbound) Access Ramp For Albany Hwy & Corfield Rd	
H760	Tonkin Hwy (Southbound) Access Ramp For Albany Hwy & Corfield St	Tonkin Hwy (Southbound) Access Ramp For Albany Hwy & Corfield St	Gosnells (C) Armadale (C)	0.00	Tonkin Hwy	0.90	Tonkin Hwy	
H765	Tonkin Hwy (Northbound) Access Ramp For Albany Hwy & Corfield St	Tonkin Hwy (Northbound) Access Ramp For Albany Hwy & Corfield St	Gosnells (C)	0.00	Tonkin Hwy	0.99	Tonkin Hwy	
H766	Roe Hwy (Eastbound) off to South St	Roe Hwy (Eastbound) off to South St	Canning (C)	0.00	Roe Hwy	0.44	South St on to Roe Hwy (Eastbound) & South St	
H767	Roe Hwy (Westbound) off to Karel Av	Roe Hwy (Westbound) off to Karel Av	Cockburn (C)	0.00	Roe Hwy	0.57	Karel Av on to Roe Hwy (Westbound) & Karel Av	
H768	Karel Av on to Roe Hwy (Westbound)	Karel Av on to Roe Hwy (Westbound)	Cockburn (C)	0.00	Roe Hwy (Westbound) off to Karel Av & Karel Av	0.30	Roe Hwy	
H769	Roe Hwy (Eastbound) off to Karel Av	Roe Hwy (Eastbound) off to Karel Av	Cockburn (C)	0.00	Roe Hwy	0.48	Karel Av on to Roe Hwy (Eastbound) & Karel Av	
H770	Karel Av on to Roe Hwy (Eastbound)	Karel Av on to Roe Hwy (Eastbound)	Cockburn (C)	0.00	Roe Hwy (Eastbound) off to Karel Av & Karel Av	0.34	Roe Hwy	
H771	Roe Hwy (Westbound) to Kwinana Fwy (Southbound)	Roe Hwy (Westbound) to Kwinana Fwy (Southbound)	Cockburn (C)	0.00	Roe Hwy	0.61	Kwinana Fwy	
H772	Kwinana Fwy (Southbound) to Roe Hwy (Eastbound)	Kwinana Fwy (Southbound) to Roe Hwy (Eastbound)	Cockburn (C)	0.13	Kwinana Fwy	0.79	Roe Hwy	
H774	Roe Hwy (Westbound) to Kwinana Fwy (Northbound)	Roe Hwy (Westbound) to Kwinana Fwy (Northbound)	Cockburn (C)	0.00	Roe Hwy	0.55	Kwinana Fwy	
H775	Kwinana Fwy (Northbound) to Roe Hwy (Eastbound)	Kwinana Fwy (Northbound) to Roe Hwy (Eastbound)	Cockburn (C)	0.00	Kwinana Fwy	0.82	Roe Hwy & Link From Murdoch Dr to Roe Hwy	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H777	Brand Hwy on to John Willcock Dr (Westbound)	Brand Hwy on to John Willcock Dr (Westbound)	Greater Geraldton (C)	0.00	Brand Hwy & North West Coastal Hwy (Southbound) off to Brand Hwy	0.30	John Willcock Link	
H778	John Willcock Link (Eastbound) off to Brand Hwy	John Willcock Link (Eastbound) off to Brand Hwy	Greater Geraldton (C)	0.00	John Willcock Link	0.27	Brand Hwy & Brand Hwy on to North West Coastal Hwy (Northbound)	
H779	Brand Hwy on to North West Coastal Hwy (Northbound)	Brand Hwy on to North West Coastal Hwy (Northbound)	Greater Geraldton (C)	0.00	John Willcock Link (Eastbound) off to Brand Hwy & Brand Hwy	0.26	North West Coastal Hwy & John Willcock Link	
H780	North West Coastal Hwy (Southbound) off to Brand Hwy	North West Coastal Hwy (Southbound) off to Brand Hwy	Greater Geraldton (C)	0.00	North West Coastal Hwy & John Willcock Link	0.25	Brand Hwy & Brand Hwy on to John Willcock Dr (Westbound)	
H781	Robertson Dr (Southbound) to Bussell Hwy (Southbound)	Robertson Dr (Southbound) to Bussell Hwy (Southbound)	Bunbury (C)	0.00	Robertson Dr	0.09	Bussell Hwy	
H782	Hv Weigh Site (Tonkin Hwy Northbound At Ranford Rd)	Hv Weigh Site (Tonkin Hwy Northbound At Ranford Rd)	Gosnells (C)	0.00	Tonkin Hwy	0.20	Ranford Rd	
H786	Port Kennedy Dr Acceleration Lane	Port Kennedy Dr Acceleration Lane	Rockingham (C)	0.00	Port Kennedy Dr & Ennis Av & Melville Mandurah Hwy off to Port Kennedy Dr	0.38	Ennis Av	
H787	Ennis Av (Northbound) off to Port Kennedy Dr	Ennis Av (Northbound) off to Port Kennedy Dr	Rockingham (C)	0.00	Ennis Av	0.10	Port Kennedy Dr	
H789	Kwinana Fwy (Northbound) off to Leach Hwy (Westbound)	Kwinana Fwy (Northbound) off to Leach Hwy (Westbound)	Melville (C)	0.00	Kwinana Fwy (Northbound) off to Leach Hwy	0.31	Leach Hwy	
H790	Leach Hwy (Eastbound) off to Orrong Rd	Leach Hwy (Eastbound) off to Orrong Rd	Canning (C)	0.03		0.31	Orrong Rd on to Leach Hwy (Eastbound) & Orrong Rd	
H791	Orrong Rd on to Leach Hwy (Eastbound)	Orrong Rd on to Leach Hwy (Eastbound)	Belmont (C)	0.00	Leach Hwy (Eastbound) off to Orrong Rd & Orrong Rd	0.23	Leach Hwy	
H792	Leach Hwy (Westbound) off to Orrong Rd	Leach Hwy (Westbound) off to Orrong Rd	Belmont (C)	0.00	Leach Hwy	0.27	Orrong Rd on to Leach Hwy (Westbound) & Orrong Rd	
H793	Orrong Rd on to Leach Hwy (Westbound)	Orrong Rd on to Leach Hwy (Westbound)	Canning (C)	0.00	Leach Hwy (Westbound) off to Orrong Rd & Orrong Rd	0.30		
H797	Hodges Dr on to Mitchell Fwy (Northbound)	Hodges Dr on to Mitchell Fwy (Northbound)	Joondalup (C)	0.00	Mitchell Fwy (Northbound) off to Hodges Dr & Hodges Dr	0.39	Mitchell Fwy	
H798	Mitchell Fwy (Southbound) off to Hodges Dr	Mitchell Fwy (Southbound) off to Hodges Dr	Joondalup (C)	0.00	Mitchell Fwy	0.35	Hodges Dr on to Mitchell Fwy (Southbound) & Hodges Dr	
H803	Burns Beach Rd on to Mitchell Fwy (Southbound)	Burns Beach Rd on to Mitchell Fwy (Southbound)	Joondalup (C)	0.00	Mitchell Fwy (Southbound) off to Burns Beach Rd & Burns Beach Rd	0.41	Mitchell Fwy	
H804	Mitchell Fwy (Northbound) off to Burns Beach Rd	Mitchell Fwy (Northbound) off to Burns Beach Rd	Joondalup (C)	0.00	Mitchell Fwy	0.37	Burns Beach Rd on to Mitchell Fwy (Northbound) & Burns Beach Rd	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H805	Thomson Rd	Thomson Rd	Bunbury (C)	0.00	Forrest Hwy & Thomson Rd & Alyxia Dr	0.29	Willinge Dr & Thomson Rd	
H808	Thomson Rd	Thomson Rd	Bunbury (C)	0.00	Willinge Dr & Thomson Rd	0.29	Forrest Hwy & Thomson Rd & Alyxia Dr	
H809	Kwinana Fwy (Southbound) off to Safety Bay Rd	Kwinana Fwy (Southbound) off to Safety Bay Rd	Rockingham (C)	0.00	Kwinana Fwy	0.39	Safety Bay Rd & Safety Bay Rd on to Kwinana Fwy (Southbound) & Folly Rd	
H810	Safety Bay Rd on to Kwinana Fwy (Southbound)	Safety Bay Rd on to Kwinana Fwy (Southbound)	Rockingham (C)	0.00	Safety Bay Rd & Kwinana Fwy (Southbound) off to Safety Bay Rd & Folly Rd	0.39	Kwinana Fwy	
H811	Kwinana Fwy (Northbound) off to Safety Bay Rd	Kwinana Fwy (Northbound) off to Safety Bay Rd	Rockingham (C)	0.00	Kwinana Fwy	0.41	Safety Bay Rd on to Kwinana Fwy (Northbound) & Safety Bay Rd	
H812	Safety Bay Rd on to Kwinana Fwy (Northbound)	Safety Bay Rd on to Kwinana Fwy (Northbound)	Rockingham (C)	0.00	Safety Bay Rd & Kwinana Fwy (Northbound) off to Safety Bay Rd	0.37	Kwinana Fwy	
H813	Kwinana Fwy (Southbound) off to Karnup Rd	Kwinana Fwy (Southbound) off to Karnup Rd	Rockingham (C)	0.00	Kwinana Fwy	0.40	Karnup Rd on to Kwinana Fwy (Southbound) & Karnup Rd	
H814	Karnup Rd on to Kwinana Fwy (Southbound)	Karnup Rd on to Kwinana Fwy (Southbound)	Rockingham (C)	0.00	Kwinana Fwy (Southbound) off to Karnup Rd & Karnup Rd	0.45	Kwinana Fwy	
H815	Kwinana Fwy (Northbound) off to Karnup Rd	Kwinana Fwy (Northbound) off to Karnup Rd	Rockingham (C)	0.00	Kwinana Fwy	0.36	Karnup Rd on to Kwinana Fwy (Northbound) & Karnup Rd	
H816	Karnup Rd on to Kwinana Fwy (Northbound)	Karnup Rd on to Kwinana Fwy (Northbound)	Rockingham (C)	0.00	Kwinana Fwy (Northbound) off to Karnup Rd & Karnup Rd	0.49	Kwinana Fwy	
H817	Kwinana Fwy (Southbound) off to Paganoni Rd	Kwinana Fwy (Southbound) off to Paganoni Rd	Rockingham (C)	0.00	Kwinana Fwy	0.44	Vine Rd & Paganoni Rd & Paganoni Rd on to Kwinana Fwy (Southbound)	
H818	Paganoni Rd on to Kwinana Fwy (Southbound)	Paganoni Rd on to Kwinana Fwy (Southbound)	Rockingham (C)	0.00	Vine Rd & Kwinana Fwy (Southbound) off to Paganoni Rd & Paganoni Rd	0.40	Kwinana Fwy	
H819	Kwinana Fwy (Northbound) off to Paganoni Rd	Kwinana Fwy (Northbound) off to Paganoni Rd	Rockingham (C)	0.00	Kwinana Fwy	0.44	Paganoni Rd on to Kwinana Fwy (Northbound) & Paganoni Rd	
H820	Paganoni Rd on to Kwinana Fwy (Northbound)	Paganoni Rd on to Kwinana Fwy (Northbound)	Rockingham (C)	0.00	Kwinana Fwy (Northbound) off to Paganoni Rd & Paganoni Rd	0.36	Kwinana Fwy	
H821	Kwinana Fwy (Southbound) off to Lymon Rd/Mandjoogoordap Dr	Kwinana Fwy (Southbound) off to Lymon Rd/Mandjoogoordap Dr	Mandurah (C)	0.00	Kwinana Fwy	0.43	Mandjoogoordap Dr	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H822	Lymon Rd/Mandjoogoordap Dr on to Kwinana Fwy (Southbound)	Lymon Rd/Mandjoogoordap Dr on to Kwinana Fwy (Southbound)	Mandurah (C)	0.00	Mandjoogoordap Dr	0.50	Kwinana Fwy	
H823	Kwinana Fwy (Northbound) off to Mandjoogoordap Dr/Lymon Rd	Kwinana Fwy (Northbound) off to Mandjoogoordap Dr/Lymon Rd	Mandurah (C)	0.00	Kwinana Fwy	0.48	Mandjoogoordap Dr	
H824	Mandjoogoordap Dr on to H015 (Northbound)	Mandjoogoordap Dr on to H015 (Northbound)	Mandurah (C)	0.00	Mandjoogoordap Dr	0.79	Kwinana Fwy	
H825	Kwinana Fwy (Southbound) off to Lakes Rd	Kwinana Fwy (Southbound) off to Lakes Rd	Murray	0.00	Kwinana Fwy	0.48	Lakes Rd & Lakes Rd on to Kwinana Fwy (Southbound)	
H826	Lakes Rd on to Kwinana Fwy (Southbound)	Lakes Rd on to Kwinana Fwy (Southbound)	Murray	0.00	Lakes Rd & Kwinana Fwy (Southbound) off to Lakes Rd	0.35	Kwinana Fwy	
H827	Kwinana Fwy (Northbound) off to Lakes Rd	Kwinana Fwy (Northbound) off to Lakes Rd	Murray	0.00	Kwinana Fwy	0.39	Lakes Rd & Lakes Rd on to Kwinana Fwy (Northbound)	
H828	Lakes Rd on to Kwinana Fwy (Northbound)	Lakes Rd on to Kwinana Fwy (Northbound)	Murray	0.00	Kwinana Fwy (Northbound) off to Lakes Rd & Lakes Rd	0.31	Kwinana Fwy	
H829	Kwinana Fwy (Southbound) off to Pinjarra Rd	Kwinana Fwy (Southbound) off to Pinjarra Rd	Murray	0.00	Kwinana Fwy	0.86	Pinjarra Rd & Pinjarra Rd on to Kwinana Fwy/Forrest Hwy (Southbound)	
H830	Pinjarra Rd on to Kwinana Fwy/Forrest Hwy (Southbound)	Pinjarra Rd on to Kwinana Fwy/Forrest Hwy (Southbound)	Murray	0.00	Pinjarra Rd & Kwinana Fwy (Southbound) off to Pinjarra Rd	0.55	Kwinana Fwy	
H831	Kwinana Fwy/Forrest Hwy (Northbound) off to Pinjarra Rd	Kwinana Fwy/Forrest Hwy (Northbound) off to Pinjarra Rd	Murray	0.00	Kwinana Fwy	0.81	Pinjarra Rd & Pinjarra Rd on to Kwinana Fwy (Northbound)	
H832	Pinjarra Rd on to Kwinana Fwy (Northbound)	Pinjarra Rd on to Kwinana Fwy (Northbound)	Murray	0.00	Kwinana Fwy/Forrest Hwy (Northbound) off to Pinjarra Rd & Pinjarra Rd	1.05	Kwinana Fwy	
H833	Greenlands Rd on to Forrest Hwy (Northbound)	Greenlands Rd on to Forrest Hwy (Northbound)	Murray	0.00	Forrest Hwy & Greenlands Rd	0.31	Forrest Hwy	
H834	Old Coast Rd Slip From/To Forrest Hwy (Southbound)	Old Coast Rd Slip From/To Forrest Hwy (Southbound)	Waroona	0.00	Forrest Hwy	0.27	Forrest Hwy	
H835	Roe Hwy (Northbound) off to GEH (Westbound)	Roe Hwy (Northbound) off to GEH (Westbound)	Swan (C)	0.00	Roe Hwy	0.37	Great Eastern Hwy & GEH on to Roe Hwy Nth Bnd	
H836	Roe Hwy (Northbound) off to GEH (Eastbound)	Roe Hwy (Northbound) off to GEH (Eastbound)	Mundaring	0.00	Roe Hwy	0.44	Great Eastern Hwy	
H837	GEH (Westbound) on to Roe Hwy (Southbound)	GEH (Westbound) on to Roe Hwy (Southbound)	Swan (C)	0.00	Great Eastern Hwy	0.39	Roe Hwy	
H838	GEH on to Roe Hwy (Northbound)	GEH on to Roe Hwy (Northbound)	Mundaring	0.00	Roe Hwy (Northbound) off to GEH (Westbound) & Great Eastern Hwy	0.37	Roe Hwy	
H839	Roe Hwy (Southbound) off to GEH	Roe Hwy (Southbound) off to GEH	Mundaring	0.00	Roe Hwy	0.47	GEH (Eastbound) on to Roe Hwy (Southbound) & Great Eastern Hwy	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H842	Lymon Rd on to Kwinana Fwy (Northbound)	Lymon Rd on to Kwinana Fwy (Northbound)	Mandurah (C)	0.00	Mandjoogoordap Dr	0.17	Mandjoogoordap Dr on to H015 (Northbound)	
H843	Mandurah Rd (Northbound) Slip At Mandjoogoordap Dr Rty	Mandurah Rd (Northbound) Slip At Mandjoogoordap Dr Rty	Mandurah (C)	0.00	Mandurah Rd	0.20	Mandurah Rd	
H844	Mandurah Rd (Southbound) to Mandjoogoordap Dr (Northbound)	Mandurah Rd (Southbound) to Mandjoogoordap Dr (Northbound)	Mandurah (C)	0.00	Mandurah Rd	0.10	Mandjoogoordap Dr	
H845	Reid Hwy (Eastbound) off to Alexander Dr	Reid Hwy (Eastbound) off to Alexander Dr	Stirling (C)	0.00	Reid Hwy	0.48	Alexander Dr & Alexander Dr on to Reid Hwy (Eastbound)	
H846	Alexander Dr on to Reid Hwy (Eastbound)	Alexander Dr on to Reid Hwy (Eastbound)	Stirling (C) Swan (C)	0.00	Alexander Dr & Reid Hwy (Eastbound) off to Alexander Dr	0.55	Reid Hwy	
H847	Reid Hwy (Westbound) off to Alexander Dr	Reid Hwy (Westbound) off to Alexander Dr	Bayswater (C) Stirling (C)	0.00	Reid Hwy	0.51	Alexander Dr on to Reid Hwy (Westbound) & Alexander Dr	
H848	Alexander Dr on to Reid Hwy (Westbound)	Alexander Dr on to Reid Hwy (Westbound)	Stirling (C)	0.00	Alexander Dr & Reid Hwy (Westbound) off to Alexander Dr	0.66	Reid Hwy	
H853	GEH (Eastbound) on to Roe Hwy (Southbound)	GEH (Eastbound) on to Roe Hwy (Southbound)	Swan (C)	0.00	Great Eastern Hwy & Roe Hwy (Southbound) off to GEH	0.08	GEH (Westbound) on to Roe Hwy (Southbound)	
H854	GNH (Northbound) off to Port Hedland Rd	GNH (Northbound) off to Port Hedland Rd	Port Hedland (T)	0.00	Great Northern Hwy	1.22	Wilson St	
H855	GNH (Southbound) off to Port Hedland Rd	GNH (Southbound) off to Port Hedland Rd	Port Hedland (T)	0.00	Great Northern Hwy	0.22	GNH (Northbound) off to Port Hedland Rd	
H856	Port Hedland Rd (Northbound) on to GNH (Northbound)	Port Hedland Rd (Northbound) on to GNH (Northbound)	Port Hedland (T)	0.00	Wilson St	0.49	Great Northern Hwy	
H857	Port Hedland Rd (Southbound) on to GNH (Northbound)	Port Hedland Rd (Southbound) on to GNH (Northbound)	Port Hedland (T)	0.00	Wilson St	0.76	Great Northern Hwy	
H858	GNH (Southbound) off to Port Hedland Rd	GNH (Southbound) off to Port Hedland Rd	Port Hedland (T)	0.00	Great Northern Hwy	0.44	GNH (Northbound) off to Port Hedland Rd	
H859	GNH (Northbound) off to Port Hedland Rd	GNH (Northbound) off to Port Hedland Rd	Port Hedland (T)	0.00	Great Northern Hwy	0.63	Wilson St	
H860	Port Hedland Rd (Southbound) on to GNH (Southbound)	Port Hedland Rd (Southbound) on to GNH (Southbound)	Port Hedland (T)	0.00	Wilson St	0.43	Great Northern Hwy	
H861	Port Hedland Rd (Northbound) on to GNH (Southbound)	Port Hedland Rd (Northbound) on to GNH (Southbound)	Port Hedland (T)	0.00	Wilson St	0.65	Great Northern Hwy	
H862	Forrest Hwy Southbound) Slip At Eelup Rty	Forrest Hwy (Southbound) Slip At Eelup Rty	Bunbury (C)	0.00	Forrest Hwy	0.19	Robertson Dr	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H863	Menang Dr to South Coast Hwy Slip Rd	Menang Dr to South Coast Hwy Slip Rd	Albany (C)	0.00	Menang Dr	0.08	Chester Pass Rd	
H864	South Coast Hwy Slip Rd	South Coast Hwy Slip Rd	Albany (C)	0.00	South Coast Hwy	0.17	Chester Pass Rd	
H865	Brookton Hwy to South Coast Hwy Slip Rd	Brookton Hwy to South Coast Hwy Slip Rd	Ravensthorpe	0.00	Newdegate Ravensthorpe Rd	0.16	South Coast Hwy	
H866	Boyanup Picton Slip Rd to South West Hwy (Westbound)	Boyanup Picton Slip Rd to South West Hwy (Westbound)	Bunbury (C)	0.00	Willinge Dr	0.13	South Western Hwy	
H867	Thomson Rd Slip to Willinge Dr (Westbound)	Thomson Rd Slip to Willinge Dr (Westbound)	Bunbury (C)	0.00	Thomson Rd	0.08	Willinge Dr	
H869	South Western Hwy (Southbound) Slip to Coalfields Hwy	South Western Hwy (Southbound) Slip to Coalfields Hwy	Harvey	0.00	South Western Hwy	0.13	Coalfields Rd	
H870	Albany Hwy (Southbound) Slip At Sw Hwy & Armadale Rd	Albany Hwy (Southbound) Slip At Sw Hwy & Armadale Rd	Armadale (C)	0.00	Albany Hwy	0.08	Albany Hwy	
H872	Albany Hwy to Collie-Lake King Slip Rd	Albany Hwy to Collie-Lake King Slip Rd	West Arthur	0.00	Albany Hwy	0.16	Arthur Rd	
H881	Tonkin Hwy (Southbound) off to Dunreath Dr	Tonkin Hwy (Southbound) off to Dunreath Dr	Belmont (C)	0.00	Tonkin Hwy	0.34	Dunreath Dr (R Cwy)	
H882	Dunreath Dr on to Tonkin Hwy (Northbound)	Dunreath Dr on to Tonkin Hwy (Northbound)	Belmont (C)	0.00	Dunreath Dr (L Cwy) & Dunreath Dr (R Cwy)	0.38	Tonkin Hwy	
H883	Tonkin Hwy (Northbound) off to Dunreath Dr	Tonkin Hwy (Northbound) off to Dunreath Dr	Belmont (C)	0.00	Tonkin Hwy	0.32	Dunreath Dr (L Cwy)	
H884	Tonkin Hwy (Southbound) off to Airport Dr (Southbound)	Tonkin Hwy (Southbound) off to Airport Dr (Southbound)	Belmont (C)	0.00	Tonkin Hwy	0.85	Airport Dr	
H886	Leach Hwy (Eastbound) on to Tonkin Hwy (Northbound)	Leach Hwy (Eastbound) on to Tonkin Hwy (Northbound)	Belmont (C)	0.00	Leach Hwy	0.75	Tonkin Hwy	
H887	Leach Hwy (Eastbound) on to Tonkin Hwy (Southbound)	Leach Hwy (Eastbound) on to Tonkin Hwy (Southbound)	Belmont (C)	0.00	Leach Hwy	0.55	Tonkin Hwy	
H890	Tonkin Hwy (Northbound) off to Leach Hwy (Eastbound)	Tonkin Hwy (Northbound) off to Leach Hwy (Eastbound)	Belmont (C)	0.00	Tonkin Hwy	1.30	Leach Hwy	
H891	Dunreath Dr on to Tonkin Hwy (Southbound)	Dunreath Dr on to Tonkin Hwy (Southbound)	Belmont (C)	0.00	Dunreath Dr (L Cwy)	0.48	Tonkin Hwy	
H892	Tonkin Hwy (Northbound) off to Abernethy Rd	Tonkin Hwy (Northbound) off to Abernethy Rd	Belmont (C)	0.00	Tonkin Hwy (Northbound) off to Leach Hwy (Eastbound)	0.27	Leach Hwy (Westbound) off to Abernethy Rd	
H893	Leach Hwy (Westbound) off to Abernethy Rd	Leach Hwy (Westbound) off to Abernethy Rd	Belmont (C)	0.00	Leach Hwy	0.60	Abernethy Rd & Abernethy Rd on to Leach Hwy (Westbound)	

Tandem Drive Network 2.1



State Road Network

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
H894	Abernethy Rd on to Leach Hwy (Eastbound)	Abernethy Rd on to Leach Hwy (Eastbound)	Belmont (C)	0.00	Abernethy Rd & Leach Hwy (Eastbound) off to Abernethy Rd	0.32	Leach Hwy	
H895	Leach Hwy (Eastbound) off to Abernethy Rd	Leach Hwy (Eastbound) off to Abernethy Rd	Belmont (C)	0.00	Leach Hwy	0.29	Abernethy Rd on to Leach Hwy (Eastbound) & Abernethy Rd	
H896	Abernethy Rd on to Leach Hwy (Westbound)	Abernethy Rd on to Leach Hwy (Westbound)	Belmont (C)	0.00	Abernethy Rd & Leach Hwy (Westbound) off to Abernethy Rd	0.59	Leach Hwy	
H897	Tonkin Hwy to Leach Hwy Off Ramp on to Tonkin Hwy (Northbound)	Tonkin Hwy to Leach Hwy Off Ramp on to Tonkin Hwy (Northbound)	Belmont (C)	0.00	Tonkin Hwy (Northbound) off to Leach Hwy (Eastbound)	0.23	Tonkin Hwy	
H898	Tonkin Hwy (Southbound) off to Horrie Miller Dr	Tonkin Hwy (Southbound) off to Horrie Miller Dr	Belmont (C)	0.00	Tonkin Hwy	0.35	Horrie Miller Dr	
H899	Kewdale Rd on to Tonkin Hwy (Northbound)	Kewdale Rd on to Tonkin Hwy (Northbound)	Belmont (C)	0.00	Kewdale Rd	0.30	Tonkin Hwy (Northbound) off to Leach Hwy (Eastbound)	
H940	Stirling Hwy (Southbound) Slip to Leach Hwy (Eastbound)	Stirling Hwy (Southbound) Slip to Leach Hwy (Eastbound)	Fremantle (C)	0.00	Stirling Hwy	0.24	High St	
H204	Wilman Wadandi Hwy (Northbound) off to Raymond Rd	Wilman Wadandi Hwy (Northbound) off to Raymond Rd	Harvey	0.00	Wilman Wadandi Hwy	0.51	Raymond Rd	
H332	Kwinana Fwy (Northbound) off to Baldivis Services	Kwinana Fwy (Northbound) off to Baldivis Services	Rockingham (C)	0.00	Kwinana Fwy	0.17	Baldivis Services	

Tandem Drive Network 2.1



Albany (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3021269	Albany Hwy	Albany Hwy	Albany (C)	0.00	Chester Pass Rty	2.02	Sanford Rd	
3020156	Allerton St	Allerton St	Albany (C)	0.00	Lower Denmark Rd	0.48	Allerton Rd - End Road	
3021343	Amity Qys	Amity Qys	Albany (C)	0.00	Princess Royal Dr	0.09	Amity Qys - End Road	
3020177	Armstrong Rd	Armstrong Rd	Albany (C)	0.00	Plantagenet LGA Boundary	2.80	Armstrong Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3021175	Barker Rd	Barker Rd	Albany (C)	0.00	Albany Hwy	0.56	Barker Rd - End Road	
3020262	Basil Rd	Basil Rd	Albany (C)	0.00	Cape Riche Rd	2.03	2.03km South - West From Cape Riche Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Cape Riche Rd : No access permitted into Cape Riche Rd from Basil Rd
3020262	Basil Rd	Basil Rd	Albany (C)	2.03	1.27km From Turnor Rd	9.10	Venns Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3020647	Baxter Rd	Baxter Rd	Albany (C)	0.00	Windsor Rd	0.05	Wellstead Access Rd	<ul style="list-style-type: none"> Intersection Wellstead Access Rd : No left turn permitted into Wellstead Access Rd from Baxter Rd

Tandem Drive Network 2.1



Albany (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3020077	Bennett Rd	Bennett Rd	Albany (C)	0.00	Chester Pass Rd	6.38	Takenup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Chester Pass Rd : No access permitted into Albany Lake Grace Rd (Chester Pass Rd) from Bennett Rd
3020044	Bluff Creek Rd	Bluff Creek Rd	Albany (C)	0.00	South Coast Hwy	9.48	Bluff Creek Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3020040	Boat Harbour Rd	Boat Harbour Rd	Albany (C)	0.00	South Coast Hwy	11.11	11.11km East From South Coast Highway	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020107	Bornholm South Rd	Bornholm South Rd	Albany (C)	0.00	Lower Denmark Rd	1.88	For 1.8km From Lower Denmark Rd	

Tandem Drive Network 2.1



Albany (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3022145	Brooks Garden Bvd	Brooks Garden Bvd	Albany (C)	0.00	Chester Pass Rd	0.20	0.196km From Chester Pass Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
3020197	Browns Rd	Browns Rd	Albany (C)	0.00	Lake Saide Rd	0.45	Lee Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3021004	Brunswick Rd	Brunswick Rd	Albany (C)	1.92	0.05km From Princess Royal Dr	1.97	Princess Royal Dr	
3020041	Cape Riche Rd	Cape Riche Rd	Albany (C)	0.00	Mettler Rd	7.30	Basil Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020041	Cape Riche Rd	Cape Riche Rd	Albany (C)	7.30	Basil Rd	9.53	2.231km From Basil Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020152	Catalina Rd	Catalina Rd	Albany (C)	0.00	Chester Pass Rd	0.06	Service Station	
3020152	Catalina Rd	Catalina Rd	Albany (C)	0.06	0.06km Fro Chester Pass Rd	1.65	Dragon Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Albany (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3020133	Charles St	Charles St	Albany (C)	0.00	Newbey St	0.33	Richard St	
3020024	Cheyne Rd	Cheyne Rd	Albany (C)	0.00	South Coast Hwy	18.47	Cheyne Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020008	Chillinup Rd	Chillinup Rd	Albany (C)	0.00	Plantagenet LGA Boundary	46.90	Gnowangerup LGA Boundary	
3020013	Churchlane Rd	Churchlane Rd	Albany (C)	5.85	5.85 Km From Albany Lake Grace Rd	6.95	South Coast Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020045	Circuit Rd	Circuit Rd	Albany (C)	0.00	South Coast Hwy	2.00	2.0km From South Coast Hwy to Plantation Gate	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Albany (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3020322	Cochrane Rd	Cochrane Rd	Albany (C)	0.00	Hunwick Rd	2.95	Marbelup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3022027	Copal Rd	Copal Rd	Albany (C)	0.00	Menang Dr	0.92	Copal Rd - End Road	
3020074	Corimup East Rd	Corimup East Rd	Albany (C)	0.00	Pfeiffer Rd	3.72	3.716km West From Pfeiffer Rd.	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020073	Corimup Rd	Corimup Rd	Albany (C)	0.00	Palmdale Rd	4.06	Cumming Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020084	Corio Rd	Corio Rd	Albany (C)	0.00	South Coast Hwy	4.02	Hunwick Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Albany (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3020447	Cumming Rd	Cumming Rd	Albany (C)	0.00	Corimup Rd	2.80	Lake Warburton Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020029	Deep Creek Rd	Deep Creek Rd	Albany (C)	0.00	South Coast Hwy	7.15	Jordan Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020029	Deep Creek Rd	Deep Creek Rd	Albany (C)	7.15	Jordan Rd	11.17	Penn Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Albany (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3020029	Deep Creek Rd	Deep Creek Rd	Albany (C)	11.17	Penn Rd	14.83	Mindijup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020027	Dempster Rd	Dempster Rd	Albany (C)	0.00	Nanarup Rd	13.68	South Coast Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020079	Down Rd	Down Rd	Albany (C)	0.00	Albany Hwy	3.76	Down West Rd	
3020080	Down West Rd	Down West Rd	Albany (C)	0.00	Down Rd	1.85	Down West Rd - End Road	
3020038	Drawbin Rd	Drawbin Rd	Albany (C)	0.00	South Coast Hwy	11.91	Pfeiffer Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection South Coast Hwy : No access permitted into South Coast Hwy from Drawbin Rd

Tandem Drive Network 2.1



Albany (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3020025	Fish Track Rd	Fish Track Rd	Albany (C)	0.00	Palmdale Rd	6.30	South Coast Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020109	Freeborough Rd	Freeborough Rd	Albany (C)	0.00	Station St	0.48	0.48km South - West From Station St/Lower Denmark Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020608	Frenchman Bay Rd	Frenchman Bay Rd	Albany (C)	0.00	Frenchman Bay Rd Rty	6.40	Bay View Dr	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. 10 km/h below posted speed limit
3020019	Gnowellen Rd	Gnowellen Rd	Albany (C)	0.00	South Coast Hwy	12.42	Chillinup Rd	
3020019	Gnowellen Rd	Gnowellen Rd	Albany (C)	12.65	Chillinup Rd	26.10	Gnowangerup LGA Boundary	
3021177	Graham St	Graham St	Albany (C)	0.00	Barker Rd	0.40	Sanford Rd	

Tandem Drive Network 2.1



Albany (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3020167	Griffiths Rd	Griffiths Rd	Albany (C)	0.00	Chester Pass Rd	2.14	2.135km From Chester Pass Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020078	Gunn Rd	Gunn Rd	Albany (C)	0.00	Albany Hwy	2.56	Gunn Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020236	Harding Rd	Harding Rd	Albany (C)	0.00	Frenchman Bay Rd	0.54	Home Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Empty Travel Only
3020108	Harvey Rd	Harvey Rd	Albany (C)	0.00	Chester Pass Rd	1.66	Harvey Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020030	Hazzard Rd	Hazzard Rd	Albany (C)	0.00	Millbrook Rd	0.15	0.15km West From Millbrook Rd	

Tandem Drive Network 2.1



Albany (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3020030	Hazzard Rd	Hazzard Rd	Albany (C)	4.50	3.98km From Albany Hwy	8.48	Albany Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020082	Hennings Rd	Hennings Rd	Albany (C)	0.00	South Coast Hwy	4.40	Hunwick Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Hunwick Rd : Hennings Road Is The Terminating Road At The Intersection With Hunwick Road Heading North West And North East
3020509	Home Rd	Home Rd	Albany (C)	0.60	Harding Rd	0.77	For 0.17 Km	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Empty Travel Only
3020026	Homestead Rd	Homestead Rd	Albany (C)	0.00	South Coast Hwy	9.06	Bettys Beach Rd & Normans Beach Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h

Tandem Drive Network 2.1



Albany (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3020086	Hunwick North Rd	Hunwick North Rd	Albany (C)	0.00	Hunwick South Rd & South Coast Hwy	4.30	Hunwick Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020032	Hunwick Rd	Hunwick Rd	Albany (C)	0.00	Keith Rd	12.61	Hennings Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020032	Hunwick Rd	Hunwick Rd	Albany (C)	12.61	Hennings Rd	20.15	Corio Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Albany (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3020032	Hunwick Rd	Hunwick Rd	Albany (C)	20.15	Corio Rd	21.72	Boccomazzo Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3020126	Hunwick South Rd	Hunwick South Rd	Albany (C)	0.00	Lower Denmark Rd	6.14	Hunwick North Rd & South Coast Hwy	
3020072	James Rd	James Rd	Albany (C)	0.00	Palmdale Rd	2.66	James Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020141	John St	John St	Albany (C)	0.88	Christine Rd	1.21	Chester Pass Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
3020068	Johnson Rd	Johnson Rd	Albany (C)	0.00	Pfeiffer Rd	10.73	Palmdale Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3021068	Kelly St	Kelly St	Albany (C)	0.00	Chester Pass Rd	0.59	Kelly St - End Road	<ul style="list-style-type: none"> Intersection Chester Pass Rd : No left turn permitted into South Coast Hwy from Kelly St

Tandem Drive Network 2.1



Albany (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3020020	Kojaneerup Spring Rd	Kojaneerup Spring Rd	Albany (C)	0.00	South Coast Hwy	15.01	Chillinup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020021	Kojaneerup West Rd	Kojaneerup West Rd	Albany (C)	0.00	South Coast Hwy	13.44	Chillinup Rd	
3020345	Kuch Rd	Kuch Rd	Albany (C)	0.00	Gnowellen Rd	19.31	Chillinup Rd	
3020033	Lake Saide Rd	Lake Saide Rd	Albany (C)	0.00	Lower Denmark Rd	5.57	Browns Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020071	Lake Warburton Rd	Lake Warburton Rd	Albany (C)	0.00	Palmdale Rd	9.36	Pfeiffer Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020134	Lance St	Lance St	Albany (C)	0.00	Newbey St	0.21	0.149km From Richard St	<ul style="list-style-type: none"> Intersection Newbey St : No left turn permitted into Newby St from Lance St

Tandem Drive Network 2.1



Albany (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3020516	Lee Rd	Lee Rd	Albany (C)	0.00	Browns Rd	1.10		<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3022262	Lehman Av	Lehman Av	Albany (C)	0.00	Steedman St	0.15	Lehman Av - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Steedman St : No access permitted into Steedman St from Lehman Av
3020469	Link Rd	Link Rd	Albany (C)	0.00	South Coast Hwy - Menang Dr Link	4.07	Albany Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
3021067	Locke St	Locke St	Albany (C)	0.00	Kelly St	0.32	Albany Hwy	
3020607	Lower Denmark Rd	Lower Denmark Rd	Albany (C)	0.02	Frenchman Bay Rd Rty	13.71	Marbelup Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Vehicle not to exceed 20m in total length Maximum speed 10 km/h
3020607	Lower Denmark Rd	Lower Denmark Rd	Albany (C)	19.79	Rutherford Rd	37.15	South Coast Hwy	

Tandem Drive Network 2.1



Albany (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3020605	Lower King Rd	Lower King Rd	Albany (C)	5.73	Norwood Rd	7.36	Nanarup Rd	<ul style="list-style-type: none"> Bridge 4630 King River (Lower) : Bridge not to be crossed.
3020628	Mallard Rd	Mallard Rd	Albany (C)	0.00	Pendeen Rd	0.22	End	
3020031	Marbelup Rd	Marbelup Rd	Albany (C)	2.85	South Coast Hwy	15.28	Redmond West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Cochrane Rd : No access permitted into Cochrane Rd from Marbelup Rd. No access permitted into Marbelup Rd from Cochrane Rd. Intersection Redmond West Rd : No left turn permitted into Redmond West Rd from Marbelup Rd.
3020313	Mead Rd	Mead Rd	Albany (C)	0.00	South Coast Hwy	3.60	Nanarup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. 'Trucks Entering' signs to be erected and removed when not in use. Intersection South Coast Hwy : No right turn permitted into South Coast Hwy from Mead St. No left turn permitted into Mead Rd from South Coast Hwy.
3020122	Mercer Rd	Mercer Rd	Albany (C)	0.00	Chester Pass Rd	0.70	0.55km After Viastra Dr	
3022026	Merrifield St	Merrifield St	Albany (C)	0.00	Newbey St	0.27	Merrifield St - Dead End	<ul style="list-style-type: none"> Empty Travel Only Intersection Newbey St : No Left Turn Into Newbey St From Merrifield St. No Right Turn Into Merrifield St From Newbey St.
3020022	Mettler Rd	Mettler Rd	Albany (C)	0.00	South Coast Hwy	16.14	Sandalwood Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
3020004	Millbrook Rd	Millbrook Rd	Albany (C)	0.00	Chester Pass Rd	16.21	0.02km From Albany Hwy	

Tandem Drive Network 2.1



Albany (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3020063	Millstream Rd	Millstream Rd	Albany (C)	0.00	Albany Hwy	3.06	Millstream Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3020075	Mindijup Rd	Mindijup Rd	Albany (C)	0.00	Palmdale Rd	6.95	For 6.95km From Palmdale Road to Sand Mine Access Road	<ul style="list-style-type: none"> No operation permitted between SLK 6.95 - 8.35 due to excessive grades and unsuitable floodway.
3020075	Mindijup Rd	Mindijup Rd	Albany (C)	8.35	For 3.33km From Takenup Road to Plantation Access Gate	11.68	Takenup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). No operation permitted between SLK 6.95 - 8.35 due to excessive grades and unsuitable floodway.
3020163	Moorialup Rd	Moorialup Rd	Albany (C)	0.00	Takalarup Rd	4.65	For 4.65km From Takalarup Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Albany (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3020163	Moorialup Rd	Moorialup Rd	Albany (C)	7.27	2.14 Km From Granite Hill Rd	10.09	Takalarup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020070	Mt Pleasant Rd	Mt Pleasant Rd	Albany (C)	0.00	Fish Track Rd	4.06	Sister Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020606	Nanarup Rd	Nanarup Rd	Albany (C)	0.00	Lower King Rd	10.80	2.52km Southeast of Poikeclerup Rd	<ul style="list-style-type: none"> Bridge 4332 Kalgan River (Lower) : Bridge not to be crossed.
3022188	Negri Rd	Negri Rd	Albany (C)	0.00	Negri Rd - Start Road	0.42	Negri Rd - End Road	
3020131	Newbey St	Newbey St	Albany (C)	0.00	Chester Pass Rd	0.71	Newbey St & Richard St	<ul style="list-style-type: none"> Intersection Merrifield St : No left turn permitted into Newbey St from Merrifield St. No right turn permitted into Merrifield St from Newbey St.
3021015	North Rd	North Rd	Albany (C)	0.00	Chester Pass Rty	1.68	Sanford Rd	
3020174	Norton Rd	Norton Rd	Albany (C)	0.00	Redmond West Rd	5.40	Hunwick Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020003	Norwood Rd	Norwood Rd	Albany (C)	0.00	Chester Pass Rd	3.53	Lower King Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Albany (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3020039	Old Boundary Rd	Old Boundary Rd	Albany (C)	0.00	South Coast Hwy	10.95	Chillinup Rd	
3020010	Palmdale Rd	Palmdale Rd	Albany (C)	0.00	South Coast Hwy	25.54	Plantagenet LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Maximum speed of 80 km/h on sealed roads and maximum speed of 60 km/h on gravel roads.
3020627	Pendeen Rd	Pendeen Rd	Albany (C)	0.00	Chester Pass Rd	0.35	Copal Rd	
3020006	Pfeiffer Rd	Pfeiffer Rd	Albany (C)	0.00	Stirling School Rd & South Stirling Rd	27.82	South Coast Hwy	<ul style="list-style-type: none"> Maximum speed 80 km/h
3020036	Piggott Martin Rd	Piggott Martin Rd	Albany (C)	0.00	Lower Denmark Rd	4.36	Thompson Rd	
3020106	Pikadon Rd	Pikadon Rd	Albany (C)	0.00	Lower Denmark Rd	2.06	Hortin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). One truck movement at a time
3020089	Redhen Rd	Redhen Rd	Albany (C)	0.00	Hunwick Rd	3.62	Redmond West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
3020005	Redmond - Hay River Rd	Redmond - Hay River Rd	Albany (C)	0.00	Phillips Rd & Albany Hwy	22.72	The Pass Rd & Blue Gum Rd	

Tandem Drive Network 2.1



Albany (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3020449	Redmond South Rd	Redmond South Rd	Albany (C)	0.00	Redmond St	0.68	Redmond South Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3022101	Redmond St	Redmond St	Albany (C)	0.00	Redmond - Hay River Rd	0.40	Redmond South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020011	Redmond West Rd	Redmond West Rd	Albany (C)	0.00	Redmond St	8.77	Redhen Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Albany (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3020011	Redmond West Rd	Redmond West Rd	Albany (C)	8.77	Redhen Rd	15.35	Davy Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020011	Redmond West Rd	Redmond West Rd	Albany (C)	15.35	Davy Rd	20.85	2 Km North of Hunwick Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Albany (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3020011	Redmond West Rd	Redmond West Rd	Albany (C)	20.85	2 Km North of Hunwick Rd	22.72	Hunwick Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020422	Riggs Rd	Riggs Rd	Albany (C)	0.00	Mindijup Rd	2.01	Riggs Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020061	Rocky Crossing Rd	Rocky Crossing Rd	Albany (C)	2.86	Menang Dr	5.24	Willyung Rd & Parker Brook Rd	
3020383	Roundhay St	Roundhay St	Albany (C)	0.00	Menang Dr	0.50		
3020125	Rutherford Rd	Rutherford Rd	Albany (C)	0.00	South Coast Hwy	3.80	Lower Denmark Rd	
3020023	Sandalwood Rd	Sandalwood Rd	Albany (C)	0.00	South Coast Hwy	18.02	Sandalwood Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
3021018	Sanford Rd	Sanford Rd	Albany (C)	0.00	North Rd	1.10	Albany Hwy	
3020067	Settlement Rd	Settlement Rd	Albany (C)	0.00	Chester Pass Rd	4.29	Settlement Rd & Morande Rd & Yungup Rd North	
3020540	Shearer Rd	Shearer Rd	Albany (C)	0.00	Mettler Rd	4.55	South Coast Hwy	
3020114	Shepherds Lagoon Rd	Shepherds Lagoon Rd	Albany (C)	0.00	Mountain Rd & Lower Denmark Rd	2.00	2km From Mountain Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Albany (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3020220	Siding Rd	Siding Rd	Albany (C)	0.00	Redmond - Hay River Rd	5.18	Plantagenet LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020168	Simpson Rd	Simpson Rd	Albany (C)	0.00	Chester Pass Rd	1.50	Simpson Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3020397	Sister Rd	Sister Rd	Albany (C)	0.00	Mt Pleasant Rd	0.40	Sister Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Albany (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3020113	Sleeman Rd	Sleeman Rd	Albany (C)	0.00	Hunwick Rd	5.63	South Coast Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Bridge 4225 Wc# 0152 - Sleeman Main Drain : Bridge not to be crossed.
3020221	South Stirling Rd	South Stirling Rd	Albany (C)	0.00	Chillinup Rd	4.47	Pfeiffer Rd & Stirling School Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020381	Steedman St	Steedman St	Albany (C)	0.46	Lehman Av	0.72	Sandalwood Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020372	Stockwell Rd	Stockwell Rd	Albany (C)	0.00	Chillinup Rd	12.45	South Coast Hwy	

Tandem Drive Network 2.1



Albany (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3020012	Takenup Rd	Takenup Rd	Albany (C)	0.00	Chester Pass Rd	3.50	1.47 Km Past Booth Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020012	Takenup Rd	Takenup Rd	Albany (C)	10.23	9.27km From Armstrong Rd	19.50	Armstrong Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020035	Tennessee Rd South	Tennessee Rd South	Albany (C)	0.00	Lower Denmark Rd	3.35	Thompson Rd	
3020015	Thomas Rd	Thomas Rd	Albany (C)	0.00	South Coast Hwy	4.93	Rosedale Rd & Mountain Rd	

Tandem Drive Network 2.1



Albany (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3020085	Thompson Dr	Thompson Dr	Albany (C)	0.00	Kojaneerup West Rd	6.20	South Stirling Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020055	Two Peoples Bay Rd	Two Peoples Bay Rd	Albany (C)	0.00	Nanarup Rd	10.66	3.51km From Moyle Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020042	Venns Rd	Venns Rd	Albany (C)	0.00	Mettler Rd	9.30	Wilwarri Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020042	Venns Rd	Venns Rd	Albany (C)	9.30	Wilwarri Rd	14.16	Basil Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Albany (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3020090	Verne Rd	Verne Rd	Albany (C)	0.00	Redmond West Rd	6.44	Redmond - Hay River Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020018	Warriup Rd	Warriup Rd	Albany (C)	0.00	South Coast Hwy	11.50	11.5km East From South Coast Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020053	Waychinicup Rd	Waychinicup Rd	Albany (C)	0.00	Homestead Rd	5.80	Circuit Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h
3020081	Wilcox Rd	Wilcox Rd	Albany (C)	0.00	Plantagenet LGA Boundary	7.60	Redmond - Hay River Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3020009	Willyung Rd	Willyung Rd	Albany (C)	0.00	Chester Pass Rd	3.94	Rocky Crossing Rd & Parker Brook Rd	

Tandem Drive Network 2.1



Albany (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3020539	Wilwarri Rd	Wilwarri Rd	Albany (C)	0.00	Venns Rd	1.60	Wilwarri Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3020357	Yungemere Rd	Yungemere Rd	Albany (C)	0.00	Kuch Rd	3.56	Yungemere Rd - End Road	
3020525	Yungup North West Rd	Yungup North West Rd	Albany (C)	2.55	0.59km From Settlement Rd East	3.14	Settlement Rd East & Harris Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3020064	Yungup Rd	Yungup Rd	Albany (C)	0.00	Chester Pass Rd	5.10	Yungup North West Rd & Yungup Rd North	<ul style="list-style-type: none"> Maximum speed 80 km/h Intersection Yungup North West Rd & Yungup Rd North : No Left Turn Into Yungup North West Road Permitted. No Right Turn Into Yungup North East Road Permitted
3020065	Yungup Rd North	Yungup Rd North	Albany (C)	0.00	Yungup Rd & Yungup North West Rd	3.56	Southern Bdry	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Armadale (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1011500	Alex Wood Dr	Alex Wood Dr	Armadale (C)	0.00	Ranford Rd	1.31	Armadale Rd	<ul style="list-style-type: none"> Intersection Archimedes Dr : No left turn permitted into Archimedes Dr from Alex Wood Dr
1010327	Allen Rd	Allen Rd	Armadale (C)	0.61	Macfarlane Rd	1.58	Allen Rd - Db Start	
1010327	Allen Rd	Allen Rd	Armadale (C)	3.47	Haydock St	3.56	Ranford Rd	
1011494	Archimedes Dr	Archimedes Dr	Armadale (C)	0.00	Alex Wood Dr	0.27	0.08km From Alex Wood Dr	<ul style="list-style-type: none"> 10 km/h below posted speed limit Intersection Alex Wood Dr : No left turn permitted into Alex Wood Dr from Archimedes Dr
1015628	Ayres Rd	Ayres Rd	Armadale (C)	0.77		1.99	Ranford Rd	
1015202	Bessemer Rd	Bessemer Rd	Armadale (C)	0.00	Remisko Dr	0.21	Bessemer Rd - End Road	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1011082	Braddock St	Braddock St	Armadale (C)	0.00	Gillam Dr	0.15	Brant Rd	
1010407	Brant Rd	Brant Rd	Armadale (C)	0.00	Lockhart Rd	1.10	Owen Rd	
1010439	Browning Rd	Browning Rd	Armadale (C)	0.00	Byron Rd	0.31	Keates Rd	
1010441	Burns Rd	Burns Rd	Armadale (C)	0.00	Eliot Rd	0.45	Browning Rd	
1010443	Byron Rd	Byron Rd	Armadale (C)	0.00	Eliot Rd	0.42	Byron Rd - End Road	
1010011	Canning Rd	Canning Rd	Armadale (C)	0.00	Brookton Hwy	2.29	Kalamunda LGA Boundary	
1011381	Cartwright Dr	Cartwright Dr	Armadale (C)	0.00	Da Vinci Wy	0.73	Ranford Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit Intersection Edison Cct : No Right Turn Permitted Into Edison Cct From Cartwright Dr
1010869	Champion Dr	Champion Dr	Armadale (C)	0.00	Tonkin Hwy	2.21	0.07km From Gillam Dr	
1011383	Da Vinci Wy	Da Vinci Wy	Armadale (C)	0.00	Alex Wood Dr & Holloway Rd	0.72	Edison Cct	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1011379	Edison Cct	Edison Cct	Armadale (C)	0.00	Da Vinci Wy	1.71	Cartwright Dr	<ul style="list-style-type: none"> 10 km/h below posted speed limit Intersection Cartwright Dr : No Left Turn Permitted Into Cartwright Dr from Edison Cct
1011380	Einstein Link	Einstein Link	Armadale (C)	0.00	Edison Cct	0.26	Cartwright Dr	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1010034	Eleventh Rd	Eleventh Rd	Armadale (C)	0.51	Forrest Rd	5.05	South Western Hwy	
1010463	Eliot Rd	Eliot Rd	Armadale (C)	0.00	Stone St	0.37	Byron Rd	
1011153	Forrest Rd	Forrest Rd	Armadale (C)	1.99	Tonkin Hwy	4.11	Eleventh Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1010860	Gillam Dr	Gillam Dr	Armadale (C)	0.00	Railway Av	1.31	Champion Dr	<ul style="list-style-type: none"> Intersection Champion Dr : No left turn permitted into Champion Drive from Gillam Drive.
1015385	Haydock St	Haydock St	Armadale (C)	0.00	Allen Rd	0.05	0.05km From Allen Rd	
1010858	Hendon Wy	Hendon Wy	Armadale (C)	0.00	Williams Rd	0.26	Brant Rd	
1011385	Hensbrook Loop	Hensbrook Loop	Armadale (C)	0.00	Armadale Rd	1.70	Hensbrook Loop & Hensbrook Loop	<ul style="list-style-type: none"> 10 km/h below posted speed limit

Tandem Drive Network 2.1



Armadale (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1011058	Hobbs Dr	Hobbs Dr	Armadale (C)	0.91	0.25km From South Western Hwy	1.16	South Western Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
1010478	Keates Rd	Keates Rd	Armadale (C)	0.00	Stone St	0.48	100 Metres After Browning Rd	
1010038	Lake Rd	Lake Rd	Armadale (C)	3.33	Champion Dr	6.02	Remisko Dr & Ranford Rd	
1010398	Lockhart Rd	Lockhart Rd	Armadale (C)	0.00	Gillam Dr	0.35	Owen Rd	
1019007	Macfarlane Rd	Macfarlane Rd	Armadale (C)	0.67	Allen Rd	1.15	Armadale Rd	
1011382	McCook St	McCook St	Armadale (C)	0.00	Da Vinci Wy	0.58	Watt Link	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1011384	McGill Pass	McGill Pass	Armadale (C)	0.00	Edison Cct	0.06	Hensbrook Loop	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1019016	Network Pl	Network Pl	Armadale (C)	0.00	Macfarlane Rd	0.23	Network Pl - End Road	
1010001	Nicholson Rd	Nicholson Rd	Armadale (C)	3.99	Armadale Rd - Nicholson Rd Rty	7.56	Rowley Rd West & Nicholson Rd	
1010048	Owen Rd	Owen Rd	Armadale (C)	0.00	Railway Av	1.04	Lockhart Rd	
1010004	Railway Av	Railway Av	Armadale (C)	0.00	Armadale Rd & Abbey Rd	1.97	Gillam Dr	<ul style="list-style-type: none"> Intersection Armadale Rd & Abbey Rd : Entry & Exit Must Be Via Armadale Rd H023
1010021	Ranford Rd	Ranford Rd	Armadale (C)	3.55	Ranford Rd & Allen Rd	6.87	Twelfth Rd Rty	
1015160	Remisko Dr	Remisko Dr	Armadale (C)	0.00	Lake Rd & Ranford Rd	0.83	Alex Wood Dr	
1011166	Rowley Rd West	Rowley Rd West	Armadale (C)	0.00	Nicholson Rd	2.25	Rowley Rd & Wolfe Rd	
1010389	Stone St	Stone St	Armadale (C)	0.00	South Western Hwy	0.57	Stone St - End Road	
1010735	Tinga Pl	Tinga Pl	Armadale (C)	0.00	Owen Rd	0.15	Tinga Pl - End Road	
1019017	Transit Pl	Transit Pl	Armadale (C)	0.00	Network Pl	0.16	Transit Pl - End Road	
1010082	Warton Rd	Warton Rd	Armadale (C)	0.00	Armadale Rd & Warton Rd	2.97	Nicholson Rd & Warton Rd	<ul style="list-style-type: none"> Intersection Mason Rd & Warton Rd & Jandakot Rd : No left turn permitted into Jandakot Rd from Warton Rd
1011493	Watt Link	Watt Link	Armadale (C)	0.00	Alex Wood Dr	0.40	Cartwright Dr	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1010056	Williams Rd	Williams Rd	Armadale (C)	0.78	Owen Rd	1.03	Brant Rd	

Tandem Drive Network 2.1



Ashburton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
8110290	Beasley Rd	Beasley Rd	Ashburton	0.00	Camp Rd	0.13	Turee Wy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Camp Rd : No access permitted into Camp Rd from Beasley Rd
8110265	Boonderoo Rd	Boonderoo Rd	Ashburton	0.00	Doradeen Rd	0.62	0.617km From Doradeen Rd	
8110217	Camp Rd	Camp Rd	Ashburton	0.00	Camp Rd & Paraburdoo Rd	0.38	For 380m From Paraburdoo Tom Price	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Beasley Rd : Left turn only permitted into Beasley Rd From Camp Rd
8110205	Doradeen Rd	Doradeen Rd	Ashburton	0.00	Manuwarra Red Dog Hwy & Haulpak Access (P)	1.12	Boonderoo Rd	
8110315	Fortescue Crossing Rd	Fortescue Crossing Rd	Ashburton	0.00	Nanutarra Munjina Rd	2.67	Fortescue Cross Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
8110045	Hamersley - Mount Bruce Rd	Hamersley - Mount Bruce Rd	Ashburton	20.54	Karijini Dr	30.74	Karijini Dr	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
8110038	Hamersley Rd	Hamersley Rd	Ashburton	0.00	Nanutarra Munjina Rd	16.00	16km From Nanutarra Munjina Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
8119001	McAullay Rd	McAullay Rd	Ashburton	0.00	Onslow Rd	2.77	Second Av & Beadon Creek Rd	<ul style="list-style-type: none"> Not to exceed the lesser of 90 km/h or thr posted speed limit.
8110216	Mine Rd	Mine Rd	Ashburton	0.00	Manuwarra Red Dog Hwy	3.12	Hamersley Operations Access Rd	
8110295	Munjina - Roy Hill Rd	Munjina - Roy Hill Rd	Ashburton	0.00	Great Northern Hwy	7.46	East Pilbara LGA Boundary	<ul style="list-style-type: none"> Maximum speed 80 km/h
8110319	Nameless Valley Dr	Nameless Valley Dr	Ashburton	0.00	Mine Rd	19.44	Nanutarra Munjina & Nanutarra Munjina Rd	
8110275	Old Onslow Rd	Old Onslow Rd	Ashburton	0.00	Twitchin Rd	22.51	Old Onslow Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h No Operation between the hours of sunset and sunrise
8110289	Turee Wy	Turee Wy	Ashburton	0.00	Beasley Rd	0.30	Camp Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Camp Rd : Right Turn Only Permitted Into Camp Rd From Turee Wy

Tandem Drive Network 2.1



Ashburton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
8110004	Twitchin Rd	Twitchin Rd	Ashburton	0.00	Onslow Rd	22.44	Minderoo Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
811Z085	Deepdale Dr	Deepdale Dr	Ashburton	0.57	Pannawonica Dr	1.04	Pannawonica Rd	
811Z069	Mt Stuart - Red Hill Rd	Mt Stuart - Red Hill Rd	Ashburton	0.00	Nanutarra Munjina Rd	17.91	Urandy Creek Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40 or as sign posted). The driver must call out on the approach to bends and crests to warn oncoming drivers of their presence.
811Z092	Pannawonica Dr	Pannawonica Dr	Ashburton	0.00	Deepdale Dr	0.80	Sherlock Dr	

Tandem Drive Network 2.1



Augusta - Margaret River

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2010095	Ablett Rd	Ablett Rd	Augusta - Margaret River	0.00	North Treeton Rd & Treeton Rd	2.14	Wurring Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
2010095	Ablett Rd	Ablett Rd	Augusta - Margaret River	2.15	Wurring Rd	5.71	Bussell Hwy	<ul style="list-style-type: none"> 10 km/h below posted speed limit
2010945	Airstrip Access Rd	Airstrip Access Rd	Augusta - Margaret River	0.00	Perimeter Rd	0.82	Airstrip Access Rd - End Road	
2010378	Allnutt Tce	Allnutt Tce	Augusta - Margaret River	1.21	Ellis St & Hillview Rd	2.07	Blackwood Av & Bussell Hwy	<ul style="list-style-type: none"> 10 km/h below posted speed limit No Operation between the hours of sunset and sunrise
2010935	Andrews Wy	Andrews Wy	Augusta - Margaret River	0.00	Wilkes Rd & Bussell Hwy	1.69	Andrews Wy - End Road	<ul style="list-style-type: none"> No operation on Sundays and Public Holidays
2010087	Arthur Rd	Arthur Rd	Augusta - Margaret River	0.00	Manear Rd	3.57	Arthur Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2010388	Auger Wy	Auger Wy	Augusta - Margaret River	0.00	Boodjidup Rd	0.68	Boodjidup Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
2010570	Beck Rd	Beck Rd	Augusta - Margaret River	0.00	Brockman Hwy	1.59	Beck Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. 'Trucks Entering' signs to be erected on all approaches at Brockman Hwy intersection and removed when not in use.

Tandem Drive Network 2.1



Augusta - Margaret River

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2010572	Benbow Rd	Benbow Rd	Augusta - Margaret River	0.00	McLeod Creek Rd	1.06	Benbow Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2010046	Bessell Rd	Bessell Rd	Augusta - Margaret River	0.00	Rosa Glen Rd	13.31	Crozier Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2010137	Blackwood Av	Blackwood Av	Augusta - Margaret River	1.78	Blackwood Av & Ellis St	3.09	Leeuwin Rd & Osnaburg St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. 10 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2010122	Boodjidup Rd	Boodjidup Rd	Augusta - Margaret River	0.00	Boodjidup Rd Rty	7.42	Caves Rd	
2011001	Boodjidup Rd Rty	Boodjidup Rd Rty	Augusta - Margaret River	0.00	Bussell Hwy	0.12	Bussell Hwy	
2010076	Bramley River Rd	Bramley River Rd	Augusta - Margaret River	0.00	Osmington Rd	5.70	Jindong - Treeton Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Augusta - Margaret River

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2010076	Bramley River Rd	Bramley River Rd	Augusta - Margaret River	5.73	Jindong - Treeton Rd	11.55	Bramley River Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2010342	Brindley St	Brindley St	Augusta - Margaret River	0.00	Hart Rd	0.28	Millar Wy	<ul style="list-style-type: none"> 10 km/h below posted speed limit
2010040	Brooks Rd	Brooks Rd	Augusta - Margaret River	0.00	Warner Glen Rd	0.31	0.31km From Warner Glen Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2010062	Bullant Dr	Bullant Dr	Augusta - Margaret River	0.00	Bussell Hwy	3.96	Bullant Dr - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2010390	Burton Rd	Burton Rd	Augusta - Margaret River	0.00	Boodjidup Rd	0.35	Kinsella Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
2010013	Bushby Rd	Bushby Rd	Augusta - Margaret River	0.00	Bussell Hwy	2.42	Caves Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h Intersection Caves Rd : No Left Turn Into Caves Rd
2011000	Bussell Hwy	Bussell Hwy	Augusta - Margaret River	0.00	Margaret River North Rty	1.71	Augonette Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
2011000	Bussell Hwy	Bussell Hwy	Augusta - Margaret River	3.15		5.65	Margaret River South Rty	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Augusta - Margaret River

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2010031	Castle Rd	Castle Rd	Augusta - Margaret River	0.00	Brockman Hwy	3.23	Drovers Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2010392	Clive Rd	Clive Rd	Augusta - Margaret River	0.00	Brockman Hwy	0.43	Clive Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Brockman Hwy : No right turn permitted into Brockman Hwy from Clive Rd
2010582	Coostien Rd	Coostien Rd	Augusta - Margaret River	0.00	Governor Broome Rd	1.45	Coostien Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2010023	Courtney Rd	Courtney Rd	Augusta - Margaret River	0.00	Brockman Hwy	2.93	Sunshine Av	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h Intersection Brockman Hwy : No left turn permitted into Brockman Hwy from Courtney Rd
2010003	Cowaramup Bay Rd	Cowaramup Bay Rd	Augusta - Margaret River	0.00	Bussell Hwy	7.10	Caves Rd	
2010084	Crozier Rd	Crozier Rd	Augusta - Margaret River	0.00	Bessell Rd	2.11	Jindong - Treeton Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Augusta - Margaret River

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2010084	Crozier Rd	Crozier Rd	Augusta - Margaret River	2.11	Jindong - Treeton Rd	3.60	0.5km From Rosa Brook Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2010184	Cullen Rd	Cullen Rd	Augusta - Margaret River	0.00	Caves Rd	2.20	0.43km From Judd Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2010042	Davis Rd	Davis Rd	Augusta - Margaret River	0.00	Bussell Hwy	5.52	Noakes Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
2010091	Dennis Rd	Dennis Rd	Augusta - Margaret River	0.00	Brockman Hwy	9.56	Governor Broome Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2010007	Ellen Brook Rd	Ellen Brook Rd	Augusta - Margaret River	6.93	Caves Rd	7.82	0.89km From Caves Rd	<ul style="list-style-type: none"> Maximum speed 70 km/h No Operation between the hours of sunset and sunrise No operation on Sunday and Public Holidays
2010004	Fifty One Rd	Fifty One Rd	Augusta - Margaret River	3.13	0.01km From Brockman Rd	4.48	Caves Rd & Juniper Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 50 km/h

Tandem Drive Network 2.1



Augusta - Margaret River

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2010019	Fisher Rd	Fisher Rd	Augusta - Margaret River	0.19	Kudardup Rd	6.79	0.93km From Molloy Island Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. "Trucks on road/Entering" warning signs to be used in accordance with Australian Standards. No operation on Sunday and Public Holidays.
2010248	Fontana Rd	Fontana Rd	Augusta - Margaret River	0.00	Rosa Glen Rd	0.95	Earnshaw Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2010037	Forest Grove Rd	Forest Grove Rd	Augusta - Margaret River	0.00	Bussell Hwy	6.67	Caves Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 50 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2010585	Garthowen Rd	Garthowen Rd	Augusta - Margaret River	0.00	Caves Rd	0.26	Sheridan Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Augusta - Margaret River

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2010020	Glenarty Rd	Glenarty Rd	Augusta - Margaret River	0.00	Brockman Hwy	7.29	Kudardup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Brockman Hwy : No left turn permitted into Brockman Hwy from Glenarty Rd Intersection Wilson Rd : No right turn permitted into Wilson Rd (eastbound) from Glenarty Rd (northbound)
2010377	Gnarawary Rd	Gnarawary Rd	Augusta - Margaret River	0.00	Bussell Hwy & Darch Rd	3.89	Boodjidup Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
2010033	Governor Broome Rd	Governor Broome Rd	Augusta - Margaret River	0.00	Scott River Rd	1.35	Coostien Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Scott River Rd : No left turn permitted into Scott River Rd from Governor Broome Rd
2010033	Governor Broome Rd	Governor Broome Rd	Augusta - Margaret River	5.09	Dennis Rd	6.34	Nannup LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Augusta - Margaret River

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2010212	Harrison Rd	Harrison Rd	Augusta - Margaret River	0.00	West Calgardup Rd	1.75	Hadley Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2010421	Hart Rd	Hart Rd	Augusta - Margaret River	0.00	Hillview Rd	0.24	Millar Wy	
2010603	Heron Dr	Heron Dr	Augusta - Margaret River	0.00	Caves Rd	1.81	Mapstone Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2010060	Hillview Rd	Hillview Rd	Augusta - Margaret River	0.00	Allnut Tce & Ellis St	1.09	Hart Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit No Operation between the hours of sunset and sunrise
2010083	Jindong - Treeton Rd	Jindong - Treeton Rd	Augusta - Margaret River	0.00	Rosa Brook Rd	15.39	Boundary Rd & Jindong - Treeton Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
2010174	John Archibald Dr	John Archibald Dr	Augusta - Margaret River	0.00	Boodjidup Rd Rty	2.23	John Archibald Dr Rty	
2010389	Kinsella Rd	Kinsella Rd	Augusta - Margaret River	0.00	Boodjidup Rd	0.26	Burton Rd	<ul style="list-style-type: none"> 20 km/h below posted speed limit

Tandem Drive Network 2.1



Augusta - Margaret River

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2010853	Kudardup Rd	Kudardup Rd	Augusta - Margaret River	0.00	Kudardup Rd - Start Road	0.23	Fisher Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2010853	Kudardup Rd	Kudardup Rd	Augusta - Margaret River	0.25	Fisher Rd	4.25	Glenarty Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2010010	Leeuwin Rd	Leeuwin Rd	Augusta - Margaret River	0.00	Blackwood Av & Osnaburg St	3.36	0.5km From Skippy Rock Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. 10 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Trucks Entering signs erected/removed when not in use on Leeuwin Rd to the Augusta Boat Harbour Access Rd.
2010086	Manear Rd	Manear Rd	Augusta - Margaret River	0.00	Rosa Glen Rd	8.93	Bessell Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Augusta - Margaret River

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2010608	Mapstone Rd	Mapstone Rd	Augusta - Margaret River	0.00	Sheridan Rd	0.31	0.31km From Sheridan Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2010296	Marsh Rd	Marsh Rd	Augusta - Margaret River	0.00	Warner Glen Rd	1.62	Mann Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2010180	McLeod Creek Rd	McLeod Creek Rd	Augusta - Margaret River	0.00	Bussell Hwy	5.10	McLeod Creek Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2010383	Millar Wy	Millar Wy	Augusta - Margaret River	0.00	Hart Rd	0.39	Brindley St	<ul style="list-style-type: none"> 10 km/h below posted speed limit
2010701	Minchin Wy	Minchin Wy	Augusta - Margaret River	0.00	Auger Wy	0.48	Boodjidup Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
2010395	Mowen Rd	Mowen Rd	Augusta - Margaret River	0.00	Great West Rd (F) & Rosa Brook Rd	12.68	Sues Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h No operation on Sundays and Public Holidays.

Tandem Drive Network 2.1



Augusta - Margaret River

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2010005	North Treeton Rd	North Treeton Rd	Augusta - Margaret River	0.00	Treeton Rd & Ablett Rd	3.73	Saunders Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Treeton Rd & Ablett Rd : No left turn permitted into Treeton Rd from Treeton North Rd
2010182	Old Ellen Brook Rd	Old Ellen Brook Rd	Augusta - Margaret River	0.00	Caves Rd	1.45	Old Ellen Brook Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2010009	Osmington Rd	Osmington Rd	Augusta - Margaret River	0.00	Bussell Hwy	19.59	Osmington Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2010702	Owen Tucker L	Owen Tucker L	Augusta - Margaret River	0.00	Auger Wy	0.25	Minchin Wy	<ul style="list-style-type: none"> 10 km/h below posted speed limit
2010034	Patmore Rd	Patmore Rd	Augusta - Margaret River	0.00	Warner Glen Rd	2.39	Patmore Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Augusta - Margaret River

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2010578	Poole Rd	Poole Rd	Augusta - Margaret River	0.00	Bussell Hwy	0.55	Abbott Tree Farm Access Gate	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Bussell Hwy : No left turn permitted into Poole Rd from Bussell Hwy
2010120	Railway Tce	Railway Tce	Augusta - Margaret River	0.00	Boodjidup Rd	1.49	0.01km From Tunbridge St	<ul style="list-style-type: none"> 10 km/h below posted speed limit No Operation between the hours of sunset and sunrise
2010057	Redgate Rd	Redgate Rd	Augusta - Margaret River	0.00	Shervington Av & Bussell Hwy	6.75	Caves Rd	<ul style="list-style-type: none"> Maximum speed 70 km/h
2010057	Redgate Rd	Redgate Rd	Augusta - Margaret River	6.75	Caves Rd	8.05	Redgate Lime Pit Entrance Approximately 1.3km From Caves Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 70 km/h Operation is only permitted between 7:00am to 5:30pm Monday to Friday and 7:00am to 1:00pm Saturday. Intersection Caves Rd : No left or right turn permitted onto Caves Rd from Redgate Rd
2010039	Rocky Rd	Rocky Rd	Augusta - Margaret River	0.00	Bussell Hwy	6.65	Brooks Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2010045	Rosa Brook Rd	Rosa Brook Rd	Augusta - Margaret River	0.00	Perimeter Rd	19.35	Mowen Rd & Great West Rd (F)	<ul style="list-style-type: none"> No operation on Sundays and Public Holidays
2010044	Rosa Glen Rd	Rosa Glen Rd	Augusta - Margaret River	0.00	Rosa Brook Rd	14.97	Warner Glen Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Augusta - Margaret River

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2010063	Saunders Rd	Saunders Rd	Augusta - Margaret River	0.00	North Treeton Rd	0.51	For 520m From North Treeton Rd to Abattoir Access Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2010024	Scott River Rd	Scott River Rd	Augusta - Margaret River	0.00	Brockman Hwy	22.16	Scott Rd	<ul style="list-style-type: none"> Bridge 4898 Scott River : Bridge not to be crossed.
2010586	Sheridan Rd	Sheridan Rd	Augusta - Margaret River	0.00	Harrington Rd	0.83	Mapstone Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2010058	Stevens Rd	Stevens Rd	Augusta - Margaret River	1.84	1.84km From Redgate Rd	3.78	Gnarawary Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
2010016	Stockdill Rd	Stockdill Rd	Augusta - Margaret River	0.00	Bussell Hwy	2.30	2.3km From Bussell Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Bussell Hwy : No right turn permitted into Bussell Hwy from Stockdill Rd

Tandem Drive Network 2.1



Augusta - Margaret River

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2010298	Sunshine Av	Sunshine Av	Augusta - Margaret River	0.00	Courtney Rd	2.91	Sunshine Av - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2010092	Tanah Merah Rd	Tanah Merah Rd	Augusta - Margaret River	0.00	Bussell Hwy	1.50	Gravel Pit 1.5km East of Bussell Highway	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2010002	Treeton Rd	Treeton Rd	Augusta - Margaret River	0.00	Bussell Hwy	6.07	Carbunup South Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Maximum speed 60 km/h
2010022	Twenty Four Rd	Twenty Four Rd	Augusta - Margaret River	0.00	Bussell Hwy	6.41	Phillips Rd & Glenarty Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Bussell Hwy : No access permitted into Bussell Hwy from Twenty Four Rd
2010435	Vlam Rd	Vlam Rd	Augusta - Margaret River	0.00	Bussell Hwy	2.58	Caves Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2010030	Warner Glen Rd	Warner Glen Rd	Augusta - Margaret River	0.00	Brockman Hwy	19.35	Bussell Hwy	
2010055	West Calgardup Rd	West Calgardup Rd	Augusta - Margaret River	0.00	Bussell Hwy & East Calgardup Rd	1.79	Gate Entrance Approximatley 1.16km West of Harrison Rd.	

Tandem Drive Network 2.1



Augusta - Margaret River

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2010051	Wickham Rd	Wickham Rd	Augusta - Margaret River	0.00	Bussell Hwy	1.95	Wallis Rd & Rowe Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2010021	Wilson Rd	Wilson Rd	Augusta - Margaret River	0.00	Van Sittart Rd	4.04	Glenarty Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2010021	Wilson Rd	Wilson Rd	Augusta - Margaret River	4.04	Glenarty Rd	5.54	Hebron Tree Farm	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2010021	Wilson Rd	Wilson Rd	Augusta - Margaret River	5.54	Hebron Tree Farm	5.60	Wilson Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
201Z085	Sabina Rd	Sabina Rd	Augusta - Margaret River	0.00	Canebrake Rd (F)	11.08	Sabina Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Bassendean (T)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1110124	Alice St	Alice St	Bassendean (T)	0.00	Jackson St	0.51	Collier Rd	
1110159	Clune St	Clune St	Bassendean (T)	0.00	Wicks St	0.37	Bayswater (C) LGA Boundary	
1110123	Collier Rd	Collier Rd	Bassendean (T)	0.00	Guildford Rd	0.06	Railway Pde	<ul style="list-style-type: none"> Combinations exceeding (20m length - 2.5m width - 4.3m height) are not permitted.
1110123	Collier Rd	Collier Rd	Bassendean (T)	0.06	Railway Pde	1.67	Collier Link & Grey St & Jackson St	
1110181	Dyer Rd	Dyer Rd	Bassendean (T)	0.00	Collier Rd	0.41	Yelland Wy	
1110166	Fairford St	Fairford St	Bassendean (T)	0.00	Collier Rd	0.30	Hanwell Wy	
1110127	Grey St	Grey St	Bassendean (T)	0.00	Collier Rd & Collier Link & Jackson St	0.23	Bayswater (C) LGA Boundary	
1110157	Hanwell Wy	Hanwell Wy	Bassendean (T)	0.00	Broadway	0.59	Hanwell Wy - End Road	
1110020	Jackson St	Jackson St	Bassendean (T)	0.00	Railway Pde	1.16	Collier Rd & Collier Link & Grey St	
1110125	Lavan St	Lavan St	Bassendean (T)	0.00	Clune St	0.24	Jackson St	
1110178	May Holman Dr	May Holman Dr	Bassendean (T)	0.00	Railway Pde	0.49	Dyer Rd	
1110179	McDonald Cr	McDonald Cr	Bassendean (T)	0.00	May Holman Dr & Yelland Wy	0.73	Dyer Rd	
1110019	Railway Pde	Railway Pde	Bassendean (T)	0.00	Railway Pde & Vincent St	1.37	Collier Rd	
1110149	Vincent St	Vincent St	Bassendean (T)	0.00	Railway Pde	0.36	Wicks St	
1110218	Wicks St	Wicks St	Bassendean (T)	0.00	Vincent St & Wicks St	0.08	Clune St	
1110021	Wood St	Wood St	Bassendean (T)	0.00	Railway Pde	0.68	Alice St	
1110180	Yelland Wy	Yelland Wy	Bassendean (T)	0.00	May Holman Dr & McDonald Cr	0.31	Yelland Wy - End Road	

Tandem Drive Network 2.1



Bayswater (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1120877	Alexander Dr	Alexander Dr	Bayswater (C)	0.37	Reid Hwy West Bnd off to Alexander Dr & Alexander Dr on to Reid Hwy West Bnd & Alexander Dr	0.43	Swan (C) LGA Boundary	
1120094	Bassendean Rd	Bassendean Rd	Bayswater (C)	0.00	Railway Pde	0.95	Cullen St & Rio St	
1120584	Christian Ct	Christian Ct	Bayswater (C)	0.00	Raymond Av	0.10	Christian Ct - End Road	
1120118	Clavering Rd	Clavering Rd	Bayswater (C)	0.00	Railway Pde	1.29	Beechboro Rd South & Drynan St	
1120341	Clune St	Clune St	Bayswater (C)	0.00	Clune St - Start Road	0.18	Duffy St	
1120552	Clune St	Clune St	Bayswater (C)	0.00	Clune St & Duffy St	0.18	Bassendean (T) LGA Boundary	
1120878	Collier Link	Collier Link	Bayswater (C)	0.00	Collier Rd & Grey St & Jackson St	0.72	Collier Rd & Wright St	
1120007	Collier Rd	Collier Rd	Bayswater (C)	0.00	Grey St	0.27	Collier Rd - Db Start	
1120007	Collier Rd	Collier Rd	Bayswater (C)	0.46	Collier Rd - Db End	1.11	Beechboro Rd South	
1120343	Cossom Pl	Cossom Pl	Bayswater (C)	0.00	Bassendean Rd	0.17	Muriel St	
1120113	Cullen St	Cullen St	Bayswater (C)	0.00	Rio St & Bassendean Rd	0.32	Wright St & Pickett St	
1120444	Duffy St	Duffy St	Bayswater (C)	0.00	Clune St	0.25	Jackson St	
1120270	Durham Rd	Durham Rd	Bayswater (C)	0.00	Clavering Rd	0.38	Durham Rd - End Road	
1120629	Flinders St	Flinders St	Bayswater (C)	0.00	Raymond Av	0.12	Irvine St & Pickett St	
1120882	Focal Wy	Focal Wy	Bayswater (C)	0.00	Railway Pde	0.36	Wicks St	
1120079	Grey St	Grey St	Bayswater (C)	0.86	Shalford St	1.01	Bassendean (T) LGA Boundary	
1120887	Inner Ct	Inner Ct	Bayswater (C)	0.00	Radius Loop	0.11	Inner Ct - End Road	
1120095	Irvine St	Irvine St	Bayswater (C)	0.00	Clavering Rd	0.76	Flinders St & Pickett St	
1120447	James St	James St	Bayswater (C)	0.00	Raymond Av	0.17	John St	
1120116	John St	John St	Bayswater (C)	0.00	Munt St	0.34	King St	
1120084	King St	King St	Bayswater (C)	0.00	Beechboro Rd South	0.56	John St	
1120851	Malaga Dr	Malaga Dr	Bayswater (C)	1.02	Malaga Dr on to Reid Hwy (Westbound) & Reid Hwy (Westbound) off to Malaga Dr	1.08	Swan (C) LGA Boundary	
1120114	Mooney St	Mooney St	Bayswater (C)	0.00	John St	0.57	Bassendean Rd	
1120115	Munt St	Munt St	Bayswater (C)	0.00	Bassendean Rd	0.57	John St	
1120471	Muriel St	Muriel St	Bayswater (C)	0.00	Cossom Pl	0.14	Muriel St - End Road	
1120881	Nexus Wy	Nexus Wy	Bayswater (C)	0.00	Wicks St	0.30	Focal Wy	
1120628	Pickett St	Pickett St	Bayswater (C)	0.00	Cullen St & Wright St	0.22	Flinders St & Irvine St	
1120884	Radius Loop	Radius Loop	Bayswater (C)	0.00	Wicks St	0.79	Wicks St	
1120662	Railway Pde	Railway Pde	Bayswater (C)	0.73	Bassendean Rd	2.21	Railway Pde & Vincent St	
1120342	Raymond Av	Raymond Av	Bayswater (C)	0.00	Flinders St	0.69	Christian Ct	

Tandem Drive Network 2.1



Bayswater (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1120395	Rio St	Rio St	Bayswater (C)	0.00	Cullen St & Bassendean Rd	0.25	Mooney St	
1120879	Seal Cl	Seal Cl	Bayswater (C)	0.00	Collier Rd	0.08	Seal Cl - End Road	
1120389	Spencer St	Spencer St	Bayswater (C)	0.00	Spencer St - Start Road	0.08	Raymond Av	
1120117	White St	White St	Bayswater (C)	0.00	John St	0.32	Rio St	
1120880	Wicks St	Wicks St	Bayswater (C)	0.00	Railway Pde	0.77	Vincent St & Wicks St	
1120344	Wright St	Wright St	Bayswater (C)	0.00	Collier Rd & Collier Link	0.36	Cullen St & Pickett St	
112Z008	Collier Road Service Rd Access	Collier Road Service Rd Access	Bayswater (C)	0.00	Collier Link	0.03	Collier Rd	

Tandem Drive Network 2.1



Belmont (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1130002	Abernethy Rd	Abernethy Rd	Belmont (C)	0.00	Great Eastern Hwy	7.37	Abernethy Rd on to Tonkin Hwy & Abernethy Rd	• Intersection Casella PI : No left turn permitted into Casella PI from Abernethy Rd
1130292	Aitken Wy	Aitken Wy	Belmont (C)	0.00	Abernethy Rd	0.70	Kewdale Rd	
1130018	Alexander Rd	Alexander Rd	Belmont (C)	0.81	Fisher St	1.33	Robinson Av	
1130293	Baldwin St	Baldwin St	Belmont (C)	0.00	Casella PI	0.40	Tonkin Hwy (Northbound) off to McDowell St & McDowell St	
1130063	Ballantyne Rd	Ballantyne Rd	Belmont (C)	0.00	Bell St	0.77	Miles Rd	
1130083	Barker St	Barker St	Belmont (C)	0.00	Daly St	0.80	Abernethy Rd	
1130451	Belgravia St	Belgravia St	Belmont (C)	0.00	Great Eastern Hwy & Stoneham St	0.95	Fairbrother St & Frederick St	
1130274	Bell St	Bell St	Belmont (C)	0.00	Division St Sth & Orrong Rd	0.79	Miles Rd	• Intersection Sissons St : No Right Turn permitted into Sissons Street from Bell Street.
1130010	Belmont Av	Belmont Av	Belmont (C)	0.00	Tanunda Dr & Great Eastern Hwy	1.41	0.09km From Alexander Rd	
1130010	Belmont Av	Belmont Av	Belmont (C)	3.93	Belmont Av - Db End	4.40	Noble St	
1130164	Ben St	Ben St	Belmont (C)	0.00	Redcliffe Rd	0.20	Great Eastern Hwy	
1130276	Bradford St	Bradford St	Belmont (C)	0.00	Hazelhurst St	0.52	Chilver St	
1130373	Brennan Wy	Brennan Wy	Belmont (C)	0.00	Belgravia St	0.52	Barker St	
1130315	Burchell Wy	Burchell Wy	Belmont (C)	0.00	Abernethy Rd on to Leach Hwy (Westbound)	0.19	Hodgson Wy	
1130315	Burchell Wy	Burchell Wy	Belmont (C)	0.19	Hodgson Wy	0.38	Belmont Av	• A RAV must not be driven on this road in excess of 4.3 metres in height unless written approval is obtained and must be carried from relevant overhead telecommunication and electrical transmission cable controller.
1130110	Camden St	Camden St	Belmont (C)	0.00	Abernethy Rd	0.22	Robinson Av	
1130463	Campbell St	Campbell St	Belmont (C)	0.44	Belmont Av	0.89	Abernethy Rd	
1130165	Casella PI	Casella PI	Belmont (C)	0.00	Abernethy Rd	0.83	Casella PI - End Road	
1130278	Chilver St	Chilver St	Belmont (C)	0.00	Abernethy Rd	0.54	Valentine St	
1130075	Cleaver Tce	Cleaver Tce	Belmont (C)	0.00	Cleaver Tce (B) - Start Road	0.13	Belmont Av	
1130486	Cleaver Tce	Cleaver Tce	Belmont (C)	0.00	Abernethy Rd	0.22	Robinson Av	
1130314	Cole St	Cole St	Belmont (C)	0.00	Belmont Av	0.11	Burchell Wy & Skinner L	
1130489	Cowcher PI	Cowcher PI	Belmont (C)	0.00	Abernethy Rd	0.25	Cowcher PI - End Road	
1130344	Daddow Rd	Daddow Rd	Belmont (C)	0.00	Daddow Rd - Start Road	0.23	Kalamunda LGA Boundary	
1130449	Daly St	Daly St	Belmont (C)	0.45	Frederick St	0.79	Daly St (E) - End Road	
1130450	Daly St	Daly St	Belmont (C)	0.00	Elmsfield St	0.62	Great Eastern Hwy	
1130488	Esther St (B)	Esther St (B)	Belmont (C)	0.00	Belmont Av	0.22	Robinson Av	
1130066	Fairbrother St	Fairbrother St	Belmont (C)	0.00	Abernethy Rd	0.58	Belgravia St & Frederick St	
1130108	Faulkner Av	Faulkner Av	Belmont (C)	0.00	Robinson Av	0.22	Abernethy Rd	

Tandem Drive Network 2.1



Belmont (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1130044	Fauntleroy Av	Fauntleroy Av	Belmont (C)	0.90	0.60km From Great Eastern Hwy	1.17	Redcliffe Rd & Fauntleroy Av (Federal)	
1130076	Fenton St	Fenton St	Belmont (C)	0.00	Kewdale Rd	0.18	Fenton St - End Road	
1130281	Ferguson St	Ferguson St	Belmont (C)	0.00	Abernethy Rd	0.52	Kewdale Rd	
1130479	Fisher St	Fisher St	Belmont (C)	0.00	Fisher St (D) - Start Road	0.24	Fairbrother St	
1130016	Francisco St	Francisco St	Belmont (C)	0.00	Abernethy Rd	0.44	Belmont Av	
1130026	Frederick St	Frederick St	Belmont (C)	0.00	Fairbrother St & Belgravia St	0.29	Daly St	
1130289	Glassford Rd	Glassford Rd	Belmont (C)	0.00	Abernethy Rd	1.62	Norlin St	
1130047	Hargreaves St	Hargreaves St	Belmont (C)	0.00	Greaves Row & Barker St	0.25	Great Eastern Hwy	
1130282	Hazelhurst St	Hazelhurst St	Belmont (C)	0.00	Abernethy Rd	0.76	Glassford Rd	
1130078	Hehir St	Hehir St	Belmont (C)	0.00	Great Eastern Hwy	0.46	Hehir St - End Road	
1130297	Hodgson Wy	Hodgson Wy	Belmont (C)	0.00	Burchell Wy	0.51	Noble St	
1130190	Hubert St	Hubert St	Belmont (C)	0.00	Hubert St - Start Road	0.50	Hubert St - End Road	
1130259	Ivy St	Ivy St	Belmont (C)	0.00	Redcliffe Rd	0.34	Ivy St - End Road	
1130048	Kewdale Rd	Kewdale Rd	Belmont (C)	0.00	Horrie Miller Dr	1.78	Canning (C) LGA Boundary	
1130312	Kingscote St	Kingscote St	Belmont (C)	0.00	Reggio Rd	0.21	Kingscote St - End Road	
1130084	Lapage St	Lapage St	Belmont (C)	0.00	Great Eastern Hwy	0.44	Lapage St - End Road	
1130277	Mackay St	Mackay St	Belmont (C)	0.00	Hazelhurst St	0.52	Chilver St	
1130280	Marchesi St	Marchesi St	Belmont (C)	0.00	Chilver St	0.30	Kewdale Rd	
1130294	McDowell St	McDowell St	Belmont (C)	0.00	Abernethy Rd	0.25	Tonkin Hwy (Northbound) off to McDowell St & Baldwin St	
1130064	Miles Rd	Miles Rd	Belmont (C)	0.00	Leach Hwy	1.40	Kewdale Rd	
1130172	Newlyn St	Newlyn St	Belmont (C)	0.00	Campbell St	0.30	Francisco St	
1130065	Noble St	Noble St	Belmont (C)	0.00	Belmont Av	0.42	Abernethy Rd	
1130279	Norlin St	Norlin St	Belmont (C)	0.00	Glassford Rd	0.23	Valentine St	
1130163	Redcliffe Rd	Redcliffe Rd	Belmont (C)	0.00	Ben St	0.85	Ivy St	
1130291	Reggio Rd	Reggio Rd	Belmont (C)	0.00	Aitken Wy	0.34	Tipping Rd	
1130068	Robinson Av	Robinson Av	Belmont (C)	0.00	Cleaver Tce	1.28	Alexander Rd	
1130576	Sissons St	Sissons St	Belmont (C)	0.00	Ballantyne Rd	0.13	Bell St	<ul style="list-style-type: none"> Intersection Bell St : No Left Turn permitted into Bell Street from Sissons Street. No Right Turn permitted into Bell Street fom Sissons Street.
1130290	Tipping Rd	Tipping Rd	Belmont (C)	0.00	Aitken Wy	0.52	Reggio Rd	
1130275	Valentine St	Valentine St	Belmont (C)	0.00	Kewdale Rd	0.82	Hazelhurst St	
1130125	Wheeler St	Wheeler St	Belmont (C)	0.00	Belgravia St & Katoomba Pl	0.57	Abernethy Rd	
1130295	Winton St	Winton St	Belmont (C)	0.00	Marchesi St	0.31	Valentine St	
1130271	Wynyard St	Wynyard St	Belmont (C)	0.00	Abernethy Rd	0.21	Robinson Av	
113Z004	Affleck Rd (Federal)	Affleck Rd (Federal)	Belmont (C)	0.00	Grogan Dr (Federal)	1.03	Affleck Rd (Federal) - End Road	

Tandem Drive Network 2.1



Belmont (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
113Z040	Anderson PI (Federal)	Anderson PI (Federal)	Belmont (C)	0.00	Reid Rd (Federal)	0.44	Dunreath Dr (Federal) & Searle Rd (Federal)	
113Z027	Boud Av (Federal)	Boud Av (Federal)	Belmont (C)	0.23	Ross Dr (Federal)	0.99	End Road	
113Z012	Colquhoun Rd (Federal)	Colquhoun Rd (Federal)	Belmont (C)	0.00	Whitham Rd (Federal) & Hugh Edwards Dr (Federal)	0.53	Colquhoun Rd (Federal) - End Road	
113Z047	Dunreath Dr	Dunreath Dr (L Cwy) Dunreath Dr (R Cwy)	Belmont (C)	0.00	Dunreath Dr Rty	0.29	Dunreath Dr Rty	
113Z032	Dunreath Dr (Federal)	Dunreath Dr (Federal)	Belmont (C)	0.67	Redcliffe Station Busway East & Brearley Av (Federal)	1.58	Dunreath Dr Rty	
113Z048	Dunreath Dr Rty	Dunreath Dr Rty	Belmont (C)	0.00	Dunreath Dr (L Cwy)	0.20	Dunreath Dr (L Cwy)	
113Z039	Fawcett Cr (Federal)	Fawcett Cr (Federal)	Belmont (C)	0.00	Reid Rd (Federal)	1.04	Reid Rd (Federal)	
113Z003	Grogan Rd (Federal)	Grogan Dr (Federal)	Belmont (C)	0.37	Kingsford Smith Av (Federal)	1.55	Grogan Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
113Z038	Hitchcock PI (Federal)	Hitchcock PI (Federal)	Belmont (C)	0.00	Reid Rd (Federal)	0.52	Searle Rd (Federal)	
113Z001	Horrie Miller Dr (Federal)	Horrie Miller Dr (Federal)	Belmont (C)	0.00	Horrie Miller Dr	1.89	Paltridge Rd (Federal)	<ul style="list-style-type: none"> Intersection Tarlton Cr (Federal) : No right turn permitted from Horrie Miller Dr into Tarlton Cr
113Z036	Hugh Edwards Dr (Federal)	Hugh Edwards Dr (Federal)	Belmont (C)	0.00	Tarlton Cr (Federal)	0.33	Whitham Rd (Federal) & Colquhoun Rd (Federal)	<ul style="list-style-type: none"> Intersection Tarlton Cr (Federal) : No left turn permitted into Hugh Edwards Rd from Tarlton Cr
113Z045	Kingsford Smith Av (Federal)	Kingsford Smith Av (Federal)	Belmont (C)	0.00	Paltridge Rd (Federal)	0.72	Grogan Dr (Federal)	
113Z066	Martin Rd	Martin Rd	Belmont (C)	0.00	Paltridge Rd (Federal) & Airport Dr	0.64	Martin Rd - At Loop	
113Z046	Paltridge Rd (Federal)	Paltridge Rd (Federal)	Belmont (C)	0.00	Martin Rd & Airport Dr	0.81	0.47km From Kingsford Smith Av to Toll Access Gate	
113Z005	Reid Rd (Federal)	Reid Rd (Federal)	Belmont (C)	0.00	Whitham Rd (Federal) & Horrie Miller Dr (Federal)	0.66	Fawcett Cr (Federal)	
113Z037	Searle Rd (Federal)	Searle Rd (Federal)	Belmont (C)	0.00	Horrie Miller Dr (Federal)	0.38	Anderson PI (Federal) & Dunreath Dr (Federal)	
113Z035	Tarlton Cr (Federal)	Tarlton Cr (Federal)	Belmont (C)	0.00	Horrie Miller Dr (Federal)	0.98	Colquhoun Rd (Federal)	<ul style="list-style-type: none"> Intersection Horrie Miller Dr (Federal) : No right turn permitted into Horrie Miller Dr from Tarlton Cr
113Z011	Whitham Rd (Federal)	Whitham Rd (Federal)	Belmont (C)	0.00	Reid Rd (Federal) & Horrie Miller Dr (Federal)	0.17	Hugh Edwards Dr (Federal) & Colquhoun Rd (Federal)	

Tandem Drive Network 2.1



Beverley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4010051	Aiken Rd	Aiken Rd	Beverley	0.00	Morbinning Rd	3.74	Aikens Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010026	Athol Rd	Athol Rd	Beverley	0.00	Morbinning Rd	12.79	Yenyening Lakes Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010098	Avoca Rd	Avoca Rd	Beverley	0.00	Ewert Rd	1.64	Avoca Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010177	Balkuling Nth Rd	Balkuling Nth Rd	Beverley	0.00	Quairading York Rd	0.69	Balkuling North Rd	

Tandem Drive Network 2.1



Beverley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4010032	Balkuling Rd	Balkuling Rd	Beverley	0.00	Mawson Rd	5.12	Quairading York Rd & Murray Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010009	Bally - Bally Rd	Bally - Bally Rd	Beverley	0.00	Morbinning Rd	13.86	Yenyening Lakes Rd & Qualandary Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4010025	Bally Bally - County Peak Rd	Bally Bally - County Peak Rd	Beverley	0.00	Bally - Bally Rd	10.20	Yenyening Lakes Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010013	Barrington Rd	Barrington Rd	Beverley	0.00	Mawson Rd & Dongadilling Rd	7.82	Greenhills South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Mawson Rd & Dongadilling Rd : No access permitted into Mawson Rd from Barrington Rd.

Tandem Drive Network 2.1



Beverley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4010187	Bartram Rd	Bartram Rd	Beverley	0.00	Butchers Rd & Craig Rd	0.70	Brookton LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010029	Beringer Rd	Beringer Rd	Beverley	0.00	Morbinning Rd	8.93	Bally - Bally Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4010046	Blackburn Rd	Blackburn Rd	Beverley	0.00	Glencoe Rd	2.04	Blackburn Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010006	Bremner Rd	Bremner Rd	Beverley	0.00	Chipper St & Lukin St	11.26	Kokeby East Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Maximum speed 80 km/h Intersection Chipper St & Lukin St : No right turn permitted into Chipper St from Bremner St

Tandem Drive Network 2.1



Beverley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4010144	Broun St	Broun St	Beverley	0.00	Dale Kokeby Rd	0.57	Ludgate St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4010020	Butchers Rd	Butchers Rd	Beverley	0.00	Westdale Rd	6.79	Bartram Rd & Craig Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010126	Chipper St	Chipper St	Beverley	0.00	Bremner Rd & Lukin St	0.57	Langsford St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Bremner Rd & Lukin St : No left turn permitted into Bremner Rd from Chipper St

Tandem Drive Network 2.1



Beverley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4010016	Clulow Rd	Clulow Rd	Beverley	0.00	Morbinning Rd	13.04	Jacobs Well Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010066	Collins Rd	Collins Rd	Beverley	0.00	Brookton Hwy	3.75	Collins Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010061	Cooke Rd	Cooke Rd	Beverley	0.00	Springhill Rd	1.41	Cookes Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010043	Corberding Rd	Corberding Rd	Beverley	0.00	Brookton LGA Boundary	4.42	York - Williams Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4010010	Dale Kokeby Rd	Dale Kokeby Rd	Beverley	0.00	Kokeby East Rd & Great Southern Hwy	0.26	Broun St	<ul style="list-style-type: none"> Intersection Kokeby East Rd & Great Southern Hwy : No left turn permitted into Northam Cranbrook Rd from Dale Kokeby Rd

Tandem Drive Network 2.1



Beverley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4010010	Dale Kokeby Rd	Dale Kokeby Rd	Beverley	0.26	Broun St	9.95	Brookton LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4010024	Dalebin North Rd	Dalebin North Rd	Beverley	0.00	Westdale Rd	7.95	Edison Mill Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4010082	Deep Pool Rd	Deep Pool Rd	Beverley	0.00	Westdale Rd	2.60		<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010120	Delisle St	Delisle St	Beverley	0.00	Great Southern Hwy	0.41	Forrest St	
4010102	Dobaderry Rd	Dobaderry Rd	Beverley	0.00	Kokendin Rd	13.67	Edison Mill Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h

Tandem Drive Network 2.1



Beverley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4010018	Dongadilling Rd	Dongadilling Rd	Beverley	0.00	Morbinning Rd	9.01	Barrington Rd & Mawson Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4010079	Draper Rd	Draper Rd	Beverley	0.00	Balkuling Rd	1.36	Quairading York Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Balkuling Rd : No access permitted into Balkuling Rd from Draper Rd
4010005	Edison Mill Rd	Edison Mill Rd	Beverley	0.00	Westdale Rd	28.07	Brookton Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Beverley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4010027	Ewert Rd	Ewert Rd	Beverley	0.00	Morbinning Rd	9.85	Bally Bally - County Peak Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010075	Fisher Rd	Fisher Rd	Beverley	0.00	Bally Bally - County Peak Rd	2.31	Ewert Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010103	Forrest St	Forrest St	Beverley	1.25	Vincent St	2.04	Delisle St	
4010033	Glencoe Rd	Glencoe Rd	Beverley	0.00	Barrington Rd	6.74	Balkuling Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Beverley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4010030	Gors Rd	Gors Rd	Beverley	0.00	Mawson Rd	4.45	Greenhills South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010036	Greenhills South Rd	Greenhills South Rd	Beverley	0.00	Mawson Rd	8.45	York LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Intersection Northbourne Rd : No right turn permitted into Northbourne Rd from Greenhills South Rd
4010095	Heals Rd	Heals Rd	Beverley	0.00	Rifle Range Rd	1.32	Dongadilling Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Beverley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4010057	Jackson Rd	Jackson Rd	Beverley	0.00	Manuel Rd	1.15	Jacksons Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4010015	Jacobs Well Rd	Jacobs Well Rd	Beverley	0.00	Jacobs Well Rd - Start Road	14.41	Quairading York Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010073	Johnson Rd	Johnson Rd	Beverley	0.00	Yenyening Lakes Rd	1.80	Johnsons Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Beverley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4010048	Jones Rd	Jones Rd	Beverley	0.00	Brookton Hwy	3.16	Jones Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4010085	K.1 Rd	K.1 Rd	Beverley	0.00	Kokeby East Rd	6.77	Kilpatrick Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010092	Kennedys Rd	Kennedys Rd	Beverley	0.00	Northbourne Rd	0.83	Kennedy Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010055	Kieara Rd	Kieara Rd	Beverley	0.00	Kokendin Rd	2.02	Shaw Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Beverley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4010074	Kilpatrick Rd	Kilpatrick Rd	Beverley	0.00	Kokeby East Rd	3.16	Bally - Bally Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010004	Kokeby East Rd	Kokeby East Rd	Beverley	0.00	Great Southern Hwy & Dale Kokeby Rd	13.50	Bally - Bally Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010011	Kokendin Rd	Kokendin Rd	Beverley	0.00	Waterhatch Rd & Talbot West Rd	16.65	Kokendin Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h

Tandem Drive Network 2.1



Beverley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4010143	Ludgate St	Ludgate St	Beverley	0.14	Cbh Access Road 0.06km From Broun Street	0.20	Broun St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4010104	Lukin St	Lukin St	Beverley	0.00	Lukin St - Start Road	0.41	Vincent St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4010104	Lukin St	Lukin St	Beverley	0.42	Vincent St	2.02	Chipper St & Bremner Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4010022	Luptons Rd	Luptons Rd	Beverley	0.00	Westdale Rd	7.52	Brookton LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Beverley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4010039	Maitland Rd	Maitland Rd	Beverley	0.00	Westdale Rd	9.20	Maitland Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4010087	Mandiakon Rd	Mandiakon Rd	Beverley	0.00	Westdale Rd	1.95	Mandiakin Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010037	Manuel Rd	Manuel Rd	Beverley	0.00	Morbinning Rd	3.55	Jackson Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Beverley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4010100	Mawson Rd	Mawson Rd	Beverley	0.00	Quairading York Rd	0.35	Doodenanning - Mawson Rd	<ul style="list-style-type: none"> Intersection Quairading York Rd : No left turn permitted into York Merredin Rd from Mawson Rd
4010167	Mawson Rd	Mawson Rd	Beverley	0.00	Morbinning Rd & Vincent St	24.18	Quairading York Rd	<ul style="list-style-type: none"> Intersection Barrington Rd & Dongadilling Rd : No Left Turn Into Dongadilling Road Permitted Intersection Murray Rd : No access permitted into Murray Rd from Mawson Rd
4010054	McDonald Rd	McDonald Rd	Beverley	0.00	Mawson Rd	4.44	4.44km From Mawson Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010093	McKellars Rd	McKellars Rd	Beverley	0.00	Vincent St	0.53	McKellars Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010084	McLean Rd	McLean Rd	Beverley	0.00	Yenyening Lakes Rd	2.09	McLean Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Beverley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4010049	Miller Rd	Miller Rd	Beverley	0.00	Bremner Rd	3.28	Millers Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010080	Mills Rd	Mills Rd	Beverley	0.00	Northbourne Rd	2.40	York LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010001	Morbinning Rd	Morbinning Rd	Beverley	0.00	Vincent St & Mawson Rd	27.13	Old Beverley West Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4010071	Murray Rd	Murray Rd	Beverley	0.00	Mawson Rd	3.01	Quairading York Rd & Balkuling Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Mawson Rd : No access permitted into Mawson Rd from Murray Rd
4010028	Northbourne Rd	Northbourne Rd	Beverley	0.00	Northbourne Rd - Start Road	6.68	Greenhills South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Greenhills South Rd : No access to Greenhills South Rd from Northbourne Rd

Tandem Drive Network 2.1



Beverley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4010017	Oakdale Rd	Oakdale Rd	Beverley	0.00	Dongadilling Rd	5.66	Morbinning Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010185	Old Dale Kokeby Rd	Old Dale Kokeby Rd	Beverley	0.00	Dale Kokeby Rd	0.31	Sheahan Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4010053	Patten Rd	Patten Rd	Beverley	0.00	Kokeby East Rd	3.43	Yenyening Lakes Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4010038	Petchell Rd	Petchell Rd	Beverley	0.00	Morbinning Rd	6.74	Jacobs Well Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010070	Piccadilly Rd	Piccadilly Rd	Beverley	0.00	Northbourne Rd	1.08	York LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4010014	Potts Rd	Potts Rd	Beverley	0.00	Mawson Rd	7.57	Northbourne Rd	

Tandem Drive Network 2.1



Beverley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4010019	Qualandary Rd	Qualandary Rd	Beverley	0.00	Yenyening Lakes Rd & Bally - Bally Rd	7.21	Brookton LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Yenyening Lakes Rd & Bally - Bally Rd : No left turn permitted into Yenyening Lakes Rd from Qualandary Rd
4010124	Richardson St	Richardson St	Beverley	0.00	Vincent St	1.67	Chipper St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010137	Rickeys Siding Rd	Rickeys Siding Rd	Beverley	0.00	Glencoe Rd	4.70	York LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010056	Rifle Range Rd	Rifle Range Rd	Beverley	1.88	Heals Rd	3.04	Rifle Range Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Beverley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4010188	Rosewood Dr	Rosewood Dr	Beverley	0.00	Beringer Rd	4.36	Ewert Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010156	Rossi Rd	Rossi Rd	Beverley	0.00	Jones Rd	1.09	Rossi Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h No Operation between the hours of sunset and sunrise Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010186	Rumble Rd	Rumble Rd	Beverley	0.00	Sheahan Rd	1.89	Rumble Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Beverley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4010065	Schilling Rd	Schilling Rd	Beverley	0.00	Brookton Hwy	1.20	Schillings Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4010090	Sheahan Rd	Sheahan Rd	Beverley	0.00	Dale Kokeby Rd	4.04	Sheahan Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4010101	Simmons Rd	Simmons Rd	Beverley	0.00	Great Southern Hwy	1.13	Simmons Rd - End Road	
4010155	Sims Rd	Sims Rd	Beverley	0.00	Northbourne Rd	1.86	Sims Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Wyalgima Rd : No access permitted to Wyalgima Rd from Sims Rd

Tandem Drive Network 2.1



Beverley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4010041	Southern Branch Rd	Southern Branch Rd	Beverley	0.00	Great Southern Hwy	6.85	Southern Branch Rd & Mattingly Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010023	Springhill Rd	Springhill Rd	Beverley	0.00	Westdale Rd	6.04	York - Williams Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010034	St Jacks Rd	St Jacks Rd	Beverley	0.00	Rickeys Siding Rd	1.87	York LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010173	Steve Edwards Rd	Steve Edwards Rd	Beverley	0.00	K.1 Rd	1.50	Steve Edwards Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Beverley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4010012	Talbot West Rd	Talbot West Rd	Beverley	0.00	Waterhatch Rd & Kokendin Rd	7.48	York LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Bridge 3210 Talbot Brook : Bridge not to be crossed.
4010031	Thomas Rd	Thomas Rd	Beverley	0.00	Kokendin Rd	1.89	Thomas Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010008	Top Beverley York Rd	Top Beverley York Rd	Beverley	0.00	Great Southern Hwy	8.02	Top Beverley - York Rd	
4010021	Vallentine Rd	Vallentine Rd	Beverley	0.00	Butchers Rd	5.29	York - Williams Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection York - Williams Rd : No access permitted into York-Williams Rd from Vallentine Rd
4010125	Vincent St	Vincent St	Beverley	0.43	Forrest St	3.88	Morbinning Rd & Mawson Rd	

Tandem Drive Network 2.1



Beverley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4010042	Walgy Rd	Walgy Rd	Beverley	0.00	Top Beverley York Rd	3.55	Walgy Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4010077	Wansborough Rd	Wansborough Rd	Beverley	0.00	Bally Bally - County Peak Rd	2.38	Athol Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4010002	Waterhatch Rd	Waterhatch Rd	Beverley	0.00	Vincent St & Hunt Rd	14.36	Talbot West Rd & Kokendin Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
4010166	Westdale Rd	Westdale Rd	Beverley	0.00	Brookton Hwy	41.68	Great Southern Hwy	
4010068	Woods Rd	Woods Rd	Beverley	0.00	Mawson Rd	2.44	Woods Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Beverley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4010154	Wyalgima Rd	Wyalgima Rd	Beverley	0.00	Northbourne Rd	0.63	Sims Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Sims Rd : No access permitted to Sims Rd from Wyalgima Rd
4010007	Yenyening Lakes Rd	Yenyening Lakes Rd	Beverley	0.00	Great Southern Hwy	14.90	Bally - Bally Rd & Qualandary Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4010007	Yenyening Lakes Rd	Yenyening Lakes Rd	Beverley	14.90	Bally - Bally Rd & Qualandary Rd	25.15	Athol Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Beverley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4010003	York - Williams Rd	York - Williams Rd	Beverley	0.00	Great Southern Hwy	28.48	Brookton LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Vallentine Rd : No access permitted into Vallentine Rd from York-Williams Rd.
401Z011	Luptons Rd Link Rd	Luptons Rd Link Rd	Beverley	0.00	Westdale Rd	0.23	Luptons Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Westdale Rd : No right turn permitted into Westdale Rd from Luptons Link Rd

Tandem Drive Network 2.1



Boddington

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2140022	Chalk Brook Rd	Chalk Brook Rd	Boddington	0.00	Bannister Marradong Rd	8.17	Chalk Brook Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2140089	Crane Rise	Crane Rise	Boddington	0.00	Albany Hwy	0.56	Pardalote Hts & Mistletoe View	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2140002	Crossman - Dwarda Rd	Crossman - Dwarda Rd	Boddington	0.00	Albany Hwy	6.15	Wandering LGA Boundary	
2140001	Crossman Rd	Crossman Rd	Boddington	0.00	Bannister Marradong Rd & Bannister Rd	11.85	Albany Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2140012	Days Rd	Days Rd	Boddington	0.00	Bannister Marradong Rd	5.35	0.610km From Fraser Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2140015	Farmers Av	Farmers Av	Boddington	0.00	Marradong Rd & Bannister Rd	4.02	0.04km From End of Road	
2140095	Gold Mine Rd	Gold Mine Rd	Boddington	0.00	Bannister Marradong Rd	9.60	Mine Access Rd (P)	
2140023	Greys Rd	Greys Rd	Boddington	0.00	Crossman Rd	1.10	Greys Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2140003	Harvey - Quindanning Rd	Harvey - Quindanning Rd	Boddington	0.00	Pinjarra Williams Rd	41.92	Harvey LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Boddington

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2140004	Lower Hotham Rd	Lower Hotham Rd	Boddington	0.00	Pinjarra Williams Rd	15.49	Harvey - Quindanning Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2140008	Lucev Rd	Lucev Rd	Boddington	0.00	Newmarket Rd	2.10	For 2.1 Km to Floral Park Tree Farm Access Gate	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2140008	Lucev Rd	Lucev Rd	Boddington	4.20	Tylers Rd	6.30	Tyler Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2140005	Marradong Rd	Marradong Rd	Boddington	0.00	Marradong Rd & South Crossman Rd	11.60	Newmarket Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Maximum speed 60 km/h
2140087	Mistletoe View	Mistletoe View	Boddington	0.00	Pardalote Hts & Crane Rise	1.26	Mistletoe View - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Boddington

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2140006	Newmarket Rd	Newmarket Rd	Boddington	0.00	Pinjarra Williams Rd	12.66	Tyler Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2140006	Newmarket Rd	Newmarket Rd	Boddington	12.66	Tyler Rd	17.10	Bannister Marradong Rd	
2140020	Old Soldiers Rd	Old Soldiers Rd	Boddington	0.00	Gold Mine Rd	6.35	Old Soldiers Rd - End Road	
2140010	Quindanning-Darkan Rd	Quindanning-Darkan Rd	Boddington	0.00	Harvey - Quindanning Rd	4.34	Quindanning - Darkan Rd & Norwood Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2140007	South Crossman Rd	South Crossman Rd	Boddington	0.00	South Crossman Rd Bypa	14.18	Marradong Rd	
2140009	Tyler Rd	Tyler Rd	Boddington	0.00	Newmarket Rd	10.20	South Crossman Rd	
2140042	Zilko Rd	Zilko Rd	Boddington	0.00	Pinjarra Williams Rd	0.80	Williams LGA Boundary	

Tandem Drive Network 2.1



Boyup Brook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2180106	Abel St	Abel St	Boyup Brook	0.00	Bridge St & Abel St	0.15	Forrest St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2180031	Abels Rd	Abels Rd	Boyup Brook	0.00	Donnybrook Kojonup Rd & Abel St	0.10	0.1km From Donnybrook Kojonup Rd	
2180028	Aegers Bridge Rd	Aegers Bridge Rd	Boyup Brook	0.00	Donnybrook Kojonup Rd & Six Mile Rd	5.35	Jayes Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2180001	Area Rd	Area Rd	Boyup Brook	0.00	Boyup Brook - Arthur River Rd	13.28	Kulikup North Rd	
2180054	Asplin Siding Rd	Asplin Siding Rd	Boyup Brook	0.00	Donnybrook Kojonup Rd	10.55	Boyup Brook - Arthur River Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2180039	Asplins Rd	Asplins Rd	Boyup Brook	0.00	Bridgetown Boyup Brook Rd	6.50	Greenfields Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Boyup Brook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2180023	Balgarup Rd	Balgarup Rd	Boyup Brook	0.00	Craigie Rd	6.25	Kulikup North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2180023	Balgarup Rd	Balgarup Rd	Boyup Brook	6.25	Kulikup North Rd	14.31	Eulin Siding Rd & Kulikup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2180115	Beatty St	Beatty St	Boyup Brook	0.00	Connolly St & Barron St	0.65	Donnybrook - Kojonup (M013)	
2180047	Benjinup Siding Rd	Benjinup Siding Rd	Boyup Brook	0.00	Donnybrook Kojonup Rd & Foster Glen Rd	1.17	Greenfields Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2180080	Bloomfields Rd	Bloomfields Rd	Boyup Brook	0.00	Kulikup South Rd	7.54	Foley Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Boyup Brook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2180026	Bowelling - McAlinden Rd	Bowelling - McAlinden Rd	Boyup Brook	0.00	McAlinden Rd	5.83	Boyup Brook North Rd & Bowelling - McAlinden Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2180210	Boyup Brook - Arthur River Rd	Boyup Brook - Arthur River Rd	Boyup Brook	0.00	Abel St & Jayes Rd	36.15	Arthur River - Dinninup Rd	<ul style="list-style-type: none"> Intersection Newlgalup Rd : No access permitted into Newlgalup Rd from Boyup Brook - Arthur River Rd
2180148	Boyup Brook - Cranbrook Rd	Boyup Brook - Cranbrook Rd	Boyup Brook	0.00	Donnybrook Kojonup Rd	59.79	Cranbrook LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Wagner Rd : No right turn permitted into Wagner Rd from Boyup Brook - Cranbrook Rd
2180002	Boyup Brook North Rd	Boyup Brook North Rd	Boyup Brook	0.00	Boyup Brook - Arthur River Rd	27.36	Bowelling - McAlinden Rd	
2180107	Bridge St	Bridge St	Boyup Brook	0.00	Bridge St & Abel St	0.12	Railway Pde	
2180151	Broockmann Rd	Broockmann Rd	Boyup Brook	0.00	Kulikup South Rd	3.40	Broockmann Rd - End Road	
2180030	Brown Seymour Rd	Brown Seymour Rd	Boyup Brook	0.00	Bridgetown Boyup Brook Rd & Ridge View Av	6.60	Jayes Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Boyup Brook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2180022	Camballan Rd	Camballan Rd	Boyup Brook	0.00	Donnybrook Kojonup Rd	10.94	Boyup Brook North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2180081	Chapman Rd	Chapman Rd	Boyup Brook	0.00	McAlinden Rd	1.00	For 1.00 Km to Wooding Plantation Access Gate	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2180050	Condinup Crossing Rd	Condinup Crossing Rd	Boyup Brook	0.00	Boyup Brook - Arthur River Rd	2.41	Gibbs Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Boyup Brook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2180043	Condinup Rd	Condinup Rd	Boyup Brook	0.00	Gibbs Rd	11.81	Boyup Brook North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2180120	Connolly St	Connolly St	Boyup Brook	0.00	Railway Pde	0.23	Beatty St & Barron St	
2180070	Cootayerup Rd	Cootayerup Rd	Boyup Brook	0.00	Tuckett Rd	6.28	Terrace Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Trucks Entering' signs to be erected and removed when not in use.
2180070	Cootayerup Rd	Cootayerup Rd	Boyup Brook	6.28	Terrace Rd	10.70	Cootayerup - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Boyup Brook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2180134	Corbalup Rd	Corbalup Rd	Boyup Brook	0.00	Boyup Brook - Cranbrook Rd	0.78	Bridgetown - Greenbushes LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2180037	Craigie Rd	Craigie Rd	Boyup Brook	0.00	Area Rd & Sherry Rd	9.35	Eulin Crossing Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2180145	Dezotti Rd	Dezotti Rd	Boyup Brook	0.00	Longs Rd	2.37	Bridgetown - Greenbushes LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2180014	Dinninup East Rd	Dinninup East Rd	Boyup Brook	0.00	Boyup Brook - Arthur River Rd	14.16	Kulikup South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2180133	Distributor Rd	Distributor Rd	Boyup Brook	0.00	Boyup Brook - Cranbrook Rd	16.00	Scotts Brook Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2180019	Dwalganup Rd	Dwalganup Rd	Boyup Brook	0.00	Winnejup Rd	8.81	Westbourne Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Boyup Brook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2180085	Elder Rd	Elder Rd	Boyup Brook	0.00	Wilga East Rd	2.70	Elder Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2180027	Eulin Crossing Rd	Eulin Crossing Rd	Boyup Brook	0.00	Boyup Brook - Arthur River Rd	8.68	Eulin Crossing Rd & Kulikup North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2180097	Evanly Rd	Evanly Rd	Boyup Brook	0.00	Boyup Brook North Rd	1.93	Evanly Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2180078	Evans Siding Rd	Evans Siding Rd	Boyup Brook	0.00	Meredith Rd	3.60	Evans Siding Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Boyup Brook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2180153	Falnash Rd	Falnash Rd	Boyup Brook	0.00	Flax Rd	1.85	Bridgetown - Greenbushes LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2180032	Flax Rd	Flax Rd	Boyup Brook	0.00	Jayes Rd	4.80	Bridgetown - Greenbushes LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2180069	Foley Rd	Foley Rd	Boyup Brook	0.00	Scotts Brook Rd	6.23	Kojonup LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Boyup Brook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2180162	Forbes St	Forbes St	Boyup Brook	0.00	Boyup Brook - Arthur River Rd	0.45	Forbes St - End Road	
2180057	Four Forty Rd	Four Forty Rd	Boyup Brook	0.00	Greenfields Rd	4.67	Four Forty Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2180168	Gale Rd	Gale Rd	Boyup Brook	0.00	Bridgetown Boyup Brook Rd	0.60	Abels Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Abels Rd : No Entry Or Exit To Or From Abels Rd
2180012	Gibbs Rd	Gibbs Rd	Boyup Brook	0.00	Boyup Brook - Arthur River Rd	17.14	West Arthur LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2180033	Greenbushes - Boyup Brook Rd	Greenbushes - Boyup Brook Rd	Boyup Brook	0.00	Howards Rd & Greenbushes - Boyup Brook Rd	2.33	Vlamov Rd & Greenbushes - Boyup Brook Rd	

Tandem Drive Network 2.1



Boyup Brook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2180034	Greenfields Rd	Greenfields Rd	Boyup Brook	0.00	Donnybrook Kojonup Rd	12.37	Asplins Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2180034	Greenfields Rd	Greenfields Rd	Boyup Brook	17.20	0.09km From Howards Rd	19.10	Bridgetown - Greenbushes LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Boyup Brook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2180196	Grimwade - Wilga Rd	Grimwade - Wilga Rd	Boyup Brook	0.00	Wilga East Rd & Walker Rd	0.05	Offer Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2180196	Grimwade - Wilga Rd	Grimwade - Wilga Rd	Boyup Brook	0.05	Offer Rd	1.33	Grimwade Wilga Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Offer Rd : No right turn permitted into Offer Rd from Grimwade-Wilga Rd
2180064	Hacks Rd	Hacks Rd	Boyup Brook	0.00	Dinninup East Rd	1.61	Hacks Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Boyup Brook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2180166	Hamersley Rd	Hamersley Rd	Boyup Brook	0.00	Area Rd	1.85	Hamersley Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2180053	Harrison Rd	Harrison Rd	Boyup Brook	0.00	Six Mile Rd	4.11	Dinninup East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2180065	Hart Rd	Hart Rd	Boyup Brook	0.00	Eulin Siding Rd	1.41	Kojonup LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2180127	Henderson St	Henderson St	Boyup Brook	0.00	Abel St	0.15	Forbes St	<ul style="list-style-type: none"> A RAV must not be driven on this road in excess of 4.3 metres in height unless written approval is obtained from the cable provider Intersection Abel St : No left turn permitted into Donnybrook Kojonup from Henderson St

Tandem Drive Network 2.1



Boyup Brook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2180060	Hendry Rd	Hendry Rd	Boyup Brook	0.00	Walshaws Rd	4.28	Lower Blackwood Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2180035	Howards Rd	Howards Rd	Boyup Brook	0.00	Bridgetown Boyup Brook Rd	0.30	For 0.3km From Bridgetown Boyup Brook Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 50 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2180076	Imrie Rd	Imrie Rd	Boyup Brook	0.00	Donnybrook Kojonup Rd	3.88	Imrie Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2180008	Jayes Rd	Jayes Rd	Boyup Brook	0.00	Donnybrook Kojonup Rd	4.64	Aegers Bridge Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2180008	Jayes Rd	Jayes Rd	Boyup Brook	6.03		20.69	Bridgetown - Greenbushes LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2180118	Knapp St	Knapp St	Boyup Brook	0.00	Bridgetown Boyup Brook Rd	0.40	Bridge St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Terry Rd : No left turn permitted into Terry Rd from Knapp St Intersection Bridge St : No left turn permitted into Bridge St from Knapp St
2180090	Knudsen Rd	Knudsen Rd	Boyup Brook	0.00	Abels Rd	4.92	Asplins Rd	
2180005	Kulikup North Rd	Kulikup North Rd	Boyup Brook	0.00	Stewart St & Kulikup South Rd	14.54	Eulin Crossing Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2180146	Kulikup Rd	Kulikup Rd	Boyup Brook	0.00	Balgarup Rd & Eulin Siding Rd	2.07	Kojonup LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Boyup Brook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2180007	Kulikup South Rd	Kulikup South Rd	Boyup Brook	0.00	Stewart St & Kulikup North Rd	13.17	Donnybrook Kojonup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2180007	Kulikup South Rd	Kulikup South Rd	Boyup Brook	13.22	Donnybrook Kojonup Rd	23.28	Scotts Brook Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2180038	Lodge Rd	Lodge Rd	Boyup Brook	0.00	Jayes Rd	5.24	Boyup Brook South Access Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2180036	Longs Rd	Longs Rd	Boyup Brook	0.00	Howards Rd	3.25	Dezotti Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2180025	Lower Blackwood Rd	Lower Blackwood Rd	Boyup Brook	0.00	Wahkinup Rd	8.66	Kojonup LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Boyup Brook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2180010	McAlinden Rd	McAlinden Rd	Boyup Brook	0.00	Donnybrook Kojonup Rd	11.95	Bowelling - McAlinden Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2180010	McAlinden Rd	McAlinden Rd	Boyup Brook	11.95	Bowelling - McAlinden Rd	14.81	West Arthur LGA Boundary	
2180077	Meredith Rd	Meredith Rd	Boyup Brook	0.00	Donnybrook Kojonup Rd	7.36	Wilga East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2180068	Minninup Rd	Minninup Rd	Boyup Brook	0.00	Kojonup LGA Boundary	3.10	Foley Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2180170	Moore Rodgers Rd	Moore Rodgers Rd	Boyup Brook	0.00	W Tree Gully Rd & W - Tree Gully Rd	12.81	Gibbs Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Boyup Brook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2180067	Muir Rd	Muir Rd	Boyup Brook	0.00	Jayes Rd	4.40	Winnejump Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2180099	Newlgalup Rd	Newlgalup Rd	Boyup Brook	0.00	Boyup Brook - Arthur River Rd	6.39	Condinup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Boyup Brook - Arthur River Rd : No acces permitted into Boyup Brook-Arthur River Rd from Newlgalup Rd
2180167	Nield Rd	Nield Rd	Boyup Brook	0.00	Knudsen Rd	1.30	Nield Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Boyup Brook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2180089	Offer Rd	Offer Rd	Boyup Brook	0.00	Grimwade - Wilga Rd	0.81	Wilga Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Grimwade - Wilga Rd : No left turn permitted into Grimwade- Wilga Rd from Offer Rd
2180040	Parsons Swamp Rd	Parsons Swamp Rd	Boyup Brook	0.00	Donnybrook Kojonup Rd	6.63	Roland Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2180015	Pretty Gully Rd	Pretty Gully Rd	Boyup Brook	0.00	Westbourne Rd	8.64	Tuckett Rd	<ul style="list-style-type: none"> Maximum speed 40 km/h "Trucks On Road/Entering" signs to be erected and removed when haulage not in progress.
2180108	Railway Pde	Railway Pde	Boyup Brook	0.00	Connolly St	0.86	Boyup Brook - Arthur River Rd	
2180046	Rainoldi Rd	Rainoldi Rd	Boyup Brook	0.00	Donnybrook Kojonup Rd	6.45	Greenfields Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Boyup Brook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2180063	Redgum Pool Rd	Redgum Pool Rd	Boyup Brook	0.00	Kulikup South Rd	7.38	Dinninup East Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Vehicles not permitted to use slip road at the intersection of Redgum Pool Rd and Kalikup South Rd
2180045	Reservoir Rd	Reservoir Rd	Boyup Brook	0.00	Donnybrook Kojonup Rd	1.00	To Farm Gate 1.0km From Donnybrook - Kojonup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). No operation permitted between SIK 1.0 to 5.4 due to excessive grades.
2180045	Reservoir Rd	Reservoir Rd	Boyup Brook	5.40	From Farm Gate 4.2km From Six Mile Rd	9.60	Six Mile Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). No operation permitted between SIK 1.0 to 5.4 due to excessive grades.

Tandem Drive Network 2.1



Boyup Brook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2180147	Rielys Creek Rd	Rielys Creek Rd	Boyup Brook	0.00	Walshaws Rd & Eulin Siding Rd	1.24	Reillys Creek Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2180055	Ritson Rd	Ritson Rd	Boyup Brook	0.00	Six Mile Rd	0.80	Mondy Tree Farm Access Gate 0.8km From Six Mile Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2180096	Rogers Rd	Rogers Rd	Boyup Brook	0.00	Boyup Brook North Rd	2.25	To 2.25km From Boyup Brook North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Boyup Brook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2180141	Roland Rd	Roland Rd	Boyup Brook	0.00	Parsons Swamp Rd	1.70	Roland Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2180052	Sandalwood Rd	Sandalwood Rd	Boyup Brook	0.00	Boyup Brook North Rd	4.40	Craigie Rd & Sandalwood Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2180003	Scotts Brook Rd	Scotts Brook Rd	Boyup Brook	0.00	Donnybrook Kojonup Rd	45.96	Kojonup LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2180072	Simcock Rd	Simcock Rd	Boyup Brook	0.00	Corbalup East Rd	6.44	Boyup Brook - Cranbrook Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2180009	Six Mile Rd	Six Mile Rd	Boyup Brook	0.00	Donnybrook Kojonup Rd & Aegers Bridge Rd	9.06	Harrison Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Ritson Rd : No Left Turn Into Ritson Rd From Six Mile Rd
2180009	Six Mile Rd	Six Mile Rd	Boyup Brook	9.06	Harrison Rd	13.23	Boyup Brook - Arthur River Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Boyup Brook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2180163	Spencer Rd	Spencer Rd	Boyup Brook	0.00	Scotts Brook Rd	4.70	Westbourne Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2180066	Stanton Rd	Stanton Rd	Boyup Brook	0.00	Donnybrook Kojonup Rd	3.50	Terry Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2180021	Terrace Rd	Terrace Rd	Boyup Brook	0.00	Boyup Brook - Cranbrook Rd	15.25	Tone Rd & Scotts Brook Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2180029	Terry Rd	Terry Rd	Boyup Brook	0.00	Knapp St	9.26	Blackwood River Crossing 9.28km From Bridgetown Boyup Brook Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2180017	Tuckett Rd	Tuckett Rd	Boyup Brook	0.00	Scotts Brook Rd	1.00	Tree Farm Access Gate 1.0km From Scotts Brook Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). No operation permitted between SLK 1.00 to 3.22 & 11.52 to 14.62 due to excessive grades.

Tandem Drive Network 2.1



Boyup Brook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2180017	Tuckett Rd	Tuckett Rd	Boyup Brook	3.22	Tree Farm Access Gate 7.30km From Cootayerup Rd	11.52	Naranber Tree Farm Access Gate 1.0km From Cootayerup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). No operation permitted between SLK 1.00 to 3.22 & 11.52 to 14.62 due to excessive grades.
2180017	Tuckett Rd	Tuckett Rd	Boyup Brook	14.62	Phillip Tree Farm Access Gate 1.6km From Boyup Brook - Cranbrook Rd	16.22	De Landgrafft Rd & Boyup Brook - Cranbrook Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). No operation permitted between SLK 1.00 to 3.22 & 11.52 to 14.62 due to excessive grades.
2180048	W Tree Gully Rd	W Tree Gully Rd	Boyup Brook	0.00	Boyup Brook North Rd	9.33	W - Tree Gully Rd & Moore Rodgers Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Boyup Brook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2180071	Wagner Rd	Wagner Rd	Boyup Brook	0.00	Boyup Brook - Cranbrook Rd	7.65	Scotts Brook Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2180024	Wahkinup Rd	Wahkinup Rd	Boyup Brook	0.00	Kulikup South Rd	11.17	Donnybrook Kojonup Rd & Foley Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2180143	Walcott Rd	Walcott Rd	Boyup Brook	0.00	Westbourne Rd	1.80	Walcott Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2180020	Walshaws Rd	Walshaws Rd	Boyup Brook	0.00	Kulikup North Rd	8.69	Eulin Siding Rd & Rielys Creek Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2180013	Westbourne Rd	Westbourne Rd	Boyup Brook	0.00	Scotts Brook Rd	35.30	Bridgetown - Greenbushes LGA Boundary	<ul style="list-style-type: none"> Maximum speed 40 km/h "Trucks On Road/Entering" signs to be erected and removed when haulage not in progress.

Tandem Drive Network 2.1



Boyup Brook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2180018	Westcliffe Rd	Westcliffe Rd	Boyup Brook	0.00	Kulikup North Rd	9.25	Wongerup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2180103	Wheatley Rd	Wheatley Rd	Boyup Brook	0.00	Westbourne Rd	4.35	Wheatley Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2180041	Whistlers Rd	Whistlers Rd	Boyup Brook	0.00	Donnybrook Kojonup Rd & Norlup Rd	11.50	Dinninup East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2180006	Wilga East Rd	Wilga East Rd	Boyup Brook	0.00	Donnybrook Kojonup Rd	4.02	Walker Rd & Grimwade - Wilga Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2180212	Wingebellup Rd	Wingebellup Rd	Boyup Brook	0.00	Boyup Brook - Cranbrook Rd	2.82	Wingebellup Rd & Forrest Rd	
2180004	Winnejup Rd	Winnejup Rd	Boyup Brook	0.00	Boyup Brook - Cranbrook Rd	8.27	Bridgetown - Greenbushes LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Boyup Brook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2180042	Yates Rd	Yates Rd	Boyup Brook	0.00	Norlup Rd	12.70	Dinninup East Rd	<ul style="list-style-type: none">Headlights to be switched on at all timesNote: Low Volume (LV)Maximum speed 40 km/hWhen travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.Intersection Norlup Rd : No access permitted into Norlup Rd from Yates Rd

Tandem Drive Network 2.1



Bridgetown - Greenbushes

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2030058	Bill Baldock Dr	Bill Baldock Dr	Bridgetown - Greenbushes	0.00	Hester Rd	1.64	Bill Baldock Dr - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2030036	Blackboy Flat Rd	Blackboy Flat Rd	Bridgetown - Greenbushes	0.00	Brockman Hwy	2.60	2km West of Grange Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2030243	Blackbutt Rd	Blackbutt Rd	Bridgetown - Greenbushes	4.48	McKelvie Rd	6.55	Dezotti Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Bridgetown - Greenbushes

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2030059	Bolton Gale Rd	Bolton Gale Rd	Bridgetown - Greenbushes	0.00	Mokerdillup Rd	0.82	Bolton Gale Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2030234	Boyles Rd	Boyles Rd	Bridgetown - Greenbushes	0.00	Wilga Rd	1.37	Boyles Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2030363	Brockman Hwy	Brockman Hwy	Bridgetown - Greenbushes	0.00	South Western Hwy	21.30	Nannup LGA Boundary	
2030164	Bunbury St	Bunbury St	Bridgetown - Greenbushes	0.00	Hampton St	0.34	Roe St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2030013	Carbunup Brook Rd	Carbunup Brook Rd	Bridgetown - Greenbushes	0.00	Tweed Rd	7.59	Kingston Rd & Old Glentulloch Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2030238	Carters Rd	Carters Rd	Bridgetown - Greenbushes	0.00	Greenbushes - Boyup Brook Rd	1.80	Carters Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Bridgetown - Greenbushes

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2030229	Catterick Rd	Catterick Rd	Bridgetown - Greenbushes	0.00	South Western Hwy	9.16	McKelvie Rd & Greenbushes - Boyup Brook Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2030032	Corbalup Rd	Corbalup Rd	Bridgetown - Greenbushes	0.00	Telephone Trk & Telephone Trk (F) & Corbalup Rd	16.96	Thru Rd Lga 218 - Corbalup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2030024	Crowd Wheatley Rd	Crowd Wheatley Rd	Bridgetown - Greenbushes	0.00	Peninsula Rd	5.48	Crowd Wheatley Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2030015	Dalmore Rd	Dalmore Rd	Bridgetown - Greenbushes	0.00	Winnejup Rd	9.19	Flax Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h SLK 0.00 to 3.40 One truck movement at a time. Not to be used during school bus curfew (07:00 - 08:30 & 14:00 - 16:30 Monday to Friday. WAPRES Traffic Management Plan to be fully implemented.

Tandem Drive Network 2.1



Bridgetown - Greenbushes

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2030048	Daniels Rd	Daniels Rd	Bridgetown - Greenbushes	0.00	Perry Rd & Forest Park Av	3.49	Daniels Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2030212	Daronchs Rd	Daronchs Rd	Bridgetown - Greenbushes	0.00	South Western Hwy	0.80	0.8km North East From South Western Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2030246	Dezotti Rd	Dezotti Rd	Bridgetown - Greenbushes	0.00	Longs Rd	1.81	Boyup Brook LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Bridgetown - Greenbushes

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2030242	Dilkes Rd	Dilkes Rd	Bridgetown - Greenbushes	0.00	Greenbushes - Boyup Brook Rd	1.45	Dilkes Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2030014	Donnelly Mill Rd	Donnelly Mill Rd	Bridgetown - Greenbushes	0.00	South Western Hwy	17.65	Nannup LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No Operation Weekdays from 7:30 AM to 9:00 AM and 3:00 PM to 4:30 PM Curfew applies to school days only.
2030051	Doust Rd	Doust Rd	Bridgetown - Greenbushes	0.00	Winnejup Rd	2.01	South Bndry Loc 689	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2030050	Elphick - Fleeton Rd	Elphick - Fleeton Rd	Bridgetown - Greenbushes	2.22	0.05km From Young Lane	3.52	Glentulloch Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. WAPRES Traffic Management Plan to be fully implemented. 'Trucks Entering' signs to be located prior to Cotswold Tree Farm entry and removed when not in use.

Tandem Drive Network 2.1



Bridgetown - Greenbushes

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2030042	Elwins Rd	Elwins Rd	Bridgetown - Greenbushes	0.57	Henderson Rd	6.69	Winnejup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2030017	Falnash Rd	Falnash Rd	Bridgetown - Greenbushes	0.00	Dalmore Rd	4.04	Boyup Brook LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. One truck movement at a time. WAPRES Traffic Management Plan to be implemented.
2030353	Five Gates Rd	Five Gates Rd	Bridgetown - Greenbushes	0.00	Maranup Ford Rd	5.10	Southampton Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2030016	Flax Rd	Flax Rd	Bridgetown - Greenbushes	0.00	Waters Ford Rd & Winnejup Rd	4.07	Boyup Brook LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h Trucks On Road/Entering' signs to be erected and removed when not in use.WAPRES Traffic Management Plan to be fully implemented.

Tandem Drive Network 2.1



Bridgetown - Greenbushes

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2030313	Forest Park Av	Forest Park Av	Bridgetown - Greenbushes	0.00	South Western Hwy	2.24	Daniels Rd & Perry Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2030067	Giblett Bolton Rd	Giblett Bolton Rd	Bridgetown - Greenbushes	0.00	Carbunup Brook Rd	2.19	Giblett Bolton Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2030009	Glentulloch Rd	Glentulloch Rd	Bridgetown - Greenbushes	0.00	South Western Hwy	10.15	Carbunup Brook Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No Operation Weekdays from 7:30 AM to 9:00 AM and 3:00 PM to 4:30 PM Curfew applies on school days only.
2030004	Gommes L	Gommes L	Bridgetown - Greenbushes	0.00	South Western Hwy	6.26	Glentulloch Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No Operation Weekdays from 7:30 AM to 9:00 AM and 3:00 PM to 4:30 PM Curfew applies on school days only.
2030035	Grange Rd	Grange Rd	Bridgetown - Greenbushes	0.00	Mokerdillup Rd	5.47		<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Bridgetown - Greenbushes

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2030035	Grange Rd	Grange Rd	Bridgetown - Greenbushes	5.47		9.02	Mokerdillup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2030227	Greenbushes - Boyup Brook Rd	Greenbushes - Boyup Brook Rd	Bridgetown - Greenbushes	0.00	South Western Hwy	15.59	Howards Rd & Greenbushes - Boyup Brook Rd	
2030227	Greenbushes - Boyup Brook Rd	Greenbushes - Boyup Brook Rd	Bridgetown - Greenbushes	17.92	Vlamov Rd & Greenbushes - Boyup Brook Rd	18.72	Bridgetown Boyup Brook Rd	
2030215	Greenbushes - Grimwade Rd	Greenbushes - Grimwade Rd	Bridgetown - Greenbushes	0.00	South Western Hwy	4.05	Donnybrook - Balingup LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2030080	Greenfields Rd	Greenfields Rd	Bridgetown - Greenbushes	0.00	Bridgetown Boyup Brook Rd	1.61	Boyup Brook LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2030084	Halls Rd	Halls Rd	Bridgetown - Greenbushes	0.00	Forest Park Av	2.27	Hester Hall Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Bridgetown - Greenbushes

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2030030	Hamilton Rd	Hamilton Rd	Bridgetown - Greenbushes	0.00	Tweed Rd	8.83	North Boundary Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2030209	Hay Rd	Hay Rd	Bridgetown - Greenbushes	0.00	South Western Hwy	2.72	Donnybrook - Balingup LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2030002	Hester Rd	Hester Rd	Bridgetown - Greenbushes	0.00	South Western Hwy	7.05	Bridgetown Boyup Brook Rd	
2030404	Highland Av	Highland Av	Bridgetown - Greenbushes	0.00	Crowd Wheatley Rd	0.90	Gleneagles Dr	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Bridgetown - Greenbushes

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2030221	Huitson Rd	Huitson Rd	Bridgetown - Greenbushes	0.00	Maranup Ford Rd	3.10	Russell Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2030221	Huitson Rd	Huitson Rd	Bridgetown - Greenbushes	3.10	Russell Rd	5.62		<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Russell Rd : No left turn permitted into Russell Rd from Huitson Rd
2030007	Jayes Rd	Jayes Rd	Bridgetown - Greenbushes	0.00	Bridgetown Boyup Brook Rd	4.16	Boyup Brook LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No Operation Weekdays from 7:30 AM to 9:00 AM and 3:00 PM to 4:30 PM Curfew applies on school days only.
2030225	Kandalee Rd	Kandalee Rd	Bridgetown - Greenbushes	0.00	Maranup Ford Rd	1.92	Kandalee Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Bridgetown - Greenbushes

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2030037	Kendall Rd	Kendall Rd	Bridgetown - Greenbushes	0.00	Bridgetown Boyup Brook Rd	5.51	Greenbushes - Boyup Brook Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No Operation Weekdays from 7:30 AM to 9:00 AM and 3:00 PM to 4:30 PM Curfew applies on school days only.
2030235	Kings Rd	Kings Rd	Bridgetown - Greenbushes	0.00	Wilga Rd	0.70	0.7km From Wilga Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2030005	Kingston Rd	Kingston Rd	Bridgetown - Greenbushes	0.00	Gommes L	26.13	Corbalup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No Operation Weekdays from 7:30 AM to 9:00 AM and 3:00 PM to 4:30 PM Curfew applies to school days only.
2030208	Lew Rd	Lew Rd	Bridgetown - Greenbushes	0.00	Mokerdillup Rd	1.84	Lew Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2030245	Longs Rd	Longs Rd	Bridgetown - Greenbushes	0.00	Wilga Rd	4.79	Dezotti Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2030285	Lynam Rd	Lynam Rd	Bridgetown - Greenbushes	0.00	South Western Hwy	0.13	Lynam Rd - End Road	

Tandem Drive Network 2.1



Bridgetown - Greenbushes

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2030103	Lynns Rd	Lynns Rd	Bridgetown - Greenbushes	0.00	Glentulloch Rd	1.36	Lynns Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2030010	Maranup Ford Rd	Maranup Ford Rd	Bridgetown - Greenbushes	0.00	Brockman Hwy	12.83	Huitson Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h No Operation Weekdays from 7:30 AM to 9:00 AM and 3:00 PM to 4:30 PM Curfew applies on school days only.
2030010	Maranup Ford Rd	Maranup Ford Rd	Bridgetown - Greenbushes	12.83	Huitson Rd	17.47	Diorite St & Stanifer St	
2030241	McKelvie Rd	McKelvie Rd	Bridgetown - Greenbushes	0.00	Catterick Rd & Greenbushes - Boyup Brook Rd	3.88	Blackbutt Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2030195	Mersea Rd	Mersea Rd	Bridgetown - Greenbushes	0.00	Wilgarrup Rd & South Western Hwy	5.32	Seaton Ross Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Bridgetown - Greenbushes

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2030006	Mokerdillup Rd	Mokerdillup Rd	Bridgetown - Greenbushes	0.00	Brockman Hwy	2.34	Grange Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2030006	Mokerdillup Rd	Mokerdillup Rd	Bridgetown - Greenbushes	2.34	Grange Rd	13.19	Donnelly Mill Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2030129	Naylor Yates Rd	Naylor Yates Rd	Bridgetown - Greenbushes	0.00	Rifle Range Rd	1.71	1.71km From Rifle Range Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2030217	Old Mill Rd	Old Mill Rd	Bridgetown - Greenbushes	0.00	Greenbushes - Grimwade Rd	1.39	Greenbushes - Boyup Brook Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 50 km/h No Operation Weekdays from 7:30 AM to 9:00 AM and 3:00 PM to 4:30 PM Curfew applies on school days only.
2030101	Old Mokerdillup Rd	Old Mokerdillup Rd	Bridgetown - Greenbushes	0.00	Mokerdillup Rd	2.15	Donnelly Mill Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Bridgetown - Greenbushes

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2030094	Palmers Rd	Palmers Rd	Bridgetown - Greenbushes	0.00	South Western Hwy	0.83	Palmers Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2030233	Papalias Rd	Papalias Rd	Bridgetown - Greenbushes	0.00	Wilga Rd	2.20	2.2km From Wilga Rd	<ul style="list-style-type: none"> Maximum speed 40 km/h WAPRES Traffic Management Plan to be implemented. Operation in accordance with Shire approval
2030008	Peninsula Rd	Peninsula Rd	Bridgetown - Greenbushes	0.00	Hampton St	2.95	Maslin St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2030008	Peninsula Rd	Peninsula Rd	Bridgetown - Greenbushes	2.95	Maslin St	7.75	Walter Willis Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2030334	Pettersen Rd	Pettersen Rd	Bridgetown - Greenbushes	0.00	Bridgetown Boyup Brook Rd	1.25	Winnejup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Bridgetown - Greenbushes

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2030162	Phillips St	Phillips St	Bridgetown - Greenbushes	0.00	Hampton St & Loftie St	0.22	Spencer St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2030061	Pocock Farm Rd	Pocock Farm Rd	Bridgetown - Greenbushes	0.00	Maranup Ford Rd	0.83	Pocock Farm Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2030043	Polina Rd	Polina Rd	Bridgetown - Greenbushes	0.00	Tassos Rd & Kangaroo Gully Rd	6.97	Elwins Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2030072	Press Rd	Press Rd	Bridgetown - Greenbushes	0.00	South Western Hwy	0.25	0.25km From South Western Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2030321	Radiata St	Radiata St	Bridgetown - Greenbushes	0.00	Hester Rd	0.18	Radiata St - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2030034	Rifle Range Rd	Rifle Range Rd	Bridgetown - Greenbushes	2.29	Naylor Yates Rd	3.98	South Western Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Bridgetown - Greenbushes

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2030170	Roe St	Roe St	Bridgetown - Greenbushes	0.00	Vials Gr & Stephens St	1.03	Steere St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2030169	Rose St	Rose St	Bridgetown - Greenbushes	0.00	Steere St	0.29	Rose St - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2030293	Russell Rd	Russell Rd	Bridgetown - Greenbushes	0.00	Huitson Rd	1.69	Lga Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Huitson Rd : No right turn permitted into Huitson Rd from Russell Rd
2030118	Savages Creek Rd	Savages Creek Rd	Bridgetown - Greenbushes	0.00	Slades Rd	0.86	Savages Creek Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Bridgetown - Greenbushes

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2030307	Scriven Rd	Scriven Rd	Bridgetown - Greenbushes	0.00	Palmers Rd	0.40	Scriven Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2030011	Seaton Ross Rd	Seaton Ross Rd	Bridgetown - Greenbushes	0.00	Mill Rd & South Western Hwy	26.34	Corbalup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2030117	Slades Rd	Slades Rd	Bridgetown - Greenbushes	0.00	Tweed Rd	4.79	Slades Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2030158	Spencer St	Spencer St	Bridgetown - Greenbushes	0.61	Phillips St	1.25	Steere St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2030270	Stanifer St	Stanifer St	Bridgetown - Greenbushes	0.00	Maranup Ford Rd & Diorite St	1.29	South Western Hwy	

Tandem Drive Network 2.1



Bridgetown - Greenbushes

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2030414	Stewart St	Stewart St	Bridgetown - Greenbushes	0.00	Hampton St	0.42	Steere St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2030081	Strathmore Rd	Strathmore Rd	Bridgetown - Greenbushes	0.00	Winnejup Rd & Kloppers Mill Rd	4.14	Strathmore Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2030492	Strauss Rd	Strauss Rd	Bridgetown - Greenbushes	0.00	Mersea Rd	1.30	Strauss Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2030003	Tweed Rd	Tweed Rd	Bridgetown - Greenbushes	0.00	South Western Hwy	12.13	Carbunup Brook Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Bridgetown - Greenbushes

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2030003	Tweed Rd	Tweed Rd	Bridgetown - Greenbushes	12.13	Carbunup Brook Rd	24.32	Winnejump Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2030040	Walter Willis Rd	Walter Willis Rd	Bridgetown - Greenbushes	0.00	Peninsula Rd	3.14	0.1km From Cooyarup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2030320	Wandoo Wy	Wandoo Wy	Bridgetown - Greenbushes	0.00	Radiata St	0.16	Wandoo Wy - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2030039	Warburtons Rd	Warburtons Rd	Bridgetown - Greenbushes	0.00	South Western Hwy	2.42	Warburtons Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2030297	Warner St	Warner St	Bridgetown - Greenbushes	0.13	Hester Rd	0.61	Warner St - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 30 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Bridgetown - Greenbushes

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2030102	Watson Rd	Watson Rd	Bridgetown - Greenbushes	0.00	Mokerdillup Rd	2.54	Watson Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2030012	Westbourne Rd	Westbourne Rd	Bridgetown - Greenbushes	0.00	Winnejup Rd	3.86	Boyup Brook LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No Operation Weekdays from 7:30 AM to 9:00 AM and 3:00 PM to 4:30 PM Curfew applies on school days only.
2030020	Wheatley - Giblett Rd	Wheatley - Giblett Rd	Bridgetown - Greenbushes	0.00	Winnejup Rd	7.56	Winnejup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2030196	Whim Landing Rd	Whim Landing Rd	Bridgetown - Greenbushes	0.00	Mersea Rd	1.47	Whim Landing Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Bridgetown - Greenbushes

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2030256	Wilga Rd	Wilga Rd	Bridgetown - Greenbushes	0.00	Greenbushes - Boyup Brook Rd	12.94	Donnybrook - Balingup LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No Operation Weekdays from 7:30 AM to 9:00 AM and 3:00 PM to 4:30 PM Curfew applies on school days only.
2030001	Winnejup Rd	Winnejup Rd	Bridgetown - Greenbushes	0.00	Bridgetown Boyup Brook Rd	15.22	Tweed Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
203Z020	Greville Rd	Greville Rd	Bridgetown - Greenbushes	0.00	Seaton Ross Rd	6.20	Greville Rd (F) - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
203Z031	Le Jeune Rd	Le Jeune Rd	Bridgetown - Greenbushes	0.00	Greville Rd	5.17	Kingston Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
203Z038	Walcott Rd	Walcott Rd	Bridgetown - Greenbushes	0.00	Kingston Rd	0.15	0.15km From Kingston Rd	<ul style="list-style-type: none"> Maximum speed 40 km/h One truck movement at a time.WAPRES Traffic Management Plan to be fully implemented.

Tandem Drive Network 2.1



Bridgetown - Greenbushes

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
203Z048	Whim Landing Rd	Whim Landing Rd	Bridgetown - Greenbushes	0.00	Whim Landing Rd	9.83	Seaton Ross Rd & Tower Rd (F)	<ul style="list-style-type: none">Headlights to be switched on at all timesNote: Low Volume (LV)Maximum speed 40 km/hWhen travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Brookton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4020115	Aldersyde - Pingelly Rd	Aldersyde - Pingelly Rd	Brookton	0.00	Brookton - Kweda Rd	3.75	Pingelly LGA Boundary	
4020005	Aldersyde North Rd	Aldersyde North Rd	Brookton	0.00	Brookton-Corrigin Rd	4.24	Brookton - Kweda Rd	
4020080	Ashfield Rd	Ashfield Rd	Brookton	0.00	Brookton - Kweda Rd	5.57	Davis Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Davis Rd : No access permitted into Davis Rd from Ashfield Rd
4020015	Austin Rd	Austin Rd	Brookton	0.00	Dangin - Mears Rd	8.76	Mills Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4020050	Bennier Rd	Bennier Rd	Brookton	0.00	Davis Rd & Ford Rd	1.23	Bennier Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Brookton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4020062	Benzie Rd	Benzie Rd	Brookton	0.00	Aldersyde - Pingelly Rd	4.13	Benzie Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4020076	Bowring Rd	Bowring Rd	Brookton	0.00	South East Nalya Rd	2.74	Brookton - Kweda Rd & North Nalya Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4020002	Boyagarra Rd	Boyagarra Rd	Brookton	0.00	Great Southern Hwy	22.30	Jaensch Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4020001	Brookton - Kweda Rd	Brookton - Kweda Rd	Brookton	0.00	Yeo Rd	34.06	Dangin - Mears Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Brookton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4020001	Brookton - Kweda Rd	Brookton - Kweda Rd	Brookton	34.06	Dangin - Mears Rd	40.53	North Kweda Rd & Bulyee - Kweda Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4020046	Chittleborough Rd	Chittleborough Rd	Brookton	0.00	Corberding Rd	4.11	Chittleborough Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4020051	Copping Rd	Copping Rd	Brookton	0.00	Great Southern Hwy	0.66	Balco Hay Shed 0.66km From Great Southern Hwy	<ul style="list-style-type: none"> Maximum speed 40 km/h
4020051	Copping Rd	Copping Rd	Brookton	0.66	Balco Hay Shed 0.66km From Great Southern Hwy	8.70	Copping Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Brookton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4020003	Corberding Rd	Corberding Rd	Brookton	0.32	McGrath St	5.00	Farm Entrance 5 Kms West of Brookton Town Site	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4020003	Corberding Rd	Corberding Rd	Brookton	5.00	Farm Entrance Gate 5.0km West of Brookton Townsite	20.35	Beverley LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4020037	Dale Kokeby Rd	Dale Kokeby Rd	Brookton	0.00	Beverley LGA Boundary	5.65	Corberding Rd & Hillcroft Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4020008	Dangin - Mears Rd	Dangin - Mears Rd	Brookton	0.00	Quairading LGA Boundary	12.93	Brookton-Corrigin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Brookton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4020008	Dangin - Mears Rd	Dangin - Mears Rd	Brookton	12.93	Brookton-Corrigin Rd	16.76	Brookton - Kweda Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Maximum speed 60 km/h For a Restricted Access vehicle Category 2 - B-Triple, bridge #3152A not to be crossed. Bridge located 650m north of Brookton-Kweda Rd.
4020011	Davis Rd	Davis Rd	Brookton	0.00	Great Southern Hwy	5.85	Moorumbine Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4020011	Davis Rd	Davis Rd	Brookton	6.28	Moorumbine Rd	9.00	Farm Entrance 1.0km East of Ashfield Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Ashfield Rd : No access to Ashfield Rd from Davis Rd
4020011	Davis Rd	Davis Rd	Brookton	9.00	Farm Entrance 1.0km East of Ashfield Rd	18.13	Brookton - Kweda Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
4020057	Dwarlaking Rd	Dwarlaking Rd	Brookton	0.00	Wilson Rd & Dwarlaking Rd	1.88	Corrigin LGA Boundary	

Tandem Drive Network 2.1



Brookton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4020053	Edenvale Rd	Edenvale Rd	Brookton	0.00	Youraling Rd	2.36	Edenvale Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4020031	Fancote Rd	Fancote Rd	Brookton	0.00	Brookton-Corrigin Rd	2.78	Fancote Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4020070	Fulwood Rd	Fulwood Rd	Brookton	0.00	Brookton-Corrigin Rd	2.97	North Nalya Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Brookton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4020023	Gartrell Rd	Gartrell Rd	Brookton	0.00	Strange Rd	3.26	Luptons Rd & Brookton Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4020040	Glenester Rd	Glenester Rd	Brookton	0.00	Walwalling Rd	1.90	Severin Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4020042	Greig Rd	Greig Rd	Brookton	0.00	Dangin - Mears Rd	2.00	2km East of Dangin Mears Rd to Farm Gate	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Dangin - Mears Rd : No right turn permitted into Dangin Mears Rd from Greig Rd. No left turn permitted into Greig Rd from Dangin Mears Rd.
4020042	Greig Rd	Greig Rd	Brookton	2.00	2km East of Dangin Mears Rd to Farm Gate	5.85	North Kweda Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4020038	Grover Rd	Grover Rd	Brookton	0.00	Hillcroft Rd	4.90	York - Williams Rd	

Tandem Drive Network 2.1



Brookton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4020020	Hall Rd	Hall Rd	Brookton	0.00	Bodey St	2.55	Copping Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) No Operation between the hours of sunset and sunrise Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4020039	Hillcroft Rd	Hillcroft Rd	Brookton	0.00	South Dale Rd	13.29	Corberding Rd & Dale Kokeby Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4020045	Hobbs Rd	Hobbs Rd	Brookton	0.00	Roses Rd	1.45	Hobbs Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4020147	Humphry St	Humphry St	Brookton	0.00	Corberding Rd	0.48	Brookton Hwy	<ul style="list-style-type: none"> Intersection Corberding Rd : No Right Turn Into Corberding Rd Permitted. No Left Turn Into Humphry Rd From Corberding Rd Permitted

Tandem Drive Network 2.1



Brookton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4020025	Jaensch Rd	Jaensch Rd	Brookton	0.00	Brookton-Corrigin Rd	6.00	0.24km North of Boyagarra Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4020017	Jelcobine Rd	Jelcobine Rd	Brookton	0.00	York - Williams Rd	8.46	Brookton Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4020119	Luptons Rd	Luptons Rd	Brookton	0.00	Gartrell Rd & Brookton Hwy	1.04	Beverley LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Brookton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4020016	Matthews Rd	Matthews Rd	Brookton	0.00	York - Williams Rd	4.20	Ulbrich Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4020044	Mattingly Rd	Mattingly Rd	Brookton	0.00	Boyagarra Rd	5.00	End of Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4020114	McGrath St	McGrath St	Brookton	0.00	Brookton Hwy	0.61	Youraling Rd	<ul style="list-style-type: none"> Maximum speed 40 km/h
4020026	Mills Rd	Mills Rd	Brookton	0.00	Brookton-Corrigin Rd	9.97	Lake Mears Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
4020026	Mills Rd	Mills Rd	Brookton	9.97	Lake Mears Rd	16.38	Greig Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4020010	Moorumbine Rd	Moorumbine Rd	Brookton	0.00	Davis Rd & Moorumbine Rd	7.60	Brookton - Kweda Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h

Tandem Drive Network 2.1



Brookton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4020027	North Kweda Rd	North Kweda Rd	Brookton	0.00	Brookton - Kweda Rd & Bulyee - Kweda Rd	17.77	Punch Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4020013	North Nalya Rd	North Nalya Rd	Brookton	0.00	Bowring Rd & Brookton - Kweda Rd	5.99	Fulwood Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4020054	Qualandary Rd	Qualandary Rd	Brookton	0.00	Boyagarra Rd	0.97	Beverley LGA Boundary	
4020055	Ramsay Rd	Ramsay Rd	Brookton	0.00	Matthews Rd	0.50	500m North of Matthews Rd to Farm Gate	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4020022	Roses Rd	Roses Rd	Brookton	0.00	McGrath Rd & Youraling Rd	5.36	Corberding Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4020104	Sewell St	Sewell St	Brookton	0.00	Yeo Rd & McGuire Rd	0.70	Draper St	

Tandem Drive Network 2.1



Brookton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4020052	Smart Rd	Smart Rd	Brookton	0.00	Great Southern Hwy	5.74	Smart Rd - End Road	
4020019	South Dale Rd	South Dale Rd	Brookton	0.00	York - Williams Rd	2.00	Farm Entrance Gate 2.0km East of York - Williams Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4020019	South Dale Rd	South Dale Rd	Brookton	5.11	Thompson Rd	9.31	Brookton Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4020021	South East Nalya Rd	South East Nalya Rd	Brookton	0.00	Aldersyde - Pingelly Rd	4.83	Bowring Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4020009	South Kweda Rd	South Kweda Rd	Brookton	0.00	Brookton - Kweda Rd	4.46	Pingelly LGA Boundary	

Tandem Drive Network 2.1



Brookton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4020007	Strange Rd	Strange Rd	Brookton	0.00	Brookton Hwy	18.15	Strange Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4020043	Sudholz Rd	Sudholz Rd	Brookton	0.00	Brookton-Corrigin Rd	2.60	Sudholz Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Brookton-Corrigin Rd : No left turn permitted into Brookton Hwy from Sudholz Rd
4020012	Walwalling Rd	Walwalling Rd	Brookton	0.00	Great Southern Hwy	9.20	Kulyaling Rd West & Walwalling Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4020163	Wandoo Rd	Wandoo Rd	Brookton	0.00	Brookton - Kweda Rd	0.61	Wandoo Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Brookton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4020032	Weam Rd	Weam Rd	Brookton	0.00	Davis Rd	3.95	Brookton - Kweda Rd	
4020028	Wilkinson Rd	Wilkinson Rd	Brookton	0.00	Brookton-Corrigin Rd	2.74	North Kweda Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4020063	Wills Rd	Wills Rd	Brookton	0.00	Bartram Rd	7.62	York - Williams Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4020056	Wilson Rd	Wilson Rd	Brookton	0.00	Corrigin LGA Boundary	3.17	Dwarlaking Rd	<ul style="list-style-type: none"> Intersection Dwarlaking Rd : No right turn permitted into Dwarlaking Rd from Wilson Rd
4020018	Woods Loop	Woods Loop	Brookton	0.00	Brookton Hwy	7.62	Brookton Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4020035	Yeo Rd	Yeo Rd	Brookton	0.00	Brookton-Corrigin Rd	3.52	Great Southern Hwy	
4020004	York - Williams Rd	York - Williams Rd	Brookton	0.00	Beverley LGA Boundary	10.26	Brookton Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Brookton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4020004	York - Williams Rd	York - Williams Rd	Brookton	10.27	Brookton Hwy	19.87	York - Williams Rd & Boyagin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4020048	Young Rd	Young Rd	Brookton	0.00	Matthews Rd	1.60	Wandering LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 40 km/h
4020006	Youraling Rd	Youraling Rd	Brookton	0.00	McGrath St	10.93	Great Southern Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h

Tandem Drive Network 2.1



Broome

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
0010181	Antheous Wy	Antheous Wy	Broome	0.00	Tanami Dr	0.27	Mavis Rd	
0010087	Archer St	Archer St	Broome	0.00	Port Dr	0.48	McDaniel Rd	
0010085	Blackman St	Blackman St	Broome	0.00	Hunter St	1.48	Clementson St	
0010300	Blackman St Link	Blackman St Link	Broome	0.00	Port Dr	0.05	Blackman St	
0010494	Blacktip Rd	Blacktip Rd	Broome	0.00	Sundown Rd	0.18	Blacktip Rd - End Road	
0010081	Buckleys Rd	Buckleys Rd	Broome	0.00	Fairway Dr	1.65	Buckleys Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
0010114	Clementson St	Clementson St	Broome	0.43	Pembroke Rd	1.37	Port Dr	
0010047	Coghlan St	Coghlan St	Broome	0.00	Frederick St	0.20	Macpherson St	
0010012	Crab Creek Rd	Crab Creek Rd	Broome	0.00	Broome Rd	9.35	Crab Creek Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road.
0010178	Dawn Wy	Dawn Wy	Broome	0.00	Minilya Rd	0.18	Harriet Rd	
0010118	De Castilla	De Castilla	Broome	0.00	McDaniel Rd	0.43	Port Dr	
0010219	Fairway Dr	Fairway Dr	Broome	0.00	Broome Rd	1.23	Buckleys Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
0010112	Farrell St	Farrell St	Broome	0.00	Hunter St	0.45	Blackman St	
0010176	Florence Wy	Florence Wy	Broome	0.00	Tanami Dr	0.28	Mavis Rd	
0010037	Frederick St	Frederick St	Broome	0.00	Port Dr & Cable Beach Rd East	1.48	Coghlan St	
0010086	Gregory St	Gregory St	Broome	0.00	Hunter St	0.27	Pembroke Rd	
0010179	Harriet Rd	Harriet Rd	Broome	0.00	Tanami Dr	0.29	Minilya Rd	
0010066	Haynes St	Haynes St	Broome	0.00	Blackman St	0.31	Hunter St	
0010067	Hunter St	Hunter St	Broome	0.06	Blackman St	0.92	Clementson St	
0010486	Katsuyama Rd	Katsuyama Rd	Broome	0.00	Broome Rd	0.76		
0010133	Livingstone St	Livingstone St	Broome	0.00	Hunter St	0.29	Pembroke Rd	
0010134	Lucas St	Lucas St	Broome	0.00	Livingstone St	0.38	Hunter St	
0010038	Macpherson St	Macpherson St	Broome	0.00	Herbert St	0.15	Coghlan St	
0010180	Mavis Rd	Mavis Rd	Broome	0.00	Tanami Dr	0.22	Antheous Wy	

Tandem Drive Network 2.1



Broome

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
0010115	McDaniel Rd	McDaniel Rd	Broome	0.00	McDaniel Rd - Start Road	1.30	McDaniel Rd - End Road	
0010009	McGuigan Rd	McGuigan Rd	Broome	0.00	Broome Rd & Broome - Cape Leveque Rd & Broome - Cape Leveque Rd	6.66	Lawrence Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h
0010177	Minilya Rd	Minilya Rd	Broome	0.00	Tanami Dr	0.57	Harriet Rd	
0010117	Morgan St	Morgan St	Broome	0.00	McDaniel Rd	0.20	Morgan St - End Road	
0010113	Ord Wy	Ord Wy	Broome	0.00	Farrell St	0.52	Farrell St	
0010061	Pembroke Rd	Pembroke Rd	Broome	0.00	Clementson St	0.54	Gregory St	
0010319	Port Dr	Port Dr	Broome	0.00	Frederick St & Cable Beach Rd East	2.80	Port Dr & Gubinge Rd	
0010487	Sundown Rd	Sundown Rd	Broome	0.00	Katsuyama Rd	0.65		
0010175	Tanami Dr	Tanami Dr	Broome	0.00	Broome Rd	0.42	20 M Past Antheous Wy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Only 1 road train permitted at any time.
0010116	Ward St	Ward St	Broome	0.00	McDaniel Rd	0.12	Ward St - End Road	
0010488	Warrgamburu Dr	Warrgamburu Dr	Broome	0.00	Katsuyama Rd	0.31	Webber Rd	
0010489	Webber Rd	Webber Rd	Broome	0.00	Warrgamburu Dr	0.05	Webber Rd - End Road	

Tandem Drive Network 2.1



Broomehill - Tambellup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3030235	Anderson Rd	Anderson Rd	Broomehill - Tambellup	0.00	Carr Rd	4.77	Tallents Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Carr Rd : No access permitted into Carr Rd from Anderson Rd
3030235	Anderson Rd	Anderson Rd	Broomehill - Tambellup	4.77	Tallents Rd	7.33	Pallinup South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030229	Aylmore Rd	Aylmore Rd	Broomehill - Tambellup	0.00	Toolbrunup Rd	5.30	Hassell Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030031	Batchelor North Rd	Batchelor North Rd	Broomehill - Tambellup	0.00	Tie Line Rd & South Batchelor Rd	5.01	Batchelor Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Broomehill - Tambellup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3030242	Batchelor Rd	Batchelor Rd	Broomehill - Tambellup	0.00	Gnowangerup - Tambellup Rd	3.05	Batchelor Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030041	Beejenup Rd	Beejenup Rd	Broomehill - Tambellup	0.00	Pallinup Rd	18.55	Toolbrunup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030041	Beejenup Rd	Beejenup Rd	Broomehill - Tambellup	18.55	Toolbrunup Rd	32.60	Stirling Access Rd & Hamilla Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Broomehill - Tambellup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3030214	Bessen Rd	Bessen Rd	Broomehill - Tambellup	0.00	Tambellup West Rd	5.07	Nymbup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Nymbup Rd : No access permitted into Nymbup Rd from Bessen Rd
3030071	Bignell Rd	Bignell Rd	Broomehill - Tambellup	0.00	Norrish Rd	2.72	Bignell Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3030228	Binniup Rd	Binniup Rd	Broomehill - Tambellup	0.00	Tambellup West Rd	6.35	Nymbup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Tambellup West Rd : No left turn permitted into Tambellup West Rd from Binniup Rd.

Tandem Drive Network 2.1



Broomehill - Tambellup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3030050	Birt Rd	Birt Rd	Broomehill - Tambellup	0.00	Tambellup West Rd	11.48	O'Neill Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3030010	Brassey Rd	Brassey Rd	Broomehill - Tambellup	0.00	Great Southern Hwy	1.58	Chillicup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Great Southern Hwy : No left turn permitted into Northam-Cranbrook Road from Brassey Rd
3030010	Brassey Rd	Brassey Rd	Broomehill - Tambellup	1.58	Chillicup Rd	9.01	Flat Rocks Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Broomehill - Tambellup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3030010	Brassey Rd	Brassey Rd	Broomehill - Tambellup	9.16	Flat Rocks Rd & Greenhills South Rd	15.09	Brassey Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3030260	Bridge St	Bridge St	Broomehill - Tambellup	0.00	Garrity St	0.21	Donald St	<ul style="list-style-type: none"> Intersection Garrity St : No left turn permitted into Northam Cranbrook from Bridge St
3030001	Broomehill - Kojonup Rd	Broomehill - Kojonup Rd	Broomehill - Tambellup	0.00	Javelin St & Journal St	30.83	Kojonup LGA Boundary	
3030215	Burridge Rd	Burridge Rd	Broomehill - Tambellup	0.00	Toolbrunup Rd	5.90	Gnowangerup - Tambellup Rd	
3030236	Carr Rd	Carr Rd	Broomehill - Tambellup	0.00	Pallinup South Rd	6.88	Kybelup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Anderson Rd : No access permitted into Anderson Rd from Carr Rd
3030006	Chilicup Rd	Chilicup Rd	Broomehill - Tambellup	0.00	Janus St & Javelin St	8.41	Chilicup Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Broomehill - Tambellup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3030042	Clinic Rd	Clinic Rd	Broomehill - Tambellup	0.00	Broomehill - Kojonup Rd	7.58	Great Southern Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Rae Rd : No right turn permitted into Rae Rd from Clinic Rd Intersection Great Southern Hwy : No right turn permitted into Clinic Rd from Northam Cranbrook Rd
3030066	Collins Rd	Collins Rd	Broomehill - Tambellup	0.00	Eureka Rd	8.19	Great Southern Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030207	Crosby Rd	Crosby Rd	Broomehill - Tambellup	0.00	Greenhills South Rd	14.25	Birt Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Broomehill - Tambellup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3030038	Curnow Rd	Curnow Rd	Broomehill - Tambellup	0.00	Tie Line Rd & Norrish Rd	4.66	Katanning LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3039001	Darcy St	Darcy St	Broomehill - Tambellup	0.00	Nardlah Rd	0.36	Old Nardlah Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
3030265	Donald St	Donald St	Broomehill - Tambellup	0.00	Tambellup West Rd	0.16	Bridge St	<ul style="list-style-type: none"> Intersection Tambellup West Rd : No left turn permitted into Tambellup West Rd from Donald St
3030018	Etna Rd	Etna Rd	Broomehill - Tambellup	0.00	Warrenup Rd	20.07	Brassey Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030021	Eureka Rd	Eureka Rd	Broomehill - Tambellup	0.00	Peringillup East Rd	6.91	Jam Creek Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Broomehill - Tambellup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3030021	Eureka Rd	Eureka Rd	Broomehill - Tambellup	6.91	Jam Creek Rd	11.67	Eureka Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3030027	Fairfield Rd	Fairfield Rd	Broomehill - Tambellup	0.00	Broomehill - Kojonup Rd	4.60	Katanning LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030003	Flat Rocks Rd	Flat Rocks Rd	Broomehill - Tambellup	0.00	Ngopitchup Rd & Palomar Rd & O'Neill Rd	22.35	Broomehill - Kojonup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Broomehill - Tambellup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3030048	Fletcher Rd	Fletcher Rd	Broomehill - Tambellup	0.00	Broomehill Gnowangerup Rd	2.21	0.46km From Graham Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3030029	Gillespie Rd	Gillespie Rd	Broomehill - Tambellup	0.00	Martinup Rd	4.32	Pallinup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030294	Gnowangerup - Tambellup Rd	Gnowangerup - Tambellup Rd	Broomehill - Tambellup	0.00	Gnowangerup LGA Boundary	26.27	Great Southern Hwy & Garrity St	<ul style="list-style-type: none"> Headlights to be switched on at all times
3030045	Graham Rd	Graham Rd	Broomehill - Tambellup	0.00	Heron Rd	3.72	Fletcher Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Broomehill - Tambellup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3030090	Grahams Well Rd	Grahams Well Rd	Broomehill - Tambellup	0.00	Warrenup Rd	2.88	Kojonup LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3030011	Greenhills South Rd	Greenhills South Rd	Broomehill - Tambellup	0.00	Flat Rocks Rd & Brassey Rd	11.95	1.65km From Poonawariup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030011	Greenhills South Rd	Greenhills South Rd	Broomehill - Tambellup	11.95	1.65 Km Past Poonawarup Rd	18.00	Crosby Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
3030011	Greenhills South Rd	Greenhills South Rd	Broomehill - Tambellup	18.00	Crosby Rd	22.25	Brown St & Tambellup West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030270	Hamilla Rd	Hamilla Rd	Broomehill - Tambellup	0.00	Stirling Access Rd & Beejenup Rd	1.61	Cranbrook LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Broomehill - Tambellup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3030204	Hassell Rd	Hassell Rd	Broomehill - Tambellup	0.00	Great Southern Hwy	24.69	Hassell Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030016	Heron Rd	Heron Rd	Broomehill - Tambellup	0.00	Tie Line Rd	8.01	Broomehill Gnowangerup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Broomehill Gnowangerup Rd : No access permitted into Broomehill-Jerramungup Road Permitted from Heron Rd
3030269	Hodgson Rd	Hodgson Rd	Broomehill - Tambellup	0.00	Great Southern Hwy	1.77	Hodgson Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030072	Holding Rd	Holding Rd	Broomehill - Tambellup	0.00	North Nookanellup Rd	1.17	Holding Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Broomehill - Tambellup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3030044	Holly East Rd	Holly East Rd	Broomehill - Tambellup	0.00	Holly Siding Rd	2.09	Fairfield Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Holly Siding Rd : No turning movement permitted at the intersection of Holly East Rd and Holly Siding Rd
3030043	Holly Siding Rd	Holly Siding Rd	Broomehill - Tambellup	0.00	Broomehill - Kojonup Rd	5.30	Moore Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Holly East Rd : No turning movement permitted at the intersection of Holly Siding Rd and Holly East Rd
3030028	Jam Creek Rd	Jam Creek Rd	Broomehill - Tambellup	0.00	Gnowangerup - Tambellup Rd	15.54	Peringillup East Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Gnowangerup - Tambellup Rd : No left turn permitted into Gnowangerup-Tambellup Road from Jam Creek Rd Intersection Peringillup East Rd : No left turn permitted into Peringillup East Rd from Jam Creek Rd

Tandem Drive Network 2.1



Broomehill - Tambellup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3030025	Janus St	Janus St	Broomehill - Tambellup	0.00	Great Southern Hwy & Tie Line Rd	0.34	Javelin St & Chilicup Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3030217	Johnston Rd	Johnston Rd	Broomehill - Tambellup	0.00	Paul Valley Rd	15.35	Wansbrough West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030014	Journal St	Journal St	Broomehill - Tambellup	0.00	Great Southern Hwy	0.34	Broomehill - Kojonup Rd & Javelin St	
3030034	Keith St	Keith St	Broomehill - Tambellup	0.00	Old Nardlah Rd & Kimberley St	0.22	Tie Line Rd	
3030086	Kimberley St	Kimberley St	Broomehill - Tambellup	0.00	Kimberley St - Start Road	0.46	Tie Line Rd & Complex Driveway	
3030232	Kings Cross Rd	Kings Cross Rd	Broomehill - Tambellup	0.00	Paul Valley Rd	3.60	Nymbup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3030095	Lombardia Rd	Lombardia Rd	Broomehill - Tambellup	0.00	Birt Rd	0.66	Lombardia Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h

Tandem Drive Network 2.1



Broomehill - Tambellup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3030036	Marshall Rd	Marshall Rd	Broomehill - Tambellup	0.00	Tie Line Rd	4.96	Scotchman Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030030	Martinup Rd	Martinup Rd	Broomehill - Tambellup	0.00	Pallinup Rd	0.96	Clear Hills Rd & Martinup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3030104	Martinup Rd	Martinup Rd	Broomehill - Tambellup	0.00	Broomehill Gnowangerup Rd	3.04	Gnowangerup LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Broomehill Gnowangerup Rd : No left turn permitted into Broomehill-Jerramungup Rd from Martinup Rd.
3030100	Mindora Rd	Mindora Rd	Broomehill - Tambellup	0.00	Great Southern Hwy	1.35	Mindora Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h

Tandem Drive Network 2.1



Broomehill - Tambellup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3030083	Moore Rd	Moore Rd	Broomehill - Tambellup	0.00	Holly Siding Rd	0.95	Moore Rd & Parnell Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030096	Morgan Rd	Morgan Rd	Broomehill - Tambellup	0.00	Broomehill - Kojonup Rd	0.37	Chillicup Rd	<ul style="list-style-type: none"> Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3030015	Nardlah Rd	Nardlah Rd	Broomehill - Tambellup	0.00	Broomehill Gnowangerup Rd	5.38	Tie Line Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
3030238	Nazzari Rd	Nazzari Rd	Broomehill - Tambellup	0.00	Gnowangerup - Tambellup Rd	4.63	Nazzari Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3030049	Ngopitchup Rd	Ngopitchup Rd	Broomehill - Tambellup	0.00	Palomar Rd & Flat Rocks Rd & O'Neill Rd	3.32	Warrenup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Broomehill - Tambellup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3030023	Nookanellup Rd	Nookanellup Rd	Broomehill - Tambellup	0.00	Old Broomehill - Kojonup Rd	3.84	Broomehill - Kojonup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030023	Nookanellup Rd	Nookanellup Rd	Broomehill - Tambellup	3.84	Broomehill - Kojonup Rd	8.96	Warrenup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030017	Norrish Rd	Norrish Rd	Broomehill - Tambellup	0.00	Tie Line Rd & Curnow Rd	14.12	Tie Line Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030250	Norrish St	Norrish St	Broomehill - Tambellup	0.00	Norrish St - Start Road	0.43	North Tce	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Broomehill - Tambellup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3030012	North Greenhills Rd	North Greenhills Rd	Broomehill - Tambellup	0.00	Broomehill - Kojonup Rd	8.40	Greenhills Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030024	North Nookanellup Rd	North Nookanellup Rd	Broomehill - Tambellup	0.00	Old Broomehill - Kojonup Rd	5.72	Nookanellup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030277	North Stirling Rd	North Stirling Rd	Broomehill - Tambellup	0.00	Toolbrunup Rd & Stirling Access Rd	2.00	Gnowangerup LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
3030295	North Tce	North Tce	Broomehill - Tambellup	0.16	Norrish St	0.26	Great Southern Hwy & Tambellup West Rd & Garrity St	<ul style="list-style-type: none"> Headlights to be switched on at all times
3030211	North West Rd	North West Rd	Broomehill - Tambellup	0.00	Greenhills South Rd	7.35	Pindellup Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Broomehill - Tambellup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3030206	Nymbup Rd	Nymbup Rd	Broomehill - Tambellup	0.00	Albany Hwy	23.51	Paul Valley Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Bessen Rd : No right turn permitted into Bessen Rd from Nymbup Rd
3030040	O'Neill Rd	O'Neill Rd	Broomehill - Tambellup	0.00	Warrenup Rd	5.33	Ngopitchup Rd & Palomar Rd & Flat Rocks Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030002	Old Broomehill - Kojonup Rd	Old Broomehill - Kojonup Rd	Broomehill - Tambellup	0.00	Broomehill - Kojonup Rd	8.43	Kojonup LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030105	Old Nardlah Rd	Old Nardlah Rd	Broomehill - Tambellup	0.00	Old Nardlah Rd - Start Road	1.11	Keith St & Kimberley St	

Tandem Drive Network 2.1



Broomehill - Tambellup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3030008	Pallinup Rd	Pallinup Rd	Broomehill - Tambellup	0.00	Broomehill Gnowangerup Rd	18.49	Gillespie Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
3030008	Pallinup Rd	Pallinup Rd	Broomehill - Tambellup	18.49	Gillespie Rd	24.47	Gnowangerup LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030208	Pallinup South Rd	Pallinup South Rd	Broomehill - Tambellup	0.00	Toolbrunup Rd	3.44	Anderson Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times
3030208	Pallinup South Rd	Pallinup South Rd	Broomehill - Tambellup	3.44	Anderson Rd	13.32	Gnowangerup - Tambellup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 80 km/h Intersection Gnowangerup - Tambellup Rd : No left turn permitted into Gnowangerup-Tambellup Rd from Pallinup South Rd
3030047	Palomar Rd	Palomar Rd	Broomehill - Tambellup	0.00	Warrenup Rd	5.13	Ngopitchup Rd & Flat Rocks Rd & O'Neill Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Ngopitchup Rd & Flat Rocks Rd & O'Neill Rd : No left turn permitted into Flat Rocks Rd from Palomar Rd. No right turn permitted into Ngopitchup Rd from Palomar Rd.

Tandem Drive Network 2.1



Broomehill - Tambellup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3030203	Paul Valley Rd	Paul Valley Rd	Broomehill - Tambellup	0.00	Tambellup West Rd	25.02	Cranbrook LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Tambellup West Rd : No left turn permitted into Tambellup West Rd from Paul Valley Rd
3030022	Peringillup East Rd	Peringillup East Rd	Broomehill - Tambellup	0.00	Great Southern Hwy	5.64	Pallinup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Great Southern Hwy : No access permitted into Northam Cranbrook Rd from Peringillup East Rd Intersection Eureka Rd : No right turn permitted into Eureka Rd from Peringillup East Rd
3030225	Peter Valley Rd	Peter Valley Rd	Broomehill - Tambellup	0.00	Nymbup Rd	2.81	Paul Valley Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
3030225	Peter Valley Rd	Peter Valley Rd	Broomehill - Tambellup	2.81	Paul Valley Rd	8.85	Cranbrook LGA Boundary	
3030046	Pindellup Rd	Pindellup Rd	Broomehill - Tambellup	0.00	Pindellup South Rd & Tambellup West Rd	12.22	Flat Rocks Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Speed limit on gravel unsealed road is 60 km/h

Tandem Drive Network 2.1



Broomehill - Tambellup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3030055	Poonawariup Rd	Poonawariup Rd	Broomehill - Tambellup	0.00	Greenhills South Rd	7.63	Great Southern Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3030212	Pootenup Rd	Pootenup Rd	Broomehill - Tambellup	0.00	Toolbrunup Rd	17.53	Great Southern Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
3030004	Punchmirup North Rd	Punchmirup North Rd	Broomehill - Tambellup	0.00	Broomehill - Kojonup Rd	9.20	Katanning LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030089	Rae Rd	Rae Rd	Broomehill - Tambellup	0.00	Great Southern Hwy & Holland Trk	3.41	Clinic Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Clinic Rd : No left turn permitted into Clinic Rd from Rae Rd

Tandem Drive Network 2.1



Broomehill - Tambellup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3030087	South Batchelor Rd	South Batchelor Rd	Broomehill - Tambellup	0.00	Tie Line Rd & Batchelor North Rd	2.48	Norrish Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030237	Sprigg Simpson Rd	Sprigg Simpson Rd	Broomehill - Tambellup	0.00	Gnowangerup - Tambellup Rd	3.14	Sprigg Simpson Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030221	Stirling Access Rd	Stirling Access Rd	Broomehill - Tambellup	0.00	Toolbrunup Rd & North Stirling Rd	16.20	Beejenup Rd & Hamilla Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
3030054	Stock Route Rd	Stock Route Rd	Broomehill - Tambellup	0.00	Chilicup Rd	3.52	West Peringillup Rd	<ul style="list-style-type: none"> Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030297	Tambellup West Rd	Tambellup West Rd	Broomehill - Tambellup	0.00	Great Southern Hwy & North Tce & Garrity St	29.45	Kojonup LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Intersection Paul Valley Rd : No right turn permitted into Paul Valley Rd from Tambellup West Rd

Tandem Drive Network 2.1



Broomehill - Tambellup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3030005	Tie Line Rd	Tie Line Rd	Broomehill - Tambellup	0.00	Janus St & Great Southern Hwy	0.77	Kimberley St & Complex Driveway	<ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3030005	Tie Line Rd	Tie Line Rd	Broomehill - Tambellup	0.77	Kimberley St & Complex Driveway	3.81		<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030005	Tie Line Rd	Tie Line Rd	Broomehill - Tambellup	3.81		27.08	Tieline Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030037	Tieline North Rd	Tieline North Rd	Broomehill - Tambellup	0.00	Tie Line Rd	5.08	Gairen Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030205	Toolbrunup Rd	Toolbrunup Rd	Broomehill - Tambellup	0.60	0.6km From Great Southern Hwy	11.16	Burridge Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit

Tandem Drive Network 2.1



Broomehill - Tambellup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3030205	Toolbrunup Rd	Toolbrunup Rd	Broomehill - Tambellup	11.16	Burridge Rd	38.50	Stirling Access Rd & North Stirling Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
3030219	Wansbrough West Rd	Wansbrough West Rd	Broomehill - Tambellup	0.00	Great Southern Hwy	5.64	Watergarrup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Great Southern Hwy : No access permitted into Northam-Cranbrook Rd from Wansbrough West Rd.
3030058	Warrenup Rd	Warrenup Rd	Broomehill - Tambellup	0.00	Albany Hwy	20.27	Nookanellup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030058	Warrenup Rd	Warrenup Rd	Broomehill - Tambellup	20.27	Nookanellup Rd	29.68	Broomehill - Kojonup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Broomehill - Tambellup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3030059	Washington Rd	Washington Rd	Broomehill - Tambellup	1.84	Washington South Rd	2.55	Katanning LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3030060	Washington South Rd	Washington South Rd	Broomehill - Tambellup	0.00	Washington Rd	1.34	Washington South Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3030222	Watergarrup Rd	Watergarrup Rd	Broomehill - Tambellup	0.00	Paul Valley Rd	4.70	Wansbrough West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Broomehill - Tambellup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3030007	West Peringillup Rd	West Peringillup Rd	Broomehill - Tambellup	0.00	Great Southern Hwy	0.97	Stock Route Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030007	West Peringillup Rd	West Peringillup Rd	Broomehill - Tambellup	0.97	Stock Route Rd	14.01	Flat Rocks Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3030216	White Rd	White Rd	Broomehill - Tambellup	0.00	Toolbrunup Rd	9.96	3.19km From Stirling Access Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3030216	White Rd	White Rd	Broomehill - Tambellup	9.96	3.19km From Yetemerup Rd	13.15	Stirling Access Rd & Yetemerup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
3030271	Winkelanup Rd	Winkelanup Rd	Broomehill - Tambellup	0.00	Toolbrunup Rd	1.13	Winkelanup Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Broomehill - Tambellup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3030061	Wray Rd	Wray Rd	Broomehill - Tambellup	0.00	Pallinup Rd	2.86	Wray Rd - End Road	<ul style="list-style-type: none">Headlights to be switched on at all timesNote: Low Volume (LV)Maximum speed 40 km/hWhen travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3030231	Yetemerup Rd	Yetemerup Rd	Broomehill - Tambellup	0.00	White Rd & Stirling Access Rd	1.94	Cranbrook LGA Boundary	<ul style="list-style-type: none">Headlights to be switched on at all timesNo operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Bruce Rock

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4030121	Akesson Rd	Akesson Rd	Bruce Rock	0.00	Bees Rd	2.00	Akesson Rd - End Road	
4030178	Allen Rd	Allen Rd	Bruce Rock	0.00	Bruce Rock South Rd & Foos Rd Slip Rd	5.63	Cumminin Rd	<ul style="list-style-type: none"> Intersection Cumminin Rd : No access permitted into Cumminin Rd from Allen Rd
4030094	Anderson Rd	Anderson Rd	Bruce Rock	0.00	Liebeck Rd	3.54	Yarding North Rd	
4030053	Ardath North West Rd	Ardath North West Rd	Bruce Rock	0.00	Main St	4.29	Eujiny South Rd	
4030054	Ardath South West Rd	Ardath South West Rd	Bruce Rock	0.00	Main St	4.00	Eujiny South Rd	
4030085	Ardath West Rd	Ardath West Rd	Bruce Rock	0.00	Eujiny South Rd	13.36	Carger Rd	
4030027	Babakin - Corrigin Rd	Babakin - Corrigin Rd	Bruce Rock	0.00	Babakin East Rd	5.73	Crombie Rd & Babakin - Corrigin Rd & Hancock Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4030051	Babakin East Rd	Babakin East Rd	Bruce Rock	0.00	Babakin North West Rd & Bees Rd	8.54	Corrigin - Bruce Rock Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4030110	Babakin North Rd	Babakin North Rd	Bruce Rock	0.00	Babakin North West Rd	4.80	Eujiny South Rd & Old Beverley Rd	
4030030	Babakin North West Rd	Babakin North West Rd	Bruce Rock	0.00	Babakin East Rd & Bees Rd	5.00	Old Beverley Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4030007	Babakin South East Rd	Babakin South East Rd	Bruce Rock	0.00	Babakin East Rd	20.38	Naremben Boundary Rd & Hedges West Rd	
4030040	Barr Rd	Barr Rd	Bruce Rock	0.00	Kwolyin South Rd	6.11	Old Beverley Rd	
4030149	Barr St	Barr St	Bruce Rock	0.00	Bruce Rock - Naremben Rd	0.32	Loller St	
4030137	Bath St	Bath St	Bruce Rock	0.00	Johnson St	0.55	Noonajin Rd	
4030113	Beaton Rd	Beaton Rd	Bruce Rock	0.00	Erikin South Rd	2.24	Yarding South Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4030060	Bedell Rd	Bedell Rd	Bruce Rock	0.00	Bruce Rock East Rd	5.20	Wogar West Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Currie Rd : No right turn permitted into Currie Rd from Bedell Rd
4030017	Bees Rd	Bees Rd	Bruce Rock	0.00	Babakin North West Rd & Babakin East Rd	14.38	Shackleton - Bilbarin Rd	

Tandem Drive Network 2.1



Bruce Rock

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4030004	Belka East Rd	Belka East Rd	Bruce Rock	0.00	Belka West Rd & Main Belka Rd	0.13	Korbelka Rd	
4030004	Belka East Rd	Belka East Rd	Bruce Rock	0.13	Korbelka Rd	19.87	Merredin LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Bruce Rock Merredin Rd : No access permitted into Bruce Rock Merredin Rd from Belka East Rd
4030016	Belka South Rd	Belka South Rd	Bruce Rock	0.00	Bruce Rock Merredin Rd	7.75	Belka East Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection McGellin Rd : No left turn permitted into McGellin Rd from Belka South Rd, No right turn permitted into McGellin Rd from Belka South Rd
4030005	Belka West Rd	Belka West Rd	Bruce Rock	0.00	Main Belka Rd & Belka East Rd	10.88	Doodlakine - Bruce Rock Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4030093	Bozanich Rd	Bozanich Rd	Bruce Rock	0.00	Jakovich Rd	1.60	Yarding North Rd	
4030098	Branson Rd	Branson Rd	Bruce Rock	0.00	Babakin South East Rd	2.02	Corrigin LGA Boundary	
4030048	Browns Rd	Browns Rd	Bruce Rock	0.00	Bruce Rock East Rd	14.70	Browns Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4030176	Bruce Rock - Narembreen Rd	Bruce Rock - Narembreen Rd	Bruce Rock	0.00	Johnson St & Noonajin Rd	23.99	Narembreen LGA Boundary	
4030006	Bruce Rock East Rd	Bruce Rock East Rd	Bruce Rock	0.00	Osborne St & Osborne St (One Way South Bnd)	9.62	Bedell Rd	<ul style="list-style-type: none"> Intersection Osborne St & Osborne St (One Way South Bnd) : No right turn permitted into York Merredin Road from Bruce Rock East Road

Tandem Drive Network 2.1



Bruce Rock

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4030006	Bruce Rock East Rd	Bruce Rock East Rd	Bruce Rock	9.62	Bedell Rd	18.70	Narembeen LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4030003	Bruce Rock South Rd	Bruce Rock South Rd	Bruce Rock	0.00	Negril Rd & Bruce Rock - Narembeen Rd	20.73	Old Beverley Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4030133	Bruce St	Bruce St	Bruce Rock	0.00	Johnson St	0.55	Noonajin Rd	
4030066	Buller Rd	Buller Rd	Bruce Rock	0.00	Bruce Rock Quairading Rd	5.40	Doodlakine - Bruce Rock Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Bruce Rock Quairading Rd : No right turn permitted into Bruce Rock Quairading Rd from Buller Rd

Tandem Drive Network 2.1



Bruce Rock

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4030062	Butler Boundary Rd	Butler Boundary Rd	Bruce Rock	0.00	Cramphorne Rd	5.69	Narembeen LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4030061	Butler Rd	Butler Rd	Bruce Rock	0.00	Bruce Rock East Rd	4.10	Fuchsbichler Rd	
4030086	Carger Rd	Carger Rd	Bruce Rock	0.00	Trehernes Rd	7.52	Erikin South Rd & Vans Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Trehernes Rd : No left turn permitted into Trehernes Rd from Carger Rd
4030106	Cemetery Rd	Cemetery Rd	Bruce Rock	0.00	Bruce Rock East Rd	2.40	Bruce Rock Merredin Rd	
4030097	Chapman Rd	Chapman Rd	Bruce Rock	0.00	Eujinyin South Rd	3.75	Chapman Rd - End Road	
4030123	Clark Rd	Clark Rd	Bruce Rock	0.00	Narembeen Boundary Rd	1.70	Clark Rd - End Road	
4030125	Coakley Rd	Coakley Rd	Bruce Rock	0.00	Bruce Rock Quairading Rd	1.30	Coakley Rd - End Road	
4030043	Cole Rd	Cole Rd	Bruce Rock	0.00	Wogarl West Rd	7.02	Bruce Rock - Narembeen Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Bruce Rock - Narembeen Rd : No left turn permitted into Cole Rd from Bruce Rock Narembeen Rd. No right turn permitted into Bruce Rock Narembeen Rd from Cole Rd.
4030107	Coles Boundary Rd	Coles Boundary Rd	Bruce Rock	0.00	Bruce Rock - Narembeen Rd	2.58	Roach Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Bruce Rock

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4030083	Cook Rd	Cook Rd	Bruce Rock	0.00	Shepherd Rd	4.62	Kwolyin South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Shepherd Rd : No left turn permitted into Shepherd Rd from Cook Rd.
4030080	Copestakes Rd	Copestakes Rd	Bruce Rock	0.00	Old Beverley Rd	11.38	Corrigin LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Old Beverley Rd : No left turn permitted into Old Beverley Rd from Copestakes Rd. Intersection Williams Rd : No left turn permitted into Williams Rd from Copestakes Rd.
4030174	Corrigin - Bruce Rock Rd	Corrigin - Bruce Rock Rd	Bruce Rock	0.00	Corrigin LGA Boundary	39.29	Buller Link Rd & Bruce Rock Quairading Rd	

Tandem Drive Network 2.1



Bruce Rock

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4030116	Cosgrove Rd	Cosgrove Rd	Bruce Rock	0.00	Kwolyin South Rd	2.03	Cosgrove Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4030011	Cramphorne Rd	Cramphorne Rd	Bruce Rock	0.00	Bruce Rock Merredin Rd	17.98	Narembreen LGA Boundary	
4030103	Crombie Rd	Crombie Rd	Bruce Rock	0.00	Babakin - Corrigin Rd & Hancock Rd	5.80	Shackleton - Bilbarin Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4030087	Crooks Rd	Crooks Rd	Bruce Rock	0.00	Babakin North West Rd	3.14	Old Beverley Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h
4030092	Cukela Rd	Cukela Rd	Bruce Rock	0.00	Jakovich Rd	2.30	Yarding North Rd	
4030045	Cumminin Rd	Cumminin Rd	Bruce Rock	0.00	Bruce Rock - Narembreen Rd	11.50	Narembreen LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Allen Rd : No access permitted into Allen Rd from Cumminin Rd
4030059	Currie Rd	Currie Rd	Bruce Rock	0.00	Bruce Rock East Rd	7.56	Bedell Rd	<ul style="list-style-type: none"> Intersection Bedell Rd : No left turn permitted into Bedell Rd from Currie Rd
4030138	Dampier St	Dampier St	Bruce Rock	0.73	Swan St	1.07	Noonajin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Empty Travel Only Intersection Swan St : No left turn permitted into York Merredin from Dampier St
4030079	Darling Rd	Darling Rd	Bruce Rock	0.00	Bruce Rock Quairading Rd & Ingham Rd	4.10	Darling Rd - End Road	
4030063	Depot Rd	Depot Rd	Bruce Rock	0.00	Bruce Rock - Narembreen Rd	3.11	Lewtas Rd	
4030173	Doodlakine - Bruce Rock Rd	Doodlakine - Bruce Rock Rd	Bruce Rock	0.00	Merredin LGA Boundary	23.51	Mitchell St & Dunstal St & Noonajin Rd	

Tandem Drive Network 2.1



Bruce Rock

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4030177	Dunstal St	Dunstal St	Bruce Rock	0.00	Mitchell St & Doodlakine - Bruce Rock Rd & Noonajin Rd	0.54	Osborne St & Johnson St	
4030046	Elliott Rd	Elliott Rd	Bruce Rock	0.00	Bruce Rock South Rd	6.20	Cumminin Rd	
4030038	Erikin North Rd	Erikin North Rd	Bruce Rock	0.00	Erikin South Rd & Erikin West Rd	1.77	Bruce Rock Quairading Rd	
4030038	Erikin North Rd	Erikin North Rd	Bruce Rock	1.85	Bruce Rock Quairading Rd	6.76	Zis Rd	
4030029	Erikin South Rd	Erikin South Rd	Bruce Rock	0.00	Erikin North Rd & Erikin West Rd	7.18	Strachan Rd	
4030029	Erikin South Rd	Erikin South Rd	Bruce Rock	7.18	Strachan Rd	12.77	Carger Rd & Vans Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4030105	Erikin West Rd	Erikin West Rd	Bruce Rock	0.00	Erikin North Rd & Erikin South Rd	2.45	Bruce Rock Quairading Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4030019	Eujiny North Rd	Eujiny North Rd	Bruce Rock	0.00	Sippe Rd	14.80	Doodlakine - Bruce Rock Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4030162	Eujiny Rd	Eujiny Rd	Bruce Rock	0.00	Bruce Rock Quairading Rd	3.26	Sippe Rd	
4030035	Eujiny South Rd	Eujiny South Rd	Bruce Rock	0.00	Bruce Rock Quairading Rd	11.76	Yarding - Ardath Rd	
4030035	Eujiny South Rd	Eujiny South Rd	Bruce Rock	11.76	Yarding - Ardath Rd	23.36	Babakin North Rd & Old Beverley Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4030041	Foales Rd	Foales Rd	Bruce Rock	0.00	Shackleton - Bilbarin Rd	8.00	Vans Rd	
4030022	Foss Rd	Foss Rd	Bruce Rock	0.00	Corrigin - Bruce Rock Rd	7.27	Bruce Rock South Rd	
4030104	Frost Rd	Frost Rd	Bruce Rock	0.00	Kwoiyin West Rd	2.60	Frost Rd - End Road	

Tandem Drive Network 2.1



Bruce Rock

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4030033	Fuchsbichler Rd	Fuchsbichler Rd	Bruce Rock	0.00	Bruce Rock Merredin Rd	19.14	Butler Boundary Rd	
4030095	Garbin Rd	Garbin Rd	Bruce Rock	0.00	Yarding North Rd	3.90	Jakovich Rd	
4030025	Gmeiner Rd	Gmeiner Rd	Bruce Rock	0.00	Kwolyin South Rd	7.74	Hughes Rd	
4030117	Gooleys Lake Rd	Gooleys Lake Rd	Bruce Rock	0.00	Foales Rd	2.30	Gooley Lake Rd - End Road	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4030076	Groves Rd	Groves Rd	Bruce Rock	0.00	Shepherd Rd	6.42	Hughes Rd	
4030077	Hadlow Rd	Hadlow Rd	Bruce Rock	0.00	Kwolyin West Rd	5.70	Pantapin North Rd	
4030102	Hancock Rd	Hancock Rd	Bruce Rock	0.00	Babakin South East Rd	5.88	Crombie Rd & Babakin - Corrigin Rd	
4030108	Harling Rd	Harling Rd	Bruce Rock	0.00	Hines Hill Rd	5.95	Harling Rd - End Road	
4030056	Hay Rd	Hay Rd	Bruce Rock	0.00	Healey Rd	2.74	Hayes Rd	
4030047	Healey Rd	Healey Rd	Bruce Rock	0.00	Corrigin - Bruce Rock Rd	14.05	Cheethams Rd & Naremben Boundary Rd	
4030015	Hines Hill Rd	Hines Hill Rd	Bruce Rock	0.00	Bruce Rock Merredin Rd	15.13	Merredin LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Bruce Rock Merredin Rd : No left turn permitted into Bruce Rock Merredin Rd from Hines Hill Rd. No right turn permitted into Hines Hill Rd from Bruce Rock Merredin Rd
4030072	Hortin Rd	Hortin Rd	Bruce Rock	0.00	Kwolyin East Rd	8.36	Langdon Rd	
4030075	Hughes Rd	Hughes Rd	Bruce Rock	0.00	Bruce Rock Quairading Rd	13.19	Quairading LGA Boundary	
4030090	Ingham Rd	Ingham Rd	Bruce Rock	0.00	Bruce Rock Quairading Rd & Darling Rd	2.25	Ingham Rd - End Road	
4030101	Jacobs North Rd	Jacobs North Rd	Bruce Rock	0.00	Bees Rd	1.02	Jacobs North Rd - End Road	
4030165	Jacobs Rd	Jacobs Rd	Bruce Rock	0.00	Bees Rd	4.51	Crombie Rd	
4030037	Jakovich Rd	Jakovich Rd	Bruce Rock	0.00	Bruce Rock Quairading Rd	10.00	Yerapin Boundary Rd	
4030127	Jermyn Rd	Jermyn Rd	Bruce Rock	0.00	Bruce Rock Quairading Rd	0.71	Kellerberrin - Shackleton Rd	

Tandem Drive Network 2.1



Bruce Rock

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4030175	Johnson St	Johnson St	Bruce Rock	0.00	Swan St & Johnson St & Latham St	0.65	Bruce Rock - Narembreen Rd & Noonajin Rd	
4030052	Jones Rd	Jones Rd	Bruce Rock	0.00	Old Beverley Rd	4.75	Yarding South Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4030034	Jura West Rd	Jura West Rd	Bruce Rock	0.00	Bruce Rock Merredin Rd	14.80	Eujinyn North Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4030002	Kellerberrin - Shackleton Rd	Kellerberrin - Shackleton Rd	Bruce Rock	0.00	Shackleton - Bilbarin Rd & Bruce Rock Quairading Rd	14.00	McDonnell Rd & Kellerberrin - Shackleton Rd	
4030071	Kennedy Rd	Kennedy Rd	Bruce Rock	0.00	Kellerberrin - Shackleton Rd	4.84	Langdon Rd	
4030078	Kokerbin Hill Rd	Kokerbin Hill Rd	Bruce Rock	0.00	Kwolyin West Rd	5.00	Ogrady Rd	
4030164	Korbelka Rd	Korbelka Rd	Bruce Rock	0.00	Belka East Rd	2.43	Merredin LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4030018	Kwolyin East Rd	Kwolyin East Rd	Bruce Rock	0.00	Bruce Rock Quairading Rd	13.86	McDonnell Rd & Kwolyin East Rd	
4030009	Kwolyin South Rd	Kwolyin South Rd	Bruce Rock	0.00	Bruce Rock Quairading Rd	18.72	Shackleton - Bilbarin Rd	
4030010	Kwolyin West Rd	Kwolyin West Rd	Bruce Rock	0.00	Kwolyin Town Rd	15.52	Kwolyin West Rd.	
4030114	Lake Rd	Lake Rd	Bruce Rock	0.00	Corrigin - Bruce Rock Rd	2.60	Shields Rd	

Tandem Drive Network 2.1



Bruce Rock

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4030039	Langdon Rd	Langdon Rd	Bruce Rock	0.00	Bruce Rock Quairading Rd	9.87	Yerapin Boundary Rd & Langdon Rd	
4030143	Latham St	Latham St	Bruce Rock	0.00	Swan St & Johnson St	0.43	Lethlean St	
4030024	Lawrie Rd	Lawrie Rd	Bruce Rock	0.00	Bruce Rock South Rd	5.97	Cumminin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
4030141	Lethlean St	Lethlean St	Bruce Rock	0.00	Bruce Rock East Rd	1.21	Loller St	
4030065	Lewtas Rd	Lewtas Rd	Bruce Rock	0.00	Bruce Rock South Rd	4.90	Lewtas Rd - End Road	
4030020	Liebeck Rd	Liebeck Rd	Bruce Rock	0.00	Bruce Rock Quairading Rd	15.51	Liebeck Rd - End Road	
4030148	Loller St	Loller St	Bruce Rock	0.00	Lethlean St	0.27	Barr St	
4030109	Lutley Rd	Lutley Rd	Bruce Rock	0.00	Babakin East Rd	2.14	Lutley Rd - End Road	
4030130	Main Belka Rd	Main Belka Rd	Bruce Rock	0.00	Belka West Rd & Belka East Rd	0.70	Belka South Rd	
4030129	Main St	Main St	Bruce Rock	0.62	Ardath North West Rd	2.28	Corrigin - Bruce Rock Rd	
4030112	Marshall Rd	Marshall Rd	Bruce Rock	0.00	Babakin South East Rd	1.70	Marshall Rd - End Road	
4030069	Massam Rd	Massam Rd	Bruce Rock	0.00	Liebeck Rd	5.40	Yarding North Rd	
4030067	McCarthy Rd	McCarthy Rd	Bruce Rock	0.00	Doodlakine - Bruce Rock Rd	8.20	Liebeck Rd	
4030119	McDonald Rd	McDonald Rd	Bruce Rock	0.00	Old Beverley Rd	1.77	McDonald Rd - End Road	
4030049	McGellin Rd	McGellin Rd	Bruce Rock	0.00	Doodlakine - Bruce Rock Rd	9.92	Belka South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Belka South Rd : No Right turn permitted from McGellin Rd into Belka South Rd, No Left turn permitted from McGellin Rd into Belka South Rd
4030128	Mills - Hammond St	Mills - Hammond St	Bruce Rock	0.00	Jermyn Rd	0.56	Kellerberrin - Shackleton Rd	
4030154	Mitchell St	Mitchell St	Bruce Rock	0.00	Dunstal St & Doodlakine - Bruce Rock Rd & Noonajin Rd	0.40	Collier St	
4030012	Muntadgin Rd	Muntadgin Rd	Bruce Rock	0.00	Bruce Rock Merredin Rd	16.09	Merredin LGA Boundary	
4030166	Muntz Rd	Muntz Rd	Bruce Rock	0.00	Corrigin - Bruce Rock Rd	2.03	Veitch Rd	
4030026	Narembreen Boundary Rd	Narembreen Boundary Rd	Bruce Rock	0.00	Old Beverley Rd	8.65	Babakin South East Rd & Hedges West Rd & Narembreen Boundary Rd	
4030100	Negris Rd	Negris Rd	Bruce Rock	0.00	Bruce Rock East Rd	3.97	Bruce Rock South Rd & Bruce Rock - Narembreen Rd	
4030134	Noonajin Rd	Noonajin Rd	Bruce Rock	0.00	Mitchell St & Dunstal St & Doodlakine - Bruce Rock Rd	0.75	Swan St & Bruce Rock Quairading Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4030134	Noonajin Rd	Noonajin Rd	Bruce Rock	0.77	Bruce Rock Quairading Rd	1.57	Johnson St & Bruce Rock - Narembreen Rd	
4030135	Noonajin St	Noonajin St	Bruce Rock	0.00	Bruce St	0.18	Bath St	

Tandem Drive Network 2.1



Bruce Rock

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4030074	Ogrady Rd	Ogrady Rd	Bruce Rock	0.00	Stones Rd & Kwolyin West Rd	3.91	Pantapin North Rd & Munyard Rd	
4030050	Old Beverley Rd	Old Beverley Rd	Bruce Rock	0.00	Old Beverley East Rd	12.23	Barr Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4030050	Old Beverley Rd	Old Beverley Rd	Bruce Rock	12.23	Barr Rd	49.57	Narembeen Boundary Rd	
4030044	Perkins Rd	Perkins Rd	Bruce Rock	0.00	Cramphorne Rd	11.75	Merredin LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4030058	Powell Rd	Powell Rd	Bruce Rock	0.00	Bruce Rock South Rd	5.67	Cumminin Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4030118	Quarry Rd	Quarry Rd	Bruce Rock	0.00	Bruce Rock Merredin Rd	2.80	Quarry Rd - End Road	
4030169	Railway Dam Rd	Railway Dam Rd	Bruce Rock	0.00	Bruce Rock East Rd	1.60	Railway Dam Rd - End Road	
4030140	Railway Pde	Railway Pde	Bruce Rock	0.00	Bruce Rock East Rd	0.76	Latham St	
4030157	Richards Rd	Richards Rd	Bruce Rock	0.00	Kwolyin West Rd	1.41	Bruce Rock Quairading Rd	
4030055	Robinson Rd	Robinson Rd	Bruce Rock	0.00	Corrigin - Bruce Rock Rd	3.17	Babakin East Rd	
4030089	Roy Rd	Roy Rd	Bruce Rock	0.00	Shackleton - Bilbarin Rd	1.95	Roy Rd - End Road	
4030057	Rutherfords Rd	Rutherfords Rd	Bruce Rock	0.00	Cumminin Rd	2.71	Rutherford Rd - End Road	
4030168	Sandalwood Rd	Sandalwood Rd	Bruce Rock	0.00	Bruce Rock East Rd	0.69	Sandalwood Rd - End Road	
4030064	Sedgwick Rd	Sedgwick Rd	Bruce Rock	0.00	Bruce Rock South Rd	2.30	Wogarl West Rd & Bruce Rock - Narembeen Rd	
4030001	Shackleton - Bilbarin Rd	Shackleton - Bilbarin Rd	Bruce Rock	0.00	Bruce Rock Quairading Rd & Kellerberrin - Shackleton Rd	12.03	Kwolyin South Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4030001	Shackleton - Bilbarin Rd	Shackleton - Bilbarin Rd	Bruce Rock	12.03	Kwolyin South Rd	20.03	Old Beverley Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4030001	Shackleton - Bilbarin Rd	Shackleton - Bilbarin Rd	Bruce Rock	20.03	Old Beverley Rd	32.44	Crombie Rd & Shackleton - Bilbarin Rd	
4030008	Shepherd Rd	Shepherd Rd	Bruce Rock	0.00	Bruce Rock Quairading Rd	15.46	Old Beverley Rd	<ul style="list-style-type: none"> Intersection Cook Rd : No Right Turn Permitted Into Cook Road from Shepherd Road

Tandem Drive Network 2.1



Bruce Rock

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4030111	Sherlock Rd	Sherlock Rd	Bruce Rock	0.00	Healey Rd	2.20	Sherlock Rd - End Road	
4030099	Shields Rd	Shields Rd	Bruce Rock	0.00	Yalbarrin Rd	8.20	Bruce Rock South Rd	
4030021	Sippe Rd	Sippe Rd	Bruce Rock	0.00	Doodlakine - Bruce Rock Rd	13.03	Liebeck Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4030096	Smith Rd	Smith Rd	Bruce Rock	0.00	Yarding South Rd	3.61	Yarding - Ardath Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4030120	Sorensons Rd	Sorensons Rd	Bruce Rock	0.00	Shackleton - Bilbarin Rd	2.60	Sorensons Rd - End Road	
4030073	Stones Rd	Stones Rd	Bruce Rock	0.00	Kwolyin East Rd	6.17	Kwolyin West Rd & Ogrady Rd	
4030088	Strachan Rd	Strachan Rd	Bruce Rock	0.00	Erikin South Rd	2.25	Yarding South Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4030170	Strange St	Strange St	Bruce Rock	0.00	Dampier St	0.13	Strange St - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Empty Travel Only
4030131	Strangers Rd	Strangers Rd	Bruce Rock	0.00	Yarding - Ardath Rd	1.51	Yad Yaddin Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4030161	Teasdale Rd	Teasdale Rd	Bruce Rock	0.00	Collier St	0.35	Teasdale Rd - End Road	
4030115	Tippett Rd	Tippett Rd	Bruce Rock	0.00	Shackleton - Bilbarin Rd	1.25	Tippett Rd - End Road	
4030163	Totadgin Rd	Totadgin Rd	Bruce Rock	0.00	Totadgin Hall Rd	25.11	Wogarl West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4030031	Trehernes Rd	Trehernes Rd	Bruce Rock	0.00	Shackleton - Bilbarin Rd	10.71	Old Beverley Rd	<ul style="list-style-type: none"> Intersection Carger Rd : No right turn permitted into Carger Rd from Trehernes Rd
4030084	Vans Rd	Vans Rd	Bruce Rock	0.00	Shackleton - Bilbarin Rd	7.08	Erikin South Rd & Carger Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4030023	Veitch Rd	Veitch Rd	Bruce Rock	0.00	Corrigin - Bruce Rock Rd & Yarding - Ardath Rd	7.58	Bruce Rock South Rd	
4030156	Venemore St	Venemore St	Bruce Rock	0.00	Jermyn Rd	0.18	Mills - Hammond St	
4030068	Whitehead Rd	Whitehead Rd	Bruce Rock	0.00	Doodlakine - Bruce Rock Rd	5.01	Hines Hill Rd	
4030082	Williams Rd	Williams Rd	Bruce Rock	0.00	Copestakes Rd	5.90	Corrigin LGA Boundary	<ul style="list-style-type: none"> Intersection Copestakes Rd : No Right Turn Permitted Into Copestakes Road from Williams Road
4030013	Wogarl West Rd	Wogarl West Rd	Bruce Rock	0.00	Sedgwick Rd & Bruce Rock - Narembreen Rd	11.37	Narembreen LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Bruce Rock

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4030042	Yad Yaddin Rd	Yad Yaddin Rd	Bruce Rock	0.00	Bruce Rock Quairading Rd	9.82	Yarding - Ardath Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4030032	Yalbarrin Rd	Yalbarrin Rd	Bruce Rock	0.00	Corrigin - Bruce Rock Rd	7.37	Bruce Rock South Rd	
4030014	Yarding - Ardath Rd	Yarding - Ardath Rd	Bruce Rock	0.00	Yarding North Rd & Yarding Siding Access Rd	16.07	Corrigin - Bruce Rock Rd & Veitch Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4030036	Yarding North Rd	Yarding North Rd	Bruce Rock	0.00	Yarding - Ardath Rd & Yarding Siding Access Rd	11.52	Yerapin Boundary Rd	
4030028	Yarding South Rd	Yarding South Rd	Bruce Rock	0.00	Yarding - Ardath Rd	19.12	Old Beverley Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4030160	Yelland Rd	Yelland Rd	Bruce Rock	0.00	Butcher St	0.12	Yelland Rd - End Road	
4030091	Yerapin Boundary Rd	Yerapin Boundary Rd	Bruce Rock	0.00	Yerapin Boundary Rd & Jakovich Rd	3.62	Langdon Rd	
4030070	Zis Rd	Zis Rd	Bruce Rock	0.00	Zis Rd - Start Road	6.80	Langdon Rd	
4030070	Zis Rd	Zis Rd	Bruce Rock	6.88	Langdon Rd	10.49	Jakovich Rd	
403Z002	Buller Link Rd	Buller Link Rd	Bruce Rock	0.00	Corrigin - Bruce Rock Rd & Bruce Rock Quairading Rd	0.34	Buller Rd	<ul style="list-style-type: none"> Maximum speed 70 km/h Intersection Corrigin - Bruce Rock Rd & Bruce Rock Quairading Rd : No right turn permitted into York Merredin Rd from Buller Link Rd.
403Z003	Osborne St (One Way South Bnd)	Osborne St (One Way South Bnd)	Bruce Rock	0.00	Osborne St & Bruce Rock East Rd	0.10	Johnson St	

Tandem Drive Network 2.1



Bunbury (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2040547	Allnut Ct	Allnut Ct	Bunbury (C)	0.00	Palmer Cr	0.37	Allnut Ct - End Road	
2040305	Bank St	Bank St	Bunbury (C)	0.00	South Western Hwy	0.12	The Avenue	
2040573	Beddingfield St	Beddingfield St	Bunbury (C)	0.00	Dodson Rd	0.43	Beddingfield St - End Road	
2040282	Bovell St	Bovell St	Bunbury (C)	0.00	Robertson Dr	0.13	Richter Rd	
2040217	Brittain Rd	Brittain Rd	Bunbury (C)	2.06	Richter Rd & Palmer Cr	2.34	Robertson Dr & South Western Hwy	
2040575	Burnell St	Burnell St	Bunbury (C)	0.06	The Avenue	0.14	Burnell St - End Road	
2040771	Campbell Wy	Campbell Wy	Bunbury (C)	0.00	Smokebush Dr	0.20	Wallis Rd	
2040653	Casuarina Dr	Casuarina Dr	Bunbury (C)	0.00	Clifton St & Blair St & Koombana Dr	1.41	Casuarina Dr	
2040321	Centenary Rd	Centenary Rd	Bunbury (C)	0.00	South Western Hwy	0.12	0.12km From South Western Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2040374	Clements St	Clements St	Bunbury (C)	0.00	Halifax Dr	0.06	0.06km From Halifax Dr	<ul style="list-style-type: none"> Intersection Halifax Dr : No left turn permitted into Halifax Dr from Clements St
2040662	Clifford St	Clifford St	Bunbury (C)	0.00	Gibbons Rd	0.81	Halifax Dr	
2040369	Dodson Rd	Dodson Rd	Bunbury (C)	0.00	South Western Hwy	1.01	South Western Hwy	
2040587	Dryandra Ct	Dryandra Ct	Bunbury (C)	0.00	Wimbridge Rd	0.33	Dryandra Ct - End Road	
2040169	Estuary Dr	Estuary Dr	Bunbury (C)	0.00	Koombana Dr	0.26	Leschenault Dr Rty	
2040169	Estuary Dr	Estuary Dr	Bunbury (C)	0.98	Estuary Dr Rty	3.47	Old Coast Rd & Hamilton Rd	
2040663	Gibbons Rd	Gibbons Rd	Bunbury (C)	0.00	McCombe Rd	0.57	Shanahan Rd	
2040706	Grant Smith Ent	Grant Smith Ent	Bunbury (C)	0.00	South Western Hwy	0.10	McCombe Rd	
2040372	Halifax Dr	Halifax Dr	Bunbury (C)	0.00	South Western Hwy	2.37	South Western Hwy	<ul style="list-style-type: none"> Intersection Clements St : No left turn permitted into Clements St from Halifax Dr
2040431	Harris Rd	Harris Rd	Bunbury (C)	0.00	Dardanup LGA Boundary	1.39	Boyanup Picton Rd	
2040780	Henson St	Henson St	Bunbury (C)	0.00	Gibbons Rd	0.46	Shanahan Rd	
2040603	Inner Harbour Access	Inner Harbour Access	Bunbury (C)	0.00	Leschenault Dr	0.40	Inner Harbour Access - End Road	
2040676	Jordan Wy	Jordan Wy	Bunbury (C)	0.00	McCombe Rd	0.15	Clifford St	
2040793	Juniper Wy	Juniper Wy	Bunbury (C)	0.00	Halifax Dr	0.22	Munro Loop	
2040031	Koombana Dr	Koombana Dr	Bunbury (C)	0.00	Eelup Rty	3.36	Clifton St & Blair St & Casuarina Dr	
2040376	Leschenault Dr	Leschenault Dr	Bunbury (C)	0.00	Leschenault Dr Rty	1.10	From Inner Harbour Access to Bunbury Fibre Exports Access	
2040574	Major St	Major St	Bunbury (C)	0.00	Beddingfield St	0.30	Smokebush Dr	
2040781	Marchant St	Marchant St	Bunbury (C)	0.00	Henson St	0.26	Gibbons Rd	
2040790	Mason St	Mason St	Bunbury (C)	0.00	Shanahan Rd	0.23	Halifax Dr	
2040598	Maxted St	Maxted St	Bunbury (C)	0.00	Shanahan Rd	0.22	Halifax Dr	
2040373	McCombe Rd	McCombe Rd	Bunbury (C)	0.00	Halifax Dr	1.49	Halifax Dr	

Tandem Drive Network 2.1



Bunbury (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2040478	Monkhouse St	Monkhouse St	Bunbury (C)	0.00	Halifax Dr	0.31	Gibbons Rd	
2040791	Munro Loop	Munro Loop	Bunbury (C)	0.00	Halifax Dr	0.36	Munro Loop - End Road	
2040809	O'Connor Ent	O'Connor Ent	Bunbury (C)	0.00	South Western Hwy	0.20	O'Connor Ent - End Road	
2040539	Old Coast Rd	Old Coast Rd	Bunbury (C)	0.00	Leschenault Dr	0.17	Old Coast Rd - End Road	
2040651	Old Coast Rd	Old Coast Rd	Bunbury (C)	0.00	Harvey LGA Boundary	2.02	Forrest Hwy & Old Coast Rd Acceleration Lane	
2040312	Olive Ct	Olive Ct	Bunbury (C)	0.00	Dodson Rd	0.15	For 150m From Dodson Rd	
2040524	Palmer Cr	Palmer Cr	Bunbury (C)	0.00	Brittain Rd & Richter Rd	0.52	Palmer Cr - End Road	
2040481	Pennant Rd	Pennant Rd	Bunbury (C)	0.00	Sandridge Rd	0.34	Strickland St	
2040303	Poat St	Poat St	Bunbury (C)	0.00	South Western Hwy	0.19	Yookson Rd	
2040444	Rawling Rd	Rawling Rd	Bunbury (C)	0.00	South Western Hwy	0.30	Rawling Rd - End Road	
2040283	Richter Rd	Richter Rd	Bunbury (C)	0.00	Brittain Rd & Palmer Cr	0.61	Richter Rd - End Road	
2040307	Rossiter St	Rossiter St	Bunbury (C)	0.00	South Western Hwy	0.11	Rossiter St - End Road	
2040356	Sandridge Rd	Sandridge Rd	Bunbury (C)	1.15	Pennant Rd	1.85	Eelup Rty	
2040597	Shanahan Rd	Shanahan Rd	Bunbury (C)	0.00	Halifax Dr	0.70	Clifford St	
2040754	Sherlock Wy	Sherlock Wy	Bunbury (C)	0.00	McCombe Rd	0.24	Clifford St	
2040770	Smokebush Dr	Smokebush Dr	Bunbury (C)	0.00	Dodson Rd	0.31	Smokebush Dr - End of Road	
2040755	Stokes Wy	Stokes Wy	Bunbury (C)	0.00	Sherlock Wy	0.14	Stokes Wy - End of Construction	
2040009	Strickland St	Strickland St	Bunbury (C)	1.08	Pennant Rd	1.77	Preston St	<ul style="list-style-type: none"> Access permitted into Bunbury Forum loading docks only
2040740	Sutherland Wy	Sutherland Wy	Bunbury (C)	0.00	Giorgi Rd	0.77	Wetherly Dr	
2040311	The Avenue	The Avenue	Bunbury (C)	0.00	Burnell St	0.21	Rossiter St	
2040020	Vittoria Rd	Vittoria Rd	Bunbury (C)	0.00	Forrest Hwy	0.10	0.1km From Forrest Hwy	
2040772	Wallis Rd	Wallis Rd	Bunbury (C)	0.00	Smokebush Dr	0.28	Wallis Rd - End of Road	
2040670	Wetherly Dr	Wetherly Dr	Bunbury (C)	0.00	Giorgi Rd	0.35	Sutherland Wy	
2040247	Wimbridge Rd	Wimbridge Rd	Bunbury (C)	0.00	South Western Hwy	0.80	For 0.8km From South Western Hwy	
2040827	Winsor St	Winsor St	Bunbury (C)	0.00	Wimbridge Rd	0.11	Willinge Dr	
2040792	Worcestor Bend	Worcestor Bend	Bunbury (C)	0.00	Halifax Dr	0.60	Worcestor Bend - End Road	
2040302	Yookson Rd	Yookson Rd	Bunbury (C)	0.00	Burnell St	0.67	O'Connor Ent	
204Z006	Casuarina Dr (Bunbury Port Authority)	Casuarina Dr	Bunbury (C)	0.00	Casuarina Dr	0.46	Casuarina Dr - End Road	

Tandem Drive Network 2.1



Busselton (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2050025	Acton Park Rd	Acton Park Rd	Busselton (C)	0.00	Vasse Hwy	9.52	Jalbarragup Rd	<ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Curfew applies on schools days only.
2050059	Acton Park South Rd	Acton Park South Rd	Busselton (C)	0.00	Acton Park Rd	3.27	Acton Park South Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2050023	Ambergate Rd	Ambergate Rd	Busselton (C)	0.00	Chapman Hill Rd	2.53	Queen Elizabeth Av	
2050023	Ambergate Rd	Ambergate Rd	Busselton (C)	2.55	Queen Elizabeth Av	7.43	Boallia Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2050063	Armstrong Rd	Armstrong Rd	Busselton (C)	0.00	Yoganup Pl & Tutunup Rd	2.25	Armstrong Rd - Db Start	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2050076	Banksia Rd	Banksia Rd	Busselton (C)	0.00	Williamson Rd	1.41	Banksia Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Trucks Entering' signs to be erected on all approaches at Ludlow Hithergreen Rd intersection and removed when not in use.
2050252	Barlee St	Barlee St	Busselton (C)	0.00	Strelly St	0.52	Frederick St & West St	

Tandem Drive Network 2.1



Busselton (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2050181	Bell Dr	Bell Dr	Busselton (C)	0.00	Bussell Hwy	0.56	Broadwater Bvd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h
2050040	Biddle Rd	Biddle Rd	Busselton (C)	0.00	Commonage Rd	4.41	Caves Rd	
2050033	Boallia Rd	Boallia Rd	Busselton (C)	5.55	0.93km Before Ambergate Rd	10.25	Rendezvous Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2051104	Bussell Hwy	Bussell Hwy	Busselton (C)	5.37	Bell Dr	7.71	Monaghans Rty	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2051064	Cable Sands Rd	Cable Sands Rd	Busselton (C)	0.00	Bussell Hwy	0.45	Cable Sands Rd - End Road	
2050776	Cape Naturaliste Rd	Cape Naturaliste Rd	Busselton (C)	0.00	Caves Rd	0.16	Dunn Bay Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2051103	Causeway Rd	Causeway Rd	Busselton (C)	0.00	Causeway Rd Rty	0.48	Molloy St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2050019	Chain Av	Chain Av	Busselton (C)	0.00	Wildwood Rd	5.94	Caves Rd	<ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Curfew applies on school days only.
2050003	Chapman Hill Rd	Chapman Hill Rd	Busselton (C)	0.00	Strelly St Rty	18.59	Hopkins Rd & Chapman Hill East Rd	<ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Curfew applies on school days only.
2050041	Commonage Rd	Commonage Rd	Busselton (C)	0.66	0.66km From Wildwood Rd	9.56	Commonage Rd Rty	<ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Curfew applies on school days only.
2050476	Cook St	Cook St	Busselton (C)	0.00	Fairlawn Rd	1.32	Strelly St	<ul style="list-style-type: none"> Intersection Neville St : No left turn permitted into Neville St from Cook St
2051035	Cook St Link	Cook St Link	Busselton (C)	0.00	Cook St	0.06	Busselton Bypa	

Tandem Drive Network 2.1



Busselton (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2050111	Coolilup Rd	Coolilup Rd	Busselton (C)	0.00	Williams Rd & Downs Rd	1.32	Coolilup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2050031	Downs Rd	Downs Rd	Busselton (C)	1.00	Glendon Rd	2.12	Williams Rd & Coolilup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2050036	Dunn Bay Rd	Dunn Bay Rd	Busselton (C)	0.00	Cape Naturaliste Rd	0.05	For 0.05km From Cape Naturaliste Road to Shell Service Station Entrance	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2050055	Evans Rd	Evans Rd	Busselton (C)	0.00	Chapman Hill Rd	4.24	Jamisons Rd	<ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Curfew applies on school days only.
2050326	Fairlawn Rd	Fairlawn Rd	Busselton (C)	0.00	College Av & Frederick St	0.54	Strelly St	
2050328	Frederick St	Frederick St	Busselton (C)	0.00	College Av & Fairlawn Rd	0.32	Barlee St & West St	
2050002	Gale Rd	Gale Rd	Busselton (C)	0.00	Bussell Hwy	5.48	1.32km From Carbunup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Busselton (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2050002	Gale Rd	Gale Rd	Busselton (C)	5.48	1.32km From Carburnup Rd South & Gibb Rd	8.07	Jindong - Treeton Rd	
2050002	Gale Rd	Gale Rd	Busselton (C)	8.07	Jindong - Treeton Rd	10.85	Kaloorup Rd & Kolhagen Rd & Price Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2050064	Glendon Rd	Glendon Rd	Busselton (C)	0.00	Ludlow - Hithergreen Rd	3.77	Downs Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2050475	Goldsmith St	Goldsmith St	Busselton (C)	0.00	Strelly St	0.13	Wright St	
2050060	Goulden Rd	Goulden Rd	Busselton (C)	0.00	Acton Park South Rd	1.90	For 1.9km From Acton Park South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2050035	Hairpin Rd	Hairpin Rd	Busselton (C)	9.79	0.62km From Bussell Hwy	10.41	Bussell Hwy	
2050017	Harmans Mill Rd	Harmans Mill Rd	Busselton (C)	0.00	Metricup Rd & Puzey Rd	6.64	Bussell Hwy	
2050291	Hayes Rd	Hayes Rd	Busselton (C)	0.00	Vasse - Yallingup Siding Rd	3.35	Commonage Rd	

Tandem Drive Network 2.1



Busselton (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2050004	Jalbarragup Rd	Jalbarragup Rd	Busselton (C)	0.00	Chapman Hill Rd	10.75	Augusta - Margaret River LGA Boundary	<ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Curfew applies on school days only.
2050135	Jamisons Rd	Jamisons Rd	Busselton (C)	0.00	Payne Rd & Edwards Rd	4.40	Jamisons Rd - End Road	
2050082	Jasper Rd	Jasper Rd	Busselton (C)	0.00	Vasse Hwy	0.95	0.95km South From Vasse	
2050051	Jindong - Treeton Rd	Jindong - Treeton Rd	Busselton (C)	0.00	Boundary Rd & Jindong - Treeton Rd	7.33	McDonald Rd & Payne Rd	<ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Curfew applies on school days only.
2050026	Kalgup Rd	Kalgup Rd	Busselton (C)	0.00	Chapman Hill Rd	2.67	Acton Park Rd	
2050557	Kookaburra Wy	Kookaburra Wy	Busselton (C)	0.00	Redgum Wy	0.40	Paperbark Wy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Empty Travel Only Operation Only between 7:00 AM and 6:00 PM Monday to Saturday No Operation Public Holidays
2050401	Layman Rd	Layman Rd	Busselton (C)	0.00	Bussell Hwy	6.50	Access Gate 6.5km From Bussell Hwy	<ul style="list-style-type: none"> Traffic Management Plan to be implemented for access to Beachside Access Gate.
2050401	Layman Rd	Layman Rd	Busselton (C)	6.50	0.0km From Bream Qdrt	9.76	0.08km From Navigation Wy	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Traffic Management Plan to be implemented for access to Beachside Access Gate.
2050043	Lindberg Rd	Lindberg Rd	Busselton (C)	5.10	0.5km From Vasse Hwy	5.60	Vasse Hwy	
2050005	Ludlow - Hithergreen Rd	Ludlow - Hithergreen Rd	Busselton (C)	1.54	Bussell Hwy	15.90	0.87km From Vasse Hwy	<ul style="list-style-type: none"> Maximum speed 80 km/h No Operation Weekdays between 7:00 AM and 8:30 AM and between 3:30 PM and 5:00 PM Curfew Condition 1 applies on school days only. No operation permitted on Christmas Day or Easter Sunday. Intersection Sidebottom Rd : No left turn permitted into Sidebottom Road from Ludlow-Hithergreen Road
2050005	Ludlow - Hithergreen Rd	Ludlow - Hithergreen Rd	Busselton (C)	15.90	Iluka Minesite Access Rd	16.77	Vasse Hwy	

Tandem Drive Network 2.1



Busselton (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2050070	Lyle Rd	Lyle Rd	Busselton (C)	0.00	Wonnerup South Rd	1.19	1.19km From Wonnerup South Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2051462	Lynwood St	Lynwood St	Busselton (C)	0.00	Northerly St	0.83	0.12km From Ostler Dr	
2050695	Marrinup Dr	Marrinup Dr	Busselton (C)	0.00	Caves Rd	6.33	Commonage Rd	
2050108	Metricup - Yelverton Rd	Metricup - Yelverton Rd	Busselton (C)	0.00	Metricup Rd & Walburra Siding Rd	3.19	Yelverton Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Trucks Entering' signs to be erected and removed when not in use.
2050013	Metricup Rd	Metricup Rd	Busselton (C)	0.00	Bussell Hwy	1.37	Walburra Siding Rd & Metricup - Yelverton Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2050928	Neville Hyder Dr	Neville Hyder Dr	Busselton (C)	0.00	Vasse Hwy	1.01	Neville Hyder Dr - End Road	
2050473	Neville St	Neville St	Busselton (C)	0.00	Cook St	0.34	Wright St	<ul style="list-style-type: none"> Intersection Wright St : No left turn permitted into Wright St from Neville St
2050020	North Jindong Rd	North Jindong Rd	Busselton (C)	0.00	Payne Rd & Gibb Rd	0.40	Roy Rd	<ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Curfew applies on school days only.
2051500	Northerly St	Northerly St	Busselton (C)	0.00	Busselton Bypass West Rty	1.91	Allnutt Tce	<ul style="list-style-type: none"> Includes section known as Busselton Bypass but not the local roads names Bussell Hwy in Busselton between West St and Caves Rd or in Bunbury between Nuytsia Ave and Bussell Hwy rotary.

Tandem Drive Network 2.1



Busselton (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2051500	Northerly St	Northerly St	Busselton (C)	1.91	Allnutt Tce	2.42	Bussell Hwy	
2050073	Oates Rd	Oates Rd	Busselton (C)	4.34	1.16km From Tompsett Rd	5.50	Tompsett Rd	<ul style="list-style-type: none"> Maximum speed 70 km/h No Operation Public Holidays and Weekdays between 7:00 AM and 8:30 AM and between 3:30 PM and 5:00 PM and No Operation Monday to Saturday between 10:00 PM and 6:00 AM and Sunday and Public Holidays between 7:00 PM and 9:00 AM Curfew condition applies on school days only.
2050402	Old Vasse Hwy	Old Vasse Hwy	Busselton (C)	0.00	Vasse Hwy	1.85	Vasse Hwy	
2051347	Ostler Dr	Ostler Dr	Busselton (C)	0.00	Lynwood St	0.46	Commerce Rd	
2050486	Paperbark Wy	Paperbark Wy	Busselton (C)	0.00	Rendezvous Rd	0.92	Kookaburra Wy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Empty Travel Only Operation Only between 7:00 AM and 6:00 PM Monday to Saturday No Operation Public Holidays
2050022	Payne Rd	Payne Rd	Busselton (C)	0.00	North Jindong Rd & Gibb Rd	12.22	Queen Elizabeth Av & Don Rd	<ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Curfew applies on school days only.
2050376	Pine Rd	Pine Rd	Busselton (C)	0.00	Glendon Rd	0.40	Unknown Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2050053	Price Rd	Price Rd	Busselton (C)	0.00	Gale Rd & Kaloorup Rd & Kolhagen Rd	1.20	1.20km After Gale Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Busselton (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2050001	Queen Elizabeth Av	Queen Elizabeth Av	Busselton (C)	1.92	Busselton Bypa	10.93	Payne Rd & Don Rd	<ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM
2050018	Quindalup Siding Rd	Quindalup Siding Rd	Busselton (C)	0.00	Vasse - Yallingup Siding Rd	3.18	Caves Rd	
2050487	Redgum Wy	Redgum Wy	Busselton (C)	0.93	Kookaburra Wy	1.19	Busselton Bypa & Busselton Bypass	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Empty Travel Only Operation Only between 7:00 AM and 6:00 PM Monday to Saturday No Operation Public Holidays
2050024	Rendezvous Rd	Rendezvous Rd	Busselton (C)	0.00	Florence Rd & Kaloorup Rd	7.20	Queen Elizabeth Av	<ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Curfew applies on school days only.
2050021	Roy Rd	Roy Rd	Busselton (C)	0.00	North Jindong Rd	3.13	Bussell Hwy	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2050006	Ruabon Rd	Ruabon Rd	Busselton (C)	2.83	0.64km After Teale Rd	4.56	Bussell Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2050079	Sidebottom Rd	Sidebottom Rd	Busselton (C)	1.53	0.57km From Avery Rd	3.42	Ludlow - Hithergreen Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2050081	Slee Rd	Slee Rd	Busselton (C)	0.00	Vasse Hwy	0.80		<ul style="list-style-type: none"> Intersection Vasse Hwy : No left turn permitted into Slee Road from Vasse Highway
2050247	Strelly St	Strelly St	Busselton (C)	0.00	Causeway Rd	1.28	Strelly St Rty	

Tandem Drive Network 2.1



Busselton (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2050366	Theresa Rd	Theresa Rd	Busselton (C)	0.00	Tuart Dr	0.93	Theresa Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2050074	Tompsett Rd	Tompsett Rd	Busselton (C)	0.00	Tutunup Rd	2.60	Oates Rd	<ul style="list-style-type: none"> Maximum speed 70 km/h No Operation Public Holidays and Weekdays between 7:00 AM and 8:30 AM and between 3:30 PM and 5:00 PM and No Operation Monday to Saturday between 10:00 PM and 6:00 AM and Sunday and Public Holidays between 7:00 PM and 9:00 AM Curfew condition applies on school days only.
2050780	Tuart Dr	Tuart Dr	Busselton (C)	0.00	Bussell Hwy	9.26	Capel LGA Boundary	<ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Curfew applies on school days only.
2050548	Tutunup Rd	Tutunup Rd	Busselton (C)	0.00	Ludlow - Hithergreen Rd	7.94	Yoganup Pl & Armstrong Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h No Operation Weekdays between 7:00 AM and 8:30 AM and between 3:30 PM and 5:00 PM Curfew applies on school days only.
2050010	Vasse - Yallingup Siding Rd	Vasse - Yallingup Siding Rd	Busselton (C)	4.82	Chain Av	7.90	Quindalup Siding Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Curfew applies on school days only.
2050010	Vasse - Yallingup Siding Rd	Vasse - Yallingup Siding Rd	Busselton (C)	7.90	Quindalup Siding Rd	14.15	Wildwood Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2050110	Vidler Rd	Vidler Rd	Busselton (C)	0.00	Caves Rd	0.97	Western Cape Dr	

Tandem Drive Network 2.1



Busselton (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2050054	Walsall Rd	Walsall Rd	Busselton (C)	0.00	Jalbarragup Rd	3.34	Chapman Hill Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2050215	West St	West St	Busselton (C)	0.94	0.07km From Peel Tce	1.62	Frederick St & Barlee St	
2050936	Western Cape Dr	Western Cape Dr	Busselton (C)	0.00	Vidler Rd	0.49	0.31km From Drummond Glen	
2050011	Wildwood Rd	Wildwood Rd	Busselton (C)	0.00	Bussell Hwy	12.30	Commonage Rd	
2050077	Williamson Rd	Williamson Rd	Busselton (C)	0.00	Ludlow - Hithergreen Rd	4.33	Williamson Rd (F)	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. 'Trucks Entering' signs to be erected on all approaches at Ludlow Hithergreen Rd intersection and removed when not in use.
2050008	Wonnerup South Rd	Wonnerup South Rd	Busselton (C)	0.00	Bussell Hwy	2.75	Lyle Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2050472	Wright St	Wright St	Busselton (C)	0.00	Fairlawn Rd	0.63	Cook St	<ul style="list-style-type: none"> Intersection Neville St : No access permitted into Neville St from Wright St
2050045	Yelverton North Rd	Yelverton North Rd	Busselton (C)	0.00	Yelverton Rd	5.34	Wildwood Rd	
2050521	Yoganup Pl	Yoganup Pl	Busselton (C)	0.00	Tutunup Rd & Armstrong Rd	1.56		

Tandem Drive Network 2.1



Busselton (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2050027	Yoongarillup Rd	Yoongarillup Rd	Busselton (C)	5.96	0.82km From Goulden Rd	8.57	Vasse Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 50 km/h No Operation between the hours of sunset and sunrise Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Vasse Hwy : No right turn permitted into Vasse Hwy from Yoongarillup Rd
205Z034	Claymore Rd	Claymore Rd	Busselton (C)	0.00	Williamson Rd (F) & Willcock Rd (F) [Was 2050288]	11.85	Jarrahwood Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
205Z014	Coolilup Rd (F)	Coolilup Rd	Busselton (C)	0.00	Coolilup Rd	1.03		<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Busselton (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
205Z035	Sabina Rd	Sabina Rd	Busselton (C)	14.97	Sues Rd	15.28	Sabina Rd	<ul style="list-style-type: none">Headlights to be switched on at all timesNote: Low Volume (LV)Maximum speed 60 km/hWhen travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
205Z032	Williamson Rd (F)	Williamson Rd (F)	Busselton (C)	0.00	Williamson Rd	4.18	Claymore Rd & Willcock Rd (F) [Was 2050288]	<ul style="list-style-type: none">All operators must carry written support from the road manager acknowledging the operator's use of the road.Headlights to be switched on at all timesNo operation on unsealed road segment when visibly wet, without road owner's approval.Note: Low Volume (LV)Maximum speed 40 km/hWhen travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Canning (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1140757	Acourt Rd	Acourt Rd	Canning (C)	0.00	Cockburn (C) LGA Boundary	1.44	Acourt Rd - End Road	
1141127	Adams Dr	Adams Dr	Canning (C)	0.00	Welshpool Rd	0.92	Tomlinson Rd	
1140433	Annie St	Annie St	Canning (C)	0.00	Star St	0.11	Annie St - End Road	
1141052	Anvil Wy	Anvil Wy	Canning (C)	0.00	Division St Sth	0.60	Division St Sth	
1140749	Atlas Ct	Atlas Ct	Canning (C)	0.00	Kewdale Rd	0.14	Atlas Ct - End Road	
1141003	Babel Rd	Babel Rd	Canning (C)	0.00	Moriarty Rd	0.22	Division St Sth	
1141029	Baile Rd	Baile Rd	Canning (C)	0.00	Bannister Rd	2.47	Bannister Rd	
1140177	Banksia Rd	Banksia Rd	Canning (C)	0.00	Orrong Rd	0.58	McDowell St	
1141157	Bannick Ct	Bannick Ct	Canning (C)	0.00	Ilda Rd	0.52	Canvale Rd	
1140459	Bannister Rd	Bannister Rd	Canning (C)	0.00	Bannister Rd - Start Road	5.41	Wilfred Rd & Nicholson Rd	
1141496	Barley Pl	Barley Pl	Canning (C)	0.00	Craft St & Brewer Rd	0.37	Production Rd & Brewer Rd	
1141491	Barrel Wy	Barrel Wy	Canning (C)	0.00	Baile Rd	0.39	Production Rd	
1140374	Beete St	Beete St	Canning (C)	0.00	Somersby Rd	0.19	Beete St - End Road	
1140775	Bell St	Bell St	Canning (C)	0.00	Vulcan Rd	0.32	Magnet Rd	
1140581	Bellows St	Bellows St	Canning (C)	0.00	Forge St	0.46	Division St Sth	
1141495	Brewer Rd	Brewer Rd	Canning (C)	0.00	Production Rd & Barley Pl	0.46	Enterprise Ct	
1141158	Canvale Rd	Canvale Rd	Canning (C)	0.00	Bannister Rd	0.79	Canvale Rd - End Road	
1140790	Carney Rd	Carney Rd	Canning (C)	0.00	Felspar St	0.24	Riversdale Rd	
1140099	Casino St	Casino St	Canning (C)	0.00	Casino St - Start Road	0.63	Kurnall Rd	
1141154	Catalano Cct	Catalano Cct	Canning (C)	0.00	Hodges Wy	1.19	Hodges Wy	
1141026	Catalano Rd	Catalano Rd	Canning (C)	0.00	Catalano Cct	1.19	Vulcan Rd	
1140082	Catherine St	Catherine St	Canning (C)	0.00	Tate St	0.57	Ewing St Sth	
1140080	Charles St	Charles St	Canning (C)	0.00	Tate St & Tennant St	0.57	Ewing St Sth	
1141428	Colin Jamieson Dr	Colin Jamieson Dr	Canning (C)	0.00	Pilbara St	0.23	0.23km From Pilbara St	
1141271	Collie St	Collie St	Canning (C)	0.00	Kewdale Rd	0.32	Treasure Rd North	
1140884	Cook St	Cook St	Canning (C)	0.00	Bannister Rd	0.10	Cook St - End Road	
1140776	Coulson Wy	Coulson Wy	Canning (C)	0.00	Vulcan Rd	0.90	Vulcan Rd	
1141493	Craft St	Craft St	Canning (C)	0.00	Baile Rd	0.42	Brewer Rd & Barley Pl	
1140596	Dampier Rd	Dampier Rd	Canning (C)	0.00	McDowell St	0.49	Sheffield Rd West	
1140957	Davies L	Davies L	Canning (C)	0.00	Ewing St Sth	0.24	Alexandra Pl	
1140018	Division St Sth	Division St Sth	Canning (C)	0.00	Orrong Rd & Bell St	0.94	Division St Sth - End Road	
1140037	Dowd St	Dowd St	Canning (C)	0.00	Kurnall Rd & Dowd St East	1.22	Pilbara St	
1140036	Dowd St East	Dowd St East	Canning (C)	0.00	Banksia Rd	0.54	Dowd St & Kurnall Rd	
1140098	Embden St	Embden St	Canning (C)	0.00	Casino St	0.24	Dowd St	
1141494	Enterprise Ct	Enterprise Ct	Canning (C)	0.00	Baile Rd	0.37	0.37km From Baile Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Canning (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1141494	Enterprise Ct	Enterprise Ct	Canning (C)	0.37	0.37km From Baile Rd	0.41	Brewer Rd	
1140044	Ernest Clarke Rd	Ernest Clarke Rd	Canning (C)	0.00	Tacoma Cct	0.47	Tacoma Cct	
1140038	Ewing St Nth	Ewing St Nth	Canning (C)	0.00	Welshpool Rd	0.53	Railway Pde	
1140039	Ewing St Sth	Ewing St Sth	Canning (C)	0.00	Sevenoaks St	0.86	Bedford St & Albany Hwy	
1140002	Fargo Wy	Fargo Wy	Canning (C)	0.00	Felspar St	0.81	Felspar St	<ul style="list-style-type: none"> Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). No operation permitted from 5:00am to 6:00pm on weekdays. Two RAVs must not travel on the road in opposing directions. The road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction
1140096	Felspar St	Felspar St	Canning (C)	0.00	Sheffield Rd East	0.84	Orrong Rd	
1140582	Forge St	Forge St	Canning (C)	0.00	Division St Sth	0.46	Forge St - End Road	
1141376	Forum Av	Forum Av	Canning (C)	0.00	Catalano Cct	0.11	Market City Ent & Bannister Rd	
1140580	Furnace Rd	Furnace Rd	Canning (C)	0.00	Treasure Rd	0.88	Welshpool Rd	
1141377	Gauge Cct	Gauge Cct	Canning (C)	0.00	Baile Rd	1.12	Baile Rd	
1141463	Glenferrie Rd	Glenferrie Rd	Canning (C)	0.00	Felspar St	0.23		<ul style="list-style-type: none"> Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. No operation permitted from 5:00am to 6:00pm on weekdays. Two RAVs must not travel on the road in opposing directions. The road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction
1140963	Granite Pl	Granite Pl	Canning (C)	0.00	Felspar St	0.25	Granite Pl - End Road	
1141007	Hantke Pl	Hantke Pl	Canning (C)	0.00	Radium St Nth	0.12	Hantke Pl - End Road	
1141159	Harvard Wy	Harvard Wy	Canning (C)	0.00	Ilda Rd	0.25	Bannick Ct	
1141337	Hopetoun Pl	Hopetoun Pl	Canning (C)	0.00	Casino St	0.17	Hopetoun Pl - End Road	
1140885	Hopewell St	Hopewell St	Canning (C)	0.00	Vulcan Rd	0.32	Bannister Rd	
1140883	Hurley St	Hurley St	Canning (C)	0.00	Bannister Rd	0.36	Vulcan Rd	
1141156	Ilda Rd	Ilda Rd	Canning (C)	0.00	Baile Rd	0.52	Canvale Rd	
1141000	John St Nth	John St Nth	Canning (C)	0.00	Welshpool Rd	0.30	Railway Pde	
1141001	John St Sth	John St Sth	Canning (C)	0.00	Ashburton St & Albany Hwy	0.80	Sevenoaks St	
1140017	Kew St	Kew St	Canning (C)	0.00	Planet St	0.39	Victoria Park (T) LGA Boundary	
1140014	Kewdale Rd	Kewdale Rd	Canning (C)	0.00	Welshpool Rd	1.52	Belmont (C) LGA Boundary	
1140998	Kurnall Rd	Kurnall Rd	Canning (C)	0.00	Sheffield Rd Svc Rd & Sheffield Rd West	1.67	Furnace Rd	<ul style="list-style-type: none"> Intersection Dowd St & Dowd St East : Right turn permitted only into Dowd St from Kurnall Rd
1140350	Madison St	Madison St	Canning (C)	0.00	Magnet Rd	0.32	Vulcan Rd	

Tandem Drive Network 2.1



Canning (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1140774	Magnet Rd	Magnet Rd	Canning (C)	0.00	Bannister Rd	0.99	Vulcan Rd	
1141454	Mallaig Wy	Mallaig Wy	Canning (C)	0.00	Modal Cr	0.30	Mordaunt Cct	
1141480	Market City Ent	Market City Ent	Canning (C)	0.00	Forum Av & Bannister Rd	0.05	Market Entrance Rd	
1140434	Mars St	Mars St	Canning (C)	0.00	Kew St & Mars St East	0.11		
1141164	Martin Pl	Martin Pl	Canning (C)	0.00	Vinnicombe Dr	0.11	Martin Pl - End Road	
1140375	McDermott St	McDermott St	Canning (C)	0.00	Somersby Rd	0.12	McDermott St - End Road	
1140451	McDowell St	McDowell St	Canning (C)	0.00	Welshpool Rd	1.25	Sheffield Rd West	
1140451	McDowell St	McDowell St	Canning (C)	1.25	Sheffield Rd West	1.77	Tomah Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1141340	McElligott Ct	McElligott Ct	Canning (C)	0.00	Baile Rd	0.11	McElligott Ct - End Road	
1141457	Meares Wy	Meares Wy	Canning (C)	0.00	Oban Link	0.33	Mordaunt Cct	
1140057	Mills St Nth	Mills St Nth	Canning (C)	0.65	Mills St Nth - Start Road	1.41	Mills St Nth - End Road	
1141378	Modal Cr	Modal Cr	Canning (C)	0.00	Baile Rd	0.82	Gauge Cct	
1141455	Mordaunt Cct	Mordaunt Cct	Canning (C)	0.00	Baile Rd	1.15	Baile Rd	
1141004	Moriarty Rd	Moriarty Rd	Canning (C)	0.00	Welshpool Rd	0.33	Moriarty Rd - End Road	
1140176	Murray Rd	Murray Rd	Canning (C)	0.00	Welshpool Rd	0.33	Orrong Rd	
1140176	Murray Rd	Murray Rd	Canning (C)	0.35	Orrong Rd	0.63	Dowd St East	
1141017	Nicholson Rd	Nicholson Rd	Canning (C)	3.40	Roe Hwy (Eastbound) off to Nicholson Rd & Nicholson Rd on to Roe Hwy (Eastbound) & Nicholson Rd	3.99	Wilfred Rd & Nicholson Rd & Bannister Rd	
1141017	Nicholson Rd	Nicholson Rd	Canning (C)	8.29	Ranford Rd & Nicholson Rd	11.31	Nicholson Rd & Warton Rd	
1141456	Oban Link	Oban Link	Canning (C)	0.00	Mordaunt Cct	0.25	Mordaunt Cct	
1140035	Pilbara St	Pilbara St	Canning (C)	0.00	Dowd St	1.62	Welshpool Rd	
1140016	Planet St	Planet St	Canning (C)	0.00	President St & Planet St	0.42	Tomlinson Rd	
1140447	Poole St	Poole St	Canning (C)	0.00	Kurnall Rd	0.89	Poole St - End Road	
1141492	Production Rd	Production Rd	Canning (C)	0.00	Baile Rd	0.41	Brewer Rd & Barley Pl	
1141302	Purdy Pl	Purdy Pl	Canning (C)	0.00	Vinnicombe Dr	0.10	Purdy Pl - End Road	
1140055	Radium St Nth	Radium St Nth	Canning (C)	0.00	Railway Pde	0.74	Welshpool Rd	
1140012	Railway Pde	Railway Pde	Canning (C)	0.00	Welshpool Rd	1.04	Radium St Nth	
1141104	Ranford Rd	Ranford Rd	Canning (C)	0.00	Ranford Rd & Nicholson Rd	3.00	South St & Bannister Rd	
1140362	Riversdale Rd	Riversdale Rd	Canning (C)	0.00	Carney Rd	0.30	Riversdale Rd - End Road	
1140013	Rutland Av - North Side	Rutland Av - North Side	Canning (C)	0.00	Welshpool Rd	0.27	Rutland Av (Sth)	
1140011	Sevenoaks St	Sevenoaks St	Canning (C)	0.00	Welshpool Rd	1.15	Radium St South	
1140100	Sheffield Rd East	Sheffield Rd East	Canning (C)	0.00	McDowell St	0.90	Sheffield Rd East - End Road	
1140101	Sheffield Rd West	Sheffield Rd West	Canning (C)	0.00	McDowell St	0.69	Kurnall Rd & Sheffield Rd Svc Rd	
1140886	Sherman St	Sherman St	Canning (C)	0.00	Vulcan Rd	0.37	Bannister Rd	

Tandem Drive Network 2.1



Canning (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1140997	Somersby Rd	Somersby Rd	Canning (C)	0.00	Pilbara St	0.60	Somersby Rd - End Road	
1141160	Sorbonne Cr	Sorbonne Cr	Canning (C)	0.00	Wittenberg Dr	0.71	Wittenberg Dr	
1140924	South St	South St	Canning (C)	0.00	Ranford Rd & Bannister Rd	0.35	Roe Hwy (Westbound) off to South St & South St & South St on to Roe Hwy (Westbound)	
1140378	Star St	Star St	Canning (C)	0.00	Kew St & Star St	0.20	Star St - End Road	
1140373	Stott Rd	Stott Rd	Canning (C)	0.00	Dowd St East	0.16	Stott Rd - End Road	
1141464	Tacoma Cct	Tacoma Cct	Canning (C)	0.00	Baile Rd	1.18	Baile Rd	
1141336	Temperley Cl	Temperley Cl	Canning (C)	0.00	Pilbara St	0.17	Temperley Cl - End Road	
1140058	Tennant St	Tennant St	Canning (C)	0.00	Charles St & Tate St	0.43	0.43km From Charles St	
1141163	Thorn Wy	Thorn Wy	Canning (C)	0.00	Bannister Rd	0.12	Vinnicombe Dr	
1141128	Tilli Pl	Tilli Pl	Canning (C)	0.00	Radium St Nth	0.15	Tilli Pl - End Road	
1141316	Tinto Rd	Tinto Rd	Canning (C)	0.11	25m From McDowell St	0.13	McDowell St	
1140795	Tomlinson Rd	Tomlinson Rd	Canning (C)	0.00	Welshpool Rd	0.59	Planet St	
1140005	Treasure Rd	Treasure Rd	Canning (C)	0.00	Furnace Rd	0.19	Welshpool Rd	
1141333	Treasure Rd North	Treasure Rd North	Canning (C)	0.00	Dowd St	0.93	Orrong Rd	
1141347	Uppsala Pl	Uppsala Pl	Canning (C)	0.00	Wittenberg Dr	0.11	Uppsala Pl - End Road	
1141162	Vinnicombe Dr	Vinnicombe Dr	Canning (C)	0.00	Bannister Rd	1.19	Bannister Rd	
1140773	Vulcan Rd	Vulcan Rd	Canning (C)	0.00	Bannister Rd	2.55	Hurley St	
1140773	Vulcan Rd	Vulcan Rd	Canning (C)	2.86	Vulcan Rd West Cul-De-Sac	3.35	Bannister Rd	
1140585	Welshpool Rd	Welshpool Rd	Canning (C)	0.00	Welshpool Rd & Swansea St East	1.16	Welshpool Rd on to Leach Hwy (Northbound) & Leach Hwy-Welshpool Rd Rty	
1140585	Welshpool Rd	Welshpool Rd	Canning (C)	1.24	Leach Hwy (Southbound) off to Welshpool Rd & Leach Hwy-Welshpool Rd Rty	4.97	William St & Station St Nth	
1140427	Willeri Dr	Willeri Dr	Canning (C)	1.99	Willeri Dr on to Roe Hwy (Eastbound) & Roe Hwy (Eastbound) off to Willeri Dr	2.45	Bannister Rd	
1141161	Wittenberg Dr	Wittenberg Dr	Canning (C)	0.00	Canvale Rd	0.85	Canvale Rd	
1141027	Zanni St	Zanni St	Canning (C)	0.00	Bannister Rd	0.27	Catalano Rd	

Tandem Drive Network 2.1



Capel

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2060193	Allenville Rd	Allenville Rd	Capel	0.73	Hasties Rd	2.08	Lillydale - Allenville Rd Rty	
2060057	Bell Rd	Bell Rd	Capel	2.70	Elgin Rd	3.00	Entry Lot 228	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 20 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. One truck movement at a time.
2060288	Bentley Dr	Bentley Dr	Capel	0.00	Bussell Hwy	1.75	Malatesta Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Bussell Hwy : Left Turn Only Permitted Into Bentley Dr From Bussell Hwy Intersection Malatesta Rd : Right Turn Only Permitted Into Malatesta Rd From Bentley Dr
2060004	Boundary Rd	Boundary Rd	Capel	0.00	Railway Rd	5.93	Gavins Rd	<ul style="list-style-type: none"> Six axle dog trailer not permitted to operate on road (no tri dollies).
2060294	Boyanup Rd West	Boyanup Rd West	Capel	0.00	Trigwell Rd & Railway Rd	11.05	Bussell Hwy (H043)	<ul style="list-style-type: none"> Six axle dog trailer not permitted to operate on road (no tri dollies).
2060023	Cain Rd	Cain Rd	Capel	3.67	Gavins Rd	9.19	Cain Rd - End Road	<ul style="list-style-type: none"> Six axle dog trailer not permitted to operate on road (no tri dollies).
2060264	Calinup Rd	Calinup Rd	Capel	0.00	Grevillia Rd	1.40	Calinup Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2060273	Capel Dr	Capel Dr	Capel	0.00	Capel Dr & Forrest Rd	0.96	Bussell Hwy	<ul style="list-style-type: none"> Six axle dog trailer not permitted to operate on road (no tri dollies).
2060006	Elgin Rd	Elgin Rd	Capel	6.62	Bell Rd	7.84	Gavins Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2060035	Fishermans Rd	Fishermans Rd	Capel	0.00	Bussell Hwy	1.50	Minninup Rd	<ul style="list-style-type: none"> Six axle dog trailer not permitted to operate on road (no tri dollies).
2060137	Forrest Rd	Forrest Rd	Capel	0.00	Hutton Rd / Goodwood Rd & Hutton Rd	0.12	Barlee Rd	<ul style="list-style-type: none"> Six axle dog trailer not permitted to operate on road (no tri dollies).
2060075	Gardiner Rd	Gardiner Rd	Capel	0.00	Collins Rd	2.21	Gray Rd	<ul style="list-style-type: none"> Six axle dog trailer not permitted to operate on road (no tri dollies).
2060003	Gavins Rd	Gavins Rd	Capel	0.00	Railway Rd & Gavins Rd	11.06	Boundary Rd	<ul style="list-style-type: none"> Six axle dog trailer not permitted to operate on road (no tri dollies)
2060096	Gray Rd	Gray Rd	Capel	0.00	Gardiner Rd	2.07	Trainer Rd	<ul style="list-style-type: none"> Six axle dog trailer not permitted to operate on road (no tri dollies).

Tandem Drive Network 2.1



Capel

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2069001	Grevillia Rd	Grevillia Rd	Capel	0.00	Bussell Hwy	1.32	Calinup Rd	
2060070	Harewoods Rd	Harewoods Rd	Capel	0.00	Bussell Hwy	1.31	Maidment Pde	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Six axle dog trailer not permitted to operate on the road (No tri dollies)
2060024	Hasties Rd	Hasties Rd	Capel	1.60	Jules Rd North	2.46	Allenville Rd	
2060213	Ilmenite Cr	Ilmenite Cr	Capel	0.00	Spurr St	0.47	Ilmenite Cr - End Road	<ul style="list-style-type: none"> Six axle dog trailer not permitted to operate on road (no tri dollies).
2060213	Ilmenite Cr	Ilmenite Cr	Capel	1.12	Ilmenite Cr - Start Road	1.76	Ilmenite Cr & Ilmenite Cr	<ul style="list-style-type: none"> Six axle dog trailer not permitted to operate on road (no tri dollies).
2060026	Jamieson Rd	Jamieson Rd	Capel	0.46	Payne Rd	3.57	Weld Rd	<ul style="list-style-type: none"> Six axle dog trailer not permitted to operate on road (no tri dollies).
2060105	Jenkin Rd	Jenkin Rd	Capel	0.00	Capel Dr	0.41	Jenkin Rd - End Road	<ul style="list-style-type: none"> Six axle dog trailer not permitted to operate on road (no tri dollies).
2060045	Jilley Rd	Jilley Rd	Capel	9.73	140m From Lillydale Road.	9.87	Lillydale Rd	
2060134	Jules Rd North	Jules Rd North	Capel	0.00	Hasties Rd	0.79	Frances Rd	
2060011	Lillydale Rd	Lillydale Rd	Capel	0.00	South Western Hwy - Willinge Dr Rty & South Western Hwy	3.23	Wilman Wadandi Hwy - Lillydale Rd Rty	
2060005	Lowrie Rd	Lowrie Rd	Capel	0.00	South Western Hwy	4.77	Boundary Rd	<ul style="list-style-type: none"> Six axle dog trailer not permitted to operate on road (no tri dollies).
2060338	Maidment Pde	Maidment Pde	Capel	1.50	Samrose Rd	3.12	Harewoods Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Six axle dog trailer not permitted to operate on road (No tri dollies)
2060239	Malatesta Rd	Malatesta Rd	Capel	0.00	Matthews Rd	1.23	Railway Rd	<ul style="list-style-type: none"> Six axle dog trailer not permitted to operate on road (no tri dollies).
2060059	Norman Rd	Norman Rd	Capel	0.00	Boundary Rd	1.95	0.24km From End of Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2060115	Payne Rd	Payne Rd	Capel	0.00	Weld Rd	0.90	Jamieson Rd	<ul style="list-style-type: none"> Six axle dog trailer not permitted to operate on road (no tri dollies).
2060280	Roberts Rd	Roberts Rd	Capel	0.00	Bussell Hwy	0.34	340m After Bussell Highway	<ul style="list-style-type: none"> Intersection Bussell Hwy : No left turn permitted into Roberts Road from Bussell Highway.
2060101	Roe Rd	Roe Rd	Capel	0.22	Hutton Rd	0.47	Forrest Rd	<ul style="list-style-type: none"> Six axle dog trailer not permitted to operate on road (no tri dollies).
2060094	Salter Rd	Salter Rd	Capel	0.00	Trigwell Rd	0.65	Payne St & George St	<ul style="list-style-type: none"> Six axle dog trailer not permitted to operate on road (no tri dollies).
2060090	Simmons St	Simmons St	Capel	0.00	South Western Hwy	0.13	Thomas St	<ul style="list-style-type: none"> Six axle dog trailer not permitted to operate on road (no tri dollies).
2060212	Spurr St	Spurr St	Capel	0.00	Bussell Hwy	0.54	Ilmenite Cr	<ul style="list-style-type: none"> Six axle dog trailer not permitted to operate on road (no tri dollies).
2060016	Stirling Rd	Stirling Rd	Capel	0.00	Bussell Hwy	4.79	Ludlow North Rd	<ul style="list-style-type: none"> Six axle dog trailer not permitted to operate on road (no tri dollies).
2060084	Thomas St	Thomas St	Capel	0.00	Bridge St	0.37	Simmons St	<ul style="list-style-type: none"> Six axle dog trailer not permitted to operate on road (no tri dollies).
2060255	Trainer Rd	Trainer Rd	Capel	0.00	Joshua Creek Rd & Armstrong St	1.05	Gray Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Capel

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2060310	Tuart Dr	Tuart Dr	Capel	0.00	Bussell Hwy	5.39	Busselton (C) LGA Boundary	<ul style="list-style-type: none">Six axle dog trailer not permitted to operate on road (no tri dollies).
2060104	Weld Rd	Weld Rd	Capel	0.00	Capel Dr	0.89	Payne Rd	<ul style="list-style-type: none">Six axle dog trailer not permitted to operate on road (no tri dollies).Intersection Capel Dr : No left turn permitted into Capel Dr from Weld Rd. No left turn permitted into Weld Rd from Capel Dr.
2060017	Yeady Rd	Yeady Rd	Capel	0.00	Bussell Hwy	0.83	John Hogg Rd	
2060312	Zircon Wy	Zircon Wy	Capel	0.00	Ilmenite Cr	0.17	Ilmenite Cr	<ul style="list-style-type: none">Six axle dog trailer not permitted to operate on road (no tri dollies).

Tandem Drive Network 2.1



Carnamah

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5010021	Back Inering Rd	Back Inering Rd	Carnamah	0.00	Carnamah - Perenjori Rd	7.50	Jackson Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5010020	Backman Rd	Backman Rd	Carnamah	0.00	Bunjil - Carnamah Rd	4.51	Billeroo Rd	
5010059	Beekeepers Rd	Beekeepers Rd	Carnamah	0.00	Three Springs LGA Boundary	0.45	Brand Hwy	
5010059	Beekeepers Rd	Beekeepers Rd	Carnamah	0.46	Brand Hwy	1.88	Mine Site Entrance	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5010042	Bentley Rd	Bentley Rd	Carnamah	0.00	Winchester West Rd	7.31	Midlands Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Slow down for the creek crossings Intersection Pearce Rd : No left turn permitted into Pearce Rd from Bentley Rd Intersection Midlands Rd : No access permitted to or from Midlands Road
5010043	Billeroo - Coorow Rd	Billeroo - Coorow Rd	Carnamah	0.00	Winchester East Rd	2.70	Coorow LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Carnamah

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5010006	Billeroo Rd	Billeroo Rd	Carnamah	0.00	Bunjil - Carnamah Rd	8.80	Rowland Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5010006	Billeroo Rd	Billeroo Rd	Carnamah	8.80	Rowland Rd	23.17	Billeroo Rd & Lampard - Tremlett Rd	
5010010	Bodycoat Rd	Bodycoat Rd	Carnamah	0.00	Caron Rd	5.74	Carnamah - Perenjori Rd & Mitchell Rd	
5010065	Bowman St	Bowman St	Carnamah	0.00	Carnamah - Eneabba Rd & Midlands Rd	1.03	Bunjil - Carnamah Rd & Wheat Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h
5010028	Bradley Rd	Bradley Rd	Carnamah	0.00	Bunjil - Carnamah Rd	9.09	Winchester East Rd	
5010039	Brand Mudge Rd	Brand Mudge Rd	Carnamah	0.00	Lucas Rokich Rd	5.10	Carnamah - Eneabba Rd	
5010039	Brand Mudge Rd	Brand Mudge Rd	Carnamah	5.10	Carnamah - Eneabba Rd	15.63	Coorow LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5010018	Brimson Rd	Brimson Rd	Carnamah	0.00	Carnamah - Eneabba Rd	4.00	Three Springs - Eneabba Rd	
5010002	Bunjil - Carnamah Rd	Bunjil - Carnamah Rd	Carnamah	0.00	Wheat Rd & Bowman St	24.35	Bunjil - Carnamah Rd & Backman Rd	
5010014	Burns Rd	Burns Rd	Carnamah	0.00	Winchester East Rd	6.28	Billeroo Rd	
5010022	Camac Rd	Camac Rd	Carnamah	0.00	Carnamah - Perenjori Rd	4.64	Perenjori LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5010022	Camac Rd	Camac Rd	Carnamah	4.64	Perenjori LGA Boundary	9.66	Back Inering Rd	
5010123	Carnamah - Eneabba Rd	Carnamah - Eneabba Rd	Carnamah	0.00	Bowman St & Midlands Rd	66.81	Three Springs - Eneabba Rd	
5010001	Carnamah - Perenjori Rd	Carnamah - Perenjori Rd	Carnamah	0.00	Wheat Rd	31.00	Carnamah - Perenjori Rd & Perenjori - Three Springs Rd	
5010004	Caron Rd	Caron Rd	Carnamah	0.00	Carnamah - Perenjori Rd	1.28		
5010004	Caron Rd	Caron Rd	Carnamah	2.79		23.34	Caron Rd & Back Inering Rd	

Tandem Drive Network 2.1



Carnamah

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5010119	Chapman St	Chapman St	Carnamah	0.00	Forrester Av	0.27	Chapman St - End Road	
5010031	Chappell Rd	Chappell Rd	Carnamah	0.00	Lake Rd & Carnamah - Eneabba Rd	4.01	Midlands Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5010037	Chatfield Clarke Rd	Chatfield Clarke Rd	Carnamah	0.00	Carnamah - Eneabba Rd	11.95	Coorow LGA Boundary	
5010086	Coolimba - Eneabba Rd	Coolimba - Eneabba Rd	Carnamah	0.00	Indian Ocean Dr & Eneabba Coolimba Rd	1.15	1.15km From Indian Ocean Dr	
5010112	Darling St	Darling St	Carnamah	0.00	Eneabba Dr	0.64	Morgan St	<ul style="list-style-type: none"> Maximum speed 40 km/h
5010045	Davies Rd	Davies Rd	Carnamah	0.00	Winchester East Rd	0.70	Coorow LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Carnamah

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5010050	Diamond Rd	Diamond Rd	Carnamah	0.00	Chappell Rd	2.41	Winchester West Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5010068	Donald St	Donald St	Carnamah	0.00	Midlands Rd & Lang St	0.43	Parker St	
5010132	Eneabba Coolimba Rd	Eneabba Coolimba Rd	Carnamah	0.00	Brand Hwy	27.38	Indian Ocean Dr & Coolimba - Eneabba Rd	
5010111	Eneabba Dr	Eneabba Dr	Carnamah	0.00	Brand Hwy	2.55	Brand Hwy	
5010008	Erindoon Rd	Erindoon Rd	Carnamah	0.00	Eneabba Coolimba Rd	11.09	Coorow LGA Boundary	
5019000	Erindoon Rd	Erindoon Rd	Carnamah	0.00	Rocky Spring Rd	3.36	Erindoon Rd	
5010017	First North Rd	First North Rd	Carnamah	0.00	Three Springs - Eneabba Rd	1.87	Three Springs LGA Boundary	
5010118	Forrester Av	Forrester Av	Carnamah	0.00	Bowman St	0.38	Forrester Av - End Road	
5010025	Fowler Rd	Fowler Rd	Carnamah	0.00	Winchester East Rd	6.12	Billeroo Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Carnamah

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5010035	Gangway Rd	Gangway Rd	Carnamah	0.00	Midlands Rd	7.72	North Boundary Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5010036	Garibaldi Willis Rd	Garibaldi Willis Rd	Carnamah	0.00	Carnamah - Eneabba Rd	13.20	Garibaldi Willis Rd	
5010103	Gooch St	Gooch St	Carnamah	0.11	0.11km From King St	0.26	Mineral Sands Rd	
5010051	Gould Simpson Rd	Gould Simpson Rd	Carnamah	0.00	Erindoon Rd & Rocky Spring Rd	4.43	Gould-Simpson Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5010007	Inering Rd	Inering Rd	Carnamah	0.00	Carnamah - Perenjori Rd	3.55	Three Springs LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
5010047	Jackson Rd	Jackson Rd	Carnamah	0.00	Back Inering Rd	2.90	Carnamah - Perenjori Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5010108	Johnson St	Johnson St	Carnamah	0.00	Eneabba Dr	0.59	Three Springs - Eneabba Rd	<ul style="list-style-type: none"> Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5010102	King St	King St	Carnamah	0.00	Mineral Sands Rd	0.43	Morgan St	<ul style="list-style-type: none"> Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5010019	Lampard - Tremlett Rd	Lampard - Tremlett Rd	Carnamah	0.00	Billeroo Rd	3.68	Coorow LGA Boundary	

Tandem Drive Network 2.1



Carnamah

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5010070	Lang St	Lang St	Carnamah	0.00	Donald St & Midlands Rd	0.27	Robertson St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h Entry to Lang St from Midlands Rd only. Intersection Donald St & Midlands Rd : No access permitted into Midlands Rd from Lang St
5010041	Lucas Rokich Rd	Lucas Rokich Rd	Carnamah	0.00	Carnamah - Eneabba Rd	13.62	Wilton Well Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5010087	Lutz Rd	Lutz Rd	Carnamah	0.00	Winchester East Rd	1.25	Lawson Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5010124	McPherson St	McPherson St	Carnamah	0.26	Robertson St	0.30	For 40 M North Easterly	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Delivery to Landmark Supplies only.
5010122	Mineral Sands Rd	Mineral Sands Rd	Carnamah	0.00	Three Springs - Eneabba Rd	6.61	Mineral Sands Rd - End Road	
5010024	Mitchell Rd	Mitchell Rd	Carnamah	0.00	Carnamah - Perenjori Rd & Bodycoat Rd	5.87	Perenjori - Three Springs Rd	
5010113	Morgan St	Morgan St	Carnamah	0.00	Darling St	0.47	King St	<ul style="list-style-type: none"> Maximum speed 40 km/h
5010030	North Boundary Rd	North Boundary Rd	Carnamah	0.00	Carnamah - Perenjori Rd	9.20	Midlands Rd	
5010034	Old Telegraph Rd	Old Telegraph Rd	Carnamah	0.00	Bunjil - Carnamah Rd	10.00	Winchester East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5010076	Parker St	Parker St	Carnamah	0.00	Carnamah - Eneabba Rd	0.51	Inja St	

Tandem Drive Network 2.1



Carnamah

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5010044	Pearce Rd	Pearce Rd	Carnamah	0.00	Bentley Rd	0.64	0.64km From Bentley Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Bentley Rd : No right turn permitted into Bentley Rd from Pearce Rd
5010009	Pope Rd	Pope Rd	Carnamah	0.00	Bunjil - Carnamah Rd	6.82	Caron Rd	
5010029	Prowaka Rd	Prowaka Rd	Carnamah	0.00	Carnamah - Perenjori Rd	8.49	0.59km Prior to Prowaka Rd Access	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5010064	Railway Av	Railway Av	Carnamah	0.00	Midlands Rd	0.11	Shell Rd	
5010064	Railway Av	Railway Av	Carnamah	0.16	Old Generation Rd	0.35	Carnamah - Eneabba Rd	
5010064	Railway Av	Railway Av	Carnamah	0.81	Donald St	1.21	Hill St	
5010023	Reading Rd	Reading Rd	Carnamah	0.00	Inering Rd	11.27	Carnamah - Perenjori Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5010058	Reserve Rd	Reserve Rd	Carnamah	0.00	Carnamah - Eneabba Rd	7.40	Three Springs LGA Boundary	

Tandem Drive Network 2.1



Carnamah

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5010027	Robertson Rd	Robertson Rd	Carnamah	0.00	Carnamah - Perenjori Rd	4.91	Turner Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5010062	Robertson St	Robertson St	Carnamah	0.00	Bowman St	0.47	Lang St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h Deliveries to Landmark Supplies only. Right turn only into Bowman St Intersection Bowman St : No left turn permitted into Bowman St from Robertson St
5010052	Rocky Spring Rd	Rocky Spring Rd	Carnamah	0.00	Rocky Spring Rd	1.86	Brand Hwy	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5010015	Rose Thomson Rd	Rose Thomson Rd	Carnamah	0.00	Carnamah - Eneabba Rd	14.60	Coorow LGA Boundary	
5010013	Rowland Rd	Rowland Rd	Carnamah	0.00	Bunjil - Carnamah Rd	9.12	Winchester East Rd	
5010016	Second North Rd	Second North Rd	Carnamah	0.00	Three Springs - Eneabba Rd	5.11	Three Springs LGA Boundary	
5010033	Starceвич Rd	Starceвич Rd	Carnamah	0.00	Caron Rd	3.35	Waters Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5010125	Three Springs - Eneabba Rd	Three Springs - Eneabba Rd	Carnamah	0.00	Three Springs LGA Boundary	22.06	Brand Hwy	
5010038	Turkey Flat Rd	Turkey Flat Rd	Carnamah	0.00	Carnamah - Eneabba Rd	6.80	Three Springs LGA Boundary	
5010012	Turner Rd	Turner Rd	Carnamah	0.00	Bunjil - Carnamah Rd	10.50	Waters Rd & Pope Rd	

Tandem Drive Network 2.1



Carnamah

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5010011	Waters Rd	Waters Rd	Carnamah	0.00	Turner Rd & Pope Rd	13.03	Bunjil - Carnamah Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5010046	Wellington Rd	Wellington Rd	Carnamah	0.00	Caron Rd	2.93	Back Inering Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5010067	Wheat Rd	Wheat Rd	Carnamah	0.00	Bunjil - Carnamah Rd & Bowman St	0.27	Carnamah - Perenjori Rd	
5010005	Winchester East Rd	Winchester East Rd	Carnamah	0.00	Midlands Rd	9.60	Billeroo - Coorow Rd	
5010005	Winchester East Rd	Winchester East Rd	Carnamah	9.60	Billeroo - Coorow Rd	19.60	McPartland Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5010040	Winchester South Rd	Winchester South Rd	Carnamah	0.00	West Yarra Rd	13.80	Winchester South	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5010003	Winchester West Rd	Winchester West Rd	Carnamah	0.00	Old Generation Rd	5.84	Carnamah - Eneabba Rd	
501Z013	Rocky Spring Rd	Rocky Spring Rd	Carnamah	1.91	Erindoon Rd	2.25	Rocky Spring Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Carnarvon

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
8030031	Babbage Island Rd	Babbage Island Rd	Carnarvon	0.00	Robinson St	3.11	Silver City Rd & Pelican Point Rd	
8030038	Binning Rd	Binning Rd	Carnarvon	0.00	Pelican Point Rd	0.22	Binning Rd - End Road	
8030066	Blowholes Rd	Blowholes Rd	Carnarvon	0.00	North West Coastal Hwy	48.82	Beach Rd & Quobba - Gnaraloo Rd	
8030049	Boundary Rd	Boundary Rd	Carnarvon	0.66	Robinson St	1.58	Boundary Rd - End Road	
8030242	Carnarvon - Mullewa Rd	Carnarvon - Mullewa Rd	Carnarvon	0.00	North West Coastal Hwy	117.42	Upper Gascoyne LGA Boundary	
8030105	Carnarvon Rd	Carnarvon Rd	Carnarvon	0.00	James St	5.77	North West Coastal Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
8030194	Cleveland St	Cleveland St	Carnarvon	0.00	Cornish St	0.35	Boundary Rd	
8030212	Collins St	Collins St	Carnarvon	0.00	Hudson St	0.17	Harbour Rd	
8030052	Cornish St	Cornish St	Carnarvon	0.00	Angelo St & Robinson St	1.81	Harbour Rd	
8030012	Douglas St	Douglas St	Carnarvon	0.00	Carnarvon Rd	0.83	Boat Harbour Rd & West St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No Operation between 7:00 AM and 9:00 AM and between 2:00 PM and 4:00 PM
8030209	Harbour Rd	Harbour Rd	Carnarvon	0.00	North West Coastal Hwy	2.44	Cornish St	
8030211	Hudson St	Hudson St	Carnarvon	0.00	Woodman St	0.41	Collins St	
8030139	Iles Rd	Iles Rd	Carnarvon	0.00	Robinson St	0.20	For 0.20 Km	
8030030	James St	James St	Carnarvon	0.00	Robinson St	0.46	James St - End Road	
8030172	Lawson St	Lawson St	Carnarvon	0.00	North West Coastal Hwy	1.10	For 1.10km From North West Coastal Hwy to Tremor Earthmoving	
8030078	Lyndon - Minnie Creek Rd	Lyndon - Minnie Creek Rd	Carnarvon	0.00	Minilya - Lyndon Rd	30.61	Upper Gascoyne LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
8030053	North River Rd	North River Rd	Carnarvon	0.00	North West Coastal Hwy	11.72	One Tree Point Rd	
8030036	Pelican Point Rd	Pelican Point Rd	Carnarvon	0.00	Silver City Rd & Babbage Island Rd	0.56	Binning Rd	
8030245	Sanctuary Rd	Sanctuary Rd	Carnarvon	0.00	Coral Bay Rd	1.39	Sanctuary Rd - End Road	
8030204	Speedway Rd	Speedway Rd	Carnarvon	0.00	North West Coastal Hwy	2.37	For 2.37 Km	
8030086	Wahroonga - Pimbee Rd	Wahroonga - Pimbee Rd	Carnarvon	0.00	North West Coastal Hwy	86.46	Gilroyd Rd & Pimbee Rd	
8030210	Woodman St	Woodman St	Carnarvon	0.00	Harbour Rd	0.17	Hudson St	
803Z007	Boat Harbour Rd	Boat Harbour Rd	Carnarvon	0.00	Douglas St & West St	1.51	Boat Harbour Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Chapman Valley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5160136	Ahern Pl	Ahern Pl	Chapman Valley	0.00	Hickety Rd	2.42	Ahern Pl - End Road	
5160075	Angels Rd	Angels Rd	Chapman Valley	0.00	Urch Rd	0.51	Greater Geraldton (C) LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5160115	Badgedong Rd	Badgedong Rd	Chapman Valley	0.00	Nubberoo Rd	4.61	Badgedong Rd - End Road	
5160052	Balaam Rd	Balaam Rd	Chapman Valley	0.00	Nolba Rd	4.50	Northampton LGA Boundary	<ul style="list-style-type: none"> Maximum speed 60 km/h
5160019	Balla - Whelarra Rd	Balla - Whelarra Rd	Chapman Valley	0.00	Chapman Valley Rd	12.85	Northampton LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit.
5160098	Baugh Rd	Baugh Rd	Chapman Valley	0.00	Station Valentine Rd	7.05	Baugh - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Unsealed section - 50km/h below posted speed limit. Sealed section - 20 km/h below posted speed limit.

Tandem Drive Network 2.1



Chapman Valley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5160068	Bella Vista Rd	Bella Vista Rd	Chapman Valley	0.00	Nanson - Howatharra Rd	2.60	Bella Vista Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5160023	Bindoo Rd	Bindoo Rd	Chapman Valley	0.00	Yuna - Tenindewa Rd	13.49	Wandin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5160045	Binnu Rd East	Binnu Rd East	Chapman Valley	0.00	Binnu East Rd	8.00	Dartmoor - Lake Nerramyne Rd & Dartmoor Harris Rd & Dartmoor Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Chapman Valley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5160040	Burton Williamson Rd	Burton Williamson Rd	Chapman Valley	0.00	Valentine Rd	6.50	Burton Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Valentine Rd : No right turn permitted into Valentine Rd from Burton Williamson Rd
5160042	Campbells Rd	Campbells Rd	Chapman Valley	0.00	Bindoo Rd	5.54	Campbells - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5160050	Cannon - Whelarra Rd	Cannon - Whelarra Rd	Chapman Valley	0.00	Nolba Stock Route Rd	1.20	1.2km From Nolba Stock Route Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5160050	Cannon - Whelarra Rd	Cannon - Whelarra Rd	Chapman Valley	1.20	1.2km From Nolba Stock Route Rd	10.59	Balla - Whelarra Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Chapman Valley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5160130	Chapman Valley Rd	Chapman Valley Rd	Chapman Valley	0.00	Greater Geraldton (C) LGA Boundary	9.64	Chapman Valley Rd & Morrell Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5160047	Coonawa Rd	Coonawa Rd	Chapman Valley	0.00	Wandana Rd	18.79	Badgedong Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit.
5160034	Coronation Beach Rd	Coronation Beach Rd	Chapman Valley	0.00	North West Coastal Hwy	5.95		
5160061	Crabbe Rd	Crabbe Rd	Chapman Valley	0.00	Indialla Rd	6.00	Durawah Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Chapman Valley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5160021	Dartmoor - Lake Nerramyne Rd	Dartmoor - Lake Nerramyne Rd	Chapman Valley	0.00	Dartmoor Harris Rd & Dartmoor Rd & Binnu Rd East	24.64	Dartmoor - Lake Nerramyne Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit.
5160046	Dartmoor Harris Rd	Dartmoor Harris Rd	Chapman Valley	0.00	Dartmoor - Lake Nerramyne Rd & Dartmoor Rd & Binnu Rd East	6.44	Dartmoor-Harris - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5160008	Dartmoor Rd	Dartmoor Rd	Chapman Valley	0.00	Yuna Tenindewa Rd & Yuna - Tenindewa Rd	0.80	For 800m From Moonyoonooka Yuna Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit.
5160008	Dartmoor Rd	Dartmoor Rd	Chapman Valley	0.80	For 800m From Moonyoonooka Yuna Rd	33.25	Dartmoor - Lake Nerramyne Rd & Dartmoor Harris Rd & Binnu Rd East	<ul style="list-style-type: none"> Headlights to be switched on at all times Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit.

Tandem Drive Network 2.1



Chapman Valley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5160140	Dillistone Rd	Dillistone Rd	Chapman Valley	0.00	Nanson - Howatharra Rd	1.65	Dillistone Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5160027	Dindiloa Rd	Dindiloa Rd	Chapman Valley	0.00	Chapman Valley Rd	7.00	Hayward Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 60 km/h
5160027	Dindiloa Rd	Dindiloa Rd	Chapman Valley	7.00	Hayward Rd	11.34	East Bowes Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection East Bowes Rd : No access permitted into East Bowes Rd from Dindiloa Rd

Tandem Drive Network 2.1



Chapman Valley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5160035	Durawah - Northern Gully	Durawah - Northern Gully	Chapman Valley	0.00	Lorimer Rd & Thompson Reidy Rd & Northern Gully Rd	2.44	Station Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5160035	Durawah - Northern Gully	Durawah - Northern Gully	Chapman Valley	2.44	Station Rd	9.75	Durawah Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 60 km/h
5160001	Durawah Rd	Durawah Rd	Chapman Valley	0.00	Chapman Valley Rd	18.45	Station Rd	<ul style="list-style-type: none"> Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5160012	East Bowes Rd	East Bowes Rd	Chapman Valley	0.00	Chapman Valley Rd	12.06	Northampton - Nabawa Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit. Intersection Dindiloa Rd : No access permitted into Dindiloa Bowles Rd from East Bowes Rd
5160150	East Chapman Rd	East Chapman Rd	Chapman Valley	0.00	Narra Tarra Moonyoonooka Rd & Morrell Rd	1.53	Angels Rd & East Chapman Rd	
5160018	East Dartmoor Rd	East Dartmoor Rd	Chapman Valley	0.00	Wandana Rd	23.10	North Dartmoor	<ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 70 km/h
5160016	East Nabawa	East Nabawa	Chapman Valley	0.00	Yuna - Tenindewa Rd	4.60	Valentine Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit.

Tandem Drive Network 2.1



Chapman Valley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5160016	East Nabawa	East Nabawa	Chapman Valley	4.60	Valentine Rd	7.60	Wheeldon Hosking Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5160016	East Nabawa	East Nabawa	Chapman Valley	7.60	Wheeldon Hosking Rd	20.55	1.05km From Richardson Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5160016	East Nabawa	East Nabawa	Chapman Valley	20.55	For 14.42km From Moonyoonooka Yuna Rd	34.97	Chapman Valley Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit.
5160024	Forrester Brooks Rd	Forrester Brooks Rd	Chapman Valley	0.00	Chapman Valley Rd & Warr Rd	5.00	Kerr Dartmoor Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
5160024	Forrester Brooks Rd	Forrester Brooks Rd	Chapman Valley	5.00	Kerr Dartmoor Rd	13.57	Dartmoor Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Chapman Valley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5160032	Forrester Rd	Forrester Rd	Chapman Valley	0.00	Newmarracarra Rd	5.73	Durawah - Northern Gully	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5160105	Gould Rd	Gould Rd	Chapman Valley	0.00	Chapman Valley Rd	0.93	Gould Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5160073	Gray Dindiloa Rd	Gray Dindiloa Rd	Chapman Valley	0.00	Chapman Valley Rd	2.63	Dindiloa Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 70 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5160036	Hayward Rd	Hayward Rd	Chapman Valley	0.00	Northampton - Nabawa Rd & Fairview Farm Rd	4.82	Dindiloa Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 50kph below posted speed limit. Sealed section - 20 kph below posted speed limit.

Tandem Drive Network 2.1



Chapman Valley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5160067	Hickety Rd	Hickety Rd	Chapman Valley	0.00	Nanson - Howatharra Rd	4.80	Ahern Pl	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5160063	Hipper Rd	Hipper Rd	Chapman Valley	0.00	Indialla Rd	2.45	East Nabawa	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5160086	Hotel Rd	Hotel Rd	Chapman Valley	0.00	Northampton - Nabawa Rd	0.64	Chapman Valley Rd	<ul style="list-style-type: none"> Intersection Northampton - Nabawa Rd : No right turn permitted into Northampton - Nabawa Rd from Hotel Road
5160011	Indialla Rd	Indialla Rd	Chapman Valley	0.00	Durawah Rd	13.80	Chapman Valley Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
5160064	Jacky Jupp Rd	Jacky Jupp Rd	Chapman Valley	0.00	Chapman Valley Rd	2.14	Indialla Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Chapman Valley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5160094	Kerr Dartmoor Rd	Kerr Dartmoor Rd	Chapman Valley	0.00	Balla - Whelarra Rd	6.40	Dartmoor Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit.
5160076	Lorimer Rd	Lorimer Rd	Chapman Valley	0.00	Durawah - Northern Gully & Thompson Reidy Rd & Northern Gully Rd	1.01	Lorimer Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5160020	Marrah Rd	Marrah Rd	Chapman Valley	0.00	South Whelarra & Naraling - East Yuna Rd	6.00	Richardson Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit.
5160020	Marrah Rd	Marrah Rd	Chapman Valley	6.00	Richardson Rd	14.77	Chapman Valley Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 50kph below posted speed limit. Sealed section - 20 kph below posted speed limit.
5160059	McCagh Rd	McCagh Rd	Chapman Valley	0.00	Chapman Valley Rd	2.40	Mt Erin - Nabawa Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Chapman Valley Rd : No right turn permitted into Moonyoonooka Yuna Road from McCagh Road

Tandem Drive Network 2.1



Chapman Valley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5160025	McGauran	McGauran	Chapman Valley	0.00	Yuna - Tenindewa Rd	4.95	Bindoo Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5160026	McNaught Mazzuchelli Rd	McNaught Mazzuchelli Rd	Chapman Valley	0.00	Hayward Rd	8.60	East Bowes Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5160054	Morcom	Morcom	Chapman Valley	0.00	Chapman Valley Rd	3.50	South Whelarra	<ul style="list-style-type: none"> Maximum speed 70 km/h
5160060	Mt Erin - Nabawa Rd	Mt Erin - Nabawa Rd	Chapman Valley	0.00	Durawah Rd	5.14	Chapman Valley Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Chapman Valley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5160009	Murphy Norris Rd	Murphy Norris Rd	Chapman Valley	0.00	Chapman Valley Rd	8.00	Butcher Knife Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5160099	Murphy Yetna Rd	Murphy Yetna Rd	Chapman Valley	0.00	Nanson - Howatharra Rd & Nabawa - Yetna Rd	6.41	Chapman Valley Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h Maximum Speed of 20 km/h over floodway
5160082	Nabawa - Yetna Rd	Nabawa - Yetna Rd	Chapman Valley	0.00	Chapman Valley Rd	7.00	Murphy Yetna Rd & Nanson - Howatharra Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h Maximum Speed of 20 km/h over floodway
5160010	Nanson - Howatharra Rd	Nanson - Howatharra Rd	Chapman Valley	6.00	Murphy Yetna Rd & Nabawa - Yetna Rd	14.35	North West Coastal Hwy	<ul style="list-style-type: none"> Maximum speed 70 km/h
5160017	Naraling - East Yuna Rd	Naraling - East Yuna Rd	Chapman Valley	0.00	Yuna - Tenindewa Rd	18.11	Chapman Valley Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5160007	Narra Tarra Rd	Narra Tarra Rd	Chapman Valley	0.00	Chapman Valley Rd	3.00	Narra Tarra Moonyoonooka Rd	

Tandem Drive Network 2.1



Chapman Valley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5160031	Newmarracarra Rd	Newmarracarra Rd	Chapman Valley	0.00	Thompson Reidy Rd & Newmarracarra Rd	13.04	Durawah Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5160006	Nolba Rd	Nolba Rd	Chapman Valley	0.00	Chapman Valley Rd	14.60	Balaam Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5160006	Nolba Rd	Nolba Rd	Chapman Valley	14.60	Balaam Rd	20.96	Nolba Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Chapman Valley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5160096	Nolba Rockwell Rd	Nolba Rockwell Rd	Chapman Valley	0.00	Nolba Rd	5.30	Chapman Valley Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5160051	Nolba Stock Route Rd	Nolba Stock Route Rd	Chapman Valley	0.00	Nolba Rd	9.50	Nolba Stock Route	<ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5160120	Normans Well Rd	Normans Well Rd	Chapman Valley	0.00	Northampton - Nabawa Rd	2.35	Northampton LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Northampton - Nabawa Rd : No left turn permitted into Northampton Nabawa Rd from Normans Well Rd
5160022	North Dartmoor	North Dartmoor	Chapman Valley	0.00	Dartmoor Harris Rd	12.98	Dartmoor Rd	<ul style="list-style-type: none"> Maximum speed 70 km/h
5160131	Northampton - Nabawa Rd	Northampton - Nabawa Rd	Chapman Valley	0.00	Northampton - Nabawa Rd & East Bowes Rd	12.29	Chapman Valley Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times 20 km/h below posted speed limit Intersection Hotel Rd : No left turn permitted into Hotel Rd from Northampton - Nabawa Rd

Tandem Drive Network 2.1



Chapman Valley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5160069	Oakajee Rd	Oakajee Rd	Chapman Valley	0.00	Olsen Rd	3.30	Nanson - Howatharra Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5160084	Old Nabawa - Northampton Rd	Old Nabawa - Northampton Rd	Chapman Valley	0.00	Chapman Valley Rd	2.04	Protheroe Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Protheroe Rd : No access permitted into Moonyoonooka - Yuna Rd from Old Nabawa Northampton Rd

Tandem Drive Network 2.1



Chapman Valley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5160028	Olsen Rd	Olsen Rd	Chapman Valley	0.00	North West Coastal Hwy	4.68	Olsen Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5160055	Parks Rd	Parks Rd	Chapman Valley	0.00	Northampton - Nabawa Rd	3.29	Hayward Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Chapman Valley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5160066	Protheroe Rd	Protheroe Rd	Chapman Valley	0.00	Northampton - Nabawa Rd	3.89	Protheroe Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5160121	Richardson Rd	Richardson Rd	Chapman Valley	0.00	East Nabawa	2.64	For 2.64km From East Nabawa Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 30kph below posted speed limit. Sealed section - 20kph below posted speed limit.
5160121	Richardson Rd	Richardson Rd	Chapman Valley	2.64	For 2.64km From East Nabawa Rd	3.47	Marrah Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Unsealed section - 30kph below posted speed limit. Sealed section - 20kph below posted speed limit.
5160088	Scott Rd	Scott Rd	Chapman Valley	0.00	Murphy Norris Rd	6.05	Shaw Pl & Scott Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Caution is advised at the floodway.

Tandem Drive Network 2.1



Chapman Valley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5160030	South Whelarra	South Whelarra	Chapman Valley	0.00	Chapman Valley Rd	7.65	Marrah Rd & Naraling - East Yuna Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit.
5160039	St John Rd	St John Rd	Chapman Valley	0.00	Wandana Rd	10.18	Wandin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5160057	State Farm Rd	State Farm Rd	Chapman Valley	0.00	McNaught Mazzuchelli Rd	1.89	Northampton - Nabawa Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 50kph below posted speed limit. Sealed section - 20 kph below posted speed limit.
5160015	Station Rd	Station Rd	Chapman Valley	0.00	Durawah Rd	8.90	Durawah - Northern Gully	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Chapman Valley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5160014	Station Valentine Rd	Station Valentine Rd	Chapman Valley	0.00	Station Rd	13.65	Valentine Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5160114	Tenindewa Rd North	Tenindewa Rd North	Chapman Valley	0.00	Wandin Rd & Caratti Rd	8.65	Tenindewa North Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit.
5160038	Thompson Reidy Rd	Thompson Reidy Rd	Chapman Valley	0.00	Newmarracarra Rd	4.97	Lorimer Rd & Durawah - Northern Gully & Northern Gully Rd	
5160053	Urch Rd	Urch Rd	Chapman Valley	0.00	Chapman Valley Rd	9.50	Scott Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). No access between Lot 370 and Lot 527.

Tandem Drive Network 2.1



Chapman Valley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5160013	Valentine Rd	Valentine Rd	Chapman Valley	0.00	Valentine Rd & Smith Rd	25.35	East Nabawa	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Maximum speed 70km/h on unsealed section. Maximum speed 80km/h on sealed section.
5160041	Valentine Williamson Rd	Valentine Williamson Rd	Chapman Valley	0.00	Valentine Rd	4.79	Valentine-Williamson - End Road	<ul style="list-style-type: none"> Maximum speed 60 km/h
5160093	Wandana Exten Rd	Wandana Exten Rd	Chapman Valley	0.00	Wandana Rd	6.05	Wandana Exten - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5160004	Wandana Rd	Wandana Rd	Chapman Valley	0.00	Yuna - Tenindewa Rd	32.42	Wandana - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit.
5160005	Wandin Rd	Wandin Rd	Chapman Valley	0.00	Caratti Rd & Tenindewa Rd North	14.09	Bindoo Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 60 km/h

Tandem Drive Network 2.1



Chapman Valley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5160005	Wandin Rd	Wandin Rd	Chapman Valley	14.09	Bindoo Rd	21.53	Yuna - Tenindewa Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Yuna - Tenindewa Rd : No access permitted into Yuna Tenindewa Rd from Wandin Rd
5160117	Warr Rd	Warr Rd	Chapman Valley	0.00	Chapman Valley Rd & Forrester Brooks Rd	3.00	Warr Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5160097	Wheeldon Hosking Rd	Wheeldon Hosking Rd	Chapman Valley	0.00	Naraling - East Yuna Rd	7.85	East Nabawa	<ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit.
5160118	Williamson Rd	Williamson Rd	Chapman Valley	0.00	Yuna - Tenindewa Rd	2.75	Williamson Rd - End Road	<ul style="list-style-type: none"> Maximum speed 60 km/h
5160132	Yuna - Tenindewa Rd	Yuna - Tenindewa Rd	Chapman Valley	0.00	Yuna Tenindewa Rd & Dartmoor Rd	6.72	Wandin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Chapman Valley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5160132	Yuna - Tenindewa Rd	Yuna - Tenindewa Rd	Chapman Valley	6.72	Wandin Rd	16.78		<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Wandin Rd : No access permitted into Wandin Rd from Yuna Tenindewa Rd
5160132	Yuna - Tenindewa Rd	Yuna - Tenindewa Rd	Chapman Valley	16.78		17.20	From Farm Access 660m South of McGauran Road to Geraldton Lga Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5160132	Yuna - Tenindewa Rd	Yuna - Tenindewa Rd	Chapman Valley	17.20	From Farm Access 660m South of McGauran Road to Geraldton Lga Boundary	26.37	Greater Geraldton (C) LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) No Operation between the hours of sunset and sunrise Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Maximum speed 70km/h on unsealed section. Maximum speed 80km/h on sealed section.

Tandem Drive Network 2.1



Chapman Valley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5160108	Yuna Rd South	Yuna Rd South	Chapman Valley	0.00	Yuna Tenindewa Rd	9.74	Naraling - East Yuna Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
516Z005	Dartmoor - Lake Nerramyne Rd	Dartmoor - Lake Nerramyne Rd	Chapman Valley	0.00	Dartmoor - Lake Nerramyne Rd	8.00	Lake Nerramyne Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit.

Tandem Drive Network 2.1



Chittering

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5029005	Canaveral Wy	Canaveral Wy	Chittering	0.00	Verlort Dr	0.58	Canaveral Wy - End Road	
5020013	Crest Hill Rd	Crest Hill Rd	Chittering	0.00	Great Northern Hwy	7.65	Mooliabeenee Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 90 km/h
5020045	Cullalla Rd	Cullalla Rd	Chittering	0.00	Mooliabeenee Rd	0.18	Cullalla Rd & Ashworth Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h
5020003	Dewars Pool - Bindoon Rd	Dewars Pool - Bindoon Rd	Chittering	0.00	Toodyay LGA Boundary	9.40	Great Northern Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Includes intersection to extraction pit at the Agricultural College.
5020133	Energy Pl	Energy Pl	Chittering	0.00	Granary Dr on to Brand Hwy (Northbound) & Brand Hwy (Southbound) off to Granary Dr	0.97	Energy Pl - End Road	
5020016	Gray Rd	Gray Rd	Chittering	0.00	Great Northern Hwy	6.90	Gray Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
5020031	Gulliente Rd	Gulliente Rd	Chittering	0.00	Muchea East Rd	1.03	Gulliente Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
5020008	Hay Flat Rd	Hay Flat Rd	Chittering	0.00	Bindoon Moora Rd	13.08	Great Northern Hwy	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5029001	Mercury Rise	Mercury Rise	Chittering	0.00	Great Northern Hwy & Over-Height Vehicle Bypass	0.50	Verlort Dr	
5020001	Mooliabeenee Rd	Mooliabeenee Rd	Chittering	0.00	Bindoon Moora Rd	5.68	Cullalla Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5020001	Mooliabeenee Rd	Mooliabeenee Rd	Chittering	5.68	Cullalla Rd	6.73	Gingin LGA Boundary	
5020004	Muchea East Rd	Muchea East Rd	Chittering	7.39	1.3km From Brand Hwy And Great Northern Hwy	8.69	Granary Dr & Great Northern Hwy	

Tandem Drive Network 2.1



Chittering

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5020036	Muchea South Rd	Muchea South Rd	Chittering	0.00	Granary Dr	0.07	Steer St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Empty Travel Only
5020012	North Rd	North Rd	Chittering	0.00	West Point Rd	11.32	Great Northern Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Great Northern Hwy : No left turn permitted into Great Northern Highway from North Road.
5020039	Old Gingin Rd	Old Gingin Rd	Chittering	0.00	GNH Access Road Brand Hwy Muchea & Old Great Northern Hwy (Muchea)	2.93	Old Gingin Rd - End Road	<ul style="list-style-type: none"> Maximum speed 50 km/h
5020043	Owen Rd	Owen Rd	Chittering	0.00	Great Northern Hwy	3.75	Owen Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5020015	Perry Rd	Perry Rd	Chittering	0.00	Great Northern Hwy	6.65	Perry Rd - End Road	
5020107	Peters Rd	Peters Rd	Chittering	0.00	Granary Dr	0.85	Peters Rd - End Road	
5029002	Propagation View	Propagation View	Chittering	0.00	Propagation View - Start Road	1.31	Propagation View - End Road	
5029003	Propagation View Access	Propagation View Access	Chittering	0.00	Great Northern Hwy	0.15	Propagation View	

Tandem Drive Network 2.1



Chittering

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5020051	Spillman Rd	Spillman Rd	Chittering	0.00	Great Northern Hwy	5.15	Waldeck East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5020063	Steer St	Steer St	Chittering	0.00	Muchea South Rd	0.14	McKenzie St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Empty Travel Only
5029004	Verlort Dr	Verlort Dr	Chittering	0.00	Mercury Rise	0.19	Canaveral Wy	
5020058	Waldeck East Rd	Waldeck East Rd	Chittering	0.00	Great Northern Hwy	3.03	Waldeck East Rd - End Road	
5020030	Wandena Rd	Wandena Rd	Chittering	0.00	Wandena Rd & Green St	8.69	Great Northern Hwy	
5020139	Wannamal West Rd	Wannamal West Rd	Chittering	0.00	Bindoon Moora Rd	0.03	Wannamal Rd West	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.
5020049	West Point Rd	West Point Rd	Chittering	0.00	Bindoon Moora Rd	7.39	Cocking Rd & Murphy Gully Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
502Z008	GNH Access Road Brand Hwy Muchea	GNH Access Road Brand Hwy Muchea	Chittering	0.00	Brand Hwy	1.28	Old Great Northern Hwy (Muchea) & Old Gingin Rd	
502Z009	GNH Access Road GNH On Ramp Muchea	GNH Access Road GNH On Ramp Muchea	Chittering	0.00	Brand Hwy Rty on to Great Northern Hwy (Northbound)	0.20	GNH Access Road Brand Hwy Muchea	
502Z010	Road Train Assembly Area Access	Road Train Assembly Area Access	Chittering	0.00	Great Northern Hwy	0.22	Brand Hwy Rty on to Tonkin Hwy (Southbound)	

Tandem Drive Network 2.1



Claremont (T)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1150013	Alfred Rd	Alfred Rd	Claremont (T)	0.00	Ashton Av & Alfred Rd	0.60	Alfred Rd & Davies Rd & Montgomery Av	

Tandem Drive Network 2.1



Cockburn (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1030613	Acourt Rd	Acourt Rd	Cockburn (C)	0.00	Nicholson Rd	1.35	Canning Lga Boundary	
1030900	Alacrity Pl	Alacrity Pl	Cockburn (C)	0.48	Keel Wy	0.71	Diamantina Wy	
1031443	Altona St	Altona St	Cockburn (C)	0.00	Port Kembla Dr	0.21	Altona St - End Road	
1030108	Anderson Rd	Anderson Rd	Cockburn (C)	0.00	Russell Rd (West)	0.19	For 0.19 Km to End of Road	
1032778	Artemis Loop	Artemis Loop	Cockburn (C)	0.00	Scorpius Rd	1.04	Artemis Loop - End of Construction	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1031058	Barberry Wy	Barberry Wy	Cockburn (C)	0.00	Cocos Dr	0.74	Barrington St	
1030029	Barrington St	Barrington St	Cockburn (C)	1.14	Stock Rd	3.10	Barberry Wy	
1030953	Beeliar Dr	Beeliar Dr	Cockburn (C)	0.00	Beeliar Dr	4.60	Spearwood Av	
1030503	Berrigan Dr	Berrigan Dr	Cockburn (C)	1.64	Kwinana Fwy (Northbound) off to Berrigan Dr	4.67	Karel Av	
1031593	Biscayne Wy	Biscayne Wy	Cockburn (C)	0.00	Cutler Rd	0.08	Access Driveway	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1030415	Broadmeadows St	Broadmeadows St	Cockburn (C)	0.00	Geelong Ct	0.19	Broadmeadows St - End Road	
1030091	Buckley St	Buckley St	Cockburn (C)	0.00	Hammond Rd	0.86	Poletti Rd	
1031924	Bushland Rdge	Bushland Rdge	Cockburn (C)	0.43		0.77	0.432kms From Efficiency Wy	
1031464	Camomile Wy	Camomile Wy	Cockburn (C)	0.00	Cocos Dr	0.18	Cascara Cnr	
1031463	Cascara Cnr	Cascara Cnr	Cockburn (C)	0.00	Cocos Dr	0.61	Cocos Dr	
1031494	Channel Cl	Channel Cl	Cockburn (C)	0.00	Quill Wy	0.22	Channel Cl - End Road	
1030931	Clarence Beach Rd	Clarence Beach Rd	Cockburn (C)	0.00	Clarence Beach Rd - Start Road	0.53	Clarence Beach Rd Access (Sth) & Clarence Beach Rd	
1031495	Clarence Beach Rd Access	Clarence Beach Rd Access	Cockburn (C)	0.00	Quill Wy	0.21	Clarence Beach Rd	
1039000	Clarence Beach Rd Access (Sth)	Clarence Beach Rd Access (Sth)	Cockburn (C)	0.00	Quill Wy	0.05	Clarence Beach Rd	
1031504	Clark Ct	Clark Ct	Cockburn (C)	0.00	Broadmeadows St	0.30	Clark Ct - End Road	
1031744	Cockburn Rd	Cockburn Rd	Cockburn (C)	0.00	Cockburn Rd & Russell Rd (West)	4.82	Sutton Rd & Cockburn Rd	<ul style="list-style-type: none"> Intersection Jessie Lee St : No left turn permitted into Jessie Lee St from Cockburn Rd
1030903	Cocos Dr	Cocos Dr	Cockburn (C)	0.00	1030007/40-S & Spearwood Av	1.41	Cascara Cnr	
1030921	Coolibah Wy	Coolibah Wy	Cockburn (C)	0.00	Cocos Dr	0.46	Kalmia Rd	
1030094	Cooper Rd	Cooper Rd	Cockburn (C)	0.00	Poletti Rd	0.96	Yangebup Rd & Hammond Rd	
1031057	Corokia Wy	Corokia Wy	Cockburn (C)	0.00	Kalmia Rd	0.27	Barberry Wy	
1031005	Crane St	Crane St	Cockburn (C)	0.00	Sparks Rd	0.20	Crane St - End Road	
1030060	Cutler Rd	Cutler Rd	Cockburn (C)	0.00	Prinsep Rd	1.73	Solomon Rd	<ul style="list-style-type: none"> Intersection Prinsep Rd : No access permitted into Prinsep Rd from Cutler Rd
1031203	Darkan Av	Darkan Av	Cockburn (C)	0.00	Rollinson Rd	0.17	Rollinson Rd	
1031048	Davison Rd	Davison Rd	Cockburn (C)	0.00	Cooper Rd	0.24	Poletti Rd & Veterans Pde	

Tandem Drive Network 2.1



Cockburn (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1032798	Delta St	Delta St	Cockburn (C)	0.00	Scorpius Rd	0.32	Artemis Loop	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1030899	Diamantina Wy	Diamantina Wy	Cockburn (C)	0.00	Stuart Dr	0.17	Alacrity Pl	
1031846	Discovery Dr	Discovery Dr	Cockburn (C)	1.11	Efficiency Wy	1.53	Spearwood Av	
1030879	Dobra Rd	Dobra Rd	Cockburn (C)	0.00	Barrington St & Salpietro St	0.41	Shallcross St	
1030615	Dollier St	Dollier St	Cockburn (C)	0.00	Solomon Rd	0.56	Dollier St - End Road	
1031950	Efficiency Wy	Efficiency Wy	Cockburn (C)	0.00	Bushland Rdge	0.23	Discovery Dr	
1030757	Egmont Rd	Egmont Rd	Cockburn (C)	0.00	Sparks Rd	0.66	Redemptora Rd	
1031090	Emplacement Cr	Emplacement Cr	Cockburn (C)	0.00	Cockburn Rd	0.55	Cockburn Rd (South)	
1031202	Garston Wy	Garston Wy	Cockburn (C)	0.00	Cockburn Rd	0.49	Bennett Av & Kaleep Cl	
1030413	Geelong Ct	Geelong Ct	Cockburn (C)	0.00	Port Kembla Dr	0.18	Geelong Ct - End Road	
1030012	Hammond Rd	Hammond Rd	Cockburn (C)	0.00	North Lake Rd	5.03	Russell Rd	
1031337	Hope Rd East of Fwy	Hope Rd East of Fwy	Cockburn (C)	0.00	Training Pl & Rail Access (Was Hope Rd)	0.50	Hope Rd East of Fwy - End Road	
1030026	Howson Wy	Howson Wy	Cockburn (C)	0.00	Stock Rd	1.73	1030007/40-S & Spearwood Av	
1030026	Howson Wy	Howson Wy	Cockburn (C)	1.76	Howson Wy - End Db	1.88	Miguel Rd	
1030078	Hurst Rd	Hurst Rd	Cockburn (C)	0.00	Zeta Rd	0.37	Hurst Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1030025	Jandakot Rd	Jandakot Rd	Cockburn (C)	0.00	Dean Rd & Berrigan Dr	4.82	Warton Rd & Mason Rd	
1031453	Jessie Lee St	Jessie Lee St	Cockburn (C)	0.00	Cockburn Rd	0.14	Roscoe St	<ul style="list-style-type: none"> Intersection Cockburn Rd : No left turn permitted into Cockburn Rd from Jessie Lee St
1030922	Kalmia Rd	Kalmia Rd	Cockburn (C)	0.00	Cocos Dr	0.44	Barberry Wy	
1030834	Karel Av	Karel Av	Cockburn (C)	0.00	Karel Av & Orion Rd & Pilatus St	1.01	Roe Hwy (East Bound) off to Karel Av	
1031489	Keel Wy	Keel Wy	Cockburn (C)	0.00	Stuart Dr	0.22	Alacrity Pl	<ul style="list-style-type: none"> Intersection Stuart Dr : No right turn permitted into Stuart Dr from Keely Way
1030096	Maclaglan St	Maclaglan St	Cockburn (C)	0.00	Buckley St	0.37	Cooper Rd	
1030406	Malabar Wy	Malabar Wy	Cockburn (C)	0.00	Port Kembla Dr	0.08	Malabar Wy - End Road	
1030056	Mandogalup Rd	Mandogalup Rd	Cockburn (C)	0.00	Wattleup Rd	0.40	Mandogalup Rd & Industrial Area Access Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1030095	McKinnon St	McKinnon St	Cockburn (C)	0.00	Buckley St	0.25	Tichborne St	
1031421	McTaggart Cove	McTaggart Cove	Cockburn (C)	0.00	Cockburn Rd	0.35	McTaggart Cove - End Road	
1030027	Miguel Rd	Miguel Rd	Cockburn (C)	0.00	Miguel Rd - Start Road	1.00	Barrington St	
1030647	Morse Rd	Morse Rd	Cockburn (C)	0.00	Wellard St	0.26	Winchester Rd	
1031811	Nautical Dr	Nautical Dr	Cockburn (C)	0.00	Quill Wy	0.82	Nautical Dr - End Road	
1030010	North Lake Rd	North Lake Rd	Cockburn (C)	2.17	Phoenix Rd	7.62	Armada Rd	
1031356	O'Connor Cl	O'Connor Cl	Cockburn (C)	0.00	Rollinson Rd	0.31	Enderby Cl & Picard L	
1030855	Parks Pl	Parks Pl	Cockburn (C)	0.00	Quarimor Rd	0.07	For 0.07 Km	

Tandem Drive Network 2.1



Cockburn (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1030005	Phoenix Rd	Phoenix Rd	Cockburn (C)	2.15	Stock Rd	3.79	North Lake Rd	• Intersection Selkis Rd : No left turn permitted into Selkis Rd from Phoenix Rd
1031020	Poletti Rd	Poletti Rd	Cockburn (C)	0.00	Beeliar Dr	0.91	Forrest Rd	
1030706	Port Kembla Dr	Port Kembla Dr	Cockburn (C)	0.00	Phoenix Rd	0.89	Spearwood Av	
1030707	Port Pirie St	Port Pirie St	Cockburn (C)	0.00	Port Kembla Dr	0.90	Port Kembla Dr	
1030887	Possner Wy	Possner Wy	Cockburn (C)	0.00	Sparks Rd	0.65	Sparks Rd	
1030349	Postans Rd	Postans Rd	Cockburn (C)	0.00	Wattleup Rd	0.32	Kwinana (C) LGA Boundary	
1030006	Prinsep Rd	Prinsep Rd	Cockburn (C)	0.75	0.70km North of Imlah Ct	1.97	Verde Dr	• Intersection Cutler Rd : No access permitted into Cutler Rd from Prinsep Rd
1031049	Pusey Rd	Pusey Rd	Cockburn (C)	0.00	Davison Rd	0.25	Spencer St	
1030703	Quarimor Rd	Quarimor Rd	Cockburn (C)	0.00	Wellard St	0.68	Howson Wy	
1031493	Quill Wy	Quill Wy	Cockburn (C)	0.00	Cockburn Rd	2.05	Cockburn Rd	
1030793	Redemptora Rd	Redemptora Rd	Cockburn (C)	0.00	Quill Wy	0.47	Sparks Rd	
1030645	Rivers St	Rivers St	Cockburn (C)	0.00	Wellard St	0.24	Rivers St - End Road	
1030646	Robb Rd	Robb Rd	Cockburn (C)	0.00	Caledonia Loop	0.66	McTaggart Cove	
1030646	Robb Rd	Robb Rd	Cockburn (C)	0.68	McTaggart Cove	1.82	Rollinson Rd	
1030664	Rollinson Rd	Rollinson Rd	Cockburn (C)	0.00	Cockburn Rd	0.69	Westrail Entry	
1031452	Roscoe St	Roscoe St	Cockburn (C)	0.00	Success Wy	0.20	Jessie Lee St	
1030019	Rowley Rd	Rowley Rd	Cockburn (C)	0.00	Frankland Av	2.48	Satinover Wy & Rowley Rd	
1030011	Russell Rd	Russell Rd	Cockburn (C)	0.00	Rockingham Rd	7.05	Gibbs Rd & Russell Rd on to Kwinana Fwy (Southbound) & Kwinana Fwy (Southbound) off to Russell Rd	
1030492	Salpietro St	Salpietro St	Cockburn (C)	0.00	Barrington St & Dobra Rd	0.63	Salpietro St - End Road	
1032781	Scorpius Rd	Scorpius Rd	Cockburn (C)	0.00	Scorpius Rd - Start of Construction	0.81	Scorpius Rd - End of Construction	• All operators must carry written support from the road manager acknowledging the operator's use of the road.
1032142	Selkis Rd	Selkis Rd	Cockburn (C)	0.00	Phoenix Rd	0.31	0.31km From Phoenix Rd	• Intersection Phoenix Rd : No right turn permitted into Phoenix Rd from Selkis Rd
1030049	Shallcross St	Shallcross St	Cockburn (C)	0.00	Stock Rd	0.32	Erceg Rd	
1030058	Solomon Rd	Solomon Rd	Cockburn (C)	0.00	Beeliar Dr-Solomon Rd Rty	1.92	Jandakot Rd	
1030417	Sparks Rd	Sparks Rd	Cockburn (C)	0.00	Cockburn Rd	2.05	Stuart Dr	• Intersection Stuart Dr : No right turn permitted into Stuart Dr from Sparks Rd
1030007	Spearwood Av	Spearwood Av	Cockburn (C)	3.16	Melville - Mandurah (H002)	6.74	Beeliar Dr	
1030092	Spencer St	Spencer St	Cockburn (C)	0.00	Hammond Rd	0.86	Poletti Rd	
1030898	Stuart Dr	Stuart Dr	Cockburn (C)	0.00	Nautical Dr	0.66	Cockburn Rd	
1030028	Sudlow Rd	Sudlow Rd	Cockburn (C)	0.00	Spearwood Av	1.33	Phoenix Rd	
1030097	Sullivan St	Sullivan St	Cockburn (C)	0.00	Buckley St	0.25	Tichborne St	
1030093	Tichborne St	Tichborne St	Cockburn (C)	0.00	Hammond Rd	0.54	McKinnon St	
1031435	Training Pl	Training Pl	Cockburn (C)	0.00	Karel Av	0.30	Rail Access (Was Hope Rd) & Hope Rd East of Fwy	

Tandem Drive Network 2.1



Cockburn (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1031707	Verde Dr	Verde Dr	Cockburn (C)	0.51	0.20km East of Solomon Rd	1.27	Prinsep Rd	
1030373	Warton Rd	Warton Rd	Cockburn (C)	0.00	Armadaale Rd & Warton Rd	1.41	Mason Rd & Warton Rd & Jandakot Rd	<ul style="list-style-type: none"> Intersection Mason Rd & Warton Rd & Jandakot Rd : No Left Turn Permitted Into Jandakot Rd
1030013	Wattleup Rd	Wattleup Rd	Cockburn (C)	0.00	Rockingham Rd	2.98	Mandogalup Rd	
1032167	Welding Pass	Welding Pass	Cockburn (C)	0.00	Nautical Dr	0.35	Sparks Rd	
1030040	Wellard St	Wellard St	Cockburn (C)	0.00	Spearwood Av	1.55	Barrington St	
1031444	Whyalla Ct	Whyalla Ct	Cockburn (C)	0.00	Altona St	0.11	Whyalla Ct Cul-De-Sac	
1030316	Winchester Rd	Winchester Rd	Cockburn (C)	0.00	Howson Wy	0.37	Morse Rd	
1032780	Zeta Rd	Zeta Rd	Cockburn (C)	0.00	Rockingham Rd	0.42	Scorpius Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
103Z070	Centurion Pl	Centurion Pl	Cockburn (C)	0.00	Pilatus St	1.68	End Road - Centurion Pl	
103Z069	Clarence Beach Rd	Clarence Beach Rd	Cockburn (C)	0.00	Clarence Beach Rd Access (Sth) & Clarence Beach Rd	0.21	0.70 Km Past Clarence Beach Rd (Nth)	
103Z059	Compass Rd	Compass Rd	Cockburn (C)	0.00	Karel Av & Eagle Dr	0.15		
103Z075	Distribution Dr	Distribution Dr	Cockburn (C)	0.00	Pilatus St	0.68	Jandakot Rd	
103Z076	Fulfilment Loop	Fulfilment Loop	Cockburn (C)	0.00	Distribution Dr	0.80	Distribution Dr	
103Z035	Karel Av	Karel Av	Cockburn (C)	0.00	Compass Rd & Eagle Dr	1.07	Karel Av & Orion Rd & Pilatus St	
103Z051	Marriott Rd	Marriott Rd	Cockburn (C)	0.00	Pilatus St	1.40	Orion Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
103Z050	Orion Rd	Orion Rd	Cockburn (C)	0.00	Pilatus St & Karel Av	1.01	Marriott Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
103Z066	Pilatus St	Pilatus St	Cockburn (C)	0.00	Orion Rd & Karel Av	2.09	Berrigan Dr	<ul style="list-style-type: none"> Intersection Orion Rd & Karel Av : No left turn permitted into Pilatus Street from Karel Avenue.
103Z067	Spartan St	Spartan St	Cockburn (C)	0.00	Berrigan Dr & Lakes Wy	0.76	Pilatus St	

Tandem Drive Network 2.1



Collie

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2070074	Atkinson St North	Atkinson St North	Collie	0.12	0.07km South From Moira Rd	0.19	Moira Rd	
2070165	Beela Rd	Beela Rd	Collie	0.00	Victor Rd	9.74	Harvey LGA Boundary	
2070286	Boys Home Rd	Boys Home Rd	Collie	0.00	Collie Williams Rd	2.98	Boys Home Rd - End Road	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2070273	Bullfinch Rd	Bullfinch Rd	Collie	0.00	Gavan St	0.67	Bullfinch Rd - End Road	
2070002	Cardiff - McAlinden Rd	Cardiff - McAlinden Rd	Collie	0.00	Collie Preston Rd & Preston Rd	20.52	McAlinden Rd	
2070010	Centaur Rd	Centaur Rd	Collie	0.00	Coalfields Rd	7.18	Centaur Rd - End Road	
2070204	Collins St	Collins St	Collie	0.00	Harris River Rd	0.60	Morrison Wy	
2070048	Crampton St	Crampton St	Collie	0.36	Mungalup Rd	0.76	Paterson St & Preston St	
2070016	Don Rd	Don Rd	Collie	0.00	Shotts River Rd North	6.45	West Arthur LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2070218	Gastaldo Rd	Gastaldo Rd	Collie	0.00	Coalfields Rd	13.51	Worsley Alumina Access Rd	
2070131	Gavan St	Gavan St	Collie	0.00	Gibbs Rd	0.16	Bullfinch Rd	
2070003	Harris River Rd	Harris River Rd	Collie	0.00	Patstone Rd	1.05	Collins St	
2070292	Hart Rd	Hart Rd	Collie	0.00	Cardiff - McAlinden Rd	2.30	Hart Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Collie

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2070008	Hebbs Rd	Hebbs Rd	Collie	0.00	Coalfields Rd	6.46	Hebbs Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). 'Trucks Entering' signs to be erected & removed when not in use.
2070043	Johnston St	Johnston St	Collie	0.51	0.29km East From Atkinson St North	0.80	Atkinson St North	
2070028	Lyalls Mill Rd	Lyalls Mill Rd	Collie	0.00	Collie Preston Rd & Hoddell Rd	1.17	Lyalls Mill Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Warnings signs to be installed in accordance with Australian Standards and removed when haulage completed.
2070075	Moira Rd	Moira Rd	Collie	0.00	Atkinson St North	0.35	Patstone Rd	
2070015	Mornington Rd	Mornington Rd	Collie	0.00	Harris River Rd	13.18	Gastaldo Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation Only between 7:00 AM and 4:00 PM
2070015	Mornington Rd	Mornington Rd	Collie	13.32	Gastaldo Rd	20.08	Harvey LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation Only between 7:00 AM and 4:00 PM
2070011	Mungalup Rd	Mungalup Rd	Collie	0.63	Crampton St	14.48	Donnybrook - Balingup LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2070142	Palmer Rd	Palmer Rd	Collie	0.00	Williams Rd & Palmer Rd	0.87	0.87km East From Collie Williams.	
2070004	Patstone Rd	Patstone Rd	Collie	0.00	Moira Rd	5.96	Coalfields Rd	
2070285	Piavanini Rd	Piavanini Rd	Collie	0.00	Coalfields Rd	4.28	Powerhouse Rd	
2070006	Powerhouse Rd	Powerhouse Rd	Collie	0.00	Cardiff - McAlinden Rd	12.24	Muja Mine Access Rd	
2070289	Premier Rd	Premier Rd	Collie	0.00	Coalfields Rd	2.22	Premier Access Rd	
2070030	Prinsep St North	Prinsep St North	Collie	0.00	Throssell St & Prinsep St South	0.28	Johnston St	

Tandem Drive Network 2.1



Collie

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2070040	Quinns Rd	Quinns Rd	Collie	0.00	Coalfields Rd	0.98	Quinns Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2070199	Rowlands Rd	Rowlands Rd	Collie	0.00	Patstone Rd	0.60	Collins St	
2070287	Salvation Rd	Salvation Rd	Collie	0.00	Collie Williams Rd	0.36	Salvation - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2070005	Shotts River Rd North	Shotts River Rd North	Collie	0.00	Quinns Rd	6.03	Coalfields Rd	
2070266	Victor Rd	Victor Rd	Collie	0.00	Gastaldo Rd	0.40	Beela Rd	

Tandem Drive Network 2.1



Coolgardie

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6020160	Airleg Cr	Airleg Cr	Coolgardie	0.00	Durkin Rd	0.21	Airleg Cr - End Road	
6020011	Binneringie Rd	Binneringie Rd	Coolgardie	0.00	Coolgardie Esperance Hwy	28.91	St Ives Spur Rd	
6020011	Binneringie Rd	Binneringie Rd	Coolgardie	28.91	St Ives Spur Rd	28.92		<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6020011	Binneringie Rd	Binneringie Rd	Coolgardie	28.92		37.86	8.953km After St Ives Spur Rd	
6020011	Binneringie Rd	Binneringie Rd	Coolgardie	37.86	8.953km After St Ives Spur Rd	63.85	Bald Hill Access Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6020006	Carbine - Ora Banda Rd	Carbine - Ora Banda Rd	Coolgardie	0.00	Coolgardie North Rd	11.03	Ora Banda - Carbine Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
6020156	Carins Rd	Carins Rd	Coolgardie	0.00	Great Eastern Hwy	3.06	Coolgardie North Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
6020076	Casuarina Rd	Casuarina Rd	Coolgardie	0.00	Goldfields Hwy	0.84	Clianthus Rd	
6020164	Cave Hill North Rd	Cave Hill North Rd	Coolgardie	62.00	0.09km From Deacon St	78.55	Kingswood Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
6020164	Cave Hill North Rd	Cave Hill North Rd	Coolgardie	78.55	Kingswood Rd	78.56	Kingswood St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
6020075	Clianthus Rd	Clianthus Rd	Coolgardie	0.00	Melaleuca Rd	1.07	Casuarina Rd	
6020002	Coolgardie North Rd	Coolgardie North Rd	Coolgardie	0.41	Toorak St & Jaurdi Hills Rd	110.17	Menzies LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
6020138	Coolgardie Tip Rd	Coolgardie Tip Rd	Coolgardie	0.00	Great Eastern Hwy	0.75	Coolgardie Tip Rd - End Road	
6020039	Durkin Rd	Durkin Rd	Coolgardie	0.00	Goldfields Hwy	1.53	Airleg Cr	
6020034	Ford St	Ford St	Coolgardie	0.13	Bayley St (South)	1.33	Toorak St	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit

Tandem Drive Network 2.1



Coolgardie

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6020135	Gibraltar Rd	Gibraltar Rd	Coolgardie	0.00	Great Eastern Hwy	6.99	Gibralta Access Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
6020038	Gnarlbine Rd	Gnarlbine Rd	Coolgardie	0.00	Nepean Rd	0.73	Victoria Rock Rd & Jobson St	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
6020161	Granby Rd	Granby Rd	Coolgardie	0.00	Airleg Cr	0.68	Granby Rd Cul-De-Sac	
6020052	Jaurdi Hills Rd	Jaurdi Hills Rd	Coolgardie	0.00	Coolgardie North Rd & Toorak St	24.73	24.73km From Coolgardie North Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
6020052	Jaurdi Hills Rd	Jaurdi Hills Rd	Coolgardie	24.73	2.8km From Mt Burges - Bhp Access Rd	48.21	Dunnsville Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6020036	Jobson St	Jobson St	Coolgardie	0.00	Victoria Rock Rd & Gnarlbine Rd	0.33	Bayley St (North)	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
6020036	Jobson St	Jobson St	Coolgardie	0.33	Bayley St (North)	1.17	Macdonald St	<ul style="list-style-type: none"> Intersection Bayley St (North) : No access permitted into Great Eastern Hwy from Jobson St
6020136	Kingswood St	Kingswood St	Coolgardie	0.00	Widgiemooltha Tip Rd & Coolgardie Esperance Hwy	0.54	Cave Hill North Rd	
6020136	Kingswood St	Kingswood St	Coolgardie	0.54	Cave Hill North Rd	1.52	Coolgardie Esperance Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6020053	Ladyloch Rd	Ladyloch Rd	Coolgardie	0.00	Great Eastern Hwy & Bayley St	2.69	Nepean Rd	
6020071	Melaleuca Rd	Melaleuca Rd	Coolgardie	0.00	Marianthus Rd	1.00	Casuarina Rd	
6020031	Moran St	Moran St	Coolgardie	0.00	Woodward St	0.14	Bayley St	
6020031	Moran St	Moran St	Coolgardie	0.14	Bayley St	0.84	Coolgardie North Rd & King St	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit

Tandem Drive Network 2.1



Coolgardie

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6020116	Nepean - Spargoville Rd	Nepean - Spargoville Rd	Coolgardie	17.20	Gravel Pit Access 17.55km From Coolgardie Esperance Hwy	34.75	Coolgardie Esperance Hwy	
6020004	Nepean Rd	Nepean Rd	Coolgardie	0.00	Hunt St & Bayley St	25.69	Nepean Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
6020117	Redross Rd	Redross Rd	Coolgardie	0.00	Coolgardie Esperance Hwy	1.90	Redross Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
6020073	Solanum St	Solanum St	Coolgardie	0.00	Melaleuca Rd	0.69	Clianthus Rd	
6020159	Southern Bypass Rd	Southern Bypass Rd	Coolgardie	0.00	Nepean Rd	1.68	Victoria Rock Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
6020132	Tip Rd	Tip Rd	Coolgardie	0.00	Goldfields Hwy	1.94	Tip Rd - End Road	
6020033	Toorak St	Toorak St	Coolgardie	0.00	Coolgardie North Rd & Jaurdi Hills Rd	0.93	Ford St	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
6020121	Two Boys Rd	Two Boys Rd	Coolgardie	0.00	Coolgardie Esperance Hwy & Cave Hill Rd	1.15	Two Boys Rd - End Road	
6020005	Victoria Rock Rd	Victoria Rock Rd	Coolgardie	0.00	Gnarlbine Rd & Jobson St	119.02	Queen Victoria Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit

Tandem Drive Network 2.1



Coorow

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5190035	Banovich Rd	Banovich Rd	Coorow	0.00	Brand Hwy	12.30	Dandaragan LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5190043	Belpa Shenton Rd	Belpa Shenton Rd	Coorow	0.00	Davies Rd	13.00	Waddy Forest Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5190126	Beros Rd	Beros Rd	Coorow	0.00	Brand Hwy	6.20	Beros Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5190017	Billeroo - Coorow Rd	Billeroo - Coorow Rd	Coorow	0.00	Midlands Rd	3.80	Green Rd	
5190017	Billeroo - Coorow Rd	Billeroo - Coorow Rd	Coorow	3.80	Green Rd	9.76	Carnamah LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5190019	Brand Mudge Rd	Brand Mudge Rd	Coorow	0.00	Coorow - Green Head Rd	16.08	Carnamah LGA Boundary	
5190077	Bristol St	Bristol St	Coorow	0.00	South St	0.80	North St	
5190002	Buntine - Marchagee Rd	Buntine - Marchagee Rd	Coorow	0.00	Midlands Rd	28.16	Buntine - Marchagee Rd & Bryant Rd	

Tandem Drive Network 2.1



Coorow

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5190052	Campbell White Rd	Campbell White Rd	Coorow	0.00	Erindoon Rd	4.20	Campbell White Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5190091	Carger Rd	Carger Rd	Coorow	0.00	Coorow - Green Head Rd	11.02	Marchagee Trk	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
5190020	Chapman Rd	Chapman Rd	Coorow	0.00	Coorow - Latham Rd & Gronow Rd	8.10	McPartland Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5190020	Chapman Rd	Chapman Rd	Coorow	8.10	McPartland Rd	9.04	Chapman Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5190032	Chatfield Clarke Rd	Chatfield Clarke Rd	Coorow	0.00	Coorow - Green Head Rd	19.51	Carnamah LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Coorow

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5190010	Cockleshell Gully Rd	Cockleshell Gully Rd	Coorow	0.00	Dandaragan LGA Boundary	13.93	Woolmulla Rd & Gould Simpson Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5190161	Coorow - Green Head Rd	Coorow - Green Head Rd	Coorow	0.00	Midlands Rd	77.49	Brand Hwy	<ul style="list-style-type: none"> A Restricted Access Vehicle Category 2 (D) Short B Triple is not to cross bridge 4150 located 3.94km west of Midlands Rd and bridge 4034 located 20.25km west of Midlands Rd
5190162	Coorow - Green Head Rd	Coorow - Green Head Rd	Coorow	0.00	Brand Hwy	36.81	Indian Ocean Dr	
5190164	Coorow - Latham Rd	Coorow - Latham Rd	Coorow	0.00	Reservoir Rd & Main St	9.20	Raffan Rd	
5190164	Coorow - Latham Rd	Coorow - Latham Rd	Coorow	9.20	Raffan Rd	26.75	Coorow - Latham Rd & Waites Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5190021	Coorow - Maya Rd	Coorow - Maya Rd	Coorow	0.00	Coorow - Latham Rd	4.20	Coorow - Maya Rd & Teasdale Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5190015	Davies Rd	Davies Rd	Coorow	0.00	Carnamah LGA Boundary	6.70	Read Rd & Green Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Coorow

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5190012	Erindoon Rd	Erindoon Rd	Coorow	0.00	Pen Rd & Woolmulla Rd & Shaw Rd	7.90	Carnamah LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5190025	Fennell Rd	Fennell Rd	Coorow	0.00	Midlands Rd	8.50	Fennell Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5190024	Fowler Patton Rd	Fowler Patton Rd	Coorow	0.00	South Waddy Rd	4.76	Coorow - Latham Rd	
5190088	Frost Rd	Frost Rd	Coorow	0.00	Midlands Rd	0.13	Frost Rd - End Lg Resp	
5190033	Garabaldi Willis Rd	Garabaldi Willis Rd	Coorow	0.00	Garibaldi Willis Rd	17.15	Coorow - Green Head Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5190055	Gould Simpson Rd	Gould Simpson Rd	Coorow	0.00	Woolmulla Rd & Cockleshell Gully Rd	0.80	Farm 0.8km From Woolmulla Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5190104	Green Head Rd	Green Head Rd	Coorow	0.00	Indian Ocean Dr	3.92	Ocean View Dr	

Tandem Drive Network 2.1



Coorow

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5190051	Green Rd	Green Rd	Coorow	0.00	Davies Rd & Read Rd	6.23	Billeroo - Coorow Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5190070	Hewson Rd	Hewson Rd	Coorow	0.00	Mason Rd	2.90	Hewson Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5190060	Hogbin Rd	Hogbin Rd	Coorow	0.00	Buntine - Marchagee Rd	0.40	Residence	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Coorow

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5190058	Howard Rd	Howard Rd	Coorow	0.00	Midlands Rd	2.28	Marchagee South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5190092	Hughes Rd	Hughes Rd	Coorow	0.00	Chatfield Clarke Rd	10.64	Brand Mudge Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5190046	Jones Rd	Jones Rd	Coorow	0.00	South Waddy Rd	2.23	Jones Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5190045	Kau Rd	Kau Rd	Coorow	0.00	South Waddy Rd	5.32	Kau Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Coorow

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5190041	Keighley Rd	Keighley Rd	Coorow	0.00	Buntine - Marchagee Rd	11.95	Wubin - Gunyidi Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5190130	Lake St	Lake St	Coorow	0.00	Indian Ocean Dr	0.60	Barracuda Dr	
5190007	Lampard - Tremlett Rd	Lampard - Tremlett Rd	Coorow	0.00	Carnamah LGA Boundary	3.70	McPartland Rd	
5190007	Lampard - Tremlett Rd	Lampard - Tremlett Rd	Coorow	3.70	McPartland Rd	12.81	Coorow - Latham Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h
5190006	Launer Rd	Launer Rd	Coorow	0.00	Coorow - Green Head Rd	22.58	Brand Mudge Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5190163	Main St	Main St	Coorow	0.25	Bristol St	0.78	Coorow - Latham Rd & Reservoir Rd	
5190016	Mamboobie Rd	Mamboobie Rd	Coorow	0.00	Buntine - Marchagee Rd	11.94	South Waddy Rd	
5190004	Marchagee Trk	Marchagee Trk	Coorow	0.00	Midlands Rd	8.00	8km From Midlands Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5190087	Market St	Market St	Coorow	0.00	Midlands Rd	0.25	Bristol St	

Tandem Drive Network 2.1



Coorow

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5190040	Mason Rd	Mason Rd	Coorow	0.00	Hewson Rd & Mason Rd	6.25	Wubin - Gunyidi Rd & Thomas Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5190028	Mazza Rd	Mazza Rd	Coorow	0.00	Tootbardie Rd	3.60	Dandaragan LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5190023	McPartland Rd	McPartland Rd	Coorow	0.00	Waddy Forest Rd	12.00	Winchester East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5190029	Miling North Rd	Miling North Rd	Coorow	0.00	Wubin - Gunyidi Rd	4.34	Dalwallinu LGA Boundary	
5190011	Noble Rd	Noble Rd	Coorow	0.00	Wubin - Gunyidi Rd	8.37	Mason Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5190031	Pen Rd	Pen Rd	Coorow	0.00	Woolmulla Rd & Shaw Rd & Erindoon Rd	5.81	Coorow - Green Head Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Coorow

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5190044	Raffan Rd	Raffan Rd	Coorow	0.00	Coorow - Latham Rd	6.76	Davies Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5190022	Railway Rd	Railway Rd	Coorow	0.00	Wubin - Gunyidi Rd	3.09	Moora LGA Boundary	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5190063	Randell Rd	Randell Rd	Coorow	0.00	Vanzetti Rd	3.80	Thomas Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5190009	Read Rd	Read Rd	Coorow	0.00	Davies Rd & Green Rd	4.13	Coorow - Latham Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5190034	Rose Thomson Rd	Rose Thomson Rd	Coorow	0.00	Coorow - Green Head Rd	14.45	Carnamah LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. No Operation from May to Oct

Tandem Drive Network 2.1



Coorow

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5190050	Scott Rd	Scott Rd	Coorow	0.00	Midlands Rd & Unknown Rd	3.14	Moora LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5190054	Shaw Rd	Shaw Rd	Coorow	0.00	Pen Rd & Woolmulla Rd & Erindoon Rd	4.99	Shaw Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5190081	South St	South St	Coorow	0.00	Bristol St	0.29	Midlands Rd	
5190081	South St	South St	Coorow	0.32	Midlands Rd	0.45	Station St	
5190005	South Waddy Rd	South Waddy Rd	Coorow	0.00	Waddy Forest Rd	2.30	Mamboobie Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5190005	South Waddy Rd	South Waddy Rd	Coorow	2.30	Mamboobie Rd	23.35	Midlands Rd	
5190047	Sprigg Rd	Sprigg Rd	Coorow	0.00	Jones Rd	0.92	Sprigg Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Coorow

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5190082	Station St	Station St	Coorow	0.00	Coorow - Green Head Rd	0.96	110m From South St	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5190026	Teasdale Rd	Teasdale Rd	Coorow	2.90	Buntine - Marchagee Rd	26.00	Coorow - Maya Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5190014	Thomas Rd	Thomas Rd	Coorow	0.00	Wubin - Gunyidi Rd & Mason Rd	9.65	Buntine - Marchagee Rd	
5190064	Thomsons Rd	Thomsons Rd	Coorow	0.00	Teasdale Rd	0.31	Maya South West Rd	
5190067	Tomkin Rd	Tomkin Rd	Coorow	0.00	Davies Rd	1.54	Tomkin Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5190027	Tootbardie Rd	Tootbardie Rd	Coorow	0.00	Brand Hwy	21.69	Coorow - Green Head Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5190038	Vanzetti Rd	Vanzetti Rd	Coorow	0.00	Buntine - Marchagee Rd	4.40	Randell Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Coorow

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5190038	Vanzetti Rd	Vanzetti Rd	Coorow	4.40	Randell Rd	5.80	Vanzetti Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5190013	Waddy Forest Rd	Waddy Forest Rd	Coorow	0.00	Dring Rd	9.70	Coorow - Latham Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5190013	Waddy Forest Rd	Waddy Forest Rd	Coorow	9.78	Coorow - Latham Rd	22.30	Teasdale Rd	
5190039	White Rd	White Rd	Coorow	0.00	Billeroo - Coorow Rd	8.17	Davies Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5190018	Willcocks Rd	Willcocks Rd	Coorow	0.00	Coorow - Green Head Rd	13.06	Coalara Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Coorow

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5190093	Willmott Rd	Willmott Rd	Coorow	0.00	Garabaldi Willis Rd	9.96	Chatfield Clarke Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5190073	Winchester South	Winchester South	Coorow	0.00	Launer Rd	2.88	Winchester South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5190165	Wubin - Gunyidi Rd	Wubin - Gunyidi Rd	Coorow	0.00	Wubin - Gunyidi Rd & Miling North Rd	32.89	Midlands Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Corrigin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4040012	49 Gate West Rd	49 Gate West Rd	Corrigin	0.00	Quairading - Corrigin Rd	5.43	Jubuk North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4040012	49 Gate West Rd	49 Gate West Rd	Corrigin	5.43	Jubuk North Rd	9.21	Stones Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4040012	49 Gate West Rd	49 Gate West Rd	Corrigin	9.21	Stones Rd	20.22	Bulyee - Quairading Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4040016	Babakin - Corrigin Rd	Babakin - Corrigin Rd	Corrigin	0.00	Walton St	4.35	Heal Rd	

Tandem Drive Network 2.1



Corrigin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4040016	Babakin - Corrigin Rd	Babakin - Corrigin Rd	Corrigin	4.35	Heal Rd	20.59	Crombie Rd & Babakin - Corrigin Rd & Hancock Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Heal Rd : No right turn permitted into Heal Rd from Babakin Corrigin Rd Intersection Corrigin - Wogerlin Rd : No access permitted into Corrigin Wogerlin Rd from Babakin Corrigin Rd Intersection Nornakin East Rd : No right turn permitted into Norankin East Rd from Babakin-Corrigin Rd
4040043	Barber Rd	Barber Rd	Corrigin	0.00	Jubuk South Rd	14.55	Rafferty Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4040043	Barber Rd	Barber Rd	Corrigin	14.55	Rafferty Rd	19.01	Bullaring Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4040001	Bendering Rd	Bendering Rd	Corrigin	0.00	Corrigin Kondinin Rd	27.83	Pruden Rd & Bendering Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Corrigin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4040011	Bilbarin - Quairading Rd	Bilbarin - Quairading Rd	Corrigin	0.00	Babakin - Corrigin Rd & Bilbarin East Rd	28.86	Quairading - Corrigin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Babakin - Corrigin Rd & Bilbarin East Rd : No access permitted into Babakin - Corrigin Rd from Bilbarin Quairading Rd Intersection Shackleton - Bilbarin Rd : No left turn permitted into Shackleton Bilbarin Rd from Bilbarin Quairading Rd Intersection Walton Rd (B) : No access permitted into Walton Rd from Bilbarin - Quairading Rd
4040009	Bilbarin East Rd	Bilbarin East Rd	Corrigin	0.00	Babakin - Corrigin Rd & Bilbarin - Quairading Rd	10.78	Corrigin - Bruce Rock Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4040147	Boyd's St	Boyd's St	Corrigin	0.21	Channon Cl	0.64	Boyd's St - End Road	
4040096	Branson Rd	Branson Rd	Corrigin	0.00	Mulcahy Rd	2.41	Bruce Rock LGA Boundary	
4040004	Bullaring - Gorge Rock Rd	Bullaring - Gorge Rock Rd	Corrigin	0.00	Wickepin - Corrigin Rd	24.46	Corrigin Kondinin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Corrigin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4040049	Bullaring Railway Rd	Bullaring Railway Rd	Corrigin	0.00	Bullaring Rd & Wickepin - Corrigin Rd	3.25	Sixty Eight Gate Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Bullaring Rd & Wickepin - Corrigin Rd : No entry or exit permitted from Wickepin-Corrigin Rd
4040049	Bullaring Railway Rd	Bullaring Railway Rd	Corrigin	3.42	Sixty Eight Gate Rd	11.10	Jenkyn Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4040003	Bullaring Rd	Bullaring Rd	Corrigin	0.00	Pingelly LGA Boundary	1.20	Barber Rd	
4040003	Bullaring Rd	Bullaring Rd	Corrigin	1.20	Barber Rd	1.72	Lomos South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.

Tandem Drive Network 2.1



Corrigin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4040003	Bullaring Rd	Bullaring Rd	Corrigin	1.72	Lomos South Rd	17.77	Bullaring Railway Rd & Wickepin - Corrigin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Bullaring Railway Rd & Wickepin - Corrigin Rd : No access permitted into Wickenpin-Corrigin Rd from Bullaring Rd
4040030	Bulyee - Kweda Rd	Bulyee - Kweda Rd	Corrigin	0.00	Bulyee Rd	0.60	Cbh Bin	
4040030	Bulyee - Kweda Rd	Bulyee - Kweda Rd	Corrigin	0.60	0.6km From Bulyee Rd	8.45	North Kweda Rd & Brookton - Kweda Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4040008	Bulyee - Quairading Rd	Bulyee - Quairading Rd	Corrigin	0.00	Quairading LGA Boundary	14.87	Brookton-Corrigin Rd	
4040026	Bulyee Rd	Bulyee Rd	Corrigin	0.00	Brookton-Corrigin Rd	11.98	Pingelly LGA Boundary	
4040027	Caley Nornakin	Caley Nornakin	Corrigin	0.00	Walton Rd (B)	2.79	Corrigin - Wogerlin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4040180	Channon Cl	Channon Cl	Corrigin	0.00	Boyd's St	0.15	Channon Cl - End Road	

Tandem Drive Network 2.1



Corrigin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4040083	Connelly Rd	Connelly Rd	Corrigin	0.00	Corrigin South Rd	3.32	Corrigin Kondinin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Corrigin Kondinin Rd : No left turn permitted into Brookton Hwy from Connelly Rd.
4040058	Copestakes Rd	Copestakes Rd	Corrigin	0.00	Bilbarin - Quairading Rd	3.40	Bruce Rock LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4040168	Corrigin - Bruce Rock Rd	Corrigin - Bruce Rock Rd	Corrigin	0.00	Corrigin Kondinin Rd & Kunjin St	23.23	Bruce Rock LGA Boundary	
4040172	Corrigin - Narembreen Rd	Corrigin - Narembreen Rd	Corrigin	0.00	Corrigin - Bruce Rock Rd	13.36	Corrigin - Narembreen Rd & Boundary Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4040017	Corrigin - Wogerlin Rd	Corrigin - Wogerlin Rd	Corrigin	0.00	Babakin - Corrigin Rd	12.71	Bilbarin - Quairading Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Babakin - Corrigin Rd : No access permitted into Babakin Corrigin Rd from Corrigin Wogerlin Rd
4040014	Corrigin South Rd	Corrigin South Rd	Corrigin	0.00	Walton St & Kunjin St	0.65	Cbh Access Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4040014	Corrigin South Rd	Corrigin South Rd	Corrigin	0.65	0.290km From Suburban St	0.75	Cbh Access Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times

Tandem Drive Network 2.1



Corrigin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4040014	Corrigin South Rd	Corrigin South Rd	Corrigin	0.75	Cbh Access Rd	10.38	Schultz Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Intersection Dilling Rd : No left turn permitted into Dilling Rd from Corrigin South Rd
4040014	Corrigin South Rd	Corrigin South Rd	Corrigin	10.38	Schultz Rd	26.60	Doyle Rd	
4040056	Crossland Rd	Crossland Rd	Corrigin	0.00	Nambadilling Rd	6.12	Gnerkadilling Rd	
4040034	Diamond Block Rd	Diamond Block Rd	Corrigin	0.00	Carruthers Rd & Hovell Rd	8.29	Bullaring - Gorge Rock Rd	
4040089	Dickinson Rd	Dickinson Rd	Corrigin	0.00	Nambadilling Rd	4.10	Bendering Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4040123	Dilling Railway Rd	Dilling Railway Rd	Corrigin	0.00	Woglin St	1.09	Dilling Railway Rd - End Road	
4040081	Dilling Rd	Dilling Rd	Corrigin	0.00	Corrigin South Rd	7.08	Rabbit Proof Fence Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Corrigin South Rd : No right turn permitted into Corrigin South Rd from Dilling Rd

Tandem Drive Network 2.1



Corrigin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4040038	Doyle Rd	Doyle Rd	Corrigin	0.00	Doyle Rd & Doyles North Rd	14.80	Rabbit Proof Fence Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4040037	Doyles North Rd	Doyles North Rd	Corrigin	0.00	Old Kulin Rd & Middleton Rd	5.47	Doyle Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4040024	Dry Well Rd	Dry Well Rd	Corrigin	0.00	Bilbarin - Quairading Rd	21.10	Woglin St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4040024	Dry Well Rd	Dry Well Rd	Corrigin	21.10	Woglin St	21.82	Walton St	
4040070	Dwarlaking Rd	Dwarlaking Rd	Corrigin	0.00	Bulyee Rd	5.47	Brookton LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Corrigin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4040050	Fulwood Rd	Fulwood Rd	Corrigin	0.00	Corrigin Kondinin Rd	7.89	Gnerkadilling Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4040071	Gardners Rd	Gardners Rd	Corrigin	0.00	Bulyee Rd	4.45	Gardners Rd - End Road	
4040093	George Rd	George Rd	Corrigin	0.00	Corrigin - Narembreen Rd	8.90	Nambadilling Rd	
4040020	Gills Rd	Gills Rd	Corrigin	0.00	Lomos North Rd	14.57	Quairading - Corrigin Rd	
4040065	Glenmore Rd	Glenmore Rd	Corrigin	0.00	Quairading - Corrigin Rd	3.50	Bilbarin - Quairading Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4040015	Gnerkadilling Rd	Gnerkadilling Rd	Corrigin	0.00	Bendering Rd	18.00	Willis Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4040084	Graham Rd	Graham Rd	Corrigin	0.00	Corrigin Kondinin Rd	2.09	Graham Rd - End Road	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Corrigin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4040029	Grylls Rd	Grylls Rd	Corrigin	0.00	Wickepin - Corrigin Rd	7.70	Jubuk South Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4040114	Harris Rd	Harris Rd	Corrigin	0.00	Lomos North Rd	6.76	Jubuk Back Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4040057	Hartley Rd	Hartley Rd	Corrigin	0.00	Bullaring - Gorge Rock Rd	5.52	Schultz Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
4040100	Heal Rd	Heal Rd	Corrigin	0.00	Corrigin - Bruce Rock Rd	3.31	Babakin - Corrigin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Babakin - Corrigin Rd : No access permitted into Babakin Corrigin Rd from Heal Rd

Tandem Drive Network 2.1



Corrigin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4040067	Hewett Rd	Hewett Rd	Corrigin	0.00	Brookton-Corrigin Rd	8.50	Gills Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4040082	Hills Rd	Hills Rd	Corrigin	0.00	Connelly Rd	4.97	Schultz Rd	<ul style="list-style-type: none"> Intersection Schultz Rd : No access permitted into Schultz Rd from Hills Rd
4040064	Hillside Rd	Hillside Rd	Corrigin	0.00	Corrigin - Wogerlin Rd	5.06	Dry Well Rd & Turnbull Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4040098	Jenkyn Rd	Jenkyn Rd	Corrigin	0.00	Rabbit Proof Fence Rd	3.65	Kunjin South Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4040039	Jubuk Back Rd	Jubuk Back Rd	Corrigin	0.00	Jubuk North Rd	8.39	Gills Rd	
4040028	Jubuk North Rd	Jubuk North Rd	Corrigin	0.00	Brookton-Corrigin Rd	17.70	Jubuk North Rd - End Road	
4040023	Jubuk South Rd	Jubuk South Rd	Corrigin	0.00	Brookton-Corrigin Rd	14.60	Bullaring Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Corrigin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4040046	Kunjin South Rd	Kunjin South Rd	Corrigin	0.00	Talbot Clark Rd	9.80	Brookton-Corrigin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Brookton-Corrigin Rd : No right turn permitted into Brookton Hwy from Kunjin South Rd
4040099	Lohoar Rd	Lohoar Rd	Corrigin	0.00	Szczecinski Rd & Morrell Rd & Quairading - Corrigin Rd	5.45	Dry Well Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4040019	Lomos North Rd	Lomos North Rd	Corrigin	0.00	49 Gate West Rd	16.90	Lomos Sth Rd & Brookton-Corrigin Rd	
4040169	Lomos South Rd	Lomos South Rd	Corrigin	0.00	Bullaring Rd	6.97	Lomos Rd South	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Corrigin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4040018	Lomos Sth Rd	Lomos Sth Rd	Corrigin	0.00	Brookton-Corrigin Rd & Lomos North Rd	6.60	Barber Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4040018	Lomos Sth Rd	Lomos Sth Rd	Corrigin	6.60	Barber Rd	9.91	Rafferty Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Barber Rd : No left turn permitted into Barber Rd from Lomos Sth Rd (Northbound). No left turn permitted into Lomos Sth Rd from Barber Rd (Westbound)
4040090	Martin Rd	Martin Rd	Corrigin	0.00	Corrigin - Naremben Rd	8.09	Nambadilling Rd	
4040053	Middleton Rd	Middleton Rd	Corrigin	0.00	Kulin LGA Boundary	17.94	Rabbit Proof Fence Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Corrigin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4040035	Morrell Rd	Morrell Rd	Corrigin	0.00	Szczecinski Rd & Quairading - Corrigin Rd & Lohoar Rd	6.12	Dry Well Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4040060	Mulcahy Rd	Mulcahy Rd	Corrigin	0.00	Corrigin - Bruce Rock Rd	5.89	Bilbarin East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4040013	Nambadilling Rd	Nambadilling Rd	Corrigin	0.00	Kondinin LGA Boundary	29.73	Bendering Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4040032	Nornakin East Rd	Nornakin East Rd	Corrigin	0.00	Babakin - Corrigin Rd	9.72	Corrigin - Bruce Rock Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Babakin - Corrigin Rd : No right turn permitted into Babakin - Corrigin Rd from Nornakin East Rd
4040052	Old Kulin Rd	Old Kulin Rd	Corrigin	0.00	Doyles North Rd & Middleton Rd	6.29	Bullaring - Gorge Rock Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Corrigin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4040066	Pannell Rd	Pannell Rd	Corrigin	0.00	Bilbarin - Quairading Rd	9.78	Quairading LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4040087	Parsons Rd	Parsons Rd	Corrigin	0.00	Bilbarin East Rd	16.06	Nambadilling Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4040091	Pleass Rd	Pleass Rd	Corrigin	0.00	George Rd	5.15	Martin Rd	
4040021	Poultney Rd	Poultney Rd	Corrigin	0.00	Poultney Rd - Start Road	10.40	Rigby Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4040021	Poultney Rd	Poultney Rd	Corrigin	10.40	Rigby Rd	13.04	Lomos North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Rigby Rd : No right turn permitted into Rigby Rd from Poultney Rd.

Tandem Drive Network 2.1



Corrigin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4040069	Pruden Rd	Pruden Rd	Corrigin	0.00	Nambadilling Rd	6.88	Bendering Rd	
4040170	Quairading - Corrigin Rd	Quairading - Corrigin Rd	Corrigin	0.00	Quairading LGA Boundary	5.56	Bilbarin - Quairading Rd	
4040170	Quairading - Corrigin Rd	Quairading - Corrigin Rd	Corrigin	5.56	Bilbarin - Quairading Rd	25.70	Brookton-Corrigin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
4040007	Rabbit Proof Fence Rd	Rabbit Proof Fence Rd	Corrigin	0.00	Brookton-Corrigin Rd	29.31	Rabbit Proof Fence Rd Nth	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Sixty Eight Gate Rd : No access permitted into Sixty Eight Gate Rd from Rabbit Proof Fence Rd
4040044	Rafferty Rd	Rafferty Rd	Corrigin	0.00	Barber Rd	11.27	Jubuk South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Corrigin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4040051	Reed Rd	Reed Rd	Corrigin	0.00	Gnerkadilling Rd	6.78	Corrigin Kondinin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4040048	Rigby Rd	Rigby Rd	Corrigin	0.00	Brookton-Corrigin Rd	8.21	Poultney Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Poultney Rd : No left turn permitted into Poultney Rd from Rigby Rd
4040085	Rogers Rd	Rogers Rd	Corrigin	0.00	Gnerkadilling Rd	6.90	Corrigin Kondinin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4040080	Schultz Rd	Schultz Rd	Corrigin	0.00	Corrigin South Rd	6.12	Corrigin Kondinin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Hills Rd : No right turn permitted into Hills Rd from Schultz Rd
4040036	Sedgewick Rd	Sedgewick Rd	Corrigin	0.00	Corrigin - Naremben Rd	3.54	Pleass Rd	

Tandem Drive Network 2.1



Corrigin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4040005	Shackleton - Bilbarin Rd	Shackleton - Bilbarin Rd	Corrigin	0.00	Bilbarin - Quairading Rd	3.68	Crombie Rd & Shackleton - Bilbarin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Crombie Rd & Shackleton - Bilbarin Rd : No right turn permitted into Bilbarin Quairading Rd from Shackleton Bilbarin Rd
4040042	Shipleigh Rd	Shipleigh Rd	Corrigin	0.00	Wickepin - Corrigin Rd	3.70	Shipleigh Rd - End Road	
4040074	Sixty Eight Gate Rd	Sixty Eight Gate Rd	Corrigin	0.00	Rabbit Proof Fence Rd	7.72	Wickepin - Corrigin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Rabbit Proof Fence Rd : No access permitted into Rabbit Proof Fence Rd from Sixty Eight Gate Rd
4040033	Smith Rd	Smith Rd	Corrigin	0.00	Wickepin - Corrigin Rd	5.15	Smith Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Corrigin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4040025	Stretton Rd	Stretton Rd	Corrigin	0.00	Bullaring Rd	11.02	Wickepin - Corrigin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4040148	Surburban St	Surburban St	Corrigin	0.00	Boyd's St	0.36	Corrigin South Rd	
4040078	Swainston Rd	Swainston Rd	Corrigin	0.00	Yealering - Kulin Rd	0.97	Wickepin LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4040022	Szczecinski Rd	Szczecinski Rd	Corrigin	0.00	Morrell Rd & Quairading - Corrigin Rd & Lohoar Rd	8.37	Brookton-Corrigin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4040063	Tipton Rd	Tipton Rd	Corrigin	0.00	Dry Well Rd	5.12	Hillside Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Corrigin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4040095	Tulloch Rd	Tulloch Rd	Corrigin	0.00	Bilbarin East Rd	5.60	Hancock Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4040118	Vivian Rd	Vivian Rd	Corrigin	0.00	Rabbit Proof Fence Rd	5.15	Corrigin South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Corrigin South Rd : No access permitted into Corrigin South Rd from Vivian Rd
4040031	Walton Rd (B)	Walton Rd (B)	Corrigin	0.00	Babakin - Corrigin Rd	8.74	Bilbarin - Quairading Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Bilbarin - Quairading Rd : No access permitted to or from Bilbarin-Quairading Rd.
4040124	Walton St	Walton St	Corrigin	0.00	Kunjin St & Corrigin South Rd	1.90	Babakin - Corrigin Rd	
4040171	Wickepin - Corrigin Rd	Wickepin - Corrigin Rd	Corrigin	0.00	Lake Rd & Wickepin - Corrigin Rd	32.95	Brookton-Corrigin Rd	<ul style="list-style-type: none"> Intersection Bullaring Rd & Bullaring Railway Rd : No access permitted to Bullaring Rd from Wickepin - Corrigin Rd Intersection Smith Rd : No left turn permitted into Smith Rd from Wickepin - Corrigin Rd

Tandem Drive Network 2.1



Corrigin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4040161	Williams Rd	Williams Rd	Corrigin	0.00	Pannell Rd	0.97	Bruce Rock LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4040086	Willis Rd	Willis Rd	Corrigin	0.00	Gnerkadilling Rd	5.51	Corrigin Kondinin Rd	<ul style="list-style-type: none"> Intersection Corrigin Kondinin Rd : No left turn permitted into Brookton Highway from Willis Road.
4040122	Wilson Rd	Wilson Rd	Corrigin	0.00	Bulyee - Kweda Rd	1.13	Brookton LGA Boundary	
4040140	Woglin St	Woglin St	Corrigin	0.00	Dry Well Rd	0.83	Brookton-Corrigin Rd & Kunjin St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4040140	Woglin St	Woglin St	Corrigin	0.83	Brookton-Corrigin Rd & Kunjin St	1.10	Dilling Railway Rd	
4040010	Yealering - Kulin Rd	Yealering - Kulin Rd	Corrigin	0.00	Wicpepin - Corrigin Rd	13.90	Kulin LGA Boundary	

Tandem Drive Network 2.1



Cranbrook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3040146	Addis Rd	Addis Rd	Cranbrook	0.00	Cranbrook - Frankland Rd	4.85	Addis Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3040053	Archers Rd	Archers Rd	Cranbrook	0.00	Lunt Rd	4.10	Shelderton Rd & Lake Matilda Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3040103	Aurora Rd	Aurora Rd	Cranbrook	0.00	Yonka Rd	1.86	Aurora Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3040078	Balicip Rd	Balicip Rd	Cranbrook	0.00	Salt River Rd	3.33	Hamilla Rd	
3040076	Balijup Rd	Balijup Rd	Cranbrook	0.00	Nunijup Rd	1.99	Martagallup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
3040002	Ballochmyle Rd	Ballochmyle Rd	Cranbrook	0.00	Albany Hwy	3.34	Yeriminup Rd	

Tandem Drive Network 2.1



Cranbrook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3040013	Bokerup Rd	Bokerup Rd	Cranbrook	0.00	Unicup Rd	9.93	Scott Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3040013	Bokerup Rd	Bokerup Rd	Cranbrook	9.93	Scott Rd	15.44	Kojonup - Frankland Rd	
3040030	Bolbelup Rd	Bolbelup Rd	Cranbrook	0.00	Boyup Brook - Cranbrook Rd	7.12	Bokerup Rd	
3040016	Boyacup Rd	Boyacup Rd	Cranbrook	0.00	Yeriminup Rd	7.08	Boyup Brook - Cranbrook Rd	
3040016	Boyacup Rd	Boyacup Rd	Cranbrook	7.09	Boyup Brook - Cranbrook Rd	16.62	Dujemerrup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Boyup Brook - Cranbrook Rd : No access permitted into Boyup Brook Cranbrook Rd from Boyacup Rd
3040047	Boyup Brook - Cranbrook Rd	Boyup Brook - Cranbrook Rd	Cranbrook	0.00	Boyup Brook LGA Boundary	63.75	Cranbrook - Frankland Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Boyacup Rd : No access permitted into Boyacup Rd from Boyup Brook Cranbrook Rd
3040098	Brickhouse Rd	Brickhouse Rd	Cranbrook	0.00	Great Southern Hwy	11.35	Brickhouse Rd - End Road	

Tandem Drive Network 2.1



Cranbrook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3040018	Bridge St	Bridge St	Cranbrook	0.00	Gordon St & King St	0.31	Rockwell Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3040178	Brooking St	Brooking St	Cranbrook	0.00	Nunijup Rd & Albany Hwy	1.10	Trimmer St & Lomas St	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3040065	Brooklyn Rd	Brooklyn Rd	Cranbrook	0.00	Albany Hwy	10.72	Rotherwood Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3040051	Chinninup Rd	Chinninup Rd	Cranbrook	6.55	Pearce Rd	13.88	Un - Named & Albany Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h No Operation between the hours of sunset and sunrise Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Cranbrook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3040105	Climie Rd	Climie Rd	Cranbrook	0.00	Cranbrook - Frankland East Rd	9.20	Climie Rd - End Road	
3040073	Como Rd	Como Rd	Cranbrook	0.00	Yeriminup Rd	3.60	Cranbrook - Frankland Rd	<ul style="list-style-type: none"> Intersection Yeriminup Rd : No access permitted into Yeriminup Rd from Como Rd
3040037	Cook Rd	Cook Rd	Cranbrook	0.00	Kybellup Rd	5.54	Cranbrook - Frankland Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3040185	Cowerup Rd	Cowerup Rd	Cranbrook	0.00	Muir Hwy	2.42	Cowerup Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3040530	Cranbrook - Frankland East Rd	Cranbrook - Frankland East Rd	Cranbrook	0.00	Climie St & Salt River Rd	4.13	Albany Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Intersection Climie St & Salt River Rd : No left turn permitted into Northam Cranbrook from Cranbrook-Frankland East Rd.
3040531	Cranbrook - Frankland Rd	Cranbrook - Frankland Rd	Cranbrook	0.00	Albany Hwy	41.70	Wingebellup Rd & Frankland - Rocky Gully Rd & Marlock St	
3040062	Crosby Rd	Crosby Rd	Cranbrook	0.00	Muir Hwy	3.43	Quindinup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Muir Hwy : No access permitted into Muirs Hwy from Crosby Rd.

Tandem Drive Network 2.1



Cranbrook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3040096	Douglas Rd	Douglas Rd	Cranbrook	0.00	Shamrock Rd	2.82	Kojonup LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3040070	Dujemerrup Rd	Dujemerrup Rd	Cranbrook	0.00	Shamrock Rd	14.04	Gaunt Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3040070	Dujemerrup Rd	Dujemerrup Rd	Cranbrook	14.04	Gaunt Rd	17.91	Albany Hwy (H001)	
3040058	Ferngrove Rd	Ferngrove Rd	Cranbrook	0.00	Scrubiup Rd	3.98	Wingebellup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3040532	Frankland - Rocky Gully Rd	Frankland - Rocky Gully Rd	Cranbrook	0.00	Wingebellup Rd & Cranbrook - Frankland Rd & Marlock St	11.53	Plantagenet LGA Boundary	
3040090	Fulcher Rd	Fulcher Rd	Cranbrook	0.00	Boyup Brook - Cranbrook Rd	4.71	Douglas Rd & Fulcher Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Cranbrook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3040050	Gaunt Rd	Gaunt Rd	Cranbrook	4.31	Brooklyn Rd	9.58	Dujemerrup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3040124	Geekabee Rd	Geekabee Rd	Cranbrook	0.00	Yeriminup Rd	2.48	Geekabee Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3040022	Gillam St	Gillam St	Cranbrook	0.00	Albany Hwy	0.84	Trimmer St & Ronaldshaw Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3040019	Gordon St	Gordon St	Cranbrook	0.01	Northwest of The Powerlines At The Intersection of Gathorne St & Gordon St	0.38	Bridge St & King St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Height not to exceed 4.3 metres
3040099	Hamilla Rd	Hamilla Rd	Cranbrook	0.00	Broomehill - Tambellup LGA Boundary	19.74	Solomons Rd	

Tandem Drive Network 2.1



Cranbrook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3040071	Haynesdale Rd	Haynesdale Rd	Cranbrook	0.00	Shamrock Rd	16.18	Yeriminup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Yeriminup Rd : No left turn permitted into Yeriminup Road from Haynesdale Rd.
3040112	Homestead Rd	Homestead Rd	Cranbrook	0.00	Sturry Rd	4.11	Homestead Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3040116	Inverdon Rd	Inverdon Rd	Cranbrook	0.00	Yeriminup Rd	5.03	Inverdon Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3040067	Jaffa Rd	Jaffa Rd	Cranbrook	0.00	Pinjalup Rd	2.27	Ronaldshaw Rd	
3040060	Jarrahd Rd	Jarrahd Rd	Cranbrook	0.00	Quindinup Rd	6.35	Scrubup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3040200	Johnson St	Johnson St	Cranbrook	0.00	Salt River Rd	0.44	For 0.44km From Salt River Road to Cbh Access Road	

Tandem Drive Network 2.1



Cranbrook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3040148	Karinya Rd	Karinya Rd	Cranbrook	0.00	Russell Rd	1.15	Karinya Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3040560	Kojonup - Frankland Rd	Kojonup - Frankland Rd	Cranbrook	0.00	Kojonup LGA Boundary	22.42	Wingebellup Rd	
3040039	Koonje Rd	Koonje Rd	Cranbrook	0.00	Yeriminup Rd	10.21	Stockyard Rd	
3040038	Kybellup Rd	Kybellup Rd	Cranbrook	0.00	Poorrarecup Rd	8.43	Cook Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3040120	Lakelands Rd	Lakelands Rd	Cranbrook	0.00	Nukennullup Rd	2.52	Lakelands Rd - End Road	
3040179	Lomas St	Lomas St	Cranbrook	0.00	Brooking St & Trimmer St	0.45	Climie St & Lunt Rd	
3040036	Lunt Rd	Lunt Rd	Cranbrook	0.00	Climie St & Lomas St	8.58	Lunt Rd - End Road	
3040147	Lynlea Rd	Lynlea Rd	Cranbrook	0.00	Cranbrook - Frankland Rd	3.07	Lynlea Rd - End Road	
3040035	Magiwirup Rd	Magiwirup Rd	Cranbrook	0.00	Unanup Rd	4.18	Boyup Brook - Cranbrook Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3040010	Martagallup Rd	Martagallup Rd	Cranbrook	0.00	Nunijup Rd & Stockyard Rd	4.62	Plantagenet LGA Boundary	
3040077	Mobrup Rd	Mobrup Rd	Cranbrook	0.00	Boyup Brook - Cranbrook Rd	1.14	Kojonup LGA Boundary	

Tandem Drive Network 2.1



Cranbrook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3040104	Mosgiel Rd	Mosgiel Rd	Cranbrook	0.00	Albany Hwy	1.93	Mosgiel Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3040054	Nardarup Rd	Nardarup Rd	Cranbrook	0.00	Frankland - Rocky Gully Rd & Un - Named	7.67	Cook Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Cook Rd : No access permitted into Cook Rd from Nardarup Rd
3040064	Netly Rd	Netly Rd	Cranbrook	0.00	Frankland - Rocky Gully Rd	7.38	Bangalup Rd	
3040024	Newton Rd	Newton Rd	Cranbrook	0.00	Great Southern Hwy	13.71	Broomehill - Tambellup LGA Boundary	
3040031	Noobijup Rd	Noobijup Rd	Cranbrook	0.00	Muir Hwy	13.03	Unicup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Cranbrook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3040119	Nukennullup Rd	Nukennullup Rd	Cranbrook	0.00	Lakelands Rd	9.16	Stockyard Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3040006	Nunijup Rd	Nunijup Rd	Cranbrook	0.00	Brooking St & Albany Hwy	11.40	Martagallup Rd & Stockyard Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Maximum speed of 80km/h on sealed and 60km/h on gravel road
3040052	Nunijup South Rd	Nunijup South Rd	Cranbrook	0.00	Stockyard Rd	6.31	Mallawillup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3041003	Parsons Rd	Parsons Rd	Cranbrook	0.00	Stockyard Rd	7.88	Nukennullup Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h MAXIMUM SPEED 60kp/h ON GRAVEL
3040023	Paul Valley Rd	Paul Valley Rd	Cranbrook	0.00	Albany Hwy	5.29	Broomehill - Tambellup LGA Boundary	

Tandem Drive Network 2.1



Cranbrook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3040114	Pearce Rd	Pearce Rd	Cranbrook	0.00	Chinninup Rd	2.26	Farm Gate 2.26km From Chinninup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h No Operation between the hours of sunset and sunrise Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3040092	Peter Valley Rd	Peter Valley Rd	Cranbrook	0.00	Johnston Rd	7.13	Broomehill - Tambellup LGA Boundary	
3040063	Pindicup Rd	Pindicup Rd	Cranbrook	0.00	Unicup Rd	7.58	Pindicup Rd & Lake Unicup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3040068	Pinjalup Rd	Pinjalup Rd	Cranbrook	0.00	Lunt Rd	4.70	Pinjalup Rd - End Road	
3040011	Poorrarecup Rd	Poorrarecup Rd	Cranbrook	0.00	Cranbrook - Frankland Rd	11.42	Poorarecup Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h Maximum speed of 60 km/h on gravel road.
3040109	Pynup Rd	Pynup Rd	Cranbrook	0.00	Salt River Rd	2.06	Townsend Rd	
3040061	Quindinup Rd	Quindinup Rd	Cranbrook	0.00	Crosby Rd	1.24	Jarrah Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Cranbrook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3040056	Riversdale Rd	Riversdale Rd	Cranbrook	0.00	Wingebellup Rd	6.98	Kojonup - Frankland Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3040017	Rockwell Rd	Rockwell Rd	Cranbrook	0.00	Bridge St	3.55		<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3040020	Ronaldshaw Rd	Ronaldshaw Rd	Cranbrook	0.00	Salt River Rd & Sukey Hill Rd	5.44	Gillam St & Trimmer St	

Tandem Drive Network 2.1



Cranbrook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3040115	Russell Rd	Russell Rd	Cranbrook	0.00	Wingebellup Rd	1.71	Karinya Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). 'Trucks Entering' signs to be erected and removed when not in use.
3040003	Salt River Rd	Salt River Rd	Cranbrook	0.00	Climie St & Cranbrook - Frankland East Rd	42.82	Gnowangerup LGA Boundary	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3040059	Scrubup Rd	Scrubup Rd	Cranbrook	0.00	Yarnup Rd	6.84	Ferngrove Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3040007	Shamrock Rd	Shamrock Rd	Cranbrook	0.00	Kojonup LGA Boundary	27.36	Cranbrook - Frankland Rd	
3040069	Solomons Rd	Solomons Rd	Cranbrook	0.00	Hamilla Rd	4.35	Salt River Rd	
3040008	Stockyard Rd	Stockyard Rd	Cranbrook	0.00	Nunijup Rd & Martagallup Rd	19.50	Cranbrook - Frankland Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h Maximum speed of 60 km/h on gravel road.
3040111	Sturry Rd	Sturry Rd	Cranbrook	0.00	Albany Hwy	2.42	Sturry Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Cranbrook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3040106	Thompson Rd	Thompson Rd	Cranbrook	0.00	Cranbrook - Frankland Rd	5.41		<ul style="list-style-type: none">• All operators must carry written support from the road manager acknowledging the operator's use of the road.• Headlights to be switched on at all times• No operation on unsealed road segment when visibly wet, without road owner's approval.• Note: Low Volume (LV)• Maximum speed 40 km/h• Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.• When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.• Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).• For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3040034	Tuckers Rd	Tuckers Rd	Cranbrook	5.50	5.50 Km From Poorrarecup Rd (From Plantation Gate)	8.20	Nukennullup Rd	<ul style="list-style-type: none">• All operators must carry written support from the road manager acknowledging the operator's use of the road.• Headlights to be switched on at all times• No operation on unsealed road segment when visibly wet, without road owner's approval.• Note: Low Volume (LV)• Maximum speed 60 km/h• When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.• Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Cranbrook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3040095	Tunney Hall Rd	Tunney Hall Rd	Cranbrook	0.00	Albany Hwy	6.12	Gaunt Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3040014	Unanup Rd	Unanup Rd	Cranbrook	0.00	Boyacup Rd	16.82	Albany Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3040012	Unicup Rd	Unicup Rd	Cranbrook	0.00	Muir Hwy	14.37	Wingebellup Rd	
3040012	Unicup Rd	Unicup Rd	Cranbrook	14.38	Wingebellup Rd	16.94	Bokerup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Cranbrook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3040012	Unicup Rd	Unicup Rd	Cranbrook	16.94	Bokerup Rd	19.50	2.56km From Bokerup Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.
3040012	Unicup Rd	Unicup Rd	Cranbrook	19.50	2.56km From Bokerup Rd	22.51	Boyup Brook LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3040072	Valemarie Rd	Valemarie Rd	Cranbrook	0.00	Boyacup Rd	5.15	Goldendale Rd & Yeriminup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Cranbrook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3040081	Weir Rd	Weir Rd	Cranbrook	0.00	Albany Hwy	8.35	Boyup Brook - Cranbrook Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3040523	Wingebellup Rd	Wingebellup Rd	Cranbrook	0.00	Wingebellup Rd & Forrest Rd	16.07	3.42km East of Unicap Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h Maximum speed of 60km/h on gravel road.
3040523	Wingebellup Rd	Wingebellup Rd	Cranbrook	16.07	3.42km From Unicap Rd	35.76	Kojonup - Frankland Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Maximum speed of 60km/h on gravel road.
3040523	Wingebellup Rd	Wingebellup Rd	Cranbrook	35.76	Kojonup - Frankland Rd	42.14	Frankland - Rocky Gully Rd & Cranbrook - Frankland Rd & Marlock St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. 10 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3040057	Yarnup Rd	Yarnup Rd	Cranbrook	0.00	Wingebellup Rd	10.54	Noobijup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Cranbrook

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3040082	Yarralena Rd	Yarralena Rd	Cranbrook	2.32		4.92	Yeriminup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3040001	Yeriminup Rd	Yeriminup Rd	Cranbrook	0.00	Albany Hwy	19.41	Cranbrook - Frankland Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Albany Hwy : No access permitted into Albany Hwy from Yeriminup Rd
3040001	Yeriminup Rd	Yeriminup Rd	Cranbrook	19.61	Cranbrook - Frankland Rd	36.32	Shamrock Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3040001	Yeriminup Rd	Yeriminup Rd	Cranbrook	36.32	Shamrock Rd	55.31	Kojonup - Frankland Rd	<ul style="list-style-type: none"> Intersection Haynesdale Rd : No left turn permitted into Haynesdale Road from Yeriminup Rd
3040042	Yetemerup Rd	Yetemerup Rd	Cranbrook	0.00	Salt River Rd	7.74	Broomehill - Tambellup LGA Boundary	
3040102	Yonka Rd	Yonka Rd	Cranbrook	0.00	Albany Hwy	5.37	Peter Valley Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Cuballing

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4050022	Batts Rd	Batts Rd	Cuballing	0.00	Pennys Rd	7.20	Williams Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4050146	Boundary Rd	Boundary Rd	Cuballing	0.00	Popanyinning West Rd	1.05	Dowling St	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4050146	Boundary Rd	Boundary Rd	Cuballing	1.05	Dowling St	1.73	Williams Rd & Howard St	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Cuballing

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4050057	Brands Rd	Brands Rd	Cuballing	0.00	Wandering - Narrogin Rd	2.71	Stevens Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4050008	Bunmulling Rd	Bunmulling Rd	Cuballing	0.00	Popanyinning West Rd & Great Southern Hwy	19.20	Stratherne Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Popanyinning West Rd & Great Southern Hwy : No left turn permitted into Northam Cranbrook Rd from Bunmulling Rd
4050140	Campbell St	Campbell St	Cuballing	0.00	Cuballing West Rd & Dungog St	1.23	Great Southern Hwy & Cuballing East Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4050029	Congelin - Narrogin Rd	Congelin - Narrogin Rd	Cuballing	0.00	Nebrikinning Rd & Congelin - Narrogin Rd	11.27	Neika Rd (F) & Congelin - Narrogin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Cuballing

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4050006	Cuballing East Rd	Cuballing East Rd	Cuballing	0.00	Great Southern Hwy & Campbell St	18.11	Cuballing East Rd & Wardering Rd	<ul style="list-style-type: none"> No Operation between the hours of sunset and sunrise Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Parsons Rd : No access permitted into Parsons Rd from Cuballing East Rd
4050003	Cuballing West Rd	Cuballing West Rd	Cuballing	0.00	Campbell St & Dungog St	9.46	Wandering - Narrogin Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4050139	Darcy St	Darcy St	Cuballing	0.00	Springhill Rd & Bow St	0.46	Great Southern Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4050042	Dents Rd	Dents Rd	Cuballing	0.00	Great Southern Hwy	11.09	Yornaning East Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Cuballing

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4050039	Dews Rd	Dews Rd	Cuballing	0.00	Bunmulling Rd	3.47	Stratherne Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4050043	Dixons Rd	Dixons Rd	Cuballing	0.00	Stratherne Rd	3.65	Nottles Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Nottles Rd : No access permitted into Nottles Rd from Dixons Rd
4050054	Drapers Rd	Drapers Rd	Cuballing	0.00	Popanyinning East Rd	1.62	Drapers Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Cuballing

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4050035	Forestry Rd	Forestry Rd	Cuballing	0.00	Forestry Rd - Start Road	0.52	Yornaning West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4050035	Forestry Rd	Forestry Rd	Cuballing	0.55	Yornaning West Rd	6.19	Pennys Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Pennys Rd : No access permitted into Pennys Rd from Forestry Rd
4050055	Francis Rd	Francis Rd	Cuballing	0.00	Popanyinning East Rd	0.36	Francis Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Cuballing

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4050020	Gaths Rd	Gaths Rd	Cuballing	0.00	Stratherne Rd	8.31	Murbys Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4050028	Grout Rd	Grout Rd	Cuballing	0.00	Springhill Rd	5.06	Cuballing West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4050045	Halls Rd	Halls Rd	Cuballing	0.00	Wardering Rd	5.60	Williams Kondinin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Wardering Rd : No access permitted into Wardering Rd from Halls Rd

Tandem Drive Network 2.1



Cuballing

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4050063	Haslams Rd	Haslams Rd	Cuballing	0.00	Williams Rd	2.18	Haslams Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4050145	Howard St	Howard St	Cuballing	0.00	Great Southern Hwy	1.08	Williams Rd & Boundary Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4050064	Kerruish Rd	Kerruish Rd	Cuballing	0.00	Stratherne Rd	7.03	Townsend Rd & Kerruish Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Townsend Rd & Kerruish Rd : No access permitted into Townsend Rd from Kerruish Rd
4050051	Langes Rd	Langes Rd	Cuballing	0.00	Great Southern Hwy	3.02	Langes Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Cuballing

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4050025	Leesons Rd	Leesons Rd	Cuballing	0.00	Pauley Rd	3.94	Modra Rd & Leeson Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Modra Rd & Leeson Rd : No access permitted into Modra Rd from Leesons Rd
4050065	Melchiorre Rd	Melchiorre Rd	Cuballing	0.00	Congelin - Narrogin Rd	4.35	Melchiorre Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4050023	Merwanga Rd	Merwanga Rd	Cuballing	0.00	Williams Rd	2.81	Pingelly LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Cuballing

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4050074	Modra Rd	Modra Rd	Cuballing	0.00	Leeson Rd & Leeson Rd	3.75	Pauley Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Leeson Rd & Leeson Rd : No access permitted into Leeson Rd from Modra Rd
4050031	Murbys Rd	Murbys Rd	Cuballing	0.00	Pauley Rd	6.42	Nottles Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4050033	Napping Pool Rd	Napping Pool Rd	Cuballing	0.00	Pingelly LGA Boundary	5.11	Popanyinning West Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4050041	Neamutin Rd	Neamutin Rd	Cuballing	0.00	Chopping Rd & Nyamutin Rd	11.29	Stratherne Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Cuballing

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4050152	Nebrikinning Rd	Nebrikinning Rd	Cuballing	0.00	Wandering - Narrogin Rd	6.99	Congelin - Narrogin Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4050032	Nottles Rd	Nottles Rd	Cuballing	0.00	Kerruish Rd	11.09	Stratherne Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Dixons Rd : No access permitted into Dixons Rd from Nottles Rd
4050018	Parsons Rd	Parsons Rd	Cuballing	0.00	Stratherne Rd	2.65	Cuballing East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Cuballing East Rd : No access permitted into Cuballing East Rd from Parsons Rd

Tandem Drive Network 2.1



Cuballing

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4050062	Patullo Rd	Patullo Rd	Cuballing	0.00	Popanyinning West Rd	2.49	Patullo Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4050007	Pauley Rd	Pauley Rd	Cuballing	0.00	Cuballing East Rd	7.61	Murbys Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4050007	Pauley Rd	Pauley Rd	Cuballing	7.61	Murbys Rd	9.72	Wickepin LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Cuballing

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4050019	Pennys Rd	Pennys Rd	Cuballing	0.00	Wandering - Narrogin Rd	12.80	Popanyinning West Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Forestry Rd : No access permitted into Forestry Rd from Pennys Rd
4050004	Popanyinning East Rd	Popanyinning East Rd	Cuballing	0.00	Hotham St & Bunmulling Rd	5.14	Francis Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4050004	Popanyinning East Rd	Popanyinning East Rd	Cuballing	5.14	Francis Rd	23.60	Yealering - Pingelly Rd & Wickepin - Pingelly Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Shaddicks Rd : No access permitted into Shaddicks Rd from Popanyinning East Rd Intersection Yealering - Pingelly Rd & Wickepin - Pingelly Rd : No access permitted into Wickepin Pingelly Rd from Popanyinning East Rd
4050002	Popanyinning West Rd	Popanyinning West Rd	Cuballing	0.00	Bunmulling Rd & Great Southern Hwy	9.14	0.34km Before Batts Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4050002	Popanyinning West Rd	Popanyinning West Rd	Cuballing	9.14	0.34km Before Batts Rd	21.25	Wandering LGA Boundary	

Tandem Drive Network 2.1



Cuballing

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4050017	Reeds Rd	Reeds Rd	Cuballing	0.00	Popanyinning East Rd	5.63	Pingelly LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4050049	Schoolars Rd	Schoolars Rd	Cuballing	0.00	Great Southern Hwy	2.28	Schoolars Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4050046	Shaddicks Rd	Shaddicks Rd	Cuballing	0.00	Popanyinning East Rd	4.49	Bunmulling Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Popanyinning East Rd : No access permitted into Popanyinning East Rd from Shaddicks Rd

Tandem Drive Network 2.1



Cuballing

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4050058	Short Rd	Short Rd	Cuballing	0.00	Cuballing East Rd	3.07	Short Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4050036	Spriggs Rd	Spriggs Rd	Cuballing	0.00	Narrogin LGA Boundary	1.40	Spriggs Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4050010	Springhill Rd	Springhill Rd	Cuballing	0.00	Bow St & Darcy St	6.75	Wandering - Narrogin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4050027	Stevens Rd	Stevens Rd	Cuballing	0.00	Wandering - Narrogin Rd	5.02	Wandering LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Cuballing

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4050026	Strahans Rd	Strahans Rd	Cuballing	0.00	Cuballing East Rd	2.95	Leesons Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4050001	Stratherne Rd	Stratherne Rd	Cuballing	0.00	Great Southern Hwy	26.54	Kerruish Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4050013	Tanners Rd	Tanners Rd	Cuballing	0.00	Pingelly LGA Boundary	7.83	Popanyinning East Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4050060	Taylors Rd	Taylors Rd	Cuballing	0.00	Stratherne Rd	2.55	Taylors Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4050138	Townsend Rd	Townsend Rd	Cuballing	0.00	Stratherne Rd	6.66	Kerruish Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Kerruish Rd : No access permitted into Kerruish Rd from Townsend Rd

Tandem Drive Network 2.1



Cuballing

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4050066	Tulletts Rd	Tulletts Rd	Cuballing	0.00	Popanyinning West Rd	2.60	Tulletts Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4050012	Turners Rd	Turners Rd	Cuballing	0.00	Wandering - Narrogin Rd	8.33	Fourteen Mile Brook Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4050044	Wades Rd	Wades Rd	Cuballing	0.00	Wardering Rd	2.55	Murphys Trk & Williams Kondinin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Cuballing

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4050038	Walsh Rd	Walsh Rd	Cuballing	0.00	Pauley Rd	5.65	Gaths Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4050129	Wandering - Narrogin Rd	Wandering - Narrogin Rd	Cuballing	0.00	Wandering Narrogin Rd	32.61	Springhill Rd & Wandering - Narrogin Rd	
4050134	Wardering Rd	Wardering Rd	Cuballing	0.00	Cuballing East Rd	11.74	Cuballing East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Halls Rd : No access permitted into Halls Rd from Wardering Rd
4050034	Webbs Rd	Webbs Rd	Cuballing	0.00	Stratherne Rd	4.77	Yornaning East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Cuballing

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4050011	Williams Rd	Williams Rd	Cuballing	0.00	Howard St & Boundary Rd	20.49	Wandering - Narrogin Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4050009	Yornaning East Rd	Yornaning East Rd	Cuballing	0.00	Great Southern Hwy	9.21	Stratherne Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4050005	Yornaning West Rd	Yornaning West Rd	Cuballing	0.00	Cowcher St	17.46	Wandering - Narrogin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4050052	Youngs Rd	Youngs Rd	Cuballing	0.00	Yornaning East Rd	2.40	Dents Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Cue

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
7020008	Beebyn - Karbar Rd	Beebyn - Karbar Rd	Cue	54.48	Wilgie - Mia Rd	59.64	Beringarra - Cue Rd	
7020001	Beringarra - Cue Rd	Beringarra - Cue Rd	Cue	0.00	Heydon Pl & Robinson St	88.44	Murchison LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
7020017	Big Bell - Coodardy Rd	Big Bell - Coodardy Rd	Cue	0.00	Coodardy - Noondie Rd	8.76	Big Bell - Wyah Pool Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
7020018	Big Bell - Wyah Pool Rd	Big Bell - Wyah Pool Rd	Cue	0.00	Beringarra - Cue Rd	14.01	Big Bell - Coodardy Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
7020002	Cue - Wondinong Rd	Cue - Wondinong Rd	Cue	0.00	Wittenoom St & Patterson St	69.03	Mt Magnet Lga Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
7020021	Cullculli Rd	Cullculli Rd	Cue	0.00	Great Northern Hwy	15.67		<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
7020021	Cullculli Rd	Cullculli Rd	Cue	15.67		17.05	Reedy Rd	
7020007	Lakeside Rd	Lakeside Rd	Cue	0.00	Austin St	52.33	Lakeside Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
7020027	Patterson St	Patterson St	Cue	0.00	Austin St	0.25	Wittenoom St & Cue - Wondinong Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
7020009	Reedy Rd	Reedy Rd	Cue	0.00	Great Northern Hwy	21.89	Cullculli Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
7020010	Robinson St	Robinson St	Cue	0.24	Austin St	0.95	Beringarra - Cue Rd & Heydon Pl	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
7020022	Wilgie - Mia Rd	Wilgie - Mia Rd	Cue	0.00	Beebyn - Karbar Rd	5.84	5.84km From Beebyn - Karbar Rd	
702Z003	Big Bell North Access Rd	Big Bell North Access Rd	Cue	0.00	Big Bell - Coodardy Rd	0.93	Big Bell Mine Office	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
702Z010	Miners Pass	Miners Pass	Cue	0.00	Great Northern Hwy	3.12	Beringarra - Cue Rd	
702Z011	Tuckabianna Rd	Tuckabianna Rd	Cue	0.00	Cue - Wondinong Rd	20.21	Tuckabianna Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Cunderdin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4060123	Adams Rd	Adams Rd	Cunderdin	0.00	Cunderdin - Minnivale Rd	4.11	Quelagetting Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060015	Antonio Rd	Antonio Rd	Cunderdin	0.00	Goomalling - Meckering Rd	11.68	Wilding Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Southern Brook Rd : No left turn permitted into Southern Brook Rd from Antonio Rd
4060165	Baxter Rd	Baxter Rd	Cunderdin	0.00	Great Eastern Hwy	0.73	Cunderdin - Wyalkatchem Rd	
4060050	Beebering Rd	Beebering Rd	Cunderdin	0.00	Goomalling - Meckering Rd	8.27	Meckering - Dowerin Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4060156	Boundary Rd	Boundary Rd	Cunderdin	0.00	Hardy Rd	2.84	Boundary Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060038	Broads Rd	Broads Rd	Cunderdin	0.00	Moore Rd	2.90	Warding Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Cunderdin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4060006	Bulgin Rd	Bulgin Rd	Cunderdin	0.00	Vanzetti St & Leeming St	15.28	Coleman Rd & Fleay Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060052	Burges North Rd	Burges North Rd	Cunderdin	0.00	Goomalling - Meckering Rd	1.50	Burges North Rd - End Road	
4060044	Burges Rd	Burges Rd	Cunderdin	0.00	Great Eastern Hwy	11.75	Moore Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060011	Carter - Doodenanning Rd	Carter - Doodenanning Rd	Cunderdin	0.00	Great Eastern Hwy	19.78	Quairading LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Mussared Rd : No left turn permitted into Mussared Rd from Carter-Doodenanning Rd Intersection Coleman Rd & Greens Rd : No left turn permitted into Coleman Rd from Carter-Doodenanning Rd
4060148	Carter Dr	Carter Dr	Cunderdin	0.00	Great Eastern Hwy & Cubbine St	0.77	Olympic Av & Eaton St	

Tandem Drive Network 2.1



Cunderdin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4060168	Carter Rd	Carter Rd	Cunderdin	0.00	Goomalling - Meckering Rd & Dunlop St	1.11	Solomon Back Rd & Meckering - Dowerin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060171	Centenary Pl	Centenary Pl	Cunderdin	0.00	Eaton St	0.31	Centenary Wy - Db Start	
4060010	Coleman Rd	Coleman Rd	Cunderdin	0.00	Carter - Doodenanning Rd	11.39	Greens Rd & Carter - Doodenanning Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4060051	Coline Rd	Coline Rd	Cunderdin	0.00	Goomalling - Meckering Rd	8.10	Coline Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060046	Collins Rd	Collins Rd	Cunderdin	0.00	Great Eastern Hwy	2.40	Burges Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Cunderdin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4060024	Cooalling Rd	Cooalling Rd	Cunderdin	0.00	Woonwooring Rd	9.18	Cunderdin - Minnivale Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Woonwooring Rd : No access permitted into Woonwooring Rd from Cooalling Rd. Intersection Mt Anne Rd : No access permitted into Mt Anne Rd from Cooalling Rd.
4060092	Council St	Council St	Cunderdin	0.18	0.18km After Yilgarn St	0.40	Watts St	
4060163	Cubbine St	Cubbine St	Cunderdin	0.00	Carter Dr & Great Eastern Hwy	1.38	Fiebert Rd & Quairading Rd	
4060003	Cunderdin - Minnivale Rd	Cunderdin - Minnivale Rd	Cunderdin	0.00	Cunderdin - Wyalkatchem Rd	18.71	Dowerin LGA Boundary	
4060166	Cunderdin - Wyalkatchem Rd	Cunderdin - Wyalkatchem Rd	Cunderdin	0.00	Baxter Rd	30.68	Seventeen Mile Gate Rd & Cunderdin - Wyalkatchem Rd	
4060023	Dennis Rd	Dennis Rd	Cunderdin	0.00	Woonwooring Rd	5.95	Dennis Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4060140	Donovan Rd	Donovan Rd	Cunderdin	0.00	Cunderdin - Wyalkatchem Rd	2.70	Woonwooring Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Cunderdin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4060167	Dunlop St	Dunlop St	Cunderdin	0.00	Dreyer St & Throssell St	0.17	Loton Rd & Richardson St	<ul style="list-style-type: none"> Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4060167	Dunlop St	Dunlop St	Cunderdin	0.17	Loton Rd & Richardson St	0.75	Goomalling - Meckering Rd & Carter Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4060151	Eaton St	Eaton St	Cunderdin	0.00	Eaton St	0.29	Carter Dr	
4060159	Edbrooke Rd	Edbrooke Rd	Cunderdin	0.00	Watercarrin Rd & Cunderdin - Minnivale Rd	2.35	Rabbit Proof Fence Nth Rd & Watercarrin Bin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060031	Eight Mile Gate Rd	Eight Mile Gate Rd	Cunderdin	0.00	Pascoe Rd	2.95	Rabbit Proof Fence South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Cunderdin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4060062	Fiegert Rd	Fiegert Rd	Cunderdin	0.00	Quairading Rd & Cubbine St	6.00	1.6km From Five Mile Gate Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060027	Five Mile Gate Rd	Five Mile Gate Rd	Cunderdin	0.00	Quairading Rd	7.24	Rabbit Proof Fence South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060157	Fleay Rd	Fleay Rd	Cunderdin	0.00	Coleman Rd & Bulgin Rd	9.04	Moore Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
4060020	Flowery Patch Rd	Flowery Patch Rd	Cunderdin	0.00	Scaddan Rd	9.00	Wyalkatchem LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060153	Fuller Rd	Fuller Rd	Cunderdin	0.00	Harris Rd	4.20	Scaddan Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Cunderdin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4060155	Gangell Rd	Gangell Rd	Cunderdin	0.00	Watercarrin Rd	1.77	Dowerin LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060170	Goldfields Rd	Goldfields Rd	Cunderdin	0.00	Quairading LGA Boundary	14.17	York - Tammin Rd & Rabbit Proof Fence South Rd	
4060002	Goomalling - Meckering Rd	Goomalling - Meckering Rd	Cunderdin	0.00	Dunlop St & Carter Rd	20.09	Goomalling - Meckering Rd & Dwyer Rd	<ul style="list-style-type: none"> Intersection North Rd : No left turn permitted into North Rd from Goomalling-Meckering Rd Intersection Antonio Rd : No left turn permitted into Antonio Rd from Goomalling-Meckering Rd
4060124	Greens Rd	Greens Rd	Cunderdin	0.00	Coleman Rd & Carter - Doodenanning Rd	5.40	Carter - Doodenanning Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4060057	Hagboom Rd	Hagboom Rd	Cunderdin	0.00	Wilding Rd	4.57	Nambling South Rd	

Tandem Drive Network 2.1



Cunderdin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4060039	Hardy Rd	Hardy Rd	Cunderdin	0.00	York LGA Boundary	4.20	Warding Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4060039	Hardy Rd	Hardy Rd	Cunderdin	4.20	Warding Rd	7.00	Moore Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Warding Rd : No left turn permitted into Warding Rd from Hardy Rd
4060077	Harris Rd	Harris Rd	Cunderdin	0.00	Cunderdin - Wyalkatchem Rd	9.50	Wyola Rd North	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060129	Henderson Rd	Henderson Rd	Cunderdin	0.00	Watercarrin Rd	2.66	Meckering - Dowerin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Watercarrin Rd : No right turn permitted into Watercarrin Rd from Henderson Rd

Tandem Drive Network 2.1



Cunderdin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4060073	Hillam Rd	Hillam Rd	Cunderdin	0.00	Quelagetting Rd	4.58	Cooalling Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060042	Hills Rd	Hills Rd	Cunderdin	0.00	Warding Rd	2.80	Hills Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4060055	Hitchcock Rd	Hitchcock Rd	Cunderdin	0.00	Goomalling - Meckering Rd	7.82	Antonio Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060066	Hopkins Rd	Hopkins Rd	Cunderdin	0.00	Great Eastern Hwy	4.76	Hopkins Rd - End Road	

Tandem Drive Network 2.1



Cunderdin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4060137	Hudson Rd	Hudson Rd	Cunderdin	0.00	Gangell Rd	1.22	Dowerin LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060142	Inverness Rd	Inverness Rd	Cunderdin	0.00	Great Eastern Hwy	4.50	Nornadeen Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060029	Jasper Rd	Jasper Rd	Cunderdin	0.00	Quairading Rd	5.30	Pascoe Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Cunderdin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4060145	Jasper River Rd	Jasper River Rd	Cunderdin	0.00	Mussared Rd & Great Eastern Hwy	1.90	Jasper River Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060108	Johnston St	Johnston St	Cunderdin	0.00	Throssell St & Johnston St	0.67	Vanzetti St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4060021	Kelkering Rd	Kelkering Rd	Cunderdin	0.00	Taylors Rd & Goldfields Rd	5.37	Quairading Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Taylors Rd & Goldfields Rd : No access permitted into Goldfields Rd from Kelkering Rd

Tandem Drive Network 2.1



Cunderdin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4060021	Kelkering Rd	Kelkering Rd	Cunderdin	5.38	Quairading Rd	14.77	Carter - Doodenanning Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Carter - Doodenanning Rd : No access permitted into Carter-Doodenanning Rd from Kelkering Rd
4060026	Leeming Rd	Leeming Rd	Cunderdin	0.00	Bulgin Rd	7.48	Leeming Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4060115	Leeming St	Leeming St	Cunderdin	0.00	Great Eastern Hwy & Throssell St	1.02	Vanzetti St & Bulgin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Great Eastern Hwy & Throssell St : No right turn permitted into Great Eastern Hwy from Leeming St

Tandem Drive Network 2.1



Cunderdin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4060025	Leesons Rd	Leesons Rd	Cunderdin	0.00	Mt Anne Rd	9.04	Meckering - Dowerin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060047	Loton Rd	Loton Rd	Cunderdin	0.00	Richardson St & Dunlop St	1.75	1.75km From Richardson St & Dunlop St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060047	Loton Rd	Loton Rd	Cunderdin	1.75	1.75km From Richardson St & Dunlop St	1.85	0.37km After North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Cunderdin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4060047	Loton Rd	Loton Rd	Cunderdin	1.85	Cbh Bin	6.28	Great Eastern Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060081	Lundy Av	Lundy Av	Cunderdin	0.00	Baxter Rd & Lundy Av Spur (B)	0.93	Carter Dr	
4060080	Main St	Main St	Cunderdin	0.08	For 0.08km From Stokes Rd	0.40	Baxter Rd	
4060072	Matthew Rd	Matthew Rd	Cunderdin	0.00	Cunderdin - Minnivale Rd	2.25	Rabbit Proof Fence Nth Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060072	Matthew Rd	Matthew Rd	Cunderdin	2.36	Rabbit Proof Fence Nth Rd	5.04	Cunderdin - Wyalkatchem Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060169	Meckering - Dowerin Rd	Meckering - Dowerin Rd	Cunderdin	0.00	Solomon Back Rd & Carter Rd	23.42	Quelagetting Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Wilding Rd : No right turn permitted into Wilding Rd from Meckering-Dowerin Rd

Tandem Drive Network 2.1



Cunderdin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4060169	Meckering - Dowerin Rd	Meckering - Dowerin Rd	Cunderdin	23.42	Quelagetting Rd	30.76	Dowerin - Meckering Rd	
4060012	Moore Rd	Moore Rd	Cunderdin	0.00	Quellington Rd	18.56	York LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4060005	Mt Anne Rd	Mt Anne Rd	Cunderdin	0.00	Great Eastern Hwy	12.13	Leesons Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4060005	Mt Anne Rd	Mt Anne Rd	Cunderdin	12.13	Leesons Rd	17.65	Cooalling Rd	<ul style="list-style-type: none"> Intersection Cooalling Rd : No access permitted into Cooalling Rd from Mt Anne Rd
4060037	Mussared Rd	Mussared Rd	Cunderdin	0.00	Great Eastern Hwy & Jasper River Rd	4.80	Carter - Doodenanning Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Great Eastern Hwy & Jasper River Rd : No access permitted into Great Eastern Hwy from Mussared Rd
4060017	Nambling Rd	Nambling Rd	Cunderdin	0.00	Meckering - Dowerin Rd	8.51	Maisey Rd & Quelagetting West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. See Low Volume Condition Type A in the Operating Conditions Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Meckering - Dowerin Rd : No access to Nambling Rd from Meckering Dowerin Rd. No left turn permitted into Meckering Dowerin Rd from Nambling Rd.

Tandem Drive Network 2.1



Cunderdin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4060067	Nornadeen Rd	Nornadeen Rd	Cunderdin	0.00	Great Eastern Hwy	4.57	Parrawilla Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4060105	North Rd	North Rd	Cunderdin	0.00	Goomalling - Meckering Rd	1.44	Loton Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4060082	Olympic Av	Olympic Av	Cunderdin	0.00	Baxter Rd	0.48	Carter Dr & Eaton St	
4060065	Parrawilla Rd	Parrawilla Rd	Cunderdin	0.00	Rabbit Proof Fence South Rd	0.67	Parrawilla Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060164	Quairading Rd	Quairading Rd	Cunderdin	0.00	Fiegert Rd & Cubbine St	21.88	Quairading - Cunderdin Rd	
4060008	Quelagetting Rd	Quelagetting Rd	Cunderdin	0.00	Cunderdin - Minnivale Rd	3.75	Beards Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Cunderdin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4060008	Quelagetting Rd	Quelagetting Rd	Cunderdin	3.75	Beards Rd	12.37	Meckering - Dowerin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060004	Quellington Rd	Quellington Rd	Cunderdin	0.00	Great Eastern Hwy	11.51	York LGA Boundary	
4060122	Rabbit Proof Fence Nth Rd	Rabbit Proof Fence Nth Rd	Cunderdin	0.00	Rabbit Proof Fence Nth Rd - Start Road	14.42	Matthew Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Three Mile Gate Rd : No access permitted into Three Mile Gate Rd from Rabbit Proof Fence North Rd southbound
4060122	Rabbit Proof Fence Nth Rd	Rabbit Proof Fence Nth Rd	Cunderdin	14.42	Matthew Rd	25.40	Watercarrin Bin Rd & Edbrooke Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Cunderdin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4060028	Rabbit Proof Fence South Rd	Rabbit Proof Fence South Rd	Cunderdin	0.00	Inverness Rd	5.01	Five Mile Gate Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060028	Rabbit Proof Fence South Rd	Rabbit Proof Fence South Rd	Cunderdin	5.01	Five Mile Gate Rd	12.30	York - Tammin Rd & Goldfields Rd & Rabbit Proof Fence South Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4060019	Scaddan Rd	Scaddan Rd	Cunderdin	0.00	Cunderdin - Wyalkatchem Rd	7.10	Scaddan Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060176	Sermon Rd	Sermon Rd	Cunderdin	0.00	Bulgin Rd	4.15	Great Eastern Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4060074	Seventeen Mile Gate Rd	Seventeen Mile Gate Rd	Cunderdin	0.00	Cunderdin - Minnivale Rd	2.36	Rabbit Proof Fence Nth Rd	
4060074	Seventeen Mile Gate Rd	Seventeen Mile Gate Rd	Cunderdin	2.36	Rabbit Proof Fence Nth Rd	7.00	Cunderdin - Wyalkatchem Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Cunderdin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4060035	Sheenan Rd	Sheenan Rd	Cunderdin	0.00	Quairading Rd	3.75	700 Metres After Doherty Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060068	Shorter Rd	Shorter Rd	Cunderdin	0.00	Three Mile Gate Rd	7.46	Wyola Rd North	
4060043	Snooke Rd	Snooke Rd	Cunderdin	0.00	Great Eastern Hwy	2.30	Northam LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060016	Southern Brook Rd	Southern Brook Rd	Cunderdin	0.00	Antonio Rd	9.06	Northam LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4060048	Stewart Rd	Stewart Rd	Cunderdin	0.00	Goomalling - Meckering Rd	4.70	Loton Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Goomalling - Meckering Rd : No left turn permitted into Goomalling - Merredin Rd from Stewart Rd Intersection North Rd : No left turn permitted into North Rd from Stewart Rd

Tandem Drive Network 2.1



Cunderdin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4060138	Stokes Rd	Stokes Rd	Cunderdin	0.00	Main St	4.17	Jasper River Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060138	Stokes Rd	Stokes Rd	Cunderdin	4.18	Jasper River Rd	9.87	Mt Anne Rd	
4060022	Three Mile Gate Rd	Three Mile Gate Rd	Cunderdin	0.00	Cunderdin - Wyalkatchem Rd	10.68	Three Mile Gate Rd - End Road	
4060045	Throssell Rd	Throssell Rd	Cunderdin	0.00	Bulgin Rd	3.13	Moore Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4060111	Vanzetti St	Vanzetti St	Cunderdin	0.00	Great Eastern Hwy & Dreyer St	2.25	Bulgin Rd & Leeming St	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Cunderdin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4060040	Warding Rd	Warding Rd	Cunderdin	0.00	Hardy Rd	6.16	York LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4060018	Watercarrin Rd	Watercarrin Rd	Cunderdin	0.00	Cunderdin - Minnivale Rd & Edbrooke Rd	9.74	Quelagetting Rd	<ul style="list-style-type: none"> Intersection Henderson Rd : No left turn permitted into Henderson Rd from Watercarrin Rd
4060094	Watts St	Watts St	Cunderdin	0.88	Council St	1.60	Cubbine St	
4060059	Whites Rd	Whites Rd	Cunderdin	0.00	Meckering - Dowerin Rd	4.67	Whites Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060009	Wilding Rd	Wilding Rd	Cunderdin	0.00	Meckering - Dowerin Rd	13.25	Farm Access Gate	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4060009	Wilding Rd	Wilding Rd	Cunderdin	13.25	Farm Access Gate	19.42	Nambling Rd	

Tandem Drive Network 2.1



Cunderdin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4060007	Woonwooring Rd	Woonwooring Rd	Cunderdin	0.00	Cunderdin - Wyalkatchem Rd	15.61	Mt Anne Rd	<ul style="list-style-type: none">No operation on unsealed road segment when visibly wet, without road owner's approval.Intersection Cooalling Rd : No access permitted into Cooalling Rd from Woonwooring Rd
4060014	Wyola Rd North	Wyola Rd North	Cunderdin	0.00	Wyola North Rd	14.64	Left Hand Turn 3km North of Harris Rd	
4060075	Ygnattering Rd	Ygnattering Rd	Cunderdin	0.00	Cunderdin - Wyalkatchem Rd	2.49	Flowery Patch Rd	
406Z004	Eaton St	Eaton St	Cunderdin	0.00	Olympic Av & Carter Dr	0.38	Eaton St	

Tandem Drive Network 2.1



Dalwallinu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5030056	36 Well Rd	36 Well Rd	Dalwallinu	0.00	Nugadong West Rd	4.51	Wegner Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5030102	Anderson Rd	Anderson Rd	Dalwallinu	0.00	Pithara East Rd	2.90	Hodgson Rd	
5030058	Anderton Rd	Anderton Rd	Dalwallinu	0.00	Flynn Rd	4.00	Mullewa Wubin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5030069	Arbuckle Rd	Arbuckle Rd	Dalwallinu	0.00	Dalwallinu - Kalannie Rd	11.06	Peterson Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030083	Atkinson Rd	Atkinson Rd	Dalwallinu	0.00	Bell Rd	6.99	Sanders Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dalwallinu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5030086	Bailey Rd	Bailey Rd	Dalwallinu	0.00	Thompson Rd	11.11	Pearse Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. See Low Volume Condition Type A in the Operating Conditions Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5030075	Barrabarra Rd	Barrabarra Rd	Dalwallinu	0.00	Birdwood Rd	8.10	Petrudor Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5030123	Battaglia Rd	Battaglia Rd	Dalwallinu	0.00	Goodlands Rd	7.77	Warren Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5030027	Bell Rd	Bell Rd	Dalwallinu	0.00	Great Northern Hwy	27.81	Miling North Rd	<ul style="list-style-type: none"> Rail at Great Northern Hwy intersection not to be crossed. Intersection Great Northern Hwy : No access permitted into Great Northern Hwy from Bell Rd.

Tandem Drive Network 2.1



Dalwallinu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5030071	Birdwood Rd	Birdwood Rd	Dalwallinu	0.00	Pithara East Rd	11.27	Dalwallinu - Kalannie Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030117	Black Rd	Black Rd	Dalwallinu	8.87	Glamoff Rd	22.21	Black Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5030105	Boucher Rd	Boucher Rd	Dalwallinu	0.00	Mullewa Wubin Rd	7.08	Manuel Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5030101	Browning Rd	Browning Rd	Dalwallinu	0.00	Hodgson Rd	2.98	Pithara East Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030108	Bryant Rd	Bryant Rd	Dalwallinu	0.00	Noble Rd	11.98	Perenjori LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030046	Bunketch East Rd	Bunketch East Rd	Dalwallinu	0.00	Koorda LGA Boundary	11.50	Dowerin - Kalannie Rd	
5030095	Bunketch West Rd	Bunketch West Rd	Dalwallinu	0.00	Rabbit Proof Fence Rd	6.78	Dowerin - Kalannie Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Dalwallinu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5030008	Buntine - Marchagee Rd	Buntine - Marchagee Rd	Dalwallinu	0.00	Smith St & Dermer St	20.70	Buntine - Marchagee Rd & Bryant Rd	
5030009	Buntine East Rd	Buntine East Rd	Dalwallinu	0.00	Wasley Rd	20.33	Nelson St & Mullewa Wubin Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030091	Burgess Rd	Burgess Rd	Dalwallinu	0.00	Dinnie Rd	4.02	Wilder Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5030239	Bywaters Rd	Bywaters Rd	Dalwallinu	0.00	Leeson Rd	3.37	Bywaters Rd - End Road	
5030013	Cail Rd	Cail Rd	Dalwallinu	0.00	Rabbit Proof Fence Rd	12.60	Cail Rd - End Road	
5030225	Cailbro Rd	Cailbro Rd	Dalwallinu	0.00	Cail Rd	4.10	Carter Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dalwallinu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5030077	Campbell Rd	Campbell Rd	Dalwallinu	0.00	Rabbit Proof Fence Rd	11.98	Goodlands Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5030250	Caravan Park Access Rd	Caravan Park Access Rd	Dalwallinu	0.00	Great Northern Hwy	0.04	Dowie St	
5030226	Carmichael Rd	Carmichael Rd	Dalwallinu	0.00	West Rd	4.55	Perenjori LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030231	Carot Well Rd	Carot Well Rd	Dalwallinu	0.00	Moora LGA Boundary	3.02	Miling North Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Dalwallinu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5030010	Carter Rd	Carter Rd	Dalwallinu	0.00	Wubin East Rd	24.86	Mitchell Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. See Low Volume Condition Type A in the Operating Conditions Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Wubin East Rd : No left turn permitted into Wubin East Rd from Carter Rd.
5030221	Centre Rd	Centre Rd	Dalwallinu	0.00	Birdwood Rd	14.96	Rabbit Proof Fence Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dalwallinu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5030111	Clearview Rd	Clearview Rd	Dalwallinu	0.00	Thompson Rd	3.57	Flynn Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. See Low Volume Condition Type A in the Operating Conditions Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5030249	Clinch Rd	Clinch Rd	Dalwallinu	0.00	Johnston St	0.21	Great Northern Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030134	Coles Rd	Coles Rd	Dalwallinu	0.00	Sutcliffe Rd	3.40	Northam Pithara Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5030051	Collins Rd	Collins Rd	Dalwallinu	0.00	Wubin East Rd	6.74	Great Northern Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030089	Council Rd	Council Rd	Dalwallinu	0.00	Jackson Rd	9.60	Mullewa Wubin Rd	

Tandem Drive Network 2.1



Dalwallinu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5030025	Courtlea Rd	Courtlea Rd	Dalwallinu	0.00	Dalwallinu North Rd	13.31	Locke Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Intersection Great Northern Hwy : No access permitted to or from Great Northern Hwy on the eastern side of the intersection.
5030148	Craske Rd	Craske Rd	Dalwallinu	0.00	Wongan - Ballidu LGA Boundary	1.80	Damboring East Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030020	Dal North Rd	Dal North Rd	Dalwallinu	0.00	Tomsett Rd	10.39	Lehmann Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030241	Dalwallinu - Kalannie Rd	Dalwallinu - Kalannie Rd	Dalwallinu	0.00	Great Northern Hwy & Dalwallinu West Rd	51.70	Bussell St & Roche St	
5030050	Dalwallinu North Rd	Dalwallinu North Rd	Dalwallinu	0.00	Wilgie Hill Rd	29.07	Carter Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030005	Dalwallinu West Rd	Dalwallinu West Rd	Dalwallinu	0.00	Dalwallinu - Kalannie Rd & Great Northern Hwy	14.84	Stone Rd & Dalwallinu West Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030097	Damboring East Rd	Damboring East Rd	Dalwallinu	0.00	Northam Pithara Rd	36.46	Ray Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Dalwallinu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5030167	Damboring West Rd	Damboring West Rd	Dalwallinu	0.00	Northam Pithara Rd	0.80	Wongan - Ballidu LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5030191	Deacon St	Deacon St	Dalwallinu	0.00	Roberts Rd	0.56	Railway Pde	
5030227	Dermer St	Dermer St	Dalwallinu	0.00	Buntine - Marchagee Rd & Smith St	1.57	Nelson St	
5030034	Dickins Rd	Dickins Rd	Dalwallinu	0.00	Pithara West Rd	8.57	Great Northern Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030063	Dinnie Rd	Dinnie Rd	Dalwallinu	0.00	Mullewa Wubin Rd	22.73	Wasley Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030137	Dodd Prior Rd	Dodd Prior Rd	Dalwallinu	0.00	Pithara East Rd	3.97	Centre Rd	
5030258	Dodd St	Dodd St	Dalwallinu	0.00	Dowerin - Kalannie Rd & Kalannie - Kulja Rd & Roche St	0.60	Pithara East Rd & Hathway Dr	
5030242	Dowerin - Kalannie Rd	Dowerin - Kalannie Rd	Dalwallinu	0.00	Wongan - Ballidu LGA Boundary	10.07	Dodd St & Kalannie - Kulja Rd & Roche St	
5030202	Dowie St	Dowie St	Dalwallinu	0.00	Dowie St - Start Road	0.49	Roberts Rd	
5030237	Ellis St	Ellis St	Dalwallinu	0.00	Railway Pde	0.14	Garland St	
5030081	Elston Rd	Elston Rd	Dalwallinu	0.00	Pithara East Rd	4.19	Wilgie Hill Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Dalwallinu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5030106	Fitzsimons Rd	Fitzsimons Rd	Dalwallinu	0.00	Buntine East Rd	8.07	Wilder Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030110	Flynn Rd	Flynn Rd	Dalwallinu	0.00	Mullewa Wubin Rd	6.41	Kenny Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030110	Flynn Rd	Flynn Rd	Dalwallinu	6.41	Kenny Rd	10.16	Stewart Rd	
5030110	Flynn Rd	Flynn Rd	Dalwallinu	10.16	Stewart Rd	17.22	Wubin - Gunyidi Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. See Low Volume Condition Type A in the Operating Conditions Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Wubin - Gunyidi Rd : No access permitted to or from Wubin - Guyidi Rd.
5030048	Foyle Rd	Foyle Rd	Dalwallinu	0.00	Foyle Rd - Start Road	3.72	Kalannie - Kulja Rd	
5030190	Garland St	Garland St	Dalwallinu	0.00	Huggett Dr	0.58	Dowie St	
5030035	Gatti Rd	Gatti Rd	Dalwallinu	0.00	Great Northern Hwy	13.44	Thaxter Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5030116	Glamoff Rd	Glamoff Rd	Dalwallinu	0.00	Rabbit Proof Fence Rd	20.66	Sanderson Rd	

Tandem Drive Network 2.1



Dalwallinu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5030116	Glamoff Rd	Glamoff Rd	Dalwallinu	20.66	Sanderson Rd	27.28	Goodlands Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5030116	Glamoff Rd	Glamoff Rd	Dalwallinu	27.28	Goodlands Rd	44.17	Kulja Central Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
5030116	Glamoff Rd	Glamoff Rd	Dalwallinu	44.17	Kulja Central Rd	51.54	Glamoff Rd - End Road	
5030157	Glowery St	Glowery St	Dalwallinu	0.00	Great Northern Hwy	0.36	Glowery St - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Great Northern Hwy : No Left Turn Into Great Northern Hwy From Glowery St
5030031	Goatcher Rd	Goatcher Rd	Dalwallinu	0.00	Great Northern Hwy	28.63	Rabbit Proof Fence Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030003	Goodlands Rd	Goodlands Rd	Dalwallinu	0.00	Dalwallinu - Kalannie Rd	70.92	Perenjori LGA Boundary	
5030070	Gowrie Rd	Gowrie Rd	Dalwallinu	0.00	Nugadong East Rd	18.63	Pithara East Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030049	Gypsum Rd	Gypsum Rd	Dalwallinu	0.00	Kalannie - Kulja Rd	2.21	Gypsum Rd & End of Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030092	Harle Rd	Harle Rd	Dalwallinu	0.00	Dinnie Rd	4.56	Wilder Rd	

Tandem Drive Network 2.1



Dalwallinu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5030068	Harris Rd	Harris Rd	Dalwallinu	0.00	Nugadong West Rd	7.62	Bell Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5030204	Harris St	Harris St	Dalwallinu	0.00	Dowie St	0.34	Deacon St	
5030100	Hodgson Rd	Hodgson Rd	Dalwallinu	0.00	Sutcliffe Rd	17.64	Petrudor Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Sutcliffe Rd : No right turn permitted into Sutcliffe Rd from Hodgson Rd
5030024	Hourigan Rd	Hourigan Rd	Dalwallinu	0.00	Pithara East Rd	12.72	Wongan - Ballidu LGA Boundary	
5030259	Huggett Dr	Huggett Dr	Dalwallinu	0.00	Great Northern Hwy	0.58	Roberts Rd	
5030088	Jackson Rd	Jackson Rd	Dalwallinu	0.00	Perenjori LGA Boundary	9.88	Jackson Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Dalwallinu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5030011	Jibberding Hall Rd	Jibberding Hall Rd	Dalwallinu	0.00	Wubin East Rd	11.69	Great Northern Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5030136	Johnson Rd	Johnson Rd	Dalwallinu	0.00	Pithara East Rd	7.92	End of Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5030185	Johnston St	Johnston St	Dalwallinu	0.66	Clinch Rd	1.53	Great Northern Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Rayner St : No Right turn Permitted into Rayner St from Johnston St Intersection Leahy St : No Left turn permitted into Leahy St from Johnston St
5030135	Jones Rd	Jones Rd	Dalwallinu	0.00	Pithara East Rd	29.89	Hourigan Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030045	Kalannie - Kulja Rd	Kalannie - Kulja Rd	Dalwallinu	0.00	Dodd St & Dowerin - Kalannie Rd & Roche St	12.68	Koorda LGA Boundary	

Tandem Drive Network 2.1



Dalwallinu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5030022	Kenny Rd	Kenny Rd	Dalwallinu	0.00	Flynn Rd	14.59	Pearse Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030120	Kulja Central Rd	Kulja Central Rd	Dalwallinu	0.00	Kulja Central Rd - Start Road	2.44	Glamoff Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5030120	Kulja Central Rd	Kulja Central Rd	Dalwallinu	2.44	Glamoff Rd	16.73	Warren Rd & Kulja Central Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
5030189	Leahy St	Leahy St	Dalwallinu	0.00	Johnston St	0.13	McNeill St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Intersection Johnston St : No Left turn Permitted Into Johnston St from Leahy St
5030015	Leeson Rd	Leeson Rd	Dalwallinu	0.00	Sanderson Rd	35.28	Black Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5030114	Lehmann Rd	Lehmann Rd	Dalwallinu	0.00	Black Rd	5.46	Kulja Central Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Dalwallinu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5030114	Lehmann Rd	Lehmann Rd	Dalwallinu	5.46	Kulja Central Rd	23.93	Goodlands Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road.
5030114	Lehmann Rd	Lehmann Rd	Dalwallinu	23.93	Goodlands Rd	28.40	Sanderson Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5030114	Lehmann Rd	Lehmann Rd	Dalwallinu	28.40	Sanderson Rd	30.15	Lehman Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030039	Lloyd Rd	Lloyd Rd	Dalwallinu	0.00	Sheoak Rd	5.38	Sutherland Rd & Lloyd Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
5030026	Locke Rd	Locke Rd	Dalwallinu	0.00	Thaxter Rd	10.03	Bell Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030064	Manuel Rd	Manuel Rd	Dalwallinu	0.00	Buntine East Rd	10.51	Great Northern Hwy	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Dalwallinu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5030041	Marne West Rd	Marne West Rd	Dalwallinu	0.00	Sheoak Rd	5.99	McKay Rd & Northam Pithara Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030119	Martin Rd	Martin Rd	Dalwallinu	0.00	Warren Rd & Martin Rd	13.06	Glamoff Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
5030119	Martin Rd	Martin Rd	Dalwallinu	13.06	Glamoff Rd	25.91	Leeson Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5030188	McNeill St	McNeill St	Dalwallinu	0.53	Myers St	0.71	Rayner St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030188	McNeill St	McNeill St	Dalwallinu	0.71	Rayner St	0.90	Leahy St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5030220	Meadows Rd	Meadows Rd	Dalwallinu	0.00	Meadows Rd & Rifle Range Rd	4.24	Damboring East Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030085	Miling North Rd	Miling North Rd	Dalwallinu	0.00	Carot Well Rd & Miling North Rd	10.10	Coorow LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Dalwallinu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5030240	Mitchell Rd	Mitchell Rd	Dalwallinu	0.00	Wubin East Rd	5.56	Carter Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5030037	Moller Rd	Moller Rd	Dalwallinu	0.00	Moller Rd - Start Road	10.49	Great Northern Hwy	
5030169	Moore Rd	Moore Rd	Dalwallinu	0.00	Thaxter Rd	1.19	Moore Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5030054	Myers Rd	Myers Rd	Dalwallinu	0.00	Wubin - Gunyidi Rd	8.34	Nugadong West Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5030194	Myers St	Myers St	Dalwallinu	0.00	Johnston St & Park Dr	0.11	McNeill St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Dalwallinu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5030021	Nadji Mia Rd	Nadji Mia Rd	Dalwallinu	0.00	Miling East Rd & Nadji Mia Rd	2.80	Great Northern Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5030172	Nelson St	Nelson St	Dalwallinu	0.00	Buntine East Rd & Mullewa Wubin Rd	0.90	Flynn Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. HVS Update 7-2022
5030229	Nicholls Rd	Nicholls Rd	Dalwallinu	0.00	Dalwallinu North Rd	11.27	Birdwood Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030096	Nixon Rd	Nixon Rd	Dalwallinu	0.00	Dowerin - Kalannie Rd	1.06	Nixons Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030107	Noble Rd	Noble Rd	Dalwallinu	0.00	Pearse Rd	2.86	Bryant Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dalwallinu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5030004	Nugadong East Rd	Nugadong East Rd	Dalwallinu	0.00	Struggle St	33.68	Great Northern Hwy	
5030029	Nugadong West Rd	Nugadong West Rd	Dalwallinu	0.00	Great Northern Hwy	16.98	Wubin - Gunyidi Rd	<ul style="list-style-type: none"> Intersection Osborne Rd : No right turn permitted into Osborne Rd from Nugadong West Rd
5030074	O'Dea Rd	O'Dea Rd	Dalwallinu	0.00	Dalwallinu - Kalannie Rd	11.65	Pithara East Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030084	Osborne Rd	Osborne Rd	Dalwallinu	0.00	Osborne Rd - Start Road	12.83	Nugadong West Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Nugadong West Rd : No left turn permitted into Nugadong West Rd from Osborne Rd
5030131	Pearn Rd	Pearn Rd	Dalwallinu	0.00	Sutcliffe Rd	0.61	Pithara East Rd	
5030007	Pearse Rd	Pearse Rd	Dalwallinu	0.00	Wubin - Gunyidi Rd	20.55	West Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030067	Peterson Rd	Peterson Rd	Dalwallinu	0.00	Rabbit Proof Fence Rd	26.08	Nugadong Town Rd & Great Northern Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Dalwallinu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5030023	Petrudor Rd	Petrudor Rd	Dalwallinu	0.00	Jones Rd	14.96	90m From Barrabarra Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5030023	Petrudor Rd	Petrudor Rd	Dalwallinu	14.96	90m From Barrabarra Rd	21.32	Goatcher Rd	
5030040	Pipe McNeil Rd	Pipe McNeil Rd	Dalwallinu	0.00	Great Northern Hwy	4.46	Sutherland Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Maximum speed 60 km/h
5030001	Pithara East Rd	Pithara East Rd	Dalwallinu	0.00	Pithara West Rd & Leahy St & Great Northern Hwy	43.26	Dodd St & Hathway Dr	
5030033	Pithara West Rd	Pithara West Rd	Dalwallinu	0.00	Leahy St & Pithara East Rd & Great Northern Hwy	16.01	Dennis Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030028	Powell Rd	Powell Rd	Dalwallinu	0.00	Bell Rd	5.19	Dalwallinu West Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5030248	Pratt Pl	Pratt Pl	Dalwallinu	0.00	Huggett Dr	0.10	Pratt Pl - End Road	
5030147	Quain Rd	Quain Rd	Dalwallinu	0.00	Wongan - Ballidu LGA Boundary	1.53	Damboring East Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030147	Quain Rd	Quain Rd	Dalwallinu	1.56	Damboring East Rd	5.16	Jones Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Dalwallinu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5030094	Rabbit Proof Fence Rd	Rabbit Proof Fence Rd	Dalwallinu	14.00	Great Northern Hwy	74.23	Wongan - Ballidu LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030203	Railway Pde	Railway Pde	Dalwallinu	0.00	Railway Pde Cul-De-Sac Sth	0.49	Railway Pde Cul-De-Sac Nth	
5030210	Rayner St	Rayner St	Dalwallinu	0.00	Johnston St	0.12	McNeill St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030059	Richards Rd	Richards Rd	Dalwallinu	0.00	Great Northern Hwy	17.79	Wilder Rd & Barker Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030073	Roach Rd	Roach Rd	Dalwallinu	0.00	Pithara East Rd	3.74	Wilgie Hill Rd	
5030129	Roach St	Roach St	Dalwallinu	0.01	Roach St - Start Road	0.69	Roach St - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030238	Roberts Rd	Roberts Rd	Dalwallinu	0.00	Huggett Dr	0.89	Great Northern Hwy	
5030244	Roche St	Roche St	Dalwallinu	0.00	Dalwallinu - Kalannie Rd & Bussell St	0.95	Dodd St & Dowerin - Kalannie Rd & Kalannie - Kulja Rd	
5030122	Rolinson Rd	Rolinson Rd	Dalwallinu	0.00	Lang Rd	11.51	Kalannie - Kulja Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030066	Sanders Rd	Sanders Rd	Dalwallinu	0.00	Wubin - Gunyidi Rd	10.89	Bell Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030014	Sanderson Rd	Sanderson Rd	Dalwallinu	0.00	Dalwallinu - Kalannie Rd	14.67	Lehmann Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Dalwallinu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5030014	Sanderson Rd	Sanderson Rd	Dalwallinu	14.67	Lehmann Rd	34.68	Leeson Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5030014	Sanderson Rd	Sanderson Rd	Dalwallinu	34.68	Leeson Rd	56.96	Great Northern Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030138	Sanderson Tce	Sanderson Tce	Dalwallinu	0.00	Goodlands Rd	1.90	Kalannie - Kulja Rd	
5030016	Scally Rd	Scally Rd	Dalwallinu	0.00	Leeson Rd	5.37	Scally Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030038	Sheoak Rd	Sheoak Rd	Dalwallinu	0.00	Great Northern Hwy	4.29	Wongan - Ballidu LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5030236	Simonsen Rd	Simonsen Rd	Dalwallinu	0.00	Wubin East Rd	4.91	Glamoff Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5030090	Smith St	Smith St	Dalwallinu	0.00	Buntine - Marchagee Rd & Dermer St	1.48	Council Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Dalwallinu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5030112	Stewart Rd	Stewart Rd	Dalwallinu	0.00	Flynn Rd	5.89	Mullewa Wubin Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h
5030218	Stone Rd	Stone Rd	Dalwallinu	0.00	Dalwallinu West Rd	6.25	Thaxter Rd	
5030223	Struggle St	Struggle St	Dalwallinu	0.00	Campbell Rd	24.69	Wubin East Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030043	Sutcliffe Rd	Sutcliffe Rd	Dalwallinu	0.00	Great Northern Hwy	18.65	Damboring East Rd	<ul style="list-style-type: none"> Intersection Hodgson Rd : No right turn permitted into Sutcliffe Rd (Hodgson Rd intersection) from Sutcliffe Rd
5030217	Sutherland Rd	Sutherland Rd	Dalwallinu	0.00	Lloyd Rd	5.94	Nadji Mia Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Maximum speed 60 km/h
5030062	Syme Rd	Syme Rd	Dalwallinu	0.00	Richards Rd	8.40	Mullewa Wubin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5030032	Thaxter Rd	Thaxter Rd	Dalwallinu	0.00	Stone Rd	16.43	Great Northern Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030087	Thompson Rd	Thompson Rd	Dalwallinu	0.00	Wubin - Gunyidi Rd	16.37	Buntine - Marchagee Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030018	Thornton Rd	Thornton Rd	Dalwallinu	0.00	Leeson Rd	2.44	Thornton Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5030115	Ure Rd	Ure Rd	Dalwallinu	0.00	Goodlands Rd	5.86	Ure Rd - End Road	

Tandem Drive Network 2.1



Dalwallinu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5030113	Warren Rd	Warren Rd	Dalwallinu	0.00	Sanderson Rd	7.37	Goodlands Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030113	Warren Rd	Warren Rd	Dalwallinu	7.37	Goodlands Rd	17.25	Koorda LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road.
5030060	Wasley Rd	Wasley Rd	Dalwallinu	0.00	Wilder Rd	13.60	Unknown Rd & Great Northern Hwy	<ul style="list-style-type: none"> Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5030057	Wegner Rd	Wegner Rd	Dalwallinu	0.00	Great Northern Hwy	10.60	Wegner Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030036	Welburn Rd	Welburn Rd	Dalwallinu	0.00	Thaxter Rd	9.67	Moller Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5030109	West Rd	West Rd	Dalwallinu	0.00	Bryant Rd	12.38	Jackson Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Dalwallinu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5030103	Whittingham Rd	Whittingham Rd	Dalwallinu	0.00	Pithara East Rd	4.45	Whittingham Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5030234	Wilder Rd	Wilder Rd	Dalwallinu	0.00	Wasley Rd	7.50	7.5km From Wasley Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030006	Wilgie Hill Rd	Wilgie Hill Rd	Dalwallinu	0.00	Great Northern Hwy	18.94	Birdwood Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Intersection Great Northern Hwy : No access permitted to or from Great Northern Hwy.
5030065	Woolf Rd	Woolf Rd	Dalwallinu	0.00	Great Northern Hwy	4.95	Carter Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dalwallinu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5030243	Wubin - Gunyidi Rd	Wubin - Gunyidi Rd	Dalwallinu	0.00	Mullewa Wubin Rd	27.16	Wubin - Gunyidi Rd & Miling North Rd	
5030030	Wubin East Rd	Wubin East Rd	Dalwallinu	0.00	Great Northern Hwy	37.04	Struggle St	<ul style="list-style-type: none">This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5030257	York Pl	York Pl	Dalwallinu	0.00	Railway Pde	0.14	Garland St	
5030082	Young Rd	Young Rd	Dalwallinu	0.00	Harris Rd	6.21	Atkinson Rd	<ul style="list-style-type: none">This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.Headlights to be switched on at all timesNote: Low Volume (LV)Maximum speed 80 km/hWhen travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dandaragan

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5040015	Agaton Rd	Agaton Rd	Dandaragan	0.00	North West Rd	30.08	Watheroo Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5040006	Badgingarra Rd	Badgingarra Rd	Dandaragan	0.00	Dandaragan Rd	32.40	North West Rd	
5040020	Barberton West Rd	Barberton West Rd	Dandaragan	0.00	Rowes Rd	11.53	Boundary Rd & Barberton West Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5040334	Bibby Rd	Bibby Rd	Dandaragan	0.00	Brand Hwy	22.97	Munbinea Rd	
5040059	Bidgerabbie Rd	Bidgerabbie Rd	Dandaragan	0.00	Dandaragan Rd	6.33	Rowes Rd	
5040052	Black Arrow Rd	Black Arrow Rd	Dandaragan	0.00	Cantabilling Rd	8.68	Jurien Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5040038	Boothendarra Rd	Boothendarra Rd	Dandaragan	0.00	Brand Hwy	5.95	McKays Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5040038	Boothendarra Rd	Boothendarra Rd	Dandaragan	5.95	McKays Rd	26.22	Coalara Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5040038	Boothendarra Rd	Boothendarra Rd	Dandaragan	26.24	Coalara Rd	29.50	3.07km From End of Road	
5040021	Boundary Rd	Boundary Rd	Dandaragan	0.00	Boundary Rd & Koojan Pool Rd	3.53	Boundary Rd & Boxhall Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5040009	Cadda Rd	Cadda Rd	Dandaragan	0.00	Brand Hwy	26.37	Munbinea Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Dandaragan

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5040047	Cantabilling Rd	Cantabilling Rd	Dandaragan	0.00	Brand Hwy	8.02	Cantabilling Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5040050	Cantabilling Rd	Cantabilling Rd	Dandaragan	0.00	Brand Hwy	30.10	Munbinea Rd & Canover Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5040046	Capitela Rd	Capitela Rd	Dandaragan	0.00	Barberton West Rd	9.24	Koodjee Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5040147	Carmella St	Carmella St	Dandaragan	0.00	Bashford St	0.64	0.64km From Bashford St	
5040122	Caro Rd	Caro Rd	Dandaragan	0.00	Brand Hwy	4.58	Caro Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5040001	Cataby Rd	Cataby Rd	Dandaragan	0.00	Brand Hwy	16.83	Dandaragan Rd	
5040332	Cervantes Rd	Cervantes Rd	Dandaragan	0.00	Munbinea Rd	19.40	Indian Ocean Dr	
5040333	Cervantes Rd	Cervantes Rd	Dandaragan	0.00	Indian Ocean Dr	2.09	Aragon St & Seville St	
5040123	Chelsea Rd	Chelsea Rd	Dandaragan	0.00	Dandaragan Rd	3.40		<ul style="list-style-type: none"> Headlights to be switched on at all times See Low Volume Condition Type B in the Operating Conditions Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Dandaragan

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5040019	Coalara Rd	Coalara Rd	Dandaragan	0.00	North West Rd	18.47	Watheroo Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5040019	Coalara Rd	Coalara Rd	Dandaragan	18.48	Watheroo Rd	37.12	Willcocks Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Boothendarra Rd : No right turn permitted into Boothendarra Rd from Coalara Rd southbound
5040241	Coalseam Dr	Coalseam Dr	Dandaragan	0.00	Bashford St	0.48	Gypsum St	
5040051	Cockleshell Gully Rd	Cockleshell Gully Rd	Dandaragan	0.00	Jurien Rd	18.85	Coorow LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5040075	Cook St	Cook St	Dandaragan	0.00	Bashford St	0.06	0.06km From Indian Ocean Dr	<ul style="list-style-type: none"> Intersection Bashford St : No right turn permitted into Indian Ocean Dr from Cook St
5040048	Cooljarloo Rd	Cooljarloo Rd	Dandaragan	0.00	Brand Hwy	5.45	Woolka Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5040032	Coomberdale West Rd	Coomberdale West Rd	Dandaragan	0.00	Coalara Rd	18.24	Moora LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Dandaragan

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5040121	Cowalla Peak Rd	Cowalla Peak Rd	Dandaragan	0.00	Yerramullah Rd	2.18	Cowalla Peak Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5040035	Cowalla Rd	Cowalla Rd	Dandaragan	0.00	Brand Hwy	15.00	Yerramullah Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5040011	Dambadgie Rd	Dambadgie Rd	Dandaragan	0.00	Dandaragan Rd	14.79	Bidgerabbie Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5040002	Dandaragan Rd	Dandaragan Rd	Dandaragan	0.00	Moora - Caro Rd	58.96	Brand Hwy	
5040089	Darch St	Darch St	Dandaragan	0.00	Harris St	0.05	Darch St - End Road	

Tandem Drive Network 2.1



Dandaragan

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5040042	Dewar Rd	Dewar Rd	Dandaragan	0.00	Watheroo Rd	14.22	Marchagee Trk	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Marchagee Trk : No access permitted into Marchagee Trk from Dewar Rd
5040126	Dinner Hill Rd	Dinner Hill Rd	Dandaragan	0.00	Watheroo Rd	9.60	Dinner Hill Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5040173	Dorcas St	Dorcas St	Dandaragan	0.00	Seaward Dr	0.22	Carmella St	
5040093	Doust St	Doust St	Dandaragan	0.00	Bashford St	0.29	Doust St & Sandpiper St	
5040056	Eragilga Rd	Eragilga Rd	Dandaragan	0.00	Munbinea Rd	1.52	Eragilga Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Dandaragan

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5040010	Gillingarra Rd	Gillingarra Rd	Dandaragan	0.00	Brand Hwy	26.80	Gillingarra Rd & Boundary Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5040049	Goonderdoo Rd	Goonderdoo Rd	Dandaragan	0.00	Winjardie Rd	5.18	Dinner Hill Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5040242	Gypsum St	Gypsum St	Dandaragan	0.00	Coalseam Dr	0.45	Limestone Wy	
5040088	Harris St	Harris St	Dandaragan	0.00	Brand Hwy	0.13	Darch St	
5040088	Harris St	Harris St	Dandaragan	0.13	Darch St	1.78	Harris St - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
5040255	Jam Hill Rd	Jam Hill Rd	Dandaragan	0.00	Kayanaba Rd	0.92	Jam Hill Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5040331	Jurien Rd	Jurien Rd	Dandaragan	0.00	Brand Hwy	35.52	Bashford St & Indian Ocean Dr	

Tandem Drive Network 2.1



Dandaragan

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5040034	Kayanaba Rd	Kayanaba Rd	Dandaragan	0.00	Dandaragan Rd	18.40	Rowes Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Dandaragan Rd : No left turn permitted into Dandaragan Rd from Kayanaba Rd
5040120	Koodjee Rd	Koodjee Rd	Dandaragan	0.00	Rowes Rd	8.75	Capitela Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5040018	Koojan Pool Rd	Koojan Pool Rd	Dandaragan	0.00	Capitela Rd	7.57	Boundary Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5040026	Koonah Rd	Koonah Rd	Dandaragan	0.00	Badgingarra Rd	14.60	Brand Hwy	
5040243	Limestone Wy	Limestone Wy	Dandaragan	0.00	Gypsum St	0.18	Limestone Wy - End Road	
5040243	Limestone Wy	Limestone Wy	Dandaragan	0.48	Zircon St	0.60	Gypsum St	
5040129	Mahomet Rd	Mahomet Rd	Dandaragan	0.00	North West Rd	2.43	Mahomet Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dandaragan

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5040014	Marchagee Trk	Marchagee Trk	Dandaragan	0.00	Brand Hwy	33.05	Coalara Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Dewar Rd : No access permitted into Dewar Rd from Marchagee Trk
5040014	Marchagee Trk	Marchagee Trk	Dandaragan	33.06	Coalara Rd	38.56	Coorow LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5040189	Mazza Rd	Mazza Rd	Dandaragan	0.00	Marchagee Trk	3.51	Coorow LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5040040	McKays Rd	McKays Rd	Dandaragan	0.00	Watheroo Rd	12.38	Marchagee Trk	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5040012	McNamara Rd	McNamara Rd	Dandaragan	0.00	North West Rd	8.23	Brand Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Dandaragan

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5040646	Meadows Rd	Meadows Rd	Dandaragan	0.00	Indian Ocean Dr	13.24	Mimegarra Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Maximum speed 80 km/h Report all road damage to the Shire of Dandaragan immediately.
5040117	Meagher Dr	Meagher Dr	Dandaragan	0.00	Brand Hwy	0.31	0.308kms From Brand Hwy	
5040130	Menardie Rd	Menardie Rd	Dandaragan	0.00	Dandaragan Rd	2.77	Yandin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5040027	Mimegarra Rd	Mimegarra Rd	Dandaragan	0.00	Brand Hwy & Yandin Rd	24.85	Mimegarra Rd & Dingo Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5040033	Minyulo Rd	Minyulo Rd	Dandaragan	0.00	Cataby Rd	5.74	Walyering Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5040091	Moochamulla Rd	Moochamulla Rd	Dandaragan	0.00	Rowes Rd	4.78	Gillingarra Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Dandaragan

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5040091	Moochamulla Rd	Moochamulla Rd	Dandaragan	4.78	Gillingarra Rd	10.11	Woodbine Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Woodbine Rd : No access permitted into Woodbine Rd from Moochamulla Rd
5040023	Mullering Rd	Mullering Rd	Dandaragan	0.00	Brand Hwy	19.92	Waddi Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5040004	Munbinea Rd	Munbinea Rd	Dandaragan	0.00	Wongonderrah Rd	13.57	Bibby Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5040004	Munbinea Rd	Munbinea Rd	Dandaragan	13.57	Bibby Rd	37.94	Jurien Rd	
5040025	Mungedar Rd	Mungedar Rd	Dandaragan	0.00	Badgingarra Rd	7.85	North West Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5040072	Murray St	Murray St	Dandaragan	0.00	Bashford St	0.23	Sandpiper St	

Tandem Drive Network 2.1



Dandaragan

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5040030	Muthawandery Rd	Muthawandery Rd	Dandaragan	0.00	Dandaragan Rd	12.16	North West Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5040030	Muthawandery Rd	Muthawandery Rd	Dandaragan	12.19	North West Rd	16.76	Coomberdale West Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5040037	Namban West Rd	Namban West Rd	Dandaragan	5.32	Agaton Rd	11.40	Moora LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5040028	Nammegarra Rd	Nammegarra Rd	Dandaragan	0.00	Brand Hwy	6.55	Nammegarra Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5040005	North West Rd	North West Rd	Dandaragan	0.00	Dandaragan Rd	49.16	Brand Hwy	
5040220	Nylagarda Rd	Nylagarda Rd	Dandaragan	0.00	Cantabilling Rd	5.29	Jurien Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h Intersection Cantabilling Rd : No Access To Or From Cantabilling Road Permitted
5040007	Rowes Rd	Rowes Rd	Dandaragan	0.00	Dandaragan Rd	41.46	Dandaragan Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Dandaragan Rd : No access permitted into Dandaragan Rd from Rowes Rd
5040151	Sandpiper St	Sandpiper St	Dandaragan	0.00	Doust St	0.08	Murray St	

Tandem Drive Network 2.1



Dandaragan

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5040127	Sandy Cape Rd	Sandy Cape Rd	Dandaragan	0.00	Indian Ocean Dr	5.40	For 5.40 Km to Jurien Lime Sands Access Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). RAVs in the mines / pits must remain until the road is clear. Operating amber flashing warning light to be visible
5040180	Seaward Dr	Seaward Dr	Dandaragan	0.00	Bashford St	0.92	Harbour Dr	
5040261	Springhill Rd	Springhill Rd	Dandaragan	0.00	Munbinea Rd	2.55	Springhill Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5040081	Stockyard Rd	Stockyard Rd	Dandaragan	0.00	Dandaragan Rd	2.75	Stockyard Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Dandaragan

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5040016	Waddi Rd	Waddi Rd	Dandaragan	0.00	Badgingarra Rd	17.95	Brand Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. See Low Volume Condition Type A in the Operating Conditions Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5040045	Wandawallah Rd	Wandawallah Rd	Dandaragan	0.00	Dambadgie Rd	17.51	Barberton West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5040008	Watheroo Rd	Watheroo Rd	Dandaragan	0.00	Brand Hwy	39.26	Warro Rd & Watheroo West Rd	
5040142	Wathingarra Rd	Wathingarra Rd	Dandaragan	0.00	Dinner Hill Rd	8.56	North West Rd	

Tandem Drive Network 2.1



Dandaragan

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5040013	Winjardie Rd	Winjardie Rd	Dandaragan	0.00	North West Rd	9.04	Watheroo Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5040024	Wolba Rd	Wolba Rd	Dandaragan	0.00	Badgingarra Rd	8.40	Mullering Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5040062	Wongonderrah Rd	Wongonderrah Rd	Dandaragan	0.00	Brand Hwy	22.94	Munbinea Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5040043	Yandin Rd	Yandin Rd	Dandaragan	0.00	Mimegarra Rd & Brand Hwy	12.08	Menardie Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5040022	Yerramullah Rd	Yerramullah Rd	Dandaragan	0.00	Wongonderrah Rd	10.26	Bibby Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
5040022	Yerramullah Rd	Yerramullah Rd	Dandaragan	10.27	Bibby Rd	16.97	Cadda Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dandaragan

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5040022	Yerramullah Rd	Yerramullah Rd	Dandaragan	16.98	Cadda Rd	31.15	Cantabilling Rd	<ul style="list-style-type: none">No operation on unsealed road segment when visibly wet, without road owner's approval.Maximum speed 80 km/h
5040244	Zircon St	Zircon St	Dandaragan	0.00	Limestone Wy	0.24	Limestone Wy	
504Z016	Breakwater Dr	Breakwater Dr	Dandaragan	0.00	Harbour Dr	0.38	0.38km From Harbour Dr	
504Z015	Harbour Dr	Harbour Dr	Dandaragan	0.00	Seaward Dr	0.75	Breakwater Dr	

Tandem Drive Network 2.1



Dardanup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2080375	Andrew Foord Wy	Andrew Foord Wy	Dardanup	0.00	Kerr Rd	0.32	Coleman Turn	
2080062	Banksia Rd	Banksia Rd	Dardanup	1.62	0.6km From Tip Access Rd	3.15	Panizza Rd & Depiazzi Rd	
2089003	Brysinda Rd	Brysinda Rd	Dardanup	0.00	Martin Pelusey Rd	1.81	Discovery Rd	
2080066	Busher Rd	Busher Rd	Dardanup	0.00	Moore Rd	0.90	Busher Rd - End Road	
2080374	Coleman Turn	Coleman Turn	Dardanup	0.00	Kerr Rd	0.92	Kerr Rd	
2080026	Copplestone Rd	Copplestone Rd	Dardanup	0.00	Martin Pelusey Rd	0.66	Copplestone Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
2080195	Delmarco Dr	Delmarco Dr	Dardanup	0.00	Golding Cr	0.15	Hardisty Ct	
2080233	Depiazzi Rd	Depiazzi Rd	Dardanup	0.00	Banksia Rd & Panizza Rd	2.15	Ferguson Rd	
2089002	Discovery Dr	Discovery Dr	Dardanup	0.00	South Western Hwy Rty	1.64		<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2089002	Discovery Dr	Discovery Dr	Dardanup	1.64		7.22	Waterloo Rd	
2080009	Dowdells Line	Dowdells Line	Dardanup	6.27	O'Connor Rd	9.21	South Western Hwy	
2080001	Ferguson Rd	Ferguson Rd	Dardanup	2.25	Waterloo Rd	3.56	Depiazzi Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2080001	Ferguson Rd	Ferguson Rd	Dardanup	3.56	Depiazzi Rd	25.58	Donnybrook - Balingup LGA Boundary	
2089010	Fusion Rd	Fusion Rd	Dardanup	0.00	Discovery Dr	1.46	Fusion Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2080197	Giorgi Rd	Giorgi Rd	Dardanup	0.00	South Western Hwy	0.84	Temple Rd	
2080193	Golding Cr	Golding Cr	Dardanup	0.00	Harris Rd	1.51	Boyanup Picton Rd	
2080395	Hardisty Ct	Hardisty Ct	Dardanup	0.00	Pedretti Rd	0.50	Hardisty Ct - End Road	
2080002	Harris Rd	Harris Rd	Dardanup	0.00	Bunbury (C) LGA Boundary	1.60	Martin Pelusey Rd	

Tandem Drive Network 2.1



Dardanup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2080002	Harris Rd	Harris Rd	Dardanup	1.60	Martin Pelusey Rd	2.45	Harris Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2080373	Kerr Rd	Kerr Rd	Dardanup	0.00	Columbas Dr & Harris Rd	0.61	Warrego Rd	
2080247	King Tree Rd	King Tree Rd	Dardanup	0.00	Wellington Mill Rd	6.38	Mungalup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2080023	Martin Pelusey Rd	Martin Pelusey Rd	Dardanup	0.00	Golding Cr	3.06	South Western Hwy	
2080024	Moore Rd	Moore Rd	Dardanup	0.00	Boyanup Picton Rd	2.97	0.25km South of Timber Rd	
2080045	Mungalup Rd	Mungalup Rd	Dardanup	0.00	Donnybrook - Balingup LGA Boundary	8.38	Falcon Rd & Pile Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2080397	Nicholson Rd	Nicholson Rd	Dardanup	0.00	Golding Cr	0.46	Coleman Turn	
2080312	O'Connor Rd	O'Connor Rd	Dardanup	0.00	Dowdells Line	1.62	Offer Rd	

Tandem Drive Network 2.1



Dardanup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2080114	Pattersons Rd	Pattersons Rd	Dardanup	0.00	South Rd	2.69	Ferguson Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2080194	Pedretti Rd	Pedretti Rd	Dardanup	0.00	Golding Cr	0.86	Golding Cr	
2080022	Pile Rd	Pile Rd	Dardanup	0.00	Ferguson Rd	16.78	Falcon Rd & Mungalup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2080234	Queenwood Rd	Queenwood Rd	Dardanup	0.00	Ferguson Rd	4.02	Trevena Rd	<ul style="list-style-type: none"> Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. 'Trucks Entering' signs to be erected and removed as per Traffic Management Plan.
2080396	Ramsay Loop	Ramsay Loop	Dardanup	0.00	Pedretti Rd	0.28	Pedretti Rd	
2080028	South Rd	South Rd	Dardanup	4.94	Pattersons Rd	9.73	Mungalup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2089005	Timber Rd	Timber Rd	Dardanup	0.00	Willinge Dr & Willinge Dr - Timber Rd Rty	0.89	Moore Rd	

Tandem Drive Network 2.1



Dardanup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2089001	Tungsten Cl	Tungsten Cl	Dardanup	0.00	Golding Cr	0.09	Tungsten Cl - End Road	
2080398	Warrego Rd	Warrego Rd	Dardanup	0.00	Nicholson Rd	0.38	Golding Cr	
2080215	Waterloo Rd	Waterloo Rd	Dardanup	0.00	Ferguson Rd	6.30	Waterloo Rd - End Road	<ul style="list-style-type: none">All operators must carry written support from the road manager acknowledging the operator's use of the road.
2080248	Wellington Mill Rd	Wellington Mill Rd	Dardanup	6.05	King Tree Rd	7.08	Ferguson Rd	<ul style="list-style-type: none">Headlights to be switched on at all timesNote: Low Volume (LV)Maximum speed 40 km/hWhen travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Denmark

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3050252	Bandit Rd	Bandit Rd	Denmark	0.00	South Coast Hwy	0.50	Plantation Access Gate 0.50km From South Coast Hwy	
3050252	Bandit Rd	Bandit Rd	Denmark	0.50	0.50km From South Western Hwy	2.42	2.42km From South Western Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3050169	Bastiani Rd	Bastiani Rd	Denmark	0.00	South Western Hwy	1.84	Bastiani Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3050412	Bidewell Rd	Bidewell Rd	Denmark	0.00	Happy Valley Rd & Zig Zag Rd	0.98	For 0.98 Km to The Plantation Access Gate	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Happy Valley Rd & Zig Zag Rd : No left turn permitted into Happy Valley Rd from Bidewell Rd.

Tandem Drive Network 2.1



Denmark

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3050017	Board Rd	Board Rd	Denmark	0.00	South Coast Hwy	6.20		<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h No Operation Weekdays between 8:00 AM and 9:00 AM and between 3:00 PM and 4:00 PM Curfew applies on school days only.
3050101	Buckley St	Buckley St	Denmark	0.24	Ocean Beach Rd	0.68	Middleton St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. 10 km/h below posted speed limit No Operation between 7:30 AM and 9:00 AM and between 2:30 PM and 4:00 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. East bound operation only permitted.
3050446	Bush Rd	Bush Rd	Denmark	0.00	Tingledale East Rd	1.19	Bush Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3050148	Collis Rd	Collis Rd	Denmark	0.00	Collis Rd & Kangaroo Rd	2.68	Hazlevale North Rd & Loop Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Denmark

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3050572	Corymbia Cr	Corymbia Cr	Denmark	0.00	East River Rd	0.57	Mycena St	<ul style="list-style-type: none"> Intersection East River Rd : No right turn permitted into East River Rd from Corymbia Cr
3050035	East River Rd	East River Rd	Denmark	1.00	Mycena St	4.39	Denmark Mt Barker Rd	<ul style="list-style-type: none"> Intersection Corymbia Cr : No right turn permitted into Corymbia Cres from East River Rd
3050035	East River Rd	East River Rd	Denmark	4.39	Denmark Mt Barker Rd	5.44	For 1.01 Km to Apec Plantation Access Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3050046	Fernley Rd	Fernley Rd	Denmark	0.00	Scotsdale Rd	2.74	2.74km From Scotsdale Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3050046	Fernley Rd	Fernley Rd	Denmark	2.74	2.74km From Scotsdale Rd	3.40	2.07km Past Styx River Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3050013	Glenrowan Rd	Glenrowan Rd	Denmark	0.00	Turner Rd & Redman Rd & Walter Rd	5.61	Roberts Rd	

Tandem Drive Network 2.1



Denmark

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3050011	Happy Valley Rd	Happy Valley Rd	Denmark	0.00	Scotsdale Rd	9.40	South Coast Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3050031	Hazelvale Rd	Hazelvale Rd	Denmark	0.00	Nunn Rd & Bridge Rd	12.24	Valley of The Giants Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3050343	Hazlevale North Rd	Hazlevale North Rd	Denmark	0.00	Hazelvale Rd	4.38	Collis Rd & Loop Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3050055	Hicks Rd	Hicks Rd	Denmark	0.00	Mt Lindesay Rd	0.75	0.75km From Mt Lindesay Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3050215	Hodgson St	Hodgson St	Denmark	0.00	Paterson St	0.30	Zimmermann St	

Tandem Drive Network 2.1



Denmark

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3050159	Hollings Rd	Hollings Rd	Denmark	0.00	Horsley Rd & North St	0.33	80m From Walker St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h
3050159	Hollings Rd	Hollings Rd	Denmark	0.33	80m From Walker St	1.56	Inlet Dr & Crellin St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3050224	Industrial Rd	Industrial Rd	Denmark	0.00	Middleton St	0.34	Hodgson St	
3050039	Kernutts Rd	Kernutts Rd	Denmark	0.00	Denmark Mt Barker Rd	5.50	5.5km From Denmark Mt Barker Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3050018	Kordabup Rd	Kordabup Rd	Denmark	0.00	South Western Hwy	10.85	Scotsdale Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Denmark

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3050033	Limbourne Rd	Limbourne Rd	Denmark	0.00	Kordabup Rd	6.61	McLeod Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3050012	McLeod Rd	McLeod Rd	Denmark	0.00	South Coast Hwy	8.23	Scotsdale Rd & Suttons Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3050223	Middleton St	Middleton St	Denmark	0.00	Buckley St	0.25	Middleton St - End Road	
3050014	Mt Lindesay Rd	Mt Lindesay Rd	Denmark	0.00	Scotsdale Rd	3.44	Churchill Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h
3050014	Mt Lindesay Rd	Mt Lindesay Rd	Denmark	3.44	Churchill Rd	6.10	To 2.66km From Churchill Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3050573	Mycena St	Mycena St	Denmark	0.00	East River Rd	0.16	Corymbia Cr	
3050266	Ocean Beach Access	Ocean Beach Access	Denmark	0.00	Ocean Beach Rd	0.22	Ocean Beach Access - End Road	

Tandem Drive Network 2.1



Denmark

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3050387	Ocean Beach Rd	Ocean Beach Rd	Denmark	0.00	South Western Hwy	8.95	Lime Quarry Access & Black Holes Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. 10 km/h below posted speed limit No Operation Weekdays between 8:00 AM and 9:00 AM and between 3:00 PM and 4:00 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Curfew applies to school days only. No operation on public holidays.
3050372	Osborne Rd	Osborne Rd	Denmark	0.00	McLeod Rd	1.30	Nekel Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection McLeod Rd : No right turn permitted into Osborne Rd from McLeod Rd
3050352	Paperbark Dale	Paperbark Dale	Denmark	0.00	Collis Rd	1.36	Paperbark L - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Denmark

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3050016	Parker Rd	Parker Rd	Denmark	0.00	South Coast Hwy	9.01	Greatorex Rd & Scotsdale Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3050029	Redman Rd	Redman Rd	Denmark	0.00	Scotsdale Rd	4.79	Turner Rd & Glenrowan Rd & Walter Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3050034	Roberts Rd	Roberts Rd	Denmark	0.00	Scotsdale Rd	3.52	Glenrowan Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Scotsdale Rd : No left turn permitted into Scotsdale Rd from Roberts Rd. No right turn permitted into Roberts Rd from Scotsdale Rd.

Tandem Drive Network 2.1



Denmark

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3050034	Roberts Rd	Roberts Rd	Denmark	3.52	Glenrowan Rd	4.11	Osborne Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3050001	Scotsdale Rd	Scotsdale Rd	Denmark	0.40	Horsley Rd	22.33	Happy Valley Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Maximum speed 60 km/h No Operation between the hours of sunset and sunrise Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3050001	Scotsdale Rd	Scotsdale Rd	Denmark	22.33	Happy Valley Rd	28.04	Kordabup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Maximum speed 60 km/h No Operation between the hours of sunset and sunrise Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. "Reduce Speed" and "Trucks Entering" signs to be erected on western approach to Fernley Rd and removed when not in use.

Tandem Drive Network 2.1



Denmark

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3050001	Scotsdale Rd	Scotsdale Rd	Denmark	28.04	Kordabup Rd	29.42	Plantation Access	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h No Operation between the hours of sunset and sunrise Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). "Reduce Speed" and "Trucks Entering" signs to be erected on western approach to Fernley Rd and removed when not in use.
3050001	Scotsdale Rd	Scotsdale Rd	Denmark	29.42	Plantation Access	31.79	3.715km West From Fernley Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3050075	Settlers Rd	Settlers Rd	Denmark	0.00	Denmark Mt Barker Rd	2.17		
3050360	Sheed Rd	Sheed Rd	Denmark	0.00	Scotsdale Rd	0.59	For 590m to Plantation Access	<ul style="list-style-type: none"> Maximum speed 40 km/h "Trucks entering" and "Reduce speed" signage to be positioned 250m from Ruhen Rd on Scotsdale Rd in both directions.

Tandem Drive Network 2.1



Denmark

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3050072	Skippings Rd	Skippings Rd	Denmark	0.00	Kordabup Rd	2.32	For Approximately 2.32 Km to Farm Gate	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3050040	Sunny Glen	Sunny Glen	Denmark	0.00	South Coast Hwy	4.50	3.1km Before Hay River Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3050562	Suttons Rd	Suttons Rd	Denmark	1.69	Plantation Entry	2.61	Scotsdale Rd & McLeod Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h "Trucks Entering" and "Reduce Speed" signage to be positioned along Scotsdale Rd on the western approach to Suttons Rd.
3050007	Tindale Rd	Tindale Rd	Denmark	0.00	South Coast Hwy	5.44	Saw Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Denmark

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3050007	Tindale Rd	Tindale Rd	Denmark	5.44	Saw Rd	11.85	Nornalup Rd & Northumberland Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3050132	Tingledale East Rd	Tingledale East Rd	Denmark	0.00	Hazelvale Rd	3.58	Trent Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3050006	Valley of The Giants Rd	Valley of The Giants Rd	Denmark	1.95	Dingo Flat Rd	10.90	South Coast Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Denmark

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3050354	Woylie Rd	Woylie Rd	Denmark	0.00	Scotsdale Rd	0.61	Woylie Rd - End Road	<ul style="list-style-type: none">• All operators must carry written support from the road manager acknowledging the operator's use of the road.• Headlights to be switched on at all times• No operation on unsealed road segment when visibly wet, without road owner's approval.• Note: Low Volume (LV)• Maximum speed 40 km/h• When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.• Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).• For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3050110	Zimmermann St	Zimmermann St	Denmark	0.00	Ocean Beach Rd	0.63	Hodgson St	

Tandem Drive Network 2.1



Derby - West Kimberley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
0030056	Ashley St	Ashley St	Derby - West Kimberley	0.00	Panton St	2.19	Fitzroy St & Rowan St	
0030157	Broome St	Broome St	Derby - West Kimberley	0.00	Knowsley St East	0.29	0.12km South From Wodehouse St	
0030032	Bungarun Rd	Bungarun Rd	Derby - West Kimberley	0.00	Derby Gibb River Rd	4.19	Savannah Wy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Maximum speed 60 km/h
0030043	Elder St	Elder St	Derby - West Kimberley	0.00	Villiers St	0.67	Rowan St & Johnston St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Maximum speed 40 km/h Within the Derby town site operation is not permitted on weekdays between the hours of 07:30-08:00 and 14:14-14:45.
0030136	Emanuel Wy	Emanuel Wy	Derby - West Kimberley	0.00	Forrest Rd	0.69	Emanuel Wy & Emanuel Wy (Loop)	
0030025	Fairfield - Leopold Downs Rd	Fairfield - Leopold Downs Rd	Derby - West Kimberley	0.00	Derby Gibb River Rd	95.33	Leopold Downs Rd	
0030113	Fitzroy St	Fitzroy St	Derby - West Kimberley	0.75	Steel St	1.78	Derby Hwy	
0030119	Forrest Rd	Forrest Rd	Derby - West Kimberley	0.00	Great Northern Hwy	3.49	Forrest Rd - End Road	
0030112	Guildford St	Guildford St	Derby - West Kimberley	0.00	Ashley St	3.24	Guildford St - End Road	
0030073	Jetty Rd	Jetty Rd	Derby - West Kimberley	0.00	Elder St & Loch St	2.05	2.05km From Loch St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Maximum speed 40 km/h Within the Derby town site operation is not permitted on weekdays between the hours of 07:30-08:00 and 14:14-14:45.
0030042	Johnston St	Johnston St	Derby - West Kimberley	0.00	Villiers St	0.50	Elder St & Rowan St	<ul style="list-style-type: none"> A RAV must not be driven on this road in excess of 4.3 metres in height unless written approval is obtained from Horizon Power
0030002	Kimbolton Rd	Kimbolton Rd	Derby - West Kimberley	0.00	Derby Gibb River Rd	2.43	Meda Access Rd & Kimbolton Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
0030053	Knowsley St East	Knowsley St East	Derby - West Kimberley	0.64	Carnarvon St	0.84	Derby Hwy	
0030126	Rodgers St	Rodgers St	Derby - West Kimberley	0.00	Fitzroy St	0.83	Conway St	

Tandem Drive Network 2.1



Derby - West Kimberley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
0030037	Rowan St	Rowan St	Derby - West Kimberley	0.00	Elder St & Johnston St	0.55	Nevill St	
0030124	Russ St	Russ St	Derby - West Kimberley	0.00	Derby Hwy	0.65	Rodgers St	
0030146	Stanley St	Stanley St	Derby - West Kimberley	0.00	Stanwell St	0.25	Waycott St	
0030072	Stanwell St	Stanwell St	Derby - West Kimberley	0.00	Sutherland St	0.17	Stanley St	
0030085	Steel St	Steel St	Derby - West Kimberley	0.42	Fitzroy St	0.97	Steel St - End Road	
0030144	Sutherland St	Sutherland St	Derby - West Kimberley	0.00	Derby Hwy & Loch St	0.15	Stanwell St	
0030141	Waycott St	Waycott St	Derby - West Kimberley	0.00	Stanley St	0.17	Loch St	
0030055	Wodehouse St	Wodehouse St	Derby - West Kimberley	0.33	From Western Power Access Road 1.04km From Derby Hwy	1.04	Derby Hwy	
003Z025	Fitzroy Crossing - Jubilee Downs Rd	Fitzroy Crossing - Jubilee Downs Rd	Derby - West Kimberley	0.00	Great Northern Hwy	0.32	0.315km From Great Northern Hwy	<ul style="list-style-type: none">All operators must carry written support from the road manager acknowledging the operator's use of the road.Headlights to be switched on at all timesNo operation on unsealed road segment when visibly wet, without road owner's approval.Note: Low Volume (LV)Maximum speed 60 km/hWhen travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Donnybrook - Balingup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2170040	Argyle Rd	Argyle Rd	Donnybrook - Balingup	0.00	South Western Hwy	1.53	Hurst Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2170048	Attwood Rd	Attwood Rd	Donnybrook - Balingup	0.00	Donnybrook Kojonup Rd	3.30	Attwood Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2170308	Balingup - Nannup Rd	Balingup - Nannup Rd	Donnybrook - Balingup	3.89	Widdup Rd	9.21	Ewerts Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Traffic Management Plan to be fully implemented. Trucks Entering signs to be erected and removed when not in use. One truck movement at a time.
2170017	Beelerup Rd	Beelerup Rd	Donnybrook - Balingup	0.00	Donnybrook Kojonup Rd	5.56		<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Donnybrook - Balingup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2170305	Boundary Rd	Boundary Rd	Donnybrook - Balingup	0.00	Farleys Spur & Farley Rd	0.40	H Turner Rd	<ul style="list-style-type: none"> Maximum speed 40 km/h One truck movement at a time. No operation between 7.30-8.30am-3.00-4.00 pm on school days. WAPRES Traffic Management Plan to be fully implemented.
2170049	Bowman Rd	Bowman Rd	Donnybrook - Balingup	0.00	Charley Creek Rd	2.25	Bowman Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2170018	Brookhampton Rd	Brookhampton Rd	Donnybrook - Balingup	0.00	South Western Hwy	18.22	Capel St & South Western Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2170014	Charley Creek Rd	Charley Creek Rd	Donnybrook - Balingup	0.00	Donnybrook Kojonup Rd	10.32	Charley Creek Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2170230	Cherrydale Wy	Cherrydale Wy	Donnybrook - Balingup	0.00	Sandhills Rd	0.36	Kirkpatrick St	
2170121	Claymore Rd	Claymore Rd	Donnybrook - Balingup	3.51	White Rd	6.00	Busselton (C) LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2170003	Collins St	Collins St	Donnybrook - Balingup	0.00	Reserve St	1.00	Marmion St	
2170154	Cundinup - Kirup Rd	Cundinup - Kirup Rd	Donnybrook - Balingup	0.00	South Western Hwy	15.50	Nannup LGA Boundary	

Tandem Drive Network 2.1



Donnybrook - Balingup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2170004	Emerald St	Emerald St	Donnybrook - Balingup	0.00	Reserve St	1.00	Emerald St & Marmion St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2170162	Ewarts Rd	Ewarts Rd	Donnybrook - Balingup	0.00	Balingup - Nannup Rd	5.67	Meagher Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2170162	Ewarts Rd	Ewarts Rd	Donnybrook - Balingup	5.67	Meagher Rd	5.72	Meagher Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2170034	Farley Rd	Farley Rd	Donnybrook - Balingup	0.00	Goodwood Rd	4.96	Farleys Spur & Boundary Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. No operation between 7.30-8.30am-3.00-4.00 pm on school days.

Tandem Drive Network 2.1



Donnybrook - Balingup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2170016	Ferguson Rd	Ferguson Rd	Donnybrook - Balingup	0.00	Donnybrook Kojonup Rd & Lowden - Grimwade Rd	4.80	Dardanup LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2170080	Fields Rd	Fields Rd	Donnybrook - Balingup	0.00	Lowden - Grimwade Rd	1.98	Fields Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. WAPRES Traffic Management Plan to be fully implemented.
2170185	Gardener Rd	Gardener Rd	Donnybrook - Balingup	0.00	Mailman Rd	3.52	Gardener Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Donnybrook - Balingup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2170145	Glenarden Rd	Glenarden Rd	Donnybrook - Balingup	0.00	Southampton Rd	4.98	Glenarden Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. 'Trucks Entering' signs to be erected & removed when not in use. Intersection Southampton Rd : No right turn permitted into Southampton Rd from Glenarden Rd
2170132	Greenbushes - Grimwade Rd	Greenbushes - Grimwade Rd	Donnybrook - Balingup	0.00	Bridgetown - Greenbushes LGA Boundary	12.80	Grimwade Rd	
2170141	Grimwade Rd	Grimwade Rd	Donnybrook - Balingup	0.00	South Western Hwy	31.92	Donnybrook Kojonup Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2170138	Grimwade Wilga Rd	Grimwade Wilga Rd	Donnybrook - Balingup	0.00	Greenbushes - Grimwade Rd	5.00	Grimwade Wilga Rd	
2170265	Hamilton St	Hamilton St	Donnybrook - Balingup	0.00	Brazier St	0.65	Irishtown Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Trucks Entering' signs to be erected and removed when not in use on Irishtown Rd on all approaches to Hamilton Rd intersection. Intersection Irishtown Rd : No Left Turn Into Irishtown Rd
2170144	Hay Rd	Hay Rd	Donnybrook - Balingup	0.00	Balingup - Nannup Rd	3.57	Southampton Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Traffic Management Plan to be fully implemented. Trucks Entering' signs to be erected and removed when not in use. One truck movement at a time.

Tandem Drive Network 2.1



Donnybrook - Balingup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2170144	Hay Rd	Hay Rd	Donnybrook - Balingup	3.57	Southampton Rd	5.80	Bridgetown - Greenbushes LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2170084	Hearle Rd	Hearle Rd	Donnybrook - Balingup	0.00	Donnybrook Kojonup Rd	0.30	Access Rd to Bower Plantation	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2170274	Hundley Rd	Hundley Rd	Donnybrook - Balingup	0.00	Macquarie St	1.49	Pasquini Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. 'Trucks Entering' signs to be erected and removed when not in use.
2170020	Hurst Rd	Hurst Rd	Donnybrook - Balingup	0.00	Hurst Rd - Start Road	3.99	Capel LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Donnybrook - Balingup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2170008	Irishtown Rd	Irishtown Rd	Donnybrook - Balingup	0.00	South Western Hwy	4.14	Irishtown Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2170130	Jayes Rd	Jayes Rd	Donnybrook - Balingup	2.39	1.11km East of Maugher Road	7.13	1.16km West of Greenbushes Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2170130	Jayes Rd	Jayes Rd	Donnybrook - Balingup	7.13	1.16km West of Greenbushes Road	8.29	Greenbushes - Grimwade Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2170127	Kirup - Grimwade Rd	Kirup - Grimwade Rd	Donnybrook - Balingup	0.00	Brookhampton Rd	13.62	Grimwade Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2170029	Lowden - Grimwade Rd	Lowden - Grimwade Rd	Donnybrook - Balingup	0.00	Donnybrook Kojonup Rd & Ferguson Rd	9.43	Fields Rd & Lowden - Grimwade Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Donnybrook - Balingup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2170023	Macquarie St	Macquarie St	Donnybrook - Balingup	0.00	Donnybrook Kojonup Rd	1.81	Hundley Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. 'Trucks Entering' signs to be erected and removed when not in use.
2170157	Mader Rd	Mader Rd	Donnybrook - Balingup	0.00	Meagher Rd	4.18	Mader Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2170159	Maidment Rd	Maidment Rd	Donnybrook - Balingup	0.00	Meagher Rd	4.95	Maidment Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Donnybrook - Balingup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2170149	Mailman Rd	Mailman Rd	Donnybrook - Balingup	0.00	Ravenscliffe Rd	8.21	Cundinup - Kirup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2170046	Mandalay Rd	Mandalay Rd	Donnybrook - Balingup	0.00	Donnybrook Kojonup Rd	5.17	Mandalay Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2170150	Mardawarra Rd	Mardawarra Rd	Donnybrook - Balingup	0.00	South Western Hwy	3.19	Mardawarra Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2170006	Marmion St	Marmion St	Donnybrook - Balingup	0.00	Emerald St & Marmion St	0.84	Withers Dr & Mead St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2170259	Maslin St	Maslin St	Donnybrook - Balingup	0.00	South Western Hwy	0.34	Mullalyup Rd	

Tandem Drive Network 2.1



Donnybrook - Balingup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2170181	Meagher Rd	Meagher Rd	Donnybrook - Balingup	0.00	Cundinup - Kirup Rd	1.43	Ewerts Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2170200	Meotti Rd	Meotti Rd	Donnybrook - Balingup	0.00	Irishtown Rd	1.94	Meotti Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2170352	Mosshill Rd	Mosshill Rd	Donnybrook - Balingup	0.00	Southampton Rd	0.88	Mosshill Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. 'Trucks Entering' signs to be erected & removed when not in use. Intersection Southampton Rd : No right turn permitted into Southampton Rd from Mosshill Rd

Tandem Drive Network 2.1



Donnybrook - Balingup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2170218	Mungalup Rd	Mungalup Rd	Donnybrook - Balingup	0.00	Dardanup LGA Boundary	3.73	Collie LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2170090	Pasquini Rd	Pasquini Rd	Donnybrook - Balingup	0.00	Hundley Rd	0.84	Pasquini Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. 'Trucks Entering' signs to be erected and removed when not in use.
2170224	Price Rd	Price Rd	Donnybrook - Balingup	0.00	Ravenscliffe Rd	2.80	Price Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Donnybrook - Balingup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2170122	Ravenscliffe Rd	Ravenscliffe Rd	Donnybrook - Balingup	0.00	South Western Hwy	11.50	Claymore Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2170001	Reserve St	Reserve St	Donnybrook - Balingup	0.00	South Western Hwy	0.11	Collins St	
2170019	Sandhills Rd	Sandhills Rd	Donnybrook - Balingup	0.00	Donnybrook Kojonup Rd	6.20	Brookhampton Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2170325	Sears Cl	Sears Cl	Donnybrook - Balingup	0.00	Upper Capel Rd	0.31	Sears Cl - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Donnybrook - Balingup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2170142	Southampton Rd	Southampton Rd	Donnybrook - Balingup	3.73	Hay Rd	20.22	Five Gates Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Maximum speed of 40km/h on gravel road. Intersection Glenarden Rd : No left turn permitted into Glenarden Rd from Southampton Rd. Intersection Mosshill Rd : No left turn permitted into Mosshill Rd From Southampton Rd.
2170015	Steere St	Steere St	Donnybrook - Balingup	0.00	Mead St	1.06	Short St & Shamrock St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2170005	Thomson Brook Rd	Thomson Brook Rd	Donnybrook - Balingup	0.00	Brookhampton Rd	9.25	Towers Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Donnybrook - Balingup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2170005	Thomson Brook Rd	Thomson Brook Rd	Donnybrook - Balingup	9.25	Towers Rd	10.23	Eastman Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. One RAV to operate at a time. Traffic Management in accordance with Shire agreement.
2170337	Towers Rd	Towers Rd	Donnybrook - Balingup	0.00	Lowden - Grimwade Rd	0.10	Towers Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2170045	Trevena Rd	Trevena Rd	Donnybrook - Balingup	4.20	White & McLeod Wellington Plantation Access Rd	6.37	Queenwood Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Trucks Entering' signs to be erected & removed when not in use.

Tandem Drive Network 2.1



Donnybrook - Balingup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2170007	Upper Capel Rd	Upper Capel Rd	Donnybrook - Balingup	0.00	Goodwood Rd	14.92	Ryalls Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2170123	White Rd	White Rd	Donnybrook - Balingup	0.00	Claymore Rd	6.05	Nannup LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2170258	Widdup Rd	Widdup Rd	Donnybrook - Balingup	0.00	Balingup - Nannup Rd	0.25	For 0.25 Km	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Traffic Management Plan to be fully implemented. One truck movement at a time.
2170137	Wilga Rd	Wilga Rd	Donnybrook - Balingup	0.00	Offer Rd	10.86	Lga Boundary Grid Ref116013 3346	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Donnybrook - Balingup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
217Z033	Grimwade Wilga Rd	Grimwade Wilga Rd	Donnybrook - Balingup	0.00	Grimwade Wilga Rd	9.47	Grimwade - Wilga Rd	
217Z032	Lowden - Grimwade Rd	Lowden - Grimwade Rd	Donnybrook - Balingup	0.00	Fields Rd & Lowden - Grimwade Rd	10.29	Grimwade Rd	<ul style="list-style-type: none">All operators must carry written support from the road manager acknowledging the operator's use of the road.
217Z026	Radiata Rd	Radiata Rd	Donnybrook - Balingup	0.00	Balingup - Nannup Rd	10.50	Southampton Rd	<ul style="list-style-type: none">All operators must carry written support from the road manager acknowledging the operator's use of the road.Headlights to be switched on at all timesNo operation on unsealed road segment when visibly wet, without road owner's approval.Note: Low Volume (LV)Maximum speed 60 km/hWhen travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070008	Amery - Benjaberring Rd	Amery - Benjaberring Rd	Dowerin	0.00	Dowerin - Kalannie Rd	14.47	Wyalkatchem LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4070143	Amery North Rd	Amery North Rd	Dowerin	0.00	Old Kalannie Rd	8.34	McHugh Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4070077	Bailey East West Rd	Bailey East West Rd	Dowerin	0.00	Dowerin - Kalannie Rd	5.34	Bailey Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070038	Bailey Rd	Bailey Rd	Dowerin	0.00	Dowerin - Koorda Rd	8.12	Booralaming West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Harris Rd : No access permitted into Harris Rd from Bailey Rd
4070133	Bebbington Rd	Bebbington Rd	Dowerin	0.00	Parker Rd	2.98	Bebbington Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4070013	Berring East Rd	Berring East Rd	Dowerin	0.00	Ucarty South Rd & Nambling South Rd	4.95	Goomalling LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070040	Booralaming West Rd	Booralaming West Rd	Dowerin	0.00	Dowerin - Koorda Rd	14.86	Dowerin - Kalannie Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4070132	Borgward East Rd	Borgward East Rd	Dowerin	0.00	Rabbit Proof Fence Rd	1.66	Borgward East Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Rabbit Proof Fence Rd : No left turn permitted into Rabbit Proof Fence Rd from Borgward East Rd
4070070	Bruce Rd	Bruce Rd	Dowerin	0.00	Fifty Four Gate West Rd	5.40	Booralaming West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070120	Campbell St	Campbell St	Dowerin	0.00	Amery - Benjaberring Rd	0.30	Hesford Rd & Borgward St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4070012	Cemetery Rd	Cemetery Rd	Dowerin	0.00	Goldfields Rd & Goomalling Wyalkatchem Rd	11.61	Ucarty South Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4070082	Clinic Rd	Clinic Rd	Dowerin	0.00	Ejanding West Rd	17.48	Manmanning Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
4070033	Cook Rd	Cook Rd	Dowerin	0.00	Dowerin - Meckering Rd	5.57	Windsor Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Intersection Dowerin - Meckering Rd : No Access To Or From 4070183 Meckering - Dowerin Rd
4070094	Cottrell St	Cottrell St	Dowerin	0.00	Goldfields Rd	1.06	Stewart St	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4070001	Cunderdin - Minnivale Rd	Cunderdin - Minnivale Rd	Dowerin	0.00	Amery - Benjaberring Rd	5.17	Goomalling Wyalkatchem Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
4070001	Cunderdin - Minnivale Rd	Cunderdin - Minnivale Rd	Dowerin	5.17	Goomalling Wyalkatchem Rd	27.23	Cunderdin LGA Boundary	<ul style="list-style-type: none"> 30 km/h below posted speed limit

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070182	Dowerin - Kalannie Rd	Dowerin - Kalannie Rd	Dowerin	0.00	Metcalf St & Stewart St	48.77	Wongan - Ballidu LGA Boundary	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Goddard Siding Rd : No left turn permitted into Goddard Siding Rd from Dowerin-Kalannie Rd Intersection Harris East Rd : No access permitted into Harris East Rd from Dowerin-Kalannie Rd
4070064	Dowerin - Konnongorring Rd	Dowerin - Konnongorring Rd	Dowerin	0.00	Uberin Rd	4.35	Dowerin - Konnongorring Rd & Fairlie Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4070025	Dowerin - Koorda Rd	Dowerin - Koorda Rd	Dowerin	0.00	Koorda - Dowerin Rd	15.51	Old Koorda Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
4070025	Dowerin - Koorda Rd	Dowerin - Koorda Rd	Dowerin	15.51	Old Koorda Rd	22.17	Dowerin - Kalannie Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4070183	Dowerin - Meckering Rd	Dowerin - Meckering Rd	Dowerin	0.00	Meckering - Dowerin Rd	25.64	Jones St & Meckering Rd	
4070060	Eaton Rd	Eaton Rd	Dowerin	0.00	Dowerin - Meckering Rd	2.09	Ucarty South Rd & Ucarty Rock East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070049	Eaton Sand Hole Rd	Eaton Sand Hole Rd	Dowerin	0.00	Ucarty South Rd	3.32	Nambling South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4070028	Ejanding East Rd	Ejanding East Rd	Dowerin	0.00	Dowerin - Kalannie Rd & Ejanding Siding Rd	9.70	Rabbit Proof Fence Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4070148	Ejanding Siding Rd	Ejanding Siding Rd	Dowerin	0.00	Ejanding East Rd & Dowerin - Kalannie Rd	0.37	Cbh Access Road 0.37km From Dowerin Kalannie Rd	
4070010	Ejanding West Rd	Ejanding West Rd	Dowerin	0.00	Dowerin - Kalannie Rd	12.41	Uberin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School buses use this road. Approval to use the road could be withdrawn unless drivers show courtesy to local traffic and take extra care on school days.

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070011	Fifty Four Gate West Rd	Fifty Four Gate West Rd	Dowerin	0.00	Hale Rd & Manmanning Rd	2.65	Dowerin - Kalannie Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4070011	Fifty Four Gate West Rd	Fifty Four Gate West Rd	Dowerin	2.65	Dowerin - Kalannie Rd	11.22	Rabbit Proof Fence Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4070011	Fifty Four Gate West Rd	Fifty Four Gate West Rd	Dowerin	11.22	Rabbit Proof Fence Rd	14.19	Stout Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4070011	Fifty Four Gate West Rd	Fifty Four Gate West Rd	Dowerin	14.19	Stout Rd	17.26	Booralaming - Kulja Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070136	Fraser Rd	Fraser Rd	Dowerin	0.00	Hindmarsh Back Rd	4.08	Norris Rd & Cook Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4070092	Fraser St	Fraser St	Dowerin	0.00	Stewart St & Redding Rd	0.13	Cottrell St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4070029	Gaskin Rd	Gaskin Rd	Dowerin	0.00	Amery - Benjaberring Rd	7.12	Old Koorda Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070144	Goddard Siding Rd	Goddard Siding Rd	Dowerin	0.00	Underwood Flat Rd	1.14	Dowerin - Kalannie Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Dowerin - Kalannie Rd : No right turn permitted into Dowerin-Kalannie Rd from Goodard Siding Rd
4070048	Hagboom Rd	Hagboom Rd	Dowerin	0.00	Ucarty South Rd	2.98	Dowerin - Meckering Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4070127	Hagboom South Rd	Hagboom South Rd	Dowerin	0.00	Hagboom West Rd	2.12	Goomalling LGA Boundary	
4070174	Hagboom West Rd	Hagboom West Rd	Dowerin	0.00	Nambling South Rd	1.80	Hagboom South Rd	
4070020	Hale Rd	Hale Rd	Dowerin	0.00	Fifty Four Gate West Rd & Manmanning Rd	2.15	Manmanning Town Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070052	Harris East Rd	Harris East Rd	Dowerin	0.00	Clinic Rd	6.16	Dowerin - Kalannie Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Dowerin - Kalannie Rd : No access permitted into Dowerin Kalannie Rd from Harris East Rd
4070039	Harris Rd	Harris Rd	Dowerin	0.00	Bailey Rd	4.70	Rabbit Proof Fence Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit Intersection Bailey Rd : No access permitted into Bailey Rd from Harris Rd
4070021	Haywood West Rd	Haywood West Rd	Dowerin	0.00	Hale Rd	7.72	Jones Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
4070125	Hennessey Rd	Hennessey Rd	Dowerin	0.00	Metcalfe Rd	1.77	Twenty Six Gate Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070154	Henning North Rd	Henning North Rd	Dowerin	0.00	McKay Rd	2.80	Fifty Four Gate West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4070073	Henning Rd	Henning Rd	Dowerin	0.00	Ejanding West Rd	7.99	Jones Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070027	Hesford Rd	Hesford Rd	Dowerin	0.00	Campbell St & Borgward St	5.43	Goomalling Wyalkatchem Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4070015	Hindmarsh Back Rd	Hindmarsh Back Rd	Dowerin	0.00	Dowerin - Meckering Rd	15.11	Twenty Six Gate Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4070004	Hindmarsh Rd	Hindmarsh Rd	Dowerin	0.00	Twenty Six Gate Rd & Cunderdin - Minnivale Rd	13.15	Dowerin - Meckering Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
4070140	Hollins Rd	Hollins Rd	Dowerin	0.00	Thornett Rd	3.57	Twine Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070124	Hudson Rd	Hudson Rd	Dowerin	0.00	Cunderdin LGA Boundary	5.63	Thornett Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4070022	Jones Rd	Jones Rd	Dowerin	0.00	Manmanning Rd	7.23	Wongan - Koorda Rd & Koorda - Wongan Hills Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070072	Jones Rd	Jones Rd	Dowerin	0.00	Koombekine North Rd	5.67	Uberin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4070112	Jones St	Jones St	Dowerin	0.00	Metcalf St & Golf Course Rd	1.05	Goldfields Rd & Goomalling Wyalkatchem Rd	
4070112	Jones St	Jones St	Dowerin	1.05	Goldfields Rd & Goomalling Wyalkatchem Rd	1.48	Dowerin - Meckering Rd & Meckering Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4070159	Kalguddering East Rd	Kalguddering East Rd	Dowerin	0.00	Moonijin West Rd	1.90	Wongan - Ballidu LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
4070031	King Rd	King Rd	Dowerin	0.00	Parker Rd	6.71	Minnivale North East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070003	Koombekine North Rd	Koombekine North Rd	Dowerin	0.00	Dowerin - Kalannie Rd	18.85	Ejanding West Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4070023	Koorda - Wongan Hills Rd	Koorda - Wongan Hills Rd	Dowerin	0.00	Jones Rd & Wongan - Koorda Rd	13.92	Cadoux - Koorda Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4070023	Koorda - Wongan Hills Rd	Koorda - Wongan Hills Rd	Dowerin	13.92	Cadoux - Koorda Rd	23.43	Cadoux - Koorda Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
4070081	Lawrence Rd	Lawrence Rd	Dowerin	0.00	Dowerin - Koorda Rd	4.05	Mitchell Rd & Lawrence Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070055	Maisey Rd	Maisey Rd	Dowerin	0.00	Couper Rd & Dowerin - Meckering Rd	4.21	Quelagetting West Rd & Nambling Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. See Low Volume Condition Type A in the Operating Conditions Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). RAV must not exceed 4.32 metres in height.
4070089	Maisey St	Maisey St	Dowerin	0.00	Goldfields Rd	1.13	Metcalf St	<ul style="list-style-type: none"> Access permitted over the duration of the Dowerin Field Days only.
4070164	Manmanning Rd	Manmanning Rd	Dowerin	0.00	Jones Rd & Manmanning Rd	5.67	Hale Rd & Fifty Four Gate West Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
4070036	Manmanning Town Rd	Manmanning Town Rd	Dowerin	0.00	Dowerin - Kalannie Rd	3.31	Haywood West Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
4070042	McHugh Rd	McHugh Rd	Dowerin	0.00	Koombekine North Rd & Lake Koombekine Rd	8.59	Parker Rd & Old Koorda Rd	
4070058	McMorran Rd	McMorran Rd	Dowerin	0.00	Ucarty South Rd	2.22	Thornett Rd & Dowerin - Meckering Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4070071	McPherson Rd	McPherson Rd	Dowerin	0.00	Williams Rd & Pulford Rd	2.61	Wyalkatchem LGA Boundary	

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070059	Melvin Rd	Melvin Rd	Dowerin	0.00	Thornett Rd	2.41	Melvin Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4070079	Metcalf East Rd	Metcalf East Rd	Dowerin	0.00	Cunderdin - Minnivale Rd	4.84	Metcalf East Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070080	Metcalf Rd	Metcalf Rd	Dowerin	0.00	Metcalf East Rd	5.28	Wyalkatchem LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4070091	Metcalf St	Metcalf St	Dowerin	0.00	Stewart St & Dowerin - Kalannie Rd	1.29	Jones St & Golf Course Rd	<ul style="list-style-type: none"> Access permitted over the duration of the Dowerin Field Days only.
4070026	Minnivale North East Rd	Minnivale North East Rd	Dowerin	0.00	Amery - Benjaberring Rd	3.68	Approximately 3.6 Kms East of Amery - Benjaberring Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4070026	Minnivale North East Rd	Minnivale North East Rd	Dowerin	3.68	960m From Rabbit Proof Fence Rd	6.29	Wyalkatchem LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4070041	Moonijin East Rd	Moonijin East Rd	Dowerin	0.00	Dowerin - Kalannie Rd	2.68	Moonijin West Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
4070163	Moonijin West Rd	Moonijin West Rd	Dowerin	0.00	Moonijin East Rd	11.08	Wongan - Ballidu LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
4070044	Morrell North Rd	Morrell North Rd	Dowerin	0.00	Moonijin West Rd	3.86	Phillips Rd & UBERIN Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070062	Nambling North Rd	Nambling North Rd	Dowerin	0.00	Goomalling Wyalkatchem Rd	5.67	Goomalling LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4070162	Nambling South Rd	Nambling South Rd	Dowerin	0.00	Hagboom Rd	22.52	Sanders Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Intersection Ucarty Rock Rd : No right turn permitted into Ucarty Rock Rd from Nambling South Rd Intersection Ucarty Rock East Rd : No access permitted into Ucarty Rock East Rd from Nambling South Rd
4070074	Norman Rd	Norman Rd	Dowerin	0.00	Goomalling Wyalkatchem Rd	3.78	Norman Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070141	Old Kalannie Rd	Old Kalannie Rd	Dowerin	1.24	Amery North Rd	1.34	Dowerin - Kalannie Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4070009	Old Koorda Rd	Old Koorda Rd	Dowerin	0.00	Dowerin - Koorda Rd	20.45	Dowerin - Kalannie Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4070165	Old Nalkain Rd	Old Nalkain Rd	Dowerin	0.00	Parker Rd & Rabbit Proof Fence Rd	3.51	Wyalkatchem LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
4070030	Parker Rd	Parker Rd	Dowerin	0.00	Old Koorda Rd & McHugh Rd	7.70	Old Nalkain Rd & Rabbit Proof Fence Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070084	Peters Rd	Peters Rd	Dowerin	0.00	Rabbit Proof Fence Rd	1.61	Peters Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4070043	Phillips Rd	Phillips Rd	Dowerin	0.00	Clinic Rd	5.95	Morrell North Rd & Uberin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
4070016	Pickering Rd	Pickering Rd	Dowerin	0.00	Koombekine North Rd	3.51	Approximately 3.5 Kms West of Koombekine North Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4070016	Pickering Rd	Pickering Rd	Dowerin	3.51	1.9km From Robinson Rd	5.41	Robinson Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070034	Pulford Rd	Pulford Rd	Dowerin	0.00	Williams Rd & McPherson Rd	0.50	Wyalkatchem LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4070056	Quelagetting West Rd	Quelagetting West Rd	Dowerin	0.00	Nambling South Rd	3.10	Ucarty South Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4070005	Rabbit Proof Fence Rd	Rabbit Proof Fence Rd	Dowerin	0.00	Koorda - Wongan Hills Rd & Rabbit Proof Fence Rd	20.24	Dowerin - Koorda Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4070005	Rabbit Proof Fence Rd	Rabbit Proof Fence Rd	Dowerin	20.36	Dowerin - Koorda Rd	52.72	Woods Rd & Twenty Six Gate Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4070106	Railway Rd	Railway Rd	Dowerin	0.00	Koorda - Wongan Hills Rd & Cadoux South Rd	4.74	0.4km From Wheat Bin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070106	Railway Rd	Railway Rd	Dowerin	4.74	0.4km From Wheat Bin Rd	5.14	Wheat Bin Rd & Manmanning Town Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4070002	Redding Rd	Redding Rd	Dowerin	0.00	Goldfields Rd	0.90	Stewart St & Fraser St	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4070045	Rifle Range Rd	Rifle Range Rd	Dowerin	0.00	Goomalling Wyalkatchem Rd & Rifle Range Access Rd	0.08	Irvine Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4070045	Rifle Range Rd	Rifle Range Rd	Dowerin	0.08	Irvine Rd	3.13	Sanders Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070017	Robinson Rd	Robinson Rd	Dowerin	0.00	Nambling North Rd	8.54	Spark Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4070046	Sanders Rd	Sanders Rd	Dowerin	0.00	Nambling Rd & Berring - Nambling Rd	0.67	Nambling South Rd	
4070046	Sanders Rd	Sanders Rd	Dowerin	0.67	Nambling South Rd	7.19	Dowerin - Meckering Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4070103	Schell Rd	Schell Rd	Dowerin	0.00	Robinson Rd	2.25	Goomalling LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070018	Spark Rd	Spark Rd	Dowerin	0.00	Shara Rd	8.32	Wilkins Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School buses use this road. Approval to use the road could be withdrawn unless drivers show courtesy to local traffic and take extra care on school days.
4070181	Stewart St	Stewart St	Dowerin	0.00	Goldfields Rd	0.62	Redding Rd & Fraser St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4070181	Stewart St	Stewart St	Dowerin	0.62	Redding Rd & Fraser St	1.44	Metcalf St & Dowerin - Kalannie Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4070129	Thomas Rd	Thomas Rd	Dowerin	0.00	Spark Rd	2.00	Farm 2km South of Spark Rd	
4070129	Thomas Rd	Thomas Rd	Dowerin	2.00	2km From Spark Rd	5.88	Schell Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4070014	Thornett Rd	Thornett Rd	Dowerin	0.00	McMorran Rd & Dowerin - Meckering Rd	6.49	Approximately 6.5 Kms East of Dowering - Meckering Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070014	Thornett Rd	Thornett Rd	Dowerin	6.49	2.68km From Melvin Rd	11.11	Hudson Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4070047	Twenty Six Gate Rd	Twenty Six Gate Rd	Dowerin	0.00	Hindmarsh Rd & Cunderdin - Minnivale Rd	7.20	Benjaberring - Hindmarsh Rd & Borgward Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4070061	Twine Rd	Twine Rd	Dowerin	0.00	Hindmarsh Back Rd	3.44	Twine Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070019	Uberin Rd	Uberin Rd	Dowerin	0.00	Koombekine North Rd	24.09	Phillips Rd & Morrell North Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4070171	Ucarty Rock East Rd	Ucarty Rock East Rd	Dowerin	0.00	Nambling South Rd	5.60	Ucarty South Rd & Eaton Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Nambling South Rd : No access permitted into Namling South Rd from Ucarty Rock East Rd
4070057	Ucarty Rock Rd	Ucarty Rock Rd	Dowerin	0.00	Nambling South Rd	1.77	Ucarty Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Nambling South Rd : No access permitted into Nambling South Rd from Ucarty Rock Rd

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070007	Ucarty South Rd	Ucarty South Rd	Dowerin	0.00	Nambling South Rd & Berring East Rd	5.64	Cemetery Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4070007	Ucarty South Rd	Ucarty South Rd	Dowerin	5.64	Cemetery Rd	11.20	Eaton Rd & Ucarty Rock East Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4070007	Ucarty South Rd	Ucarty South Rd	Dowerin	11.20	Eaton Rd & Ucarty Rock East Rd	18.04	Quelagetting West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070053	Underwood Flat Rd	Underwood Flat Rd	Dowerin	0.00	Dowerin - Kalannie Rd	4.19	Old Koorda Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4070037	Ward Rd	Ward Rd	Dowerin	0.00	Dowerin - Kalannie Rd	6.61	Clinic Rd	
4070037	Ward Rd	Ward Rd	Dowerin	6.61	Clinic Rd	11.06	Wongan - Ballidu LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4070169	Watercarrin Bin Rd	Watercarrin Bin Rd	Dowerin	0.00	Cunderdin - Wyalkatchem Rd	5.95	Rabbit Proof Fence Nth Rd & Edbrooke Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070160	Wheat Bin Rd	Wheat Bin Rd	Dowerin	0.00	Manmanning Town Rd & Railway Rd	0.90	Hale Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4070069	Whitsed Rd	Whitsed Rd	Dowerin	0.00	Bailey East West Rd	3.06	Dowerin - Koorda Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4070076	Wilkins Rd	Wilkins Rd	Dowerin	0.00	Koombekine North Rd	6.15	Uberin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070076	Wilkins Rd	Wilkins Rd	Dowerin	6.15	Uberin Rd	8.45	Wilkins Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4070050	Williams North Rd	Williams North Rd	Dowerin	0.00	Twenty Six Gate Rd	7.24	Williams Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dowerin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4070035	Williams Rd	Williams Rd	Dowerin	0.00	Cunderdin - Minnivale Rd	8.15	McPherson Rd & Pulford Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4070032	Windsor Rd	Windsor Rd	Dowerin	0.00	Goomalling Wyalkatchem Rd	7.06	Hindmarsh Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4070180	Woods Rd	Woods Rd	Dowerin	0.00	Twenty Six Gate Rd & Rabbit Proof Fence Rd	2.15	Woods Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dumbleyung

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3060037	114 Gate Rd	114 Gate Rd	Dumbleyung	0.00	Moran Rd	21.19	Kulin - Dumbleyung Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3060129	Abbott L	Abbott L	Dumbleyung	0.00	One Twenty Nine Rd	1.16	Abbott L - End Road	
3060025	Adams Rd	Adams Rd	Dumbleyung	0.00	Kent LGA Boundary	16.00	Kukerin South Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3060076	Bagnalls Rd	Bagnalls Rd	Dumbleyung	0.00	Dumbleyung Lake Grace Rd	4.15	Mt Pleasant Rd	
3060135	Bahr Rd	Bahr Rd	Dumbleyung	0.00	Bennett St	0.91	Dumbleyung - Nyabing Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Dumbleyung

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3060046	Ball Rd	Ball Rd	Dumbleyung	0.00	Old Tincurrin Rd	1.29	Ball Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060065	Bartram Rd	Bartram Rd	Dumbleyung	0.00	Katanning - Dumbleyung Rd	1.16	Bennett St	
3060113	Behn Ord Rd	Behn Ord Rd	Dumbleyung	0.00	Wagin LGA Boundary	3.10	Doradine Rd & Nippering North Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060062	Bennett St	Bennett St	Dumbleyung	0.00	Bahr Rd	0.28	Ebsary St & Absolon St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Dumbleyung

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3060098	Bennett St	Bennett St	Dumbleyung	0.00	Dumbleyung Lake Grace Rd & Kukerin North Rd	2.52	Scadden St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3060012	Bibiking Rd	Bibiking Rd	Dumbleyung	0.67	0.67km From Katanning - Dumbleyung Rd	2.54	Powells Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060012	Bibiking Rd	Bibiking Rd	Dumbleyung	2.54	Powells Rd	6.80	Sandplain Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dumbleyung

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3060012	Bibiking Rd	Bibiking Rd	Dumbleyung	6.80	Sandplain Rd	10.80	Katanning LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060015	Bladondale Rd	Bladondale Rd	Dumbleyung	0.00	Dumbleyung Lake Grace Rd	14.70	Tarin Rock Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060094	Boundary Rd	Boundary Rd	Dumbleyung	0.00	Muller Rd & Boundary Rd	19.43	Tarin Rock North Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060035	Brays Rd	Brays Rd	Dumbleyung	0.00	One Twenty Five Rd	7.90	Ditchburn Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Dumbleyung

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3060070	Browns Rd	Browns Rd	Dumbleyung	0.00	Dumbleyung - Nyabing Rd	2.18	Wishbone Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Wishbone Rd : No access permitted into Wishbone Rd from Browns Rd
3060045	Bullock Hills Rd	Bullock Hills Rd	Dumbleyung	0.00	Katanning - Dumbleyung Rd	7.38	Bullock Hills Rd & Dare Dr	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060020	Candlelight Rd	Candlelight Rd	Dumbleyung	0.00	Treloars Rd	19.40	Rabbit Proof Fence Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. No Operation between the hours of sunset and sunrise School buses use this road. Approval to use the road could be withdrawn unless drivers show courtesy to local traffic and take extra care on school days.
3060024	Candlelight South East Rd	Candlelight South East Rd	Dumbleyung	4.43	Adams Rd	16.69	Edwards Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dumbleyung

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3060071	Cantwells Rd	Cantwells Rd	Dumbleyung	0.00	Wishbone Rd	5.90	Datatine North Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3060023	Carwardine Rd	Carwardine Rd	Dumbleyung	0.00	Dumbleyung Lake Grace Rd	6.70	Candlelight Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3060053	Clarkes Rd	Clarkes Rd	Dumbleyung	0.00	Gooding Rd	3.38	Candlelight Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Gooding Rd : No access permitted into Gooding Rd from Clarkes Rd
3060042	Damper Flat Rd	Damper Flat Rd	Dumbleyung	0.00	Mutters Rd & Coomelberrup Rd	7.22	Dumbleyung - Nyabing Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dumbleyung

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3060078	Dart Rd	Dart Rd	Dumbleyung	0.00	Dumbleyung Lake Grace Rd	3.40	Dart Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060072	Datatine North Rd	Datatine North Rd	Dumbleyung	0.00	Dumbleyung - Nyabing Rd	9.76	Peterson Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. No Operation between the hours of sunset and sunrise
3060085	Dongolocking Rd	Dongolocking Rd	Dumbleyung	0.00	Wagin LGA Boundary	8.31	Tincurrin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060126	Doradine Rd	Doradine Rd	Dumbleyung	0.00	Behn Ord Rd & Nippering North Rd	5.75	114 Gate Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060082	Dualling Rd	Dualling Rd	Dumbleyung	0.00	One Twenty Nine Rd	4.99	Kent LGA Boundary	

Tandem Drive Network 2.1



Dumbleyung

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3060123	Dumbleyung - Nyabing Rd	Dumbleyung - Nyabing Rd	Dumbleyung	0.00	Bahr Rd	24.67	Kent LGA Boundary	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Wishbone Rd : No left turn permitted into Wishbone Rd from Dumbleyung-Nyabing Rd Intersection Sturges Rd : No access permitted into Sturges Rd from Dumbleyung Nyabing Rd
3060039	Dwelyerdine Rd	Dwelyerdine Rd	Dumbleyung	0.00	Dongolocking Rd	7.60	Wagin LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060117	Edwards Rd	Edwards Rd	Dumbleyung	0.00	One Twenty Nine Rd	11.68	Candlelight Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3060043	Fairclough Rd	Fairclough Rd	Dumbleyung	0.00	Dumbleyung - Nyabing Rd	5.71	Kelly Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Dumbleyung - Nyabing Rd : No left turn permitted into Dumbleyung-Nyabing Rd from Fairclough Rd

Tandem Drive Network 2.1



Dumbleyung

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3060057	Forbes Rd	Forbes Rd	Dumbleyung	0.00	Bullock Hills Rd	2.25	Woodanilling LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060121	Giblett Rd	Giblett Rd	Dumbleyung	0.00	One Twenty Nine Rd & Adams Rd	2.00	Adams Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3060052	Gooding Rd	Gooding Rd	Dumbleyung	0.00	Edwards Rd	4.76	Moulyinning South Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dumbleyung

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3060052	Gooding Rd	Gooding Rd	Dumbleyung	4.95	Moulyinning South Rd	8.53	Rabbit Proof Fence Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Clarkes Rd : No access permitted into Clarkes Rd from Gooding Rd
3060067	Halden East Rd	Halden East Rd	Dumbleyung	0.00	Tarin Rock North Rd	10.75	Pearce Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060049	Harrison Rd	Harrison Rd	Dumbleyung	0.00	Springhurst Rd	4.30	Kukerin North Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
3060083	Hills Rd	Hills Rd	Dumbleyung	0.00	Dumbleyung Lake Grace Rd & Oliver Rd	4.38	Tarin Rock Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3060083	Hills Rd	Hills Rd	Dumbleyung	4.58	Tarin Rock Rd	11.25	Halden East Rd	

Tandem Drive Network 2.1



Dumbleyung

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3060030	Jarring South Rd	Jarring South Rd	Dumbleyung	0.00	One Twenty Nine Rd & Rasmassen Rd	5.81	Walkers Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060030	Jarring South Rd	Jarring South Rd	Dumbleyung	5.81	Walkers Rd	10.47	Jarring South Rd & Clarke Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060087	Jay Rd	Jay Rd	Dumbleyung	3.70	1.16km From One Twenty Five Rd	10.62	One Twenty Nine Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3060081	Jipsons Rd	Jipsons Rd	Dumbleyung	0.00	Dumbleyung Lake Grace Rd	3.62	Tarin Rock Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
3060124	Katanning - Dumbleyung Rd	Katanning - Dumbleyung Rd	Dumbleyung	0.00	Oxley Rd & Sunter Rd	16.08	Wagin Dumbleyung Rd	

Tandem Drive Network 2.1



Dumbleyung

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3060096	Kelly Rd	Kelly Rd	Dumbleyung	0.00	Fairclough Rd	5.90	Dumbleyung - Nyabing Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3060048	Kings Rd	Kings Rd	Dumbleyung	0.00	Springhurst Rd	7.75	Kukerin North Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3060016	Kukerin North East Rd	Kukerin North East Rd	Dumbleyung	0.00	Scadden St & Troupe St	5.80	Old Lake Grace Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060004	Kukerin North Rd	Kukerin North Rd	Dumbleyung	0.00	Tarin Rock Rd	16.81	Bennett St & Dumbleyung Lake Grace Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Dumbleyung

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3060021	Kukerin Rd	Kukerin Rd	Dumbleyung	0.00	Scadden St & Kukerin South Rd	4.52	Candlelight Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3060003	Kukerin South Rd	Kukerin South Rd	Dumbleyung	0.00	Scadden St & Kukerin Rd	18.82	One Twenty Nine Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
3060119	Kulin - Dumbleyung Rd	Kulin - Dumbleyung Rd	Dumbleyung	0.00	Boundary Rd & Gray Rd & Rabbit Proof Fence Rd Sth	16.10	Dumbleyung Lake Grace Rd	
3060074	Kuringup North Rd	Kuringup North Rd	Dumbleyung	0.00	Walkers Rd	3.70	North Kuringup Rd & Big Lake Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060091	Lake Rd	Lake Rd	Dumbleyung	0.00	Wagin Dumbleyung Rd	0.02	Wheatfield Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Dumbleyung

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3060099	Lee Rd	Lee Rd	Dumbleyung	0.00	One Twenty Nine Rd	1.55	Kent LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
3060028	Leo Rd	Leo Rd	Dumbleyung	0.00	Kukerin South Rd	5.35	Walkers Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060028	Leo Rd	Leo Rd	Dumbleyung	5.35	Walkers Rd	8.41	Tarin Rock South Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
3060026	Merilup Rd	Merilup Rd	Dumbleyung	0.00	Kent LGA Boundary	4.77	One Twenty Nine Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060026	Merilup Rd	Merilup Rd	Dumbleyung	4.88	One Twenty Nine Rd	11.50	Kukerin South Rd	<ul style="list-style-type: none"> Intersection One Twenty Nine Rd : No access permitted into One Twenty Nine Rd from Merilup Rd (west entrance)

Tandem Drive Network 2.1



Dumbleyung

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3060047	Mild Waters Rd	Mild Waters Rd	Dumbleyung	0.00	Doradine Rd	2.70	Mild Waters Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060125	Moran Rd	Moran Rd	Dumbleyung	0.00	114 Gate Rd	6.12	Dongolocking Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060050	Moulyinning North Rd	Moulyinning North Rd	Dumbleyung	0.00	Springhurst Rd	6.06	Dumbleyung Lake Grace Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Springhurst Rd : No left turn permitted into Springhurst Rd from Moulyinning North Rd
3060050	Moulyinning North Rd	Moulyinning North Rd	Dumbleyung	6.70	Dumbleyung Lake Grace Rd	12.25	Candlelight Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Dumbleyung

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3060051	Moulyinning South Rd	Moulyinning South Rd	Dumbleyung	0.00	Candlelight Rd	2.47	Gooding Rd	
3060051	Moulyinning South Rd	Moulyinning South Rd	Dumbleyung	2.47	Gooding Rd	2.67	Gooding Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3060051	Moulyinning South Rd	Moulyinning South Rd	Dumbleyung	2.67	Gooding Rd	6.47	One Twenty Five Rd	<ul style="list-style-type: none"> Intersection One Twenty Five Rd : No access permitted into One Twenty Nine Rd from Moulyinning Rd
3060006	Mt Pleasant Rd	Mt Pleasant Rd	Dumbleyung	0.31	Richardson Rd	2.40	Bagnalls Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060006	Mt Pleasant Rd	Mt Pleasant Rd	Dumbleyung	2.40	Bagnalls Rd	12.15	White Well Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dumbleyung

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3060112	Naisbitt Rd	Naisbitt Rd	Dumbleyung	0.00	Tarin Rock North Rd	2.60	Harrismith Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060032	Old Lake Grace Rd	Old Lake Grace Rd	Dumbleyung	0.00	Dumbleyung Lake Grace Rd	1.37	Kukerin North East Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060111	Old Tincurrin Rd	Old Tincurrin Rd	Dumbleyung	0.00	Tincurrin Rd	3.09	Ball Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dumbleyung

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3060111	Old Tincurrin Rd	Old Tincurrin Rd	Dumbleyung	3.09	Ball Rd	3.10		<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3060111	Old Tincurrin Rd	Old Tincurrin Rd	Dumbleyung	3.10		6.70	Tincurrin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3060007	One Twenty Five Rd	One Twenty Five Rd	Dumbleyung	0.00	One Twenty Nine Rd	17.68	Edwards Rd	
3060007	One Twenty Five Rd	One Twenty Five Rd	Dumbleyung	17.68	Edwards Rd	24.84	Brays Rd	<ul style="list-style-type: none"> Note: Low Volume (LV) Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dumbleyung

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3060007	One Twenty Five Rd	One Twenty Five Rd	Dumbleyung	24.84	Brays Rd	28.60	Adams Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060001	One Twenty Nine Rd	One Twenty Nine Rd	Dumbleyung	0.00	Ebsary St	48.42	Jarring South Rd & Rasmassen Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3060018	Pearce Rd	Pearce Rd	Dumbleyung	0.00	Tarin Rock Rd	7.67	Kukerin Rd & Boundary Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060107	Pepall Rd	Pepall Rd	Dumbleyung	0.00	Katanning LGA Boundary	2.35	Fairclough Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dumbleyung

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3060008	Peterson Rd	Peterson Rd	Dumbleyung	0.00	Dumbleyung - Nyabing Rd	15.15	North Fence Rd & Peterson Rd & Rabbit Proof Fence Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Datatine North Rd : No left turn permitted into Datatine North Rd from Peterson Rd
3060115	Pike Rd	Pike Rd	Dumbleyung	0.00	Dumbleyung Lake Grace Rd	1.26	Bennett St	
3060115	Pike Rd	Pike Rd	Dumbleyung	1.38	Bennett St	2.98	Scadden St	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060055	Powells Rd	Powells Rd	Dumbleyung	0.00	Bibiking Rd	3.86	Katanning - Dumbleyung Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3060005	Rabbit Proof Fence Rd	Rabbit Proof Fence Rd	Dumbleyung	0.00	North Fence Rd & Peterson Rd	6.63	One Twenty Nine Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Dumbleyung

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3060005	Rabbit Proof Fence Rd	Rabbit Proof Fence Rd	Dumbleyung	6.70	One Twenty Nine Rd	24.47	Dumbleyung Lake Grace Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
3060130	Rasmussen Rd	Rasmussen Rd	Dumbleyung	0.00	One Twenty Nine Rd & Jarring South Rd	1.04	Rasmussen Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3060092	Richardson Rd	Richardson Rd	Dumbleyung	0.00	Tunney St	1.78	Mt Pleasant Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3060044	Rifle Range Rd	Rifle Range Rd	Dumbleyung	0.00	Bahr Rd	5.30	Rifle Range Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3060073	Robson Rd	Robson Rd	Dumbleyung	0.00	Dumbleyung - Nyabing Rd	3.69	Datatine North Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3060073	Robson Rd	Robson Rd	Dumbleyung	3.69	Datatine North Rd	6.15	Kent LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dumbleyung

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3060056	Sandplain Rd	Sandplain Rd	Dumbleyung	0.00	Bibiking Rd	4.35	Sand Plain Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060128	Scadden St	Scadden St	Dumbleyung	0.00	Troupe St & Kukerin North East Rd	0.32	Bennett St	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060128	Scadden St	Scadden St	Dumbleyung	0.32	Bennett St	1.04	Kukerin Rd & Kukerin South Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
3060031	Siberia Rd	Siberia Rd	Dumbleyung	0.00	Kukerin South Rd	14.00	Tarin Rock South Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060038	Smiths Rd	Smiths Rd	Dumbleyung	0.00	114 Gate Rd	5.90	Tincurrin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dumbleyung

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3060040	Springhurst Rd	Springhurst Rd	Dumbleyung	0.00	Kulin - Dumbleyung Rd	3.70	Moulyinning North Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060040	Springhurst Rd	Springhurst Rd	Dumbleyung	3.70	Moulyinning North Rd	18.30	Boundary Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
3060100	Sturges Rd	Sturges Rd	Dumbleyung	0.00	Dumbleyung - Nyabing Rd	2.46	Fairclough Rd & Datatine Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Dumbleyung - Nyabing Rd : No access permitted into Dumbleyung Nyabing Rd from Sturges Rd
3060089	Sutherland Rd	Sutherland Rd	Dumbleyung	0.00	Nippering North Rd	2.00	Sutherlands Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3060017	Tarin Rock North Rd	Tarin Rock North Rd	Dumbleyung	0.00	Tarin Rock Rd	15.60	101 Gate East Rd & Tarin Rock North Rd & Kuender West Rd	<ul style="list-style-type: none"> Intersection Tarin Rock Rd : No access permitted into Tarin Rock Rd from Tarin Rock North Rd

Tandem Drive Network 2.1



Dumbleyung

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3060014	Tarin Rock Rd	Tarin Rock Rd	Dumbleyung	0.00	Boundary Rd	20.76	Tarin Rock South Rd & Dumbleyung Lake Grace Rd	<ul style="list-style-type: none"> Intersection Tarin Rock North Rd : No access permitted into Tarin Rock North Rd from Tarin Rock Rd
3060027	Tarin Rock South Rd	Tarin Rock South Rd	Dumbleyung	10.85	Siberia Rd	22.40	Tarin Rock Rd & Dumbleyung Lake Grace Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3060068	Temby Rd	Temby Rd	Dumbleyung	0.00	White Well Rd	6.82	114 Gate Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3060002	Tincurrin Rd	Tincurrin Rd	Dumbleyung	0.00	Dumbleyung Lake Grace Rd	24.37	Wickepin LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3060019	Treloars Rd	Treloars Rd	Dumbleyung	0.00	Kulin - Dumbleyung Rd	14.71	Kukerin North Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dumbleyung

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3060063	Tunney St	Tunney St	Dumbleyung	0.00	Absolon St & Wagin Dumbleyung Rd	0.07	Richardson Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3060029	Walkers Rd	Walkers Rd	Dumbleyung	0.00	Leo Rd	7.98	Jarring South Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060029	Walkers Rd	Walkers Rd	Dumbleyung	7.98	Jarring South Rd	11.25	Kuringup North Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060029	Walkers Rd	Walkers Rd	Dumbleyung	11.25	Kuringup North Rd	12.07	Big Lake Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dumbleyung

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3060011	Wards Rd	Wards Rd	Dumbleyung	0.00	Mt Pleasant Rd	7.81	White Well Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060131	Wheatfield Rd	Wheatfield Rd	Dumbleyung	0.00	Lake Rd	2.44	End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3060010	White Well Rd	White Well Rd	Dumbleyung	0.00	Nippering North Rd	8.12	Mt Pleasant Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Dumbleyung

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3060010	White Well Rd	White Well Rd	Dumbleyung	8.12	Mt Pleasant Rd	17.62	Wishbone Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3060010	White Well Rd	White Well Rd	Dumbleyung	17.62	Wishbone Rd	20.87	Dumbleyung Lake Grace Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. No Operation from 7:30 AM to 9:00 AM and from 3:30 PM to 4:30 PM No operation between the hours of sunset and sunrise. Daylight curfew applies on School days only. One truck movement at a time permitted only. Intersection Wishbone Rd : No access permitted into Wishbone Rd from White Well Rd Intersection Dumbleyung Lake Grace Rd : No right turn permitted into Collie - Lake King from White Well Rd
3060013	Wishbone Rd	Wishbone Rd	Dumbleyung	0.00	Dumbleyung - Nyabing Rd	2.93	Browns Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Dumbleyung - Nyabing Rd : No right turn permitted into Dumbleyung - Nyabing Rd from Wishbone Rd

Tandem Drive Network 2.1



Dumbleyung

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3060013	Wishbone Rd	Wishbone Rd	Dumbleyung	2.93	Browns Rd	6.22	Peterson Rd	<ul style="list-style-type: none">Headlights to be switched on at all timesNote: Low Volume (LV)Maximum speed 60 km/hWhen travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).Intersection Browns Rd : No right turn permitted into Browns Rd from Wishbone Rd
3060013	Wishbone Rd	Wishbone Rd	Dumbleyung	6.22	Peterson Rd	21.77	Dumbleyung Lake Grace Rd	<ul style="list-style-type: none">This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.No operation on unsealed road segment when visibly wet, without road owner's approval.
3060013	Wishbone Rd	Wishbone Rd	Dumbleyung	21.88	Dumbleyung Lake Grace Rd	31.38	114 Gate Rd	<ul style="list-style-type: none">This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.No operation on unsealed road segment when visibly wet, without road owner's approval.Intersection White Well Rd : No right turn permitted into White Well Rd from Wishbone Rd
3060013	Wishbone Rd	Wishbone Rd	Dumbleyung	31.67	114 Gate Rd	36.65	Wickepin LGA Boundary	<ul style="list-style-type: none">This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Dundas

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6030125	Delamotte Dr	Delamotte Dr	Dundas	0.00	Prinsep St & Coolgardie Esperance Hwy	0.30	Old Coach Rd	<ul style="list-style-type: none"> Intersection Old Coach Rd : No Access Into Okay Rd From Delamotte Dr
6030126	Hatto Wy	Hatto Wy	Dundas	0.00	Delamotte Dr	0.25	Old Coach Rd	<ul style="list-style-type: none"> Intersection Old Coach Rd : Right Turn Only Into Okay Rd Permitted From Hatto Wy
6030034	Hyden - Norseman Rd	Hyden - Norseman Rd	Dundas	0.00	Coolgardie Esperance Hwy	182.41	Kondinin LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 90 km/h
6030124	Old Coach Rd	Old Coach Rd	Dundas	0.14	Hatto Wy	0.30	Delamotte Dr	<ul style="list-style-type: none"> Intersection Delamotte Dr : Right Turn Only Into Delamotte Dr Permitted From Okay Rd.
6030077	Ramsay St	Ramsay St	Dundas	0.23	0.05 Km From Roberts St	0.33	Prinsep St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. From Collgardie Esperance Hwy to Service Station side access Intersection Prinsep St : No access permitted into Coolgardie Esperance Hwy from Ramsay St
6030051	Roberts St	Roberts St	Dundas	0.00	Eyre Hwy	0.15	For 0.15 Km to Breakdown Area Access Road	
6030051	Roberts St	Roberts St	Dundas	1.25	Sinclair St	1.39	For 0.14 Km From Service Station Access to Sinclair St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
6030076	Sinclair St	Sinclair St	Dundas	0.00	Roberts St	0.14	Prinsep St	<ul style="list-style-type: none"> Intersection Roberts St : No Access Into Roberts St. Intersection Prinsep St : Right Turn Only Into Coolgardie Esperance Hwy

Tandem Drive Network 2.1



East Pilbara

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
8120043	Balfour Downs Rd	Balfour Downs Rd	East Pilbara	0.00	Jigalong Rd	39.89	Talawana Trk	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h
8120002	Bamboo Creek Rd	Bamboo Creek Rd	East Pilbara	0.00	Warrawagine Rd	29.78	Bamboo Creek Access Rd	
8120035	Bonney Downs - Hillside Rd	Bonney Downs - Hillside Rd	East Pilbara	0.00	Marble Bar Rd	6.50	For 6.5km to Bc Iron Access Road	
8120145	Corunna Downs Rd	Corunna Downs Rd	East Pilbara	0.00	Ironclad Battery Access Rd & Limestone - Marble Bar Rd	39.19	Corunna Downs Access - End Road	
8120077	Fortescue Av	Fortescue Av	East Pilbara	1.16	0.04km From Welsh Dr	1.20	Welsh Dr	
8120230	Francis St	Francis St	East Pilbara	0.00	General St	0.38	Limestone - Marble Bar Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
8120024	General St	General St	East Pilbara	0.41	Francis St	1.03	Hillside - Marble Bar Rd & Marble Bar Rubbish Tip Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
8120065	Goldsworthy - Shay Gap Rd	Goldsworthy - Shay Gap Rd	East Pilbara	0.00	Goldsworthy Rd	75.17	Muccan - Shay Gap Rd & Bore Line Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
8120001	Hillside - Marble Bar Rd	Hillside - Marble Bar Rd	East Pilbara	0.00	General St & Marble Bar Rubbish Tip Rd	90.44	Hillside - Woodstock Rd & Bonney Downs - Hillside Rd	
8120036	Jigalong Rd	Jigalong Rd	East Pilbara	0.00	Marble Bar Rd	76.41	Balfour Downs Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h
8120188	Kalgan Dr	Kalgan Dr	East Pilbara	0.00	Great Northern Hwy	1.77	Fortescue Av	
8120222	Laver St	Laver St	East Pilbara	0.00	Welsh Dr	0.82	Woodstock St	
8120242	Limestone - Marble Bar Rd	Limestone - Marble Bar Rd	East Pilbara	0.00	Marble Bar Rd	8.05	Francis St	
8120266	Marble Bar - Woodstock Rd	Marble Bar - Woodstock Rd	East Pilbara	12.38	Lga Boundary	33.66	Marble Bar-Woodstock Rd	
8120334	Marble Bar Bypass Rd	Marble Bar Bypass Rd	East Pilbara	0.00	Hillside - Marble Bar Rd	2.28	Corunna Downs Rd	
8120008	Muccan - Shay Gap Rd	Muccan - Shay Gap Rd	East Pilbara	0.00	Warrawagine Rd	54.54	Goldsworthy - Shay Gap Rd & Bore Line Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
8120232	Munjina - Roy Hill Rd	Munjina - Roy Hill Rd	East Pilbara	0.00	Marble Bar Rd	132.59	Ashburton LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum Speed 60 km/h from SLK 0.00 Marble Bar Rd to SLK 78.12 BHP Access Rd. Maximum Speed 80 km/h from SLK 78.12 BHP Access Rd to SLK 133.09 Ashburton LGA boundary.
8120090	Newman Dr	Newman Dr	East Pilbara	0.00	Great Northern Hwy	0.67	Bp Service Centre Near Cowra St	
8120184	Nichols St	Nichols St	East Pilbara	0.00	Nichols St - Start Road	0.21	General St & Lynas Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



East Pilbara

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
8120067	North Pole Rd	North Pole Rd	East Pilbara	0.00	Marble Bar Rd	52.98	9.57 Km Past Panorama Station Access	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
8120223	Panizza Wy	Panizza Wy	East Pilbara	0.00	Woodstock St	0.23	Laver St	
8120300	Pardoo St	Pardoo St	East Pilbara	0.00	Welsh Dr	0.73	Woodstock St	
8120301	Pilga Pl	Pilga Pl	East Pilbara	0.00	Pardoo St	0.21	Pilga Pl - End Road	
8120257	Radio Hill Dr	Radio Hill Dr	East Pilbara	0.00	Whaleback Dr	0.52	Radio Hill Lookout Rd & Welsh Dr	
8120074	Shay Gap Rd	Shay Gap Rd	East Pilbara	0.00	Goldsworthy - Shay Gap Rd	48.86	Great Northern Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
8120270	Shovelanna St	Shovelanna St	East Pilbara	0.00	Woodstock St	0.55	Pardoo St	
8120021	Skull Springs Rd	Skull Springs Rd	East Pilbara	0.00	Marble Bar Rd	37.37	To Mine Access Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Dust control required through Waliyakunya Community.
8120239	Talawana Trk	Talawana Trk	East Pilbara	0.00	Balfour Downs Rd	4.99	5.0km From Balfour Downs Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h
8120003	Warrawagine Rd	Warrawagine Rd	East Pilbara	0.00	Marble Bar Rd	49.12	Yarrie Rd	
8120259	Weeli Wolli Rd	Weeli Wolli Rd	East Pilbara	0.00	Great Northern Hwy	5.04	West Angelas Rd	
8120172	Welsh Dr	Welsh Dr	East Pilbara	0.00	Kalgan Dr	4.10	Radio Hill Dr & Radio Hill Lookout Rd	
8120192	West Angelas Rd	West Angelas Rd	East Pilbara	12.00	0.26km Before Weeli Wolli Rd	12.28	Weeli Wolli Rd	
8120258	Whaleback Dr	Whaleback Dr	East Pilbara	0.00	Newman Dr	0.53	Radio Hill Dr	
8120175	Willis St	Willis St	East Pilbara	0.00	Woodstock St	0.22	Laver St	
8120059	Wodgina Access	Wodgina Access	East Pilbara	0.00	Unnamed Rd & Pippingarra Access Rd	8.56	Great Northern Hwy	
8120269	Wonmunna Rd	Wonmunna Rd	East Pilbara	0.00	Woodstock St	0.17	Shovelanna St	
8120263	Woodie Woodie Rd	Woodie Woodie Rd	East Pilbara	0.00	Ripon Hills Rd	35.76	Woodie Woodie Access Rd & Skull Springs Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h

Tandem Drive Network 2.1



East Pilbara

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
8120174	Woodstock St	Woodstock St	East Pilbara	0.00	Welsh Dr	0.91	0.51 Km Past Laver St	
8120070	Yarrie Rd	Yarrie Rd	East Pilbara	0.00	Warrawagine Rd	4.32	Muccan - Yarrie Rd	
812Z024	Pippingarra Access Rd	Pippingarra Access Rd	East Pilbara	12.52	100m From Wodgina Access	12.62	Unnamed Rd & Wodgina Access	
812Z055	Telfer Rd	Telfer Rd	East Pilbara	0.00	Ripon Hills Rd	132.36	Telfer Rd & Freedom Rd	<ul style="list-style-type: none">No operation on unsealed road segment when visibly wet, without road owner's approval.Maximum speed 80 km/h

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040533	Ainsworth Rd	Ainsworth Rd	Esperance	0.00	Coolgardie Esperance Hwy	12.17	Ainsworth Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040097	Aldrick Rd	Aldrick Rd	Esperance	0.00	Brown Rd	2.84	Aldrick Rd - End Road	<ul style="list-style-type: none"> 10 km/h below posted speed limit
6040071	Alexander Rd	Alexander Rd	Esperance	0.00	Fisheries Rd	5.46	Merivale Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040071	Alexander Rd	Alexander Rd	Esperance	5.46	Merivale Rd	9.90	4.44km From Merivale Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6040101	Andrews Rd	Andrews Rd	Esperance	0.00	Goodwin Rd	1.13	Andrews Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6040450	Arnold Rd	Arnold Rd	Esperance	0.00	Swan Lagoon Rd	10.06	Bishops Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040048	Ashdale Rd	Ashdale Rd	Esperance	0.00	Beltana Rd	13.93	Sears Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
6040048	Ashdale Rd	Ashdale Rd	Esperance	13.93	Sears Rd	28.95	Cascade Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040012	Backmans Rd	Backmans Rd	Esperance	0.00	Fisheries Rd	13.34	Scaddan Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
6040012	Backmans Rd	Backmans Rd	Esperance	13.34	Scaddan Rd	27.81	E.L.D. Rd & Burdett Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040262	Baring Rd	Baring Rd	Esperance	0.00	Fisheries Rd	6.12	6.12km From Fisheries Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040280	Bates North Rd	Bates North Rd	Esperance	0.00	South Coast Hwy	1.03	Coach Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040237	Bates Rd	Bates Rd	Esperance	0.00	Coach Rd	3.25	Telegraph Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040214	Beaumont Rd	Beaumont Rd	Esperance	0.00	Karl Berg Rd	10.70	Parmango Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040259	Bebenorin Rd	Bebenorin Rd	Esperance	17.50	Henkes Rd	24.18	Muntz Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040431	Beckwith Rd	Beckwith Rd	Esperance	0.00	Sims St	0.42	Beckwith Rd - End Road	
6040046	Belgian Rd	Belgian Rd	Esperance	0.00	Rollond Rd	6.49	Grass Patch Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040046	Belgian Rd	Belgian Rd	Esperance	6.50	Grass Patch Rd	32.48	Griffiths Rd & Speddingup Rd West	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040042	Beltana Rd	Beltana Rd	Esperance	0.00	South Coast Hwy	26.50	Cascade Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040694	Berrigan St	Berrigan St	Esperance	0.00	Currong St	0.25	Hill St	<ul style="list-style-type: none"> 10 km/h below posted speed limit
6040521	Bette West Rd	Bette West Rd	Esperance	12.96	Magagnotti Rd	17.00	Ainsworth Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
6040058	Bishops Rd	Bishops Rd	Esperance	0.00	Field Rd	18.85	Williams Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040058	Bishops Rd	Bishops Rd	Esperance	18.86	Williams Rd	29.69	Grass Patch Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040058	Bishops Rd	Bishops Rd	Esperance	29.85	Grass Patch Rd	37.98	Rollond Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040065	Blumann Rd	Blumann Rd	Esperance	0.00	Coolgardie Esperance Hwy	10.80	Coramup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040292	Bow Rd	Bow Rd	Esperance	0.00	Coolgardie Esperance Hwy	1.50	Farm Access Gate 1.5km From Coolgardie Esperance Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040017	Boydell Rd	Boydell Rd	Esperance	0.00	Fleming Grove Rd & Coolgardie Esperance Hwy	27.82	Cascade Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040156	Brazier St	Brazier St	Esperance	0.17	Dempster St	1.56	Harbour Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
6040096	Brown Rd	Brown Rd	Esperance	0.00	Coolgardie Esperance Hwy	17.15	Brown Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040014	Browning Rd	Browning Rd	Esperance	0.00	Coolgardie Esperance Hwy	19.26	Dalyup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040224	Burdett Rd	Burdett Rd	Esperance	0.00	E.L.D. Rd & Backmans Rd	19.75	Wittenoom Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040529	Burnside Rd	Burnside Rd	Esperance	0.00	Sunrise Hill Rd	28.15	Beete Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040082	Campbell Rd	Campbell Rd	Esperance	0.00	Fleming Grove Rd	9.94	Gibson Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040082	Campbell Rd	Campbell Rd	Esperance	9.95	Gibson Rd	13.44	Blumann Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040069	Cape Le Grand Rd	Cape Le Grand Rd	Esperance	0.00	Merivale Rd	7.80	Locke Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
6040103	Cascade Rd	Cascade Rd	Esperance	0.00	South Coast Hwy	59.90	Lake Tay Mine Site	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
6040103	Cascade Rd	Cascade Rd	Esperance	59.90	From End of Seal to Lake Tay Minesite	97.48	Lake Tay Mine Site	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040368	Cbh Rd	Cbh Rd	Esperance	0.00	Brazier St	0.15	Brazier St	<ul style="list-style-type: none"> 10 km/h below posted speed limit
6040458	Chartwell L	Chartwell L	Esperance	0.00	South Coast Hwy	2.58	Murray Rd	
6040555	Circle Valley Rd	Circle Valley Rd	Esperance	0.00	Coolgardie Esperance Hwy	35.41	Circle Valley Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040243	Clare Rd	Clare Rd	Esperance	0.00	River Rd	10.15	Cascade Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040279	Coach Rd	Coach Rd	Esperance	0.00	Bates North Rd	2.18	Coach Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040291	Cook Rd	Cook Rd	Esperance	0.00	Myrup Rd	2.62	Cook Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040024	Coolinup Rd	Coolinup Rd	Esperance	0.00	Fisheries Rd	10.00	Lane Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
6040024	Coolinup Rd	Coolinup Rd	Esperance	10.00	Lane Rd	43.47	Heywood Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040039	Coomalbidgup Rd	Coomalbidgup Rd	Esperance	0.00	Griffiths Rd	9.96	Cascade Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040039	Coomalbidgup Rd	Coomalbidgup Rd	Esperance	9.97	Cascade Rd	25.82	Well Rd & South Coast Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040323	Cooper Rd	Cooper Rd	Esperance	0.00	Dundas Rd	7.68	Cooper Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6040381	Coppin St	Coppin St	Esperance	0.00	Shelden Rd	0.36	Simpson St	<ul style="list-style-type: none"> 10 km/h below posted speed limit
6040066	Coramup Rd	Coramup Rd	Esperance	0.00	Myrup Rd	7.30	Blumann Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040077	Cox Rd	Cox Rd	Esperance	0.00	Truslove Rd	14.96	Cox Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040293	Crawford Rd	Crawford Rd	Esperance	0.00	Coolgardie Esperance Hwy	4.00	Crawford Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040083	Cridge Rd	Cridge Rd	Esperance	0.00	Norwood Rd	2.66	Cox Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040086	Crisps Rd	Crisps Rd	Esperance	0.00	South Coast Hwy	7.40		<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040693	Currong St	Currong St	Esperance	0.00	Hill St	0.44	Currong St - End Road	<ul style="list-style-type: none"> 10 km/h below posted speed limit
6040041	Dalyup Rd	Dalyup Rd	Esperance	0.00	South Coast Hwy	21.24	Speddingup Rd West	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040041	Dalyup Rd	Dalyup Rd	Esperance	21.25	Speddingup Rd West	31.43	Grigg Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040041	Dalyup Rd	Dalyup Rd	Esperance	31.44	Grigg Rd	37.25	Hawkey Rd & Loffler Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040070	Daniels Rd	Daniels Rd	Esperance	0.00	Fisheries Rd	15.92	15.92km From Fisheries Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040552	Davies Rd	Davies Rd	Esperance	16.85	2.6 Km North of Eldred Rd (East)	19.45	Eldred Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
6040552	Davies Rd	Davies Rd	Esperance	19.45	Eldred Rd	25.53	Circle Valley Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040013	De Grussa Rd	De Grussa Rd	Esperance	0.00	Coolgardie Esperance Hwy	9.50	Campbell Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040002	Dempster Rd	Dempster Rd	Esperance	0.00	Fisheries Rd	28.37	Scaddan Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
6040002	Dempster Rd	Dempster Rd	Esperance	28.38	Scaddan Rd	55.01	Ridley Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040118	Dempster St	Dempster St	Esperance	2.09	Gladstone St	2.22	The Esplanade & Norseman Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit A RAV must not be driven on this road in excess of 4.3 metres in height unless written approval is obtained from Horizon Power
6040546	Doney Rd	Doney Rd	Esperance	0.00	Old Kens Rd	8.55	Salmon Gums West Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040075	Doyle Rd	Doyle Rd	Esperance	0.00	Ravensthorpe LGA Boundary	4.81	Springdale Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040579	Dundas Rd	Dundas Rd	Esperance	0.00	Rollond Rd	7.10	Poverty L	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040579	Dundas Rd	Dundas Rd	Esperance	7.16	Poverty L	10.76	Old Kens Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040073	Dunn Rock Rd	Dunn Rock Rd	Esperance	0.00	Merivale Rd	6.67	Lime Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040277	Dwyer Rd	Dwyer Rd	Esperance	0.00	Browning Rd	5.36	Boydell Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040026	E.L.D. Rd	E.L.D. Rd	Esperance	0.00	Ridgeland Rd	6.43	Meyer Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040026	E.L.D. Rd	E.L.D. Rd	Esperance	6.44	Meyer Rd	24.96	Burdett Rd & Backmans Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040242	Edwards Rd	Edwards Rd	Esperance	0.00	Cascade Rd	12.62	Rollond Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040602	Effie Turner Dr	Effie Turner Dr	Esperance	0.00	Simpson St	0.69	Simpson St	<ul style="list-style-type: none"> 10 km/h below posted speed limit
6040551	Eldred Rd	Eldred Rd	Esperance	7.62	Sassella Rd	25.31	Davies Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
6040452	Eucalypt Rd	Eucalypt Rd	Esperance	0.00	Ridley Rd	2.37	2.37km From Ridley Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040072	Exchange Rd	Exchange Rd	Esperance	0.00	Fisheries Rd	5.87	Merivale Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040530	Fagan Rd	Fagan Rd	Esperance	6.47	Holt Rd	17.23	Kumarl Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
6040376	Fairfield St	Fairfield St	Esperance	0.00	Norseman Rd	0.22	Fairfield St - End Road	
6040089	Farmers Rd	Farmers Rd	Esperance	0.00	South Coast Hwy	15.81	Mills Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040230	Field Rd	Field Rd	Esperance	0.00	Cascade Rd	9.89	Griffiths Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040230	Field Rd	Field Rd	Esperance	9.90	Griffiths Rd	27.57	Grass Patch Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040230	Field Rd	Field Rd	Esperance	27.58	Grass Patch Rd	51.05	12.30km From Rollond Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040608	Fisheries Rd	Fisheries Rd	Esperance	0.00	Harbour Rd & Norseman Rd	115.81	(1.27km Before Balladonia Rd	
6040608	Fisheries Rd	Fisheries Rd	Esperance	115.81	(1.27km Before Balladonia Rd	127.30	Baring Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040608	Fisheries Rd	Fisheries Rd	Esperance	127.30	Baring Rd	130.75	3.45km From Baring Rd	
6040018	Fleming Grove Rd	Fleming Grove Rd	Esperance	0.00	Boydell Rd & Coolgardie Esperance Hwy	22.24	Dempster Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040763	Flinders Cct	Flinders Cct	Esperance	0.00	Beckwith Rd	0.55	McDonald Rd	
6040219	Freebairn Rd	Freebairn Rd	Esperance	0.00	Campbell Rd	8.66	Dempster Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040009	Fuss Rd	Fuss Rd	Esperance	0.00	South Coast Hwy	10.72	Springdale Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
6040003	Gibson - Dalyup Rd	Gibson - Dalyup Rd	Esperance	0.00	South Coast Hwy	19.86	Coolgardie Esperance Hwy	<ul style="list-style-type: none"> 10 km/h below posted speed limit
6040004	Gibson Rd	Gibson Rd	Esperance	0.00	Coolgardie Esperance Hwy	16.25	Dempster Rd	
6040380	Gilpin St	Gilpin St	Esperance	0.00	Rogers St	0.58	Shelden Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040535	Gimlet Rd	Gimlet Rd	Esperance	0.00	Magagnotti Rd	4.05	Ainsworth Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040535	Gimlet Rd	Gimlet Rd	Esperance	4.10	Ainsworth Rd	8.10	Hanson Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040535	Gimlet Rd	Gimlet Rd	Esperance	8.16	Hanson Rd	16.76	Salmon Gums West Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040535	Gimlet Rd	Gimlet Rd	Esperance	16.84	Salmon Gums West Rd	20.25	Machen Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040507	Gladstone St	Gladstone St	Esperance	0.00	Dempster St	0.12	0.12 Km Past Windich St	
6040100	Goodwin Rd	Goodwin Rd	Esperance	0.00	Coolgardie Esperance Hwy	3.85	Andrews Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6040008	Grass Patch Rd	Grass Patch Rd	Esperance	0.00	Coolgardie Esperance Hwy	56.21	Neds Corner Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6040216	Green Rd	Green Rd	Esperance	0.00	Plowman Rd	10.89	Scaddan Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040216	Green Rd	Green Rd	Esperance	10.90	Scaddan Rd	25.10	Wittenoom Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040225	Grewar Rd	Grewar Rd	Esperance	0.00	Fisheries Rd	7.71	Merivale Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040034	Griffiths Rd	Griffiths Rd	Esperance	0.00	Coolgardie Esperance Hwy	59.29	Neds Corner Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040034	Griffiths Rd	Griffiths Rd	Esperance	59.34	Neds Corner Rd	71.17	Edwards Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040007	Grigg Rd	Grigg Rd	Esperance	0.00	Coolgardie Esperance Hwy	17.31		<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
6040007	Grigg Rd	Grigg Rd	Esperance	17.31		39.38	Field Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040079	Guests Rd	Guests Rd	Esperance	0.00	Coolgardie Esperance Hwy	3.30	3.3 Km East of Coolgardie - Esperance Hwy	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
6040534	Hanson Rd	Hanson Rd	Esperance	0.00	Coolgardie Esperance Hwy	17.22	Hanson Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040236	Hawkey Rd	Hawkey Rd	Esperance	0.00	Dalyup Rd & Loffler Rd	9.82	Swan Lagoon Rd & Coolgardie Esperance Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser Intersection Swan Lagoon Rd & Coolgardie Esperance Hwy : No access permitted to Coolgardie-Esperance Hwy or Swann Lagoon Rd from Hawkey Rd.
6040029	Henkes Rd	Henkes Rd	Esperance	0.00	Fisheries Rd	27.47	Henke Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040244	Heywood Rd	Heywood Rd	Esperance	0.00	Parmango Rd	24.02	4.54km From Coolinup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040446	Hill St	Hill St	Esperance	0.00	Simpson St	0.65	Harbour Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit A RAV must not be driven on this road in excess of 4.3m in height unless written approval is obtained from Horizon Power.
6040257	Hillermans Rd	Hillermans Rd	Esperance	0.00	Boydell Rd	6.03	Speddingup Rd West	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040116	Hills Rd	Hills Rd	Esperance	0.00	Quarry Rd	5.47	Lake Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040531	Hobby Rd	Hobby Rd	Esperance	0.00	Beete Rd	10.17	Quast Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040531	Hobby Rd	Hobby Rd	Esperance	10.23	Quast Rd	17.34	Holt Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040531	Hobby Rd	Hobby Rd	Esperance	17.39	Holt Rd	44.99	1.56 Km Past Circle Valley Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040062	Hockeys Rd	Hockeys Rd	Esperance	0.00	Browning Rd	6.69	Gibson - Dalyup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040536	Holt Rd	Holt Rd	Esperance	0.00	Coolgardie Esperance Hwy	16.57	Fagan Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
6040031	Howick Rd	Howick Rd	Esperance	0.00	Henkes Rd	14.61	Parmango Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040031	Howick Rd	Howick Rd	Esperance	14.62	Parmango Rd	32.89	Coolinup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040031	Howick Rd	Howick Rd	Esperance	32.94	Coolinup Rd	45.46	Mount Ney Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040110	Jacobs Rd	Jacobs Rd	Esperance	0.00	South Coast Hwy	2.65	Jacobs Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040021	Jims Oven Rd	Jims Oven Rd	Esperance	0.00	Merivale Rd	7.10	Fisheries Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040044	Jonegatup Rd	Jonegatup Rd	Esperance	0.00	Farmers Rd	13.20	Neds Corner Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040223	Karl Berg Rd	Karl Berg Rd	Esperance	0.00	Heywood Rd	23.01	Karl Berg Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040253	Kau Rock Rd	Kau Rock Rd	Esperance	0.00	Coolinup Rd	18.10	Kau Rock Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040247	Keenan Rd	Keenan Rd	Esperance	0.00	Collier Rd	3.54	2.00 Km Past Proudfoot Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040255	Kendall Rd	Kendall Rd	Esperance	0.00	Coolgardie Esperance Hwy	15.40	Kendall Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040053	Kent Rd	Kent Rd	Esperance	0.00	Tom Starcevich V.C. Rd	10.85	Styles Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040053	Kent Rd	Kent Rd	Esperance	10.86	Styles Rd	12.68	Kent Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040580	Kentmont Rd	Kentmont Rd	Esperance	0.00	Coolgardie Esperance Hwy	1.08	Kentmont Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6040030	Kettles Rd	Kettles Rd	Esperance	0.00	Coolup Rd	12.23	Ridgelands Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040030	Kettles Rd	Kettles Rd	Esperance	12.24	Ridgelands Rd	25.51	Muntz Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040092	Kirwan Rd	Kirwan Rd	Esperance	0.00	Merivale Rd	3.49	3.49km From Merivale Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040526	Kumarl Rd	Kumarl Rd	Esperance	0.00	Coolgardie Esperance Hwy	6.39	Burnside Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
6040256	Lagoon Rd	Lagoon Rd	Esperance	0.00	Kendall Rd	5.29	Lagoon Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040517	Lake King - Norseman Rd	Lake King - Norseman Rd	Esperance	0.00	Coolgardie Esperance Hwy	3.55	3.55km From Coolgardie Esperance Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040112	Lake Rd	Lake Rd	Esperance	0.00	Coolgardie Esperance Hwy	3.02	Lake Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040078	Lane Rd	Lane Rd	Esperance	0.00	Meyer Rd	12.19	Savage Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040078	Lane Rd	Lane Rd	Esperance	12.20	Savage Rd	17.76	Backmans Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040779	Liddelow Rd	Liddelow Rd	Esperance	0.00	McDonald Rd	0.07	Liddelow Rd - End Road	
6040254	Liebeck Rd	Liebeck Rd	Esperance	0.00	Scaddan Rd	7.67	Norwood Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040037	Loffler Rd	Loffler Rd	Esperance	0.00	Belgian Rd	12.75	Dalyup Rd & Hawkey Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040055	Logan Rd	Logan Rd	Esperance	0.00	Coolgardie Esperance Hwy	20.43	Styles Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040320	Logan St	Logan St	Esperance	0.00	Tom Starcevich V.C. Rd	0.47	Cbh Access Rd	
6040059	Loop Rd	Loop Rd	Esperance	0.00	Coomalbidgup Rd	12.10	Cascade Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040088	Lovers L	Lovers L	Esperance	0.00	Griffiths Rd	6.12	Grigg Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040544	Machen Rd	Machen Rd	Esperance	0.00	Osborne Rd & Coolgardie Esperance Hwy	16.40	4.15km From Doney Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040528	Magagnotti Rd	Magagnotti Rd	Esperance	0.00	Quast Rd & Coolgardie Esperance Hwy	12.20	Magagnotti Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040246	McCall Rd	McCall Rd	Esperance	0.00	White Rd & South Coast Hwy	8.52	McCall Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040538	McCrae Rd	McCrae Rd	Esperance	0.00	Hobby Rd	5.05	Fagan Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
6040764	McDonald Rd	McDonald Rd	Esperance	0.00	Flinders Cct	0.43	South Coast Hwy	
6040001	Merivale Rd	Merivale Rd	Esperance	0.00	Fisheries Rd	55.94	Orleans Bay Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
6040001	Merivale Rd	Merivale Rd	Esperance	55.96	Orleans Bay Rd	95.72	Tagon Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040001	Merivale Rd	Merivale Rd	Esperance	95.72	Tagon Rd	108.71	Grewar Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6040011	Meyer Rd	Meyer Rd	Esperance	0.00	Fisheries Rd	27.80	Howick Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040045	Mills Rd	Mills Rd	Esperance	2.18		10.35	Farmers Rd	

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040045	Mills Rd	Mills Rd	Esperance	10.35	Farmers Rd	25.11	Neds Corner Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040045	Mills Rd	Mills Rd	Esperance	25.15	Neds Corner Rd	37.40	Beltana Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040467	Mitten - Watson Rd	Mitten - Watson Rd	Esperance	0.00	Cascade Rd	0.29	0.29km From Cascade Rd	<ul style="list-style-type: none"> Maximum speed 40 km/h
6040016	Moonanup Rd	Moonanup Rd	Esperance	0.00	South Coast Hwy	6.30	Moonanup Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040565	Moore St	Moore St	Esperance	0.00	Nulsen St & Sunrise Hill Rd & Salmon Gums East Rd	0.25	Coolgardie Esperance Hwy	<ul style="list-style-type: none"> 10 km/h below posted speed limit
6040252	Morcombe Rd	Morcombe Rd	Esperance	0.00	Scaddan Rd	3.22	Kendall Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040250	Munglinup Beach Rd	Munglinup Beach Rd	Esperance	0.00	Springdale Rd	6.95	Munglinup Beach Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040028	Muntz Rd	Muntz Rd	Esperance	0.00	Fisheries Rd	10.08	Howick Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040028	Muntz Rd	Muntz Rd	Esperance	10.12	Howick Rd	46.17	Muntz Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040060	Murray Rd	Murray Rd	Esperance	0.00	Napier Rd & South Coast Hwy	14.65	End of Road	
6040019	Myrup Rd	Myrup Rd	Esperance	0.00	Lakeway Rd & Coolgardie Esperance Hwy	11.50	Fisheries Rd	

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040263	Napier Rd	Napier Rd	Esperance	0.00	South Coast Hwy & Murray Rd	4.86	Napier Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040043	Neds Corner Rd	Neds Corner Rd	Esperance	0.00	South Coast Hwy	32.98	Cascade Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040043	Neds Corner Rd	Neds Corner Rd	Esperance	33.22	Cascade Rd	59.73	Rollond Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040043	Neds Corner Rd	Neds Corner Rd	Esperance	59.74	Rollond Rd	71.66	1.855km After Pyramid Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040228	Norseman Rd	Norseman Rd	Esperance	0.00	Harbour Rd & Fisheries Rd & Norseman Rd	2.36	Dempster St & The Esplanade	<ul style="list-style-type: none"> 10 km/h below posted speed limit A RAV must not be driven on this road in excess of 4.3 metres in height unless written approval is obtained from Horizon Power
6040033	Norwood Rd	Norwood Rd	Esperance	0.00	Wittenoom Rd	12.38	Dempster Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040033	Norwood Rd	Norwood Rd	Esperance	12.45	Dempster Rd	21.50	Styles Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040033	Norwood Rd	Norwood Rd	Esperance	21.55	Styles Rd	33.41	Kendall Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040547	Old Kens Rd	Old Kens Rd	Esperance	0.00	Coolgardie Esperance Hwy	17.56	Old Kens Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040740	Old Shark Lake Rd	Old Shark Lake Rd	Esperance	0.00	Coolgardie Esperance Hwy	2.94	Shark Lake Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. 10 km/h below posted speed limit Intersection Shark Lake Rd : No exit permitted into Shark Lake Rd from Old Shark Lake Rd
6040067	Old Smokey Rd	Old Smokey Rd	Esperance	0.00	Fisheries Rd	10.22	Plowman Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040049	Oldfield Rd	Oldfield Rd	Esperance	0.00	River Rd	13.43	Mills Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040023	Orleans Bay Rd	Orleans Bay Rd	Esperance	0.00	Fisheries Rd	14.00	6.62km South East of Merivale Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
6040023	Orleans Bay Rd	Orleans Bay Rd	Esperance	14.00	5.37km From Wharton Rd	17.30	2.07km From Wharton Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6040545	Osborne Rd	Osborne Rd	Esperance	0.00	Coolgardie Esperance Hwy & Machen Rd	12.74	Hobby Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040027	Parmango Rd	Parmango Rd	Esperance	0.00	Fisheries Rd	33.96		

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040027	Parmango Rd	Parmango Rd	Esperance	33.96		79.37	13.64 Km South West of Deralinya Homestead Access Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040245	Paterson Rd	Paterson Rd	Esperance	0.00	Coolgardie Esperance Hwy	3.15	3.15km From Coolgardie Esperance Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040094	Phillips Rd	Phillips Rd	Esperance	0.00	Coolgardie Esperance Hwy	1.92	Phillips Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
6040220	Plowman Rd	Plowman Rd	Esperance	0.00	Dempster Rd	6.57	Wittenoom Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040220	Plowman Rd	Plowman Rd	Esperance	6.58	Wittenoom Rd	20.89	Backmans Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040056	Plunkett Rd	Plunkett Rd	Esperance	0.00	Logan Rd	12.07	Circle Valley Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040549	Poverty L	Poverty L	Esperance	0.00	Coolgardie Esperance Hwy	21.30	Poverty L - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
6040238	Quarry Rd	Quarry Rd	Esperance	0.00	Fisheries Rd	4.86	Myrup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040527	Quast Rd	Quast Rd	Esperance	0.00	Magagnotti Rd & Coolgardie Esperance Hwy	19.05	Quast Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040022	Rancho X Rd	Rancho X Rd	Esperance	0.00	Merivale Rd	7.72	Fisheries Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040032	Raszyk Rd	Raszyk Rd	Esperance	0.00	Coolgardie Esperance Hwy	4.75	Lovers L	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040032	Raszyk Rd	Raszyk Rd	Esperance	5.13	Lovers L	13.33	Dalyup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6040032	Raszyk Rd	Raszyk Rd	Esperance	13.35	Dalyup Rd	18.60	1.65km From End of Raszyk Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6040032	Raszyk Rd	Raszyk Rd	Esperance	18.60	1.65km From End of Raszyk Rd	18.62	1.65km From End of Raszyk Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6040087	Ratcliffs Rd	Ratcliffs Rd	Esperance	0.00	Circle Valley Rd	12.37	Plunkett Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040050	Rawlinson Rd	Rawlinson Rd	Esperance	0.00	Ravensthorpe LGA Boundary	16.29	Oldfield Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040051	Rhind Rd	Rhind Rd	Esperance	0.00	Coolgardie Esperance Hwy	5.05	Swan Lagoon Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040051	Rhind Rd	Rhind Rd	Esperance	5.07	Swan Lagoon Rd	9.69	Rhind Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040010	Ridgелands Rd	Ridgелands Rd	Esperance	0.00	Fisheries Rd	21.68	Howick Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040057	Ridley Rd	Ridley Rd	Esperance	0.00	Tom Starceвич V.C. Rd	17.04	Styles Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040057	Ridley Rd	Ridley Rd	Esperance	17.05	Styles Rd	24.42	Eucalypt Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040231	River Rd	River Rd	Esperance	0.00	Cascade Rd	29.83	Ravensthorpe LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040448	Roberts Rd	Roberts Rd	Esperance	0.00	Dalyup Rd	11.94	Cascade Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040416	Rogers St	Rogers St	Esperance	0.00	Hill St	0.41	Gilpin St	<ul style="list-style-type: none"> 10 km/h below posted speed limit
6040560	Rogers St	Rogers St	Esperance	0.00	Lewis St	0.35	Mann St	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040240	Rollond Rd	Rollond Rd	Esperance	0.00	Coolgardie Esperance Hwy	83.45	Cascade Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040541	Salmon Gums East Rd	Salmon Gums East Rd	Esperance	0.00	Nulsen St & Moore St & Sunrise Hill Rd	11.23	Hobby Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
6040541	Salmon Gums East Rd	Salmon Gums East Rd	Esperance	11.28	Hobby Rd	13.80	2.57 Km Past Hobby Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040542	Salmon Gums West Rd	Salmon Gums West Rd	Esperance	0.00	Coolgardie Esperance Hwy	19.79	Salmon Gums West Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040061	Sampson Rd	Sampson Rd	Esperance	0.00	Napier Rd	2.86	Gibson - Dalyup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040554	Sassella Rd	Sassella Rd	Esperance	0.00	Salmon Gums East Rd	3.68	Osborne Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040554	Sassella Rd	Sassella Rd	Esperance	3.73	Osborne Rd	13.89	Circle Valley Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040068	Savage Rd	Savage Rd	Esperance	0.00	Fisheries Rd	24.92	E.L.D. Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040025	Scaddan Rd	Scaddan Rd	Esperance	0.00	Coolgardie Esperance Hwy	39.03	Wittenoom Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040025	Scaddan Rd	Scaddan Rd	Esperance	39.04	Wittenoom Rd	52.94	Backmans Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040025	Scaddan Rd	Scaddan Rd	Esperance	52.95	Backmans Rd	58.42	Savage Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040025	Scaddan Rd	Scaddan Rd	Esperance	58.47	Savage Rd	65.22	Coolinup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040382	Scanlon St	Scanlon St	Esperance	0.00	Shelden Rd	0.41	Simpson St	<ul style="list-style-type: none"> 10 km/h below posted speed limit
6040232	Sears Rd	Sears Rd	Esperance	0.00	Farrells Rd & South Coast Hwy	8.59	Ashdale Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040085	Shao Lu Rd	Shao Lu Rd	Esperance	0.00	Fisheries Rd	10.13	7.11km From Orleans Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040005	Shark Lake Rd	Shark Lake Rd	Esperance	0.00	South Coast Hwy	8.60	Coolgardie Esperance Hwy	
6040235	Shearer Rd	Shearer Rd	Esperance	0.00	Parmango Rd	7.87	Muntz Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040144	Shelden Rd	Shelden Rd	Esperance	0.00	Norseman Rd	1.17	Harbour Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
6040378	Simpson St	Simpson St	Esperance	0.00	Gilpin St	1.14	Norseman Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040098	Sims Rd	Sims Rd	Esperance	0.00	Coolgardie Esperance Hwy	4.12	Sims Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040181	Sims St	Sims St	Esperance	1.19	190m After Symons St	2.78	Harbour Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
6040209	Sinclair St	Sinclair St	Esperance	0.00	Fisheries Rd	0.48	Sinclair Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
6040036	Speddingup Rd East	Speddingup Rd East	Esperance	0.00	Coolgardie Esperance Hwy	26.15	Dempster Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040035	Speddingup Rd West	Speddingup Rd West	Esperance	0.00	Coolgardie Esperance Hwy	27.15	Griffiths Rd & Belgian Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040105	Spratlings Rd	Spratlings Rd	Esperance	0.00	Rollond Rd	5.30	Spratling Rd - End Road	<ul style="list-style-type: none"> 10 km/h below posted speed limit
6040532	Spratt Rd	Spratt Rd	Esperance	0.00	Coolgardie Esperance Hwy	6.45	Burnside Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040449	Springdale Rd	Springdale Rd	Esperance	0.00	Ravensthorpe LGA Boundary	22.45	Torradup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040449	Springdale Rd	Springdale Rd	Esperance	22.45	Torradup Rd	22.60	Torradup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser No Operation between the hours of sunset and sunrise
6040449	Springdale Rd	Springdale Rd	Esperance	22.60	Torradup Rd	28.59	South Coast Hwy	<ul style="list-style-type: none"> No Operation between the hours of sunset and sunrise
6040553	Starcevich Rd	Starcevich Rd	Esperance	12.50	Hobby Rd	15.50	3 Km East From Hobby Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040218	Styles Rd	Styles Rd	Esperance	0.00	Logan Rd	39.02	Scaddan Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040540	Sunrise Hill Rd	Sunrise Hill Rd	Esperance	0.00	Nulsen St & Moore St & Salmon Gums East Rd	32.81	Davies Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040081	Swan Lagoon Rd	Swan Lagoon Rd	Esperance	0.00	Rollond Rd	8.75	Grass Patch Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040081	Swan Lagoon Rd	Swan Lagoon Rd	Esperance	8.76	Grass Patch Rd	25.05	Coolgardie Esperance Hwy & Hawkey Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser Intersection Coolgardie Esperance Hwy & Hawkey Rd : No access permitted to Hawkey Rd from Swan Lagoon Rd.
6040537	Swann Rd	Swann Rd	Esperance	0.00	Coolgardie Esperance Hwy	11.35	Hobby Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040537	Swann Rd	Swann Rd	Esperance	11.38	Hobby Rd	23.97	10m Before Ted Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040080	Syndicate Rd	Syndicate Rd	Esperance	0.00	Coolgardie Esperance Hwy	6.33	Swan Lagoon Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040109	Tagon Rd	Tagon Rd	Esperance	0.00	Fisheries Rd	5.62	Merivale Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040539	Ted Rd	Ted Rd	Esperance	0.00	Swann Rd	7.55	Sunrise Hill Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040111	Telegraph Rd	Telegraph Rd	Esperance	0.00	South Coast Hwy	15.57	4.93 Km Past Bates Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040038	Thomas Rd	Thomas Rd	Esperance	0.00	Coolgardie Esperance Hwy	10.59	Dalyup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040102	Tom Starcevich V.C. Rd	Tom Starcevich V.C. Rd	Esperance	0.00	Coolgardie Esperance Hwy	16.92	Logan Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040715	Torradup Rd	Torradup Rd	Esperance	0.00	Springdale Rd	0.15	150m From Springdale Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040104	Townsend Rd	Townsend Rd	Esperance	0.00	Rollond Rd	3.55	Cooper Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6040093	Truslove Rd	Truslove Rd	Esperance	0.00	Coolgardie Esperance Hwy	9.95	Cox Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040095	Turner Rd	Turner Rd	Esperance	0.00	Truslove Rd	2.24	Brown Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040020	Tyrrell Rd	Tyrrell Rd	Esperance	0.00	Merivale Rd	9.06	Fisheries Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040040	Well Rd	Well Rd	Esperance	0.00	Coomalbidgup Rd & South Coast Hwy	3.80	Well Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040222	West Point Rd	West Point Rd	Esperance	0.00	Cascade Rd	10.10	Ravensthorpe LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040064	White Rd	White Rd	Esperance	0.00	South Coast Hwy & McCall Rd	5.01	Last Farm Gate (Bangalla Farm)	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040054	Williams Rd	Williams Rd	Esperance	0.00	Rollond Rd	7.90	Grass Patch Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040054	Williams Rd	Williams Rd	Esperance	7.91	Grass Patch Rd	26.50	Loffler Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040006	Wittenoom Rd	Wittenoom Rd	Esperance	0.00	Dempster Rd	16.08	Scaddan Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
6040006	Wittenoom Rd	Wittenoom Rd	Esperance	16.08	Scaddan Rd	32.71	Burdett Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040379	Woods St	Woods St	Esperance	0.00	Shelden Rd	0.60	Simpson St	<ul style="list-style-type: none"> 10 km/h below posted speed limit

Tandem Drive Network 2.1



Esperance

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6040492	Wright Rd	Wright Rd	Esperance	0.00	Telegraph Rd	1.51	Teale Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040227	Yates Rd	Yates Rd	Esperance	0.00	Scaddan Rd	4.33	Speddingup Rd East	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040227	Yates Rd	Yates Rd	Esperance	4.34	Speddingup Rd East	10.90	Fleming Grove Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
6040091	Yerritup Rd	Yerritup Rd	Esperance	0.00	Neds Corner Rd	12.80	Beltana Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser
604Z010	Unknown Rd	Unknown Rd	Esperance	0.00	Hill St	0.33	Unknown Rd - End Road	

Tandem Drive Network 2.1



Exmouth

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
8060154	Ingram St	Ingram St	Exmouth	0.00	Minilya Exmouth Rd	0.24	For 0.24km From Minilya Exmouth Rd to No. 23 Ingram St	
8060069	Maley St	Maley St	Exmouth	0.00	Reid St	0.52	Murat Rd	
8060057	Mortiss St	Mortiss St	Exmouth	0.00	Murat Rd	0.54	Crevalle Wy & Neale Cove	
8060066	Murat Rd	Murat Rd	Exmouth	0.00	Preston St & Minilya Exmouth Rd	21.00	Point Murat Access South & Point Murat Access North	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
8060172	Neale Cove	Neale Cove	Exmouth	0.00	Mortiss St & Crevalle Wy	0.41	Fuel Tank Rd	
8060027	Pellew St	Pellew St	Exmouth	0.00	Murat Rd	0.48	Carter Rd	
8060064	Reid St	Reid St	Exmouth	1.21	Welch St	1.60	Murat Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
8060041	Welch St	Welch St	Exmouth	0.27	Reid St	0.96	Welch St - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
8060038	Yardie Creek Rd	Yardie Creek Rd	Exmouth	0.00	Murat Rd	76.11	Ningaloo - Yardie - Creek Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Fremantle (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1180156	Adams St	Adams St	Fremantle (C)	0.00	Peel Rd	0.24	Bellamy St	
1180384	Barker St	Barker St	Fremantle (C)	0.00	Bracks St	0.08	Barker St - End Road	
1180108	Bellamy St	Bellamy St	Fremantle (C)	0.00	Ladner St	0.39	Bowen St & Weatherburn Wy	
1180334	Blamey Pl	Blamey Pl	Fremantle (C)	0.00	Forsyth St	0.22	Blamey Pl - End Road	
1180305	Bowen St	Bowen St	Fremantle (C)	0.00	Bellamy St & Weatherburn Wy	0.64	Garling St & Garling St Sthn Cway	
1180062	Bracks St	Bracks St	Fremantle (C)	0.00	Tydemans Rd	0.65	Walter Pl	
1180403	Brockman Pl	Brockman Pl	Fremantle (C)	0.00	Hampton Rd	0.14	For 0.14km From Hampton Rd	<ul style="list-style-type: none"> No Operation All Year between 6:00 PM and 6:00 AM Intersection Hampton Rd : No left turn permitted into Hampton Rd from Brockman Pl
1180437	Brolo Ct	Brolo Ct	Fremantle (C)	0.00	Stockdale Rd	0.11	Brolo Ct Head	
1180482	Brolo Ct Head	Brolo Ct Head	Fremantle (C)	0.00	Brolo Ct Head - Start Road	0.13	Brolo Ct Head - End Road	
1180004	Carrington St	Carrington St	Fremantle (C)	0.38	Leach Hwy & Carrington St & High St	1.39	Clarke St	
1180066	Chamberlain St	Chamberlain St	Fremantle (C)	0.00	Peel Rd	0.33	South St	
1180076	Clontarf Rd	Clontarf Rd	Fremantle (C)	0.00	Hampton Rd	0.12	Newmarket St	<ul style="list-style-type: none"> No Operation All Year between 6:00 PM and 6:00 AM
1180119	Flindell St	Flindell St	Fremantle (C)	0.00	Ladner St	0.34	Keegan St	
1180060	Forsyth St	Forsyth St	Fremantle (C)	0.00	Sainsbury Rd	1.32	Carrington St	
1180059	Garling St Sthn Cway	Garling St Sthn Cway	Fremantle (C)	0.00	Stockdale Rd & Garling St & Stock Rd	0.91	Garling St & Bowen St	<ul style="list-style-type: none"> Intersection Stockdale Rd & Garling St & Stock Rd : No left turn permitted into Melville Mandurah Hwy (Stock Rd) from Garling St
1180005	Hampton Rd	Hampton Rd	Fremantle (C)	0.00	Rockingham Rd & Cockburn Rd	0.37	Culver St	<ul style="list-style-type: none"> No Operation All Year between 6:00 PM and 6:00 AM Intersection Brockman Pl : No Entry To Brockman Pl
1180065	Hines Rd	Hines Rd	Fremantle (C)	0.42	South St	1.35	Sainsbury Rd	
1180141	Irene St	Irene St	Fremantle (C)	0.00	Bracks St	0.11	Irene St - End Road	
1180099	Jones St	Jones St	Fremantle (C)	0.00	Peel Rd & Stockdale Rd	0.46	Forsyth St	
1180096	Keegan St	Keegan St	Fremantle (C)	0.00	Roper St	0.61	Garling St & Garling St Sthn Cway	<ul style="list-style-type: none"> Intersection Garling St & Garling St Sthn Cway : No right turn permitted into Garling St from Keegan St
1180081	Ladner St	Ladner St	Fremantle (C)	0.00	Garling St & Garling St Sthn Cway	0.94	South St	<ul style="list-style-type: none"> Intersection Garling St & Garling St Sthn Cway : No right turn permitted into Garling St from Ladner St
1180374	McNeece Pl	McNeece Pl	Fremantle (C)	0.00	Peel Rd	0.12	McNeece Pl - End Road	
1180431	Milson Pl	Milson Pl	Fremantle (C)	0.00	Jones St & Mooney Pl	0.31	Milson Pl - End Road	
1180373	Mooney Pl	Mooney Pl	Fremantle (C)	0.00	Jones St & Milson Pl	0.14	Mooney Pl - End Road	
1180128	Murphy St	Murphy St	Fremantle (C)	0.00	Jones St	0.29	Hines Rd	
1180259	Naylor St	Naylor St	Fremantle (C)	0.00	Strang St	0.25	Clontarf Rd	<ul style="list-style-type: none"> No Operation All Year between 6:00 PM and 6:00 AM
1180064	Peel Rd	Peel Rd	Fremantle (C)	0.00	Jones St & Stockdale Rd	1.41	Bowen St	
1180113	Pritchard St	Pritchard St	Fremantle (C)	0.00	Rees St	0.22	South St	
1180112	Rawlinson St	Rawlinson St	Fremantle (C)	0.00	Bowen St	0.35	Ladner St	

Tandem Drive Network 2.1



Fremantle (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1180115	Rees St	Rees St	Fremantle (C)	0.00	Chamberlain St	0.18	Pritchard St	
1180180	Roper St	Roper St	Fremantle (C)	0.00	Ladner St	0.37	Keegan St	
1180078	Sainsbury Rd	Sainsbury Rd	Fremantle (C)	0.00	Carrington St	1.32	Stock Rd	
1180398	Sleeman Cl	Sleeman Cl	Fremantle (C)	0.00	Adams St	0.09	Sleeman Ct - End Road	
1180028	Stockdale Rd	Stockdale Rd	Fremantle (C)	0.00	Garling St & Stock Rd & Garling St Sthn Cway	0.97	South St	
1180307	Strang St	Strang St	Fremantle (C)	0.00	Strang Ct	0.38	Strang St - End Road	• No Operation All Year between 6:00 PM and 6:00 AM
1180258	Yarrick St	Yarrick St	Fremantle (C)	0.00	Roper St	0.22	South St	
1180394	Zeta Cr	Zeta Cr	Fremantle (C)	0.00	Forsyth St	0.41	Hines Rd	
118Z044	Bayly St (Fpa)	Bayly St (Fpa)	Fremantle (C)	0.00	Tydeman Rd	0.10	Bayly St - End Road	
118Z049	Birksgate Rd	Birksgate Rd	Fremantle (C)	0.00	Rous Head Rd	0.61	Birksgate Rd (Fpa) - End Road	
118Z038	Kooringa Pl	Kooringa Pl	Fremantle (C)	0.00	Port Beach Rd (Fpa)	0.18	Unnamed Rd	
118Z036	Manoora Cl	Manoora Cl	Fremantle (C)	0.00	Noble Cl & Port Beach Rd (Fpa)	0.24	Manoora Cl - End Road	
118Z047	Napier Rd	Napier Rd	Fremantle (C)	0.00	Tydeman Rd	0.23	Swan St	
118Z037	Noble Cl	Noble Cl	Fremantle (C)	0.00	Port Beach Rd (Fpa) & Manoora Cl	0.18	Noble Cl - End Road	
118Z026	North Quay Access (Fpa) [Berths 3 & 4]	North Quay Access (Fpa) [Berths 3 & 4]	Fremantle (C)	0.00	Rudderham Dr	0.09	Entry Gate [Berths 3 & 4]	
118Z008	Patrick's Access (Fpa)	Patrick's Access (Fpa)	Fremantle (C)	0.00	Napier Rd	0.28	Patrick's Access (Fpa) - Entry Gate	
118Z040	Port Beach Rd (Fpa)	Port Beach Rd (Fpa)	Fremantle (C)	0.00	Rudderham Dr	1.10	Port Beach Rd	
118Z050	Rous Head Rd	Rous Head Rd	Fremantle (C)	0.00	Rous Head Rd (Fpa) & Emma Pl (Fpa)	0.90	Port Beach Rd (Fpa)	
118Z042	Rous Head Rd Svc (Fpa)	Rous Head Rd Svc (Fpa)	Fremantle (C)	0.00	Rous Head Rd	0.21	Rous Head Rd Svc (Fpa) - End Road	
118Z043	Rous Head Rd Svc Slip (Fpa)	Rous Head Rd Svc Slip (Fpa)	Fremantle (C)	0.00	Rous Head Rd	0.05	Rous Head Rd Svc (Fpa)	
118Z051	Rudderham Dr	Rudderham Dr	Fremantle (C)	0.00	Birksgate Rd	0.72	Rudderham Dr (Fpa) - End Road	
118Z052	Sultan Wy	Sultan Wy	Fremantle (C)	0.00	Rous Head Rd	0.60	Rous Head Rd	
118Z056	Swan St	Swan St	Fremantle (C)	0.00	Napier Rd	0.37	Swan St - End Road	

Tandem Drive Network 2.1



Gingin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5070014	Airfield Rd	Airfield Rd	Gingin	0.00	Brand Hwy	4.93	Duffy Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5070032	Aurisch Rd	Aurisch Rd	Gingin	0.00	Brand Hwy	1.86	1.86km From Brand Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5070004	Beermullah Rd West	Beermullah Rd West	Gingin	19.81	1.43km From Cowalla Rd	21.24	Greenwood Rd & Cowalla Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
5070060	Caraban Rd	Caraban Rd	Gingin	0.00	Indian Ocean Dr	6.24	Barragoon Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
5070064	Chitna Rd	Chitna Rd	Gingin	0.00	Military Rd	10.30	Gingin Brook Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Military Rd : No left turn permitted into Military Rd from Chitna Rd
5070213	Cockram Rd	Cockram Rd	Gingin	0.00	Brand Hwy	0.46	Creighton Rd	
5070213	Cockram Rd	Cockram Rd	Gingin	0.46	Creighton Rd	3.37	0.43km From Lennards Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
5070213	Cockram Rd	Cockram Rd	Gingin	5.39	Honeycomb Rd & Mooliabeenee Rd	6.16	New St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Gingin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5070003	Cowalla Rd	Cowalla Rd	Gingin	0.00	Gingin Brook Rd	29.99	Orange Springs Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5070003	Cowalla Rd	Cowalla Rd	Gingin	29.99	Orange Springs Rd	36.49	Mimegarra Rd & Sappers Rd	
5070017	Creighton Rd	Creighton Rd	Gingin	0.00	Cockram Rd	1.00	1km From Cockram Rd (Rocla Pit Entrance)	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Cockram Rd to Rocla Pit entrance only. Ensure road is clear before turning from Cockram Rd. Utilise stopping bay to pass
5070039	Cullalla Rd	Cullalla Rd	Gingin	0.00	Cullalla Rd & Ashworth Rd	15.50	Wannamal Rd South	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h
5070212	Dewar Rd	Dewar Rd	Gingin	0.00	Weld St & Brockman St	3.15	Brand Hwy	
5070241	Douglas Rd	Douglas Rd	Gingin	0.00	Brand Hwy	1.23	For 1.23km From Brand Hwy to Farm Access	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. A RAV must not be driven on this road in excess of 4.3 metres in height unless written approval is obtained and must be carried from the relevant cable provider.
5070161	Duffy Rd	Duffy Rd	Gingin	0.00	Airfield Rd	2.00	1.7km From Itchy Swamp Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Gingin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5070047	Ferguson Rd	Ferguson Rd	Gingin	0.00	Gingin Brook Rd	1.80	1.67km From Jocks Av	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5070035	Fynes Rd	Fynes Rd	Gingin	0.00	Red Gully Rd	3.70	3.70km From Red Gully Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5070035	Fynes Rd	Fynes Rd	Gingin	8.96		10.86	Mogumber Rd West	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5070002	Gingin Brook Rd	Gingin Brook Rd	Gingin	0.00	Brand Hwy	29.15	Indian Ocean Dr	
5070370	Glenrowan Rd	Glenrowan Rd	Gingin	0.00	Indian Ocean Dr	1.33	1.33km From Indian Ocean Dr	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
5070009	Guilderton Rd	Guilderton Rd	Gingin	0.00	Indian Ocean Dr	1.60	1.6km From Indian Ocean Dr	

Tandem Drive Network 2.1



Gingin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5070214	Honeycomb Rd	Honeycomb Rd	Gingin	0.00	Mooliabeenee Rd & Cockram Rd	2.12	Brand Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5070008	K.W. Rd	K.W. Rd	Gingin	0.00	Sappers Rd	6.75	Indian Ocean Dr	
5070249	Kendall Rd	Kendall Rd	Gingin	0.00	Walker Av & Lancelin Rd	0.52	Mullins Wy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
5070109	King St	King St	Gingin	0.00	Walker Av & Lancelin Rd	0.13	Cockram St	
5070417	Lancelin Rd	Lancelin Rd	Gingin	0.00	Indian Ocean Dr	4.34	Walker Av	
5070036	Marri Heights Rd	Marri Heights Rd	Gingin	0.00	Brand Hwy	3.93	3.93km From Brand Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5070042	Military Rd	Military Rd	Gingin	2.67	Chitna Rd	14.79	Indian Ocean Dr	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Chitna Rd : No access permitted into Chitna Rd from Military Rd
5070011	Mogumber Rd West	Mogumber Rd West	Gingin	0.00	Brand Hwy	24.95	Mogumber West Rd & Clarke Rd	

Tandem Drive Network 2.1



Gingin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5070001	Mooliabeenee Rd	Mooliabeenee Rd	Gingin	0.00	Chittering LGA Boundary	11.42	Honeycomb Rd & Cockram Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5070022	Nilgen Rd	Nilgen Rd	Gingin	0.00	Sappers Rd	13.16	Dingo Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5070066	Old Ledge Point Rd	Old Ledge Point Rd	Gingin	0.00	Lancelin Rd	3.00	For 3.00km From Lancelin Rd to Lime Pit Access Rd	
5070006	Orange Springs Rd	Orange Springs Rd	Gingin	0.00	Brand Hwy	17.86	Cowalla Rd	
5070005	Red Gully Rd	Red Gully Rd	Gingin	0.00	Brand Hwy	6.30	Fynes Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5070292	Sandalwood Rd	Sandalwood Rd	Gingin	0.00	Tuart Rise	1.67	Sandalwood Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
5070007	Sappers Rd	Sappers Rd	Gingin	0.00	Mimegarra Rd & Cowalla Rd	13.00	Nilgen Rd	
5070289	Tuart Rise	Tuart Rise	Gingin	0.00	Indian Ocean Dr	0.16	Sandalwood Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5070418	Walker Av	Walker Av	Gingin	0.00	Lancelin Rd	2.02	King St	

Tandem Drive Network 2.1



Gingin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5070038	Wannamal Rd South	Wannamal Rd South	Gingin	0.00	Wannamal Rd West	8.00	8km From Wannamal Rd West	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5070012	Wannamal Rd West	Wannamal Rd West	Gingin	0.00	Brand Hwy	13.00	4.85km From Clewleys Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
5070012	Wannamal Rd West	Wannamal Rd West	Gingin	13.00	4.85km From Clewleys Rd	25.69	Wannamal West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.

Tandem Drive Network 2.1



Gnowangerup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3070135	Allardyce St	Allardyce St	Gnowangerup	0.00	Hinkley Rd	0.63	Garnett Rd & Whitehead Rd	<ul style="list-style-type: none"> Maximum speed 40 km/h Intersection McDonald St : No left turn permitted into McDonald St (northbound) from Allardyce St (eastbound) Intersection Yougenup Rd : No left turn permitted into Broomehill Jerramungup Rd from Allardyce St
3070062	Araluen Rd	Araluen Rd	Gnowangerup	0.00	Gnowangerup Jerramungup Rd	13.20	Coromup Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070020	Aylmore St	Aylmore St	Gnowangerup	0.51	Corbett St	0.62	Hughes St	
3070018	Bell St	Bell St	Gnowangerup	0.38	Glengarry Rd	1.00	Walsh St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3070146	Borden - Bremer Bay Rd	Borden - Bremer Bay Rd	Gnowangerup	0.00	Chester Pass Rd	39.72	Monjebup Rd & Borden Boxwood Hill Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070005	Boxwood Hill - Ongerup Rd	Boxwood Hill - Ongerup Rd	Gnowangerup	0.00	Boxwood Hill - Ongerup Rd & Corackerup Rd	35.20	Buncle St	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Buncle St : No left turn permitted from Boxwood Hill - Ongerup Rd into Buncle St
3070005	Boxwood Hill - Ongerup Rd	Boxwood Hill - Ongerup Rd	Gnowangerup	35.20	Buncle St	35.33	Walker St & Eldridge St	
3070067	Bridgeman Rd	Bridgeman Rd	Gnowangerup	0.00	Bridgeman Rd - Start Road	6.55	Foster Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070044	Buncle St	Buncle St	Gnowangerup	0.00	Boxwood Hill - Ongerup Rd	0.66	Buncle St - End Road	<ul style="list-style-type: none"> Intersection Boxwood Hill - Ongerup Rd : No left turn permitted from Buncle St into Buncle St Heading West
3070087	Camballup Rd	Camballup Rd	Gnowangerup	0.00	Gnowangerup - Tambellup Rd	9.18	Gnowangerup - Tambellup Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070007	Chillinup Rd	Chillinup Rd	Gnowangerup	0.00	Borden Boxwood Hill Rd	2.85	Albany (C) LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070079	Clear Hills Rd	Clear Hills Rd	Gnowangerup	0.00	Soldiers Rd	8.10	Martinup Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Gnowangerup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3070040	Corackerup Rd	Corackerup Rd	Gnowangerup	0.00	Gnowangerup Jerramungup Rd	16.49	Cowalellup Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3070019	Corbett St	Corbett St	Gnowangerup	0.19	Searle St	1.06	Richardson St	<ul style="list-style-type: none"> Maximum speed 40 km/h
3070063	Coromup Rd	Coromup Rd	Gnowangerup	0.00	Gnowangerup Jerramungup Rd	11.21	Old Ongerup Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070105	Cowalellup Rd	Cowalellup Rd	Gnowangerup	0.00	Cowalellup Rd & Corackerup Rd	9.10	Boxwood Hill - Ongerup Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070073	Cowcher Rd	Cowcher Rd	Gnowangerup	0.00	Rabbit Proof Fence Rd	3.16	Kent LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070089	Dawson Rd	Dawson Rd	Gnowangerup	0.00	Formby Rd South & Highdenup Rd	1.19	Dawson Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3070075	Day Rd	Day Rd	Gnowangerup	0.00	Park Rd	4.33	Rabbit Proof Fence Rd & Douglas Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070095	Dejagers Rd	Dejagers Rd	Gnowangerup	0.00	North Stirling Rd	8.84	Salt River Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070123	Dooleys Rd	Dooleys Rd	Gnowangerup	0.00	Jackitup Rd North	5.47	Moore's Dam Rd & Freegards Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070132	Douglas Rd	Douglas Rd	Gnowangerup	0.00	Rabbit Proof Fence Rd & Day Rd	3.00	Douglas Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070051	Eastwood North Rd	Eastwood North Rd	Gnowangerup	0.00	Mortvale Rd & Scotchman Rd	5.51	Tieline Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070053	Eastwood Rd	Eastwood Rd	Gnowangerup	0.00	Tieline Rd	6.79	Jackitup Rd West	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070035	Eldridge St	Eldridge St	Gnowangerup	0.00	Gnowangerup Jerramungup Rd	0.68	Boxwood Hill - Ongerup Rd & Walker St	

Tandem Drive Network 2.1



Gnowangerup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3070068	Foster Rd	Foster Rd	Gnowangerup	0.00	Tieline Rd	19.36	Ongerup - Pingrup Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070058	Freegards Rd	Freegards Rd	Gnowangerup	0.00	Dooleys Rd & Moores Dam Rd	0.97	Freegards Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070008	Garnett Rd	Garnett Rd	Gnowangerup	0.00	Allardyce St & Whitehead Rd	1.20	Walsh St & Soldiers Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070072	Gleeson Rd	Gleeson Rd	Gnowangerup	0.00	Rabbit Proof Fence Rd	15.48	Gnowangerup Jerramungup Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070112	Glenelg Rd	Glenelg Rd	Gnowangerup	0.00	Sandalwood Rd	1.35	Glenelg Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070086	Glengarry Rd	Glengarry Rd	Gnowangerup	0.00	Camballup Rd	0.80	Glengarry Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070125	Glengarry Rd	Glengarry Rd	Gnowangerup	0.00	Hughes St	0.81	Walsh St & Gnowangerup - Tambellup Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
3070145	Gnowangerup - Tambellup Rd	Gnowangerup - Tambellup Rd	Gnowangerup	0.00	Walsh St & Glengarry Rd	12.76	Broomehill - Tambellup LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070006	Gnowellen Rd	Gnowellen Rd	Gnowangerup	0.00	Albany (C) LGA Boundary	4.58		
3070006	Gnowellen Rd	Gnowellen Rd	Gnowangerup	4.58		6.94	Sandalwood Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070113	Greaves Hill Rd	Greaves Hill Rd	Gnowangerup	0.00	Borden - Bremer Bay Rd	2.85	Greaves Hill Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070069	Grimster Rd	Grimster Rd	Gnowangerup	0.00	Ongerup - Pingrup Rd	3.86	Grimster Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070099	Gully Rd	Gully Rd	Gnowangerup	0.00	Salt River Rd	0.75	Gully Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070111	H Smith Rd	H Smith Rd	Gnowangerup	0.00	Smith Rd	2.75	H Smith Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070065	Hart Rd	Hart Rd	Gnowangerup	0.00	Gnowangerup Jerramungup Rd	10.85	Oneill Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070091	Highdenup Rd	Highdenup Rd	Gnowangerup	0.00	Formby Rd South & Dawson Rd	11.00	11km South - East From Formby South	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Gnowangerup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3070091	Highdenup Rd	Highdenup Rd	Gnowangerup	11.00	11 km South - East From Formby South	16.40	New Country Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3070091	Highdenup Rd	Highdenup Rd	Gnowangerup	16.40	New Country Rd	17.55	Magitup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3070012	Hinkley Rd	Hinkley Rd	Gnowangerup	0.00	Allardyce St	27.48	Mindarabin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070096	Hobbs Rd	Hobbs Rd	Gnowangerup	0.00	Salt River Rd	4.09	Hobbs Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070104	Holden Rd	Holden Rd	Gnowangerup	0.00	Boxwood Hill - Ongerup Rd	12.11	Jerramungup LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070076	Hughes St	Hughes St	Gnowangerup	0.00	Aylmore St	0.34	Glengarry Rd	<ul style="list-style-type: none"> Maximum speed 50 km/h
3070107	Ireland Rd	Ireland Rd	Gnowangerup	0.00	Unknown Rd & Chester Pass Rd	2.00	Ireland Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070011	Jackitup Rd	Jackitup Rd	Gnowangerup	0.00	Kwobrup Rd	16.20	Hinkley Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070009	Jackitup Rd North	Jackitup Rd North	Gnowangerup	0.00	Jackitup Rd West	8.00	Tieline Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070054	Jackitup Rd West	Jackitup Rd West	Gnowangerup	0.00	Broomehill Gnowangerup Rd	9.48	Jackitup Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070061	Jam Rd	Jam Rd	Gnowangerup	0.00	Old Ongerup Rd	2.64	Jam Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Gnowangerup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3070114	Jamvale Rd	Jamvale Rd	Gnowangerup	0.00	Greaves Hill Rd	2.04	Borden - Bremer Bay Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070060	Jones Rd	Jones Rd	Gnowangerup	0.00	Hinkley Rd	4.51	Moores Dam Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070090	Kelly Rd	Kelly Rd	Gnowangerup	0.00	Formby Rd South	4.67	Kelly Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070001	Kwobrup Rd	Kwobrup Rd	Gnowangerup	0.00	Yougenup Rd	12.72	Tieline Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070055	Kwobrup Rd	Kwobrup Rd	Gnowangerup	0.00	Tieline Rd	3.66	Gnowangerup - Kwobrup Rd & North Boundary Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070088	Kybelup Rd	Kybelup Rd	Gnowangerup	0.00	Formby Rd South	6.44	Carr Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070049	Laurier Rd	Laurier Rd	Gnowangerup	0.00	Chester Pass Rd	8.88	Laurier Rd South	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070101	Laurier Rd South	Laurier Rd South	Gnowangerup	0.00	Laurier Rd	14.95	Borden - Bremer Bay Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070014	Magitup Rd	Magitup Rd	Gnowangerup	0.00	Chester Pass Rd	16.36	Chester Pass Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070119	Magners Rd	Magners Rd	Gnowangerup	0.00	Oneill Rd	5.53	Gnowangerup Jerramungup Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070092	Maileep Rd	Maileep Rd	Gnowangerup	0.00	Magitup Rd	11.74	Gnowangerup Jerramungup Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070081	Martinup Rd	Martinup Rd	Gnowangerup	0.00	Clear Hills Rd & Martinup Rd	5.90	Broomehill - Tambellup LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3070130	McDonald Rd	McDonald Rd	Gnowangerup	0.00	Jackitup Rd	0.94	McDonald Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070022	McDonald St	McDonald St	Gnowangerup	0.75	Allardyce St	0.95	Searle St	
3070013	Mindarabin Rd	Mindarabin Rd	Gnowangerup	0.00	Old Ongerup Rd	16.77	Kent LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070046	Moir St	Moir St	Gnowangerup	0.00	Chester Pass Rd	0.25	John St	<ul style="list-style-type: none"> Operations permitted to the CBH grain bin access road only.
3070131	Moores Dam Rd	Moores Dam Rd	Gnowangerup	0.00	Stutley Rd & Jackitup Rd	14.32	Parker Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Gnowangerup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3070109	Mungerup Rd South	Mungerup Rd South	Gnowangerup	0.00	Borden - Bremer Bay Rd	2.92	O Meehans Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070093	New Country Rd	New Country Rd	Gnowangerup	0.00	Formby Rd South	10.23	Highdenup Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070100	Nightwell Rd	Nightwell Rd	Gnowangerup	0.00	Toompup Rd South	30.22	Chester Pass Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070121	Nightwell Rd South	Nightwell Rd South	Gnowangerup	0.00	Borden - Bremer Bay Rd	9.82	Nightwell Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070052	North Boundary Rd	North Boundary Rd	Gnowangerup	0.00	Kwobrup Rd & Gnowangerup - Kwobrup Rd	5.08	Eastwood North Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070015	North Stirling Rd	North Stirling Rd	Gnowangerup	0.00	Chester Pass Rd	21.49	Broomehill - Tambellup LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070115	O Meehans Rd	O Meehans Rd	Gnowangerup	0.00	Chester Pass Rd	16.34	Sandalwood Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070120	Oakdale Rd	Oakdale Rd	Gnowangerup	0.00	Toompup Rd South	4.84	Boxwood Hill - Ongerup Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070010	Old Ongerup Rd	Old Ongerup Rd	Gnowangerup	0.00	Gnowangerup Jerramungup Rd	25.47	Chester Pass Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070066	Oneill Rd	Oneill Rd	Gnowangerup	0.00	Chester Pass Rd	18.61	P Jones Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070002	Ongerup - Pingrup Rd	Ongerup - Pingrup Rd	Gnowangerup	0.00	Gnowangerup Jerramungup Rd	20.35	Kent LGA Boundary	<ul style="list-style-type: none"> Maximum speed 80 km/h
3070071	P Jones Rd	P Jones Rd	Gnowangerup	0.00	Oneill Rd	12.36	Rabbit Proof Fence Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070124	Pallinup Rd	Pallinup Rd	Gnowangerup	0.00	Gnowangerup - Tambellup Rd	2.29	Broomehill - Tambellup LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Railway crossing is not permitted to be crossed from either direction.
3070070	Park Rd	Park Rd	Gnowangerup	0.00	Jerramungup LGA Boundary	21.63	Ongerup - Pingrup Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070056	Parker Rd	Parker Rd	Gnowangerup	0.00	Tieline Rd	12.04	Humphries Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Gnowangerup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3070057	Peerup Rd	Peerup Rd	Gnowangerup	0.00	Old Ongerup Rd	2.88	Chester Pass Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070057	Peerup Rd	Peerup Rd	Gnowangerup	2.93	Chester Pass Rd	13.44	Gnowangerup Jerramungup Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070102	Pendalup Rd	Pendalup Rd	Gnowangerup	0.00	Toompup Rd South	9.42	Boxwood Hill - Ongerup Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070103	Pinnacle Rd	Pinnacle Rd	Gnowangerup	0.00	Toompup Rd South	5.53	Boxwood Hill - Ongerup Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070074	Rabbit Proof Fence Rd	Rabbit Proof Fence Rd	Gnowangerup	0.00	South Fence Rd	17.54	Yates Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070074	Rabbit Proof Fence Rd	Rabbit Proof Fence Rd	Gnowangerup	17.54	Yates Rd	19.82	Jerramungup LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3070027	Richardson St	Richardson St	Gnowangerup	0.00	Corbett St	0.26	Strathaven Rd	<ul style="list-style-type: none"> Maximum speed 40 km/h
3070064	Routs Rd	Routs Rd	Gnowangerup	0.00	Chester Pass Rd	3.08	Routs Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070016	Salt River Rd	Salt River Rd	Gnowangerup	0.00	Cranbrook LGA Boundary	8.50	Formby Rd South	
3070016	Salt River Rd	Salt River Rd	Gnowangerup	8.51	Formby Rd South	20.73	Chester Pass Rd & Smith Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070110	Sandalwood Rd	Sandalwood Rd	Gnowangerup	0.00	Chester Pass Rd	28.36	Borden - Bremer Bay Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070134	Schmedje Rd	Schmedje Rd	Gnowangerup	0.00	Oakdale Rd	3.40	Schmedje Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070024	Searle St	Searle St	Gnowangerup	0.00	McDonald St	0.13	Yougenup Rd	<ul style="list-style-type: none"> No left turn permitted into Broomehill Jerramungup (eastbound) from Searle St (southbound)
3070024	Searle St	Searle St	Gnowangerup	0.13	Yougenup Rd	0.41	Corbett St	<ul style="list-style-type: none"> Maximum speed 40 km/h Intersection Yougenup Rd : No left turn permitted into Broomehill Jerramungup (eastbound) from Searle St (southbound)
3070050	Shepherdson Rd	Shepherdson Rd	Gnowangerup	0.00	Gnowangerup Jerramungup Rd	1.79	Shepherdson Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070094	Six Mile Rd	Six Mile Rd	Gnowangerup	0.00	Magitup Rd	7.80	North Stirling Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070118	Smith Rd	Smith Rd	Gnowangerup	0.00	Sandalwood Rd	3.53	Salt River Rd & Chester Pass Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Gnowangerup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3070139	Soldiers Rd	Soldiers Rd	Gnowangerup	0.00	Walsh St & Garnett Rd	14.70	Martinup Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070122	Stewarts Rd	Stewarts Rd	Gnowangerup	0.00	Gnowangerup Jerramungup Rd	5.42	Holden Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070017	Strathaven Rd	Strathaven Rd	Gnowangerup	0.00	Gnowangerup Jerramungup Rd & Yougenup Rd	9.53	Strathaven Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070059	Stutley Rd	Stutley Rd	Gnowangerup	0.00	Jackitup Rd & Moores Dam Rd	2.08	Hinkley Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070142	Stutley St	Stutley St	Gnowangerup	0.00	Walsh St	0.23	For 0.23km From Walsh St to Access Driveway	
3070003	Tieline Rd	Tieline Rd	Gnowangerup	0.00	Ongerup - Pingrup Rd	10.76	Chester Pass Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070003	Tieline Rd	Tieline Rd	Gnowangerup	10.90	Chester Pass Rd	53.08	Tie Line Rd	
3070004	Toompup Rd South	Toompup Rd South	Gnowangerup	0.00	Gnowangerup Jerramungup Rd	31.50	Borden - Bremer Bay Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070033	Walsh St	Walsh St	Gnowangerup	0.00	Glengarry Rd & Gnowangerup - Tambellup Rd	0.63	Bell St	<ul style="list-style-type: none"> Maximum speed 50 km/h Railway crossing north of Bell St is not to be crossed.
3070033	Walsh St	Walsh St	Gnowangerup	1.14	Soldiers Rd & Garnett Rd	2.14	Broomehill Gnowangerup Rd & Yougenup Rd	<ul style="list-style-type: none"> Maximum speed 50 km/h Intersection Broomehill Gnowangerup Rd & Yougenup Rd : No right turn permitted into Broomehill-Jerramungup Rd from Walsh St
3070106	Wellstead Rd	Wellstead Rd	Gnowangerup	0.00	Borden - Bremer Bay Rd	2.25	Wellstead Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070078	White Rd	White Rd	Gnowangerup	0.00	Clear Hills Rd	1.95	Soldiers Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070078	White Rd	White Rd	Gnowangerup	2.03	Soldiers Rd	5.05	White Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3070083	Willemmenup Rd	Willemmenup Rd	Gnowangerup	0.00	Gnowangerup - Tambellup Rd	4.00	Clear Hills Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Gnowangerup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3070126	Woodlands Rd	Woodlands Rd	Gnowangerup	0.00	Gnowangerup Jerramungup Rd	2.90	Hinkley Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Gnowangerup Jerramungup Rd : No right turn permitted into Broomehill-Jerramungup Rd from Woodlands Rd.
307Z010	Cbh Bin Access	Cbh Bin Access	Gnowangerup	0.00	Eldridge St	0.30	Cbh Bin Access - End Road	

Tandem Drive Network 2.1



Goomalling

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4080069	Anderson Rd	Anderson Rd	Goomalling	0.00	Northam Pithara Rd	3.66	Jennacubbine East Rd	<ul style="list-style-type: none"> Maximum speed 70 km/h Intersection Jennacubbine East Rd : No right turn permitted into Jennacubbine East Rd from Anderson Rd
4080010	Bebakine Rd	Bebakine Rd	Goomalling	0.00	Tyndall Rd	9.73	Bebakine Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4080015	Beecroft Rd	Beecroft Rd	Goomalling	0.00	Lockyer St & Railway Tce	12.11	Long Forrest Rd	<ul style="list-style-type: none"> For a Restricted Access vehicle Category 2 - B-Triple, bridge #4978 not to be crossed. Bridge located 1.03km east of Rowles Rd. Bridge 4978 Mortlock River : Bridge not to be crossed.
4080003	Bejoording Rd	Bejoording Rd	Goomalling	0.00	Irishtown Rd & Goomalling Toodyay Rd	3.77	Red Gully Rd	
4080003	Bejoording Rd	Bejoording Rd	Goomalling	3.77	Red Gully Rd	5.39	Toodyay LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4080027	Berring East Rd	Berring East Rd	Goomalling	0.00	Goomalling Wyalkatchem Rd	3.34	Dowerin LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h
4080040	Berring Rd	Berring Rd	Goomalling	0.00	Berring Rd - Start Road	7.35	Berring East Rd	
4080040	Berring Rd	Berring Rd	Goomalling	7.44	Berring East Rd	14.75	Oak Park Rd	

Tandem Drive Network 2.1



Goomalling

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4080049	Boase Rd	Boase Rd	Goomalling	0.00	Goomalling - Meckering Rd	4.12	Boase Rd - End Road	<ul style="list-style-type: none"> Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4080008	Bolgart East Rd	Bolgart East Rd	Goomalling	0.00	Goomalling - Calingiri Rd	14.38	Victoria Plains LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h
4080021	Botherling East Rd	Botherling East Rd	Goomalling	0.00	Northam Pithara Rd	13.90	Shara Rd & Botherling East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h
4080025	Brooksbank Rd	Brooksbank Rd	Goomalling	0.00	Patterson Rd	4.67	Goomalling - Meckering Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h No Operation between 7:00 AM to 9:00 AM and 2:30 PM to 4:00 PM Curfew applies to school days only.
4080028	Burabadji East Rd	Burabadji East Rd	Goomalling	0.00	Northam Pithara Rd	4.48	Pryor Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h
4080029	Burabadji Rd	Burabadji Rd	Goomalling	0.64	Rail Crossing 630m South West of Northam - Pithara (M032)	5.00	Goomalling - Calingiri Rd	<ul style="list-style-type: none"> Maximum speed 70 km/h
4080029	Burabadji Rd	Burabadji Rd	Goomalling	5.00	Farm Access	7.08	Goomalling - Calingiri Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h
4080043	Burnt Hill Rd	Burnt Hill Rd	Goomalling	0.00	Burnt Hill Rd - Start Road	9.66	Bain Rd & Bigsprings Rd	
4080020	Byberding Rd	Byberding Rd	Goomalling	0.00	Northam Pithara Rd	12.87	Northam - Pithara (M032)	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h

Tandem Drive Network 2.1



Goomalling

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4080118	Cacti Rd	Cacti Rd	Goomalling	0.00	Coulthard Rd	2.50	Cacti Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4080024	Carter Rd	Carter Rd	Goomalling	0.00	Glatz Rd	8.61	Lot 20613	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h
4080081	Clarke Rd	Clarke Rd	Goomalling	0.00	Goomalling - Calingiri Rd	1.26	Clarke Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4080038	Cooper Rd	Cooper Rd	Goomalling	0.00	Griffith - Whaley Rd	3.18	Kalguddering West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4080070	Coulthard Rd	Coulthard Rd	Goomalling	0.00	Donald Rd	4.17	Goomalling - Calingiri Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h

Tandem Drive Network 2.1



Goomalling

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4080051	Dean Rd	Dean Rd	Goomalling	0.00	Gabbyquoiquoi Rd	4.98	Mountjoy Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4080041	Donald Rd	Donald Rd	Goomalling	0.00	Donald Rd - Start Road	2.40	Goomalling - Calingiri Rd	
4080041	Donald Rd	Donald Rd	Goomalling	2.50	Goomalling - Calingiri Rd	13.81	Burnt Hill Rd	
4080006	Dowerin - Konnongorring Rd	Dowerin - Konnongorring Rd	Goomalling	0.00	Northam Pithara Rd	16.21	Dowerin - Konnongorring Rd & Fairlie Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h
4080019	Gabbyquoiquoi Rd	Gabbyquoiquoi Rd	Goomalling	0.00	Byberding Rd	9.96	Dowerin - Konnongorring Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4080016	Glatz Rd	Glatz Rd	Goomalling	0.00	Goomalling - Calingiri Rd	13.84	Carter Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h No Operation between 7:00 AM to 9:00 AM and 2:30 PM to 4:00 PM Curfew applies to school days only.
4080107	Goomalling - Calingiri Rd	Goomalling - Calingiri Rd	Goomalling	0.00	Main St	30.04	Victoria Plains LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
4080001	Goomalling - Meckering Rd	Goomalling - Meckering Rd	Goomalling	0.00	Northam Pithara Rd	21.90	Goomalling - Meckering Rd & Dwyer Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Goomalling

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4080113	Goon Gooning Rd	Goon Gooning Rd	Goomalling	0.00	Beecroft Rd	0.94	Long Forrest Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4080037	Griffith - Whaley Rd	Griffith - Whaley Rd	Goomalling	0.00	Dowerin - Konnongorring Rd	10.06	Dowerin LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4080009	Haddrill Rd	Haddrill Rd	Goomalling	0.00	Northam LGA Boundary	3.33	Sheen Rd & Goomalling Toodyay Rd	
4080093	Hagboom South Rd	Hagboom South Rd	Goomalling	0.00	Dowerin LGA Boundary	3.22	Sadler Rd	
4080044	Haywood Rd	Haywood Rd	Goomalling	0.00	Donald Rd	5.30	Glatz Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h
4080022	Hughes Rd	Hughes Rd	Goomalling	0.00	Goomalling Toodyay Rd	2.71	Bejoording Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h Intersection Goomalling Toodyay Rd : No right turn permitted into Goomalling Toodyay Rd from Hughes Rd

Tandem Drive Network 2.1



Goomalling

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4080035	Hulongine Rd	Hulongine Rd	Goomalling	0.00	Goomalling - Meckering Rd	6.61	Hulongine Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h No Operation between 7:00 AM to 9:00 AM and 2:30 PM to 4:00 PM Curfew applies to school days only.
4080011	Jennacubbine East Rd	Jennacubbine East Rd	Goomalling	0.00	Northam Pithara Rd	8.36	Herridge Rd & Tyndall Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h No Operation between 7:00 AM to 9:00 AM and 2:30 PM to 4:00 PM Curfew applies on school days only.
4080068	Jones Rd	Jones Rd	Goomalling	0.00	Burnt Hill Rd	5.80	Konnongorring West Rd	<ul style="list-style-type: none"> Maximum speed 70 km/h
4080080	Kalguddering West Rd	Kalguddering West Rd	Goomalling	0.00	Kalguddering Rd	5.18	Kalguddering Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4080005	Konnongorring West Rd	Konnongorring West Rd	Goomalling	0.00	Northam Pithara Rd	17.80	Victoria Plains LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h
4080048	Kroe Hut Rd	Kroe Hut Rd	Goomalling	0.00	Long Forrest Rd	4.99	Rowles Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Goomalling

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4080065	Lake Rd	Lake Rd	Goomalling	0.00	Pryor Rd	3.58	Oak Park Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4080026	Leeson Rd	Leeson Rd	Goomalling	0.00	Yarramony Rd	5.37	Lawler Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4080026	Leeson Rd	Leeson Rd	Goomalling	5.38	Lawler Rd	7.68	Goomalling Toodyay Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4080013	Long Forrest Rd	Long Forrest Rd	Goomalling	0.00	Toodyay LGA Boundary	16.58	Goomalling - Toodyay (M060) & Rossmore Rd	
4080034	Lord Rd	Lord Rd	Goomalling	0.00	Northam Pithara Rd	6.53	Glatz Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h
4080063	McLean Rd	McLean Rd	Goomalling	0.00	Northam Pithara Rd	2.01	Rossmore Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h No Operation between 7:00 AM to 9:00 AM and 2:30 PM to 4:00 PM Curfew applies to school days only.
4080042	Morrell Rd	Morrell Rd	Goomalling	0.00	Konnongorring West Rd	7.90	Northam Pithara Rd M32	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h

Tandem Drive Network 2.1



Goomalling

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4080077	Nambling North Rd	Nambling North Rd	Goomalling	0.00	Schell Rd	3.16	Dowerin LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4080007	Oak Park Rd	Oak Park Rd	Goomalling	0.00	Goomalling Wyalkatchem Rd	16.91	Botherling East Rd	
4080014	Patterson Rd	Patterson Rd	Goomalling	0.00	Northam Pithara Rd	9.12	Goomalling - Meckering Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h No Operation between 7:00 AM to 9:00 AM and 2:30 PM to 4:00 PM Curfew applies on school days only.
4080030	Pryor Rd	Pryor Rd	Goomalling	0.00	Oak Park Rd	6.84	Pryor Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h
4080017	Rossmore Rd	Rossmore Rd	Goomalling	0.00	Northam Pithara Rd	10.06	Long Forrest Rd & Goomalling Toodyay Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h No Operation between 7:00 AM to 9:00 AM and 2:30 PM to 4:00 PM Curfew applies to school days only.
4080047	Rowles Rd	Rowles Rd	Goomalling	0.00	Beecroft Rd	11.00	Rowles Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h
4080045	Sadler Rd	Sadler Rd	Goomalling	0.00	Goomalling - Meckering Rd	11.71	Hagboom South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h No Operation between 7:00 AM to 9:00 AM and 2:30 PM to 4:00 PM CURFEW APPLIES ON SCHOOL DAYS ONLY.

Tandem Drive Network 2.1



Goomalling

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4080052	Sawyer Rd	Sawyer Rd	Goomalling	0.00	Botherling East Rd	2.90	Sawyer Rd - End Road	<ul style="list-style-type: none"> Maximum speed 70 km/h
4080031	Schell Rd	Schell Rd	Goomalling	0.00	Oak Park Rd	8.65	Dowerin LGA Boundary	<ul style="list-style-type: none"> Maximum speed 70 km/h
4080120	Shara Rd	Shara Rd	Goomalling	0.00	Botherling East Rd	0.92	Spark Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School buses use this road. Approval to use the road could be withdrawn unless drivers show courtesy to local traffic and take extra care on school days.
4080096	Sheen Rd	Sheen Rd	Goomalling	0.00	Goomalling Toodyay Rd & Haddrill Rd	4.53	1.48km From Bejoording Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Goomalling

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4080096	Sheen Rd	Sheen Rd	Goomalling	4.53	Bgc Clay Pit Access	5.99	Bejoording Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Maximum permitted mass 64.0 tonnes and length 25.0 metres
4080114	Short St	Short St	Goomalling	0.00	Northam Pithara Rd & Main St	0.09	Slater Rd North	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Northam Pithara Rd & Main St : No right turn permitted into Northam Pithara Rd from Short St Intersection Slater Rd North : No access permitted into Slater Rd North from Short St
4080115	Slater Rd North	Slater Rd North	Goomalling	0.00	Northam Pithara Rd	0.07	Short St	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Northam Pithara Rd : No left turn permitted into Northam Pithara Rd from Slater Rd North

Tandem Drive Network 2.1



Goomalling

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4080046	Smith Rd	Smith Rd	Goomalling	0.00	Rowles Rd	7.66	Goomalling - Calingiri Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h Caution to be taken through winding section.
4080032	Spark Rd	Spark Rd	Goomalling	0.00	Oak Park Rd	6.28	Dowerin LGA Boundary	<ul style="list-style-type: none"> Maximum speed 70 km/h
4080012	Tyndall Rd	Tyndall Rd	Goomalling	0.00	Long Forrest Rd	10.48	Goomalling Toodyay Rd	
4080012	Tyndall Rd	Tyndall Rd	Goomalling	10.48	Goomalling Toodyay Rd	14.83	Herridge Rd & Jennacubbine East Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4080023	Ucarty Rd	Ucarty Rd	Goomalling	0.00	Goomalling - Meckering Rd	15.85	Ucarty Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h No Operation between 7:00 AM to 9:00 AM and 2:30 PM to 4:00 PM Curfew applies to school days only.
4080072	Whitfield Rd	Whitfield Rd	Goomalling	0.00	Burnt Hill Rd	4.18	Konnongorring West Rd	<ul style="list-style-type: none"> Maximum speed 70 km/h
4080033	Wongamine Rd	Wongamine Rd	Goomalling	0.38	Goomalling Toodyay Rd	2.83	Northam LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4080002	Yarramony Rd	Yarramony Rd	Goomalling	0.00	Lawler Rd & Tyndall Rd	6.20	Northam LGA Boundary	

Tandem Drive Network 2.1



Gosnells (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1040220	Alloa Rd	Alloa Rd	Gosnells (C)	0.00	Church Rd	0.76	Davison St	
1041557	Allott Wy	Allott Wy	Gosnells (C)	0.00	Emerald Rd	0.14	0.14km From Emerald Rd	
1040012	Austin Av	Austin Av	Gosnells (C)	0.00	Davison St & Belmont Rd	0.98	Kenwick Link & Albany Hwy	
1040359	Bickley Rd	Bickley Rd	Gosnells (C)	0.00	Bickley Rd & Nicholson Rd	0.45	Camberwell St & William St	
1041094	Bickley Rd	Bickley Rd	Gosnells (C)	1.35	Brook Rd	1.83	Boundary Rd	
1041096	Bickley Rd	Bickley Rd	Gosnells (C)	0.00	Kenwick Rd & Hanson St	1.32	Bickley Rd "E" - End Road	
1040153	Boundary Rd	Boundary Rd	Gosnells (C)	0.00	Bickley Rd	2.22	Boundary Rd - End Road	
1040047	Brook Rd	Brook Rd	Gosnells (C)	0.00	Bickley Rd	0.51	Grove Rd	
1040716	Burslem Dr	Burslem Dr	Gosnells (C)	1.05	Olga Rd	2.56	Warton Rd & Corfield St & Spencer Rd	
1040223	Canning Park Av	Canning Park Av	Gosnells (C)	0.00	Kelvin Rd	0.09	0.09km After Kelvin Rd	<ul style="list-style-type: none"> Access to Shire Depot Only
1040562	Carole Rd	Carole Rd	Gosnells (C)	0.00	Austin Av	0.47	Alloa Rd	
1040848	Caruso Ct	Caruso Ct	Gosnells (C)	0.00	Davison St	0.06	Caruso Ct - End Road	
1040343	Church Rd	Church Rd	Gosnells (C)	0.00	Austin Av	0.47	Alloa Rd	
1040074	Clifford St	Clifford St	Gosnells (C)	0.00	Kenwick Rd	0.65	Clifford St - End Road	
1041136	Cobalt Wy	Cobalt Wy	Gosnells (C)	0.00	Jade St	0.13	Cobalt Wy - End Road	
1040036	Cockram Rd	Cockram Rd	Gosnells (C)	0.77	Mills Rd East	1.25	Cockram Rd - End Road	
1040033	Coldwell Rd	Coldwell Rd	Gosnells (C)	0.00	Grove Rd & Logistics Bvd	0.68	Kalamunda LGA Boundary	
1040075	Davison St	Davison St	Gosnells (C)	0.00	Austin Av & Belmont Rd	0.94	Kelvin Rd	
1041133	Emerald Rd	Emerald Rd	Gosnells (C)	0.00	Eva St	0.44	Bickley Rd	
1040139	Eva St	Eva St	Gosnells (C)	0.21	0.05km Before Reihill Rd	0.81	Kelvin Rd	
1042697	Freight Rd	Freight Rd	Gosnells (C)	0.00	Logistics Bvd	0.40	Coldwell Rd	
1040307	Gary Rd	Gary Rd	Gosnells (C)	0.00	Stebbing Rd	0.20	Ryeland St	
1040982	Gosnells Rd East	Gosnells Rd East	Gosnells (C)	0.00	Tonkin Hwy	1.21	Gosnells Rd East - End Road	
1040165	Grove Rd	Grove Rd	Gosnells (C)	0.00	Brook Rd	0.58	Coldwell Rd & Logistics Bvd	
1040308	Hayley St	Hayley St	Gosnells (C)	0.00	Davison St	0.20	Ryeland St	
1042698	Intermodal Pl	Intermodal Pl	Gosnells (C)	0.00	Logistics Bvd	0.29	Intermodal Pl - End Road	
1041135	Jade St	Jade St	Gosnells (C)	0.00	Kelvin Rd	0.58	Eva St	
1040077	Kelvin Rd	Kelvin Rd	Gosnells (C)	0.00	Olga Rd & Albany Hwy	4.19	White Rd	<ul style="list-style-type: none"> Intersection Bickley Rd : No left turn permitted into Bickley Rd (westbound) from Kelvin Rd (northbound)
1040006	Kenwick Rd	Kenwick Rd	Gosnells (C)	2.56	Bickley Rd & Hanson St	3.12	Clifford St	<ul style="list-style-type: none"> A RAV must not be driven on this road in excess of 4.5 metres in height unless written approval is obtained from the cable provider
1040006	Kenwick Rd	Kenwick Rd	Gosnells (C)	3.12	Clifford St	3.40	Kelvin Rd	
1040006	Kenwick Rd	Kenwick Rd	Gosnells (C)	3.55	Kelvin Rd	3.65	0.1km From Kelvin Rd	
1040615	Kitson Pl	Kitson Pl	Gosnells (C)	0.00	Alloa Rd	0.19	Kitson Pl - End Road	
1042705	Logistics Bvd	Logistics Bvd	Gosnells (C)	0.00	Coldwell Rd & Grove Rd	0.93	Logistics Bvd & Courtney Pl	
1040227	Lower Park Rd	Lower Park Rd	Gosnells (C)	0.00	Kelvin Rd	0.34	Alloa Rd	

Tandem Drive Network 2.1



Gosnells (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1040008	Maddington Rd	Maddington Rd	Gosnells (C)	0.00	Kelvin Rd & Stebbing Rd	1.87	Tarling Pl	
1040008	Maddington Rd	Maddington Rd	Gosnells (C)	3.33	Reservoir Rd	3.43	White Rd & Hardinge Rd	
1040229	Malcolm Rd	Malcolm Rd	Gosnells (C)	0.00	Davison St	0.61	Carole Rd	
1041083	Mandarin Rd	Mandarin Rd	Gosnells (C)	0.00	Wildfire Rd	0.46	Stebbing Rd	
1040145	Marion Rd	Marion Rd	Gosnells (C)	0.00	Ryelane St	0.20	Stebbing Rd	
1040703	McIntyre Wy	McIntyre Wy	Gosnells (C)	0.00	Albany Hwy	0.49	Austin Av	
1040007	Mills Rd East	Mills Rd East	Gosnells (C)	0.00	Tonkin Hwy & Mills Rd West	0.30	Cockram Rd	
1040002	Nicholson Rd	Nicholson Rd	Gosnells (C)	3.41	Roe Hwy (Eastbound) off to Nicholson Rd & Nicholson Rd on to Roe Hwy (Eastbound) & Nicholson Rd	4.00	Wilfred Rd & Nicholson Rd & Bannister Rd	
1040002	Nicholson Rd	Nicholson Rd	Gosnells (C)	8.34	Ranford Rd & Nicholson Rd	11.29	Nicholson Rd & Warton Rd	
1040024	Olga Rd	Olga Rd	Gosnells (C)	0.00	Kelvin Rd & Albany Hwy	0.66	Burslem Dr	
1041085	Orchard Rd	Orchard Rd	Gosnells (C)	0.00	Kelvin Rd	0.18	0.09km From Valencia Wy	<ul style="list-style-type: none"> Intersection Kelvin Rd : No right turn permitted into Kelvin Rd from Orchard Rd
1041427	Ozich Ct	Ozich Ct	Gosnells (C)	0.00	Albany Hwy	0.07	Ozich Ct - End Road	
1040654	Pratt Ct	Pratt Ct	Gosnells (C)	0.00	Alloa Rd	0.22	Pratt Ct - End Road	
1040026	Ranford Rd	Ranford Rd	Gosnells (C)	5.47	Ranford Rd & Allen Rd	6.56	Tonkin Hwy & Ranford Rd	
1040054	Reservoir Rd	Reservoir Rd	Gosnells (C)	0.00	Gosnells Rd East	2.12	Maddington Rd	
1040148	Ryelane St	Ryelane St	Gosnells (C)	0.00	Kelvin Rd	0.60	Marion Rd	
1040234	Stebbing Rd	Stebbing Rd	Gosnells (C)	0.00	Marion Rd	0.56	Maddington Rd & Kelvin Rd	
1040235	Stephen St	Stephen St	Gosnells (C)	0.00	Reservoir Rd	0.40	Stephen St - End Road	
1040044	Warton Rd	Warton Rd	Gosnells (C)	0.00	Burslem Dr & Corfield St & Spencer Rd	7.61	Warton Rd & Nicholson Rd	
1040151	White Rd	White Rd	Gosnells (C)	0.00	Maddington Rd & Hardinge Rd	1.22	Kelvin Rd	
1041202	Wildfire Rd	Wildfire Rd	Gosnells (C)	0.00	Wildfire Rd At Bickley Brook	0.78	Wildfire Rd - End Road	
1040001	William St	William St	Gosnells (C)	0.00	Kenwick Link & Albany Hwy	0.46	Camberwell St & Bickley Rd	

Tandem Drive Network 2.1



Greater Geraldton (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5051157	Abattoir Access Rd	Abattoir Access Rd	Greater Geraldton (C)	0.00	Kemp St & Rudds Gully Rd	0.70	Abattoir Access Rd - End Road	
5051071	Abattoir Rd	Abattoir Rd	Greater Geraldton (C)	0.00	Geraldton Mt Magnet Rd	0.57	0.57km (20m After Siding Rd)	
5050661	Aerodrome Rd	Aerodrome Rd	Greater Geraldton (C)	0.00	Carnarvon - Mullewa Rd	0.25	Aerodrome Rd - End Road	
5051006	Allanooka Springs Rd	Allanooka Springs Rd	Greater Geraldton (C)	0.00	Walkaway - Nangetty Rd & Arthur Rd	14.27	Irwin LGA Boundary	<ul style="list-style-type: none"> Intersection Connolly Rd : No right turn permitted into Connolly Rd from Allanooka Springs
5050134	Allen St	Allen St	Greater Geraldton (C)	0.00	Bradford St	0.56	0.06km Before Allen St - End Road	
5050698	Ambania Rd	Ambania Rd	Greater Geraldton (C)	0.00	Ambania Rd - Start Road	18.93	Edwards Rd	
5050128	Anderson St	Anderson St	Greater Geraldton (C)	0.00	Place Rd	1.43	Webborton Rd	<ul style="list-style-type: none"> Intersection Boyd St : No left turn permitted into Boyd St from Anderson St,
5051025	Angels Rd	Angels Rd	Greater Geraldton (C)	0.00	East Chapman Rd	5.42	Chapman Valley LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. See Low Volume Condition Type A in the Operating Conditions Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5050657	Ardingly North Rd	Ardingly North Rd	Greater Geraldton (C)	0.00	Geraldton Mt Magnet Rd	4.45	Bone Rd	
5050609	Ardingly South Rd	Ardingly South Rd	Greater Geraldton (C)	0.00	Geraldton Mt Magnet Rd	37.34	Mingenew - Mullewa Rd	
5050638	Arrinooka Rd	Arrinooka Rd	Greater Geraldton (C)	0.00	Wongoondy - Tardun Rd	6.63	Morawa LGA Boundary	
5051008	Arthur Rd	Arthur Rd	Greater Geraldton (C)	0.00	Deepdale Rd	21.58	Allanooka Springs Rd & Walkaway - Nangetty Rd	
5050616	Badgedong Rd	Badgedong Rd	Greater Geraldton (C)	0.00	Nubberoo Rd	2.51	Badgedong Rd - End Road	
5050744	Barrabarra Rd	Barrabarra Rd	Greater Geraldton (C)	0.00	Barrabarra Rd - Start Road	11.76	Barrabarra Rd - End Road	
5050226	Bateman St	Bateman St	Greater Geraldton (C)	0.00	Crawford St	0.22	Connolly St	
5050636	Beaumont Rd	Beaumont Rd	Greater Geraldton (C)	0.00	Sutherland Rd	9.37	Dunkin Rd	
5050126	Beaver St	Beaver St	Greater Geraldton (C)	0.00	Flores Rd	0.75	Stow St	
5050123	Bedford St	Bedford St	Greater Geraldton (C)	0.00	Flores Rd	0.29	Newman St	
5050123	Bedford St	Bedford St	Greater Geraldton (C)	0.32	Newman St	0.59	Crawford St	
5050667	Belinga Spring Rd	Belinga Spring Rd	Greater Geraldton (C)	0.00	Mindage Spring Rd	5.07	Belinga Spring Rd - End Road	
5050642	Beringarra - Pindar Rd	Beringarra - Pindar Rd	Greater Geraldton (C)	0.00	Pindar Town St	5.72	Murchison LGA Boundary	
5050621	Bone Rd	Bone Rd	Greater Geraldton (C)	0.00	Geraldton Mt Magnet Rd	9.64	Tenindewa North Rd	
5051032	Bootenal Rd	Bootenal Rd	Greater Geraldton (C)	1.30	Edward Rd	7.66	Glengarry Rd	<ul style="list-style-type: none"> Intersection Edward Rd : No access to or from Geraldton Walkaway (Edward Rd)
5050124	Box St	Box St	Greater Geraldton (C)	0.00	Flores Rd	0.59	Anderson St	

Tandem Drive Network 2.1



Greater Geraldton (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5050125	Boyd St	Boyd St	Greater Geraldton (C)	0.00	Flores Rd	0.68	0.675km From Anderson St	<ul style="list-style-type: none"> Intersection Anderson St : No left turn permitted into Anderson St from Boyd St.
5050393	Bradford St	Bradford St	Greater Geraldton (C)	0.00	Allen St	1.52	Bradford St - End	
5050660	Brenkley Rd	Brenkley Rd	Greater Geraldton (C)	0.00	Peter Rd	4.72	Brenkley Rd - End Road	
5051145	Brice Rd	Brice Rd	Greater Geraldton (C)	1.15	100m Southwest From Arthur Rd	1.25	Arthur Rd	
5051145	Brice Rd	Brice Rd	Greater Geraldton (C)	1.27	Arthur Rd	1.45	0.18km From Arthur Rd	<ul style="list-style-type: none"> Entry to stockyards 150 metres east of Arthur Rd only.
5051003	Burma Rd	Burma Rd	Greater Geraldton (C)	0.00	Walkaway - Nangetty Rd	19.47	Casuarinas Rd & Burma Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5050692	Burton Rd	Burton Rd	Greater Geraldton (C)	0.00	Peter Rd	5.03	Burton Williamson Rd	
5050633	Byron North Rd	Byron North Rd	Greater Geraldton (C)	0.00	Yuna - Tenindewa Rd	15.28	Eranayn Rd	
5050693	Cant Rd	Cant Rd	Greater Geraldton (C)	0.00	Eradu North Rd	3.39	Cant Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5050756	Carnarvon - Mullewa Rd	Carnarvon - Mullewa Rd	Greater Geraldton (C)	0.00	Murchison LGA Boundary	75.66		
5050605	Casuarinas Rd	Casuarinas Rd	Greater Geraldton (C)	0.00	Geraldton Mt Magnet Rd	25.44	Walkaway - Nangetty Rd	
5050605	Casuarinas Rd	Casuarinas Rd	Greater Geraldton (C)	25.45	Walkaway - Nangetty Rd	32.62	Irwin LGA Boundary	
5050008	Chapman Rd	Chapman Rd	Greater Geraldton (C)	1.32	Phelps St	1.33	Phelps St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
5050008	Chapman Rd	Chapman Rd	Greater Geraldton (C)	7.97	Okahoma Rd	11.91		<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Empty Travel Only Maximum speed 70 km/h
5050008	Chapman Rd	Chapman Rd	Greater Geraldton (C)	11.91		12.15	North West Coastal Hwy	
5050726	Coalseam Rd	Coalseam Rd	Greater Geraldton (C)	0.00	Mingenew - Mullewa Rd	1.89	Mingenew LGA Boundary	

Tandem Drive Network 2.1



Greater Geraldton (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5051005	Connolly Rd	Connolly Rd	Greater Geraldton (C)	0.00	Burma Rd	7.38	For 7.38 Km	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5051005	Connolly Rd	Connolly Rd	Greater Geraldton (C)	7.38	7.38 Km From Burma Rd	10.24	Allanooka Springs Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Allanooka Springs Rd : No left turn permitted into Allanooka Springs Rd from Connolly Rd
5050304	Connolly St	Connolly St	Greater Geraldton (C)	0.00	Box St	0.27	Connolly St Cul-De-Sac	
5051033	Crampton Rd	Crampton Rd	Greater Geraldton (C)	0.00	Brand Hwy	1.60	1.6km From Brand Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Railway crossing #2465 at SLK 1.68 not to be crossed
5050127	Crawford St	Crawford St	Greater Geraldton (C)	0.00	Box St	0.48	Bedford St	
5050697	Cream Rd	Cream Rd	Greater Geraldton (C)	0.00	Peter Rd	3.41	Cream Rd - End Road	
5051044	Criddle Rd	Criddle Rd	Greater Geraldton (C)	0.00	Walkaway - Nangetty Rd	6.60	Criddle Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h
5050711	Crudelli Rd	Crudelli Rd	Greater Geraldton (C)	0.00	Mullewa Wubin Rd	5.13	Crudelli Rd - End Road	
5050630	Curara Swamp Rd	Curara Swamp Rd	Greater Geraldton (C)	0.00	Fegan Rd	6.19	Williams Rd	
5050672	Dalgety St	Dalgety St	Greater Geraldton (C)	0.00	Maitland Rd	0.18	Molster St	<ul style="list-style-type: none"> Operation permitted in a clockwise direction only.
5050655	Dank Rd	Dank Rd	Greater Geraldton (C)	0.00	Wongoondy - Tardun Rd	1.40	Dank Rd - End Road	
5050625	Dean Rd	Dean Rd	Greater Geraldton (C)	0.00	Gibaud Rd & Mullewa Wubin Rd	15.28	Kelly Rd	
5051026	Deepdale Rd	Deepdale Rd	Greater Geraldton (C)	0.00	Geraldton Mt Magnet Rd	2.66	Edward Rd	
5050713	Depot Hill Rd	Depot Hill Rd	Greater Geraldton (C)	0.00	Walkaway - Nangetty Rd	2.94	Mingenew LGA Boundary	
5050620	Desmond Rd	Desmond Rd	Greater Geraldton (C)	0.00	Geraldton Mt Magnet Rd	7.88	Yuna - Tenindewa Rd	
5050602	Devils Creek Rd	Devils Creek Rd	Greater Geraldton (C)	0.00	Ardingly South Rd	7.26	Mingenew - Mullewa Rd	

Tandem Drive Network 2.1



Greater Geraldton (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5050709	Docherty Rd	Docherty Rd	Greater Geraldton (C)	0.00	Unknown Rd & Old Pindar Rd	9.71	Docherty Rd - End Road	
5050723	Doogue Rd	Doogue Rd	Greater Geraldton (C)	0.00	Tenindewa North Rd	8.22	Byron North Rd	
5050708	Dunkin Rd	Dunkin Rd	Greater Geraldton (C)	0.00	Tenindewa North Rd	4.32	Beaumont Rd	
5050387	Dwyer St	Dwyer St	Greater Geraldton (C)	0.00	Anderson St	0.26	Stow St	
5051013	East Chapman Rd	East Chapman Rd	Greater Geraldton (C)	0.00	Angels Rd & East Chapman Rd	11.33	Yanget Rd & Newmarracarra Rd	
5050002	Eastward Rd	Eastward Rd	Greater Geraldton (C)	0.22	North West Coastal Hwy	0.34		<ul style="list-style-type: none"> Intersection North West Coastal Hwy : No right turn permitted from North West Coastal Highway into Eastward Road. No left turn permitted from North West Coastal Highway into Eastward Road.
5050498	Edward Rd	Edward Rd	Greater Geraldton (C)	0.00	Horwood Rd & Eastward Rd	3.41	Edward Rd Rty	
5050699	Edwards Rd	Edwards Rd	Greater Geraldton (C)	0.00	Casuarinas Rd	4.70	Ambania Rd	
5051004	Ellendale Rd	Ellendale Rd	Greater Geraldton (C)	0.00	Walkaway - Nangetty Rd	11.54	Sandsprings Rd & Ramsay Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5051017	Eradu North Rd	Eradu North Rd	Greater Geraldton (C)	0.00	Geraldton Mt Magnet Rd	22.02	Eradu North Rd - End Road	
5051018	Eradu South Rd	Eradu South Rd	Greater Geraldton (C)	0.00	Geraldton Mt Magnet Rd	12.50	Shields Rd & Ramsay Rd	
5050611	Erangy Spring Rd	Erangy Spring Rd	Greater Geraldton (C)	0.00	Geraldton Mt Magnet Rd	38.00	Erangy Spring Rd & Boundary Rd	
5051010	Evans Rd	Evans Rd	Greater Geraldton (C)	2.27	Hamersley Rd	4.09	Levett Rd & Padbury Rd	
5050631	Eves Rd	Eves Rd	Greater Geraldton (C)	0.00	Ardingly South Rd	13.11	Eves Rd - End Road	
5050629	Fegan Rd	Fegan Rd	Greater Geraldton (C)	0.00	Geraldton Mt Magnet Rd	13.78	Fegan Rd - End Road	
5050058	Flores Rd	Flores Rd	Greater Geraldton (C)	0.00	Eastward Rd	4.41	Strickland St	
5051182	Foskew Wy	Foskew Wy	Greater Geraldton (C)	0.65	0.18km (Foskew Wy North) From Goulds Rd	0.83	Goulds Rd	

Tandem Drive Network 2.1



Greater Geraldton (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5051061	Fraser Rd	Fraser Rd	Greater Geraldton (C)	3.15	Hillview Farm	5.30	Allanooka Springs Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5050637	Freeman Rd	Freeman Rd	Greater Geraldton (C)	0.00	Jacob Rd & Mingenew - Mullewa Rd	17.58	Mullewa Wubin Rd	
5051024	Georgina Rd	Georgina Rd	Greater Geraldton (C)	5.93	Edward Rd	9.33	Georgina Rd - End Road	
5050670	Gibaud Rd	Gibaud Rd	Greater Geraldton (C)	0.00	Dean Rd & Mullewa Wubin Rd	3.84	Gibaud Rd - End Road	
5051022	Glengarry Rd	Glengarry Rd	Greater Geraldton (C)	0.00	Geraldton Mt Magnet Rd	11.10	Glengarry Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5051464	Gordon Garratt Dr	Gordon Garratt Dr	Greater Geraldton (C)	0.00	Geraldton Mt Magnet Rd	0.62	0.62km From Geraldton Mt Magnet Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No Operation between the hours of sunset and sunrise
5051180	Goulds Rd	Goulds Rd	Greater Geraldton (C)	0.00	Rudds Gully Rd	3.52	Geraldton Mt Magnet Rd	
5051007	Greenough Rd	Greenough Rd	Greater Geraldton (C)	0.00	Walter Rd	4.70	Allanooka Springs Rd	

Tandem Drive Network 2.1



Greater Geraldton (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5050634	Grima Rd	Grima Rd	Greater Geraldton (C)	0.00	Pallotine Rd	16.31	Howe Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5050243	Haigh St	Haigh St	Greater Geraldton (C)	0.00	Ocean St	0.53	Portway	<ul style="list-style-type: none"> Intersection Point St : No access permitted into Point St from Haigh St
5051045	Hamersley Rd	Hamersley Rd	Greater Geraldton (C)	0.00	Brand Hwy	3.28	Evans Rd	
5050639	Hebiton Rd	Hebiton Rd	Greater Geraldton (C)	0.00	Wongoondy - Tardun Rd & Mingenew - Mullewa Rd	7.32	Ardingly South Rd	
5050701	Holmes Rd	Holmes Rd	Greater Geraldton (C)	0.00	Moore Rd	6.48	Erangy Spring Rd	
5050497	Horwood Rd	Horwood Rd	Greater Geraldton (C)	0.48	Flores Rd	5.06	Masters Rd	
5050469	Howard Rd	Howard Rd	Greater Geraldton (C)	0.00	Rudds Gully Rd	0.17	Howard Rd - End Road	<ul style="list-style-type: none"> Intersection Rudds Gully Rd : Left turn only permitted into Howard Rd from Rudds Gully Rd
5050722	Howe Rd	Howe Rd	Greater Geraldton (C)	0.00	Barrabarra Rd	14.21	Howe Rd - End Road	
5051047	Ivan Goulds Rd	Ivan Goulds Rd	Greater Geraldton (C)	0.00	Geraldton Mt Magnet Rd	3.70	Ivan Goulds Rd - End Road	<ul style="list-style-type: none"> Vehicle not to exceed 25.0 metres in total length
5050628	Jacob Rd	Jacob Rd	Greater Geraldton (C)	0.00	Freeman Rd & Mingenew - Mullewa Rd	7.65	Ardingly South Rd	
5051260	James St	James St	Greater Geraldton (C)	0.00	Kemp St	0.68	Rudds Gully Rd	
5050695	Johnson Rd	Johnson Rd	Greater Geraldton (C)	0.00	Byron North Rd	5.02	Yuna - Tenindewa Rd	
5051336	Jordan Rd	Jordan Rd	Greater Geraldton (C)	0.00	East Chapman Rd	0.70	Jordan Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5050646	K Giles Rd	K Giles Rd	Greater Geraldton (C)	0.00	Pindar Town St	7.70	K Giles Rd - End Road	
5050732	Kelly North Rd	Kelly North Rd	Greater Geraldton (C)	0.00	Fegan Rd	4.23	Kelly North Rd - End Road	
5050607	Kelly Rd	Kelly Rd	Greater Geraldton (C)	0.00	Pallotine Rd	25.46	Williams Rd	
5050666	Kemp Rd	Kemp Rd	Greater Geraldton (C)	0.00	Desmond Rd	3.75	Weir Rd	
5050640	Kockatea Rd	Kockatea Rd	Greater Geraldton (C)	0.00	Wilroy Kockatea Rd	5.60	Kockatea Rd - End Road	

Tandem Drive Network 2.1



Greater Geraldton (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5050614	Langridge Rd	Langridge Rd	Greater Geraldton (C)	0.00	Kelly Rd	18.70	Mullewa Wubin Rd	
5051177	Levett Rd	Levett Rd	Greater Geraldton (C)	0.00	Evans Rd & Padbury Rd	0.44	Edward Rd & Walkaway - Nangetty Rd	
5050710	Lovrich Rd	Lovrich Rd	Greater Geraldton (C)	0.00	Williams Rd	4.15	Barrabarra Rd & Simon Rd	
5050001	Marine Tce	Marine Tce	Greater Geraldton (C)	1.73	Cbh Access Road 1.17km From John Willcock Link	2.90	John Willcock Link	<ul style="list-style-type: none"> Intersection John Willcock Link : No left turn permitted into John Willcock Link from Marine Tce
5050522	Masters Rd	Masters Rd	Greater Geraldton (C)	0.00	Geraldton Mt Magnet Rd	0.49	Horwood Rd	
5050632	Menang Rd	Menang Rd	Greater Geraldton (C)	0.00	Ardingly South Rd	9.37	Geraldton Mt Magnet Rd	
5050700	Micke Rd	Micke Rd	Greater Geraldton (C)	0.00	Erangy Spring Rd	7.99	Casuarinas Rd	
5050731	Milgy Spring Rd	Milgy Spring Rd	Greater Geraldton (C)	0.00	Grima Rd	5.40	Milgy Spring Rd - End Road	
5050626	Mindage Spring Rd	Mindage Spring Rd	Greater Geraldton (C)	0.00	Sullivan Rd	24.90	Belinga Spring Rd	
5050758	Mingenew - Mullewa Rd	Mingenew - Mullewa Rd	Greater Geraldton (C)	0.00	Mingenew LGA Boundary	49.02	Geraldton Mt Magnet Rd	
5051020	Minnenooka Rd	Minnenooka Rd	Greater Geraldton (C)	0.00	Arthur Rd	21.28	Sandsprings Rd	
5050681	Molster St	Molster St	Greater Geraldton (C)	0.00	Dalgety St	0.13	Stock St	<ul style="list-style-type: none"> Operation permitted in a clockwise direction only.
5051031	Moonyoonooka - Narngulu Rd	Moonyoonooka - Narngulu Rd	Greater Geraldton (C)	0.00	Geraldton Mt Magnet Rd	5.05	Edward Rd	
5050702	Moore Rd	Moore Rd	Greater Geraldton (C)	0.00	Geraldton Mt Magnet Rd	16.75	Eves Rd	
5050641	Nangerwalla Rd	Nangerwalla Rd	Greater Geraldton (C)	0.00	Nubberoo Rd	13.75	Carnarvon - Mullewa Rd	
5050260	Newman St	Newman St	Greater Geraldton (C)	0.00	Webborton Rd	0.18	Bedford St	
5051015	Northern Gully Rd	Northern Gully Rd	Greater Geraldton (C)	0.00	Geraldton Mt Magnet Rd	9.05	Lorimer Rd & Durawah - Northern Gully & Thompson Reidy Rd	
5050613	Nubberoo Rd	Nubberoo Rd	Greater Geraldton (C)	0.00	Carnarvon - Mullewa Rd	25.14	Badgedong Rd	
5050615	Nungulya Rd	Nungulya Rd	Greater Geraldton (C)	0.00	Dean Rd	17.80	Geraldton Mt Magnet Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5050011	Ocean St	Ocean St	Greater Geraldton (C)	0.00	Marine Tce	0.33	Haigh St	
5050610	Old Geraldton Rd	Old Geraldton Rd	Greater Geraldton (C)	0.00	Weir Rd	10.14	Eradu North Rd	
5050652	Old Mingeneu Rd	Old Mingeneu Rd	Greater Geraldton (C)	0.00	Maley St & Mullewa Wubin Rd	7.82	Mingenew - Mullewa Rd & Thomas Rd	
5050659	Old Pindar Rd	Old Pindar Rd	Greater Geraldton (C)	0.00	Tiller Rd	6.45	Docherty Rd & Unknown Rd	
5050705	Olman Rd	Olman Rd	Greater Geraldton (C)	0.00	Ardingly South Rd	5.04	Menang Rd	
5051240	Padbury Rd	Padbury Rd	Greater Geraldton (C)	0.00	Padbury Rd - Start Road	1.80	1.20 Km Past Evans Rd & Levett Rd	
5050612	Pallotine Rd	Pallotine Rd	Greater Geraldton (C)	0.00	Mullewa Wubin Rd	16.05	Grima Rd & Pallotine Rd	

Tandem Drive Network 2.1



Greater Geraldton (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5050658	Park Rd	Park Rd	Greater Geraldton (C)	0.00	Geraldton Mt Magnet Rd	6.29	Williams Rd	
5050622	Peter Rd	Peter Rd	Greater Geraldton (C)	0.00	Geraldton Mt Magnet Rd	20.53	Yuna - Tenindewa Rd	
5050645	Pindar Town St	Pindar Town St	Greater Geraldton (C)	0.00	Geraldton Mt Magnet Rd & Tardun Pindar Rd	0.88	Geraldton Mt Magnet Rd	
5050072	Place Rd	Place Rd	Greater Geraldton (C)	0.00	North West Coastal Hwy	1.83	0.37km East of Stow St	
5050012	Point St	Point St	Greater Geraldton (C)	0.00	Marine Tce	0.48	John Willcock Link	<ul style="list-style-type: none"> Intersection Haigh St : Left turn only permitted into Haigh St from Point St
5050244	Portway	Portway	Greater Geraldton (C)	0.00	John Willcock Link	0.59	Marine Tce	
5051329	Prendergast L	Prendergast L	Greater Geraldton (C)	0.00	Bootenal Rd	0.43	Prendergast L - End Road	
5050278	Preston St	Preston St	Greater Geraldton (C)	0.00	Place Rd	0.12	Bradford St	
5051436	Ramsay Rd	Ramsay Rd	Greater Geraldton (C)	0.00	Eradu South Rd & Shields Rd	9.80	Ellendale Rd & Sandsprings Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5051012	Rudds Gully Rd	Rudds Gully Rd	Greater Geraldton (C)	0.00	Brand Hwy	5.81	Edward Rd	
5051043	Scott Rd	Scott Rd	Greater Geraldton (C)	0.00	East Chapman Rd	2.19	Shaw Pl & Scott Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. See Low Volume Condition Type A in the Operating Conditions Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5050005	Shenton St	Shenton St	Greater Geraldton (C)	0.00	John Willcock Link	0.36	0.08km From Crowther St	
5050618	Shepherd Rd	Shepherd Rd	Greater Geraldton (C)	0.00	Carnarvon - Mullewa Rd	6.21	Shepherd Rd - End Road	
5051337	Southgates Access Rd	Southgates Access Rd	Greater Geraldton (C)	0.00	Brand Hwy	0.35		<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 40 km/h
5050671	Stock St	Stock St	Greater Geraldton (C)	0.00	Maitland Rd & Gray St	0.17	Molster St	<ul style="list-style-type: none"> Operation permitted in a clockwise direction only.
5050388	Stow St	Stow St	Greater Geraldton (C)	0.00	Place Rd	0.49	Beaver St	
5050624	Sullivan Rd	Sullivan Rd	Greater Geraldton (C)	0.00	Dean Rd	17.39	Tardun Pindar Rd	
5050635	Sutherland Rd	Sutherland Rd	Greater Geraldton (C)	0.00	Carnarvon - Mullewa Rd	8.03	Sutherland Rd - End Road	

Tandem Drive Network 2.1



Greater Geraldton (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5050603	Tardun Pindar Rd	Tardun Pindar Rd	Greater Geraldton (C)	0.00	Mullewa Wubin Rd	37.84	Geraldton Mt Magnet Rd & Pindar Town St	<ul style="list-style-type: none"> Intersection Sullivan Rd : No right turn permitted into Sullivan Rd from Tardun Pindar Rd
5050623	Tenindewa North Rd	Tenindewa North Rd	Greater Geraldton (C)	0.00	Geraldton Mt Magnet Rd	25.38	Tenindewa Rd North	
5050643	Tenindewa Store Rd	Tenindewa Store Rd	Greater Geraldton (C)	0.00	Yuna - Tenindewa Rd	1.17	Tenindewa North Rd	
5050707	Thomas Rd	Thomas Rd	Greater Geraldton (C)	0.00	Ardingly South Rd	8.87	Old Mingenew Rd & Mingenew - Mullewa Rd	
5050683	Thomas St	Thomas St	Greater Geraldton (C)	0.00	Padbury St	0.19	Mitchell St & Gray St	
5050664	Tiller Rd	Tiller Rd	Greater Geraldton (C)	0.00	Geraldton Mt Magnet Rd	2.78	Tiller Rd - End Road	
5050656	Urawa Rd	Urawa Rd	Greater Geraldton (C)	0.00	Carnarvon - Mullewa Rd	10.00	Urawa Rd - End Road	
5051016	Valentine Rd	Valentine Rd	Greater Geraldton (C)	0.00	Geraldton Mt Magnet Rd	7.88	Valentine Rd & Smith Rd	
5050299	Vulcan Wy	Vulcan Wy	Greater Geraldton (C)	0.00	Bradford St	0.18	Allen St	
5051400	Walkaway - Nangetty Rd	Walkaway - Nangetty Rd	Greater Geraldton (C)	0.00	Edward Rd & Levett Rd	16.10	Burma Rd	<ul style="list-style-type: none"> Maximum speed of 40 km/h when crossing Bridge 3014 over Greenough River.
5051400	Walkaway - Nangetty Rd	Walkaway - Nangetty Rd	Greater Geraldton (C)	16.10	Burma Rd	20.47	Oliver Rd	<ul style="list-style-type: none"> 30 km/h below posted speed limit
5051400	Walkaway - Nangetty Rd	Walkaway - Nangetty Rd	Greater Geraldton (C)	20.47	Oliver Rd	66.00	Mingenew - Mullewa Rd	
5050721	Wandina Rd	Wandina Rd	Greater Geraldton (C)	0.00	Carnarvon - Mullewa Rd	4.67	Wandina Rd - End Road	
5050674	Warren Rd	Warren Rd	Greater Geraldton (C)	0.00	Maitland Rd & Geraldton Mt Magnet Rd	1.45	Carnarvon - Mullewa Rd	
5050282	Webborton Rd	Webborton Rd	Greater Geraldton (C)	0.00	North West Coastal Hwy	0.90	Anderson St	
5050696	Weir Rd	Weir Rd	Greater Geraldton (C)	0.00	Yuna - Tenindewa Rd	2.24	Old Geraldton Rd	
5051046	Wicherina South Rd	Wicherina South Rd	Greater Geraldton (C)	0.00	Geraldton Mt Magnet Rd	12.56	Ramsay Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5050608	Williams Rd	Williams Rd	Greater Geraldton (C)	0.00	Mullewa Wubin Rd	31.75	Williams Rd - End Road	
5050619	Williamson Rd	Williamson Rd	Greater Geraldton (C)	0.00	Tenindewa North Rd	13.58	Yuna - Tenindewa Rd	
5050627	Wilroy Kockatea Rd	Wilroy Kockatea Rd	Greater Geraldton (C)	0.00	Mingenew - Mullewa Rd	14.07	Mullewa Wubin Rd	
5050644	Wilroy Rd	Wilroy Rd	Greater Geraldton (C)	0.00	Mullewa Wubin Rd	2.73	Langridge Rd	
5050606	Wongoondy - Tardun Rd	Wongoondy - Tardun Rd	Greater Geraldton (C)	0.00	Mullewa Wubin Rd	21.14	Hebiton Rd & Mingenew - Mullewa Rd	
5050704	Woodacurrie Rd	Woodacurrie Rd	Greater Geraldton (C)	0.00	Ardingly South Rd	4.00	Woodacurrie Rd - End Road	
5050724	Yanga Rd	Yanga Rd	Greater Geraldton (C)	0.00	Ardingly South Rd	7.69	Yanga Rd - End Road	

Tandem Drive Network 2.1



Greater Geraldton (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5050536	Yarryana Dr	Yarryana Dr	Greater Geraldton (C)	0.00	Deepdale Rd	0.10	Viva Energy Access Rd 0.10km From Deepdale Rd	<ul style="list-style-type: none">All operators must carry written support from the road manager acknowledging the operator's use of the road.
5050760	Yuna - Tenindewa Rd	Yuna - Tenindewa Rd	Greater Geraldton (C)	0.00	Chapman Valley LGA Boundary	29.39	Geraldton Mt Magnet Rd	
505Z018	Ian Bogle Rd	Ian Bogle Rd	Greater Geraldton (C)	0.00	Connell Rd & John Willcock Link	0.16	Reg Clarke Rd	
505Z017	Lake Nerramyne Rd	Lake Nerramyne Rd	Greater Geraldton (C)	0.00	Dartmoor - Lake Nerramyne Rd	5.00	Lake Nerramyne Rd	
505Z019	Reg Clarke Rd	Reg Clarke Rd	Greater Geraldton (C)	0.00	Ian Bogle Rd	0.57	0.57km From Ian Bogle Rd	

Tandem Drive Network 2.1



Halls Creek

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
0020055	Beckett St	Beckett St	Halls Creek	0.00	Duncan Rd	1.44	Beckett St	
0020070	Bedford Rd	Bedford Rd	Halls Creek	0.00	Duncan Rd	0.21	Bedford Rd - End Road	
0020005	Bridge St	Bridge St	Halls Creek	0.00	Great Northern Hwy	0.05	Old Great Northern Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. ACCESS to and from the Halls Creek Power Station only
0020062	Duncan Rd	Duncan Rd	Halls Creek	0.00	Great Northern Hwy	339.30	Wyndham - East Kimberley LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h No Operation between Dec to Mar between the hours of sunset and sunrise
0020011	Gordon Downs Rd	Gordon Downs Rd	Halls Creek	0.00	Duncan Rd	52.47	Gordon Downs Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
0020042	Nicholson East Rd	Nicholson East Rd	Halls Creek	0.00	Duncan Rd	11.64	Nicholson East Rd & Grid At Wa/Nt Border	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
0020059	Old Great Northern Hwy	Old Great Northern Hwy	Halls Creek	0.10	Bridge St	0.64	Old Great Northern Hwy - End Road	
0029000	Robinson Rd	Robinson Rd	Halls Creek	0.00	Great Northern Hwy	0.28	Robinson Rd - End Road	
0020025	Tanami Rd	Tanami Rd	Halls Creek	0.00	Great Northern Hwy	313.41	Tanami Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h

Tandem Drive Network 2.1



Harvey

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2119002	Arber Rd	Arber Rd	Harvey	0.00	Arber Rd & Rosamel Rd	0.46	Marriott Rd	
2110439	Big Tree Rd	Big Tree Rd	Harvey	7.42	Sandalwood Rd	10.56	Mornington Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2110115	Binningup Rd	Binningup Rd	Harvey	0.00	Forrest Hwy & Wellesley Rd North	3.29	Coronation Dr	
2110146	Buffalo Rd	Buffalo Rd	Harvey	0.00	Forrest Hwy	2.74	Buffalo Rd - End Road	<ul style="list-style-type: none"> Maximum speed 70 km/h 'Trucks Entering' signs to be erected and removed when not in use.
2110120	Campbell Rd	Campbell Rd	Harvey	0.00	Marriott Rd	5.73	1.4km From Mitchell Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2110001	Clifton Rd	Clifton Rd	Harvey	0.00	South Western Hwy & Beela Rd	8.50	Clifton Rd Link	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No access permitted via Brunswick Township.
2110058	Devlin Rd	Devlin Rd	Harvey	0.00	Marriott Rd	0.61	.610km From Marriott Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
2110451	Ditchingham Pl	Ditchingham Pl	Harvey	0.00	Grand Ent	0.99	Ditchingham Pl - End Road	
2110118	Dixon Av	Dixon Av	Harvey	0.00	South Western Hwy	1.80	Collins Rd	
2110217	Edwards Rd	Edwards Rd	Harvey	0.00	Coalfields Rd	2.68	Edwards Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2110070	Eighth St	Eighth St	Harvey	3.69	Lot 3 Abbatoir	3.89	Uduc Rd	

Tandem Drive Network 2.1



Harvey

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2110792	Emu Dr	Emu Dr	Harvey	0.00	Myalup Rd	0.05	0.05km From Myalup Rd	<ul style="list-style-type: none"> All operators must carry written approval from the Water Corporation Authority permitting use of Bridge Structure 4758A (Harvey River Diversion Drain)
2110349	Finn Rd	Finn Rd	Harvey	0.00	Forrest Hwy	2.54	0.47km From Scott Rd	
2110349	Finn Rd	Finn Rd	Harvey	2.54	0.47km From Scott Rd	3.74	Finn Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2110005	Forestry Rd	Forestry Rd	Harvey	0.00	Government Rd	3.43	Taylors L & Crampton Rd	
2110005	Forestry Rd	Forestry Rd	Harvey	3.43	Taylors L & Crampton Rd	4.70	0.43km Before Myalup Rd	<ul style="list-style-type: none"> Bridge 3716 not to be crossed Bridge Bridge 3716 Mangosteen Drain : Bridge not to be crossed. : Bridge not to be crossed.
2110005	Forestry Rd	Forestry Rd	Harvey	4.70	0.43km Before Myalup Rd	11.72	Forrest Hwy	
2110419	Goss Rd	Goss Rd	Harvey	0.00	Forrest Hwy	1.60	1.6km From Forrest Hwy	
2110011	Government Rd	Government Rd	Harvey	5.43	Uduc Rd	5.56	Forestry Rd	
2110720	Grand Ent	Grand Ent	Harvey	0.00	Paris Rd	0.94	Ditchingham Pl & Grand Ent	
2110742	Grand Ent	Grand Ent	Harvey	0.29		1.26	Forrest Hwy & Grand Entrance Acceleration Lane on to Forrest Hwy (Southbound)	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2110318	Hanson Rd	Hanson Rd	Harvey	0.00	Stirling Dam Rd	0.40	0.40 Km Past Stirling Dam Rd	
2110318	Hanson Rd	Hanson Rd	Harvey	0.40	0.40 Km Past Stirling Dam Rd	3.00		<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Harvey

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2110002	Harvey - Quindanning Rd	Harvey - Quindanning Rd	Harvey	0.00	South Western Hwy & Uduc Rd	37.63	Boddington LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Maximum Speed of 40 km/h on gravel road
2110048	Heppingstone Rd	Heppingstone Rd	Harvey	0.65	Rose Rd	1.71	South Western Hwy	<ul style="list-style-type: none"> Maximum speed 20 km/h Intersection South Western Hwy : No Right Turn Into South Western Hwy Permitted
2110019	Herbert Rd	Herbert Rd	Harvey	1.90	0.03km From Hocart Rd	2.88	Seventh St	
2110076	Hocart Rd	Hocart Rd	Harvey	0.00	Herbert Rd	2.90	Hocart Rd - End Road	
2110050	Hoffman Rd	Hoffman Rd	Harvey	0.00	South Western Hwy	5.36	Scarp Rd & Hoffman Rd	
2110150	Honeymoon Rd	Honeymoon Rd	Harvey	0.00	South Western Hwy	5.03	5.03km From South Western Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2110150	Honeymoon Rd	Honeymoon Rd	Harvey	5.03	5.03km From South Western Hwy	16.39	Harvey - Quindanning Rd & Lancaster Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2110049	Hope Av	Hope Av	Harvey	0.00	South Western Hwy	5.49	Hope Av - End Road	
2110006	Johnston Rd	Johnston Rd	Harvey	0.00	South Western Hwy	0.50	0.33km From Anderson St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2110872	Kemerton Rd	Kemerton Rd	Harvey	0.00	Marriott Rd	1.70	Wellesley Rd North	

Tandem Drive Network 2.1



Harvey

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2110440	Lancaster Rd	Lancaster Rd	Harvey	8.20	.51km From Hanson Rd	9.97	Stirling Dam Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2110262	Martin Rd	Martin Rd	Harvey	2.36	Oldham Rd	5.55	Sandalwood Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2110131	Mitchell Rd	Mitchell Rd	Harvey	0.00	South Western Hwy	2.26	1.04km From Bernies Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2110008	Mornington Rd	Mornington Rd	Harvey	0.00	South Western Hwy	11.93	Big Tree Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2110128	Myalup Beach Rd	Myalup Beach Rd	Harvey	0.00	Forrest Hwy & Myalup Rd	3.60	Myalup Beach - End Road	
2110539	Myalup Rd	Myalup Rd	Harvey	0.00	Forestry Rd	8.94	Forrest Hwy & Myalup Beach Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2110535	Old Coast Rd	Old Coast Rd	Harvey	0.00	Forrest Hwy	9.63	Bunbury (C) LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2110362	Papps Rd	Papps Rd	Harvey	0.00	South Western Hwy	0.22	Papps Rd - End Road	

Tandem Drive Network 2.1



Harvey

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2110207	Paris Rd	Paris Rd	Harvey	1.95	Grand Ent	3.86	Forrest Hwy - Paris Rd Rty	
2110317	Pead Rd	Pead Rd	Harvey	0.00	Forrest Hwy	4.85	Pead Rd - End of Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2110046	Peterson Rd	Peterson Rd	Harvey	0.00	South Western Hwy	0.97	Warrawarrup Rd & Third St	
2110007	Riverdale Rd	Riverdale Rd	Harvey	15.74	0.95km From McNeil Rd	17.86	Forrest Hwy & Harris Rd	
2110135	Robinson Rd	Robinson Rd	Harvey	0.00	Sandalwood Rd	2.45	Robinson Rd - End Road	
2110453	Rosamel Rd	Rosamel Rd	Harvey	0.00	Rosamel Rd - Start Road	1.77	Arber Rd	
2110100	Rose Rd	Rose Rd	Harvey	0.00	Talbot Rd	0.40	Rose Rd - End Road	
2110242	Runnymede Rd	Runnymede Rd	Harvey	0.00	Wellesley Rd North	1.50	1.5km After Wellesley Rd North	
2110018	Sandalwood Rd	Sandalwood Rd	Harvey	0.00	South Western Hwy	13.40	Big Tree Rd	
2110069	Seventh St	Seventh St	Harvey	0.00	Herbert Rd	1.11	0.4km From Uduc Rd	
2110496	Stanley Rd	Stanley Rd	Harvey	0.00	Forrest Hwy	0.53	Stanley Rd - End Road	
2110144	Stirling Dam Rd	Stirling Dam Rd	Harvey	0.00	Harvey - Quindanning Rd	4.16	Lancaster Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2110397	Taranto Rd	Taranto Rd	Harvey	0.00	Forrest Hwy	1.63	1.63km From Forrest Hwy	
2110776	The Promenade	The Promenade	Harvey	0.41	Grand Ent	1.38	Paris Rd & Kingston Dr	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2110030	Third St	Third St	Harvey	1.63	0.4km From River Rd	3.50	Warrawarrup Rd & Peterson Rd	
2119001	Tilbury Cl	Tilbury Cl	Harvey	0.00	Howson Dr	0.37	Tilbury Cl - End Road	
2110203	Treasure Rd	Treasure Rd	Harvey	0.00	Unknown Rd	3.53	Thampapillai Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Harvey

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2110203	Treasure Rd	Treasure Rd	Harvey	3.53	Thampapillai Rd	7.28	Forrest Hwy & Springhill Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Thampapillai Rd : No right turn permitted into Thampapillai Rd from Treasure Rd
2110398	Tredrea Pl	Tredrea Pl	Harvey	0.00	Taranto Rd	0.80	0.80km From Taranto Rd	
2110013	Treendale Rd	Treendale Rd	Harvey	0.87	Raymond Rd	4.67	Raymond Rd	
2110538	Uduc Rd	Uduc Rd	Harvey	3.00	Sixth St	5.45	Government Rd	
2110479	Wellesley Rd North	Wellesley Rd North	Harvey	0.00	Marriott Rd	12.60	Forrest Hwy & Binningup Rd	<ul style="list-style-type: none"> Bridge 3735 Wellesley River : Bridge not to be crossed.
2110244	Wellington Rd	Wellington Rd	Harvey	0.00	Wellesley Rd North	1.93	Wellington Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2112029	Arber Rd	Arber Rd	Harvey	0.00	Treasure Rd	4.42	Arber Rd & Rosamel Rd	<ul style="list-style-type: none"> Intersection Arber Rd & Rosamel Rd : No right turn permitted into Rosamel Rd from Thampapillai Rd
2112037	Willowdale Rd (P)	Willowdale Rd (P)	Harvey	0.00	Waroona LGA Boundary	6.81	Willowdale Rd (P) - End Road	

Tandem Drive Network 2.1



Irwin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5080026	Allanooka Springs Rd	Allanooka Springs Rd	Irwin	0.00	Greater Geraldton (C) LGA Boundary	33.29	Allanooka Springs Rd & Erangy Spring Rd	
5080129	Bailey St	Bailey St	Irwin	0.00	Moore Rd	0.53	Vincent St	
5080014	Bonniefield East Rd	Bonniefield East Rd	Irwin	0.00	Brand Hwy & Francisco Rd	5.07	Wye Farm Rd & Water Supply Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5080005	Burma Rd	Burma Rd	Irwin	0.00	Casuarinas Rd & Burma Rd	12.80	Allanooka Springs Rd	
5080005	Burma Rd	Burma Rd	Irwin	12.90	Allanooka Springs Rd	23.99	Mingenew LGA Boundary	
5080017	Casuarinas Rd	Casuarinas Rd	Irwin	0.00	Burma Rd	13.90	Greater Geraldton (C) LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5080124	Correy Rd	Correy Rd	Irwin	0.00	Brand Hwy	9.30	Correy Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5080020	Ellery Rd	Ellery Rd	Irwin	0.00	Brand Hwy	2.00	Ellery Rd - End Road	
5080153	Fane Rd	Fane Rd	Irwin	0.00	Brand Hwy	2.11	Fane Rd - End Road	
5080030	Hunt Farm Rd	Hunt Farm Rd	Irwin	0.00	Milo Rd	7.30	Hunt Farm Rd - End Road	
5080154	Kailis Dr	Kailis Dr	Irwin	0.00	Brand Hwy	10.60	George St	

Tandem Drive Network 2.1



Irwin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5080126	Kelly Rd	Kelly Rd	Irwin	0.00	Midlands Rd	1.05	Kelly Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5080023	Ludlow Rd	Ludlow Rd	Irwin	0.00	Milo Rd	2.96	Ludlow Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5080004	Milo Rd	Milo Rd	Irwin	0.00	Midlands Rd	23.00	Mingenew LGA Boundary	
5080128	Moore Rd	Moore Rd	Irwin	0.00	Brand Hwy	0.24	0.05km From Bailey St	
5080013	Mt Adams Rd	Mt Adams Rd	Irwin	0.00	Carsons Rd & Brand Hwy	22.66	Yandanooka West Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5080011	Mt Horner West Rd	Mt Horner West Rd	Irwin	0.00	Brand Hwy	19.90	Tabletop Rd	
5080194	Payne Cr	Payne Cr	Irwin	0.00	Bailey St	0.13	Payne Cr - End Road	
5080016	Pettit Rd	Pettit Rd	Irwin	0.00	Brand Hwy	3.55	Bonniefield East Rd	
5080074	Pinchers Rd	Pinchers Rd	Irwin	0.00	Tabletop Rd	8.17	Pinchers Rd - End Road	

Tandem Drive Network 2.1



Irwin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5080191	Pwd Rd	Pwd Rd	Irwin	0.00	Burma Rd	6.50	Pwd Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5080067	Pye Rd	Pye Rd	Irwin	0.00	Brand Hwy	3.70	Pye Rd	
5080068	Skipper Rd	Skipper Rd	Irwin	0.00	Brand Hwy	2.85	Three Springs LGA Boundary	
5080063	Steele Rd	Steele Rd	Irwin	1.85	1.85km From Brand Highway	3.51	Wimpole Rd	
5080007	Tabletop Rd	Tabletop Rd	Irwin	0.00	Midlands Rd	16.36	Allanooka Springs Rd	<ul style="list-style-type: none"> Intersection Midlands Rd : No access permitted into Midlands Rd from Tabletop Rd
5080007	Tabletop Rd	Tabletop Rd	Irwin	16.36	Allanooka Springs Rd	22.25	Burma Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h
5080066	Tomkins Rd	Tomkins Rd	Irwin	0.00	Mt Adams Rd	11.35	Three Springs LGA Boundary	
5080130	Vincent St	Vincent St	Irwin	0.00	Bailey St	0.64	Bailey St	
5080008	Warradong Spring Rd	Warradong Spring Rd	Irwin	0.00	Milo Rd	6.15	Yandanooka West Rd	
5080179	Wimpole Rd	Wimpole Rd	Irwin	0.00	Bonniefield East Rd	2.62	Steele Rd	
5080018	Winterbottom Rd	Winterbottom Rd	Irwin	0.00	Burma Rd	7.03	Casuarinas Rd	
5080009	Wye Farm Rd	Wye Farm Rd	Irwin	0.00	Bonniefield East Rd & Water Supply Rd	5.78	Yardarino Rd	
5080073	Yandanooka West Rd	Yandanooka West Rd	Irwin	0.00	Mt Adams Rd	7.92	Mingenew LGA Boundary	
5080192	Yardarino Rd	Yardarino Rd	Irwin	0.00	Wye Farm Rd	7.46	Midlands Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Jerramungup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3180023	Bennett St	Bennett St	Jerramungup	0.00	Robert St	0.30	Mary St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
3180110	Bennett St	Bennett St	Jerramungup	0.00	Memorial Rd	0.26	Newton St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3180089	Bokelup Rd	Bokelup Rd	Jerramungup	0.00	Cameron Rd	7.32	Brook Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180172	Borden Boxwood Hill Rd	Borden Boxwood Hill Rd	Jerramungup	0.00	Monjebup Rd & Borden - Bremer Bay Rd	14.98	South Coast Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h

Tandem Drive Network 2.1



Jerramungup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3180085	Bowra Rd	Bowra Rd	Jerramungup	0.00	Rabbit Proof Fence Rd	4.06	Kent LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180004	Boxwood Hill - Ongerup Rd	Boxwood Hill - Ongerup Rd	Jerramungup	0.00	Borden Boxwood Hill Rd	24.14	Boxwood Hill - Ongerup Rd & Corackerup Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180232	Bremer Bay Rd	Bremer Bay Rd	Jerramungup	0.00	Borden Bremer Bay Rd	0.32	John St	
3180049	Brook Rd	Brook Rd	Jerramungup	0.00	South Coast Hwy	17.90	From South Coast Hwy For 17.90km	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180041	Browns North Rd	Browns North Rd	Jerramungup	0.00	Nyerilup Rd	10.21	Browns South Rd & Gnowangerup Jerramungup Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h

Tandem Drive Network 2.1



Jerramungup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3180228	Browns South Rd	Browns South Rd	Jerramungup	0.00	Gnowangerup Jerramungup Rd & Browns North Rd	6.62	Stock Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180046	Cameron Rd	Cameron Rd	Jerramungup	0.00	South Coast Hwy & Monkey Rock Rd	12.48	From South Coast Hwy For 12.48km	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180060	Cardininup Rd	Cardininup Rd	Jerramungup	0.00	Corackerup Rd	15.99	Gnowangerup Jerramungup Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180058	Carlawillup Rd	Carlawillup Rd	Jerramungup	0.00	Stock Rd & South Coast Hwy	8.72	Carlawillup South Rd & Monkey Rock Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h

Tandem Drive Network 2.1



Jerramungup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3180227	Carlawillup South Rd	Carlawillup South Rd	Jerramungup	0.00	Carlawillup Rd & Monkey Rock Rd	11.19	Marnigarup East Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180086	Carney Rd	Carney Rd	Jerramungup	0.00	Stock Rd	16.86	Cowalellup Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180092	Corackerup Rd	Corackerup Rd	Jerramungup	0.00	Boxwood Hill - Ongerup Rd	11.80	Cowalellup Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180064	Cowalellup Rd	Cowalellup Rd	Jerramungup	0.00	South Coast Hwy	26.13	Cowalellup Rd & Corackerup Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180121	Cuiss Rd	Cuiss Rd	Jerramungup	0.00	South Coast Hwy	12.66	Cuiss Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h

Tandem Drive Network 2.1



Jerramungup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3180065	Devils Creek Rd	Devils Creek Rd	Jerramungup	0.00	South Coast Hwy	45.51	Roberts Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180067	Devils Creek South Rd	Devils Creek South Rd	Jerramungup	0.00	Devils Creek Rd	11.77	Swamp Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180067	Devils Creek South Rd	Devils Creek South Rd	Jerramungup	11.81	Swamp Rd	23.63	Borden Bremer Bay Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180200	Dog Proof Fence Rd	Dog Proof Fence Rd	Jerramungup	0.00	Devils Creek Rd	4.41	Meechi Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h

Tandem Drive Network 2.1



Jerramungup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3180193	Estuary Rd	Estuary Rd	Jerramungup	0.00	Borden Bremer Bay Rd	8.77	Estuary Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180048	Exchange Rd	Exchange Rd	Jerramungup	0.00	Rabbit Proof Fence Rd	12.43	From Rabbit Proof Fence Rd For 12.43km	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180007	Fitzgerald Rd	Fitzgerald Rd	Jerramungup	0.00	Ravensthorpe LGA Boundary	16.12	Ravensthorpe LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180001	Gairdner South Rd	Gairdner South Rd	Jerramungup	0.00	Borden Bremer Bay Rd	22.49	0.08km From Gairdner Hall Access	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180001	Gairdner South Rd	Gairdner South Rd	Jerramungup	22.49	0.08km From Gairdner Hall Access	22.76	South Coast Hwy	

Tandem Drive Network 2.1



Jerramungup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3180050	Jacup North Rd	Jacup North Rd	Jerramungup	0.00	South Coast Hwy	34.40	North of Jerramungup North Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180056	Jacup South Rd	Jacup South Rd	Jerramungup	0.00	South Coast Hwy	7.30	Jacup South Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180044	Jerramungup North Rd	Jerramungup North Rd	Jerramungup	0.00	Gnowangerup Jerramungup Rd	18.77	From Broome Hill Jerramungup Rd For 18.77km	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180021	John St	John St	Jerramungup	0.00	Bremer Bay Rd	0.60	Mary St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Jerramungup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3180003	Lake Magenta Rd	Lake Magenta Rd	Jerramungup	0.00	South Coast Hwy	28.95	Reserve Rd & Lake Magenta Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180134	Lake Rd Nth	Lake Rd Nth	Jerramungup	0.00	Lake Magenta Rd	10.91	Mallee Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180054	Mallee Rd	Mallee Rd	Jerramungup	0.00	South Coast Hwy	34.28	West River Rd & Mallee Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180225	Marnigarup East Rd	Marnigarup East Rd	Jerramungup	0.00	South Coast Hwy & Marnigarup West Rd	18.54	Bartlett Rd & Marnigarup South Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h

Tandem Drive Network 2.1



Jerramungup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3180097	Marnigarup South Rd	Marnigarup South Rd	Jerramungup	0.00	Bartlett Rd & Marnigarup East Rd	11.19	Devils Creek Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180226	Marnigarup West Rd	Marnigarup West Rd	Jerramungup	0.00	Marnigarup East Rd & South Coast Hwy	17.60	Carney Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180030	Mary St	Mary St	Jerramungup	0.00	Bennett St	0.18	Mary St & John St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
3180043	McHardy Rd	McHardy Rd	Jerramungup	0.00	Nyerilup Rd	2.70	McHardy Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h

Tandem Drive Network 2.1



Jerramungup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3180087	Meechi Rd	Meechi Rd	Jerramungup	0.00	Devils Creek Rd	8.00	0.28km From Dog Proof Fence Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180008	Memorial Rd	Memorial Rd	Jerramungup	0.00	South Coast Hwy	0.20	Bennett St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3180008	Memorial Rd	Memorial Rd	Jerramungup	0.92	Kokoda Rd	1.10	Gnowangerup Jerramungup Rd	
3180051	Middamidjup Rd	Middamidjup Rd	Jerramungup	0.00	Jacup North Rd	20.14	Mallee Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180093	Monjebup Rd	Monjebup Rd	Jerramungup	0.00	Boxwood Hill - Ongerup Rd	12.92	Borden - Bremer Bay Rd & Borden Boxwood Hill Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h

Tandem Drive Network 2.1



Jerramungup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3180057	Monkey Rock Rd	Monkey Rock Rd	Jerramungup	0.00	Cameron Rd & South Coast Hwy	15.97	Carlawillup South Rd & Carlawillup Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180068	Murray Rd	Murray Rd	Jerramungup	0.00	Devils Creek Rd	8.50	Doubtful Islands Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180002	Needilup North Rd	Needilup North Rd	Jerramungup	0.00	Gnowangerup Jerramungup Rd	19.03	Kent LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times
3180061	Needilup South Rd	Needilup South Rd	Jerramungup	0.00	Gnowangerup Jerramungup Rd	7.88	Stock Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180066	Normans Rd	Normans Rd	Jerramungup	5.50	3.14km Boxwood Hill - Ongerup Rd	8.64	Boxwood Hill - Ongerup Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h

Tandem Drive Network 2.1



Jerramungup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3180149	North of Jerramungup North Rd	North of Jerramungup North Rd	Jerramungup	0.00	North of Jerramungup North Rd - Start Road	5.00	Jacup North Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180042	Nyerilup Rd	Nyerilup Rd	Jerramungup	0.00	Needilup North Rd	7.70	Nyerilup Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180094	Ocumup Rd	Ocumup Rd	Jerramungup	0.00	Borden Bremer Bay Rd	7.40	Meechi Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180195	Paperbark Rd	Paperbark Rd	Jerramungup	0.00	Borden Bremer Bay Rd	0.51	0.514km From Borden Bremer Bay Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Jerramungup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3180040	Park Rd	Park Rd	Jerramungup	0.00	Diagonal Rd	5.79	Gnowangerup LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180062	Peniup Rd	Peniup Rd	Jerramungup	0.00	Stock Rd	7.67	Peniup Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180005	Rabbit Proof Fence Rd	Rabbit Proof Fence Rd	Jerramungup	0.00	Gnowangerup LGA Boundary	22.37	White Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180005	Rabbit Proof Fence Rd	Rabbit Proof Fence Rd	Jerramungup	22.43	White Rd & Cameron Rd	32.14	Brook Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h

Tandem Drive Network 2.1



Jerramungup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3180005	Rabbit Proof Fence Rd	Rabbit Proof Fence Rd	Jerramungup	32.20	Brook Rd	36.99	South Coast Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180053	Reserve Rd	Reserve Rd	Jerramungup	0.00	Mallee Rd	12.41	From Mallee Rd For 12.41km	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180033	Robert St	Robert St	Jerramungup	0.00	Bremer Bay Rd	0.17	Barbara St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
3180063	Roberts Rd	Roberts Rd	Jerramungup	0.00	Marnigarup South Rd	12.14	Devils Creek Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h

Tandem Drive Network 2.1



Jerramungup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3180059	Stock Rd	Stock Rd	Jerramungup	0.00	Cardininup Rd	22.60	Carlawillup Rd & South Coast Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180006	Swamp Rd	Swamp Rd	Jerramungup	0.00	Borden Bremer Bay Rd	53.82	South Coast Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180088	Taidia Rd	Taidia Rd	Jerramungup	0.00	Exchange Rd & Jacup North Rd	5.31	Taidia Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180045	Through Rd	Through Rd	Jerramungup	0.00	Jerramungup North Rd	5.31	Cameron Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h

Tandem Drive Network 2.1



Jerramungup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3180014	Vasey St	Vasey St	Jerramungup	0.00	Memorial Rd & Lancaster Rd	0.33	Hassell Rd & South Coast Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3180047	White Rd	White Rd	Jerramungup	0.00	Cameron Rd & Rabbit Proof Fence Rd	11.37	From Rabbit Proof Fence Rd For 11.37km	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
3180055	Witt Rd	Witt Rd	Jerramungup	0.00	South Coast Hwy	7.74	4.72km From Old Ongerup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3180055	Witt Rd	Witt Rd	Jerramungup	7.74	4.72km From Old Ongerup Rd	12.46	Old Ongerup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Jerramungup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3180213	Woolshed Rd	Woolshed Rd	Jerramungup	0.00	Jerramungup North Rd	5.90	Cameron Rd	<ul style="list-style-type: none">This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.Headlights to be switched on at all timesNo operation on unsealed road segment when visibly wet, without road owner's approval.Maximum speed 80 km/h

Tandem Drive Network 2.1



Joondalup (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1310239	Burns Beach Rd	Burns Beach Rd	Joondalup (C)	0.00	Joondalup Dr	3.56	Marmion Av	<ul style="list-style-type: none">10 km/h below posted speed limitNo Operation between 8:00 PM and 6:00 AM
1311900	Hepburn Av	Hepburn Av	Joondalup (C)	0.00	Wanneroo Rd & Hepburn Av	6.06	Marmion Av	<ul style="list-style-type: none">10 km/h below posted speed limit
1311700	Hodges Dr	Hodges Dr	Joondalup (C)	0.00	Joondalup Dr & Grand Bvd	2.63	Marmion Av	<ul style="list-style-type: none">10 km/h below posted speed limit
1311665	Joondalup Dr	Joondalup Dr	Joondalup (C)	0.00	Ocean Reef Rd	7.51	Wanneroo (C) LGA Boundary	<ul style="list-style-type: none">10 km/h below posted speed limit
1311287	Whitfords Av	Whitfords Av	Joondalup (C)	5.06	Marmion Av	11.42	Wanneroo Rd	<ul style="list-style-type: none">10 km/h below posted speed limit

Tandem Drive Network 2.1



Kalamunda

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1020997	Abernethy Rd	Abernethy Rd	Kalamunda	0.00	Abernethy Rd & Abernethy Rd on to Tonkin Hwy	6.58	Abernethy Rd & Brinsmead Rd	<ul style="list-style-type: none"> Intersection Port Pl & Grogan Rd : No right turn permitted into Grogan Rd from Abernethy Rd
1020076	Adelaide St West	Adelaide St West	Kalamunda	1.00	Stirling Cr	1.49	Adelaide St West - End Road	<ul style="list-style-type: none"> Continued RAV Network access to Adelaide St West from Stirling Crescent may be impacted due to closure of Stirling Crescent/Great Eastern Highway Bypass intersection.
1020723	Ashby Cl	Ashby Cl	Kalamunda	0.00	Berkshire Rd	0.35	Nardine Cl	
1020895	Bedford Cr	Bedford Cr	Kalamunda	0.00	Dundas Rd	0.23	Bedford Cr - End Road	
1020895	Bedford Cr	Bedford Cr	Kalamunda	0.86	Webster Rd	1.15	Dundas Rd	
1020043	Berkshire Rd	Berkshire Rd	Kalamunda	0.00	Dundas Rd	1.32	Berkshire Rd (Westbound) on to Roe Hwy (Southbound) & Roe Hwy (Southbound) off to Berkshire Rd	<ul style="list-style-type: none"> Intersection Harrison Rd : No left turn permitted into Harrison Rd from Berkshire Rd
1021083	Beyer Pl	Beyer Pl	Kalamunda	0.00	Abernethy Rd & Dubs Cl	0.24	Beyer Pl - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1020045	Brentwood Rd	Brentwood Rd	Kalamunda	0.00	Crystal Brook Rd	0.68	Brentwood Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h
1020003	Canning Rd	Canning Rd	Kalamunda	6.02	Welshpool Rd East	15.62	Armada (C) LGA Boundary	
1020616	Carolyn Wy	Carolyn Wy	Kalamunda	0.00	Dundas Rd	0.32	Carolyn Wy - End Road	
1020891	Chisholm Cr	Chisholm Cr	Kalamunda	0.00	Chisholm Cr	1.66	Chisholm Cr	
1020056	Coldwell Rd	Coldwell Rd	Kalamunda	0.00	Welshpool Rd East	0.52	Gosnells (C) LGA Boundary	
1020822	Courtney Pl	Courtney Pl	Kalamunda	0.00	Coldwell Rd	0.57	Logistics Bvd	
1020042	Crystal Brook Rd	Crystal Brook Rd	Kalamunda	0.00	Welshpool Rd East	0.05	Brentwood Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1020945	Daddow Rd	Daddow Rd	Kalamunda	0.00	Belmont (C) LGA Boundary	0.56	Chisholm Cr	
1020811	Dundas Rd	Dundas Rd	Kalamunda	1.21	Sorensen Rd	1.53	Dundas Rd Spur A	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1020811	Dundas Rd	Dundas Rd	Kalamunda	1.53	Dundas Rd Spur A	5.85	Daddow Rd	
1021297	Dundas Rd Spur A	Dundas Rd Spur A	Kalamunda	0.00	Dundas Rd & Dundas Rd Link	0.16	Maida Vale Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1020729	Everitt Pl	Everitt Pl	Kalamunda	0.00	Maida Vale Rd	0.05	0.05km From Maida Vale Rd	<ul style="list-style-type: none"> Intersection Maida Vale Rd : Left Turn Into Everitt Pl Only Permitted
1021148	Grogan Rd	Grogan Rd	Kalamunda	0.00	Abernethy Rd & Port Pl	0.14	Grogan Dr (Federal)	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. 10 km/h below posted speed limit Intersection Abernethy Rd & Port Pl : No right turn permitted into Abernethy Rd from Grogan Rd
1020986	Harrison Rd	Harrison Rd	Kalamunda	0.00	Berkshire Rd	1.04	Dundas Rd	<ul style="list-style-type: none"> Intersection Berkshire Rd : No left turn permitted into Berkshire Rd from Harrison Rd
1021112	Hillary Pl	Hillary Pl	Kalamunda	0.00	Harrison Rd	0.15	Hillary Wy - End Road	<ul style="list-style-type: none"> Intersection Harrison Rd : No right turn permitted into Harrison Rd from Hillary Pl. No left turn permitted into Hillary Pl from Harrison Rd

Tandem Drive Network 2.1



Kalamunda

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1020375	Kings Mill Rd	Kings Mill Rd	Kalamunda	0.00	Pickering Brook Rd	1.21	For 1.21 Km	
1021289	Logistics Bvd	Logistics Bvd	Kalamunda	0.00	Logistics Bvd & Courtney Pl	0.18	Hale Rd & Welshpool Rd East	
1020009	Maida Vale Rd	Maida Vale Rd	Kalamunda	2.84	Everitt Pl	2.93	Dundas Rd Spur A	<ul style="list-style-type: none"> Intersection Dundas Rd Spur A : No right turn permitted into Dundas Rd from Maida Vale Rd
1020832	Milner Rd	Milner Rd	Kalamunda	1.05		1.66	Berkshire Rd	<ul style="list-style-type: none"> Intersection Berkshire Rd : No right turn permitted into Berkshire Rd from Milner Rd
1021034	Nardine Cl	Nardine Cl	Kalamunda	0.00	Milner Rd	1.30	Nardine Cl - End Road	
1021011	Passmore Wy	Passmore Wy	Kalamunda	0.00	Walters Wy	0.07	Access Driveway 0.07km From Walters Way	
1020892	Pegg Ct	Pegg Ct	Kalamunda	0.00	Chisholm Cr	0.06	Pegg Ct - End Road	
1020018	Pickering Brook Rd	Pickering Brook Rd	Kalamunda	0.00	Canning Rd	7.33	1.29 Km Past Ryan Rd	
1021308	Port Pl	Port Pl	Kalamunda	0.00	Abernethy Rd & Grogan Rd	0.11	Port Pl - End Road	
1021010	Walters Wy	Walters Wy	Kalamunda	0.00	Berkshire Rd	0.37	Harrison Rd	
1020002	Welshpool Rd East	Welshpool Rd East	Kalamunda	0.00	Tonkin Hwy & Welshpool Rd East	1.35	Lewis Rd	
1020002	Welshpool Rd East	Welshpool Rd East	Kalamunda	1.35	Lewis Rd	6.38	Moffett Rd	<ul style="list-style-type: none"> RAVs must travel in the left-hand lane at all times, unless; <ul style="list-style-type: none"> avoiding an obstruction; obeying a traffic-control signal; or intending to turn off the carriageway, and in order to do so safely it is necessary to position the vehicle in another lane before starting the turn. RAVs must not park in the stopping bay. RAVs must only stop long enough to conduct a brake check, select low gear, select the appropriate auxiliary brake setting and commence descent. Prior to descending Lesmurdie Hill, RAVs must pull into the bay at the top of the hill (SLK 6.21), stop & conduct a brake system check. When descending Lesmurdie Hill, drivers must ensure they engage low gear, use their auxiliary brakes and must not exceed a maximum speed of 40 km/h.
1020002	Welshpool Rd East	Welshpool Rd East	Kalamunda	6.38	Moffett Rd	8.03	Canning Rd	
102Z010	Collopy Rd	Collopy Rd	Kalamunda	0.04	0.15km From Adelaide St.	0.19	Unknown Rd & Collopy Rd	
102Z019	Lewis Rd	Lewis Rd	Kalamunda	0.00	Abernethy Rd & Lewis Rd	0.40	Collopy Rd	

Tandem Drive Network 2.1



Kalgoorlie - Boulder (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6051088	Aslett Dr	Aslett Dr	Kalgoorlie - Boulder (C)	0.00	Graeme St	0.18	0.18km From Graeme St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6055031	Atbara St	Atbara St	Kalgoorlie - Boulder (C)	0.73	Broadwood St	1.30	Great Eastern Hwy	
6055044	Black Flag - Ora Banda Rd	Black Flag - Ora Banda Rd	Kalgoorlie - Boulder (C)	0.00	Goldfields Hwy	41.05	Broad Arrow - Ora Banda Rd	
6055040	Black St	Black St	Kalgoorlie - Boulder (C)	0.00	Bulong Rd & Williamstown Rd & Yarri Rd	1.51	Fimiston Open Pit Access Rd	
6055012	Boorara Rd	Boorara Rd	Kalgoorlie - Boulder (C)	0.00	Goldfields Hwy	1.22	Black St	
6055013	Boulder Rd	Boulder Rd	Kalgoorlie - Boulder (C)	0.00	Maritana St & Hannan St	1.85	Federal Rd	
6055092	Brinsden Rd	Brinsden Rd	Kalgoorlie - Boulder (C)	0.00	Craig Rd	0.16	Brinsden Rd - End Road	
6056128	Broad Arrow - Mulgarrie Rd	Broad Arrow - Mulgarrie Rd	Kalgoorlie - Boulder (C)	0.00	Goldfields Hwy	18.00	Broad Arrow - Mulgarrie Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6055046	Broad Arrow - Ora Banda Rd	Broad Arrow - Ora Banda Rd	Kalgoorlie - Boulder (C)	0.00	Goldfields Hwy	27.70	Ora Banda-Davyhurst Rd & Ora Banda - Carbine Rd	
6055026	Broadwood St	Broadwood St	Kalgoorlie - Boulder (C)	0.00	Gatacre Dr	2.25	Anzac Dr	
6052001	Brookman - Hay St	Brookman - Hay St	Kalgoorlie - Boulder (C)	0.79	Cassidy St North	2.50	Throssell St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6053065	Brookman St	Brookman St	Kalgoorlie - Boulder (C)	0.00	Walter Rd	2.55	Vivian St	
6055005	Bulong Rd	Bulong Rd	Kalgoorlie - Boulder (C)	0.62	Black St & Williamstown Rd & Yarri Rd	36.23	Bulong Access Rd	
6056046	Carnegie St	Carnegie St	Kalgoorlie - Boulder (C)	0.00	Epis St	0.96	Greenhill Rd	
6055035	Coath Rd	Coath Rd	Kalgoorlie - Boulder (C)	0.00	West Kalgoorlie Rd	0.61	Craig Rd	
6052021	Connolly St	Connolly St	Kalgoorlie - Boulder (C)	0.00	Boulder Rd	0.25	Rhodes St	
6053083	Coombe St	Coombe St	Kalgoorlie - Boulder (C)	0.00	Boulder Rd	0.13	Coombe St - End Road	
6052032	Coventry St	Coventry St	Kalgoorlie - Boulder (C)	0.00	Shea St	0.22	Boulder Rd	
6055034	Craig Rd	Craig Rd	Kalgoorlie - Boulder (C)	0.00	West Kalgoorlie Rd	0.99	Great Eastern Hwy	
6055081	Cunningham Dr	Cunningham Dr	Kalgoorlie - Boulder (C)	0.00	Great Eastern Hwy	0.62	Broadwood St	
6053008	Davidson St	Davidson St	Kalgoorlie - Boulder (C)	0.00	Wilson St	0.58	Lionel St	
6052007	Dugan St	Dugan St	Kalgoorlie - Boulder (C)	0.48	Cassidy St North	2.19	Throssell St	
6053002	East St	East St	Kalgoorlie - Boulder (C)	0.00	Boulder Rd	0.16	East St - End Road	
6052055	Emin St	Emin St	Kalgoorlie - Boulder (C)	0.00	Great Eastern Hwy	0.37	Wortley St	
6056044	Epis St	Epis St	Kalgoorlie - Boulder (C)	0.00	Percy Rd	0.69	O'Byrne Cr	

Tandem Drive Network 2.1



Kalgoorlie - Boulder (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6055087	Federal Rd	Federal Rd	Kalgoorlie - Boulder (C)	0.00	Boulder Rd	1.14	Lane St & Holmes St	
6052003	Forrest St	Forrest St	Kalgoorlie - Boulder (C)	0.48	Wilson St	1.97	Throssell St	
6053011	Frank St	Frank St	Kalgoorlie - Boulder (C)	0.00	Federal Rd	0.49	Lionel St	
6052057	Gatacre Dr	Gatacre Dr	Kalgoorlie - Boulder (C)	0.00	Burt St	3.16	Western Rd	<ul style="list-style-type: none"> Intersection Broadwood St : No left turn permitted into Broadwood St from Gatacre Dr
6052011	George St	George St	Kalgoorlie - Boulder (C)	0.00	Boulder Rd	0.43	Wilson St	
6052011	George St	George St	Kalgoorlie - Boulder (C)	0.46	Wilson St	0.71	Lane St	
6055055	Gordons Rd	Gordons Rd	Kalgoorlie - Boulder (C)	0.00	Yarri Rd	10.76	Gordons Rd - End Road	
6051001	Graeme St	Graeme St	Kalgoorlie - Boulder (C)	0.00	Maritana St	1.11	Eureka St West & Graeme St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6051094	Graeme St	Graeme St	Kalgoorlie - Boulder (C)	0.00	Eureka St West & Graeme St	0.30	Keogh Lane	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6055027	Greenhill Rd	Greenhill Rd	Kalgoorlie - Boulder (C)	0.00	Greenhill Rd - Start Road	0.44	Melrose St	
6056013	Hart Kerspien Dr	Hart Kerspien Dr	Kalgoorlie - Boulder (C)	0.00	Gatacre Dr	0.81	Hart Kerspien Dr - End Road	
6053010	Harvey St	Harvey St	Kalgoorlie - Boulder (C)	0.00	Federal Rd	0.56	Lionel St	
6054009	Hopkins St	Hopkins St	Kalgoorlie - Boulder (C)	0.00	Waverley St	3.01	Hopkins St - End Road	<ul style="list-style-type: none"> Intersection Waverley St : No left turn permitted into Waverley St from Hopkins St
6055074	Johns Rd	Johns Rd	Kalgoorlie - Boulder (C)	0.00	Great Eastern Hwy	1.02	Hall Rd	
6056078	Kakarra Rd	Kakarra Rd	Kalgoorlie - Boulder (C)	0.00	Broadwood St	0.55	Kayili Rd	
6056081	Kayili Rd	Kayili Rd	Kalgoorlie - Boulder (C)	0.00	Broadwood St	0.85	Kakarra Rd	
6054015	Keegan St	Keegan St	Kalgoorlie - Boulder (C)	0.00	Moran St West	1.10	Vivian St	
6056064	Kinclaven Wy	Kinclaven Wy	Kalgoorlie - Boulder (C)	0.00	Percy Rd	0.33	Carnegie St	
6055058	Kurnalpi - Pinjin Rd	Kurnalpi - Pinjin Rd	Kalgoorlie - Boulder (C)	0.00	Yarri Rd	134.00	Menzies LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6056047	Kybo St	Kybo St	Kalgoorlie - Boulder (C)	0.00	Epis St	0.54	Carnegie St	<ul style="list-style-type: none"> Intersection Epis St : No right turn permitted into Epis St from Kybo St
6055059	Lake Douglas Rd	Lake Douglas Rd	Kalgoorlie - Boulder (C)	0.00	Great Eastern Hwy	3.47	Lake Douglas Rd - End Road	
6052037	Lane St	Lane St	Kalgoorlie - Boulder (C)	0.00	Oswald St & Balfour St	1.55	Forrest St	
6055086	Lane St	Lane St	Kalgoorlie - Boulder (C)	0.00	Holmes St & Federal Rd	3.58	Lane St Rty	
6052039	Lionel St	Lionel St	Kalgoorlie - Boulder (C)	0.00	Vivian St	5.38	Forrest St	
6052008	Macdonald St	Macdonald St	Kalgoorlie - Boulder (C)	0.00	Brown Av & Porter St	0.58	0.1km From Cassidy St South	
6051000	Maritana St	Maritana St	Kalgoorlie - Boulder (C)	0.00	Graeme St & Varden St	0.43	Piccadilly St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6056068	Melrose St	Melrose St	Kalgoorlie - Boulder (C)	0.00	Nambi Wy	0.44	Greenhill Rd	
6055028	Mount Monger Rd	Mount Monger Rd	Kalgoorlie - Boulder (C)	0.00	Goldfields Hwy	49.28	Daisy Milano Mt Monger Access Rd & Randalls Access Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Kalgoorlie - Boulder (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6056070	Nambi Wy	Nambi Wy	Kalgoorlie - Boulder (C)	0.00	Percy Rd	0.35	Carnegie St	
6052052	Ochiltree St	Ochiltree St	Kalgoorlie - Boulder (C)	0.20	Great Eastern Hwy & Hannan St	0.25	For 0.05 Km to Caltex Access Driveway	<ul style="list-style-type: none"> No operation between the hours of 7.00am to 9.00am, 11.30am to 1.30pm and 4.00pm to 6.00pm
6052052	Ochiltree St	Ochiltree St	Kalgoorlie - Boulder (C)	0.25	For 0.05 Km to Caltex Access Driveway	0.27	0.07km From Great Eastern Hwy	
6055063	Ora Banda - Carbine Rd	Ora Banda - Carbine Rd	Kalgoorlie - Boulder (C)	0.00	Ora Banda-Davyhurst Rd & Broad Arrow - Ora Banda Rd	10.78	Carbine - Ora Banda Rd	
6055064	Ora Banda-Davyhurst Rd	Ora Banda-Davyhurst Rd	Kalgoorlie - Boulder (C)	0.00	Ora Banda - Carbine Rd & Broad Arrow - Ora Banda Rd	19.52	Siberia Canegrass Rd	
6055064	Ora Banda-Davyhurst Rd	Ora Banda-Davyhurst Rd	Kalgoorlie - Boulder (C)	19.52	Siberia Canegrass Rd	34.40	Menzies LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6054020	Oroya St	Oroya St	Kalgoorlie - Boulder (C)	0.00	Oroya St - Start Road	1.01	Waverley St	<ul style="list-style-type: none"> Intersection Waverley St : No left turn permitted into Waverley St from Oroya St
6053064	Oswald St	Oswald St	Kalgoorlie - Boulder (C)	0.00	Lane St & Balfour St	0.14	Carrington St	
6055019	Outram St	Outram St	Kalgoorlie - Boulder (C)	0.00	Waverley St	0.73	Forrest St	
6056015	Percy Rd	Percy Rd	Kalgoorlie - Boulder (C)	0.00	Broadwood St	1.17	Greenhill Rd	
6051002	Piccadilly St	Piccadilly St	Kalgoorlie - Boulder (C)	0.00	Goldfields Hwy	4.24	Piccadilly St - End Road	
6056026	Pirie St	Pirie St	Kalgoorlie - Boulder (C)	0.00	Waverley St	0.21	Shannon St	
6052034	President St	President St	Kalgoorlie - Boulder (C)	0.00	George St	0.89	Oberthur St	
6052034	President St	President St	Kalgoorlie - Boulder (C)	0.92	Oberthur St	1.04	Whitlock St	
6052034	President St	President St	Kalgoorlie - Boulder (C)	1.08	Whitlock St	1.31	Federal Rd	
6055023	Shannon St	Shannon St	Kalgoorlie - Boulder (C)	0.00	Outram St	0.88	Pirie St	
6056118	Siberia Canegrass Rd	Siberia Canegrass Rd	Kalgoorlie - Boulder (C)	0.00	Ora Banda-Davyhurst Rd	24.13	Goldfields Hwy	
6055070	Smelterman Dr	Smelterman Dr	Kalgoorlie - Boulder (C)	0.00	Goldfields Hwy	3.02	Smelterman Rd - End Road	
6056069	Stockyard Wy	Stockyard Wy	Kalgoorlie - Boulder (C)	0.00	Melrose St	0.29	Carnegie St	<ul style="list-style-type: none"> Intersection Carnegie St : No access permitted into Carnegie St from Stockyard Way.
6052043	Throssell St	Throssell St	Kalgoorlie - Boulder (C)	0.00	Meldrum Av	1.22	Piccadilly St	
6055072	Trans Access Rd	Trans Access Rd	Kalgoorlie - Boulder (C)	0.00	Mount Monger Rd	428.10	Trans Access Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
6054010	Vivian St	Vivian St	Kalgoorlie - Boulder (C)	0.00	Vivian St - Start Road	2.65	Vivian St - End Road	<ul style="list-style-type: none"> Intersection Waverley St : No left turn permitted into Waverley St from Vivian St
6054039	Waverley St	Waverley St	Kalgoorlie - Boulder (C)	0.00	Outram St	0.85	Pirie St	

Tandem Drive Network 2.1



Kalgoorlie - Boulder (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6055033	West Kalgoorlie Rd	West Kalgoorlie Rd	Kalgoorlie - Boulder (C)	0.00	Great Eastern Hwy & Anzac Dr	1.44	West Kalgoorlie Rd - End Road	
6055039	Western Rd	Western Rd	Kalgoorlie - Boulder (C)	0.00	Western Rd - Start Road	4.89	Western Rd - End Road	
6055094	Williams St	Williams St	Kalgoorlie - Boulder (C)	0.00	Great Eastern Hwy	0.60	Broadwood St	<ul style="list-style-type: none">A RAV must not be driven on this road in excess of 4.5 metres in height unless written approval is obtained and must be carried from the relevant cable provider.
6055008	Williamstown Rd	Williamstown Rd	Kalgoorlie - Boulder (C)	0.00	Goldfields Hwy	1.41	Bulong Rd & Yarri Rd & Black St	
6052036	Wilson St	Wilson St	Kalgoorlie - Boulder (C)	0.06		2.61	Forrest St	
6056079	Wilurarra Rd	Wilurarra Rd	Kalgoorlie - Boulder (C)	0.00	Broadwood St	0.42	Yulpari Rd	
6055001	Yarri Rd	Yarri Rd	Kalgoorlie - Boulder (C)	0.00	Black St & Bulong Rd & Williamstown Rd	78.60	Menzies LGA Boundary	
6056045	Yindi Wy	Yindi Wy	Kalgoorlie - Boulder (C)	0.00	Epis St	0.29	Kinclaven Wy	
6056011	Ymca Wy	Ymca Wy	Kalgoorlie - Boulder (C)	0.00	Boulder Rd	0.49	Ymca Wy - End Road	
6056080	Yulpari Rd	Yulpari Rd	Kalgoorlie - Boulder (C)	0.00	Broadwood St	0.64	Kakarra Rd	
605Z069	Hall Rd	Hall Rd	Kalgoorlie - Boulder (C)	0.00	Johns Rd	1.02	1.02km After Johns Rd	

Tandem Drive Network 2.1



Karratha (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
8140492	40 Mile Beach Access Rd	40 Mile Beach Access Rd	Karratha (C)	0.00	North West Coastal Hwy	0.59	Apache Energy	
8140492	40 Mile Beach Access Rd	40 Mile Beach Access Rd	Karratha (C)	0.59	0.6km From North West Coastal Highway.	11.35	40 Mile Beach Access Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
8140082	Anderson Rd	Anderson Rd	Karratha (C)	0.00	Mardie Rd	2.08	Coolawanyah Rd	
8140304	Augustus Dr	Augustus Dr	Karratha (C)	0.00	Augustus Dr - Start Road	1.17	Coolawanyah Rd	
8140012	Balla Balla Rd	Balla Balla Rd	Karratha (C)	0.00	North West Coastal Hwy	20.88	Balla Balla Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
8140608	Basalt Wy	Basalt Wy	Karratha (C)	0.00	Exploration Dr	0.27	Resource Rd	
8140106	Bayly Av	Bayly Av	Karratha (C)	0.00	Dampier Rd	1.81	Goddard St	<ul style="list-style-type: none"> Maximum speed 60 km/h
8140606	Bedrock Turn	Bedrock Turn	Karratha (C)	0.00	Exploration Dr	1.01	Pindan Rd	
8140006	Cherratta Rd	Cherratta Rd	Karratha (C)	0.00	North West Coastal Hwy & Carnarvon Tce	0.59	Woodbrook Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
8140181	Cinders Rd	Cinders Rd	Karratha (C)	0.00	Dampier Dr & Dampier Rd	2.21	Cinders Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
8140170	Cleaverville Rd	Cleaverville Rd	Karratha (C)	0.00	North West Coastal Hwy	13.13	Mine Access Rd	
8140079	Coolawanyah Rd	Coolawanyah Rd	Karratha (C)	0.00	De Witt Rd	5.16	Nickol River Access Rd & Millstream Rd	
8140008	Cooya Pooya Rd	Cooya Pooya Rd	Karratha (C)	0.00	Woodbrook Rd	12.83	Mine Access Rd	
8140685	Corringer Av	Corringer Av	Karratha (C)	0.00	Melford Rd	0.42	Corringer Av - End Road	
8140303	Cowle Rd	Cowle Rd	Karratha (C)	0.00	Augustus Dr	0.54	Coolawanyah Rd	
8140081	Croydon Rd	Croydon Rd	Karratha (C)	0.00	Cherratta Rd	0.45	Coolawanyah Rd	
8140654	De Witt Rd	De Witt Rd	Karratha (C)	0.00	North West Coastal Hwy	5.00	Robins Rd	
8140567	Exploration Dr	Exploration Dr	Karratha (C)	0.00	Dampier Rd	3.33	Pindan Rd	
8140307	Fisher Wy	Fisher Wy	Karratha (C)	0.00	Coolawanyah Rd	0.25	Pemberton Wy	
8140655	Griffin Rd	Griffin Rd	Karratha (C)	0.00	King Bay Rd	0.32	Griffin Rd - End Road	
8140400	King Bay Rd	King Bay Rd	Karratha (C)	0.00	Burrup Peninsula Rd	1.67	King Bay Rd - End Road	
8140084	Lambert Rd	Lambert Rd	Karratha (C)	0.00	Anderson Rd	1.23	Anderson Rd	
8140692	Magnetite Wy	Magnetite Wy	Karratha (C)	0.00	Exploration Dr	0.15	0.15km After Exploration Dr	
8140085	Mardie Rd	Mardie Rd	Karratha (C)	0.00	Coolawanyah Rd	0.43	Anderson Rd	
8140308	McKay St	McKay St	Karratha (C)	0.00	Coolawanyah Rd	0.22	Pemberton Wy	

Tandem Drive Network 2.1



Karratha (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
8140686	Melford Rd	Melford Rd	Karratha (C)	0.00	Madigan Rd	0.14	Corringer Av	
8140459	Mof Rd	Mof Rd	Karratha (C)	0.00	King Bay Rd	1.14	Mof Rd (P)	
8140075	Mooligunn Rd	Mooligunn Rd	Karratha (C)	0.00	De Witt Rd	1.65	Coolawanyah Rd	<ul style="list-style-type: none"> Intersection Orkney Rd : No left turn permitted into Orkney Rd from Mooligunn Rd
8140076	Orkney Rd	Orkney Rd	Karratha (C)	0.00	Mooligunn Rd	1.01	Coolawanyah Rd	<ul style="list-style-type: none"> Intersection Mooligunn Rd : No left turn permitted into Mooligunn Rd from Orkney Rd
8140648	Oxide Loop	Oxide Loop	Karratha (C)	0.00	Oxide Loop	0.83	Oxide Loop	
8140649	Oxide Loop	Oxide Loop	Karratha (C)	0.00	Exploration Dr	0.11	Oxide Loop	
8140306	Pemberton Wy	Pemberton Wy	Karratha (C)	0.00	Coolawanyah Rd	1.17	Coolawanyah Rd	
8140640	Pentane Wy	Pentane Wy	Karratha (C)	0.00	Exploration Dr	0.24	Strike Rd	
8140607	Pindan Rd	Pindan Rd	Karratha (C)	0.00	Karratha Tip - H.I. Access Link	0.63	Exploration Dr	
8140083	Pyramid Rd	Pyramid Rd	Karratha (C)	0.00	Anderson Rd	0.73	Lambert Rd	
8140609	Resource Rd	Resource Rd	Karratha (C)	0.00	Exploration Dr	1.47	Resource Rd - End of Construction	
8140609	Resource Rd	Resource Rd	Karratha (C)	2.30	Resource Rd - Start of Construction	2.55	Exploration Dr	
8140265	Robins Rd	Robins Rd	Karratha (C)	0.00	De Witt Rd	1.08	0.76km From De Witt Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
8140487	Roebourne - Wittenoom Rd	Roebourne - Wittenoom Rd	Karratha (C)	0.00	North West Coastal Hwy	51.16	Ashburton Lga Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
8140305	Seabrook Cr	Seabrook Cr	Karratha (C)	0.00	Cowle Rd	0.65	Coolawanyah Rd	
8140566	Steel Av	Steel Av	Karratha (C)	0.00	Dampier Rd	0.57	Exploration Dr	
8140398	Village Rd	Village Rd	Karratha (C)	0.00	Burru Peninsula Rd	1.48	Fertiliser Plant Access	
8140637	Wilson Wy	Wilson Wy	Karratha (C)	0.00	Point Samson Roebourne Rd	0.40	Wilson Wy - End Road	
8140007	Woodbrook Rd	Woodbrook Rd	Karratha (C)	0.00	Cherratta Rd	16.61	Cooya Pooya Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
8140080	Woodbrook Rd	Woodbrook Rd	Karratha (C)	0.00	Cherratta Rd	0.50	Coolawanyah Rd	
814Z042	Cape Lambert Rd	Cape Lambert Rd	Karratha (C)	0.00	Point Samson Roebourne Rd	3.20	Cape Lambert Rd - End Road	
814Z031	Mof Rd (P)	Mof Rd (P)	Karratha (C)	0.00	Mof Rd	0.35	Rob Vitenbergs Dr (P)	

Tandem Drive Network 2.1



Katanning

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3080142	Arnold St	Arnold St	Katanning	0.00	Daping St	0.31	Conroy St	
3080023	Badgebup North Rd	Badgebup North Rd	Katanning	0.00	Katanning Nyabing Rd	11.94	Warren Rd & Datatine Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
3080129	Badger Rd	Badger Rd	Katanning	0.00	Warren Rd	3.36	Badger Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3080170	Batchelor Rd	Batchelor Rd	Katanning	0.00	Murdong Rd	1.24	Batchelor North Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3080063	Belmont Rd	Belmont Rd	Katanning	0.00	Schultz Rd	10.70	Langaweira Rd	<ul style="list-style-type: none"> Maximum speed 70 km/h Intersection Schultz Rd : No Right Turn Into Schutz Road Permitted
3080154	Bibiking Rd	Bibiking Rd	Katanning	0.00	River Rd	4.80	Dumbleyung LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Katanning

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3080150	Bibiking South Rd	Bibiking South Rd	Katanning	0.00	McKenzie Rd	2.03	2.03km From McKenzie Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3080150	Bibiking South Rd	Bibiking South Rd	Katanning	9.97	1.33km From River Rd	11.30	River Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3080292	Blake Rd	Blake Rd	Katanning	0.00	Kibbleup Rd	4.08	Belmont Rd	
3080135	Bushy Lane Rd	Bushy Lane Rd	Katanning	0.00	Fairfield Rd	5.64	Greenhills Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Fairfield Rd : No access permitted into Fairfield Rd from Bushy Lane Rd

Tandem Drive Network 2.1



Katanning

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3080113	Butterworth Rd	Butterworth Rd	Katanning	0.00	Katanning Nyabing Rd	6.60	Warren Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit Intersection Ranford Rd : No Left Turn From Southbound Butterworth Road Into Eastbound Ranford Road Permitted
3080036	Carrolup River Rd	Carrolup River Rd	Katanning	0.00	Quartermaine Rd	2.30	Carolup River Rd & Boundary Rd	<ul style="list-style-type: none"> Intersection Hoggs Head Rd : No right turn permitted into Hoggs Head Rd from Carrolup River Rd
3080017	Cheviot Hills Rd	Cheviot Hills Rd	Katanning	0.00	Kojonup Katanning Rd	4.11	Hettner Rd & Kowald Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
3080290	Clive St	Clive St	Katanning	0.00	Clive St Rty	0.83	0.83lm From Clive St Rty	
3080083	Conning Rd	Conning Rd	Katanning	0.00	Kojonup Katanning Rd	5.63	Hutton Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
3080018	Coomelberrup Rd	Coomelberrup Rd	Katanning	0.00	Warren Rd	11.96	Dumblebung LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
3080198	Cornwall St	Cornwall St	Katanning	0.38	Drove St & Bay St	1.19	Great Southern Hwy	
3080035	Coyrecup North Rd	Coyrecup North Rd	Katanning	0.00	Ranford Rd	4.80	Katanning Nyabing Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h Intersection Simper Rd : No left turn permitted into Simper Rd from Coyrecup North Rd
3080039	Coyrecup South Rd	Coyrecup South Rd	Katanning	0.00	Katanning Nyabing Rd	7.44	Lake Coyrecup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Lake Coyrecup Rd : No access permitted into Lake Coyrecup Rd from Coyrecup Rd
3080039	Coyrecup South Rd	Coyrecup South Rd	Katanning	7.45	Lake Coyrecup Rd	12.20	Scotchman Rd	<ul style="list-style-type: none"> Intersection Lake Coyrecup Rd : No access permitted into Lake Coyrecup Rd from Coyrecup Rd
3080138	Creek St	Creek St	Katanning	0.00	Cornwall St	0.59	Daping St & Police Pools Rd	
3080009	Daping St	Daping St	Katanning	0.88	Drove St	1.66	Creek St & Police Pools Rd	<ul style="list-style-type: none"> Intersection Creek St & Police Pools Rd : No left turn permitted into Police Pools Rd from Daping St

Tandem Drive Network 2.1



Katanning

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3080025	Datatine Rd	Datatine Rd	Katanning	0.00	Warren Rd & Badgebup North Rd	8.15	Fairclough Rd & Sturges Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
3080001	Dore St	Dore St	Katanning	0.91	Drove St	1.12	Anderson St & Dore St	<ul style="list-style-type: none"> Maximum speed 50 km/h
3080006	Fairfield Rd	Fairfield Rd	Katanning	0.00	Kojonup Katanning Rd & Hutton Rd	9.11	Broomehill - Tambellup LGA Boundary	<ul style="list-style-type: none"> 30 km/h below posted speed limit
3080144	Filmer Rd	Filmer Rd	Katanning	0.00	Katanning - Dumbleyung Rd	2.41	Filmer Rd - End of Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 40 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3080047	Flugge Rd	Flugge Rd	Katanning	0.00	Tee Rd	5.73	Warren Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Rockwell Rd : No right turn permitted into Rockwell Rd from Flugge Rd

Tandem Drive Network 2.1



Katanning

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3080117	Gairen Rd	Gairen Rd	Katanning	0.00	Tabenup Rd	3.75	Langaweira Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3080117	Gairen Rd	Gairen Rd	Katanning	3.75	Langaweira Rd	4.78	Tieline North Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
3080096	Gibney Rd	Gibney Rd	Katanning	0.00	Withers Rd	4.05	Newton Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3080109	Grant Rd	Grant Rd	Katanning	0.00	Kojonup Katanning Rd	1.83	Grant Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3080011	Greenhills Rd	Greenhills Rd	Katanning	0.00	Great Southern Hwy	5.20	North Greenhills Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Katanning

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3080151	Hassell Rd	Hassell Rd	Katanning	0.00	Katanning - Dumbleyung Rd	4.02	Trimmer Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3080103	Hensman Rd	Hensman Rd	Katanning	0.00	Trimmer Rd	3.40	Woodanilling LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3080157	Hettner Rd	Hettner Rd	Katanning	0.00	Cheviot Hills Rd & Kowald Rd	2.91	Kojonup LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
3080284	Hoggs Head Rd	Hoggs Head Rd	Katanning	0.00	Kowald Rd & Hutton Rd	4.55	Carrolup River Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
3080121	Hotker Rd	Hotker Rd	Katanning	0.00	Katanning Nyabing Rd	3.22	Coyrecup South Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Katanning

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3080147	House Rd	House Rd	Katanning	0.00	Great Southern Hwy	3.34	Hutton Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3080043	Hutton Rd	Hutton Rd	Katanning	0.00	Kojonup Katanning Rd & Fairfield Rd	13.50	Kowald Rd & Hoggs Head Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
3080092	Illareen Rd	Illareen Rd	Katanning	0.00	Kojonup Katanning Rd	3.54	Bushy Lane Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3080094	Jam Hills Rd	Jam Hills Rd	Katanning	0.00	Bibiking South Rd	3.88	1.12km From End of Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3080221	Katanning - Dumbleyung Rd	Katanning - Dumbleyung Rd	Katanning	0.00	Moojebing Rd	15.02	Oxley Rd & Robinson East Rd	
3080100	Kelly Rd	Kelly Rd	Katanning	0.00	McKenzie Rd	10.02	Woodanilling LGA Boundary	<ul style="list-style-type: none"> Maximum speed 80 km/h

Tandem Drive Network 2.1



Katanning

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3080067	Kibbleup Rd	Kibbleup Rd	Katanning	0.00	Lake Coyrecup Rd	2.10	Kibbleup Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3080091	Kiddie Rd	Kiddie Rd	Katanning	0.00	Lake Coyrecup Rd	2.10	Kiddie Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3080069	Lake Coyrecup Rd	Lake Coyrecup Rd	Katanning	0.00	Katanning Nyabing Rd	1.85	Kibbleup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3080069	Lake Coyrecup Rd	Lake Coyrecup Rd	Katanning	1.85	Kibbleup Rd	5.13	Langaweira Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
3080069	Lake Coyrecup Rd	Lake Coyrecup Rd	Katanning	5.13	Langaweira Rd	23.85	Shaw Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h Intersection Coyrecup South Rd : No access permitted into Coyrecup Rd from Lake Coyrecup Rd Intersection Coyrecup South Rd : No access permitted into Coyrecup Rd from Lake Coyrecup Rd

Tandem Drive Network 2.1



Katanning

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3080069	Lake Coyrecup Rd	Lake Coyrecup Rd	Katanning	23.85	Shaw Rd	24.63	Kiddie Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3080016	Langaweira Rd	Langaweira Rd	Katanning	0.00	Katanning Nyabing Rd & Wallis Rd	10.75	Gairen Rd	<ul style="list-style-type: none"> 30 km/h below posted speed limit
3080134	Lisle St	Lisle St	Katanning	0.00	Creek St	0.45	Drove St	
3080183	Marmion St West	Marmion St West	Katanning	0.00	Katanning - Dumbleyung Rd	0.75	Warren Rd	
3080084	Marracoonda Rd	Marracoonda Rd	Katanning	0.00	Esmond Rd & Marracoonda Rd	5.47		<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
3080169	Marron Pool Rd	Marron Pool Rd	Katanning	0.00	Kojonup Katanning Rd	1.77	Kojonup LGA Boundary	
3080041	McKenzie Rd	McKenzie Rd	Katanning	1.91		4.40	Katanning - Dumbleyung Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
3080041	McKenzie Rd	McKenzie Rd	Katanning	4.40	Katanning - Dumbleyung Rd	10.43	Kelly Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3080041	McKenzie Rd	McKenzie Rd	Katanning	10.43	Kelly Rd	17.03	Badger Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Katanning

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3080024	Murdong Rd	Murdong Rd	Katanning	0.00	Great Southern Hwy	12.32	Langaweira Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
3080127	Newton Rd	Newton Rd	Katanning	0.00	Warren Rd	1.77	Gibney Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3080010	Nookanellup Rd	Nookanellup Rd	Katanning	0.00	Kojonup Katanning Rd	2.61	North Nookanellup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
3080085	Onslow Rd	Onslow Rd	Katanning	0.00	Prinsep Rd	1.40	Esmond Rd & Great Southern Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3080088	Pepall Rd	Pepall Rd	Katanning	0.00	Coomelberrup Rd	5.59	Dumbleyung LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Katanning

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3080161	Police Pools Rd	Police Pools Rd	Katanning	0.00	Creek St & Daping St	5.67	Schultz Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Creek St & Daping St : No left turn permitted into Creek St from Police Pools Rd
3080171	Prinsep Rd	Prinsep Rd	Katanning	0.00	Onslow Rd	2.37	Throssell Rd & Prinsep Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3080013	Punchmirup North Rd	Punchmirup North Rd	Katanning	0.00	Kojonup Katanning Rd	4.10		<ul style="list-style-type: none"> 30 km/h below posted speed limit
3080015	Quartermaine Rd	Quartermaine Rd	Katanning	0.00	Great Southern Hwy	11.55	Onslow Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
3080051	Ranford Rd	Ranford Rd	Katanning	0.00	Warren Rd	26.70	Simper Rd	
3080087	River Rd	River Rd	Katanning	0.00	Kelly Rd	16.70	Coomelberrup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
3080034	Robinson Rd	Robinson Rd	Katanning	0.00	Robinson East Rd	5.30	Kelly Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit

Tandem Drive Network 2.1



Katanning

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3080034	Robinson Rd	Robinson Rd	Katanning	5.50	Kelly Rd	12.50	Bibiking South Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
3080089	Rockwell Rd	Rockwell Rd	Katanning	0.00	Warren Rd	7.23	Flugge Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Warren Rd : No right turn permitted into Warren Rd from Rockwell Rd Intersection Flugge Rd : No left turn permitted into Flugge Rd from Rockwell Rd
3080143	Rosselloty Rd	Rosselloty Rd	Katanning	0.00	Gibney Rd	1.20	McKenzie Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3080153	Schultz Rd	Schultz Rd	Katanning	0.00	Great Southern Hwy & Bushy Lane Rd	9.29	Blake Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
3080278	Scotchman Rd	Scotchman Rd	Katanning	0.00	Gairen Rd	18.11	Eastwood North Rd & Mortvale Rd	
3080049	Shenton Rd	Shenton Rd	Katanning	0.00	Trimmer Rd & McKenzie Rd	2.02	Woodanilling LGA Boundary	<ul style="list-style-type: none"> Maximum speed 80 km/h
3080168	Simper Rd	Simper Rd	Katanning	0.00	Coyrecup North Rd	4.84	Tee Rd	<ul style="list-style-type: none"> Intersection Coyrecup North Rd : No right turn permitted into Coyrecup North Rd from Simper Rd

Tandem Drive Network 2.1



Katanning

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3080124	Smith Rd	Smith Rd	Katanning	0.00	Wolyaming Rd	3.22	Kent LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3080086	Stanley Rd	Stanley Rd	Katanning	0.00	Warren Rd	6.55	Wolyaming Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3080053	Stott Rd	Stott Rd	Katanning	0.00	Warren Rd	4.72	Ranford Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Katanning

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3080082	Tabenup Rd	Tabenup Rd	Katanning	0.00	Langaweira Rd	3.70	Lake Coyrecup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3080058	Tee Rd	Tee Rd	Katanning	1.25	Badgebup North Rd	6.70	Simper Rd	
3080033	Throssell Rd	Throssell Rd	Katanning	0.00	Warburton Rd	5.98	Great Southern Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Warburton Rd : No right turn permitted into Warburton Rd from Throssell Rd
3080014	Trimmer Rd	Trimmer Rd	Katanning	0.00	Great Southern Hwy	7.52	McKenzie Rd & Shenton Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Great Southern Hwy : No Right Turn Into Northam-Cranbrook Road Permitted
3080014	Trimmer Rd	Trimmer Rd	Katanning	7.52	McKenzie Rd & Shenton Rd	8.66	Woodanilling LGA Boundary	<ul style="list-style-type: none"> Maximum speed 60 km/h

Tandem Drive Network 2.1



Katanning

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3080093	Warburton Rd	Warburton Rd	Katanning	0.00	Trimmer Rd	7.65	Prinsep Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Throssell Rd : No left turn permitted into Throssell Rd from Warburton Rd
3080005	Warren Rd	Warren Rd	Katanning	0.31	Synnott Av	41.85	Kent LGA Boundary	<ul style="list-style-type: none"> 30 km/h below posted speed limit Intersection Rockwell Rd : No left turn permitted into Rockwell Rd from Warren Rd
3080019	Washington Rd	Washington Rd	Katanning	0.00	Kojonup Katanning Rd	3.86	Broomehill - Tambellup LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3080012	Withers Rd	Withers Rd	Katanning	0.00	Warren Rd	3.60	McKenzie Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3080045	Wolyaming Rd	Wolyaming Rd	Katanning	0.00	Badgebup North Rd	11.10	Warren Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090009	Angle Rd	Angle Rd	Kellerberrin	0.00	Doodlakine - Kununoppin Rd	13.28	Ryans Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090029	Arthur Rd	Arthur Rd	Kellerberrin	0.00	Goldfields Rd	23.43	Baandee North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Baandee North Rd : No right turn permitted into Baandee North Rd from Arthur Rd
4090031	Arts Rd	Arts Rd	Kellerberrin	0.00	Barnes Rd	1.48	Goldfields Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090020	Baandee North Cross Rd	Baandee North Cross Rd	Kellerberrin	0.00	Doodlakine - Kununoppin Rd	18.98	Pustkuchen Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090006	Baandee North Rd	Baandee North Rd	Kellerberrin	0.00	Great Eastern Hwy	29.33	Baandee North Rd & Ryans Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4090065	Badgetopping South Rd	Badgetopping South Rd	Kellerberrin	0.00	Great Eastern Hwy	13.83	Smith Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090018	Barnes Rd	Barnes Rd	Kellerberrin	0.00	Goldfields Rd	16.10	Arthur Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090011	Benderine North Rd	Benderine North Rd	Kellerberrin	0.00	Turon Rd & McClelland Rd	12.75	Nanyanine Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090044	Benderine Rd	Benderine Rd	Kellerberrin	0.00	Kellerberrin - Yelbeni Rd	3.21	Benderine Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090022	Beresford Rd	Beresford Rd	Kellerberrin	0.00	Angle Rd	12.74	Fisher Rd & Pustkuchen Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090060	Bradley Rd	Bradley Rd	Kellerberrin	0.00	Cole Rd	5.16	Victoria Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4090033	Brown Rd	Brown Rd	Kellerberrin	0.00	Kellerberrin - Bencubbin Rd	12.00	Angle Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090019	Caromin Rd	Caromin Rd	Kellerberrin	0.00	Baandee North Rd	3.70	Arthur Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090095	Cemetery St	Cemetery St	Kellerberrin	0.00	Moore St	1.57	Cemetery St - End Road	<ul style="list-style-type: none"> Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090032	Cole Rd	Cole Rd	Kellerberrin	0.00	Kwolyin West Rd.	4.68	Cole Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090135	Curtis Rd	Curtis Rd	Kellerberrin	0.00	Benderine North Rd	1.70	Gardner Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4090076	Daadenning Creek Rd	Daadenning Creek Rd	Kellerberrin	0.00	Kwolyin West Rd.	8.44	Kellerberrin - Shackleton Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090076	Daadenning Creek Rd	Daadenning Creek Rd	Kellerberrin	8.44	Kellerberrin - Shackleton Rd	11.31	Daadenning Creek Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4090040	Deep Well Rd	Deep Well Rd	Kellerberrin	0.00	Kellerberrin - Bencubbin Rd	14.60	Kellerberrin - Yelbeni Rd & Nanyanine Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090149	Doodlakine - Bruce Rock Rd	Doodlakine - Bruce Rock Rd	Kellerberrin	0.00	Great Eastern Hwy	9.68	Coulahan Rd & Doodlakine - Bruce Rock Rd	
4090005	Doodlakine - Kununoppin Rd	Doodlakine - Kununoppin Rd	Kellerberrin	0.00	Harrison St & Spring St	30.21	Doodlakine - Kununoppin Rd & Laird Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h
4090007	Doodlakine South Rd	Doodlakine South Rd	Kellerberrin	0.00	Great Eastern Hwy	18.47	Fire Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Stone Giles Rd : No right turn permitted into Stone Giles Rd from Doodlakine South Rd (southern approach).
4090119	Dowding St	Dowding St	Kellerberrin	0.00	Mather Rd	2.88	Moore St & Kellerberrin - Bencubbin Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090034	Durokoppin Rd	Durokoppin Rd	Kellerberrin	0.00	Kellerberrin - Bencubbin Rd	6.94	Kellerberrin - Yelbeni Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090071	Fire Rd	Fire Rd	Kellerberrin	0.00	Langdon Rd	8.64	Morison Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Yerapin Rd : No left turn permitted into Yerapin Rd from Fire Rd
4090023	Fisher Rd	Fisher Rd	Kellerberrin	0.00	Pustkuchen Rd & Beresford Rd	7.88	Baandee North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090024	Fisher West Rd	Fisher West Rd	Kellerberrin	0.00	Arthur Rd	3.68	Baandee North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090077	Forsyth Braysher Rd	Forsyth Braysher Rd	Kellerberrin	0.00	Woolundra South Rd	6.17	Stone Giles Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090077	Forsyth Braysher Rd	Forsyth Braysher Rd	Kellerberrin	6.17	Stone Giles Rd	7.16	Forsyth-Braysher Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090079	Garbin Rd	Garbin Rd	Kellerberrin	0.00	Spillman Rd & Baandee North Rd	5.12	Goldfields Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090057	Gardner Rd	Gardner Rd	Kellerberrin	0.00	Glenluce Rd	6.22	Kellerberrin - Yoting Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090056	Glenluce Rd	Glenluce Rd	Kellerberrin	0.00	Glenluce Rd - Start Road	17.39	Quairading LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090010	Goldfields Rd	Goldfields Rd	Kellerberrin	0.00	Tammin LGA Boundary	9.28	Kellerberrin - Bencubbin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090010	Goldfields Rd	Goldfields Rd	Kellerberrin	9.37	Kellerberrin - Bencubbin Rd	42.23	Goldfields Rd West	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090087	Hammond St	Hammond St	Kellerberrin	0.26	Mitchell St	0.49	Ripper St	
4090087	Hammond St	Hammond St	Kellerberrin	1.00	Scott St	1.61	0.31km Past Restdown St to Farm Gate	
4090049	Hanlon Rd	Hanlon Rd	Kellerberrin	0.00	Great Eastern Hwy	6.20	McWhirter Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090037	Harvey Rd	Harvey Rd	Kellerberrin	0.00	Harvey Rd - Start of Road	3.30	Mission Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090114	Heal Rd	Heal Rd	Kellerberrin	0.00	Goldfields Rd	5.52	Heal Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4090052	Hearle Rd	Hearle Rd	Kellerberrin	0.00	Baandee North Rd	4.76	Hearles Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090080	Hewitt Rd	Hewitt Rd	Kellerberrin	0.00	Goldfields Rd	4.37	Great Eastern Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4090041	Higginson Rd	Higginson Rd	Kellerberrin	0.00	Kellerberrin - Bencubbin Rd	3.10	Deep Well Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4090063	Hoyle Rd	Hoyle Rd	Kellerberrin	0.39	Kellerberrin - Shackleton Rd	3.12	Hoyle Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090069	Innes Rd	Innes Rd	Kellerberrin	4.98	Stone Giles Rd	12.38	Smith Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090014	Inverarity Rd	Inverarity Rd	Kellerberrin	0.00	Kellerberrin - Yoting Rd	10.50	Victoria Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Maximum speed 60 km/h on gravel road. Intersection Kellerberrin - Yoting Rd : No left turn permitted into Kellerberrin - Yoting Rd from Inverarity Rd
4090025	Jennings Rd	Jennings Rd	Kellerberrin	0.00	Angle Rd	2.54	Jennings Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090068	Johns Rd	Johns Rd	Kellerberrin	0.00	Doodlakine - Bruce Rock Rd	7.06	Simms Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090152	Kellerberrin - Bencubbin Rd	Kellerberrin - Bencubbin Rd	Kellerberrin	0.00	Dowding St & Moore St	27.38	Trayning LGA Boundary	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4090001	Kellerberrin - Shackleton Rd	Kellerberrin - Shackleton Rd	Kellerberrin	0.00	Great Eastern Hwy	24.44	McDonnell Rd & Kellerberrin - Shackleton Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h
4090004	Kellerberrin - Yelbeni Rd	Kellerberrin - Yelbeni Rd	Kellerberrin	0.00	Kellerberrin - Bencubbin Rd	22.45	Trayning LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090154	Kellerberrin - Yoting Rd	Kellerberrin - Yoting Rd	Kellerberrin	0.00	Scott St & Rason St	25.08	Quairading LGA Boundary	
4090013	Kwolyin East Rd	Kwolyin East Rd	Kellerberrin	0.00	Kellerberrin - Shackleton Rd	10.70	McDonnell Rd & Kwolyin East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090003	Kwolyin West Rd.	Kwolyin West Rd.	Kellerberrin	0.00	Kellerberrin - Shackleton Rd	15.87	Kwolyin West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Maximum speed 60km/h on gravel roads.
4090070	Langdon Rd	Langdon Rd	Kellerberrin	0.00	Smith Rd	6.48	Fire Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090070	Langdon Rd	Langdon Rd	Kellerberrin	6.48	Fire Rd	13.28	Langdon Rd & Yerapin Boundary Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090061	Loton Rd	Loton Rd	Kellerberrin	0.00	Kellerberrin - Yoting Rd	1.86	Loton Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4090038	Maley Rd	Maley Rd	Kellerberrin	0.00	Kellerberrin - Bencubbin Rd	3.72	Mission Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4090082	Mather Rd	Mather Rd	Kellerberrin	0.00	Great Eastern Hwy	16.99	Dowding St	<ul style="list-style-type: none"> Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4090082	Mather Rd	Mather Rd	Kellerberrin	17.45	Rail Track Access Road	17.95	Tiller St	<ul style="list-style-type: none"> Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090026	McBolt Rd	McBolt Rd	Kellerberrin	0.00	Mission Rd	9.43	McBolt Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090113	McClelland Rd	McClelland Rd	Kellerberrin	0.00	McWhirter Rd	4.73	Benderine North Rd & Turon Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090075	McDonnell Rd	McDonnell Rd	Kellerberrin	0.00	Kwolyin East Rd	3.57	Kellerberrin - Shackleton Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090047	McLellan North Rd	McLellan North Rd	Kellerberrin	0.00	McWhirter Rd	1.61	McLellan Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090048	McLellan Rd	McLellan Rd	Kellerberrin	0.00	Old Yelbeni Rd	6.15	Hanlon Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090055	McNeil Rd	McNeil Rd	Kellerberrin	0.00	Victoria Rd	3.72	Glenluce Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090055	McNeil Rd	McNeil Rd	Kellerberrin	3.83	Glenluce Rd	10.09	Kellerberrin - Yoting Rd & Nelson Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090161	McQueen Rd	McQueen Rd	Kellerberrin	0.00	Tammin LGA Boundary	1.67	Ryan Rd & Nanyanine Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h No Operation between the hours of sunset and sunrise Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090046	McWhirter Rd	McWhirter Rd	Kellerberrin	0.00	Old Yelbeni Rd	6.60	Hanlon Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090053	Minkadine Rd	Minkadine Rd	Kellerberrin	0.00	Great Eastern Hwy	9.37	Pudlycutting Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090008	Mission Rd	Mission Rd	Kellerberrin	0.00	Great Eastern Hwy & Unknown Rd	27.94	Brown Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090008	Mission Rd	Mission Rd	Kellerberrin	28.19	Brown Rd	31.84	Kellerberrin - Bencubbin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090132	Mitchell St	Mitchell St	Kellerberrin	0.00	Massingham St	0.17	Hammond St	
4090083	Mooranoppin Rd	Mooranoppin Rd	Kellerberrin	0.00	Dowding St	2.25	Goldfields Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090151	Moore St	Moore St	Kellerberrin	1.48	Cemetery St	1.76	Dowding St & Kellerberrin - Bencubbin Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090012	Morison Rd	Morison Rd	Kellerberrin	0.00	Stone Giles Rd	17.36	Yerapin Boundary Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090039	Morley Rd	Morley Rd	Kellerberrin	0.00	Kellerberrin - Bencubbin Rd	4.55	Mission Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090043	Nalyerine Rd	Nalyerine Rd	Kellerberrin	0.00	Kellerberrin - Yelbeni Rd	5.56	Benderine North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090036	Nanyanine Rd	Nanyanine Rd	Kellerberrin	0.00	Ryan Rd & McQueen Rd	5.47	Deep Well Rd & Kellerberrin - Yelbeni Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090084	Newman Rd	Newman Rd	Kellerberrin	0.00	Kellerberrin - Yoting Rd	4.06	Minkadine Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4090062	Nichols Rd	Nichols Rd	Kellerberrin	0.00	Kwolyin West Rd.	2.50	Kellerberrin - Shackleton Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090045	Old Yelbeni Rd	Old Yelbeni Rd	Kellerberrin	0.00	Goldfields Rd	5.82	Kellerberrin - Yelbeni Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090137	Pascoe Rd	Pascoe Rd	Kellerberrin	0.00	Daadenning Creek Rd	1.69	Langdon Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090054	Pudlycutting Rd	Pudlycutting Rd	Kellerberrin	0.00	Kellerberrin - Yoting Rd	7.18	Pudlycutting Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090078	Pustkuchen Rd	Pustkuchen Rd	Kellerberrin	0.00	Giles Rd & Pustkuchen Rd	3.77	Baandee North Cross Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4090106	Restdown St	Restdown St	Kellerberrin	0.00	Great Eastern Hwy & Massingham St	0.18	Hammond St	
4090112	Ryan Rd	Ryan Rd	Kellerberrin	0.00	McQueen Rd & Nanyanine Rd	5.36	Wyalkatchem LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090089	Scaddan St	Scaddan St	Kellerberrin	0.03	Makit Hardware Access Driveway 1.78km From Great Eastern Hwy	1.81	Great Eastern Hwy	
4090081	Scott Rd	Scott Rd	Kellerberrin	0.00	Kellerberrin - Bencubbin Rd	6.48	Kellerberrin - Yelbeni Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090153	Scott St	Scott St	Kellerberrin	0.00	Massingham St	0.40	Kellerberrin - Yoting Rd & Rason St	

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090073	Simms Rd	Simms Rd	Kellerberrin	0.00	Doodlakine South Rd	5.52	Morison Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090067	Ski Lake Rd	Ski Lake Rd	Kellerberrin	0.00	Great Eastern Hwy	2.35	Ski Lake Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090021	Smith Rd	Smith Rd	Kellerberrin	0.00	Kellerberrin - Shackleton Rd	7.14	Doodlakine South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090051	Spillman Rd	Spillman Rd	Kellerberrin	0.00	Garbin Rd & Baandee North Rd	5.70	Spillman Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4099001	Spring St	Spring St	Kellerberrin	0.00	Great Eastern Hwy	0.46	Doodlakine - Kununoppin Rd & Harrison St	
4090136	Steber Rd	Steber Rd	Kellerberrin	0.00	Morison Rd	2.32	Liebeck Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4099000	Steel Weld Rd	Steel Weld Rd	Kellerberrin	0.00	Great Eastern Hwy	0.08	Mather Rd	
4090064	Stone Giles Rd	Stone Giles Rd	Kellerberrin	0.00	Doodlakine - Bruce Rock Rd	13.74	Badgetopping South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Doodlakine South Rd : No left turn permitted into Doodlakine South Rd from Stone Giles Rd (from eastern approach)

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090064	Stone Giles Rd	Stone Giles Rd	Kellerberrin	14.16	Badgetopping South Rd	21.57	Kellerberrin - Shackleton Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090164	Tiller St	Tiller St	Kellerberrin	0.00	Mather Rd	0.85	Dowding St	
4090017	Tolley Rd	Tolley Rd	Kellerberrin	0.00	Mather Rd	3.60	Goldfields Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090066	Turon Rd	Turon Rd	Kellerberrin	0.00	Tammin LGA Boundary	0.97	Benderine North Rd & McClelland Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4090059	Victoria Rd	Victoria Rd	Kellerberrin	0.00	Kwolyin West Rd.	5.12	McNeil Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090027	Wallatin Rd	Wallatin Rd	Kellerberrin	0.00	Doodlakine - Kununoppin Rd	10.27	Doodlakine - Kununoppin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090117	Walsh Rd	Walsh Rd	Kellerberrin	0.00	Wallatin Rd	4.20	Barnes Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090115	Wilkins Rd	Wilkins Rd	Kellerberrin	0.00	Mission Rd	6.52	Kellerberrin - Bencubbin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Mission Rd : No left turn permitted into Mission Rd from Wilkins Rd.

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090050	Wooltorton Rd	Wooltorton Rd	Kellerberrin	0.00	Doodlakine - Kununoppin Rd	2.52	Wooltorton Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4090016	Woolundra North Rd	Woolundra North Rd	Kellerberrin	0.00	Mather Rd	3.97	Goldfields Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090016	Woolundra North Rd	Woolundra North Rd	Kellerberrin	4.11	Goldfields Rd	7.68	Woolundra North Rd - End of Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090015	Woolundra South Rd	Woolundra South Rd	Kellerberrin	0.00	Great Eastern Hwy	13.40	Kellerberrin - Shackleton Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090074	Yerapin Boundary Rd	Yerapin Boundary Rd	Kellerberrin	0.00	Yerapin Boundary Rd & Jakovich Rd	4.41	Morison Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090072	Yerapin Rd	Yerapin Rd	Kellerberrin	0.00	Fire Rd	6.93	Yerapin Boundary Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Fire Rd : No right turn permitted into Fire Rd from Yerapin Rd

Tandem Drive Network 2.1



Kellerberrin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4090035	Yorkrakine Cemetery Rd	Yorkrakine Cemetery Rd	Kellerberrin	0.00	Tammin LGA Boundary	6.16	Yorkrakine East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4090042	Yorkrakine Rock Rd	Yorkrakine Rock Rd	Kellerberrin	0.00	Kellerberrin - Yelbeni Rd	7.65	Tammin LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kent

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3090132	Adams Rd	Adams Rd	Kent	0.00	Kukerin Rd & Peterson Rd	2.53	Dumbleyung LGA Boundary	
3090065	Addis Rd	Addis Rd	Kent	0.00	Hobart Rd	4.84	Wallacup Rd	
3090045	Badgers Rd	Badgers Rd	Kent	0.00	Martens Rd	13.80	Cowcher Rd	
3090098	Batt Rd	Batt Rd	Kent	0.00	Gillis Rd	9.42	Nyabing South Rd	
3090021	Beagley Rd	Beagley Rd	Kent	0.00	North Kuringup Rd	16.83	Merilup Rd & Peterson Rd	
3090117	Bin Rd	Bin Rd	Kent	0.00	Kuringup Rd	1.04	Katanning Nyabing Rd	
3090041	Bishop Rd	Bishop Rd	Kent	0.00	South Fence Rd	13.30	Martens Rd	
3090041	Bishop Rd	Bishop Rd	Kent	14.27	Martens Rd	23.50	Cowcher Rd	
3090032	Boongadoo North Rd	Boongadoo North Rd	Kent	0.00	Boongadoo South Rd & Dumbleyung - Nyabing Rd	9.01	Boongadoo North Rd - End Road	
3090033	Boongadoo South Rd	Boongadoo South Rd	Kent	0.00	Collins Rd	6.30	Boongadoo North Rd & Dumbleyung - Nyabing Rd	
3090054	Bowra Rd	Bowra Rd	Kent	0.00	Cowcher Rd	15.12	Needilup North Rd	
3090054	Bowra Rd	Bowra Rd	Kent	15.18	Needilup North Rd	26.56	Jerramungup LGA Boundary	
3090067	Browne Rd	Browne Rd	Kent	0.00	Katanning Nyabing Rd	6.95	North Kwobrup Rd	
3090031	Challis Rd	Challis Rd	Kent	0.00	Needilup North Rd	15.36	Featherstone Rd	
3090061	Chinocup Rd	Chinocup Rd	Kent	0.00	Rasmussen Rd	21.41	Kojonup - Pingrup (M021)	
3090073	Collins Rd	Collins Rd	Kent	0.00	Warren Rd	5.63	North Moornaming Rd	
3090019	Cowcher Rd	Cowcher Rd	Kent	0.00	Gnowangerup LGA Boundary	19.78	Range Rd	
3090056	Crosby Rd	Crosby Rd	Kent	0.00	Kukerin Rd	3.54	McLaren Rd	
3090080	Cusack Rd	Cusack Rd	Kent	0.00	Needilup North Rd	3.02	Cusack Rd - End Road	
3090076	Davies Rd	Davies Rd	Kent	0.00	Kuringup Rd	5.95	Johnstons Rd	
3090064	Day Rd	Day Rd	Kent	0.00	Hollands Tank Rd	9.70	Newdegate - Pingrup Rd	
3090039	Dicks Rd	Dicks Rd	Kent	0.00	Steele Rd	5.80	Neve Rd	
3090060	Ditchburn Rd	Ditchburn Rd	Kent	0.00	McLaren Rd	8.85	Brays Rd	
3090043	Dixon Rd	Dixon Rd	Kent	0.00	Pingrup Lake Grace Rd	9.47	Rock Dam Rd	
3090011	Dualling Rd	Dualling Rd	Kent	0.00	Kukerin Rd	21.63	Dumbleyung LGA Boundary	
3090001	Dumbleyung - Nyabing Rd	Dumbleyung - Nyabing Rd	Kent	0.00	Dumbleyung LGA Boundary	23.71	Kojonup - Pingrup (M021)	
3090055	Duncombe Rd	Duncombe Rd	Kent	0.00	Thomas Rd	13.34	Range Rd	
3090130	Dunnart Rd	Dunnart Rd	Kent	0.00	Needilup North Rd	8.84	Cowcher Rd	
3090012	East Rd	East Rd	Kent	0.00	Newdegate - Pingrup Rd	44.52	East Rd - End Road	
3090042	Farr Rd	Farr Rd	Kent	0.00	Steele Rd	5.89	Neve Rd	
3090113	Featherstone Rd	Featherstone Rd	Kent	0.00	Newdegate - Pingrup Rd	8.47	Needilup North Rd	
3090113	Featherstone Rd	Featherstone Rd	Kent	8.49	Needilup North Rd	12.87	Featherstone Rd - End Road	
3090037	Fewson Rd	Fewson Rd	Kent	0.00	Nyabing Pingrup Rd	6.71	Kuringup South Rd	
3090102	Garlick Rd	Garlick Rd	Kent	0.00	North Kwobrup Rd	1.68		

Tandem Drive Network 2.1



Kent

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3090069	Gillis Rd	Gillis Rd	Kent	0.00	Titicup Rd	2.05	South Fence Rd	
3090069	Gillis Rd	Gillis Rd	Kent	2.07	South Fence Rd	11.20	Albany - Lake Grace (M001)	
3090004	Gnowangerup - Kwobrup Rd	Gnowangerup - Kwobrup Rd	Kent	0.00	Katanning Nyabing Rd	20.92	Kwobrup Rd & North Boundary Rd	
3090027	Goodchild Rd	Goodchild Rd	Kent	0.00	Nyabing South Rd	6.92	Moornaming South Rd	
3090077	Grant Williams Rd	Grant Williams Rd	Kent	0.00	Dyke Rd	10.68	Ryans Rd	
3090071	Guelfi Rd	Guelfi Rd	Kent	0.00	Shields Rd & Kuringup Rd	6.89	Nyabing Pingrup Rd	
3090082	Harris Rd	Harris Rd	Kent	0.00	Dualling Rd	5.12	Stephens Rd	
3090091	Hassett Rd	Hassett Rd	Kent	0.00	Neve Rd	1.73	Newdegate - Pingrup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Newdegate - Pingrup Rd : No left turn permitted into Newdegate - Pingrup Rd from Hassett Rd
3090104	Hattwell Rd	Hattwell Rd	Kent	0.00	Range Rd	6.60	Challis Rd	
3090096	Haywood Rd	Haywood Rd	Kent	0.00	Moornaming South Rd	4.84	Haywood Rd - End Road	
3090066	Hobart Rd	Hobart Rd	Kent	0.00	Moornaming South Rd	3.06	Katanning Nyabing Rd	
3090094	Hollands Tank Rd	Hollands Tank Rd	Kent	0.00	Newdegate - Pingrup Rd	18.27	Zwecks Rd	
3090089	Holmes Rd	Holmes Rd	Kent	0.00	Pingrup Lake Grace Rd	3.02	Holmes Rd - End Road	
3090062	Humphries Rd	Humphries Rd	Kent	0.00	Whyatt Rd	8.76	Parker Rd	
3090029	Johnstons Rd	Johnstons Rd	Kent	0.00	Stephens Rd	6.26	North Kuringup Rd	
3090127	Jolley Rd	Jolley Rd	Kent	0.00	Newdegate - Pingrup Rd	1.57	Nyabing Pingrup Rd	
3090005	Kukerin Rd	Kukerin Rd	Kent	0.00	Bin Rd	17.98	Adams Rd & Peterson Rd	
3090013	Kuringup Rd	Kuringup Rd	Kent	0.00	Katanning Nyabing Rd & Nyabing Pingrup Rd	16.32	North Kuringup Rd	
3090052	Kuringup South Rd	Kuringup South Rd	Kent	0.00	North Kuringup Rd & Sutherland Trk	14.80	South Fence Rd	
3090047	Lake Bryde Rd	Lake Bryde Rd	Kent	0.00	Newdegate - Pingrup Rd	13.64	Grant Williams Rd	
3090116	Lake Magenta Rd	Lake Magenta Rd	Kent	0.00	Reserve Rd & Lake Magenta Rd	3.79	Magenta Rd	
3090138	Lockhart North Rd	Lockhart North Rd	Kent	0.00	Ryans Rd	10.14	Lockhart Rd	
3090109	Manuel Rd	Manuel Rd	Kent	0.00	Nyabing Pingrup Rd	7.86	Nyabing South Rd	
3090044	Martens Rd	Martens Rd	Kent	0.00	Ongerup - Pingrup Rd	12.42	600 Metres South From Bishop Rd (Heading West)	
3090030	McDougalls Rd	McDougalls Rd	Kent	0.00	Bairstow Rd	10.79	McDougalls Rd - End Road	
3090036	McLaren Rd	McLaren Rd	Kent	0.00	North Fence Rd	9.14	Kukerin Rd	

Tandem Drive Network 2.1



Kent

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3090038	Merilup Rd	Merilup Rd	Kent	0.00	Kukerin Rd	13.93	Dumbleyung LGA Boundary	
3090083	Mills Rd	Mills Rd	Kent	0.00	Dualling Rd	3.48		
3090100	Mindarabin Rd	Mindarabin Rd	Kent	0.00	Nyabing South Rd	3.70	Gnowangerup LGA Boundary	
3090018	Moornaming South Rd	Moornaming South Rd	Kent	0.00	Katanning Nyabing Rd	16.55	Whyatt Rd	
3090059	Nagel Rd	Nagel Rd	Kent	0.00	Wood Rd	4.41	Katanning LGA Boundary	
3090017	Needilup North Rd	Needilup North Rd	Kent	0.00	Jerramungup LGA Boundary	43.10	Newdegate - Pingrup Rd	
3090016	Neve Rd	Neve Rd	Kent	0.00	Newdegate - Pingrup Rd	17.75	Pingrup Lake Grace Rd	
3090002	Newdegate - Pingrup Rd	Newdegate - Pingrup Rd	Kent	0.00	Sanderson St & Paterson St	41.13	Fourteen Mile Rd & Newdegate - Pingrup Rd	
3090126	Newdegate Spur Rd	Newdegate Spur Rd	Kent	0.00	Newdegate - Pingrup Rd	0.09	Tranter Rd & Jolley Rd	
3090009	North Fence Rd	North Fence Rd	Kent	0.00	Dumbleyung - Nyabing Rd	13.09	Peterson Rd & Rabbit Proof Fence Rd	
3090008	North Kuringup Rd	North Kuringup Rd	Kent	0.00	Kuringup South Rd & Sutherland Trk	17.97	Rasmussen Rd	
3090008	North Kuringup Rd	North Kuringup Rd	Kent	18.08	Rasmussen Rd	23.66	Kuringup North Rd & Big Lake Rd	
3090024	North Kwobrup Rd	North Kwobrup Rd	Kent	0.00	Warren Rd	10.10	Katanning Nyabing Rd	
3090072	North Moornaming Rd	North Moornaming Rd	Kent	0.00	Katanning Nyabing Rd	4.24	Dumbleyung - Nyabing Rd	
3090006	Nyabing South Rd	Nyabing South Rd	Kent	0.00	Katanning Nyabing Rd	30.41	Quartermaine Rd	
3090003	Ongerup - Pingrup Rd	Ongerup - Pingrup Rd	Kent	0.00	Newdegate - Pingrup Rd	30.05	Gnowangerup LGA Boundary	
3090026	Paterson Rd	Paterson Rd	Kent	0.00	Nyabing Pingrup Rd	11.58	Ongerup - Pingrup Rd	
3090040	Peterson Rd	Peterson Rd	Kent	0.00	North Fence Rd & Peterson Rd & Rabbit Proof Fence Rd	16.77	Beagley Rd & Merilup Rd	
3090093	Quartermaine Rd	Quartermaine Rd	Kent	0.00	South Fence Rd	14.13	Nyabing South Rd	
3090007	Range Rd	Range Rd	Kent	0.00	Needilup North Rd	23.20	East Rd	
3090014	Rasmussen Rd	Rasmussen Rd	Kent	0.00	Pingrup Lake Grace Rd	26.78	Rasmussen Rd	
3090079	Reeves Rd	Reeves Rd	Kent	0.00	Kuringup South Rd	4.62	Titicup Rd	
3090086	Ripper Rd	Ripper Rd	Kent	0.00	Goodchild Rd	3.26	Katanning Nyabing Rd	
3090058	Robson Rd	Robson Rd	Kent	0.00	Ward Rd	2.24	Dumbleyung LGA Boundary	
3090115	Rock Dam Rd	Rock Dam Rd	Kent	0.00	Neve Rd	6.02	Newdegate - Pingrup Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3090114	Rosenburg Rd	Rosenburg Rd	Kent	0.00	Day Rd	5.18	Newdegate - Pingrup Rd	
3090049	Ryans Rd	Ryans Rd	Kent	0.00	Ryans Rd - Start Road	28.89	Newdegate - Pingrup Rd	
3090107	Seaton Ross Rd	Seaton Ross Rd	Kent	0.00	Gnowangerup - Kwobrup Rd	3.58	Wood Rd	

Tandem Drive Network 2.1



Kent

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3090103	Smith Rd	Smith Rd	Kent	0.00	Garlick Rd	2.58	Katanning LGA Boundary	
3090097	Solly Rd	Solly Rd	Kent	0.00	Thomas Rd	1.59	Solly Rd - End Road	
3090022	South Fence Rd	South Fence Rd	Kent	0.00	Manuel Rd	35.59	Rabbit Proof Fence Rd	
3090092	Sproxton Rd	Sproxton Rd	Kent	0.00	Kukerin Rd	2.32		
3090015	Steele Rd	Steele Rd	Kent	0.00	Pingrup Lake Grace Rd	21.89	Day Rd	
3090028	Stephens Rd	Stephens Rd	Kent	0.00	Beagley Rd	13.01	Kuringup Rd	
3090051	Tees Rd	Tees Rd	Kent	0.00	North Kuringup Rd	5.86	Chinocup Rd	
3090046	Thomas Rd	Thomas Rd	Kent	0.00	Badgers Rd	9.78	Ongerup Rd	
3090075	Thomson Rd	Thomson Rd	Kent	0.00	McLaren Rd	5.43	North Fence Rd	
3090023	Titicup Rd	Titicup Rd	Kent	0.00	Nyabing Pingrup Rd	11.93	South Fence Rd	
3090105	Townsend Rd	Townsend Rd	Kent	0.00	Needilup North Rd	6.62	Townsend Rd - End Road	
3090088	Tranter Rd	Tranter Rd	Kent	0.00	Newdegate Spur Rd & Jolley Rd	3.81	Tranter Rd - End Road	
3090034	Tuffley Rd	Tuffley Rd	Kent	0.00	Kukerin Rd	9.89	Dumbleyung - Nyabing Rd	
3090020	Wallacup Rd	Wallacup Rd	Kent	0.00	Nagel Rd	20.41	Nyabing South Rd	
3090111	Ward Rd	Ward Rd	Kent	0.00	Dumbleyung - Nyabing Rd	5.02	Ward Rd - End Road	
3090025	Warnaminup Rd	Warnaminup Rd	Kent	0.00	Warren Rd	4.66	Dumbleyung - Nyabing Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3090010	Warren Rd	Warren Rd	Kent	0.00	Beattie Rd & Dumbleyung - Nyabing Rd	13.04	Katanning LGA Boundary	
3090050	Watson Rd	Watson Rd	Kent	0.00	Paterson Rd	3.63	Ongerup - Pingrup Rd	
3090063	Whyatt Rd	Whyatt Rd	Kent	0.00	Nyabing South Rd	18.53	Gnowangerup Rd	
3090057	Wilson Rd	Wilson Rd	Kent	0.00	Gnowangerup - Kwobrup Rd	4.98	Mortvale Rd	
3090106	Wood Rd	Wood Rd	Kent	0.00	Gnowangerup - Kwobrup Rd	4.75	Nagel Rd	
3090110	Yates Rd	Yates Rd	Kent	0.00	Bowra Rd	5.74	Gnowangerup LGA Boundary	
3090053	Zwecks Rd	Zwecks Rd	Kent	0.00	Steele Rd	12.31	Lake Grace LGA Boundary	

Tandem Drive Network 2.1



Kojonup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3100139	Alger Rd	Alger Rd	Kojonup	0.00	Albany Hwy	2.94	Jago Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Albany Hwy : No right turn permitted into Albany Hwy from Alger Rd.
3100152	Anderson Rd	Anderson Rd	Kojonup	0.00	Donnybrook Kojonup Rd	10.14	Darkan - Kojonup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Darkan - Kojonup Rd : No access permitted into Darkan - Kojonup Rd from Anderson Rd
3100106	Armstrong Rd	Armstrong Rd	Kojonup	0.00	Neymerup Rd	5.16	Norrish Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kojonup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3100089	Ashe Rd	Ashe Rd	Kojonup	0.00	Kojonup - Frankland Rd	8.55	Balgarup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Kojonup - Frankland Rd : No access permitted to or from Kojonup-Frankland Rd.
3100014	Balgarup Rd	Balgarup Rd	Kojonup	0.00	Albany Hwy	4.62	Jingalup Rd	
3100014	Balgarup Rd	Balgarup Rd	Kojonup	4.67	Jingalup Rd	16.72	Phillips Rd & Harper Rd	
3100103	Ball Rd	Ball Rd	Kojonup	0.00	Kemminup Rd & Axe Track Rd	3.38	Ball Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3100144	Bell Rd	Bell Rd	Kojonup	0.00	Albany Hwy	3.57	Bell Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3100059	Benn Pde	Benn Pde	Kojonup	0.00	Albany Hwy	0.52	Pensioner Rd	

Tandem Drive Network 2.1



Kojonup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3100112	Bilney Rd	Bilney Rd	Kojonup	0.00	Potts Rd	2.14	Bilney Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3100200	Bin Rd	Bin Rd	Kojonup	0.00	Qualeup South Rd & Qualeup North Rd	0.48	Bin Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
3100044	Boilup North Rd	Boilup North Rd	Kojonup	0.00	Darkan - Kojonup Rd	12.39	Boscabel - Chittinup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. See Low Volume Condition Type A in the Operating Conditions Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3100158	Boilup Rd	Boilup Rd	Kojonup	0.00	Darkan - Kojonup Rd	4.58	Anderson Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kojonup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3100156	Bokerup Rd	Bokerup Rd	Kojonup	0.00	Shamrock Rd	8.87	Bokerup Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Shamrock Rd : No right turn permitted into Shamrock Rd from Bokerup Rd
3100012	Boscabel - Chittinup Rd	Boscabel - Chittinup Rd	Kojonup	0.00	Albany Hwy	18.07	West Arthur LGA Boundary	
3100003	Broomehill - Kojonup Rd	Broomehill - Kojonup Rd	Kojonup	0.00	Albany Hwy	16.85	Broomehill - Tambellup LGA Boundary	<ul style="list-style-type: none"> A RAV must not be driven on this road in excess of 4.3 metres in height unless written approval is obtained from the cable provider
3100036	Carlecatur North Rd	Carlecatur North Rd	Kojonup	0.00	Old Broomehill - Kojonup Rd	15.17	Cherry Tree Pool Rd & Carolup River Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Old Broomehill - Kojonup Rd : No access permitted into Old Broomehill Road from Carlecatur North Rd Intersection Kojonup Katanning Rd : No left turn permitted into Kojonup-Pingrup Rd from Carlecatur North Rd (northeast bound) Intersection Ladyman Rd : No access permitted into Ladyman Rd from Carlecatur North Rd
3100195	Carlecatur South Rd	Carlecatur South Rd	Kojonup	0.00	Broomehill - Kojonup Rd	5.66	Old Broomehill - Kojonup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kojonup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3100085	Carolup River Rd	Carolup River Rd	Kojonup	0.00	Carlecatup North Rd & Cherry Tree Pool Rd	10.20	Carrolup River Rd & Boundary Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3100083	Changerup South Rd	Changerup South Rd	Kojonup	0.00	Stirling Rd	6.61	Round Pool Rd	
3100002	Cherry Tree Pool Rd	Cherry Tree Pool Rd	Kojonup	0.00	Albany Hwy	13.95	Carlecatup North Rd & Carolup River Rd	
3100042	Cook Rd	Cook Rd	Kojonup	0.00	Lowden Rd	7.33	Potts Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h on gravel road. Intersection Lowden Rd : No access permitted into Lowden Rd from Cook Rd
3100184	Crapella Rd	Crapella Rd	Kojonup	0.00	Albany Hwy	3.89	Crapella Rd - End Road	<ul style="list-style-type: none"> Maximum speed 60 km/h No Operation between the hours of sunset and sunrise
3100031	Dalton Rd	Dalton Rd	Kojonup	0.00	Kojonup - Frankland Rd	9.16	Fulcher Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3100001	Darkan - Kojonup Rd	Darkan - Kojonup Rd	Kojonup	0.00	Moodiarrup - Changerup Rd	30.41	Albany Hwy	<ul style="list-style-type: none"> Intersection Anderson Rd : No access permitted into Anderson Rd from Darkan Kojonup Rd
3100064	Delaney St	Delaney St	Kojonup	0.00	Benn Pde	1.07	Delaney St - End Road	
3100235	Denney Rd	Denney Rd	Kojonup	0.00	Donnybrook Kojonup Rd	0.50	0.5km After Donnybrook Kojonup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Kojonup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3100186	Dorrington Rd	Dorrington Rd	Kojonup	0.00	Donnybrook Kojonup Rd	4.59	Anderson Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Muradup Rd : No access permitted into Muradup Rd from Dorrington Rd
3100113	Douglas Rd	Douglas Rd	Kojonup	0.00	Cranbrook LGA Boundary	3.42	Fulcher Rd	
3100229	Eatt Rd	Eatt Rd	Kojonup	0.00	Orchid Valley Rd	1.50	Eriswell Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3100087	Eight Mile Rd	Eight Mile Rd	Kojonup	0.00	Wattledale Rd	4.74	Eight Mile Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kojonup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3100082	Eriswell Rd	Eriswell Rd	Kojonup	0.00	Eatt Rd	9.25	Flora And Fauna Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3100220	Fairdale Rd	Fairdale Rd	Kojonup	0.00	Albany Hwy	1.86	Fairdale Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3100094	Fergusson Rd	Fergusson Rd	Kojonup	0.00	Boscabel - Chittinup Rd	3.30	Coben Soak Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kojonup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3100018	Fisher Rd	Fisher Rd	Kojonup	0.00	Shamrock Rd	20.85	Kojonup - Frankland Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3100049	Flora And Fauna Rd	Flora And Fauna Rd	Kojonup	0.00	Tone Rd	8.22	Tenner Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Tone Rd : No access permitted to or from Tone Rd
3100121	Foley Rd	Foley Rd	Kojonup	0.00	Donnybrook Kojonup Rd & Wahkinup Rd	14.60	Boyup Brook LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3100101	Ford L	Ford L	Kojonup	0.00	Carlecatup North Rd	1.61	Marron Pool Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kojonup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3100051	Forrester Rd	Forrester Rd	Kojonup	0.00	Tone Rd	8.15	Mobrup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). 'Trucks Entering' signs to be erected and removed when not in use on all approaches at Mobrup Rd & Forrester Rd and Mobrup Rd & Tone Rd intersections.
3100187	Fulcher Rd	Fulcher Rd	Kojonup	0.00	Fisher Rd	7.52	Fulcher Rd & Douglas Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3100193	Furniss Loop	Furniss Loop	Kojonup	5.50	Tree Farm Access Gate 0.60km From Mobrup Rd	6.10	Mobrup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Kojonup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3100088	Grahams Well Rd	Grahams Well Rd	Kojonup	0.00	Potts Rd	8.21	Broomehill - Tambellup LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3100117	Halden Rd	Halden Rd	Kojonup	0.00	Mobrup Rd	7.22	Mobrup South Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3100197	Hardingham Rd	Hardingham Rd	Kojonup	0.00	Foley Rd	3.53	Tenner Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kojonup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3100109	Harold Rd	Harold Rd	Kojonup	0.00	Albany Hwy	2.91	Harold Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3100053	Harper Rd	Harper Rd	Kojonup	0.00	Kojonup - Frankland Rd	6.69	Balgarup Rd & Phillips Rd	
3100046	Harrison Rd	Harrison Rd	Kojonup	0.00	Boscabel - Chittinup Rd	4.07	Harrison Rd & Coben Soak Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3100050	Hart Rd	Hart Rd	Kojonup	0.00	Qualeup North Rd	3.28	Boyup Brook LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3100024	Hillier Rd	Hillier Rd	Kojonup	0.00	Tone Rd	16.56	Kojonup - Frankland Rd	

Tandem Drive Network 2.1



Kojonup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3100203	Hubbe Rd	Hubbe Rd	Kojonup	0.00	Hillier Rd	0.22	Jeffs Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3100203	Hubbe Rd	Hubbe Rd	Kojonup	0.22	Jeffs Rd	6.36	Hubbe Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Jeffs Rd : No left turn permitted into Jeffs Rd from Hubbe Rd
3100037	Hughenden Rd	Hughenden Rd	Kojonup	0.00	Anderson Rd	2.15	Hughenden Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Kojonup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3100040	Jeffs Rd	Jeffs Rd	Kojonup	0.00	Parker Rd	5.79	Hubbe Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Parker Rd : No access permitted into Parker Rd from Jeffs Rd Intersection Hubbe Rd : No right turn permitted into Hubbe Rd from Jeffs Rd
3100009	Jingalup Rd	Jingalup Rd	Kojonup	0.00	Kojonup - Frankland Rd	15.87	Shamrock Rd	
3100009	Jingalup Rd	Jingalup Rd	Kojonup	15.94	Shamrock Rd	18.22	Albany Hwy	
3100027	Kemminup Rd	Kemminup Rd	Kojonup	0.00	Kojonup Katanning Rd	9.21	Ladyman Rd	
3100118	Kilcreggan - Palligup Rd	Kilcreggan - Palligup Rd	Kojonup	0.00	Forrester Rd	10.44	Mobrup North Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3100004	Kojonup - Frankland Rd	Kojonup - Frankland Rd	Kojonup	0.00	Donnybrook Kojonup Rd	44.02	Cranbrook LGA Boundary	<ul style="list-style-type: none"> Intersection Parker Rd & Vanzuilecom Rd : No access permitted into Parker Rd from Kojonup-Frankland Rd Intersection Ashe Rd : No access permitted into Ashe Rd from Kojonup Frankland Rd
3100128	Kulikup Rd	Kulikup Rd	Kojonup	0.00	Boyup Brook LGA Boundary	0.97	Kulikup Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kojonup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3100035	Ladyman Rd	Ladyman Rd	Kojonup	0.00	Carlecatup North Rd	5.91	Watts Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3100043	Lowden Rd	Lowden Rd	Kojonup	9.37	Cook Rd	13.27	Albany Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times See Low Volume Condition Type A in the Operating Conditions Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Cook Rd : No access permitted into Cook Rd from Lowden Rd
3100025	Lower Blackwood Rd	Lower Blackwood Rd	Kojonup	0.00	Donnybrook Kojonup Rd	10.68	Boyup Brook LGA Boundary	
3100017	Magini Rd	Magini Rd	Kojonup	0.00	Darkan - Kojonup Rd	8.77	Qualeup North Rd	
3100132	Mandalup Rd	Mandalup Rd	Kojonup	0.00	Donnybrook Kojonup Rd	2.12	Mandalup Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Kojonup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3100097	Marinoni Rd	Marinoni Rd	Kojonup	0.00	Darkan - Kojonup Rd	2.20	Marinoni Rd - End Road	
3100045	Marron Pool Rd	Marron Pool Rd	Kojonup	0.00	Carlecatup North Rd	6.30	Katanning LGA Boundary	
3100030	McIlwraith Rd	McIlwraith Rd	Kojonup	0.00	Fulcher Rd	7.21	Shamrock Rd	
3100120	Minninup Rd	Minninup Rd	Kojonup	0.00	Tenner Rd	2.78	Boyup Brook LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3100159	Mission Rd	Mission Rd	Kojonup	0.00	Cherry Tree Pool Rd	6.75	Onslow Rd	
3100207	Mobrup North Rd	Mobrup North Rd	Kojonup	0.00	Hillier Rd	9.45	Mobrup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Kojonup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3100102	Mobrup Rd	Mobrup Rd	Kojonup	0.00	Kojonup - Frankland Rd	25.37	Cranbrook LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3100032	Mobrup South Rd	Mobrup South Rd	Kojonup	0.00	Kojonup - Frankland Rd	8.85	1.08km Before Furniss Loop & Mobrup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3100032	Mobrup South Rd	Mobrup South Rd	Kojonup	8.85	1.08km East From Morbrup Rd	9.93	Furniss Loop & Mobrup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Kojonup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3100078	Muradup Rd	Muradup Rd	Kojonup	0.00	Riverdale Rd	0.49	Dorrington Rd	<ul style="list-style-type: none"> Intersection Dorrrington Rd : No access permitted into Dorrrington Rd from Muradup Rd
3100039	Murrin Brook Rd	Murrin Brook Rd	Kojonup	0.00	Donnybrook Kojonup Rd & Haggerty St	8.23	Woodenup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3100209	Narlingup Rd	Narlingup Rd	Kojonup	0.00	Donnybrook Kojonup Rd	9.21	McCafferty Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h Acess from Lower Blackwood Rd only. Maximum speed of 60 km/h on gravel road.
3100155	Neymerup Rd	Neymerup Rd	Kojonup	0.00	Albany Hwy	5.09	Boscabel - Chittinup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Albany Hwy : No right turn permiitted into Neymerup Rd from Albany Hwy.
3100105	Nilon Rd	Nilon Rd	Kojonup	0.00	Darkan - Kojonup Rd	1.56	Nilon Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kojonup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3100084	Norrish Rd	Norrish Rd	Kojonup	0.00	Albany Hwy	7.93	Boilup North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3100092	O'Halloran Rd	O'Halloran Rd	Kojonup	0.00	Watts Rd & Cherry Tree Pool Rd	0.51	0.51km After Watts Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3100020	Old Broomehill - Kojonup Rd	Old Broomehill - Kojonup Rd	Kojonup	0.00	Broomehill - Kojonup Rd	9.78	Broomehill - Tambellup LGA Boundary	<ul style="list-style-type: none"> Intersection Carlecatup North Rd : No access permitted into Carlecatup North Rd from Old Broomehill - Kojonup Rd
3100041	Old Collie Rd	Old Collie Rd	Kojonup	0.00	Magini Rd	4.41	Old Collie Rd & Moodiarrup South	
3100028	Orchid Valley Rd	Orchid Valley Rd	Kojonup	0.00	Tone Rd	8.62	Donnybrook Kojonup Rd	<ul style="list-style-type: none"> Maximum speed 70 km/h Intersection Donnybrook Kojonup Rd : No Access permitted to Donnybrook - Kojonup Road from Orchid Valley Rd
3100218	Overidge Rd	Overidge Rd	Kojonup	0.00	Shamrock Rd	1.84	Overidge Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kojonup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3100111	Palmer Rd	Palmer Rd	Kojonup	0.00	Potts Rd	3.20	Palmer Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3100011	Parker Rd	Parker Rd	Kojonup	0.00	Vanzuilecom Rd & Kojonup - Frankland Rd	12.43	Tone Rd	<ul style="list-style-type: none"> Access from Tone Rd only.
3100104	Partridge Rd	Partridge Rd	Kojonup	0.00	Darkan - Kojonup Rd	6.91	Wooldridge Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
3100140	Pearce Rd	Pearce Rd	Kojonup	0.00	Albany Hwy	3.35	Rosedale Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3100015	Pensioner Rd	Pensioner Rd	Kojonup	0.00	Albany Hwy	1.30	Blackwood Rd	
3100160	Phillips Rd	Phillips Rd	Kojonup	0.00	Fisher Rd	5.72	Balgarup Rd & Harper Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3100226	Piesse St	Piesse St	Kojonup	0.00	Donnybrook Kojonup Rd	0.46	Riverdale Rd & Yates St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h Maximum speed 60 km/h on gravel roads

Tandem Drive Network 2.1



Kojonup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3100019	Potts Rd	Potts Rd	Kojonup	0.00	Broomehill - Kojonup Rd	13.46	Yarranup Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h Maximum speed of 60 km/h on gravel road. Intersection Broomehill - Kojonup Rd : No access permitted into Broomehill - Kojonup Rd from Potts Rd
3100019	Potts Rd	Potts Rd	Kojonup	13.59	Yarranup Rd	16.98	Tambellup West Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h
3100210	Qualeup North Rd	Qualeup North Rd	Kojonup	0.00	Qualeup South Rd & Bin Rd	16.56	Wongerup Rd & Glenorchy South Rd	
3100210	Qualeup North Rd	Qualeup North Rd	Kojonup	16.56	0.33km From Wongerup Rd	16.89	Wongerup Rd & Glenorchy South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3100005	Qualeup South Rd	Qualeup South Rd	Kojonup	0.00	Donnybrook Kojonup Rd	8.29	Bin Rd & Qualeup North Rd	
3100079	Reillys Creek Rd	Reillys Creek Rd	Kojonup	0.00	Qualeup North Rd	3.04	Rielys Creek Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3100008	Riverdale Rd	Riverdale Rd	Kojonup	0.00	Piesse St & Yates St	18.94	Qualeup North Rd	
3100240	Roche St	Roche St	Kojonup	0.00	Thornbury Cl	0.13	Thornbury Cl	
3100119	Roley Rd	Roley Rd	Kojonup	0.00	Tenner Rd	4.99	Tone Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h

Tandem Drive Network 2.1



Kojonup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3100047	Rosedale Rd	Rosedale Rd	Kojonup	0.00	Albany Hwy	6.52	Pearce Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3100047	Rosedale Rd	Rosedale Rd	Kojonup	6.52	Pearce Rd	12.40	Dujemerrup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3100095	Roseneath Rd	Roseneath Rd	Kojonup	0.00	Boscabel - Chittinup Rd	2.72	Harrison Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3100038	Round Pool Rd	Round Pool Rd	Kojonup	0.00	Riverdale Rd	10.78	Magini Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Kojonup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3100021	Samson Rd	Samson Rd	Kojonup	0.00	Albany Hwy	15.06	Jingalup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. See Low Volume Condition Type A in the Operating Conditions Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Albany Hwy : No left turn permitted into Albany Hwy from Samson Rd.
3100125	Sargent Rd	Sargent Rd	Kojonup	0.00	Qualeup North Rd	2.77	Kulikup Rd	<ul style="list-style-type: none"> Maximum speed 70 km/h
3100033	Scotts Brook Rd	Scotts Brook Rd	Kojonup	0.00	Mobrup Rd	6.35	Boyup Brook LGA Boundary	
3100145	Settlers Rd	Settlers Rd	Kojonup	0.00	Kojonup - Frankland Rd	3.04	Mobrup North Rd	
3100091	Sexton Rd	Sexton Rd	Kojonup	0.00	Riverdale Rd	6.12	Sexton Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3100007	Shamrock Rd	Shamrock Rd	Kojonup	0.00	Albany Hwy	22.08	Cranbrook LGA Boundary	<ul style="list-style-type: none"> Intersection Bokerup Rd : No left turn permitted into Bokerup Rd from Shamrock Rd
3100090	Stirling Rd	Stirling Rd	Kojonup	0.00	Riverdale Rd	8.93	Darkan - Kojonup Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3100026	Tambellup West Rd	Tambellup West Rd	Kojonup	0.00	Broomehill - Tambellup LGA Boundary	5.62	Albany Hwy	

Tandem Drive Network 2.1



Kojonup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3100010	Tenner Rd	Tenner Rd	Kojonup	0.00	Donnybrook Kojonup Rd	21.01	Tenner Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3100122	Tenner West Rd	Tenner West Rd	Kojonup	0.00	Foley Rd	3.52	Tenner Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3100222	Thornbury Cl	Thornbury Cl	Kojonup	0.00	Blackwood Rd	0.65	Thornbury Cl - Start Db	
3100222	Thornbury Cl	Thornbury Cl	Kojonup	0.99	Roche St	1.35	Thornbury Cl	
3100006	Tone Rd	Tone Rd	Kojonup	0.00	Donnybrook Kojonup Rd	34.83	Terrace Rd & Scotts Brook Rd	<ul style="list-style-type: none"> Intersection Flora And Fauna Rd : No Access To Or From Flora And Fauna Road Permitted
3100086	Tunney Rd	Tunney Rd	Kojonup	0.00	Soldier Rd	3.46	Darkan - Kojonup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kojonup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3100192	Wandoo Rd	Wandoo Rd	Kojonup	0.00	Hillier Rd	3.80	Kilcreggan - Palligup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3100110	Wanwindup North Rd	Wanwindup North Rd	Kojonup	0.00	Jingalup Rd	3.33	Ashe Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3100029	Wanwindup Rd	Wanwindup Rd	Kojonup	0.00	Ashe Rd	2.96	Balgarup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kojonup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3100194	Wanwindup South Rd	Wanwindup South Rd	Kojonup	0.00	Phillips Rd	5.46	Fisher Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3100048	Wattledale Rd	Wattledale Rd	Kojonup	0.00	Albany Hwy	9.74	Wattledale Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3100016	Watts Rd	Watts Rd	Kojonup	0.00	Albany Hwy & Wooldridge Rd	10.83	Cherry Tree Pool Rd & O'Halloran Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3100080	White Elephant Rd	White Elephant Rd	Kojonup	0.00	Donnybrook Kojonup Rd	6.01	Orchid Valley Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Donnybrook Kojonup Rd : No access permitted into Donnybrook - Kojonup Rd from White Elephant Rd

Tandem Drive Network 2.1



Kojonup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3100228	Wongerup Rd	Wongerup Rd	Kojonup	0.00	Qualeup North Rd & Glenorchy South Rd	4.20	Westcliffe Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3100124	Woodenup Rd	Woodenup Rd	Kojonup	0.00	Murrin Brook Rd	1.78	Parker Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3100124	Woodenup Rd	Woodenup Rd	Kojonup	1.78	Parker Rd	9.02	Hubbe Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3100034	Yarranup Rd	Yarranup Rd	Kojonup	0.00	Albany Hwy	13.76	Warrenup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Warrenup Rd : No access permitted to or from Warrenup Rd

Tandem Drive Network 2.1



Kondinin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4100129	Acacia Rd	Acacia Rd	Kondinin	0.00	Wheeler Rock Rd	4.10	Forbes Rd	
4100051	Aggiss Rd	Aggiss Rd	Kondinin	0.00	Pederah West Rd & North Lake Grace - Karlgarin Rd	8.54	Kondinin Hyden Rd	
4100005	Allen Rocks Rd	Allen Rocks Rd	Kondinin	0.00	Hyden-Lake King Rd	6.30	Kulin LGA Boundary	
4100007	Aylmore Rd	Aylmore Rd	Kondinin	0.00	Hyden Refuse Rd & Hyden-Lake King Rd	13.40	Aylmore Rd & Pederah East Rd	
4100081	Bald Rock Rd	Bald Rock Rd	Kondinin	0.00	Hyden - Norseman Rd	8.27	Bald Rock Rd - End Road	
4100068	Bates Rd	Bates Rd	Kondinin	0.00	Raine Rd	3.90	Lovering Rd	
4100014	Bendering East Rd	Bendering East Rd	Kondinin	0.00	Kondinin - Naremben Rd	24.50	Karlgarin Hills North Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4100033	Bendering Hall North Rd	Bendering Hall North Rd	Kondinin	0.00	Bendering Rd	5.63	Bendering Hall North Rd - End Road	
4100094	Bendering Hall Rd	Bendering Hall Rd	Kondinin	0.00	Bendering Rd	9.04	Bendering Hall Rd - End Road	
4100010	Bendering Rd	Bendering Rd	Kondinin	0.00	Kondinin - Naremben Rd	12.60	Pruden Rd & Bendering Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4100040	Bendering Siding Rd	Bendering Siding Rd	Kondinin	0.00	Kondinin - Naremben Rd	1.77	Bendering Rd	
4100031	Bendering West Rd	Bendering West Rd	Kondinin	0.00	Bendering Hall Rd & Koorikin Rd	4.71	Bendering Rd	
4100020	Billericay East Rd	Billericay East Rd	Kondinin	0.00	Billericay East Rd & Lahoar Rd	41.69	Lovering Rd	
4100090	Bonds Rd	Bonds Rd	Kondinin	0.00	Corrigin LGA Boundary	5.87	Koorikin Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel).
4100059	Burma Rd	Burma Rd	Kondinin	0.00	Hyden - Mount Walker Rd	8.64	Lovering Rd	
4100086	Bushfire Rock Rd	Bushfire Rock Rd	Kondinin	0.00	Hyden - Norseman Rd	9.33	Lake Carmody Rd	

Tandem Drive Network 2.1



Kondinin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4100060	Camel Peaks East Rd	Camel Peaks East Rd	Kondinin	0.00	Burma Rd	1.22	Camel Peaks East Rd - End Road	
4100067	Camel Peaks West Rd	Camel Peaks West Rd	Kondinin	0.00	Hyden - Mount Walker Rd	7.08	Karlgarin Lake Rd	
4100046	Carlson Rd	Carlson Rd	Kondinin	0.00	Kondinin Hyden Rd	2.90	Reservoir East Rd	
4100141	Carstairs Rd	Carstairs Rd	Kondinin	0.00	Lake Grace LGA Boundary	8.70	Marvel Loch - Forrestania Rd	
4100080	Cashmore Rd	Cashmore Rd	Kondinin	0.00	Wheeler Rock Rd	10.57		
4100099	Casuarina Rd	Casuarina Rd	Kondinin	0.00	Williamson Rd	5.00	King Rocks North Rd	
4100041	Cemetery Rd	Cemetery Rd	Kondinin	0.00	Notting - Karlgarin Rd	3.86	Kondinin Hyden Rd	
4100023	Chalk Hill Rd	Chalk Hill Rd	Kondinin	0.00	Hyden-Lake King Rd	11.61	Aylmore Rd	
4100064	Chalk Hill West Rd	Chalk Hill West Rd	Kondinin	0.00	Kerrigan Rd	8.75	Chalk Hill West Rd - End Road	
4100017	Church Rd	Church Rd	Kondinin	0.00	Foundation St	7.40	Pederah East Rd	
4100126	Clayton St	Clayton St	Kondinin	0.19	Hyden - Mount Walker Rd & McPherson St	0.43	Lynch St	
4100115	Connell St	Connell St	Kondinin	0.00	Kondinin Hyden Rd	0.89	Howlett St	<ul style="list-style-type: none"> Headlights to be switched on at all times See Low Volume Condition Type A in the Operating Conditions Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Kondinin Hyden Rd : No left turn permitted into Connell St from Brookton Hwy. No right turn permitted into Brookton Hwy from Connell St.
4100043	Davey Rd	Davey Rd	Kondinin	0.00	Llewellyn Rd	4.99	Thompson Rd	
4100149	De Gruchy Rd	De Gruchy Rd	Kondinin	0.00	Koorikin Rd	4.75	Bendering Rd	
4100075	Douthie Rd	Douthie Rd	Kondinin	0.00	King Rocks Rd	1.87	Mulcahy Rd	
4100096	Duck Rock Rd	Duck Rock Rd	Kondinin	0.00	Hyden-Lake King Rd	5.85	Kulin LGA Boundary	
4100140	East Hyden Bin Rd	East Hyden Bin Rd	Kondinin	0.00	Hyden-Lake King Rd	28.56	Hyden - Norseman Rd & Lake O'Connor Rd	
4100118	Federal St	Federal St	Kondinin	0.00	Fortune St	0.36	Unity St	
4100021	Forbes Rd	Forbes Rd	Kondinin	0.00	Hyden - Norseman Rd	7.52	Cashmore Rd	
4100127	Forrest Rd	Forrest Rd	Kondinin	0.00	McDonald Rd	6.21	Roe Rd	
4100121	Fortune St	Fortune St	Kondinin	0.00	Melba St	0.11	Federal St	
4100019	Fotheringhame Rd	Fotheringhame Rd	Kondinin	0.00	Thompson Rd & Kondinin Hyden Rd	6.12	Kulin LGA Boundary	
4100120	Foundation St	Foundation St	Kondinin	0.00	Melba St	0.40	Church Rd	
4100036	Gibson Rd	Gibson Rd	Kondinin	0.00	Kondinin - Narembreen Rd	8.65	Narembreen Rd South	
4100039	Government Dam Rd	Government Dam Rd	Kondinin	0.00	Notting - Karlgarin Rd	3.99	Bendering East Rd	

Tandem Drive Network 2.1



Kondinin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4100070	Graham Rock Rd	Graham Rock Rd	Kondinin	0.00	Sharps Rd	7.89	Hyden-Lake King Rd	
4100097	Gravel Pit North Rd	Gravel Pit North Rd	Kondinin	0.00	East Hyden Bin Rd & Nicholl Rd	4.10	Gravel Pit North Rd - End Road	
4100038	Greay Rd	Greay Rd	Kondinin	0.00	Bendering East Rd	14.50	Billericay East Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4100108	Healey St	Healey St	Kondinin	0.00	Graham St	0.29	Jones St	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. "Trucks Entering" signs to be erected and removed when not in use. Intersection Rankin St : No access permitted into Rankin St from Healey St Intersection Jones St : No access permitted into Jones St from Healey St.
4100028	Henderer Rd	Henderer Rd	Kondinin	0.00	Kondinin Hyden Rd	8.61	Pederah West Rd & Karlgarin Hill South Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4100092	Higgins Rd	Higgins Rd	Kondinin	0.00	Roe Rd	11.00	Karlgarin Hills North Rd	
4100089	Holland Trk	Holland Trk	Kondinin	0.00	Kulin LGA Boundary	1.44	Hyden-Lake King Rd	
4100089	Holland Trk	Holland Trk	Kondinin	1.44	Hyden-Lake King Rd	18.27	Holland Trk - End Road	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Modesty Rock East Rd : No left turn permitted into Modesty Rock Rd East from Holland Trk
4100128	Holt Rock North Rd	Holt Rock North Rd	Kondinin	0.00	Modesty Rock East Rd	6.55	Lake O Connor Rd West	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kondinin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4100105	Howlett St	Howlett St	Kondinin	0.00	Graham St & Young Av & Corrigin Kondinin Rd	1.15	Cook St	
4100069	Humps South Rd	Humps South Rd	Kondinin	0.00	Lovering Rd	3.54	Humps South Rd - End Road	
4100002	Hyden - Mount Walker Rd	Hyden - Mount Walker Rd	Kondinin	0.00	McPherson St & Clayton St	25.91	Mt Walker - Hyden Rd	
4100032	Hyden - Norseman Rd	Hyden - Norseman Rd	Kondinin	0.00	East Hyden Bin Rd & Lake O'Connor Rd	79.61	Dundas LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4100101	Hyden South Rd	Hyden South Rd	Kondinin	0.00	Marshall St	0.64	Hyden South Rd - End Road	
4100026	James Rd	James Rd	Kondinin	0.00	Kondinin Lake Rd	5.51	Kulin Rock Rd	
4100104	Jones St	Jones St	Kondinin	0.00	Nicholls St	1.13	Howlett St	<ul style="list-style-type: none"> Intersection Healey St : No access permitted into Healey St from Jones St.
4100061	Karlgarin East Rd	Karlgarin East Rd	Kondinin	0.00	Melba St	16.43	Aylmore Rd	
4100052	Karlgarin Hills North Rd	Karlgarin Hills North Rd	Kondinin	0.00	Kondinin Hyden Rd	16.17	Whyte Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4100056	Karlgarin Lake Rd	Karlgarin Lake Rd	Kondinin	0.00	Billericay East Rd	23.71		
4100055	Karlgarin Lake West Rd	Karlgarin Lake West Rd	Kondinin	0.00	Notting - Karlgarin Rd	6.37	Karlgarin Lake Rd	
4100029	Karlgarin South Rd	Karlgarin South Rd	Kondinin	0.00	Karlgarin Lake Rd & Kondinin Hyden Rd	8.02	Pederah East Rd & Karlgarin Rd South	<ul style="list-style-type: none"> Rail not to be crossed
4100065	Kerrigan Rd	Kerrigan Rd	Kondinin	0.00	Chalk Hill Rd	10.17	Pederah East Rd	
4100074	King Rocks North Rd	King Rocks North Rd	Kondinin	0.00	Lovering Rd	8.97	King Rocks North Rd - End Road	
4100018	King Rocks Rd	King Rocks Rd	Kondinin	0.00	East Hyden Bin Rd & Sharps Rd	13.13		
4100100	King Rocks West Rd	King Rocks West Rd	Kondinin	0.00	Lovering Rd	13.60	King Rocks Rd	
4100146	Kondinin - Narembeen Rd	Kondinin - Narembeen Rd	Kondinin	0.00	Corrigin Kondinin Rd	23.54	Narembeen LGA Boundary	
4100034	Kondinin Lake North Rd	Kondinin Lake North Rd	Kondinin	0.00	Corrigin Kondinin Rd	3.76	Koorikin Rd	
4100003	Kondinin Lake Rd	Kondinin Lake Rd	Kondinin	0.00	Graham St & Kulin Kondinin Rd & Nicholls St	20.40	Kulin LGA Boundary	

Tandem Drive Network 2.1



Kondinin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4100091	Kondinin Lake South Rd	Kondinin Lake South Rd	Kondinin	0.00	James Rd	0.80	Kondinin Lake South Rd - End Road	
4100013	Koorikin Rd	Koorikin Rd	Kondinin	0.00	Kondinin - Naremben Rd	14.45	Kulin Rock Rd & Corrigin Kondinin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4100016	Kulin Rock Rd	Kulin Rock Rd	Kondinin	0.00	Koorikin Rd & Corrigin Kondinin Rd	9.24	Kulin LGA Boundary	
4100138	Lahoar Rd	Lahoar Rd	Kondinin	0.00	Billericay East Rd	3.50	Naremben LGA Boundary	<ul style="list-style-type: none"> Intersection Billericay East Rd : No access permitted into Billericay East Rd from Lahoar Rd. No access permitted into Lahoar Rd from Billericay East Rd.
4100084	Lake Carmody Rd	Lake Carmody Rd	Kondinin	0.00	Holland Trk	31.65		
4100142	Lake O'Connor Rd	Lake O'Connor Rd	Kondinin	0.00	East Hyden Bin Rd & Hyden - Norseman Rd	0.42	For 420m From East Hyden Bin Rd to Cbh Entry	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4100142	Lake O'Connor Rd	Lake O'Connor Rd	Kondinin	0.42	For 420m From East Hyden Bin Rd to Cbh Entry	13.80	Hyden-Lake King Rd	
4100093	Linto Rd	Linto Rd	Kondinin	0.00	Kondinin Hyden Rd	3.70		
4100042	Llewellyn Rd	Llewellyn Rd	Kondinin	0.00	Kondinin Hyden Rd	6.78	Notting - Karlgarin Rd	
4100004	Lovering Rd	Lovering Rd	Kondinin	0.00	Hyden-Lake King Rd	38.43	Mulcahy Rd	<ul style="list-style-type: none"> Intersection Billericay East Rd : No left turn permitted into Billericay East Rd from Lovering Rd
4100124	Lynch St	Lynch St	Kondinin	0.00	Marshall St	0.35	Clayton St	
4100087	Marble Rocks East Rd	Marble Rocks East Rd	Kondinin	0.00	Holland Trk	6.73	Marble Rocks East Rd - End Road	
4100098	Marvel Loch - Forrestania Rd	Marvel Loch - Forrestania Rd	Kondinin	0.00	Yilgarn LGA Boundary	23.91	Hyden - Norseman Rd	
4100098	Marvel Loch - Forrestania Rd	Marvel Loch - Forrestania Rd	Kondinin	23.96	Hyden - Norseman Rd	65.28	Ravensthorpe Lga Boundary	
4100048	McCann Rock	McCann Rock	Kondinin	0.00	Spurr Rd	2.29	McCann Rock - End Road	
4100057	McLennan Rd	McLennan Rd	Kondinin	0.00	Kondinin Hyden Rd	16.63	Lovering Rd	
4100123	McPherson St	McPherson St	Kondinin	0.00	Marshall St	0.36	Hyden - Mount Walker Rd & Clayton St	
4100062	Medcalf Rock Rd	Medcalf Rock Rd	Kondinin	0.00	Karlgarin East Rd	7.32	Holmes Rd & Pederah East Rd	
4100132	Meeking Cr	Meeking Cr	Kondinin	0.00	Marshall St & Kondinin Hyden Rd	0.14	Munday Loop	
4100117	Melba St	Melba St	Kondinin	0.00	Kondinin Hyden Rd	1.21	Pederah Rd & Swan St	
4100079	Millar Rd	Millar Rd	Kondinin	0.00	Cashmore Rd	1.67	Millar Rd - End Road	

Tandem Drive Network 2.1



Kondinin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4100088	Modesty Rock East Rd	Modesty Rock East Rd	Kondinin	0.00	Holland Trk	11.39	Kulin LGA Boundary	<ul style="list-style-type: none"> Intersection Holland Trk : No right turn permitted into Holland Trk from Modesty Rock Rd East
4100154	Mulcahy Rd	Mulcahy Rd	Kondinin	0.00	Cashmore Rd	7.56	Lovering Rd	
4100131	Munday Loop	Munday Loop	Kondinin	0.00	Meeking Cr	0.41	Munday Loop - End Road	
4100049	Murray Rd	Murray Rd	Kondinin	0.00	Spurr Rd	1.70	For 1.7km From Spurr Road	
4100077	Murray Rock Rd	Murray Rock Rd	Kondinin	0.00	Mulcahy Rd	7.26	Wheeler Rock Rd	
4100025	Nambadilling Rd	Nambadilling Rd	Kondinin	0.00	Bendering Rd	7.96	Corrigin LGA Boundary	
4100037	Narembreen Rd South	Narembreen Rd South	Kondinin	0.00	Billericay East Rd	13.75	Bendering East Rd	
4100037	Narembreen Rd South	Narembreen Rd South	Kondinin	13.78	Bendering East Rd	18.58	Growden Rd	
4100125	Naughton St	Naughton St	Kondinin	0.18	McPherson St	0.44	Lynch St	
4100085	Nelson Rd	Nelson Rd	Kondinin	0.00	Lake Carmody Rd	6.22	Nelson Rd - End Road	
4100066	Nicholl Rd	Nicholl Rd	Kondinin	0.00	East Hyden Bin Rd & Gravel Pit North Rd	5.47	Hyden-Lake King Rd	
4100006	Notting - Karlgarin Rd	Notting - Karlgarin Rd	Kondinin	0.00	Kondinin - Narembreen Rd	47.82	Kondinin Hyden Rd	
4100024	Pederah East Rd	Pederah East Rd	Kondinin	0.00	Pederah West Rd & Pederah Rd	19.28	Aylmore Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h
4100024	Pederah East Rd	Pederah East Rd	Kondinin	19.28	Aylmore Rd	40.45		
4100147	Pederah Rd	Pederah Rd	Kondinin	0.00	Pederah West Rd & Pederah East Rd	8.32	Swan St & Melba St	
4100137	Pederah West Rd	Pederah West Rd	Kondinin	0.00	Pederah Rd & Pederah East Rd	11.18	Kulin LGA Boundary	
4100122	Prospect St	Prospect St	Kondinin	0.00	Swan St	0.15	Prospect St - End Road	
4100022	Raine Rd	Raine Rd	Kondinin	0.00	Lovering Rd	13.84	The Humps Rd	
4100102	Rankin St	Rankin St	Kondinin	0.00	Nicholls St	1.16	Howlett St	<ul style="list-style-type: none"> Intersection Healey St : No access permitted into Healey St from Rankin St.
4100045	Reservoir East Rd	Reservoir East Rd	Kondinin	0.33	Sloan Rd	13.04	Fotheringham Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kondinin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4100045	Reservoir East Rd	Reservoir East Rd	Kondinin	13.04	Fotheringhame Rd	26.82	Spurr Rd	
4100053	Roe Rd	Roe Rd	Kondinin	0.00	Narembreen LGA Boundary	23.00	Notting - Karlgarin Rd	
4100058	Scrivener Rock East Rd	Scrivener Rock East Rd	Kondinin	0.00	Karlgarin Lake Rd	4.99	McLennan Rd	
4100071	Sedgwick Rd	Sedgwick Rd	Kondinin	0.00	Woolocutty Soak Rd	3.65	Sedgewick Rd	
4100082	Sharps Rd	Sharps Rd	Kondinin	0.00	East Hyden Bin Rd & King Rocks Rd	19.79		
4100012	Sloan Rd	Sloan Rd	Kondinin	0.00	Kondinin Hyden Rd	8.44	Reservoir East Rd	
4100009	Spurr Rd	Spurr Rd	Kondinin	0.00	Pederah West Rd & Trundle Rd	9.75	Kondinin Hyden Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4100152	Swan St	Swan St	Kondinin	0.00	Kondinin Hyden Rd	0.52	Prospect St	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4100152	Swan St	Swan St	Kondinin	0.52	Prospect St	0.83	Swan St - Start Road	
4100027	Thompson Rd	Thompson Rd	Kondinin	0.00	Fotheringhame Rd & Kondinin Hyden Rd	8.07	Notting - Karlgarin Rd	
4100011	Tolland Rd	Tolland Rd	Kondinin	0.00	Kondinin Hyden Rd	15.75	Worland Rd & Whyte Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4100063	Walton Rd	Walton Rd	Kondinin	0.00	Karlgarin South Rd	3.28	Medcalf Rock Rd	
4100030	Wave Rock Rd	Wave Rock Rd	Kondinin	0.00	Lovering Rd	2.37	East Hyden Bin Rd	
4100130	Wheat Bin Access Rd	Wheat Bin Access Rd	Kondinin	0.00	Kondinin Hyden Rd	0.24	Wheat Bin Access Rd - End Road	
4100078	Wheeler Rock Rd	Wheeler Rock Rd	Kondinin	0.00	Murray Rock Rd	14.47	Bald Rock Rd	
4100035	Whyte Rd	Whyte Rd	Kondinin	0.00	Bendering East Rd	25.92	Tolland Rd & Worland Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kondinin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4100047	Willey Rd	Willey Rd	Kondinin	0.00	Kondinin Hyden Rd	5.74	Willey Rd - End Road	
4100073	Williamson Rd	Williamson Rd	Kondinin	0.00	Lovering Rd	6.92	Narembeen LGA Boundary	
4100095	Wilson Rd	Wilson Rd	Kondinin	0.00	King Rocks Rd	0.78	Wilson Rd - End Road	
4100072	Woolocutty Soak Rd	Woolocutty Soak Rd	Kondinin	0.00	Lovering Rd	11.59	Narembeen LGA Boundary	
4100054	Worland Rd	Worland Rd	Kondinin	0.00	Hyden - Mount Walker Rd	25.65	Tolland Rd & Whyte Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4100044	Young Rd	Young Rd	Kondinin	0.00	Kulin Kondinin Rd	4.83	Sloan Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Kulin Kondinin Rd : No right turn permitted into Narrogin Kondinin Rd from Young Rd Intersection Link to Young Rd : No left turn permitted into Link to Young Rd from Young Rd
410Z002	Link to Young Rd	Link to Young Rd	Kondinin	0.00	Kulin Kondinin Rd	0.33	Young Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Kulin Kondinin Rd : No left turn permitted into Narrogin Kondinin Rd from Link to Young Rd Intersection Young Rd : No right turn permitted into Young Rd from Link to Young Rd

Tandem Drive Network 2.1



Koorda

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4110124	Adams Rd	Adams Rd	Koorda	0.00	Martin Rd	3.44	Adams Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 40 km/h
4110136	Aitken Rd	Aitken Rd	Koorda	0.00	Wyalkatchem - Koorda Rd	0.42	Railway South St & Railway St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 50 km/h
4110104	Aitken St	Aitken St	Koorda	0.00	Booralaming - Kulja Rd	1.11	Burakin - Wialki Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 50 km/h
4110087	Aldred Rd	Aldred Rd	Koorda	0.00	Best Rd	4.28	Koorda - Dowerin Rd	
4110091	Allenby St	Allenby St	Koorda	0.19	Birdwood St	0.55	Haig St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4110019	Anderson Rd	Anderson Rd	Koorda	0.00	Koorda - Kulja Rd	30.09	Black Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
4110084	Arrow Rd	Arrow Rd	Koorda	0.00	Mollerin Rock South Rd	2.60	Arrow Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4110056	Badgerin Rock Rd	Badgerin Rock Rd	Koorda	0.00	Cadoux - Koorda Rd	5.29	Koorda North West Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 40 km/h below posted speed limit
4110083	Beaton Rd	Beaton Rd	Koorda	0.00	Koorda North West Rd	2.88	Beaton Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4110067	Best Bypass Rd	Best Bypass Rd	Koorda	0.00	Smith Rd & Koorda - Dowerin Rd	8.67	Cadoux - Koorda Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
4110032	Best Rd	Best Rd	Koorda	0.00	Cadoux - Koorda Rd	8.18	Mactaggart Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 40 km/h below posted speed limit

Tandem Drive Network 2.1



Koorda

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4110096	Birdwood St	Birdwood St	Koorda	0.00	Railway St	0.11	Allenby St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Railway St : No left turn permitted into Railway St from Birdwood St
4110036	Black Rd	Black Rd	Koorda	12.74	Scotsman Rd	26.35	Anderson Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4110036	Black Rd	Black Rd	Koorda	26.35	Anderson Rd	29.35	Kulja Central Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
4110007	Booralaming - Kulja Rd	Booralaming - Kulja Rd	Koorda	0.00	Koorda - Dowerin Rd	50.54	Burakin - Wialki Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
4110051	Bowman Rd	Bowman Rd	Koorda	0.00	Maher Rd	2.24	Cooper Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 40 km/h below posted speed limit
4110126	Boyne Rd	Boyne Rd	Koorda	0.00	Dukin West Rd	3.10	Wyalkatchem - Koorda Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
4110074	Broadhurst Rd	Broadhurst Rd	Koorda	0.00	Booralaming - Kulja Rd	2.02	Kirwan East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
4110078	Brooks Rd	Brooks Rd	Koorda	0.00	Mollerin Rock South Rd	1.75	Brooks Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Koorda

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4110041	Bunketch - Kulja Rd	Bunketch - Kulja Rd	Koorda	0.00	Wongan - Ballidu LGA Boundary	3.78	Burakin - Wialki Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 40 km/h below posted speed limit
4110064	Bunketch East Rd	Bunketch East Rd	Koorda	0.00	Dalwallinu LGA Boundary	2.28	Kalannie - Kulja Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4110140	Burakin - Wialki Rd	Burakin - Wialki Rd	Koorda	0.00	Wongan - Ballidu LGA Boundary	36.63	East Boundary Rd & Remlap Rd & Burakin - Wialki Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 90 km/h Intersection Commonwealth Rd : No right turn permitted into Commonwealth Rd from Burakin-Wialki Rd
4110040	Burakin East Rd	Burakin East Rd	Koorda	0.00	Wongan - Ballidu LGA Boundary	3.37	Booralaming - Kulja Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
4110029	Burton Rd	Burton Rd	Koorda	0.00	Commonwealth Rd	6.41	Koorda - Mollerin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 40 km/h below posted speed limit
4110029	Burton Rd	Burton Rd	Koorda	6.41	Koorda - Mollerin Rd	14.74	East Boundary Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
4110038	Burton South Rd	Burton South Rd	Koorda	0.00	Burton Rd	3.68	Mulji Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 40 km/h below posted speed limit
4110002	Cadoux - Koorda Rd	Cadoux - Koorda Rd	Koorda	0.00	Koorda - Wongan Hills Rd	21.73	Railway St & Scott St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Koorda

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4110026	Chapman Rd	Chapman Rd	Koorda	0.00	Commonwealth Rd	6.47	Chapman Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
4110122	Chown Rd	Chown Rd	Koorda	0.00	Koorda - Kulja Rd	8.82	Koorda North West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 40 km/h
4110034	Chown Tank Rd	Chown Tank Rd	Koorda	0.00	Kirwan East Rd	10.14	Moningarín East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
4110034	Chown Tank Rd	Chown Tank Rd	Koorda	10.15	Moningarín East Rd	14.43	Koorda North West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4110043	Collins Rd	Collins Rd	Koorda	0.00	Sandphire Rd	5.18	Remlap Rd	
4110008	Commonwealth Rd	Commonwealth Rd	Koorda	0.00	Koorda - Kulja Rd	28.90	Burakin - Wialki Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h

Tandem Drive Network 2.1



Koorda

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4110008	Commonwealth Rd	Commonwealth Rd	Koorda	28.90	Burakin - Wialki Rd	33.78	Commonwealth Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Burakin - Wialki Rd : No left turn permitted into Burakin - Wialki Rd from Commonwealth Rd
4110081	Cooke East Rd	Cooke East Rd	Koorda	0.00	Wyalkatchem - Koorda Rd	3.69	Cooke East Rd - End Road	
4110027	Cooper Rd	Cooper Rd	Koorda	0.00	Wyalkatchem - Koorda Rd	9.10	Cooper Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4110049	Cornish Rd	Cornish Rd	Koorda	0.00	Larkman Rd	5.10	Cornish Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
4110118	Davies Rd	Davies Rd	Koorda	0.00	Koorda - Bullfinch Rd	0.64	Davies Rd - End Road	
4110057	Dingo Rd	Dingo Rd	Koorda	0.00	Kulja Central Rd	6.15	Black Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 40 km/h below posted speed limit
4110046	Downie Rd	Downie Rd	Koorda	0.00	Koorda North West Rd	3.60	Booralaming - Kulja Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
4110011	Dukin West Rd	Dukin West Rd	Koorda	0.00	Boyne Rd	17.30	Dowerin - Koorda Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 40 km/h below posted speed limit
4110015	East Boundary Rd	East Boundary Rd	Koorda	0.00	Breakell Rd & Koorda - Bencubbin Rd	38.02	Longmuir Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4110109	Endomoore Rd	Endomoore Rd	Koorda	0.00	Scotsman Rd	6.51	Endomoore Rd - End Road	
4110141	Felgate Rd	Felgate Rd	Koorda	0.00	Koorda - Dowerin Rd	1.50	Cadoux - Koorda Rd	

Tandem Drive Network 2.1



Koorda

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4110030	Graves Rd	Graves Rd	Koorda	0.00	Kalannie - Kulja Rd	7.37	Kulja Central Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
4110075	Greaves Rd	Greaves Rd	Koorda	0.00	Booralaming - Kulja Rd	1.64	Moningar Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 40 km/h below posted speed limit
4110052	Green Rd	Green Rd	Koorda	0.00	Maher Rd	2.24	Cooper Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
4110077	Greenham Rd	Greenham Rd	Koorda	0.00	Koorda - Mollerin Rd	1.91	Greenham Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
4110053	Griffith Rd	Griffith Rd	Koorda	0.00	Cadoux - Koorda Rd	2.38	Koorda - Dowerin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4110138	Haig St	Haig St	Koorda	0.00	Railway St	0.96	Koorda - Bullfinch Rd	
4110031	Hawkins Rd	Hawkins Rd	Koorda	0.00	Rabbit Proof Fence Rd	4.82	Sharman Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
4110054	Henning Rd	Henning Rd	Koorda	0.00	Koorda North West Rd	4.09	Cadoux - Koorda Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4110073	Hesford Rd	Hesford Rd	Koorda	0.00	Narkal Rd	3.71	Hesford Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4110112	Hollins Rd	Hollins Rd	Koorda	0.00	Booralaming - Kulja Rd	6.94	Kirwan East Rd	
4110021	Inman Rd	Inman Rd	Koorda	8.10	Remnant Rd	10.47	Koorda - Dowerin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
4110113	Jack Rd	Jack Rd	Koorda	0.00	Booralaming - Kulja Rd	1.17	Jack Rd - End Road	
4110068	Jameson Rd	Jameson Rd	Koorda	0.00	Koorda - Kulja Rd	4.00	Anderson Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Koorda

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4110006	Kalannie - Kulja Rd	Kalannie - Kulja Rd	Koorda	0.00	Dalwallinu LGA Boundary	14.33	Burakin - Wialki Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
4110059	King Rd	King Rd	Koorda	0.00	Scotsman Rd	2.82	King Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
4110028	Kirwan East Rd	Kirwan East Rd	Koorda	0.00	Broadhurst Rd & Kirwan East Rd	2.16	Booralaming - Kulja Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
4110028	Kirwan East Rd	Kirwan East Rd	Koorda	2.17	Booralaming - Kulja Rd	10.56	Koorda - Kulja Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
4110139	Koorda - Bullfinch Rd	Koorda - Bullfinch Rd	Koorda	0.00	Haig St	10.47	Koorda - Bullfinch Rd & East Boundary Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 90 km/h
4110003	Koorda - Dowerin Rd	Koorda - Dowerin Rd	Koorda	0.00	Wyalkatchem - Koorda Rd	15.00	Inman Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4110003	Koorda - Dowerin Rd	Koorda - Dowerin Rd	Koorda	15.00	Inman Rd	24.78	Dowerin - Koorda Rd	<ul style="list-style-type: none"> Intersection Best Bypass Rd & Smith Rd : No left turn permitted into Smith Rd from Koorda Dowerin Rd
4110004	Koorda - Kulja Rd	Koorda - Kulja Rd	Koorda	0.00	Cadoux - Koorda Rd	48.46	Kulja Central Rd & Burakin - Wialki Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
4110001	Koorda - Mollerin Rd	Koorda - Mollerin Rd	Koorda	0.00	Koorda - Kulja Rd	36.25	Burakin - Wialki Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Koorda

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4110009	Koorda North West Rd	Koorda North West Rd	Koorda	0.00	May Rd & Cadoux - Koorda Rd	25.54	Booralaming - Kulja Rd & Moningar East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
4110020	Kulja - Mollerin Rock Rd	Kulja - Mollerin Rock Rd	Koorda	0.00	Booralaming - Kulja Rd	27.16	Mollerin Rock South Rd & Longmuir Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
4110088	Kulja Central Rd	Kulja Central Rd	Koorda	0.00	Koorda - Kulja Rd & Burakin - Wialki Rd	26.79	Warren Rd & Kulja Central Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
4110079	Lackman Rd	Lackman Rd	Koorda	0.00	Wyalkatchem - Koorda Rd	0.73	Lackman Rd - Lg Bdry	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4110025	Lamb Rd	Lamb Rd	Koorda	0.00	Booralaming - Kulja Rd	10.69	Anderson Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
4110060	Lang Rd	Lang Rd	Koorda	0.00	Martin Rd	3.12	Rolinson Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
4110050	Larkman Rd	Larkman Rd	Koorda	0.00	Wyalkatchem - Koorda Rd	2.11	Cooper Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
4110125	Lawrence Rd	Lawrence Rd	Koorda	0.00	Mitchell Rd & Lawrence Rd	6.26	Dukin West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
4110086	Leeke Rd	Leeke Rd	Koorda	0.00	Koorda - Dowerin Rd	3.40	Leeke Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Koorda

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4110071	Lodge Rd	Lodge Rd	Koorda	0.00	Wyalkatchem - Koorda Rd	5.22	Lodge Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
4110061	Longmuir Rd	Longmuir Rd	Koorda	0.00	Longmuir Rd & East Boundary Rd	2.40	Kulja - Mollerin Rock Rd & Mollerin Rock South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
4110114	Mactaggart Rd	Mactaggart Rd	Koorda	0.00	Cadoux - Koorda Rd	2.49	Best Rd	
4110014	Maher Rd	Maher Rd	Koorda	0.00	Wyalkatchem - Koorda Rd	13.60	Koorda - Bencubbin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
4110013	Margarette Rd	Margarette Rd	Koorda	0.00	Anderson Rd	5.12	Commonwealth Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
4110013	Margarette Rd	Margarette Rd	Koorda	5.13	Commonwealth Rd	9.89	Koorda - Mollerin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
4110013	Margarette Rd	Margarette Rd	Koorda	10.75	Koorda - Mollerin Rd	18.80	Mt Marshall Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
4110017	Martin Rd	Martin Rd	Koorda	0.00	Warren Rd & Martin Rd	16.39	Graves Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
4110115	May Rd	May Rd	Koorda	0.00	Koorda North West Rd & Cadoux - Koorda Rd	2.76	May Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Koorda

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4110108	Mayes Rd	Mayes Rd	Koorda	0.00	Kalannie - Kulja Rd	4.04	Mayes Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 40 km/h
4110065	Melbin Rd	Melbin Rd	Koorda	0.00	Kulja Central Rd	2.87	Melbin Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4110129	Moir Rd	Moir Rd	Koorda	0.00	Bunketch - Kulja Rd	2.07	Moir Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. No Operation from May to Jul Intersection Burakin - Wialki Rd : No access permitted into Burakin Wialki Rd from Moir Rd when travelling southbound.
4110012	Mollerin North Rd	Mollerin North Rd	Koorda	0.07	Burakin - Wialki Rd	14.26	Scotsman Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4110010	Mollerin Rock South Rd	Mollerin Rock South Rd	Koorda	0.00	Koorda - Kulja Rd	36.85	Longmuir Rd & Kulja - Mollerin Rock Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4110110	Mollerin Siding Access Rd	Mollerin Siding Access Rd	Koorda	0.00	Mollerin North Rd	1.20	Mollerin St & Burakin - Wialki Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
4110069	Mollerin Siding Rd	Mollerin Siding Rd	Koorda	0.00	Koorda - Mollerin Rd	3.06	Mollerin St	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4110111	Mollerin St	Mollerin St	Koorda	0.00	Mollerin Siding Access Rd & Burakin - Wialki Rd	0.48	Mollerin St - End Road	
4110033	Moningar East Rd	Moningar East Rd	Koorda	0.00	Booralaming - Kulja Rd & Koorda North West Rd	7.74	Koorda - Kulja Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4110082	Moningar Rd	Moningar Rd	Koorda	0.00	Montague Rd	5.36	Booralaming - Kulja Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 40 km/h below posted speed limit
4110047	Montague Rd	Montague Rd	Koorda	0.00	Booralaming - Kulja Rd	2.55	Moningar Rd & Montague Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
4110016	Mulji Rd	Mulji Rd	Koorda	0.00	Koorda - Mollerin Rd	8.84	East Boundary Rd & Mulji Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h

Tandem Drive Network 2.1



Koorda

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4110035	Narkal North Rd	Narkal North Rd	Koorda	0.00	Mulji Rd	7.15	Narkal Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 40 km/h below posted speed limit Intersection Narkal Rd : No access permitted into Narkal Rd from Narkal North Rd
4110022	Narkal Rd	Narkal Rd	Koorda	0.00	Mollerin Rock South Rd	5.71	East Boundary Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 40 km/h below posted speed limit Intersection Narkal North Rd : No access permitted into Narkal North Rd from Narkal Rd
4110039	Newcarlbeon Rd	Newcarlbeon Rd	Koorda	0.00	Koorda - Kulja Rd	4.65	Commonwealth Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 40 km/h below posted speed limit
4110120	Ninghan Rd	Ninghan Rd	Koorda	0.00	Railway St	0.12	Allenby St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4110037	Orchard Rd	Orchard Rd	Koorda	0.00	Kalannie - Kulja Rd	7.79	Kulja Central Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4110094	Orchard St	Orchard St	Koorda	0.00	Aitken Rd	0.45	Orchard St - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4110044	Ovens Rd	Ovens Rd	Koorda	0.00	Anderson Rd	4.16	Commonwealth Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
4110055	Posselt Rd	Posselt Rd	Koorda	0.00	Koorda North West Rd	6.60	Koorda - Kulja Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
4110023	Rabbit Proof Fence Rd	Rabbit Proof Fence Rd	Koorda	0.00	Koorda - Wongan Hills Rd & Rabbit Proof Fence Rd	11.92	Wongan - Ballidu LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Koorda

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4110137	Railway St	Railway St	Koorda	0.00	Railway South St & Aitken Rd	0.74	Scott St & Cadoux - Koorda Rd	<ul style="list-style-type: none"> Intersection Birdwood St : No left turn permitted into Birdwood St from Railway St
4110127	Remlap Rd	Remlap Rd	Koorda	0.00	East Boundary Rd & Burakin - Wialki Rd	16.14	Dead End	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
4110048	Remnant Rd	Remnant Rd	Koorda	0.00	Dukin West Rd	2.40	Inman Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
4110105	Rifle Range Rd	Rifle Range Rd	Koorda	0.00	Koorda - Dowerin Rd	1.58	Rifle Range Rd - End Road	
4110116	Rodney Rd	Rodney Rd	Koorda	0.00	Koorda - Kulja Rd	1.53	Rodney Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 40 km/h
4110070	Ross Rd	Ross Rd	Koorda	0.00	Wyalkatchem - Koorda Rd	2.70	Ross Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4110024	Sandphire Rd	Sandphire Rd	Koorda	0.00	Burakin - Wialki Rd	12.70	Scotsman Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Scotsman Rd : No access to Scotsman Rd from Samphire Rd
4110128	Scotsman Rd	Scotsman Rd	Koorda	0.00	Kulja Central Rd	26.85	Scotsman Rd & Remlap Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Scotsman Rd & Remlap Rd : No access to Samphire Rd from Scotsman Rd
4110076	Sharman Rd	Sharman Rd	Koorda	0.00	Hawkins Rd	9.48	Koorda North West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
4110062	Smith Rd	Smith Rd	Koorda	0.00	Smith Rd - Start Road	2.06	Best Bypass Rd & Koorda - Dowerin Rd	<ul style="list-style-type: none"> Intersection Best Bypass Rd & Koorda - Dowerin Rd : No right turn permitted into Koorda Dowerin Rd from Smith Rd
4110085	Stockyard Rd	Stockyard Rd	Koorda	0.00	Cadoux - Koorda Rd	0.85	Stockyard Rd - End Road	

Tandem Drive Network 2.1



Koorda

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4110119	Storer Rd	Storer Rd	Koorda	0.00	Koorda - Mollerin Rd	2.30	Storer Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
4110018	Strahan Rd	Strahan Rd	Koorda	0.00	Wongan - Ballidu LGA Boundary	15.85	Anderson Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
4110107	Thornton Rd	Thornton Rd	Koorda	0.00	Orchard Rd	4.18	Graves Rd	
4110117	Vine Rd	Vine Rd	Koorda	0.00	Hollins Rd	3.84	Kulja - Mollerin Rock Rd	
4110058	Walker Rd	Walker Rd	Koorda	0.00	Mollerin North Rd	3.47	Sandphire Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
4110103	Warren Rd	Warren Rd	Koorda	0.00	Black Rd	14.05	Dalwallinu LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
4110072	Water Supply Rd	Water Supply Rd	Koorda	0.00	Koorda - Bullfinch Rd	1.04	Water Supply Rd - End Road	
4110089	Watt Rd	Watt Rd	Koorda	0.00	Koorda - Kulja Rd	8.99	Koorda - Mollerin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
4110045	Wilson Rd	Wilson Rd	Koorda	0.00	Koorda - Kulja Rd	3.91	Anderson Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
4110135	Wyalkatchem - Koorda Rd	Wyalkatchem - Koorda Rd	Koorda	0.00	Wyalkatchem - Koorda Rd & Lackman Rd	17.30	Aitken Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Koorda

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4110080	Wyalkatchem North Rd	Wyalkatchem North Rd	Koorda	0.00	Wyalkatchem - Koorda Rd	2.67	Wyalkatchem LGA Boundary	<ul style="list-style-type: none">All operators must carry written support from the road manager acknowledging the operator's use of the road.Headlights to be switched on at all timesNo operation on unsealed road segment when visibly wet, without road owner's approval.40 km/h below posted speed limit

Tandem Drive Network 2.1



Kulin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4120016	101 Gate East Rd	101 Gate East Rd	Kulin	0.00	Rabbit Proof Fence Rd Sth	28.65	Tarin Rock North Rd & Kuender West Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120014	Allen Rocks Rd	Allen Rocks Rd	Kulin	0.00	Kondinin LGA Boundary	18.75	Pingaring - Varley Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
4120091	Arthur Rd	Arthur Rd	Kulin	0.00	North Lake Grace - Karlgarin Rd	3.73	Arthur Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4120030	Aylmore Rd	Aylmore Rd	Kulin	0.00	Aylmore Rd & Pederah East Rd	22.93	Lake Grace LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4120025	Bailey Rd	Bailey Rd	Kulin	0.00	Kulin Rock Rd	7.41	Corrigin Kulin Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.
4120120	Beard St	Beard St	Kulin	0.00	Stewart St	1.14	Kulin Rock Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120058	Bell Rd	Bell Rd	Kulin	0.00	Kukerin Rd	9.61	Tarin Rock North Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Kulin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4120055	Boundary Rd	Boundary Rd	Kulin	0.00	Kulin - Dumbleyung Rd & Gray Rd & Rabbit Proof Fence Rd Sth	13.92	Muller Rd & Boundary Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4120110	Brodie Rd	Brodie Rd	Kulin	0.00	Cook Rd	0.48	Brodie Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120076	Buettners Rd	Buettners Rd	Kulin	0.00	Pingaring - Varley Rd	17.00	Buettners Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120156	Bull Rd	Bull Rd	Kulin	0.00	Bell Rd	1.00	Bull Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120119	Bull St	Bull St	Kulin	0.75	High St	0.93	Stewart St	
4120103	Bulls Rd	Bulls Rd	Kulin	0.00	Kukerin Rd	2.27	Bulls Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120106	Burges Rd	Burges Rd	Kulin	0.00	North Lake Grace - Karlgarin Rd	2.41	Burges Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120092	Burngup Rd North	Burngup Rd North	Kulin	0.00	North Burngup Rd & Pingaring - Varley Rd	4.00	Arthur Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4120085	Bushby Rd	Bushby Rd	Kulin	0.00	Haese Rd	9.32	Rhodes Rd & West Kuender Rd & Kuender West Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120036	Carmody North Rd	Carmody North Rd	Kulin	0.00	Carmody Rd	2.88	Carmody North Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120022	Carmody Rd	Carmody Rd	Kulin	0.00	Paperbark Rd North	20.15	Kulin Kondinin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120169	Cbh Access Rd	Cbh Access Rd	Kulin	0.00	Kulin Lake Grace Rd & Kulin Kondinin Rd	0.44	Cbh Access Rd - End Road	<ul style="list-style-type: none"> Intersection Kulin Lake Grace Rd & Kulin Kondinin Rd : No Access permitted into Gorge Rock Lake Grace from CBH Access Rd
4120049	Clayton Rd	Clayton Rd	Kulin	0.00	Yealering - Kulin Rd	4.63	Sparks Rd & Kulin West Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4120044	Colbourne Rd	Colbourne Rd	Kulin	0.00	Commonwealth Rd	15.46	Haese Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Kulin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4120006	Commonwealth Rd	Commonwealth Rd	Kulin	0.43	Kulin - Dudinin Rd	12.77	Colbourne Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4120006	Commonwealth Rd	Commonwealth Rd	Kulin	12.77	Colbourne Rd	48.46	North Lake Grace - Karlgarin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120006	Commonwealth Rd	Commonwealth Rd	Kulin	48.46	North Lake Grace - Karlgarin Rd	48.62	North Lake Grace - Karlgarin Rd & Pingaring - Varley Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
4120095	Cook Rd	Cook Rd	Kulin	0.00	Jitarning Rd South	4.65	Price Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4129001	Corrigin Kullin Rd	Corrigin Kullin Rd	Kulin	0.00	Davies Rd	2.03	Price St & High St	
4120043	Dandagin Rd	Dandagin Rd	Kulin	0.00	Magee Rd	17.03	Kulin - Holt Rock Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120098	Dare Rd	Dare Rd	Kulin	0.00	Rabbit Proof Fence Rd Sth	3.50	Dare Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120064	Dearlove Rd	Dearlove Rd	Kulin	0.00	Tom Gray Rd	7.09	Dearlove Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120064	Dearlove Rd	Dearlove Rd	Kulin	7.09	Dearlove Rd	10.70	Dearlove Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4120090	Dearlove Rd	Dearlove Rd	Kulin	0.00	101 Gate East Rd	2.70	Dearlove Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120038	Di Franco Rd	Di Franco Rd	Kulin	0.00	Commonwealth Rd	9.05	Kulin - Holt Rock Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120053	Di Russo Rd	Di Russo Rd	Kulin	0.00	Allen Rocks Rd	26.89	Hyden-Lake King Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Kulin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4120067	Dornock Rd	Dornock Rd	Kulin	0.00	Dornock East Rd & North Lake Grace - Karlgarin Rd	8.74	Commonwealth Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Rail not to be crossed.
4120070	Doyle Rd	Doyle Rd	Kulin	0.00	Corrigin Kulin Rd	5.51	Doyle Rd & Doyles North Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120111	Duck Rock Rd	Duck Rock Rd	Kulin	0.00	Hills Rd & Holland Trk	2.90	Kondinin LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4120162	Dudinin - Jitarning Rd	Dudinin - Jitarning Rd	Kulin	0.00	Williams Kondinin Rd	12.77	Dudinin Rd & Rabbit Proof Fence Rd Sth	
4120139	Dudinin Rd	Dudinin Rd	Kulin	0.00	Rabbit Proof Fence Rd Sth & Dudinin - Jitarning Rd	0.73	Kealley Rd & Rabbit Proof Fence Rd	
4120012	Eighty Six Gate Rd	Eighty Six Gate Rd	Kulin	0.00	Williams Kondinin Rd	20.70	Eighty Six Gate Rd & Rabbit Proof Fence Rd Nth & Rabbit Proof Fence Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4120027	Fotheringhame Rd	Fotheringhame Rd	Kulin	0.00	Kondinin LGA Boundary	5.11	Mallee Valley Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120074	Freebairn Rd	Freebairn Rd	Kulin	0.00	Gnarming West Rd	3.79	Freebairn Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4120135	Geetabin North Rd	Geetabin North Rd	Kulin	0.00	Gnarming West Rd	5.24	Doyle Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4120113	Gimbel Rd	Gimbel Rd	Kulin	0.00	Magee Rd	4.36	Lake Grace LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4120108	Gnarming Railway Rd	Gnarming Railway Rd	Kulin	0.00	Kulin Kondinin Rd	1.03	Southall Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h

Tandem Drive Network 2.1



Kulin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4120017	Gnarming Rd East	Gnarming Rd East	Kulin	0.00	Kulin Kondinin Rd & Gnarming West Rd	11.46	Jilakin Rock Rd North	
4120013	Gnarming West Rd	Gnarming West Rd	Kulin	0.00	Gnarming Rd East & Kulin Kondinin Rd	27.12	Yealering - Kulin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4120099	Graham Rd	Graham Rd	Kulin	0.00	Southall Rd	3.06	Kulin Kondinin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4120026	Greay Rd	Greay Rd	Kulin	0.00	Kukerin Rd	4.90	Tarin Rock North Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120023	Gregson Rd	Gregson Rd	Kulin	0.00	Holt Rock North Rd	15.42	Holt Rock Rd East	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kulin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4120079	Haese Rd	Haese Rd	Kulin	0.00	Tarin Rock North Rd	13.79	Green Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4120062	Harvey Rd	Harvey Rd	Kulin	0.00	Lake O Connor Rd West & Holt Rock North Rd	3.49	Modesty Rock East Rd & Lamont Rd & Tapper Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120097	Hatcher Rd	Hatcher Rd	Kulin	0.00	Commonwealth Rd	2.94	Hatcher Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4120078	Henderson Rd	Henderson Rd	Kulin	0.00	Holt Rock Rd East	7.28	Lake Grace LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4129000	High St	High St	Kulin	0.00	Corrigin Kulin Rd & Price St	0.37	Johnston St	
4120153	Hills Rd	Hills Rd	Kulin	0.00	Hyden-Lake King Rd	10.93	Duck Rock Rd & Holland Trk	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4120048	Hinkley Rd	Hinkley Rd	Kulin	0.00	Hinkley Rd - Start Road	4.66	Tarin Rock North Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120042	Holland Trk	Holland Trk	Kulin	0.00	Newdegate North Rd & Pingaring - Varley Rd	28.55	Kondinin LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120112	Holmes Rd	Holmes Rd	Kulin	0.00	Pederah East Rd & Medcalf Rock Rd	11.32	Aylmore Rd & Lanes Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Kulin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4120032	Holt Rock North Rd	Holt Rock North Rd	Kulin	0.00	Harvey Rd & Lake O Connor Rd West	8.99	Holt Rock South Rd & Hyden-Lake King Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4120002	Holt Rock Rd East	Holt Rock Rd East	Kulin	0.00	Hyden-Lake King Rd	17.80	Holt Rock Rd East - Lg Bdry	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Hyden-Lake King Rd : No left turnpermitted into Brookton Hwy from Holt Rock Rd East
4120149	Holt Rock South Rd	Holt Rock South Rd	Kulin	0.00	Hyden-Lake King Rd & Holt Rock North Rd	10.37	Winchcombe Rd & Holt Rock South Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120029	Hopkins Rd	Hopkins Rd	Kulin	0.00	Kulin - Dudinin Rd	23.85	Hopkins Rd - End Road	
4120142	J Bowey	J Bowey	Kulin	0.00	Hopkins Rd & Commonwealth Rd	2.77	J Bowey - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120037	Jilakin Rock Rd North	Jilakin Rock Rd North	Kulin	0.00	Kulin Lake Grace Rd	10.37	Gnarming Rd East	
4120117	Jilakin St	Jilakin St	Kulin	0.00	Williams Kondinin Rd & Johnston St	1.58	Kulin Lake Grace Rd	
4120137	Jitarning Bin Rd	Jitarning Bin Rd	Kulin	0.00	Williams Kondinin Rd	1.31	Jitarning Rd North & Williams Kondinin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120018	Jitarning Rd North	Jitarning Rd North	Kulin	0.00	Kulin West Rd	11.91	Williams Kondinin Rd & Jitarning Bin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120071	Jitarning Rd South	Jitarning Rd South	Kulin	0.00	Jitarning Bin Rd	8.82	Kulin - Dudinin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120114	Johnston St	Johnston St	Kulin	0.00	Kulin Lake Grace Rd & Stewart St & Johnston St	0.36	Truebody St & Parker St	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Kulin Lake Grace Rd & Stewart St & Johnston St : No right turn permitted into Stewart St from Johnston St

Tandem Drive Network 2.1



Kulin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4120131	Johnston St	Johnston St	Kulin	0.00	Johnston St - Start Road	0.35	Mullan St	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120034	Jones Rd	Jones Rd	Kulin	0.00	North Lake Grace - Karlgarin Rd	3.50	Di Franco Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120034	Jones Rd	Jones Rd	Kulin	3.51	Di Franco Rd	13.16	Kulin - Holt Rock Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120052	Karlgarin Hill South Rd	Karlgarin Hill South Rd	Kulin	0.00	Pederah West Rd & Henderer Rd	13.86	Kulin - Holt Rock Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120075	Karlgarin Rd South	Karlgarin Rd South	Kulin	0.00	Pederah East Rd & Karlgarin South Rd	22.80	Pingaring - Varley Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
4120089	Kay Rd	Kay Rd	Kulin	0.00	Muller Rd	5.97	Boundary Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4120061	Kirby Rd	Kirby Rd	Kulin	0.00	Eighty Six Gate Rd	5.71	Williams Kondinin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4120147	Kondinin Lake Rd	Kondinin Lake Rd	Kulin	0.00	Corrigin Kulin Rd & Middleton Rd	1.79	Kondinin LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120084	Krupa Rd	Krupa Rd	Kulin	0.00	Pingaring - Varley Rd	6.53	Kulin - Holt Rock Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120148	Kuender West Rd	Kuender West Rd	Kulin	0.00	101 Gate East Rd & Tarin Rock North Rd	5.56	Rhodes Rd & West Kuender Rd & Bushby Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Kulin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4120015	Kukerin Rd	Kukerin Rd	Kulin	0.00	Kulin - Dudinin Rd	28.14	Pearce Rd & Boundary Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4120008	Kulin - Dudinin Rd	Kulin - Dudinin Rd	Kulin	0.00	Williams Kondinin Rd	32.53	Mullan St	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120163	Kulin - Holt Rock Rd	Kulin - Holt Rock Rd	Kulin	0.00	Kulin Lake Grace Rd	41.62	Karlgarin Rd South	
4120163	Kulin - Holt Rock Rd	Kulin - Holt Rock Rd	Kulin	41.62	Karlgarin Rd South	54.75	Aylmore Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
4120163	Kulin - Holt Rock Rd	Kulin - Holt Rock Rd	Kulin	54.75	Aylmore Rd	108.31	Hyden-Lake King Rd	
4120010	Kulin Rock Rd	Kulin Rock Rd	Kulin	0.00	Beard St	16.16	James Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4120011	Kulin West Rd	Kulin West Rd	Kulin	0.00	Davies Rd	17.96	Sparks Rd & Clayton Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Kulin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4120144	Lake O Connor Rd West	Lake O Connor Rd West	Kulin	0.00	Holt Rock North Rd	3.99	Harvey Rd & Holt Rock North Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4120047	Lamont Rd	Lamont Rd	Kulin	0.00	Gregson Rd	4.58	Modesty Rock East Rd & Harvey Rd & Tapper Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4120081	Lanes Rd	Lanes Rd	Kulin	0.00	Aylmore Rd & Holmes Rd	9.86	Buettners Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120024	Lange Rd	Lange Rd	Kulin	0.00	Kulin West Rd	13.41	Corrigin Kulin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120069	Les Price Rd	Les Price Rd	Kulin	0.00	Kulin West Rd	5.62	Eighty Six Gate Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4120083	Lily McCarthy Rd	Lily McCarthy Rd	Kulin	0.00	Kulin - Holt Rock Rd	6.19	Di Russo Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120134	Luke Price St	Luke Price St	Kulin	0.00	Pingaring - Varley Rd	1.13	North Lake Grace - Karlgarin Rd	
4120141	M. Walker Rd	M. Walker Rd	Kulin	0.00	Tom Gray Rd	4.62	Kukerin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h

Tandem Drive Network 2.1



Kulin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4120031	Magee Rd	Magee Rd	Kulin	0.00	Kulin Lake Grace Rd	9.06	Gimbel Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4120031	Magee Rd	Magee Rd	Kulin	9.06	Gimbel Rd	20.66	Dornock Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120046	Mallee Valley Rd	Mallee Valley Rd	Kulin	0.00	Karlgarin Hill South Rd	12.75	Paperbark Rd North	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120122	McInnes St	McInnes St	Kulin	0.00	Ellson St & Price St	0.36	Johnston St	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120050	Middleton Rd	Middleton Rd	Kulin	0.00	Corrigin LGA Boundary	1.81	Kondinin Lake Rd & Corrigin Kulin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120145	Modesty Rock East Rd	Modesty Rock East Rd	Kulin	0.00	Harvey Rd & Lamont Rd & Tapper Rd	3.61	Kondinin LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4120082	Mouritz Rd	Mouritz Rd	Kulin	0.00	Allen Rocks Rd	8.96	Buettners Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120152	Mudge Rd	Mudge Rd	Kulin	0.00	Hyden-Lake King Rd	0.88	Holt Rock South Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120132	Mullan St	Mullan St	Kulin	0.00	Rabbit Proof Fence Rd Sth	0.62	Kulin - Dudinin Rd	
4120063	Muller Rd	Muller Rd	Kulin	0.00	Boundary Rd	15.40	Rabbit Proof Fence Rd Sth	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120161	Murray Rd	Murray Rd	Kulin	0.00	Notley Rd	1.81	Murray Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Kulin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4120164	North Lake Grace - Karlgarin Rd	North Lake Grace - Karlgarin Rd	Kulin	0.00	Commonwealth Rd	22.51	Pederah West Rd & Aggiss Rd	
4120020	Notley Rd	Notley Rd	Kulin	0.00	Kulin Lake Grace Rd	4.54	Commonwealth Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120020	Notley Rd	Notley Rd	Kulin	4.55	Commonwealth Rd	9.02	Hopkins Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120020	Notley Rd	Notley Rd	Kulin	9.08	Hopkins Rd	11.94	Bell Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120039	Paperbark Rd North	Paperbark Rd North	Kulin	0.00	Mallee Valley Rd	7.28	Kulin - Holt Rock Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120056	Pearce Varones North	Pearce Varones North	Kulin	0.00	Allen Rocks Rd	12.80	Pearce Varones North - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120033	Pederah West Rd	Pederah West Rd	Kulin	0.00	Kondinin LGA Boundary	2.17	Karlgin Hill South Rd & Henderer Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
4120033	Pederah West Rd	Pederah West Rd	Kulin	2.17	Karlgin Hill South Rd & Henderer Rd	6.03	Pederah West Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120005	Pingaring - Varley Rd	Pingaring - Varley Rd	Kulin	0.00	Holt Rock South Rd	50.27	Aylmore Rd	
4120005	Pingaring - Varley Rd	Pingaring - Varley Rd	Kulin	50.27	Aylmore Rd	62.15	Karlgin Rd South	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
4120005	Pingaring - Varley Rd	Pingaring - Varley Rd	Kulin	62.15	Karlgin Rd South	72.41	Commonwealth Rd & North Lake Grace - Karlgin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times See Low Volume Condition Type A in the Operating Conditions Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Kulin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4120065	Pope Rd	Pope Rd	Kulin	0.00	Tarin Rock North Rd	8.99	Kulin Lake Grace Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4120150	Pothoff Rd	Pothoff Rd	Kulin	0.00	Mallee Valley Rd	2.00	Pothoff Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120028	Pounds Rd	Pounds Rd	Kulin	0.00	Kulin - Dudinin Rd	3.92	Hopkins Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120073	Prater Rd	Prater Rd	Kulin	0.00	Yealering - Kulin Rd	3.63	Kulin West Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120094	Price Rd	Price Rd	Kulin	0.00	Pyne Rd	3.18	Kulin - Dudinin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4120041	Proud Rd	Proud Rd	Kulin	0.00	Corrigin Kulin Rd	1.94	Gnarming West Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120066	Pyne Rd	Pyne Rd	Kulin	0.00	Traysurin Rd East	8.24	Jitarning Rd South	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4120003	Rabbit Proof Fence Rd Nth	Rabbit Proof Fence Rd Nth	Kulin	0.00	Eighty Six Gate Rd & Rabbit Proof Fence Rd	14.88	Rabbit Proof Fence Rd	
4120165	Rabbit Proof Fence Rd Sth	Rabbit Proof Fence Rd Sth	Kulin	0.00	Dudinin Rd & Dudinin - Jitarning Rd	20.16	Kulin - Dumbleyung Rd & Boundary Rd & Gray Rd	<ul style="list-style-type: none"> Intersection Dudinin Rd & Dudinin - Jitarning Rd : No left turn permitted into Rabbit Proof Fence South Road from Dudinin Jitarning Road. No left turn permitted into Dudinin Jitarning Road from Dudinin Road
4120154	Reserve Rd	Reserve Rd	Kulin	0.00	Kulin - Holt Rock Rd	1.90	Reserve Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120045	Riseborough Rd	Riseborough Rd	Kulin	0.00	Kulin - Dudinin Rd	11.66	Kay Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120093	Rose Rd	Rose Rd	Kulin	0.00	Kulin Lake Grace Rd	9.07	Haese Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120160	Short St	Short St	Kulin	0.00	Corrigin Kulin Rd	0.03	Ellson St	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120100	Sigley Rd	Sigley Rd	Kulin	0.00	Gregson Rd	1.65	Sigley Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120040	Southall Rd	Southall Rd	Kulin	0.00	Gnarming West Rd	5.11	Southall Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h

Tandem Drive Network 2.1



Kulin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4120059	Sparks Rd	Sparks Rd	Kulin	0.00	Eighty Six Gate Rd	8.89	Kulin West Rd & Clayton Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Eighty Six Gate Rd : No access permitted into Eighty Six Gate Rd from Sparks Rd. No Right turn permitted into Sparks Rd from Eighty Six Gate Rd. Intersection Kulin West Rd & Clayton Rd : No access permitted into Clayton Rd from Sparks Rd. No left turn permitted into Sparks Rd from Clayton Rd.
4120096	Stent Rd	Stent Rd	Kulin	0.00	Stone Rd & Pingaring - Varley Rd	4.05	Stent Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4120101	Stephens Rd	Stephens Rd	Kulin	0.00	Pingaring - Varley Rd	2.37	Stephens Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4120124	Stewart St	Stewart St	Kulin	0.01	Beard St	0.23	Kulin Lake Grace Rd & Johnston St	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Kulin Lake Grace Rd & Johnston St : No left turn permitted into Johnston St from Stewart St. No right turn permitted into Gorge Rock Lake Grace from Stewart St
4120077	Stewart-Kenny Rd	Stewart-Kenny Rd	Kulin	0.00	Kulin - Holt Rock Rd	5.85	Willey Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120155	Stone Rd	Stone Rd	Kulin	0.00	Stent Rd & Pingaring - Varley Rd	2.73	Lake Grace LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120102	Strother Rd	Strother Rd	Kulin	0.00	Hyden-Lake King Rd	1.38	Strother Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120143	Swainstons Rd	Swainstons Rd	Kulin	0.00	Rabbit Proof Fence Rd Nth	8.83	Yealering - Kulin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120080	Tapper Rd	Tapper Rd	Kulin	0.00	Modesty Rock East Rd & Harvey Rd & Lamont Rd	10.09	Tapper Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Kulin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4120009	Tarin Rock North Rd	Tarin Rock North Rd	Kulin	0.00	101 Gate East Rd & Tarin Rock North Rd & Kuender West Rd	38.69	Tarin Rock North Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4120019	Tom Gray Rd	Tom Gray Rd	Kulin	0.00	Kulin - Dudinin Rd	12.41	Kukerin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120057	Traysurin Rd East	Traysurin Rd East	Kulin	0.00	Traysurin West Rd & Dudinin - Jitarning Rd	9.84	Kulin - Dudinin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120072	Traysurin West Rd	Traysurin West Rd	Kulin	0.00	Dudinin - Jitarning Rd & Traysurin Rd East	4.33	Rabbit Proof Fence Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120125	Truebody St	Truebody St	Kulin	0.00	Parker St & Johnston St	1.66	Truebody St - End Road	
4120086	Trundle Rd	Trundle Rd	Kulin	0.00	Pederah West Rd & Spurr Rd	6.36	Karlgarin Hill South Rd & Willey Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4120068	Tyson Rd	Tyson Rd	Kulin	0.00	Kulin - Dudinin Rd	6.14	Kukerin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4120035	Varley North Rd	Varley North Rd	Kulin	0.00	Hyden-Lake King Rd	12.67	Gregson Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4120054	Willey Rd	Willey Rd	Kulin	0.00	Karlgarin Hill South Rd & Trundle Rd	10.02	Pederah West Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4120127	Wilson St	Wilson St	Kulin	0.00	Truebody St	0.59	Day St	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Kulin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4120060	Wilsons Rd	Wilsons Rd	Kulin	0.00	Williams Kondinin Rd	6.88	Eighty Six Gate Rd	<ul style="list-style-type: none">No operation on unsealed road segment when visibly wet, without road owner's approval.Maximum speed 60 km/h
4120004	Yealering - Kulin Rd	Yealering - Kulin Rd	Kulin	0.00	Corrigin Kulin Rd	28.69	Corrigin LGA Boundary	<ul style="list-style-type: none">This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.No operation on unsealed road segment when visibly wet, without road owner's approval.Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
412Z004	Jilakin St Link	Jilakin St Link	Kulin	0.00	Jilakin St	0.07	Kulin Lake Grace Rd	

Tandem Drive Network 2.1



Kwinana (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1050170	Abercrombie Rd	Abercrombie Rd	Kwinana (C)	0.00	Thomas Rd	2.90	Hope Valley Rd	
1050214	Anketell Rd	Anketell Rd	Kwinana (C)	0.00	Rockingham Rd	9.58	Serpentine - Jarrahdale LGA Boundary	
1050812	Armstrong Rd	Armstrong Rd	Kwinana (C)	0.00	Hope Valley Rd	1.46	Anketell Rd	
1050278	Ashley Rd	Ashley Rd	Kwinana (C)	0.00	Postans Rd	0.65	Ashley Rd - End Road	
1050260	Barter Rd	Barter Rd	Kwinana (C)	0.00	Leath Rd	0.29	Riseley Rd	
1050197	Beach St	Beach St	Kwinana (C)	0.00	Patterson Rd	0.66	Mandurah Rd	<ul style="list-style-type: none"> Intersection Patterson Rd : No right turn permitted into Melville Mandurah Hwy from Beach St.
1050144	Beard St	Beard St	Kwinana (C)	0.00	Lee Rd & Rockingham Rd	0.63	Leath Rd	<ul style="list-style-type: none"> Intersection Brown Av : No left turn permitted into Brown Av from Beard St
1050157	Brown Av	Brown Av	Kwinana (C)	0.00	Beard St	0.60	Link Rd & Burlington St	<ul style="list-style-type: none"> Intersection Link Rd & Burlington St : No right turn permitted into Burlington St from Brown Av.
1050161	Burlington St	Burlington St	Kwinana (C)	0.00	Link Rd & Brown Av	0.17	Rockingham Rd	
1050261	Butcher St	Butcher St	Kwinana (C)	0.00	Mandurah Rd	0.95	Mandurah Rd	
1050858	Carpentaria Link	Carpentaria Link	Kwinana (C)	0.00	Armstrong Rd	0.39	Carpentaria Link & Investigator Dr	
1050298	Casuarina Rd	Casuarina Rd	Kwinana (C)	0.00	Coyle Rd & Lydon Rd	2.60	Orton Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1050619	Cockburn Rd	Cockburn Rd	Kwinana (C)	0.00	Sutton Rd & Cockburn Rd	1.57	Rockingham Rd	
1050172	Conway Rd	Conway Rd	Kwinana (C)	0.66	Investigator Dr	0.77	Hoyle Rd	
1050258	De Haer Rd	De Haer Rd	Kwinana (C)	0.00	Lyon Rd	4.53	Rowley Rd	
1050513	Donaldson Rd	Donaldson Rd	Kwinana (C)	0.34	2.05km From Leath Rd	2.39	Leath Rd	
1050151	Dooley St	Dooley St	Kwinana (C)	0.00	Rockingham Rd	0.06	0.06km From Rockingham Rd	
1050277	Frederic St	Frederic St	Kwinana (C)	0.00	Link Rd & Rockingham Rd	0.08	0.08km From Rockingham Rd	
1050168	Hope Valley Rd	Hope Valley Rd	Kwinana (C)	0.00	Rockingham Rd	2.38	Abercrombie Rd	<ul style="list-style-type: none"> Intersection Rockingham Rd : No right turn permitted into Melville Mandurah Hwy (Rockingham Rd) from Hope Valley Rd.
1050175	Hoyle Rd	Hoyle Rd	Kwinana (C)	0.00	Conway Rd	0.59	Armstrong Rd	
1050859	Investigator Dr	Investigator Dr	Kwinana (C)	0.00	Conway Rd	1.84	McLaren Av	
1050208	Johnson Rd	Johnson Rd	Kwinana (C)	3.13	Holden Cl & Sulphur Rd	3.75	Thomas Rd	
1050145	Leath Rd	Leath Rd	Kwinana (C)	0.00	Weston St	1.07	Donaldson Rd	
1050167	Lee Rd	Lee Rd	Kwinana (C)	0.00	Hope Valley Rd	1.61	Rockingham Rd & Beard St	
1050150	Link Rd	Link Rd	Kwinana (C)	0.00	Frederic St & Rockingham Rd	0.25	Burlington St & Brown Av	<ul style="list-style-type: none"> Intersection Frederic St & Rockingham Rd : No right turn permitted into Melville Mandurah Hwy (Rockingham Rd) from Link Rd. Intersection Burlington St & Brown Av : No left turn permitted into Burlington St from Link Rd
1050186	Mandogalup Rd	Mandogalup Rd	Kwinana (C)	3.59	Sayer Rd	3.86	Mandogalup Rd & Industrial Area Access Rd	
1050306	Mandurah Rd	Mandurah Rd	Kwinana (C)	0.00	Patterson Rd & Rockingham Rd	1.96	Wellard Rd & Mandurah Rd	

Tandem Drive Network 2.1



Kwinana (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1050256	Mason Rd	Mason Rd	Kwinana (C)	0.00	Rockingham Rd	1.73	Mason Rd (Private)	
1050173	McLaren Av	McLaren Av	Kwinana (C)	0.34	Investigator Dr	0.92	Reliance Bend	
1050181	McLaughlan Rd	McLaughlan Rd	Kwinana (C)	0.00	Anketell Rd	1.81	Thomas Rd	<ul style="list-style-type: none"> Intersection Anketell Rd : No left turn permitted into Anketell Rd from McLaughlan Rd
1050147	Morley St	Morley St	Kwinana (C)	0.00	Beard St	0.30	Weston St	
1050264	Mounsey Rd	Mounsey Rd	Kwinana (C)	0.00	Yeates Rd	0.20	Mounsey Rd - End Road	
1050184	Ocean St	Ocean St	Kwinana (C)	0.00	Patterson Rd	0.59	Office Rd	<ul style="list-style-type: none"> Intersection Patterson Rd : No right turn permitted into Melville Mandurah Hwy from Ocean St.
1050492	Port Rd	Port Rd	Kwinana (C)	0.00	Kwinana Beach Rd	0.62	Port Rd - End Road	
1050169	Postans Rd	Postans Rd	Kwinana (C)	0.00	Cockburn (C) LGA Boundary	1.11	Ashley Rd	
1050282	Ratcliffe Rd	Ratcliffe Rd	Kwinana (C)	0.00	Thomas Rd	0.56	Ratcliffe Rd - Rubbish Tip Entrance	<ul style="list-style-type: none"> Intersection Thomas Rd : No right tun permitted into Thomas Rd from Ratcliffe Rd.
1050784	Reliance Bend	Reliance Bend	Kwinana (C)	0.00	Armstrong Rd	0.67	McLaren Av	
1050275	Richardson St	Richardson St	Kwinana (C)	0.00	Patterson Rd	0.52	Mandurah Rd	
1050146	Riseley Rd	Riseley Rd	Kwinana (C)	0.00	Barter Rd	0.77	Riseley Rd - End Road	
1050263	Rollings Cr	Rollings Cr	Kwinana (C)	0.00	Yeates Rd	0.39	Yeates Rd	
1050205	Rowley Rd	Rowley Rd	Kwinana (C)	0.00	Rowley Rd & Satinover Wy	2.37	Rowley Rd West & Wolfe Rd	
1050268	Sayer Rd	Sayer Rd	Kwinana (C)	1.01	0.07km From Mandogalup Rd	1.08	Mandogalup Rd	
1050182	Thomas Rd	Thomas Rd	Kwinana (C)	0.00	Mason Rd	0.63	Thomas Rd A - End Road	
1050287	Thorpe Wy	Thorpe Wy	Kwinana (C)	0.00	Richardson St	0.70	Thorpe Wy & Thorpe Wy (Loop)	
1050003	Wellard Rd	Wellard Rd	Kwinana (C)	4.99	Providence Estate Access Roads	6.49	Telephone L & Baldivis Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Trucks Entering' signs to be erected and removed when not in use on Wellard Rd on both approaches to Providence Estate Access Roads. Intersection Telephone L & Baldivis Rd : No Left Turn Into Baldivis Rd Permitted From Wellard Rd
1050148	Weston St	Weston St	Kwinana (C)	0.00	Leath Rd	0.38	Weston St A - End Road	
1050189	Weston St	Weston St	Kwinana (C)	0.00	Brown Av	0.07	Rockingham Rd	
1050262	Yeates Rd	Yeates Rd	Kwinana (C)	0.00	Butcher St	0.42	Rollings Cr	
105Z011	Hallett Ct	Hallett Ct	Kwinana (C)	0.00	Hope Valley Rd	0.30	Hallett Ct - End Road	
105Z014	Industrial Area Access Rd	Industrial Area Access Rd	Kwinana (C)	0.00	Mandogalup Rd	0.70	Industrial Area Access Rd - End Road	

Tandem Drive Network 2.1



Lake Grace

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3110137	Absolon St	Absolon St	Lake Grace	0.62	Access Driveway 0.48km From Albany Lake Grace Rd	1.10	South Rd	<ul style="list-style-type: none"> Intersection South Rd : No left turn permitted onto Albany Lake Grace Rd from Absolon St
3110162	Ace Rd	Ace Rd	Lake Grace	0.00	Pickernell Rd	4.99	Finlay Rd & Hogan Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110118	Ardler Rd	Ardler Rd	Lake Grace	0.00	Magenta Rd	10.79	Old Ravensthorpe Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110067	Argent Rd	Argent Rd	Lake Grace	0.00	Duckworth Rd	6.90	Burngup Rd & Macnamara Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3110001	Aylmore Rd	Aylmore Rd	Lake Grace	0.00	Biddy - Buniche Rd	24.02	Kulin LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110103	Baanga Hill Rd	Baanga Hill Rd	Lake Grace	0.00	Smerdon Rd & Hatter Hill Rd	10.31	Stennetts Lake Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110070	Bairstow Rd	Bairstow Rd	Lake Grace	0.00	Mallee Hill Rd	20.50	Fourteen Mile Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110130	Baker Rd	Baker Rd	Lake Grace	0.00	Magenta Rd	2.60	1.1km From Baker Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel).
3110130	Baker Rd	Baker Rd	Lake Grace	2.60	1.1km From Baker Rd	3.70	Baker Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel).

Tandem Drive Network 2.1



Lake Grace

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3110010	Beenong North Rd	Beenong North Rd	Lake Grace	0.00	Lake Grace Newdegate Rd	12.08	Kuender South Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110058	Beetacoo Rd	Beetacoo Rd	Lake Grace	0.00	Pingrup Lake Grace Rd	2.03	Beetaloo Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110127	Beynon Rd	Beynon Rd	Lake Grace	0.00	Mallee Hill Rd	10.42	Newdegate - Pingrup Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110178	Biddy - Buniche Rd	Biddy - Buniche Rd	Lake Grace	0.00	Buniche North Rd	12.05	Biddy - Camm Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110002	Biddy - Camm Rd	Biddy - Camm Rd	Lake Grace	0.00	Kulin Lake Grace Rd	16.24	Duckworth Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110002	Biddy - Camm Rd	Biddy - Camm Rd	Lake Grace	16.31	Duckworth Rd	58.25	Newdegate North Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110002	Biddy - Camm Rd	Biddy - Camm Rd	Lake Grace	58.32	Newdegate North Rd	145.28	Fence Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110115	Breed Rd	Breed Rd	Lake Grace	0.00	Magenta Rd	7.78	Old Ravensthorpe Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110220	Brooker Rd	Brooker Rd	Lake Grace	0.00	Magenta Rd	4.29	Brooker Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110073	Brookfield Rd	Brookfield Rd	Lake Grace	0.00	Pingrup Lake Grace Rd	14.41	Mallee Hill Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110021	Broombush Flat Rd	Broombush Flat Rd	Lake Grace	0.00	Hyden-Lake King Rd	10.86	Pickernell Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110021	Broombush Flat Rd	Broombush Flat Rd	Lake Grace	10.91	Pickernell Rd	21.25	Fence Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110015	Buniche North Rd	Buniche North Rd	Lake Grace	0.00	Lake Grace Newdegate Rd	11.14	Biddy - Camm Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Biddy - Camm Rd : No access permitted to or from Buniche North Road, via Biddy - Camm Road.
3110015	Buniche North Rd	Buniche North Rd	Lake Grace	11.89	Biddy - Camm Rd	24.83	Buniche North Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110066	Burngup Rd	Burngup Rd	Lake Grace	0.00	Lake Grace Newdegate Rd	9.46	Biddy - Camm Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110014	Burngup South Rd	Burngup South Rd	Lake Grace	0.00	Biddy - Camm Rd	11.21	Lake Grace Newdegate Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110014	Burngup South Rd	Burngup South Rd	Lake Grace	11.22	Lake Grace Newdegate Rd	35.02	Newdegate - Pingrup Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110037	Burns Rd	Burns Rd	Lake Grace	0.00	Burns Rd - Start Road	19.81	Robertson Rd & Dunham Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Rail not to be crossed
3110019	Carstairs Rd	Carstairs Rd	Lake Grace	0.00	Hyden-Lake King Rd & Varley South Rd	21.54	Kondinin LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Lake Grace

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3110169	Clarke Rd	Clarke Rd	Lake Grace	0.00	Jarring South Rd	1.63	Clarke Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel).
3110177	Creek Rd	Creek Rd	Lake Grace	0.00	Old Ravensthorpe Rd	10.67	Tarco Rd & Old Newdegate Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110047	Croghan Rd	Croghan Rd	Lake Grace	0.00	Edwards Rd	4.21	Croghan Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110053	Cummings Rd	Cummings Rd	Lake Grace	0.00	Willcocks Rd	9.74	Mallee Hill Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110125	Dawson Rd	Dawson Rd	Lake Grace	0.00	Beynon Rd	10.17	Newdegate - Pingrup Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110018	Demster Rock Rd	Demster Rock Rd	Lake Grace	0.00	Winchcombe Rd	3.40	Varley South Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110150	Dewar St	Dewar St	Lake Grace	0.00	Clark Av & Mather St	1.06	Kulin Lake Grace Rd & South Rd	
3110077	Doornock Rd	Doornock Rd	Lake Grace	0.00	North Lake Grace - Karlgarin Rd	7.72	North Burngup Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110088	Drust Rd	Drust Rd	Lake Grace	0.00	Holt Rock South Rd	21.02	Biddy - Camm Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110013	Duckworth Rd	Duckworth Rd	Lake Grace	0.00	Lake Grace Newdegate Rd	26.06	North Lake Grace - Karlgarin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110194	Duncan Rd	Duncan Rd	Lake Grace	0.00	Maler St & Newdegate - Pingrup Rd & Newdegate Ravensthorpe Rd	0.07	Duncan Rd - End Road	<ul style="list-style-type: none"> Intersection Shalders Rd : No left turn permitted into Shalders Rd from Duncan Rd
3110062	Dunham Rd	Dunham Rd	Lake Grace	0.00	Kulin Lake Grace Rd	5.69	Robertson Rd & Burns Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110224	Dyke Rd	Dyke Rd	Lake Grace	0.00	Newdegate - Pingrup Rd	13.49	Lockhart North Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110128	Easton Rd	Easton Rd	Lake Grace	0.00	Webb Rd	7.78	Kirwin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110046	Edwards Rd	Edwards Rd	Lake Grace	0.00	Aylmore Rd	17.11	Newdegate North Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110221	Elliott Rd	Elliott Rd	Lake Grace	0.00	Pingrup Lake Grace Rd	3.30	Elliott Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Lake Grace

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3110020	Fence Rd	Fence Rd	Lake Grace	10.90	Broombush Flat Rd	35.75	2.45km From Biddy - Camm Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel).
3110199	Finlay Rd	Finlay Rd	Lake Grace	0.00	Ace Rd & Hogan Rd	10.52	Fence Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110039	Fisher Rd	Fisher Rd	Lake Grace	0.00	Duckworth Rd	14.61	McGlinn Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110110	Fitzgerald Rd	Fitzgerald Rd	Lake Grace	0.00	Newdegate Ravensthorpe Rd	9.76	Fitzgerald Rd & Long Creek Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110005	Fourteen Mile Rd	Fourteen Mile Rd	Lake Grace	0.00	Lake Grace Newdegate Rd	28.40	Newdegate - Pingrup Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110192	Fox Rd	Fox Rd	Lake Grace	0.00	Hyden-Lake King Rd	7.21	Drust Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110049	Frenchs Rd	Frenchs Rd	Lake Grace	0.00	Hyden-Lake King Rd	3.05	Carstairs Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110205	Geliard Rd	Geliard Rd	Lake Grace	0.00	Burngup South Rd	15.66	Biddy - Camm Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110119	Giles Rd	Giles Rd	Lake Grace	0.00	Magenta Rd	6.63	Nield Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110081	Gimbel Rd	Gimbel Rd	Lake Grace	0.00	Kulin Lake Grace Rd	4.10	Kulin LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110040	Gordon Rd	Gordon Rd	Lake Grace	0.00	Lake Grace Newdegate Rd	4.35	Gordon Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110116	Grant Rd	Grant Rd	Lake Grace	0.00	Magenta Rd	5.64	Grant Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110206	Granville Rd	Granville Rd	Lake Grace	0.00	Edwards Rd	5.69	Granville Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110082	Green Rd	Green Rd	Lake Grace	0.00	Kulin Lake Grace Rd	7.01	Haese Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110082	Green Rd	Green Rd	Lake Grace	7.01	Haese Rd	7.40	Haese Rd	
3110091	Greg Rd	Greg Rd	Lake Grace	0.00	Pelham Rd	4.62	Fourteen Mile Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110031	Griffins Reward Rd	Griffins Reward Rd	Lake Grace	0.00	Dumbleyung Lake Grace Rd	8.49	Burns Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Lake Grace

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3110042	Hadden Rd	Hadden Rd	Lake Grace	0.00	North Burngup Rd & Fleay Rd	6.39	Haddens Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110084	Haig Rd	Haig Rd	Lake Grace	0.00	Newdegate Ravensthorpe Rd	10.36	Biddy - Camm Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110033	Harrismith Rd	Harrismith Rd	Lake Grace	0.00	O'Neill Rd	3.29	Naisbitt Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110036	Harvey Rd	Harvey Rd	Lake Grace	0.00	Burns Rd	8.93	West Kuender Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110023	Hatter Hill Rd	Hatter Hill Rd	Lake Grace	0.00	Lake King-Norseman Rd	27.12	Newdegate Ravensthorpe Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110094	Henderson Rd	Henderson Rd	Lake Grace	0.00	Carstairs Rd	3.88	Kulin LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel).
3110029	Hewson Rd	Hewson Rd	Lake Grace	0.00	Newdegate Ravensthorpe Rd	12.67	Biddy - Camm Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110054	Hilton Rd	Hilton Rd	Lake Grace	0.00	Lake Grace Newdegate Rd	7.13	Willcocks Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110113	Hogan Rd	Hogan Rd	Lake Grace	0.00	Lake King-Norseman Rd	15.70	Finlay Rd & Ace Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110071	Holland Trk	Holland Trk	Lake Grace	0.00	Mallee Hill Rd	8.06	Lake Grace Newdegate Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel).
3110176	Holme Rd	Holme Rd	Lake Grace	0.00	Kent Rd	8.73	Holmes Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110219	Holt Rock South Rd	Holt Rock South Rd	Lake Grace	0.00	Winchcombe Rd & Holt Rock South Rd	39.66	Newdegate Ravensthorpe Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110006	Jarring South Rd	Jarring South Rd	Lake Grace	0.00	Dumbleyung Lake Grace Rd	16.01	Jarring South Rd & Clarke Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110173	Jenks Rd	Jenks Rd	Lake Grace	0.00	North Lake Grace - Karlgarin Rd	4.03	Duckworth Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110215	Jensen Rd	Jensen Rd	Lake Grace	0.00	Stone Rd	6.95	Aylmore Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Lake Grace

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3110179	Jugos West Rd	Jugos West Rd	Lake Grace	0.00	Slarke Rd	2.89	2.89km From Slarke Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3110188	Kane Rd	Kane Rd	Lake Grace	0.00	Magenta Rd	2.50	Kane Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110105	Kanny Rd	Kanny Rd	Lake Grace	0.00	Stennetts Lake Rd	9.91	Kanny Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110198	Kathleen Rd	Kathleen Rd	Lake Grace	0.00	Lake King-Norseman Rd	7.79	Biddy - Camm Rd & Pickernell Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110076	Kennedy Rd	Kennedy Rd	Lake Grace	0.00	North Lake Grace - Karlgarin Rd	14.10	Kennedy Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110041	Kent Rd	Kent Rd	Lake Grace	0.00	North Burngup Rd	19.14	North Burngup Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110161	Kerr Rd	Kerr Rd	Lake Grace	0.00	Mt Vernon Rd	6.73	Tonkin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110017	Kirwin Rd	Kirwin Rd	Lake Grace	0.00	Biddy - Camm Rd	4.97	Easton Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110098	Kuender South Rd	Kuender South Rd	Lake Grace	0.00	North Lake Grace - Karlgarin Rd	8.81	Duckworth Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110100	Ladyman Rd	Ladyman Rd	Lake Grace	0.00	Lake King-Norseman Rd	8.32	Smerdon Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110217	Lake Biddy Rd	Lake Biddy Rd	Lake Grace	0.00	Mitchell St & Maler St	13.74	Biddy - Camm Rd	<ul style="list-style-type: none"> Intersection Watson Rd : No access permitted into Watson Rd from Lake Biddy Rd
3110022	Lake King-Norseman Rd	Lake King-Norseman Rd	Lake Grace	0.00	Varley Rd & Newdegate Ravensthorpe Rd	31.69	Fence Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Lake Grace

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3110181	Lancing Rd	Lancing Rd	Lake Grace	0.00	Rodger Rd	6.41	Lake Grace Newdegate Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Rodger Rd : No access permitted into Rodger Rd from Lancing Rd
3110126	Lockhart Rd	Lockhart Rd	Lake Grace	0.00	Newdegate - Pingrup Rd	10.24	Lockhart North Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110083	Long Creek Rd	Long Creek Rd	Lake Grace	0.00	Mallee Rd & Milstead Rd	10.89	Fitzgerald Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110204	Macnamara Rd	Macnamara Rd	Lake Grace	0.00	Burngup South Rd	5.98	Burngup Rd & Argent Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110092	Magenta Rd	Magenta Rd	Lake Grace	0.00	Newdegate - Pingrup Rd	51.68	Lake Magenta Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110172	Maiola Rd	Maiola Rd	Lake Grace	0.00	White Dam Rd	4.42	Harvey Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110004	Mallee Hill Rd	Mallee Hill Rd	Lake Grace	0.00	Pingrup Lake Grace Rd	56.18	Newdegate - Pingrup Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110064	Mallee Rd	Mallee Rd	Lake Grace	0.00	Long Creek Rd & Milstead Rd	9.33	Aerodrome Rd & Mallee Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110152	Mason St	Mason St	Lake Grace	0.00	South Rd & Pingrup Lake Grace Rd	0.44	Mason St - End Road	<ul style="list-style-type: none"> Intersection South Rd & Pingrup Lake Grace Rd : No right turn permitted into Albany Lake Grace Rd from Mason St
3110149	Mather St	Mather St	Lake Grace	0.00	Stubbs St	0.08	Clark Av & Dewar St	
3110052	McGlinn Rd	McGlinn Rd	Lake Grace	0.00	Biddy - Camm Rd	11.88	Fisher Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110211	Milsteed Rd	Milsteed Rd	Lake Grace	0.00	Old Newdegate Rd	6.24	Long Creek Rd & Mallee Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Lake Grace

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3110065	Milton Rd	Milton Rd	Lake Grace	0.00	Beenong North Rd	4.33	Duckworth Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110195	Mission Rd	Mission Rd	Lake Grace	0.00	Newdegate Ravensthorpe Rd	11.13	Biddy - Camm Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110012	Mordetta Rd	Mordetta Rd	Lake Grace	0.00	North Burngup Rd	20.63	Gimbel Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110196	Morgan Rd	Morgan Rd	Lake Grace	0.00	Magenta Rd	2.24	1.96 From End of Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110072	Morton Rd	Morton Rd	Lake Grace	0.00	Lake Grace Newdegate Rd	4.73	Mallee Hill Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110008	Mt Sheridan Rd	Mt Sheridan Rd	Lake Grace	0.00	Newdegate North Rd	32.98	Pingaring - Varley Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110025	Mt Vernon Rd	Mt Vernon Rd	Lake Grace	0.00	Pingaring - Varley Rd	24.79	Holt Rock South Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110093	Mulcahy Rd	Mulcahy Rd	Lake Grace	0.00	Carstairs Rd	15.77	Broombush Flat Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110030	Muncaster Rd	Muncaster Rd	Lake Grace	0.00	Newdegate Ravensthorpe Rd	6.41	Hatter Hill Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110030	Muncaster Rd	Muncaster Rd	Lake Grace	6.42	Hatter Hill Rd	21.52	Powley Rd & Stennetts Lake Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110218	Newdegate - Pingrup Rd	Newdegate - Pingrup Rd	Lake Grace	0.00	Fourteen Mile Rd & Newdegate - Pingrup Rd	37.66	Duncan Rd & Maler St & Newdegate Ravensthorpe Rd	
3110016	Newdegate North Rd	Newdegate North Rd	Lake Grace	0.00	Newdegate Ravensthorpe Rd	41.13	Holland Trk & Pingaring - Varley Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Shalders Rd : No left turn permitted into Shalders Rd from Newdegate North Rd
3110122	Newman Rd	Newman Rd	Lake Grace	0.00	Newdegate Ravensthorpe Rd	4.90	Orr Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110120	Nield Rd	Nield Rd	Lake Grace	0.00	Giles Rd	8.13	Old Ravensthorpe Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110011	North Burngup Rd	North Burngup Rd	Lake Grace	0.00	Biddy - Camm Rd	28.94	Burngup Rd North & Pingaring - Varley Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110265	North Lake Grace - Karlgarin Rd	North Lake Grace - Karlgarin Rd	Lake Grace	0.00	Eggers Rd & Kulin Lake Grace Rd	31.81	Pingaring - Varley Rd & Commonwealth Rd	
3110032	O'Neill Rd	O'Neill Rd	Lake Grace	0.00	Dumbleyung Lake Grace Rd	6.15	O'Neill Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110085	Oakey Rd	Oakey Rd	Lake Grace	0.00	Biddy - Camm Rd	9.32	Tonkin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110034	Old Lake Grace Rd	Old Lake Grace Rd	Lake Grace	0.00	Jarring South Rd	2.05	Dumbleyung LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Lake Grace

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3110095	Old Newdegate Rd	Old Newdegate Rd	Lake Grace	0.00	Tarco Rd & Creek Rd	36.84	Newdegate Ravensthorpe Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110007	Old Ravensthorpe Rd	Old Ravensthorpe Rd	Lake Grace	0.00	Newdegate Ravensthorpe Rd	51.30	Taylor Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110121	Orr Rd	Orr Rd	Lake Grace	0.00	Old Ravensthorpe Rd	7.92	Newdegate Ravensthorpe Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110097	Parsons Rd	Parsons Rd	Lake Grace	0.00	Newdegate - Pingrup Rd	12.14	Magenta Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110056	Pelham Rd	Pelham Rd	Lake Grace	0.00	Lake Grace Newdegate Rd	15.50	Fourteen Mile Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110028	Pickernell Rd	Pickernell Rd	Lake Grace	0.00	Purnta Rd	26.55	Biddy - Camm Rd & Kathleen Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110087	Purnta Rd	Purnta Rd	Lake Grace	0.00	Hyden-Lake King Rd	5.94	Pickernell Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110038	Robertson Rd	Robertson Rd	Lake Grace	0.00	Dunham Rd & Burns Rd	5.30	Robertson Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110180	Rodger Rd	Rodger Rd	Lake Grace	0.00	Lake Grace Newdegate Rd	8.51	Lake Biddy Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Lancing Rd : No access permitted into Lancing Rd from Rodger Rd

Tandem Drive Network 2.1



Lake Grace

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3110160	Rose Rd	Rose Rd	Lake Grace	0.00	Finlay Rd	2.33	Rose Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel).
3110026	Shalders Rd	Shalders Rd	Lake Grace	0.00	Biddy - Camm Rd	6.00	Tonkin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110229	Shalders Rd	Shalders Rd	Lake Grace	0.04	Duncan Rd	0.16	Newdegate North Rd	<ul style="list-style-type: none"> Intersection Newdegate North Rd : No access permitted into Nedewgate North Rd from Shalders Rd
3110055	Slarke Rd	Slarke Rd	Lake Grace	0.00	Willcocks Rd	9.21	Mallee Hill Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110101	Smerdon Rd	Smerdon Rd	Lake Grace	0.00	Newdegate Ravensthorpe Rd	11.62	Hatter Hill Rd & Baanga Hill Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110104	Stennetts Lake Rd	Stennetts Lake Rd	Lake Grace	0.00	Lake King-Norseman Rd	22.00	Beatty Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110203	Stone Rd	Stone Rd	Lake Grace	0.00	Kulin LGA Boundary	3.44	Stone Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110090	Strawbridge Rd	Strawbridge Rd	Lake Grace	0.00	Holt Rock South Rd	3.20	Strawbridge Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110069	Strevett Rd	Strevett Rd	Lake Grace	0.00	Fourteen Mile Rd	6.28	Burngup South Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110111	Sugg Rock Rd	Sugg Rock Rd	Lake Grace	0.00	Sugg Rock Rd - Start Road	10.20	Sugg Rock Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110096	Tarco Rd	Tarco Rd	Lake Grace	0.00	Newdegate Ravensthorpe Rd	15.82	Creek Rd & Old Newdegate Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110003	Taylor Rd	Taylor Rd	Lake Grace	0.00	Old Ravensthorpe Rd	11.00	Mallee Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110214	Thompson Rd	Thompson Rd	Lake Grace	0.00	Lee Rd & Old Ravensthorpe Rd	3.54	Newman Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110074	Thornton Rd	Thornton Rd	Lake Grace	0.00	Brookfield Rd	7.25	Bairstow Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110024	Tonkin Rd	Tonkin Rd	Lake Grace	0.00	Holt Rock South Rd	20.95	Mt Sheridan Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110024	Tonkin Rd	Tonkin Rd	Lake Grace	21.01	Mt Sheridan Rd	30.83	Kerr Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110035	Treloar Rd	Treloar Rd	Lake Grace	0.00	O'Neill Rd	3.24	Griffins Reward Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110035	Treloar Rd	Treloar Rd	Lake Grace	3.27	Griffins Reward Rd	5.26	White Dam Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Lake Grace

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3110099	Tuck Rd	Tuck Rd	Lake Grace	0.00	Old Ravensthorpe Rd	16.09	Tarco Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110027	Varley South Rd	Varley South Rd	Lake Grace	0.00	Holt Rock South Rd	13.40	Carstairs Rd & Hyden-Lake King Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110182	Watson Rd	Watson Rd	Lake Grace	0.00	Lake Biddy Rd	7.69	Biddy - Camm Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Lake Biddy Rd : No access permitted into Lakes Biddy Rd from Watson Rd
3110086	Webb Rd	Webb Rd	Lake Grace	0.00	Biddy - Camm Rd	11.95	Mt Sheridan Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110050	West Kuender Rd	West Kuender Rd	Lake Grace	0.00	Kulin Lake Grace Rd	15.84	Rhodes Rd & Bushby Rd & Kuender West Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110057	White Dam Rd	White Dam Rd	Lake Grace	0.00	Dumbleyung Lake Grace Rd	19.30	White Dam Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110009	Willcocks Rd	Willcocks Rd	Lake Grace	0.00	Pingrup Lake Grace Rd	12.34	Hilton Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110197	Winchcombe Rd	Winchcombe Rd	Lake Grace	0.00	Hyden-Lake King Rd	10.80	Holt Rock South Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110059	Witham Rd	Witham Rd	Lake Grace	0.00	Biddy - Camm Rd	12.71	Edwards Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
3110043	Wyatt Rd	Wyatt Rd	Lake Grace	0.00	North Burngup Rd	5.08	Wyatts Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Lake Grace

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3110079	Zwecks Rd	Zwecks Rd	Lake Grace	0.00	Thornton Rd	2.57	Kent Lga Boundary	<ul style="list-style-type: none">No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Laverton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6070044	Augusta St	Augusta St	Laverton	0.00	Augusta St Roundabout	0.19	Macpherson Pl	
6070112	Augusta St Roundabout	Augusta St Roundabout	Laverton	0.00	Phoenix St	0.20	Phoenix St	
6070084	Bandya Lake Wells Rd	Bandya Lake Wells Rd	Laverton	85.55	8.02 Km Before Urarey - Warren Bore Rd	93.55	Regis Mine Entrance	
6070009	Bandya Rd	Bandya Rd	Laverton	0.00	Lancefield Diversion Rd	105.60	Bandya - Banjawarn Rd & Bandya Lake Wells Rd	
6070068	Cox St	Cox St	Laverton	0.00	Leonora Laverton Rd & Beria Rd	0.68	Weld Dr	
6070073	Crawford St	Crawford St	Laverton	0.00	Beria Rd	0.21	Cox St	
6070013	Elora - Mount Weld Rd	Elora - Mount Weld Rd	Laverton	0.00	Burtville - Mt Weld & Mt Weld Rd	16.00	For 16.0 Km to Mine Access Rd	
6070035	Erlistoun - Nambi Rd	Erlistoun - Nambi Rd	Laverton	0.00	Erlistoun Rd & Erlistoun - Woolshed Rd	22.34	Leonora LGA Boundary	
6070008	Erlistoun Rd	Erlistoun Rd	Laverton	0.00	Lancefield Diversion Rd	36.35	Erlistoun - Woolshed Rd & Erlistoun - Nambi Rd	
6070087	Great Central Rd	Great Central Rd	Laverton	0.00	Augusta St & Spence St	435.91	Ngaanyatjarraku LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. All operators must obtain an Aboriginal Affairs Planning Authority (AAPA) Lands Permit prior to travelling on the road. Permits can be obtained through the Department of Planning, Lands and Heritage website.
6070023	Korong - Mount Morgans Rd	Korong - Mount Morgans Rd	Laverton	0.00	Korong Station Access Rd & Leonora Laverton Rd	7.73	Old Laverton Rd	
6070027	Lake Wells Rd	Lake Wells Rd	Laverton	0.00	Great Central Rd	70.80	Prenti Downs Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6070110	Lancefield Diversion Rd	Lancefield Diversion Rd	Laverton	0.00	Leonora Laverton Rd	7.58	Great Central Rd	
6070074	Laverton Bypa	Laverton Bypa	Laverton	0.00	Beria Rd	4.35	Great Central Rd	
6070005	Merolia Rd	Merolia Rd	Laverton	0.00	Laverton Bypa	27.14	Burtville - Hackwell Rd & Coglia - Merolia Rd	
6070039	Mt Shenton - Yamarna Rd	Mt Shenton - Yamarna Rd	Laverton	0.00	White Cliffs - Yamarna Rd & Neale Junction Rd	37.64	Great Central Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h
6070006	Mt Weld Rd	Mt Weld Rd	Laverton	0.00	Laverton Bypa	17.45	Elora - Mount Weld Rd & Burtville - Mt Weld	
6070021	Neale Junction Rd	Neale Junction Rd	Laverton	2.13		4.77	Gruyere Mine Site Private Access Rd 4.77 Km From White Cliffs - Yamarna Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h

Tandem Drive Network 2.1



Laverton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6070070	Old Laverton Rd	Old Laverton Rd	Laverton	0.00	Laverton Bypa	60.22	Leonora Lga Boundary	
6070001	Sturt Pea Dr	Sturt Pea Dr	Laverton	0.00	Leonora Laverton Rd	1.81	Great Central Rd	
6070028	Urarey - Warren Bore Rd	Urarey - Warren Bore Rd	Laverton	0.00	Bandya Rd	19.60	Bandya Lake Wells Rd	
6070058	Weld Dr	Weld Dr	Laverton	0.00	Augusta St Roundabout	0.90	Augusta St	<ul style="list-style-type: none">A RAV must not be driven on this road in excess of 4.3 metres in height unless written approval is obtained from Horizon Power
6070007	White Cliffs Rd	White Cliffs Rd	Laverton	0.00	Great Central Rd	60.81	South Well - White Cliffs Rd	
6070069	Windarra Mine Rd	Windarra Mine Rd	Laverton	0.00	Leonora Laverton Rd	9.00	Windarra Mine Rd - End Road	
607Z014	Yundamindera North Rd	Yundamindera North Rd	Laverton	0.00	Leonora LGA Boundary	30.59	Leonora Laverton Rd	

Tandem Drive Network 2.1



Leonora

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6080090	Agnew - Lake Miranda Rd	Agnew - Lake Miranda Rd	Leonora	0.00	Old Agnew Rd & Agnew - Vivien Rd	4.61	Agnew Leinster Rd	
6080036	Agnew - Leinster Rd	Agnew - Leinster Rd	Leonora	0.00	Goldfields Hwy	2.42	Leinster - Mine Rd & Agnew Rd	
6080116	Agnew - Vivien Rd	Agnew - Vivien Rd	Leonora	0.00	Old Agnew Rd & Agnew - Lake Miranda Rd	3.54	Agnew Leinster Rd	
6080009	Albion Downs - Yeelirrie Rd	Albion Downs - Yeelirrie Rd	Leonora	0.00	Goldfields Hwy	43.99	Altona - Yeelirrie Rd	
6080013	Darlot - Weebo Rd	Darlot - Weebo Rd	Leonora	0.00	Little Mill Rd & Darlot Rd & Wonganoo Rd	24.56	Weebo - Wildarra Rd	
6080062	Darlot Rd	Darlot Rd	Leonora	0.00	Goldfields Hwy	47.71	Little Mill Rd & Wonganoo Rd & Darlot - Weebo Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6080068	Forrest St	Forrest St	Leonora	0.31	Tower St	0.72	Kurrajong St	
6080007	Glenorn - Yundamindra Rd	Glenorn - Yundamindra Rd	Leonora	0.00	Old Laverton Rd	55.21	Yundamindra - Woolshed Rd	
6080001	Leinster Rd	Leinster Rd	Leonora	0.00	Goldfields Hwy	3.35	Leinster Downs Rd	
6080004	Leonora - Mount Ida Rd	Leonora - Mount Ida Rd	Leonora	0.00	Rajah St	64.34	Menzies LGA Boundary	
6080003	Leonora - Nambi Rd	Leonora - Nambi Rd	Leonora	0.00	Tower St & Goldfields Hwy	57.34	26.26km From Mertondale Rd	
6080118	Main Reef Rd	Main Reef Rd	Leonora	0.00	Goldfields Hwy & Sons of Gwalia Access Rd	3.13	Leonora Laverton Rd	
6080064	Malcolm Rail Head Rd	Malcolm Rail Head Rd	Leonora	0.00	Leonora Laverton Rd	1.13	Old Laverton Rd & Kookynie - Malcolm Rd	
6080106	Mt McClure Rd	Mt McClure Rd	Leonora	0.00	Leinster - Mine Rd	2.96	For 2.96km From Leinster Mine Rd	
6080088	Old Agnew Rd	Old Agnew Rd	Leonora	0.00	Goldfields Hwy	125.10	Agnew - Lake Miranda Rd & Agnew - Vivien Rd	
6080063	Old Laverton Rd	Old Laverton Rd	Leonora	0.00	Malcolm Rail Head Rd & Kookynie - Malcolm Rd	0.74	Glenorn - Yundamindra Rd	
6080055	Otterburn St	Otterburn St	Leonora	0.00	Rochester St	0.38	Rajah St	
6080052	Rajah St	Rajah St	Leonora	0.27	Tower St	1.67	Rajah St - End Road	
6080049	Rochester St	Rochester St	Leonora	0.00	Tower St & Rochester St (Leonora)	0.42	Kurrajong St	
6080092	Steel St	Steel St	Leonora	0.00	Tower St	0.45	Steel St - End Road	
6080029	Sturt Meadows Rd	Sturt Meadows Rd	Leonora	0.00	Old Agnew Rd	8.29	Boxers Well Rd & Cross Rd & Ida Valley Rd	
6080056	Tower St	Tower St	Leonora	0.00	Goldfields Hwy	1.95	Kane St	
6080014	Weebo - Wildarra Rd	Weebo - Wildarra Rd	Leonora	0.00	Darlot - Weebo Rd	19.52	Goldfields Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Leonora

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6080002	Wonganoo Rd	Wonganoo Rd	Leonora	0.00	Little Mill Rd & Darlot Rd & Darlot - Weebo Rd	77.55	Wiluna LGA Boundary	<ul style="list-style-type: none">All operators must carry written support from the road manager acknowledging the operator's use of the road.
6080119	Yundamindera North Rd	Yundamindera North Rd	Leonora	0.00	Yundamindra - Linden Rd	11.80	Laverton LGA Boundary	
6080120	Yundamindera South Rd	Yundamindera South Rd	Leonora	0.00	Yundamindra - Linden Rd	8.34	1km From Butcher Well Access Rd	
6080093	Yundamindra - Linden Rd	Yundamindra - Linden Rd	Leonora	0.00	Yundamindra - Woolshed Rd	54.26	Mount Celia Rd	
6080043	Yundamindra - Woolshed Rd	Yundamindra - Woolshed Rd	Leonora	16.00	Yundamindra - Linden Rd	28.06	Glenorn - Yundamindra Rd	
608Z058	Agnew Rd	Agnew Rd	Leonora	0.00	Leinster - Mine Rd & Agnew - Leinster Rd	1.50	Mansbridge St	
608Z075	Leinster - Mine Rd	Leinster - Mine Rd	Leonora	0.00	Agnew - Leinster Rd & Agnew Rd	13.18	Rockys Reward Access Rd	
608Z059	Mansbridge St	Mansbridge St	Leonora	0.00	Mansbridge St - Start Road	1.08	0.1km From Link Rd	

Tandem Drive Network 2.1



Mandurah (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2121208	Carleton Pl	Carleton Pl	Mandurah (C)	0.00	Rouse Rd & Thornborough Rd	0.17	Carleton Rd - End Road	
2122073	Corsican Pl	Corsican Pl	Mandurah (C)	0.00	Gordon Rd & Education Dr	1.24	Corsican Pl - End Road	
2120397	Gordon Rd	Gordon Rd	Mandurah (C)	0.00	Mandurah Rd & Gordon Rd	2.78	Lakes Rd & Lakes Rd East	
2120353	Lakes Rd	Lakes Rd	Mandurah (C)	0.00	Wanjeep St & Pinjarra Rd	3.91	Lakes Rd East & Gordon Rd	
2121717	Lakes Rd East	Lakes Rd East	Mandurah (C)	0.00	Lakes Rd & Gordon Rd	1.26	Lakes Rd	
2120221	Park Rd	Park Rd	Mandurah (C)	1.41	Tindale St	2.16	Mandurah Rd	<ul style="list-style-type: none"> Intersection Mandurah Rd : No Left turn permitted into Park Road from Mandurah Road
2120703	Pinjarra Rd	Pinjarra Rd	Mandurah (C)	1.33	0.1km From Randell St	2.85	Pinjarra Rd & Mandurah Rd	
2120452	Rafferty Rd	Rafferty Rd	Mandurah (C)	0.00	Reserve Dr	0.59	Mandurah Rd	
2120234	Reserve Dr	Reserve Dr	Mandurah (C)	0.59	Rafferty Rd	0.82	Park Rd	
2120618	Rouse Rd	Rouse Rd	Mandurah (C)	0.00	Mandurah Rd	0.53	Carleton Pl & Thornborough Rd	
2120370	Stock Rd	Stock Rd	Mandurah (C)	0.00	Lakes Rd East	2.79	Stock Rd (Sth) Cul-De-Sac	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2120619	Thornborough Rd	Thornborough Rd	Mandurah (C)	0.00	Gordon Rd	0.71	0.03km From Fitzgerald Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2120005	Tims Thicket Rd	Tims Thicket Rd	Mandurah (C)	0.00	Old Coast Rd	2.32	Tims Thicket Rd - End Road	

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130210	Allen Rd	Allen Rd	Manjimup	0.00	North Walpole Rd	3.31	For 3.31 Km From North Walpole Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2130146	Andrews Rd	Andrews Rd	Manjimup	0.00	Chesapeake Rd	3.65	Andrews Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130025	Appadene Rd	Appadene Rd	Manjimup	0.00	Graphite Rd	4.33	4.33km South From Graphite Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2130576	Arkley St	Arkley St	Manjimup	0.00	Wetherell St	0.15	Arkley St - End Road	<ul style="list-style-type: none"> 10 km/h below posted speed limit

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130036	Balbarrup Rd	Balbarrup Rd	Manjimup	0.00	Muir Hwy	6.71	Balbarrup Rd & Perup Rd	<ul style="list-style-type: none"> 30 km/h below posted speed limit No Operation Weekdays between 8:00 AM and 8:30 AM and between 3:30 PM and 4:30 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Curfew applies on school days only.
2130030	Balbarrup Rd	Balbarrup Rd	Manjimup	0.00	South Western Hwy	0.34	Willarra Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130482	Banks Rd	Banks Rd	Manjimup	0.00	Muir Hwy	0.84	For 0.84 Km to Banks Tree Farm Access Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Muir Hwy : No right turn permitted into Muir Hwy from Banks Rd.
2130579	Barry Rd	Barry Rd	Manjimup	0.00	Springdale Rd	0.71	Barry Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h WAPRES Traffic Management Plan to be fully implemented. Daylight use only.

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130117	Bashford Rd	Bashford Rd	Manjimup	0.00	Muirillup Rd	2.52	Middleton Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130131	Boorara Rd	Boorara Rd	Manjimup	0.00	Windy Harbour Rd	5.45	End of Seal	<ul style="list-style-type: none"> 30 km/h below posted speed limit No Operation Weekdays between 7:30 AM and 8:30 AM and between 3:00 PM and 4:30 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Curfew applies on school days only. School buses use this road. Approval to use the road could be withdrawn unless drivers show courtesy to local traffic and take extra care on school days.
2130131	Boorara Rd	Boorara Rd	Manjimup	5.45	End of Seal	19.90	Bannister Rd (F)	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130215	Bridge Rd	Bridge Rd	Manjimup	0.00	North Walpole Rd	6.85	Hazelvale Rd & Nunn Rd	<ul style="list-style-type: none"> 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130017	Burnside Rd	Burnside Rd	Manjimup	0.00	Graphite Rd	2.41	Ralston Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130396	Burton St	Burton St	Manjimup	0.00	Burton St - Start Road	0.63	Burton St - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130385	Caesia Rd	Caesia Rd	Manjimup	0.00	Pemberton Northcliffe Rd	2.58	Tattenham Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130198	Camelarup Rd	Camelarup Rd	Manjimup	0.00	Junction Rd & Lake View Rd	6.30	0.2km Northeast of Turdigurtup Rd (F)	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130307	Cemetery Rd	Cemetery Rd	Manjimup	0.00	Richardson Rd	0.89	Windy Harbour Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
2130217	Chatley Rd	Chatley Rd	Manjimup	0.00	North Walpole Rd	1.51	Chatley Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130373	Chesapeake Rd	Chesapeake Rd	Manjimup	0.00	Windy Harbour Rd	1.66	Chesapeake Rd & Andrews Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130286	Chopping St	Chopping St	Manjimup	0.00	Pritchard St & Giblett St	0.40	90m Southwest From Narocki Wy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130075	Churches Rd	Churches Rd	Manjimup	0.00	Tynans Rd	4.35	Churches Rd - End Road	<ul style="list-style-type: none"> 30 km/h below posted speed limit No Operation Weekdays between 7:30 AM and 8:30 AM and between 3:30 PM and 4:30 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Curfew applies on school days only.
2130462	Conte Rd	Conte Rd	Manjimup	0.00	Vasse Hwy & Brockman St	1.40	For 1.40 Km From Vasse Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130188	Corbalup Rd	Corbalup Rd	Manjimup	0.00	Perup Rd	6.59	Telephone Trk & Telephone Trk (F) & Corbalup Rd	<ul style="list-style-type: none"> 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130031	Cosy Creek	Cosy Creek	Manjimup	0.00	South Western Hwy	6.02	John Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2130538	Crouch St	Crouch St	Manjimup	0.00	Franklin St	0.34	Gandy St	<ul style="list-style-type: none"> 10 km/h below posted speed limit
2130158	Cutting Rd	Cutting Rd	Manjimup	0.00	Wheatley Coast Rd	4.46	Cutting Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130518	De Rusett Rd	De Rusett Rd	Manjimup	0.00	Meerup Rd	1.10	De Rusett Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130019	Deadmans Gully Rd	Deadmans Gully Rd	Manjimup	0.00	Mitchelldean Rd	3.59	Dixvale Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2130351	Deeside Coast Rd	Deeside Coast Rd	Manjimup	0.00	Muir Hwy	33.62	Deeside Coast Rd & Preston Rd	<ul style="list-style-type: none"> 50 km/h below posted speed limit
2130100	Diamond Tree Rd	Diamond Tree Rd	Manjimup	0.00	Vasse Hwy	7.80	Pemberton North Rd & Smiths Rd	<ul style="list-style-type: none"> 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2130018	Dixvale Rd	Dixvale Rd	Manjimup	0.00	Graphite Rd	1.53	Deadmans Gully Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130001	Donnelly Rd	Donnelly Rd	Manjimup	0.00	Yanmah Rd	5.55	Sears Rd & Mitchelldean Rd	<ul style="list-style-type: none"> 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130168	Dorrells Loop	Dorrells Loop	Manjimup	0.00	Perup Rd	2.10	Perup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130141	Double Bridge Rd	Double Bridge Rd	Manjimup	0.00	Windy Harbour Rd	7.16	For 7.16 Km (1.53 Km Past Gabbedy Rd to Plantation Access Gate)	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130166	Duncton Rd	Duncton Rd	Manjimup	0.00	Perup Rd	5.42	Duncton Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130101	Eastbourne Rd	Eastbourne Rd	Manjimup	0.00	South Western Hwy	7.07	Diamond Tree Rd	<ul style="list-style-type: none"> 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2130333	Ellis St	Ellis St	Manjimup	0.00	Brockman St & Hepple Pl	0.78	Kennedy St	<ul style="list-style-type: none"> 10 km/h below posted speed limit No Operation Weekdays between 7:30 AM and 8:30 AM and between 3:30 PM and 4:30 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Curfew applies on school days only.
2130076	Etherington Rd	Etherington Rd	Manjimup	0.00	Seven Day Rd	1.25	Etherington Rd - End Road	<ul style="list-style-type: none"> 30 km/h below posted speed limit
2130041	Franco Rd	Franco Rd	Manjimup	0.00	Balbarrup Rd	2.61	Franco Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130381	Franklin St	Franklin St	Manjimup	0.00	Brain St & Muir Hwy	2.01	Mottram St	
2130010	Fryers Rd	Fryers Rd	Manjimup	0.00	Jones Rd	0.26	For 0.26 Km to Ewald Tree Farm Gate	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Jones Rd : No right turn permitted into Jones Rd from Fryers Rd

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130143	Gabbedy Rd	Gabbedy Rd	Manjimup	0.00	Double Bridge Rd	1.20	Gabbedy Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130461	Gandy St	Gandy St	Manjimup	0.00	Franklin St	0.41	Crouch St	<ul style="list-style-type: none"> 10 km/h below posted speed limit
2130182	Geordinup Rd	Geordinup Rd	Manjimup	0.00	Muir Hwy	2.95	Geordinup - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2130021	Gibellinis Rd	Gibellinis Rd	Manjimup	0.00	Linfarn Rd	2.20	Tower Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2130387	Giblett St	Giblett St	Manjimup	0.00	Pritchard St & Chopping St	0.50	Lock St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130009	Glenoran Rd	Glenoran Rd	Manjimup	0.00	Graphite Rd	4.17	Glenoran Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. "Truck entering" signs to be erected and removed when not in use. Intersection Graphite Rd : No left turn permitted into Graphite Rd from Glenoran Rd
2130090	Golf Links Rd	Golf Links Rd	Manjimup	1.61	Pemberton North Rd	3.19	Kemp Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130543	Graphite Rd	Graphite Rd	Manjimup	0.00	South Western Hwy	25.88	Coronation Rd & Graphite Rd	<ul style="list-style-type: none"> 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2130066	Grays Rd	Grays Rd	Manjimup	0.00	South Western Hwy	2.62	Tinks Rd	<ul style="list-style-type: none"> 30 km/h below posted speed limit No Operation Weekdays between 7:00 AM and 8:00 AM and between 4:00 PM and 5:00 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Curfew applies on school days only.

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130066	Grays Rd	Grays Rd	Manjimup	2.62	Tinks Rd	3.31	Horne Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130109	Hawke Rd	Hawke Rd	Manjimup	0.00	Old Vasse Rd	2.50	Hawke Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2130126	Hill Brook Rd	Hill Brook Rd	Manjimup	0.00	Wheatley Coast Rd	13.04	Wheatley Coast Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130516	Horne Rd	Horne Rd	Manjimup	0.00	Grays Rd	2.52	Horne Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130013	Ipsen St	Ipsen St	Manjimup	0.68	Wildwood Rd & Clively Rd	1.36	Hind Rd	<ul style="list-style-type: none"> 30 km/h below posted speed limit
2130013	Ipsen St	Ipsen St	Manjimup	1.36	Hind Rd	4.43	West Boundary Rd	<ul style="list-style-type: none"> 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2130135	Jackson Rd	Jackson Rd	Manjimup	0.00	Muirillup Rd	1.00	0.31 Km Past Mottram Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130495	John Rd	John Rd	Manjimup	0.00	Cosy Creek	3.71	John Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130002	Jones Rd	Jones Rd	Manjimup	0.00	Yanmah Rd & Mitchelldean Rd	0.10	Mitchelldean Rd	<ul style="list-style-type: none"> Maximum speed 40 km/h
2130002	Jones Rd	Jones Rd	Manjimup	0.10	Mitchelldean Rd	5.99	Graphite Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Mitchelldean Rd : No right turn permitted into Mitchelldean Rd from Jones Rd Intersection Ladycroft Rd : No access permitted into Ladycroft Rd from Jones Rd Intersection Fryers Rd : No Left Turn Permitted Into Fryers Rd
2130196	Junction Rd	Junction Rd	Manjimup	0.00	Perup Rd	13.14	Lake View Rd & Camelarup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130151	Kammanns Rd	Kammanns Rd	Manjimup	0.00	Sherman Rd	0.82	Southwell Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2130122	Karri Hill Rd	Karri Hill Rd	Manjimup	0.00	Lane Poole Rd	1.10	For 1.10 Km	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130055	Keegans Rd	Keegans Rd	Manjimup	0.00	Middlesex Rd	0.24	Keegans Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130091	Kemp Rd	Kemp Rd	Manjimup	0.00	Golf Links Rd	0.64	Kemp Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130362	Kennedy St	Kennedy St	Manjimup	0.00	Burma Rd	0.53	Ellis St	<ul style="list-style-type: none"> 10 km/h below posted speed limit No Operation Weekdays between 8:00 AM and 9:00 AM and between 3:00 PM and 4:00 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Curfew applies on school days only.
2130014	Kimber Rd	Kimber Rd	Manjimup	0.00	Graphite Rd	2.12	Rana Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130045	Kurandra Rd	Kurandra Rd	Manjimup	1.71	Vic Rd	6.75	Muir Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2130007	Ladycroft Rd	Ladycroft Rd	Manjimup	0.00	Jones Rd	4.51	Ladycroft Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Jones Rd : No access permitted into Jones Rd from Ladycroft Rd
2130463	Lane Poole Rd	Lane Poole Rd	Manjimup	0.00	Wheatley Coast Rd & Datchet Rd	2.81	Karri Hill Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130022	Linfern Rd	Linfern Rd	Manjimup	0.00	West Palgarup	5.68	Linfern Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2130269	Lock St	Lock St	Manjimup	0.00	Giblett St	0.13	Rose St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2130404	Margerison St	Margerison St	Manjimup	0.00	Franklin St	0.76	Wetherell St	<ul style="list-style-type: none"> 10 km/h below posted speed limit
2130493	Marginata Rd	Marginata Rd	Manjimup	0.00	West Palgarup	2.15	Marginata Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130382	Marri Rd	Marri Rd	Manjimup	0.00	Wetherell St	0.18	Marri St - End Road	<ul style="list-style-type: none"> 10 km/h below posted speed limit
2130142	Meerup Rd	Meerup Rd	Manjimup	0.00	Richardson Rd	3.40		<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130142	Meerup Rd	Meerup Rd	Manjimup	3.40		3.70	1.29 Km Past De Rusett Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130046	Middlesex Rd	Middlesex Rd	Manjimup	0.00	Unnamed (P) & South Western Hwy	11.44	South Western Hwy	<ul style="list-style-type: none"> 30 km/h below posted speed limit No Operation Weekdays between 7:30 AM and 8:30 AM and between 3:30 PM and 4:30 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Curfew applies on school days only.
2130544	Middleton Rd	Middleton Rd	Manjimup	0.00	Wheatley Coast Rd	25.67	South Western Hwy	<ul style="list-style-type: none"> No operation during School Bus hours. Operators are to contact local schools to obtain school bus hours. A RAV must travel 30 km/h below the posted speed limit where the speed is greater than 80 km/h
2130003	Mitchelldean Rd	Mitchelldean Rd	Manjimup	4.61	Plantation Access 1.25km South of Jones Rd	5.86	Jones Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Truck entering signs to be erected and removed when not in use Intersection Jones Rd : No left turn permitted into Jones Rd from Mitchelldean St
2130137	Moore Rd	Moore Rd	Manjimup	2.38	Preston Rd (F)	3.96	Boorara Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130171	Mordalup Rd	Mordalup Rd	Manjimup	0.00	Perup Rd	1.90	Pomeroy Rd	<ul style="list-style-type: none"> Maximum speed 70 km/h
2130171	Mordalup Rd	Mordalup Rd	Manjimup	1.90	Pomeroy Rd	22.74	Wingebellup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2130035	Morgans Rd	Morgans Rd	Manjimup	0.00	Perup Rd	2.32	Balbarrup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130181	Nabagup Rd	Nabagup Rd	Manjimup	0.00	Muir Hwy	3.50	Nabagup Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Muir Hwy : No left turn permitted into Nabagup Rd from Muir Hwy

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130164	Neds Rd	Neds Rd	Manjimup	13.57	Decke Plantation Access Gate	15.07	Perup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Perup Rd : No right turn permitted into Perup Rd from Neds Rd
2130211	North Walpole Rd	North Walpole Rd	Manjimup	0.00	South Western Hwy	16.33	Hunter Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. 30 km/h below posted speed limit No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:30 PM and 5:00 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2130211	North Walpole Rd	North Walpole Rd	Manjimup	16.33	Hunter Rd	17.60	Dawson Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Approval includes the section of Dawson Road 1 km West of intersection with North Walpole Road

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130097	Ockwell Rd	Ockwell Rd	Manjimup	0.00	Pemberton North Rd	2.41	Ockwell Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130108	Old Vasse Rd	Old Vasse Rd	Manjimup	0.00	Vasse Hwy	3.27	Hawke Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130453	Packer Rd	Packer Rd	Manjimup	0.00	Vasse Hwy	0.58	Unknown Rd (F)	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130012	Paganini Rd	Paganini Rd	Manjimup	0.00	Graphite Rd	3.70	Damper Gully Rd & Paganini Rd (F)	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130094	Pemberton North Rd	Pemberton North Rd	Manjimup	0.00	Diamond Tree Rd & Smiths Rd	7.12	Browns Rd & Vasse Hwy	<ul style="list-style-type: none"> 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2130061	Peppermint Grove Rd	Peppermint Grove Rd	Manjimup	0.00	Muir Hwy	6.48	Smith Brook Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2130034	Perup Rd	Perup Rd	Manjimup	0.00	South Western Hwy	45.78	Muir Hwy	<ul style="list-style-type: none"> 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Neds Rd : No left turn permitted into Neds Rd from Perup Rd Intersection Junction Rd : No left turn permitted into Perup Road from Junction Road.
2130050	Piano Gully Rd	Piano Gully Rd	Manjimup	1.29	Blinco Tree Farm	1.49	Blinco Tree Farm	

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130050	Piano Gully Rd	Piano Gully Rd	Manjimup	1.49	Blinco Tree Farm	5.14	South Western Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130183	Pindicup Rd	Pindicup Rd	Manjimup	0.00	Buranganup Rd	5.06	Pindicup Rd & Lake Unicup Rd	<ul style="list-style-type: none"> 30 km/h below posted speed limit
2130452	Pioneer Rd	Pioneer Rd	Manjimup	0.00	Richardson Rd	2.45	Plantation Access	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130172	Pomeroy Rd	Pomeroy Rd	Manjimup	0.00	Mordalup Rd	7.04	Junction Rd	<ul style="list-style-type: none"> 30 km/h below posted speed limit
2130043	Pozzi Rd	Pozzi Rd	Manjimup	0.00	Muir Hwy	4.43		<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130282	Pritchard St	Pritchard St	Manjimup	0.00	Brain St & Mottram St	0.34	Access Road	<ul style="list-style-type: none"> Intersection Brain St & Mottram St : No Right Turn Into Giblett Road Permitted
2130087	Pump Hill Rd	Pump Hill Rd	Manjimup	0.00	Stirling Rd	0.40	For 0.40 Km From Stirling Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130015	Ralston Rd	Ralston Rd	Manjimup	0.00	Graphite Rd	3.51	Ringbark Rd	<ul style="list-style-type: none"> A RAV must travel 30 km/h below the posted speed limit where the speed is greater than 80 km/h
2130015	Ralston Rd	Ralston Rd	Manjimup	6.07	Burnside Rd	7.83	Dixvale Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130005	Rapoff Rd	Rapoff Rd	Manjimup	0.00	Donnelly Rd & Wren Rd	1.04	Rapoff Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130603	Rees St	Rees St	Manjimup	0.00	Wetherell St	0.17	Margerison St	<ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 50 km/h
2130110	Richardson Rd	Richardson Rd	Manjimup	0.00	Zamia St & Pemberton Northcliffe Rd	10.66	Meerup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Zamia St & Pemberton Northcliffe Rd : No left turn permitted into Pemberton - Northcliffe Rd from Richardson Rd.
2130110	Richardson Rd	Richardson Rd	Manjimup	10.66	Meerup Rd	17.07	Lewis Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130016	Ringbark Rd	Ringbark Rd	Manjimup	0.00	Graphite Rd	2.45	Ralston Rd	<ul style="list-style-type: none"> 30 km/h below posted speed limit
2130134	Riverway Rd	Riverway Rd	Manjimup	0.00	Boorara Rd	5.56	Riverway Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130096	Roche Rd	Roche Rd	Manjimup	0.00	Pemberton North Rd	0.30	300 Metres West of Pemberton North Rd	<ul style="list-style-type: none"> Maximum speed 30 km/h
2130154	Rockbridge Rd	Rockbridge Rd	Manjimup	0.00	Wheatley Coast Rd	2.24	Rockbridge Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h No Operation between the hours of sunset and sunrise Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2130257	Rose St	Rose St	Manjimup	0.00	Pritchard St	0.49	Lock St	
2130062	Sears Rd	Sears Rd	Manjimup	0.00	Donnelly Rd & Mitchelldean Rd	4.77	Nannup LGA Boundary	<ul style="list-style-type: none"> A RAV must travel 30 km/h below the posted speed limit where the speed is greater than 80 km/h
2130069	Seven Day Rd	Seven Day Rd	Manjimup	0.00	Mottram St	12.86	Etherington Rd	<ul style="list-style-type: none"> 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130149	Sherman Rd	Sherman Rd	Manjimup	0.76	Kammanns Rd	1.72	Peppermint Grove Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2130059	Smeathers Rd	Smeathers Rd	Manjimup	0.00	Peppermint Grove Rd	6.00	Muir Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2130060	Smith Brook Rd	Smith Brook Rd	Manjimup	0.00	Middlesex Rd	2.56	1.96km Before Peppermint Grove Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). One truck movement at a time.
2130394	Southern St	Southern St	Manjimup	0.00	Chopping St	0.65	Burton St	

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130488	Southwell Rd	Southwell Rd	Manjimup	0.00	Kammanns Rd	1.00	Southwell Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130042	Springall Rd	Springall Rd	Manjimup	0.00	Mottram St	1.76	West Boundary Rd	<ul style="list-style-type: none"> No Operation Weekdays between 8:00 AM and 8:30 AM and between 3:30 PM and 4:30 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Curfew applies on school days only.
2130037	Springdale Rd	Springdale Rd	Manjimup	0.00	Muir Hwy	4.03	Balbarrup Rd	<ul style="list-style-type: none"> 50 km/h below posted speed limit
2130044	Starkies Rd	Starkies Rd	Manjimup	0.00	Mottram St & South Western Hwy	4.59	Middlesex Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130086	Stirling Rd	Stirling Rd	Manjimup	0.00	Vasse Hwy	9.60	Channybearup Rd & Thornhill Rd	<ul style="list-style-type: none"> 30 km/h below posted speed limit No Operation Weekdays between 7:00 AM and 9:00 AM and between 3:00 PM and 5:00 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2130445	Tannin Rd	Tannin Rd	Manjimup	0.00	Yanmah Rd	0.88	Tannin Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130113	Tattenham Rd	Tattenham Rd	Manjimup	2.35	Richardson Rd	4.72	Caesia Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130575	Thompson Rd	Thompson Rd	Manjimup	0.00	Muir Hwy	12.29	Thomson Rd (F) & Myalgelup Rd	<ul style="list-style-type: none"> 50 km/h below posted speed limit

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130082	Thornhill Rd	Thornhill Rd	Manjimup	0.00	Stirling Rd & Channybearup Rd	2.00	Thornhill Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Stirling Rd & Channybearup Rd : No left turn permitted into Channybearup Rd from Thornhill Rd
2130128	Tomlinson Rd	Tomlinson Rd	Manjimup	0.00	Hill Brook Rd	1.60	Tomlinson Rd (F)	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130519	Tower Rd	Tower Rd	Manjimup	0.00	Gibellinis Rd	1.80	Tower Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130074	Tynans Rd	Tynans Rd	Manjimup	0.00	Tynans Rd	2.60	Tynans Rd - End Road	<ul style="list-style-type: none"> Maximum speed 50 km/h No Operation Weekdays between 7:30 AM and 8:30 AM and between 3:30 PM and 4:30 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Curfew applies on school days only.
2130472	Tynans Rd	Tynans Rd	Manjimup	0.00	Towie Rd & South Western Hwy	0.43	Tynans Rd	<ul style="list-style-type: none"> 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2130026	Waughs Rd	Waughs Rd	Manjimup	0.00	Graphite Rd	0.09	Peter Rd	<ul style="list-style-type: none"> 30 km/h below posted speed limit
2130433	West Boundary Rd	West Boundary Rd	Manjimup	1.97		2.16	Ipsen St	<ul style="list-style-type: none"> 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. No operation on school days between 8:00 AM and 8:30 AM and between 3:30 PM and 4:30 PM
2130433	West Boundary Rd	West Boundary Rd	Manjimup	2.16	Ipsen St	3.37	Springall Rd	<ul style="list-style-type: none"> 30 km/h below posted speed limit No Operation Weekdays between 8:00 AM and 8:30 AM and between 3:30 PM and 4:30 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Curfew applies on school days only.
2130023	West Palgarup	West Palgarup	Manjimup	0.00	South Western Hwy	6.05	Yanmah Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130304	Wetherell St	Wetherell St	Manjimup	0.00	Mottram St	1.57	Wetherell St - End Road	<ul style="list-style-type: none"> 10 km/h below posted speed limit
2130156	Wheatley Coast Rd	Wheatley Coast Rd	Manjimup	0.00	Muir Hwy	39.88	Zamia St & Muirillup Rd & Windy Harbour Rd	<ul style="list-style-type: none"> 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2130521	Willarra Rd	Willarra Rd	Manjimup	0.00	Balburrip Rd	0.60	Willarra Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2130545	Windy Harbour Rd	Windy Harbour Rd	Manjimup	0.00	Zamia St & Muirillup Rd & Wheatley Coast Rd	6.25	Chesapeake Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2130545	Windy Harbour Rd	Windy Harbour Rd	Manjimup	6.25	Chesapeake Rd	15.86	9.61 Km South (Chudalup Rd)	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h
2130545	Windy Harbour Rd	Windy Harbour Rd	Manjimup	15.86	9.61 Km South (Chudalup Rd)	27.02	Boat Ramp Rd (NP) & Old Lighthouse Rd (NP)	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2130004	Wren Rd	Wren Rd	Manjimup	0.00	Donnelly Rd & Rapoff Rd	2.72	Yanmah Rd	<ul style="list-style-type: none"> Maximum speed 40 km/h Operation in accordance with Shire Approval. WAPRES traffic management plan be fully implemented. One truck movement at a time
2130020	Yanmah Rd	Yanmah Rd	Manjimup	0.00	Ralston Rd	5.49	Donnelly Rd	<ul style="list-style-type: none"> 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2130020	Yanmah Rd	Yanmah Rd	Manjimup	9.32	Wren Rd	9.92	Jones Rd & Mitcheldean Rd	<ul style="list-style-type: none"> Maximum speed 40 km/h

Tandem Drive Network 2.1



Manjimup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2130568	Yubarl Rd	Yubarl Rd	Manjimup	0.00	Wheatley Coast Rd	0.80	For 0.80 Km to Tree Plantation Entry	<ul style="list-style-type: none">All operators must carry written support from the road manager acknowledging the operator's use of the road.Headlights to be switched on at all timesNo operation on unsealed road segment when visibly wet, without road owner's approval.Note: Low Volume (LV)Maximum speed 40 km/hWhen travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).Trucks Entering' signs to be located on Wheatley Coast Rd and removed when not in use. WAPRES Traffic Management Plan to be fully implemented
213Z113	Tomlinson Rd (F)	Tomlinson Rd (F)	Manjimup	0.00	Tomlinson Rd	0.58	Nairn Rd (F)	<ul style="list-style-type: none">All operators must carry written support from the road manager acknowledging the operator's use of the road.Headlights to be switched on at all timesNo operation on unsealed road segment when visibly wet, without road owner's approval.Note: Low Volume (LV)Maximum speed 30 km/hOperation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Meekatharra

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
7030135	Alternate Heavy Haulage Rd	Alternate Heavy Haulage Rd	Meekatharra	3.10	Landor - Meekatharra Rd	4.52	Great Northern Hwy	
7030034	Annean Rd	Annean Rd	Meekatharra	0.00	Great Northern Hwy	15.53	Annean Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h
7030067	Ashburton Dwns - Meekatharra Rd	Ashburton Dwns - Meekatharra Rd	Meekatharra	0.00	Great Northern Hwy	45.35	Yulgajinna Community Access	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 80 km/h Maximum speed of 60km/h on gravel roads.
7030067	Ashburton Dwns - Meekatharra Rd	Ashburton Dwns - Meekatharra Rd	Meekatharra	45.35	Yulgajinna Community Access	185.60	Tangadee Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h Maximum speed of 60km/h on gravel roads.
7030067	Ashburton Dwns - Meekatharra Rd	Ashburton Dwns - Meekatharra Rd	Meekatharra	185.60	Tangadee Rd	346.91	6.96km From The Lg Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 80 km/h Maximum speed of 60km/h on gravel roads.
7030004	Bulloo Downs Rd	Bulloo Downs Rd	Meekatharra	0.00	Great Northern Hwy	22.30	For 22.30 Km	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h
7030039	Buttah Rd	Buttah Rd	Meekatharra	0.00	Meekatharra - Mount Clere Rd	17.06		<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h

Tandem Drive Network 2.1



Meekatharra

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
7030025	Cogla Downs Rd	Cogla Downs Rd	Meekatharra	0.00	Meekatharra - Sandstone Rd	14.46	Cogla Downs - Taincrow Rd & Cogla Downs Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h
7030057	Connaughton St	Connaughton St	Meekatharra	0.00	Main St	0.84	Donovan St & Marmont St	
7030049	Darlot St	Darlot St	Meekatharra	0.15	Connaughton St	0.91	High St	
7030060	Donovan St	Donovan St	Meekatharra	0.00	Marmont St & Connaughton St	0.35	McCleary St	
7030054	Douglas St	Douglas St	Meekatharra	0.00	Railway St	0.33	Queen Rd	
7030143	Douglas St Slip Rd	Douglas St Slip Rd	Meekatharra	0.00	Queen Rd & Murchison Downs Rd	0.07	Douglas St	
7030043	High St	High St	Meekatharra	0.00	Spencer St	0.81	Queen Rd	
7030048	Hill St	Hill St	Meekatharra	0.14	Connaughton St	1.09	Meehan St	
7030083	Horseshoe Lights Access Rd	Horseshoe Lights Access Rd	Meekatharra	0.00	Ashburton Dwns - Meekatharra Rd	19.37	Horseshoe Access Rd	
7030016	Ilgarari Rd	Ilgarari Rd	Meekatharra	0.00	Great Northern Hwy	17.33	Tangadee Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h
7030065	Jigalong Mission Rd	Jigalong Mission Rd	Meekatharra	0.00	Great Northern Hwy	136.23	Jigalong Community Access Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h
7030008	Killara Rd	Killara Rd	Meekatharra	0.00	Goldfields Hwy	16.35	Killara Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h
7030066	Landor - Meekatharra Rd	Landor - Meekatharra Rd	Meekatharra	0.00	Roberts St & Main St	179.83	Upper Gascoyne Lga Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
7030086	Marmont St	Marmont St	Meekatharra	0.00	Donovan St & Connaughton St	0.37	Douglas St	
7030033	Marymia Rd	Marymia Rd	Meekatharra	0.00	Great Northern Hwy	60.22	For 60.50 Km	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h
7030047	Meehan St	Meehan St	Meekatharra	0.00	Hill St	0.14	Main St	

Tandem Drive Network 2.1



Meekatharra

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
7030001	Meekatharra - Mount Clere Rd	Meekatharra - Mount Clere Rd	Meekatharra	0.00	Great Northern Hwy	12.90	Big Bell Operations Access Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h
7030001	Meekatharra - Mount Clere Rd	Meekatharra - Mount Clere Rd	Meekatharra	12.90	Big Bell Operations Access Rd	181.27	Upper Gascoyne LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
7030068	Meekatharra - Sandstone Rd	Meekatharra - Sandstone Rd	Meekatharra	0.00	Murchison Downs Rd	100.72	Sandstone LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h
7030026	Milgun - Yarlalweelor Rd	Milgun - Yarlalweelor Rd	Meekatharra	0.00	Ashburton Dwns - Meekatharra Rd	48.77	Meekatharra - Mount Clere Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h
7030041	Mingah Springs Rd	Mingah Springs Rd	Meekatharra	0.00	Ashburton Dwns - Meekatharra Rd	65.94	Peak Hill - Three Rivers Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h
7030064	Mount Gould Rd	Mount Gould Rd	Meekatharra	0.00	Landor - Meekatharra Rd	3.38		<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h
7030031	Munarra Stn.	Munarra Stn.	Meekatharra	0.00	Great Northern Hwy	4.17	Munarra Stn. - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h
7030030	Murchison Downs Rd	Murchison Downs Rd	Meekatharra	0.00	Douglas St Slip Rd & Queen Rd	54.92	Hillview - Murchison Downs Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h

Tandem Drive Network 2.1



Meekatharra

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
7030013	Narracoota Rd	Narracoota Rd	Meekatharra	0.00	Ashburton Dwns - Meekatharra Rd	1.93	Narracoota Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
7030095	Neds Creek Rd	Neds Creek Rd	Meekatharra	0.00	Wiluna North Rd	7.10	Neds Creek Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h
7030050	Oliver St	Oliver St	Meekatharra	0.00	Connaughton St	0.75	High St	
7030007	Paroo Rd	Paroo Rd	Meekatharra	0.00	Goldfields Hwy	28.26	Paroo Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h
7030002	Peak Hill - Three Rivers Rd	Peak Hill - Three Rivers Rd	Meekatharra	0.00	Great Northern Hwy	116.60	Ashburton Dwns - Meekatharra Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h
7030069	Pingandy Rd	Pingandy Rd	Meekatharra	0.00	Ashburton Dwns - Meekatharra Rd	11.64	Upper Gascoyne LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h
7030045	Porter St	Porter St	Meekatharra	0.00	Main St	0.44	Oliver St	
7030052	Queen Rd	Queen Rd	Meekatharra	0.32	High St	0.69	Murchison Downs Rd & Douglas St Slip Rd	
7030051	Railway St	Railway St	Meekatharra	0.00	Connaughton St	0.74	High St	
7030046	Roberts St	Roberts St	Meekatharra	0.00	Landor - Meekatharra Rd & Main St	0.48	Oliver St	
7030044	Savage St	Savage St	Meekatharra	0.37	Main St	0.92	Railway St	
7030075	Sherwood Stn	Sherwood Stn	Meekatharra	0.00	Great Northern Hwy	1.71		<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h
7030090	Spencer St	Spencer St	Meekatharra	0.00	Savage St	0.18	High St	
7030019	Sylvania Rd	Sylvania Rd	Meekatharra	0.00	Great Northern Hwy	30.91	Sylvania Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit

Tandem Drive Network 2.1



Meekatharra

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
7030063	Tangadee Rd	Tangadee Rd	Meekatharra	0.00	Ashburton Dwns - Meekatharra Rd	6.58	6.58km From Ashburtin Dwns - Meekatharra Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
7030063	Tangadee Rd	Tangadee Rd	Meekatharra	6.58	6.58km From Ashburtin Dwns - Meekatharra Rd	55.50	55.5km From Ashburton Dwns - Meekatharra Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h
7030024	Trillbar Rd	Trillbar Rd	Meekatharra	0.00	Trillbar Rd - End Road	26.88	Meekatharra - Mount Clere Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
7030020	Turee Creek Rd	Turee Creek Rd	Meekatharra	0.00	Great Northern Hwy	128.60		<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h
7030005	Wiluna North Rd	Wiluna North Rd	Meekatharra	0.00	Great Northern Hwy	34.10	Neds Creek Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel).
7030028	Woodlands - Mt Augustus	Woodlands - Mt Augustus	Meekatharra	0.00	Mt Augustus - Woodlands Rd	99.46	Ashburton Dwns - Meekatharra Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h

Tandem Drive Network 2.1



Meekatharra

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
7030076	Yoothapina Station Rd	Yoothapina Station Rd	Meekatharra	0.00	Great Northern Hwy	4.70	Yoothapina Station Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h
7030022	Youno Downs Rd	Youno Downs Rd	Meekatharra	0.00	Meekatharra - Sandstone Rd	65.39	Yeelirrie - Meekatharra Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h
703Z035	Diamond Well - Doolgunna Rd	Diamond Well - Doolgunna Rd	Meekatharra	0.00	Goldfields Hwy	34.58	Diamond Well Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
703Z032	Doolgunna Rd	Doolgunna Rd	Meekatharra	0.00	Great Northern Hwy	6.10	Doolgunna Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h
703Z033	Mooloogool Rd	Mooloogool Rd	Meekatharra	0.00	Great Northern Hwy	43.40	Mooloogool Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit
703Z036	Plutonic Mine Rd	Plutonic Mine Rd	Meekatharra	0.00	Great Northern Hwy	12.18	Plutonic Access Rd	

Tandem Drive Network 2.1



Melville (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1190282	Blaikie St	Blaikie St	Melville (C)	0.00	Norma Rd & Pitt Wy	0.24	Blaikie St - End Road	
1190813	Carr Pl	Carr Pl	Melville (C)	0.00	North Lake Rd	0.17	Carr Pl - End Road	
1190033	Garling St	Garling St	Melville (C)	0.00	Stockdale Rd & Stock Rd & Garling St Sthn Cway	0.92	Garling St Sthn Cway & Bowen St	
1191163	Hayden Ct	Hayden Ct	Melville (C)	0.00	McCoy St	0.26	Hayden Ct - End Road	
1190283	Malland St	Malland St	Melville (C)	0.00	Blaikie St	0.24	Marmion St	
1190118	McCoy St	McCoy St	Melville (C)	0.44	Rome Rd	1.97	Pitt Wy	
1190010	Norma Rd	Norma Rd	Melville (C)	0.00	Leach Hwy	1.01	Shields Cr	
1190003	North Lake Rd	North Lake Rd	Melville (C)	1.40	McCoy St	1.68	Leach Hwy	
1190820	Pitt Wy	Pitt Wy	Melville (C)	0.00	Norma Rd & Blaikie St	0.38	McCoy St	
1190280	Playle St	Playle St	Melville (C)	0.00	McCoy St	0.14	50 Metres South of Prosser Way	
1190009	Rome Rd	Rome Rd	Melville (C)	1.51	Thurso Rd	1.67	Leach Hwy	
1190675	Shields Cr	Shields Cr	Melville (C)	0.00	Norma Rd	0.57	Norma Rd	
1190481	Thurso Rd	Thurso Rd	Melville (C)	0.00	Rome Rd	0.20	Thurso Pl	

Tandem Drive Network 2.1



Menzies

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6090042	Brown St	Brown St	Menzies	0.13	Goldfields Hwy	0.54	Onslow St	
6090012	Davyhurst - Mulline Rd	Davyhurst - Mulline Rd	Menzies	0.00	Davyhurst Rd & Coolgardie North Rd	33.91	Mulline - Lady Jane Access Rd & Evanston - Menzies Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6090010	Davyhurst Rd	Davyhurst Rd	Menzies	0.00	Evanston - Menzies Rd	37.55	Davyhurst - Mulline Rd & Coolgardie North Rd	
6090008	Evanston - Menzies Rd	Evanston - Menzies Rd	Menzies	0.00	Crusoe Rd	156.44	Trainers Rock Rd & Lake Barlee Rd	
6090040	Kurnalpi - Pinjin Rd	Kurnalpi - Pinjin Rd	Menzies	8.05	2km From Kurnalpi - Pinjin Rd	10.05	Kalgoorlie - Boulder (C) LGA Boundary	
6090015	Leonora - Mount Ida Rd	Leonora - Mount Ida Rd	Menzies	0.00	Mount Ida Rd & Lawlers - Mount Ida Rd	36.30	Leonora LGA Boundary	
6090007	Menzies North West Rd	Menzies North West Rd	Menzies	0.00	Onslow St	191.42	Menzies - Sandstone Rd	<ul style="list-style-type: none"> Maximum speed not to exceed 80 km/h on any unsealed portion of road.
6090028	Mount Celia Rd	Mount Celia Rd	Menzies	0.00	Pinjin Rd	52.06	Yundamindra - Linden Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6090026	Mount Ida Rd	Mount Ida Rd	Menzies	0.00	Menzies North West Rd	38.39	Leonora - Mount Ida Rd & Lawlers - Mount Ida Rd	
6090047	Onslow St	Onslow St	Menzies	0.34	Wilson St	0.63	Menzies North West Rd	
6090001	Pinjin Rd	Pinjin Rd	Menzies	0.00	Yarri Rd	11.91	Mount Celia Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6090013	Riverina - Snake Hill Rd	Riverina - Snake Hill Rd	Menzies	0.00	Menzies North West Rd	35.71	Evanston - Menzies Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6090023	Trainers Rock Rd	Trainers Rock Rd	Menzies	0.00	Evanston - Menzies Rd & Lake Barlee Rd	43.06	For 43.06km From Evanston - Menzies Rd	
6090031	Wilson St	Wilson St	Menzies	0.27	Goldfields Hwy	0.69	Onslow St	
6090039	Yarri Rd	Yarri Rd	Menzies	0.00	Kalgoorlie - Boulder (C) LGA Boundary	82.21	Pinjin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h

Tandem Drive Network 2.1



Merredin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4140225	Abattoir Rd	Abattoir Rd	Merredin	0.00	O'Connor St	1.74	Abattoirs Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140159	Allbeury St	Allbeury St	Merredin	0.00	Great Eastern Hwy	0.52	Muscat St	
4140110	Allsop Rd	Allsop Rd	Merredin	0.00	Depot Dam Rd	4.67	Old Muntadgin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Old Muntadgin Rd : No access permitted into Old Muntadgin Rd from Alisop Rd
4140069	Armstrong Rd	Armstrong Rd	Merredin	0.00	Bulls Head Rd	3.32	Ellery Rd & Koonadgin Rd	
4140075	Arnold Rd	Arnold Rd	Merredin	0.00	Koonadgin Rd	13.35	Crees Rd	
4140016	Baandee South Rd	Baandee South Rd	Merredin	0.00	Great Eastern Hwy	9.68	Barr Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140085	Barnes Rd	Barnes Rd	Merredin	0.00	Old Muntadgin Rd	4.22	Bulls Head Rd & Booran South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Merredin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4140047	Barr Rd	Barr Rd	Merredin	0.00	Korbel West Rd & Hines Hill Rd	6.92	Baandee South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140135	Barrack St	Barrack St	Merredin	0.89	Queen St	1.08	Mary St	
4140091	Bassula Rd	Bassula Rd	Merredin	0.00	Booran South Rd	8.89	Springwell Valley Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Travel in a westerly direction only.
4140089	Belka East Rd	Belka East Rd	Merredin	0.00	Brissenden Rd & Merredin - Narembene Rd	1.72	Bruce Rock LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h No Operation between the hours of sunset and sunrise Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140200	Benson Rd	Benson Rd	Merredin	0.00	Telfer Av	0.33	Watson Rd	

Tandem Drive Network 2.1



Merredin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4140045	Bicks Rd	Bicks Rd	Merredin	0.00	Hart Rd & Chandler - Merredin Rd	7.59	Downsborough Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140101	Bignell Rd	Bignell Rd	Merredin	0.00	Old Nukarni Rd	4.71	Nokaning East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140084	Booran North Rd	Booran North Rd	Merredin	0.00	Great Eastern Hwy & Gebert Rd	5.70	Booran North Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140033	Booran South Rd	Booran South Rd	Merredin	0.00	Bulls Head Rd & Barnes Rd	12.20	Great Eastern Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Merredin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4140060	Briant Rd	Briant Rd	Merredin	0.00	Korbel East Rd & Totadgin Hall Rd	14.61	Old Muntadgin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140004	Brissenden Rd	Brissenden Rd	Merredin	0.00	Merredin - Naremben Rd & Belka East Rd	18.94	Crossland St & Dunwell Rd	
4140003	Bulls Head Rd	Bulls Head Rd	Merredin	0.00	Merredin - Naremben Rd	25.35	Burracoppin South Rd	
4140005	Burracoppin - Campion Rd	Burracoppin - Campion Rd	Merredin	0.00	Great Eastern Hwy & Junk Rd	32.15	Rabbit Proof Fence Rd	
4140215	Burracoppin Siding Rd	Burracoppin Siding Rd	Merredin	0.00	Burracoppin - Campion Rd	2.45	Rabbit Proof Fence Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
4140015	Burracoppin South Rd	Burracoppin South Rd	Merredin	0.00	Great Eastern Hwy	49.17	Hooper Rd	<ul style="list-style-type: none"> Intersection Goldfields Rd : No right turn permitted into Goldfields Rd from Burracoppin South Rd.
4140086	Cahill Rd	Cahill Rd	Merredin	0.00	Great Eastern Hwy & Neening Rd	5.37	Cahill Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140001	Chandler - Merredin Rd	Chandler - Merredin Rd	Merredin	0.00	Goldfields Rd	40.03	Nungarin LGA Boundary	<ul style="list-style-type: none"> Intersection Goomarin Rd : No right turn permitted into Goomarin Rd from Chandler Merredin Rd
4140123	Clarke Rd	Clarke Rd	Merredin	0.00	Hooper Rd	5.10	Hendrick Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140291	Coghill St	Coghill St	Merredin	0.00	Doyle St	0.12	Coghill St - End Road	
4140193	Cohn St	Cohn St	Merredin	0.00	Dobson Av & Muscat St	0.77	O'Connor St	

Tandem Drive Network 2.1



Merredin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4140034	Collgar South Rd	Collgar South Rd	Merredin	0.00	Merredin - Naremben Rd	9.18	Briant Rd	
4140068	Collgar West Rd	Collgar West Rd	Merredin	0.00	Totadgin Hall Rd	6.63	Collgar South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4140234	Combes Dr	Combes Dr	Merredin	0.00	Great Eastern Hwy	0.32	0.317kms From Great Eastern Highway.	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140054	Connell Rd	Connell Rd	Merredin	0.00	Nangeenan North Rd	5.09	Hubeck Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140140	Coronation St	Coronation St	Merredin	0.00	King St	0.95	Mary St	
4140095	Coulahan Rd	Coulahan Rd	Merredin	0.00	Baandee South Rd	5.50	Doodlakine - Bruce Rock Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Merredin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4140065	Coupar Rd	Coupar Rd	Merredin	0.00	Nangeenan North Rd	3.50	Neening Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140160	Craddock Rd	Craddock Rd	Merredin	0.00	South Av	0.30	French Av	
4140066	Crees Rd	Crees Rd	Merredin	0.00	Burracoppin South Rd	3.75	Ogden Rd	
4140072	Crooks Rd	Crooks Rd	Merredin	0.00	Great Eastern Hwy	1.50	Hubeck Rd & Goldfields Rd	
4140176	Cummings St	Cummings St	Merredin	0.00	Great Eastern Hwy	0.57	Dobson Av & Jackson Wy	
4140046	Currie Rd	Currie Rd	Merredin	0.00	Burracoppin - Campion Rd	5.01	Downsborough Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140100	Day Rd	Day Rd	Merredin	0.00	Burracoppin South Rd	3.22	McPharlin Rd & Day Rd	
4140209	Della Rd	Della Rd	Merredin	0.00	Hackling Rd	3.54	Yilgarn LGA Boundary	
4140061	Depot Dam Rd	Depot Dam Rd	Merredin	0.00	Flockart Rd & Totadgin Hall Rd	10.09	Merredin - Naremben Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140061	Depot Dam Rd	Depot Dam Rd	Merredin	10.09	Merredin - Naremben Rd	14.75	Allsop Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4140113	Dobson Av	Dobson Av	Merredin	0.00	Cohn St & Muscat St	0.31	Dobson Av - End Road	

Tandem Drive Network 2.1



Merredin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4140238	Doodlakine - Bruce Rock Rd	Doodlakine - Bruce Rock Rd	Merredin	0.00	Coulahan Rd & Doodlakine - Bruce Rock Rd	8.64	Bruce Rock LGA Boundary	
4140032	Downsborough Rd	Downsborough Rd	Merredin	0.00	Bicks Rd	9.49	Burracoppin - Champion Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140290	Doyle St	Doyle St	Merredin	0.00	East Barrack St	0.16	Coghill St	
4140141	Duff St	Duff St	Merredin	0.00	Railway Av	1.57	East Barrack St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Maximum speed 50 km/h
4140042	Dunlop Rd	Dunlop Rd	Merredin	0.00	Hubeck Rd	9.48	Neening Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140092	Dunwell Rd	Dunwell Rd	Merredin	0.00	Muntadgin Rd & Hooper Rd	1.35	Brissenden Rd & Crossland St	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4140244	East Barrack St	East Barrack St	Merredin	0.00	Mary St & Mitchell St	1.60	Great Eastern Hwy	<ul style="list-style-type: none"> Intersection Mary St & Mitchell St : No access permitted into Mary St from Watson Rd Intersection Watson Rd : No left turn permitted into Watson Rd from East Barrack St

Tandem Drive Network 2.1



Merredin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4140026	Endersbee Rd	Endersbee Rd	Merredin	0.00	Osborne Rd & Hines Hill Rd	5.06	Korbelka Rd & McGellin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Railway not to be crossed.
4140231	Fagans Folly Rd	Fagans Folly Rd	Merredin	0.00	Booran North Rd	3.93	Fagans Folly Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h
4140017	Fewster Rd	Fewster Rd	Merredin	0.00	Baandee South Rd	3.25	Goodier Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140105	Fisher East Rd	Fisher East Rd	Merredin	0.00	Pustkuchen Rd	2.88	Un Named Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Merredin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4140087	Fitzpatrick Rd	Fitzpatrick Rd	Merredin	0.00	Nangeenan North Rd	4.15	Neening Rd	<ul style="list-style-type: none"> Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Intersection Neening Rd : No left turn permitted into Neening Rd from Fitzpatrick Rd
4140049	Flockart Rd	Flockart Rd	Merredin	0.00	Depot Dam Rd & Totadgin Hall Rd	5.45	McGellin Rd & Bruce Rock Merredin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection McGellin Rd & Bruce Rock Merredin Rd : No left turn permitted into York Merredin Rd from Flockart Rd
4140073	Fourteen Mile Gate Rd	Fourteen Mile Gate Rd	Merredin	0.00	Pitt Rd & Burracoppin - Champion Rd	4.39	Capito Rd & Rabbit Proof Fence Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140102	Gabo Av	Gabo Av	Merredin	0.00	Crooks Rd	1.71	Gamenya Av	
4140213	Gamenya Av	Gamenya Av	Merredin	0.00	Gabo Av	1.63	0.24km From Alfred St	
4140128	Giles Rd	Giles Rd	Merredin	0.00	Pustkuchen Rd	2.90	Hines Hill North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140090	Goldfields Rd	Goldfields Rd	Merredin	0.00	Burracoppin South Rd	6.54	Great Eastern Hwy	

Tandem Drive Network 2.1



Merredin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4140090	Goldfields Rd	Goldfields Rd	Merredin	6.55	Great Eastern Hwy	11.32	Booran North Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Booran North Rd : No left turn permitted into Booran North Rd from Goldfields Rd
4140090	Goldfields Rd	Goldfields Rd	Merredin	11.88	Booran North Rd	20.57	Chandler - Merredin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140090	Goldfields Rd	Goldfields Rd	Merredin	20.57	Chandler - Merredin Rd	26.50	Hubeck Rd & Crooks Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
4140090	Goldfields Rd	Goldfields Rd	Merredin	26.50	Hubeck Rd & Crooks Rd	32.69	Nangeenan North Rd	
4140090	Goldfields Rd	Goldfields Rd	Merredin	32.69	Nangeenan North Rd	42.65	Hines Hill North Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4140019	Goomarin - Nukarni Rd	Goomarin - Nukarni Rd	Merredin	0.00	Talgomine Reserve Rd	8.48	Nungarin LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140037	Goomarin Rd	Goomarin Rd	Merredin	0.00	Chandler - Merredin Rd	11.41	Woodward Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Chandler - Merredin Rd : No access permitted into Chandler Merredin Rd from Goomarin Rd

Tandem Drive Network 2.1



Merredin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4140058	Growden Rd	Growden Rd	Merredin	0.00	Great Eastern Hwy & Snell Rd	8.70	Ulva Siding Rd	
4140052	Hackling Rd	Hackling Rd	Merredin	0.00	Burracoppin South Rd	10.37	Dulyalbin Rd	
4140051	Hart Rd	Hart Rd	Merredin	0.00	Chandler - Merredin Rd & Bicks Rd	10.23	Knungajin - Merredin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140227	Hearles Rd	Hearles Rd	Merredin	0.00	Hines Hill North Rd	2.50	Hearle Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4140083	Hendrick Rd	Hendrick Rd	Merredin	0.00	Burracoppin South Rd	18.99	Brissenden Rd	
4140021	Hines Hill - Korbel Rd	Hines Hill - Korbel Rd	Merredin	0.00	Great Eastern Hwy	17.00	Korbel East Rd & Korbelka Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140009	Hines Hill North Rd	Hines Hill North Rd	Merredin	0.00	Great Eastern Hwy	23.09	Nukarni West Rd & Danberrin Rd	

Tandem Drive Network 2.1



Merredin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4140002	Hines Hill Rd	Hines Hill Rd	Merredin	0.00	Great Eastern Hwy	19.86	Bruce Rock LGA Boundary	
4140097	Hines Hill Wheat Bin St	Hines Hill Wheat Bin St	Merredin	0.00	Great Eastern Hwy	1.45	Hines Hill North Rd	
4140020	Hooper Rd	Hooper Rd	Merredin	0.00	Dunwell Rd & Muntadgin Rd	22.07	Garbin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140035	Hubeck Rd	Hubeck Rd	Merredin	0.00	Merredin Nungarin Rd	13.69	Goldfields Rd & Crooks Rd	
4140104	Insignia Wy	Insignia Wy	Merredin	0.00	Crooks Rd	0.91	Gabo Av	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140118	Jarvis Rd	Jarvis Rd	Merredin	0.00	Goldfields Rd	1.61	Jarvis Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140057	Johnston Rd	Johnston Rd	Merredin	0.00	Ogden Rd	2.53	Springwell Valley Rd	
4140008	Knungajin - Merredin Rd	Knungajin - Merredin Rd	Merredin	0.00	Merredin Nungarin Rd	14.08	Goomarin - Nukarni Rd & Knungajin - Merredin Rd	
4140044	Koonadgin Rd	Koonadgin Rd	Merredin	0.00	Koonadgin South Rd & Scott Rd	12.85	Burracoppin South Rd	

Tandem Drive Network 2.1



Merredin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4140116	Koonadgin South Rd	Koonadgin South Rd	Merredin	0.00	Scott Rd & Koonadgin Rd	3.50	Old Muntadgin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140036	Korbel East Rd	Korbel East Rd	Merredin	0.00	Hines Hill - Korbel Rd & Korbelka Rd	13.12	Briant Rd & Totadgin Hall Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140010	Korbel West Rd	Korbel West Rd	Merredin	0.00	Hines Hill Rd & Barr Rd	4.97	Hines Hill - Korbel Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140063	Korbelka Rd	Korbelka Rd	Merredin	0.00	Korbel East Rd & Hines Hill - Korbel Rd	6.58	Bruce Rock LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Merredin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4140007	Korbrekullung Rd	Korbrekullung Rd	Merredin	0.00	Bruce Rock Merredin Rd	17.41	Goodier Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140050	Last Rd	Last Rd	Merredin	0.00	Totadgin Hall Rd & Teasdale Rd	5.44	Gigney Rd & Collgar South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4140098	Liebeck Rd	Liebeck Rd	Merredin	0.00	Burracoppin South Rd & Tandegin East Rd	9.56	Yilgarn LGA Boundary	
4140284	Marley Cl	Marley Cl	Merredin	0.00	Marley Cl - Start Road	0.50	Marley Cl - End Road	
4140154	Mary St	Mary St	Merredin	0.00	Great Eastern Hwy	0.60	Duff St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Maximum speed 50 km/h Intersection Mitchell St & East Barrack St : No access permitted into East Barrack St for Mary St
4140064	McGellin Rd	McGellin Rd	Merredin	0.00	Flockart Rd & Bruce Rock Merredin Rd	6.67	Endersbee Rd & Korbelka Rd	
4140226	McKenzie Cr	McKenzie Cr	Merredin	0.00	East Barrack St	1.04	East Barrack St	
4140239	Merredin - Naremben Rd	Merredin - Naremben Rd	Merredin	0.00	Great Eastern Hwy	8.59	Collgar South Rd	
4140239	Merredin - Naremben Rd	Merredin - Naremben Rd	Merredin	8.59	Collgar South Rd	10.00	0.58km From Bulls Head Rd	<ul style="list-style-type: none"> HVS Update 7-2022
4140239	Merredin - Naremben Rd	Merredin - Naremben Rd	Merredin	10.00	0.58km From Bulls Head Rd	36.48	Naremben LGA Boundary	

Tandem Drive Network 2.1



Merredin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4140137	Mitchell St	Mitchell St	Merredin	0.00	Fifth St	0.69	Mary St & East Barrack St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Maximum speed 50 km/h
4140028	Muntadgin - Tandegin Rd	Muntadgin - Tandegin Rd	Merredin	4.01	Tandegin West Rd	8.85	Hendrick Rd	
4140018	Muntadgin Rd	Muntadgin Rd	Merredin	0.00	Dunwell Rd & Hooper Rd	0.12	Crossland St & Wogarl - Muntadgin Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
4140018	Muntadgin Rd	Muntadgin Rd	Merredin	0.12	Crossland St & Wogarl - Muntadgin Rd	17.06	Bruce Rock LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140181	Muscat St	Muscat St	Merredin	0.00	Kendall St	0.38	Cohn St & Dobson Av	
4140006	Nangeenan North Rd	Nangeenan North Rd	Merredin	0.00	Great Eastern Hwy	22.63	Nukarni West Rd & Nangeenan North Rd	
4140022	Neening Rd	Neening Rd	Merredin	0.00	Nukarni West Rd	22.57	Great Eastern Hwy & Cahill Rd	
4140029	Nokaning East Rd	Nokaning East Rd	Merredin	0.00	Merredin Nungarin Rd & Nokaning West Rd	10.09	Chandler - Merredin Rd & Whistler Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Merredin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4140012	Nokaning West Rd	Nokaning West Rd	Merredin	0.00	Nangeenan North Rd	8.32	Merredin Nungarin Rd & Nokaning East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140259	Nukarni Bin Rd	Nukarni Bin Rd	Merredin	0.00	Nukarni East Rd	0.31	Nukarni Bin Rd - End Road	
4140013	Nukarni East Rd	Nukarni East Rd	Merredin	0.00	Nukarni West Rd & Merredin Nungarin Rd	15.14	Chandler - Merredin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140014	Nukarni West Rd	Nukarni West Rd	Merredin	0.00	Nukarni East Rd & Merredin Nungarin Rd	8.52	Nukarni West Rd & Nangeenan North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140205	O'Connor St	O'Connor St	Merredin	0.00	Great Eastern Hwy	0.32	Abattoir Rd	
4140067	Ogden Rd	Ogden Rd	Merredin	0.00	Crees Rd	2.93	Johnston Rd	

Tandem Drive Network 2.1



Merredin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4140024	Old Muntadgin Rd	Old Muntadgin Rd	Merredin	0.00	Merredin - Naremben Rd	22.57	Brissenden Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4140053	Osborne Rd	Osborne Rd	Merredin	0.00	Endersbee Rd & Hines Hill Rd	5.29	Osborne Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4140077	Peel Rd	Peel Rd	Merredin	0.00	Bruce Rock Merredin Rd	7.56	Great Eastern Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Merredin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4140108	Perkins Rd	Perkins Rd	Merredin	0.00	Depot Dam Rd	2.34	Bruce Rock LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Depot Dam Rd : No right turn permitted unto Depot Dam Rd from Perkins Rd
4140210	Pink Rd	Pink Rd	Merredin	0.00	Hackling Rd	4.80	Pink Rd - End Road	
4140023	Pitt Rd	Pitt Rd	Merredin	0.00	Burracoppin - Campion Rd & Fourteen Mile Gate Rd	4.83	Chandler - Merredin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140132	Potter Rd	Potter Rd	Merredin	0.00	Muntadgin Rd	2.41	Naremben LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4140139	Queen St	Queen St	Merredin	0.00	Barrack St	0.43	Duff St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Maximum speed 50 km/h
4140056	Robertson Rd	Robertson Rd	Merredin	0.00	Goldfields Rd	8.66	Bruce Rock Merredin Rd	

Tandem Drive Network 2.1



Merredin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4140079	Roberts Rd	Roberts Rd	Merredin	0.00	Nukarni West Rd & Willis Rd	3.45	Baird Rd & Roberts Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140285	Rutter St	Rutter St	Merredin	0.00	Great Eastern Hwy	0.05	Marley Cl	
4140076	Scott Rd	Scott Rd	Merredin	0.00	Koonadgin South Rd & Koonadgin Rd	7.23	Springwell Valley Rd & Bulls Head Rd	
4140126	Smith Rd	Smith Rd	Merredin	0.00	Hines Hill Rd & Tuppen Rd	1.09	Smith Dr - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4140088	Snell Rd	Snell Rd	Merredin	0.00	Great Eastern Hwy & Growden Rd	4.25	Snell Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140027	Springwell Valley Rd	Springwell Valley Rd	Merredin	0.00	Parkes St	17.81	Bulls Head Rd & Scott Rd	

Tandem Drive Network 2.1



Merredin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4140062	Talgomine Reserve Rd	Talgomine Reserve Rd	Merredin	0.00	Chandler - Merredin Rd	9.55	Nungarin LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4140040	Tandegin East Rd	Tandegin East Rd	Merredin	0.00	Muntadgin - Tandegin Rd	14.57	Burracoppin South Rd & Liebeck Rd	
4140055	Teasdale Rd	Teasdale Rd	Merredin	0.00	Last Rd & Totadgin Hall Rd	7.39	Bruce Rock Merredin Rd & Ulva Siding Rd	
4140175	Telfer Av	Telfer Av	Merredin	0.00	East Barrack St	0.23		
4140011	Totadgin Hall Rd	Totadgin Hall Rd	Merredin	0.00	Bruce Rock Merredin Rd	19.71	Totadgin Rd	
4140096	Ulva Siding Rd	Ulva Siding Rd	Merredin	0.00	Bruce Rock Merredin Rd & Teasdale Rd	3.05	Korbreilkulling Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4140201	Watson Rd	Watson Rd	Merredin	0.00	East Barrack St	0.24	Benson Rd	<ul style="list-style-type: none"> Intersection East Barrack St : No right turn permitted into East Barrack St from Watson Rd
4140059	Willis Rd	Willis Rd	Merredin	0.00	Nukarni West Rd & Roberts Rd	7.79	Nokaning West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Merredin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4140043	Wogarl - Muntadgin Rd	Wogarl - Muntadgin Rd	Merredin	0.00	Crossland St & Muntadgin Rd	2.35	Narembeen LGA Boundary	<ul style="list-style-type: none">Maximum speed 60 km/hOperation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4140082	Woodward Rd	Woodward Rd	Merredin	0.00	Chandler - Merredin Rd	8.80	Nungarin LGA Boundary	<ul style="list-style-type: none">Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Mingenew

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5090066	Adji Daji Rd	Adji Daji Rd	Mingenew	0.00	Mingenew Morawa Rd	0.73	Adji Daji Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5090008	Allanooka Springs Rd	Allanooka Springs Rd	Mingenew	0.00	Depot Hill Rd	7.24	Allanooka Springs Rd & Erangy Spring Rd	
5090082	Boolinda Rd	Boolinda Rd	Mingenew	0.00	Midlands Rd	0.16	Eleanor St	<ul style="list-style-type: none"> Intersection Eleanor St : No Right Turn Into Cbh Facility Located 20 Metres North Of The Rail Crossing
5090062	Boundary Rd	Boundary Rd	Mingenew	0.00	Depot Hill Rd	7.33	Erangy Spring Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5090042	Bride St	Bride St	Mingenew	0.00	Midlands Rd	0.40	Phillip St	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5090007	Burma Rd	Burma Rd	Mingenew	0.00	Strawberry North East Rd	1.95	Irwin LGA Boundary	
5090063	Byro Rd	Byro Rd	Mingenew	0.00	Scroops Rd	3.75	Byro Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5090065	Carrs Rd	Carrs Rd	Mingenew	0.00	Mingenew Morawa Rd	2.28	Carrs Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Mingenew

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5090003	Coalseam Rd	Coalseam Rd	Mingenew	0.00	Mingenew Morawa Rd	28.88	Coalseam Reserve North Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5090034	Colgate Rd	Colgate Rd	Mingenew	0.00	Yongarloo Rd	17.54	Sheppard Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Neates Rd : No access permitted to Neates Rd from Colgate Rd
5090006	Depot Hill Rd	Depot Hill Rd	Mingenew	0.00	Mingenew - Mullewa Rd	15.60	Depot Hill Rd & Allanooka Springs Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
5090088	Depot Hill Rd	Depot Hill Rd	Mingenew	0.00	Depot Hill Rd & Allanooka Springs Rd	17.01	Greater Geraldton (C) LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
5090076	Donald St	Donald St	Mingenew	0.00	Melville St	0.15	Donald St - End Road	
5090056	Eleanor St	Eleanor St	Mingenew	0.00	Mingenew Morawa Rd	1.01	Boolinda Rd	
5090013	Enokurra Rd	Enokurra Rd	Mingenew	0.00	Mount Scratch Rd	5.98	Yandanooka North East Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5090009	Erangy Spring Rd	Erangy Spring Rd	Mingenew	0.00	Allanooka Springs Rd	10.87	Erangy Spring Rd & Boundary Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5090074	Ernest St	Ernest St	Mingenew	0.00	Mingenew Morawa Rd	0.30	Melville St	
5090052	Irwin St	Irwin St	Mingenew	0.00	William St & Moore St	0.37	Bride St	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5090023	Jones Rd	Jones Rd	Mingenew	0.00	Yandanooka North East Rd	4.90	Yandanooka Melara Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5090040	King St	King St	Mingenew	0.18	Lockier St	0.36	Bride St	
5090047	Lockier St	Lockier St	Mingenew	0.00	Midlands Rd	0.15	King St	
5090020	Manarra Rd	Manarra Rd	Mingenew	0.00	Nanekine Rd	8.25	Narandagy - Pintharuka Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
5090075	Melville St	Melville St	Mingenew	0.00	Eleanor St	0.15	Ernest St	
5090031	Michael Rd	Michael Rd	Mingenew	0.00	Nanekine Rd	5.93	Michael Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h

Tandem Drive Network 2.1



Mingenew

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5090024	Milo Rd	Milo Rd	Mingenew	0.00	Midlands Rd	3.25	Irwin LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5090080	Mingenew - Mullewa Rd	Mingenew - Mullewa Rd	Mingenew	0.00	Mingenew Morawa Rd	31.09	Greater Geraldton (C) LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5090001	Mingenew South Rd	Mingenew South Rd	Mingenew	0.00	Midlands Rd	16.59	Yandanooka West Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5090011	Mooriary Rd	Mooriary Rd	Mingenew	0.00	Midlands Rd	16.16	Yandanooka West Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5090015	Morawa - Yandanooka Rd	Morawa - Yandanooka Rd	Mingenew	0.00	Yandanooka Melara Rd	15.39	Colgate Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5090021	Mount Scratch Rd	Mount Scratch Rd	Mingenew	0.00	Yandanooka North East Rd & Willis Rd	8.85	Mount Scratch - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Mingenew

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5090032	Mungaterra Rd	Mungaterra Rd	Mingenew	0.00	Mingenew - Mullewa Rd	2.50	For 2.50 Km	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5090004	Nanekine Rd	Nanekine Rd	Mingenew	0.00	Coalseam Rd	13.99	Thomas Rd & Nanekine Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h
5090022	Narandagy - Pintharuka Rd	Narandagy - Pintharuka Rd	Mingenew	0.00	Coalseam Rd	6.60	Yandanooka Melara Rd	
5090022	Narandagy - Pintharuka Rd	Narandagy - Pintharuka Rd	Mingenew	6.60	Yandanooka Melara Rd	7.52	Manarra Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5090022	Narandagy - Pintharuka Rd	Narandagy - Pintharuka Rd	Mingenew	7.52	Manarra Rd	14.90	Pintharuka West Rd	
5090067	Natta Rd	Natta Rd	Mingenew	0.00	Yandanooka West Rd	0.72	Three Springs LGA Boundary	
5090029	Newton Rd	Newton Rd	Mingenew	0.00	Depot Hill Rd	1.58	Newton Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5090039	Scott Rd	Scott Rd	Mingenew	0.00	Mitchell Rd & Yandanooka West Rd	3.49	Scott Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5090017	Scroops Rd	Scroops Rd	Mingenew	0.00	Mingenew - Mullewa Rd	13.90	Coalseam Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Mingenew

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5090043	Shenton St	Shenton St	Mingenew	0.00	Midlands Rd	0.42	Phillip St	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5090018	Strawberry North East Rd	Strawberry North East Rd	Mingenew	0.00	Midlands Rd	14.34	Depot Hill Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
5090019	Switchback Rd	Switchback Rd	Mingenew	0.00	Midlands Rd	11.71	Yandanooka Melara Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5090025	Telara Rd	Telara Rd	Mingenew	0.00	Mingenew - Mullewa Rd	11.85	Scroops Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
5090027	Willis Rd	Willis Rd	Mingenew	0.00	Yandanooka North East Rd & Mount Scratch Rd	4.19	Willis Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5090005	Yandanooka Melara Rd	Yandanooka Melara Rd	Mingenew	0.00	Yandanooka North East Rd	20.40	Narandagy - Pintharuka Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5090002	Yandanooka North East Rd	Yandanooka North East Rd	Mingenew	0.00	Midlands Rd	21.04		<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. NOT TO OPERATE DURING SCHOOL BUS TIMES
5090014	Yandanooka South Rd	Yandanooka South Rd	Mingenew	0.00	Midlands Rd	3.68	Yandanooka West Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5090012	Yandanooka West Rd	Yandanooka West Rd	Mingenew	0.00	Irwin LGA Boundary	18.32	Mingenew South Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Mingenew

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5090010	Yarragadee West Rd	Yarragadee West Rd	Mingenew	0.00	Mingenew - Mullewa Rd	7.12	Depot Hill Rd	<ul style="list-style-type: none">All operators must carry written support from the road manager acknowledging the operator's use of the road.No operation on unsealed road segment when visibly wet, without road owner's approval.Maximum speed 80 km/h

Tandem Drive Network 2.1



Moora

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5100038	Airstrip Rd	Airstrip Rd	Moora	0.00	Moora - Caro Rd	7.00	Airstrip Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
5100174	Arkells Rd	Arkells Rd	Moora	0.00	Great Northern Hwy	2.80	Arkells Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5100081	Arrawarra Rd	Arrawarra Rd	Moora	0.00	Midlands Rd	1.92	Arrawarra Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5100095	Atbara St	Atbara St	Moora	0.00	Padbury St & Drummond St	1.41	Atbara St - End Road	
5100037	Balarong Rd	Balarong Rd	Moora	0.00	Barberton East Rd	11.42	Midlands Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5100125	Barber St	Barber St	Moora	0.78	Moora - Miling Rd & Berkshire Valley Rd	1.17	0.394km North From Moora Miling Rd & Berkshire Valley Rd	
5100014	Barberton East Rd	Barberton East Rd	Moora	0.00	Bindoon Moora Rd	14.64	Wass Rd & Wirrilda Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Moora

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5100035	Barberton West Rd	Barberton West Rd	Moora	0.00	Bindoon Moora Rd	11.64	Boundary Rd & Barberton West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
5100084	Berkshire Valley Rd	Berkshire Valley Rd	Moora	0.00	Moora - Miling Rd	3.95	Old Geraldton Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5100194	Berkshire Valley Rd	Berkshire Valley Rd	Moora	0.00	Gardiner St	0.69	Barber St & Moora - Miling Rd	
5100008	Bindi - Ballidu Rd	Bindi - Ballidu Rd	Moora	0.00	Great Northern Hwy	16.63	Ballidu - Bindi Bindi Rd & Tothra - Exchange Rd & Nadjia Mia Rd	
5100009	Bindi East Rd	Bindi East Rd	Moora	0.00	Tootra Fence Rd	12.52	Piper Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5100009	Bindi East Rd	Bindi East Rd	Moora	12.52	Piper Rd	21.44	Toodyay - Bindi Bindi Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5100051	Boundary Rd	Boundary Rd	Moora	0.00	Boundary Rd & Koojan Pool Rd	10.43	Barberton West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
5100127	Brown St	Brown St	Moora	0.00	Bindoon Moora Rd & Padbury St	0.95	Long St	<ul style="list-style-type: none"> Maximum speed 60 km/h
5100013	Bulbarnet Rd	Bulbarnet Rd	Moora	0.00	Bindoon Moora Rd	13.91	Wirrilda Rd	

Tandem Drive Network 2.1



Moora

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5100034	Carino Rd	Carino Rd	Moora	0.00	Old Geraldton Rd	6.80	Watheroo Miling Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
5100021	Carot Well Rd	Carot Well Rd	Moora	0.00	Railway Rd	27.33	Dalwallinu LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5100025	Cattady Rd	Cattady Rd	Moora	0.00	Kiaka Rd	13.25	Orton Rd & Moora - Miling Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5100043	Clarke Rd	Clarke Rd	Moora	0.00	Urquhart Rd	7.81	Gabalong West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5100117	Clarke St	Clarke St	Moora	0.00	Tootra St	0.18		
5100089	Clinch St	Clinch St	Moora	0.00	Roberts St & Clinch St & Roberts Rd	0.58	Long St	

Tandem Drive Network 2.1



Moora

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5100058	Colvin Rd	Colvin Rd	Moora	0.00	Moora - Miling Rd	9.78	Great Northern Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Cranmore Rd : No access permitted into Cranmore Rd from Colvin Rd
5100027	Coomberdale East Rd	Coomberdale East Rd	Moora	0.00	Kiaka St & Pryre St & Coomberdale Wheatbin Access	8.68	Old Geraldton Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
5100011	Coomberdale West Rd	Coomberdale West Rd	Moora	0.00	Dandaragan LGA Boundary	12.56	Midlands Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
5100061	Cranmore Rd	Cranmore Rd	Moora	0.00	Great Northern Hwy	10.90	Colvin Rd	<ul style="list-style-type: none"> Intersection Colvin Rd : No access permitted into Colvin Rd from Cranmore Rd
5100030	Creslow Rd	Creslow Rd	Moora	0.00	Moora - Miling Rd	9.31	Miling West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5100015	Dalwallinu West Rd	Dalwallinu West Rd	Moora	0.00	Miling North Rd	16.59	Stone Rd & Dalwallinu West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
5100192	Dandaragan St	Dandaragan St	Moora	0.00	Dandaragan Rd & Roberts Rd	1.63	Moora - Caro Rd & Ferguson Rd	

Tandem Drive Network 2.1



Moora

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5100048	Delane Rd	Delane Rd	Moora	0.00	Delanes Rd - Start Road	5.88	Miling West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5100052	Dennis Rd	Dennis Rd	Moora	0.00	Miling North Rd	11.50	Pithara West Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5100054	Duncan Rd	Duncan Rd	Moora	0.00	Lyons East Rd	5.44	Bindi - Ballidu Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5100067	Eagle Hill Rd	Eagle Hill Rd	Moora	0.00	Midlands Rd	5.36	Eagle Hill Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Moora

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5100029	Edawa Rd	Edawa Rd	Moora	0.00	Watheroo Miling Rd	8.25	Merewana Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
5100076	Edibegebege Rd	Edibegebege Rd	Moora	0.00	Great Northern Hwy	3.44	Edibegebege Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5100064	Elliot Rd	Elliot Rd	Moora	0.00	Eagle Hill Rd	2.79	Elliott Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Eagle Hill Rd : No right turn permitted into Eagle Hill Rd from Elliot Rd. Beware of narrow section at intersection with Eagle Hill Rd.
5100143	Ellis St	Ellis St	Moora	0.00	Marah St	0.64	Ellis Rd - End Road	
5100156	Ferguson St	Ferguson St	Moora	0.00	Nardy St	0.58	Ferguson St - End Road	
5100065	French Rd	French Rd	Moora	0.00	Midlands Rd	0.80	800 Metres West From Midlands	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Moora

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5100032	Gabalong East Rd	Gabalong East Rd	Moora	0.00	Toodyay - Bindi Bindi Rd	6.30	Wongan - Ballidu LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h
5100004	Gabalong West Rd	Gabalong West Rd	Moora	0.00	Toodyay - Bindi Bindi Rd	5.48	Gabalong West Rd & Skilling Rd	
5100085	Gardiner St	Gardiner St	Moora	0.00	Clinch St & Gardiner St	0.64	Tootra St & Cameron St	
5100173	Golf Club Rd	Golf Club Rd	Moora	0.00	Miling East Rd	2.73	Great Northern Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5100042	Honey Rd	Honey Rd	Moora	0.00	Bindi East Rd	3.90	Taylor Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5100040	Indarrie Rd	Indarrie Rd	Moora	0.00	Great Northern Hwy	5.23	Indarrie Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Moora

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5100077	Jenkins Rd	Jenkins Rd	Moora	0.00	Honey Rd	6.52	Bindi East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5100022	Kiaka Rd	Kiaka Rd	Moora	0.00	Old Geraldton Rd	12.24	Midlands Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5100188	Kiaka St	Kiaka St	Moora	0.00	Pryre St & Coomberdale East Rd & Coomberdale Wheatbin Access	0.27	Coomberdale Wheatbin Access	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5100053	Kialla Rd	Kialla Rd	Moora	0.00	Miling East Rd	3.85	Kialla Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
5100012	Koojan West Rd	Koojan West Rd	Moora	0.00	Bindoon Moora Rd	9.09	Boundary Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
5100094	Long St	Long St	Moora	0.77	Brown St	2.81	Clinch St	<ul style="list-style-type: none"> Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5100094	Long St	Long St	Moora	2.81	Clinch St	3.06	Dandaragan St	

Tandem Drive Network 2.1



Moora

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5100080	Longman Rd	Longman Rd	Moora	0.00	Carot Well Rd	4.03	Longman Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5100082	Low Rd	Low Rd	Moora	0.00	Railway Rd	0.76	Low Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5100017	Lyons East Rd	Lyons East Rd	Moora	0.00	Great Northern Hwy	16.65	Nadji Mia Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Intersection Nadji Mia Rd : No Access permitted into Nadji Mia Road from Lyons East Rd
5100047	Madingarra Rd	Madingarra Rd	Moora	0.00	Watheroo Miling Rd	6.48	Miling North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Moora

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5100140	Marah St	Marah St	Moora	0.38	Ellis St	0.63	Watheroo Miling Rd	
5100044	Mason Rd	Mason Rd	Moora	0.00	Carot Well Rd	11.22	Hewson Rd & Mason Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5100087	Melbourne St	Melbourne St	Moora	1.36	For 0.36km From Woolawa Street	1.72	Woolawa St	
5100023	Merewana Rd	Merewana Rd	Moora	0.00	Miling North Rd	27.67	Watheroo Miling Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5100016	Miling East Rd	Miling East Rd	Moora	0.00	Seymour St & Ferguson St	0.40	Miling East Rd (Start Break)	
5100016	Miling East Rd	Miling East Rd	Moora	0.68	Great Northern Hwy	14.29	Nadji Mia Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5100006	Miling North Rd	Miling North Rd	Moora	0.00	Miling North Rd & Carot Well Rd	22.54	Great Northern Hwy	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5100007	Miling West Rd	Miling West Rd	Moora	0.00	Great Northern Hwy	23.37	Old Geraldton Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Old Geraldton Rd : No access permitted into Old Geraldton Road from Miling West Road.
5100193	Moora - Caro Rd	Moora - Caro Rd	Moora	0.00	Dandaragan St & Ferguson Rd	8.50	Dandaragan Rd	
5100195	Moora - Miling Rd	Moora - Miling Rd	Moora	0.00	Barber St & Berkshire Valley Rd	35.95	Great Northern Hwy	<ul style="list-style-type: none"> Intersection Round Hill Rd : No access permitted into Round Hill Rd from Moora Miling Rd Intersection Niby Niby Rd : No right turn permitted into Niby Niby Rd from Moora - Miling Rd
5100091	Moore St	Moore St	Moora	0.09	0.09km From Roberts Rd	0.18	Roberts Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h

Tandem Drive Network 2.1



Moora

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5100057	Nadji Mia Rd	Nadji Mia Rd	Moora	0.00	Miling East Rd & Nadji Mia Rd	11.58	Bindi - Ballidu Rd & Ballidu - Bindi Bindi Rd & Toothra - Exchange Rd	<ul style="list-style-type: none"> Intersection Lyons East Rd : No access permitted into Lyons East Rd from Nadji Mia Rd.
5100028	Namban East Rd	Namban East Rd	Moora	0.00	Midlands Rd	8.10	Old Geraldton Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5100020	Namban West Rd	Namban West Rd	Moora	0.00	Midlands Rd	14.85	Dandaragan LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5100045	Nardy Rd	Nardy Rd	Moora	0.00	Moora - Miling Rd	6.05	Miling West Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Moora - Miling Rd : No left turn permitted into Moora - Miling Road from Nardy Rd
5100060	Niby Niby Rd	Niby Niby Rd	Moora	0.00	Moora - Miling Rd	5.05	Niby Niby Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Moora - Miling Rd : No access permitted into Moora - Miling Rd From Niby Niby Rd.
5100003	Old Geraldton Rd	Old Geraldton Rd	Moora	0.00	Moora - Miling Rd	27.14	Watheroo Miling Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Miling West Rd : No access permitted into Miling West Road from Old Geraldton Road.
5100160	Old Geraldton South Rd	Old Geraldton South Rd	Moora	0.00	Great Northern Hwy	12.93	Moora - Miling Rd & Was 0161 Old Geraldton North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h

Tandem Drive Network 2.1



Moora

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5100176	Oneils Rd	Oneils Rd	Moora	0.00	Bindi - Ballidu Rd	6.53	Lyons East Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5100019	Piper Rd	Piper Rd	Moora	0.00	Bindi East Rd	5.28	Tucks Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5100010	Prices Rd	Prices Rd	Moora	0.00	Moora - Caro Rd	30.45	Namban West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
5100050	Prior Rd	Prior Rd	Moora	0.00	Moora - Miling Rd	4.56	Prior Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5100026	Railway Rd	Railway Rd	Moora	0.00	Midlands Rd	12.02	Coorow LGA Boundary	
5100059	Readwright Rd	Readwright Rd	Moora	0.00	Niby Niby Rd	3.73	Old Geraldton South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Moora

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5100079	Richardson Rd	Richardson Rd	Moora	0.00	Great Northern Hwy	4.57	Richardson Rd - End Road	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5100123	Riley Rd	Riley Rd	Moora	0.00	Midlands Rd	1.45	Ferguson Rd	
5100088	Roberts St	Roberts St	Moora	0.00	Stack St	0.88	Clinch St & Roberts Rd	
5100041	Round Hill Rd	Round Hill Rd	Moora	0.00	Cranmore Rd	7.51	Moora - Miling Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Moora - Miling Rd : No right turn permitted into Moora Miling Rd from Round Hill Rd
5100179	Scott Rd	Scott Rd	Moora	0.00	Coorow LGA Boundary	2.90	Scott Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5100155	Seymour St	Seymour St	Moora	0.00	Ferguson St & Miling East Rd	0.12	Great Northern Hwy	
5100018	Summers East Rd	Summers East Rd	Moora	0.00	Toodyay - Bindi Bindi Rd & Summers West Rd	5.64	Tucks Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h

Tandem Drive Network 2.1



Moora

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5100039	Summers West Rd	Summers West Rd	Moora	0.00	Summers East Rd & Toodyay - Bindi Bindi Rd	8.54	Indarrie Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Urquhart Rd : No right turn permitted into Urquhart Rd from Summers West Rd
5100024	Taylor Rd	Taylor Rd	Moora	0.00	Honey Rd	6.67	Bindi - Ballidu Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5100196	Toodyay - Bindi Bindi Rd	Toodyay - Bindi Bindi Rd	Moora	0.00	Victoria Plains LGA Boundary	11.88	Bindi East Rd	
5100196	Toodyay - Bindi Bindi Rd	Toodyay - Bindi Bindi Rd	Moora	11.88	Bindi East Rd	14.40	Bindi - Ballidu Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5100103	Tootra St	Tootra St	Moora	0.00	Cameron St & Gardiner St	1.69	Midlands Rd	<ul style="list-style-type: none"> Intersection Midlands Rd : No left turn permitted into Midlands Rd from Tootra Rd

Tandem Drive Network 2.1



Moora

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5100046	Topham Rd	Topham Rd	Moora	0.00	Watheroo Miling Rd	6.00	Delane Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5100036	Tucks Rd	Tucks Rd	Moora	0.00	Piper Rd	3.92	Gabalong East Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5100056	Urquhart Rd	Urquhart Rd	Moora	0.00	Summers West Rd	3.10	Clarke Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5100158	Wass Rd	Wass Rd	Moora	0.00	Barberton East Rd & Wirrilda Rd	3.96	Wass Rd - End Road	
5100002	Watheroo Miling Rd	Watheroo Miling Rd	Moora	0.00	Marah St	40.89	Miling West Rd	
5100005	Watheroo West Rd	Watheroo West Rd	Moora	0.00	Watheroo Rd & Warro Rd	18.15	Midlands Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5100128	Webb Moora Rd	Webb Moora Rd	Moora	0.00	Bindoon Moora Rd	4.00	Airstrip Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5100183	Wheatbin Rd	Wheatbin Rd	Moora	0.00	Midlands Rd & Gardiner St	1.83	Bindoon Moora Rd	
5100055	Wirrilda Rd	Wirrilda Rd	Moora	0.00	Victoria Plains LGA Boundary	10.99	Wass Rd & Barberton East Rd	

Tandem Drive Network 2.1



Moora

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5100062	Withnell Rd	Withnell Rd	Moora	0.00	Bindi East Rd	5.88	Gabalong East Rd	<ul style="list-style-type: none">All operators must carry written support from the road manager acknowledging the operator's use of the road.Headlights to be switched on at all timesNo operation on unsealed road segment when visibly wet, without road owner's approval.Note: Low Volume (LV)Maximum speed 60 km/hWhen travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5100124	Woolawa St	Woolawa St	Moora	0.00	Tootra St	0.72	Barber St	

Tandem Drive Network 2.1



Morawa

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5110036	Agar Rd	Agar Rd	Morawa	0.00	White Rd	6.81	Mingenew Morawa Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110077	Arrinooka Rd	Arrinooka Rd	Morawa	0.00	Mullewa Wubin Rd	14.19	Greater Geraldton (C) LGA Boundary	
5110027	Barnes Rd	Barnes Rd	Morawa	0.00	Robinson Rd	4.61	Gutha West Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110119	Baxter Rd	Baxter Rd	Morawa	0.00	Jones Lake Rd	4.64	Norton Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
5110017	Bell Rd	Bell Rd	Morawa	0.00	Mullewa Wubin Rd & Vandeleur Rd	19.07	Evaside Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Mullewa Wubin Rd & Vandeleur Rd : No access permitted into Wubin-Mullewa Rd from Bell Rd

Tandem Drive Network 2.1



Morawa

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5110143	Bickford Rd	Bickford Rd	Morawa	0.00	Gutha East Rd	7.60	Sermon Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110079	Bligh Rd	Bligh Rd	Morawa	0.00	Neates Rd	2.04	Three Springs LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110068	Bore Rd	Bore Rd	Morawa	0.00	Johnson Rd	8.05	Gutha East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110045	Boss Rd	Boss Rd	Morawa	0.00	Dreghorn Rd	4.17	Agar Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Dreghorn Rd : No access permitted into Dreghorn Rd from Boss Rd
5110103	Broad Av	Broad Av	Morawa	0.00	Winfield St	0.10	0.1km From Wubin Mullewa (Cbh Access)	

Tandem Drive Network 2.1



Morawa

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5110038	Broad Rd	Broad Rd	Morawa	0.00	White Rd	4.36	Pintharuka West Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110035	Burma Rd	Burma Rd	Morawa	0.00	Mingenew Morawa Rd	6.47	White Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110064	Burton Rd	Burton Rd	Morawa	0.00	Winfield St & Mullewa Wubin Rd	0.63	Powell St	
5110055	Calver Rd	Calver Rd	Morawa	0.00	Morawa South Rd	10.70	Perenjori LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110007	Canna North East Rd	Canna North East Rd	Morawa	0.00	Fabling Rd & Offszanka Rd	19.57	Gerber Rd & Jenkins Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Morawa

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5110040	Carslake Rd	Carslake Rd	Morawa	0.00	Letterbox Rd & Pintharuka West Rd	6.97	Pintharuka West Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Letterbox Rd & Pintharuka West Rd : No access permitted into Pintharuka West Rd from Carslake Rd (Western Intersection - Letterbox Rd) Intersection Collins Rd : No access permitted into Collins Rd from Carslake Rd
5110044	Coaker Rd	Coaker Rd	Morawa	0.00	Ryan Rd & Dregghorn Rd	3.73	White Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110030	Collins Rd	Collins Rd	Morawa	0.00	Carslake Rd	7.79	Gutha West Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Carslake Rd : No access permitted into Carslake Rd from Collins Rd

Tandem Drive Network 2.1



Morawa

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5110139	Croot Rd	Croot Rd	Morawa	0.00	Canna North East Rd	5.66		<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110043	Dreghorn Rd	Dreghorn Rd	Morawa	0.00	Old Three Springs Rd & Mingenew Morawa Rd	3.70	Ryan Rd & Coaker Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Boss Rd : No access permitted into Boss Rd from Dreghorn Rd
5110101	Dreghorn St	Dreghorn St	Morawa	0.51	Prater St	0.68	White Av	
5110097	Evans St	Evans St	Morawa	0.00	Solomon Tce	0.70		<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Morawa

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5110022	Evaside Rd	Evaside Rd	Morawa	0.00	Gutha East Rd	8.86	Mullewa Wubin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h Intersection Mullewa Wubin Rd : No Access To Or From Wubin-Mullewa Road Permitted
5110015	Fabling Rd	Fabling Rd	Morawa	0.00	Canna North East Rd & Offszanka Rd	12.76	Swanson Rd & Williamson Rd	
5110014	Fallon Rd	Fallon Rd	Morawa	0.00	Tait Rd & Cunningham Rd	16.51	Krummel Rd & Moore Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110069	Fitzgerald Rd	Fitzgerald Rd	Morawa	0.00	Johnson Rd & Morawa - Yalgoo Rd	10.31	Ludlow Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110078	Franco Rd	Franco Rd	Morawa	0.00	Pintharuka West Rd	9.97	Mingenew Morawa Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Morawa

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5110052	Gaston Rd	Gaston Rd	Morawa	0.00	Calver Rd	4.06	Mullewa Wubin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110086	Gerber Rd	Gerber Rd	Morawa	0.00	Jenkins Rd & Canna North East Rd	5.54	Pulbrook Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110004	Gutha East Rd	Gutha East Rd	Morawa	0.00	Ludlow Rd	29.29	Mullewa Wubin Rd & Gutha West Rd	
5110010	Gutha West Rd	Gutha West Rd	Morawa	0.00	Mullewa Wubin Rd & Gutha East Rd	15.45	End of Road 400 Metres West of Tropiano Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Yandanoo Springs Rd : No access permitted into Yandanoo Springs Rd from Gutha West Rd
5110041	Healy Rd	Healy Rd	Morawa	0.00	Wooltana Rd	4.16	Mingenew Morawa Rd & Moffet Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Morawa

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5110075	Hoey Rd	Hoey Rd	Morawa	0.00	Jones Lake Rd & Judge Rd	4.65	Munckton Rd & Murray Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110062	Holder Rd	Holder Rd	Morawa	0.00	Madden Rd & Toohey Rd	5.22	Gutha East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110025	Indar Rd	Indar Rd	Morawa	0.00	Nanekine Rd	14.84	Gutha West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Morawa

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5110049	James Rd	James Rd	Morawa	0.00	Winterbourne Rd & Mingenew Morawa Rd	4.10	Valentine Rd & Three Springs - Morawa Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5110117	Jenkins Rd	Jenkins Rd	Morawa	0.00	Gerber Rd & Canna North East Rd	8.57	Jenkins Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5110033	Johnson Rd	Johnson Rd	Morawa	0.00	Bell Rd	11.43	Fitzgerald Rd & Morawa - Yalgoo Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Morawa

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5110012	Jones Lake Rd	Jones Lake Rd	Morawa	0.05	Rubbish Tip Rd	12.06	Hoey Rd & Judge Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Combinations exceeding 22 metres in length, no access to or from Wubin-Mullewa Rd.
5110013	Judge Rd	Judge Rd	Morawa	0.00	Hoey Rd & Jones Lake Rd	5.27	Fallon Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110072	Kadji Lake Rd	Kadji Lake Rd	Morawa	0.00	Morawa - Yalgoo Rd	11.47	Kadji Rd & Ludlow Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h Intersection Morawa - Yalgoo Rd : No Access To Or From Yalgoo Road Permitted
5110031	Koolanooka Dam Rd	Koolanooka Dam Rd	Morawa	0.00	Koolanooka South Rd	5.47	Jones Lake Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Morawa

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5110053	Koolanooka South Rd	Koolanooka South Rd	Morawa	0.00	Norton Rd	7.16	Koolanooka Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Mullewa Wubin Rd : No left turn permitted into Wubin Mullewa Rd from Koolanook South Rd
5110051	Koolanooka Spring Rd	Koolanooka Spring Rd	Morawa	0.00	Fallon Rd	9.46	Koolanooka Springs Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
5110050	Krummel Rd	Krummel Rd	Morawa	0.00	Fallon Rd & Moore Rd	5.61	Kadji Lake Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110039	Letterbox Rd	Letterbox Rd	Morawa	0.00	White Rd	3.65	Carslake Rd & Pintharuka West Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Carslake Rd & Pintharuka West Rd : No access permitted into Pintharuka West Rd from Letterbox Rd.

Tandem Drive Network 2.1



Morawa

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5110121	Lochada Rd	Lochada Rd	Morawa	0.00	Fallon Rd	8.31	Perenjori LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110115	Ludlow Rd	Ludlow Rd	Morawa	0.00	Kadji Rd & Kadji Lake Rd	11.71	Gutha East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110076	Madden Rd	Madden Rd	Morawa	0.00	Morawa - Yalgoo Rd	8.90		<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Morawa

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5110056	Malcolm Rd	Malcolm Rd	Morawa	0.00	Mullewa Wubin Rd	5.06	Perenjori LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110088	McDonald Rd	McDonald Rd	Morawa	0.00	Morris Rd	8.00	McDonald Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110129	McGlew St	McGlew St	Morawa	0.00	Rubbish Tip Rd	0.19	Valentine St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Morawa

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5110059	McWhirter Rd	McWhirter Rd	Morawa	0.00	Madden Rd	8.10	McWhirter Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110089	Mickie Rd	Mickie Rd	Morawa	0.00	Mullewa Wubin Rd	5.47	Mickie Rd - End Road	
5110070	Milloy Rd	Milloy Rd	Morawa	0.00	Gutha West Rd	12.11	Milloy Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110018	Moffet Rd	Moffet Rd	Morawa	0.00	Pintharuka West Rd	11.37	Mingenew Morawa Rd & Healy Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110149	Morawa - Yalgoo Rd	Morawa - Yalgoo Rd	Morawa	0.00	Mullewa Wubin Rd & Mingenew Morawa Rd	42.56	Yalgoo LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. 10 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Morawa

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5110002	Morawa South Rd	Morawa South Rd	Morawa	0.00	Mullewa Wubin Rd	7.56	Morawa South Rd & Garnsworthy Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. 10 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5110060	Morris Rd	Morris Rd	Morawa	0.00	Williamson Rd	8.08	McWhirter Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110006	Munckton Rd	Munckton Rd	Morawa	0.00	Morawa - Yalgoo Rd	14.26	Fallon Rd & Koolanooka Access Rd	
5110137	Mungada Rd	Mungada Rd	Morawa	0.00	Koolanooka Spring Rd	12.74	Mungada Rd & Lochada Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
5110003	Nanekine Rd	Nanekine Rd	Morawa	0.00	Mullewa Wubin Rd	21.83	Thomas Rd & Nanekine Rd	
5110112	Neagle St	Neagle St	Morawa	0.00	Evans St	0.49	Stokes Rd & Old Neagle St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Morawa

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5110009	Neates Rd	Neates Rd	Morawa	0.00	Valentine Rd & Three Springs - Morawa Rd	17.38	Colgate Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Colgate Rd : No access permitted into Colgate Rd from Neates Rd
5110087	Newnham Rd	Newnham Rd	Morawa	0.00	Gerber Rd	5.31	Newnham Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110074	Norths Rd	Norths Rd	Morawa	0.00	Bell Rd	5.01	Johnson Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Morawa

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5110011	Norton Rd	Norton Rd	Morawa	0.00	Mullewa Wubin Rd	7.91	Olden Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110008	Offszanka Rd	Offszanka Rd	Morawa	0.00	Mullewa Wubin Rd	3.06	Fabling Rd & Canna North East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
5110085	Old Mullewa Rd	Old Mullewa Rd	Morawa	0.00	Bell Rd	3.03	Morawa - Yalgoo Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110019	Old Three Springs Rd	Old Three Springs Rd	Morawa	0.00	Mingenew Morawa Rd & Dreghorn Rd	14.14	Unknown Rd & Three Springs - Morawa Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110122	Olden Rd	Olden Rd	Morawa	0.00	Norton Rd	1.92	Tait Rd & Olden Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Morawa

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5110067	Pallotine Rd	Pallotine Rd	Morawa	0.00	Canna North East Rd	4.49	Pallotine Rd & Grima Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110048	Pintharuka Dam	Pintharuka Dam	Morawa	0.00	Mullewa Wubin Rd	5.12	Bell Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Mullewa Wubin Rd : No access permitted into Wubin-Mullewa Rd from Pintharuka Dam
5110005	Pintharuka West Rd	Pintharuka West Rd	Morawa	0.00	Mullewa Wubin Rd	31.60	Narandagy - Pintharuka Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Letterbox Rd & Carslake Rd : No access permitted into to Letterbox Rd or Carslake Rd from Pintharuka West Rd
5110096	Prater St	Prater St	Morawa	0.06	Laneway (C)	0.13	Dreghorn St	

Tandem Drive Network 2.1



Morawa

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5110118	Pulbrook Rd	Pulbrook Rd	Morawa	0.00	McDonald Rd	5.10	Gerber Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110028	Robinson Rd	Robinson Rd	Morawa	0.00	Indar Rd	11.42	Mullewa Wubin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110084	Rubbish Tip Rd	Rubbish Tip Rd	Morawa	0.00	McGlew St	1.66	Jones Lake Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Morawa

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5110094	Solomon Tce	Solomon Tce	Morawa	0.00	Wubin Mullewa & Mullewa Wubin Rd	0.72	Stokes Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110016	Stephens Rd	Stephens Rd	Morawa	0.00	Evaside Rd & Ross Rd	10.42	Fabling Rd	
5110102	Stokes Rd	Stokes Rd	Morawa	0.00	Wubin Mullewa	1.83	Rubbish Tip Access Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110061	Swanson Rd	Swanson Rd	Morawa	0.00	Fabling Rd & Williamson Rd	5.35	Toohy Rd	
5110120	Tait Rd	Tait Rd	Morawa	0.00	Olden Rd	2.78	Fallon Rd & Cunningham Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Morawa

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5110073	Taseff Rd	Taseff Rd	Morawa	0.00	Fitzgerald Rd	8.13	Gutha East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Gutha East Rd : No access permitted into Gutha East Rd from Taseff Rd
5110150	Three Springs - Morawa Rd	Three Springs - Morawa Rd	Morawa	0.00	Three Springs LGA Boundary	23.45	Jones Lake Rd & Mullewa Wubin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110058	Toohey Rd	Toohey Rd	Morawa	0.00	Madden Rd & Holder Rd	8.23	Stephens Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
5110071	Tropiano Rd	Tropiano Rd	Morawa	0.00	Gutha West Rd	6.12	Pintharuka West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Morawa

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5110090	Tubby Rd	Tubby Rd	Morawa	0.00	Robinson Rd	3.03	Mickie Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110047	Valentine Rd	Valentine Rd	Morawa	0.00	James Rd & Three Springs - Morawa Rd	8.13	Neates Rd & Three Springs - Morawa Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110099	Valentine St	Valentine St	Morawa	0.00	McGlew St	1.11	Laneway (E)	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110046	Vandeleur Rd	Vandeleur Rd	Morawa	0.00	Moffet Rd	7.96	Bell Rd & Mullewa Wubin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110124	Waddilove Rd	Waddilove Rd	Morawa	0.00	Carslake Rd	0.72	White Av	

Tandem Drive Network 2.1



Morawa

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5110091	Ways Rd	Ways Rd	Morawa	0.00	Fabling Rd	6.98	Canna North East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110109	White Av	White Av	Morawa	0.00	Waddilove Rd	0.79	Wubin Mullewa	
5110021	White Rd	White Rd	Morawa	0.00	Moffet Rd	12.63		<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110034	Williams Rd	Williams Rd	Morawa	0.00	Mullewa Wubin Rd	7.00	Moffet Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
5110026	Williamson Rd	Williamson Rd	Morawa	0.00	Fabling Rd & Swanson Rd	11.23	Canna North East Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110116	Wilton Rd	Wilton Rd	Morawa	0.00	Heitman Rd & Nanekine Rd	3.10	Wilton Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Morawa

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5110163	Winfield St	Winfield St	Morawa	0.54	White Av	0.63	Winfield St - End Road	
5110066	Winterbourne Rd	Winterbourne Rd	Morawa	0.00	Mingenew Morawa Rd & James Rd	4.13	Vandeleur Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110042	Wooltana Rd	Wooltana Rd	Morawa	0.00	Old Three Springs Rd	4.07	Three Springs - Morawa Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110020	Yammapool Rd	Yammapool Rd	Morawa	0.00	Neates Rd	9.30	Mingenew Morawa Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5110134	Yandanoo Springs Rd	Yandanoo Springs Rd	Morawa	0.00	Gutha West Rd	2.00	Indar Rd	<ul style="list-style-type: none"> Intersection Gutha West Rd : No access to Gutha West Rd from Yandanoo SPrrings Rd
5110132	Yongarlool Rd	Yongarlool Rd	Morawa	0.00	Mingenew Morawa Rd	4.99	Colgate Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Mount Magnet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
7040065	Checker Plant Rd	Checker Plant Rd	Mount Magnet	0.00	Hill 50 Access Rd & Mt.Magnet - Hill 50 Rd	1.48	Mount Rd	
7040010	Criddle St	Criddle St	Mount Magnet	0.00	Welcome St	1.14	Laurie St	
7040009	Laurie St	Laurie St	Mount Magnet	0.00	Welcome St	0.97	Criddle St	
7040041	Lennonville Rd	Lennonville Rd	Mount Magnet	0.00	Welcome St	8.13	Tourist Rd	
7040061	Moses St	Moses St	Mount Magnet	0.00	Richardson St & Mt.Magnet - Hill 50 Rd	0.34	Moses St - End Road	
7040027	Mount Farmer Rd	Mount Farmer Rd	Mount Magnet	0.00	Mt.Magnet - Hill 50 Rd	71.54	Dalgaranga - Mount Magnet Rd	
7040062	Mount Rd	Mount Rd	Mount Magnet	0.00	Checker Plant Rd	0.92	Mount Rd - End Road	
7040001	Mt.Magnet - Hill 50 Rd	Mt.Magnet - Hill 50 Rd	Mount Magnet	0.00	Richardson St & Moses St	4.49	Hill 50 Access Rd & Checker Plant Rd	<ul style="list-style-type: none">All operators must carry written support from the road manager acknowledging the operator's use of the road.
7040003	Naughton St	Naughton St	Mount Magnet	0.00	Laurie St	0.29	Hepburn St	
7040002	Palmer Well Rd	Palmer Well Rd	Mount Magnet	0.00	Checker Plant Rd	21.61	Mount Farmer Rd	
7040081	Richardson St	Richardson St	Mount Magnet	0.00	Hepburn St & Richardson St	0.85	Moses St & Mt.Magnet - Hill 50 Rd	<ul style="list-style-type: none">All operators must carry written support from the road manager acknowledging the operator's use of the road.
7040022	Wandarrie - Merroe Access Rd	Wandarrie - Merroe Access Rd	Mount Magnet	0.00	Great Northern Hwy	4.95	For 4.95km From Great Northern Hwy to Mine Site Access Rd	<ul style="list-style-type: none">Intersection Great Northern Hwy : No left turn permitted into Great Northern Hwy from Wandarrie Merroe Rd
7040007	Watson St	Watson St	Mount Magnet	0.00	Great Northern Hwy	2.33	Richardson St	
7040016	Welcome St	Welcome St	Mount Magnet	0.29	Criddle St	0.83	Hepburn St	<ul style="list-style-type: none">All operators must carry written support from the road manager acknowledging the operator's use of the road.
7040019	Youanmi Rd	Youanmi Rd	Mount Magnet	0.00	Mt Magnet Sandstone Rd	30.50	Sandstone LGA Boundary	

Tandem Drive Network 2.1



Mount Marshall

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4150107	Aitken Rd	Aitken Rd	Mount Marshall	0.00	Barbalin - Koonkoobing Rd	4.55	Aitken Rd & Koonkoobing Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4150022	Andrews Tank Rd	Andrews Tank Rd	Mount Marshall	0.00	Andrews Tank Rd - Start Road	15.09	Mandiga - Marindo Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4150022	Andrews Tank Rd	Andrews Tank Rd	Mount Marshall	15.09	Mandiga - Marindo Rd	31.14	East Boundary Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4150121	Askew Rd	Askew Rd	Mount Marshall	0.00	Bencubbin - Beacon Rd	4.61	Gillett Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4150039	Ayres Rd	Ayres Rd	Mount Marshall	0.00	Bunce Rd	26.36	Burakin - Wialki Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Mount Marshall

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4150035	Barbalin - Koonkoobing Rd	Barbalin - Koonkoobing Rd	Mount Marshall	0.00	Aitken Rd	7.54	Felbar Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4150035	Barbalin - Koonkoobing Rd	Barbalin - Koonkoobing Rd	Mount Marshall	11.88	Luckman Rd	16.78	Whyte Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4150063	Barney Bore Rd	Barney Bore Rd	Mount Marshall	6.83	Ingleton Rd	24.33	Clark Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4150011	Beacon Back Rd	Beacon Back Rd	Mount Marshall	0.00	Bencubbin - Gabbin Rd	38.51	Burakin - Wialki Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4150016	Beacon Rock Rd	Beacon Rock Rd	Mount Marshall	0.00	Ayres Rd	26.25	Dalgouring Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Mount Marshall

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4150072	Beagley Rd	Beagley Rd	Mount Marshall	0.00	Koorda - Bullfinch Rd	2.21	Waddouring Back Rd & Gabbabin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4150135	Beckingham St	Beckingham St	Mount Marshall	0.00	Burakin - Wialki Rd & Mukinbudin - Wialki Rd	0.97	Oneil Rd & Dease Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4150024	Bell Rd	Bell Rd	Mount Marshall	0.00	Marshall Rock South Rd	8.81	Welbungin South Rd & Polkinghorne Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4150149	Bencubbin - Beacon Rd	Bencubbin - Beacon Rd	Mount Marshall	0.00	Murray St & Monger St	0.50	0.18km Before Bencubbin - Gabbin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 40 km/h
4150149	Bencubbin - Beacon Rd	Bencubbin - Beacon Rd	Mount Marshall	0.50	0.18km Before Bencubbin - Gabbin Rd	19.47	Andrews Tank Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4150149	Bencubbin - Beacon Rd	Bencubbin - Beacon Rd	Mount Marshall	19.47	Andrews Tank Rd	42.22	Burakin - Wialki Rd & Kirby St	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4150002	Bencubbin - Gabbin Rd	Bencubbin - Gabbin Rd	Mount Marshall	0.00	Bencubbin - Beacon Rd	16.94	Scarlett St & Gabbin - Trayning Rd	
4150002	Bencubbin - Gabbin Rd	Bencubbin - Gabbin Rd	Mount Marshall	16.95	Huxley Rd	17.25	Scarlett St & Gabbin - Trayning Rd	

Tandem Drive Network 2.1



Mount Marshall

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4150017	Bencubbin - Kununoppin Rd	Bencubbin - Kununoppin Rd	Mount Marshall	0.00	Kellerberrin - Bencubbin Rd	14.24	Trayning LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4150009	Bimbijy Rd	Bimbijy Rd	Mount Marshall	0.00	Burakin - Wialki Rd	28.51	0.51km After Bunce Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4150009	Bimbijy Rd	Bimbijy Rd	Mount Marshall	28.51	0.51km After Bunce Rd	91.79	From Burakin - Wialki Rd For 91.79km	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4150025	Boundary Rd	Boundary Rd	Mount Marshall	0.00	Mukinbudin - Wialki Rd	36.11	Emu Proof Fence Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Mount Marshall

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4150036	Breakell Rd	Breakell Rd	Mount Marshall	0.00	Wren Rd & Kellerberrin - Bencubbin Rd	18.69	Gabbin - Trayning Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4150036	Breakell Rd	Breakell Rd	Mount Marshall	18.69	Gabbin - Trayning Rd	25.40	East Boundary Rd & Koorda - Bencubbin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4150057	Brooks Rd	Brooks Rd	Mount Marshall	0.00	East Boundary Rd	9.71	Hiscox Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4150087	Brown St	Brown St	Mount Marshall	0.33	0.04km From Padbury St	0.61	Yard Access	
4150047	Bruse Rd	Bruse Rd	Mount Marshall	0.00	Gillett Rd & Faulkner Rd	5.86	Bencubbin - Beacon Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4150114	Bunce Rd	Bunce Rd	Mount Marshall	0.00	Mouroubra Rd	16.04	Bimbijy Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4150150	Burakin - Wialki Rd	Burakin - Wialki Rd	Mount Marshall	0.00	East Boundary Rd & Remlap Rd & Burakin - Wialki Rd	51.15	Beckingham St & Mukinbudin - Wialki Rd	

Tandem Drive Network 2.1



Mount Marshall

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4150058	Burnett Rd	Burnett Rd	Mount Marshall	0.00	Mouroubra Rd	5.23	Ayres Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4150105	Calderwood Dr	Calderwood Dr	Mount Marshall	0.00	Medlin St & Lindsay St	1.16	Ingleton Rd & Beacon Grain Bin Rd (P)	
4150012	Clark Rd	Clark Rd	Mount Marshall	0.00	Burakin - Wialki Rd	25.37	Emu Proof Fence Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4150008	Cleary - Gabbin Rd	Cleary - Gabbin Rd	Mount Marshall	0.00	Gabbin - Trayning Rd	44.77	Burakin - Wialki Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
4150133	Cleary Bin Rd	Cleary Bin Rd	Mount Marshall	0.00	Burakin - Wialki Rd & Mouroubra Rd	1.02	Burakin - Wialki Rd	
4150053	Collins Back Rd	Collins Back Rd	Mount Marshall	0.00	Koorda - Bullfinch Rd	6.12	Waddouring Back Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Mount Marshall

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4150030	Collins Rd	Collins Rd	Mount Marshall	0.00	Bencubbin - Beacon Rd	10.24	Mandiga - Marindo Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Bencubbin - Beacon Rd : No access permitted into Beacon-Bencubbin Rd from Collins Rd.
4150106	Cook St	Cook St	Mount Marshall	0.00	Ingleton Rd	0.90	Calderwood Dr	
4150081	Crabb Rd	Crabb Rd	Mount Marshall	0.00	Mandiga - Marindo Rd	12.90	Bencubbin - Beacon Rd S6	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4150028	Dalgouring - Snake Soak Rd	Dalgouring - Snake Soak Rd	Mount Marshall	0.00	Welbungin - Wialki Rd	13.99	Burakin - Wialki Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4150028	Dalgouring - Snake Soak Rd	Dalgouring - Snake Soak Rd	Mount Marshall	13.99	Burakin - Wialki Rd	14.11	Burakin - Wialki Rd	
4150013	Dalgouring Rd	Dalgouring Rd	Mount Marshall	0.00	Burakin - Wialki Rd	27.17	Dalgouring Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4150003	Dease Rd	Dease Rd	Mount Marshall	0.00	Boundary Rd & Dease Rd	3.24	Oneil Rd & Beckingham St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4150062	Faulkner Rd	Faulkner Rd	Mount Marshall	0.00	Bencubbin - Beacon Rd	8.75	Bruse Rd & Gillett Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Mount Marshall

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4150038	Felbar Rd	Felbar Rd	Mount Marshall	0.00	Welbungin - Wialki Rd	11.98	Felbar Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4150050	Fitzpatrick Rd	Fitzpatrick Rd	Mount Marshall	0.00	East Boundary Rd & Margarette Rd	9.69	Hiscox Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4150116	Gabbabin Rd	Gabbabin Rd	Mount Marshall	0.00	Waddouring Back Rd & Beagley Rd	3.92	Mandiga - Trayning Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Mount Marshall

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4150056	Gabbin - Narkal Rd	Gabbin - Narkal Rd	Mount Marshall	0.00	Gabbin - Trayning Rd	4.87	East Boundary Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4150075	Gabbin - Trayning Rd	Gabbin - Trayning Rd	Mount Marshall	0.00	Scarlett St & Bencubbin - Gabbin Rd	6.27	Koorda - Bullfinch Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4150075	Gabbin - Trayning Rd	Gabbin - Trayning Rd	Mount Marshall	6.27	Koorda - Bullfinch Rd	20.76	Fleming Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4150123	Gabbin Bin Rd	Gabbin Bin Rd	Mount Marshall	0.00	Cleary - Gabbin Rd	0.82	Bencubbin - Gabbin Rd	
4150083	Gardiner Rd	Gardiner Rd	Mount Marshall	0.00	Burakin - Wialki Rd	10.38	Barney Bore Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Mount Marshall

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4150033	Gilham Cooper Rd	Gilham Cooper Rd	Mount Marshall	0.00	Waddouring Back Rd & Kellerberrin - Bencubbin Rd & Grylls Rd	5.60	Bencubbin - Kununoppin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4150033	Gilham Cooper Rd	Gilham Cooper Rd	Mount Marshall	5.60	Bencubbin - Kununoppin Rd	13.25	Welbungin South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4150019	Gillett Rd	Gillett Rd	Mount Marshall	0.00	Padbury St & Collins St	0.80	Burakin - Wialki Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4150019	Gillett Rd	Gillett Rd	Mount Marshall	0.80	0.8kms From Padbury St & Collins St	5.08	Hogan Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4150019	Gillett Rd	Gillett Rd	Mount Marshall	5.08	Hogan Rd	25.76	Grant Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Mount Marshall

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4150019	Gillett Rd	Gillett Rd	Mount Marshall	25.76	Grant Rd	44.04	Burakin - Wialki Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4150019	Gillett Rd	Gillett Rd	Mount Marshall	44.04	Burakin - Wialki Rd	44.15	Burakin - Wialki Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4150018	Gobbart Rd	Gobbart Rd	Mount Marshall	0.00	Bencubbin - Gabbin Rd	7.58	Surtees Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Mount Marshall

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4150125	Gooder Rd	Gooder Rd	Mount Marshall	0.00	Hiscox Rd	2.53	Cleary - Gabbin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4150046	Grant Rd	Grant Rd	Mount Marshall	0.00	Welbungin - Wialki Rd	8.24	Bencubbin - Beacon Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
4150073	Gray Rd	Gray Rd	Mount Marshall	0.00	Surtees Rd	3.46	Koorda - Bullfinch Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4150073	Gray Rd	Gray Rd	Mount Marshall	3.46	Koorda - Bullfinch Rd	6.74	Gabbin - Narkal Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4150137	Green Rd	Green Rd	Mount Marshall	0.00	Grylls Rd	6.33	Gabbin - Trayning Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Mount Marshall

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4150127	Greenham Rd	Greenham Rd	Mount Marshall	0.00	Koorda - Bullfinch Rd	10.43	Grylls Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
4150037	Grylls Rd	Grylls Rd	Mount Marshall	0.00	Gabbin - Trayning Rd	16.97	Waddouring Back Rd & Kellerberrin - Bencubbin Rd & Gilham Cooper Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4150130	Hammond Rd	Hammond Rd	Mount Marshall	0.00	Scotsman Rd	6.70	End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h No Operation between the hours of sunset and sunrise Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4150044	Hardwick Rd	Hardwick Rd	Mount Marshall	0.00	Mandiga - Marindo Rd	5.07	Beacon Back Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4150021	Hiscox Rd	Hiscox Rd	Mount Marshall	0.00	Bencubbin - Gabbin Rd	17.32	Andrews Tank Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Mount Marshall

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4150021	Hiscox Rd	Hiscox Rd	Mount Marshall	17.32	Andrews Tank Rd	33.31	Red Dam Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4150066	Hogan Rd	Hogan Rd	Mount Marshall	0.00	Gillett Rd	2.99	Bencubbin - Beacon Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4150161	Huckstep Rd	Huckstep Rd	Mount Marshall	0.00	White Rd & Ingleton Rd	5.46	5.46km From White Rd & Ingleton Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Mount Marshall

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4150078	Huxley Rd	Huxley Rd	Mount Marshall	0.00	Gabbin - Trayning Rd	3.42	Gabbin - Trayning Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4150006	Ingleton Rd	Ingleton Rd	Mount Marshall	0.00	Lindsay St & Kirby St	30.77	White Rd & Huckstep Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4150080	Jack Rd	Jack Rd	Mount Marshall	0.00	Koorda - Bullfinch Rd	10.43	Grylls Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Mount Marshall

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4150041	Job Rd	Job Rd	Mount Marshall	0.00	Mandiga - Marindo Rd	11.80	Bencubbin - Beacon Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4150032	Jones Rd	Jones Rd	Mount Marshall	0.00	Welbungin South Rd	8.43	Jones Rd & Barbalin - Koonkoobing Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4150108	Junk Rd	Junk Rd	Mount Marshall	0.00	Welbungin - Wialki Rd	11.12	Mukinbudin - Wialki Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4150151	Kellerberrin - Bencubbin Rd	Kellerberrin - Bencubbin Rd	Mount Marshall	0.00	Trayning LGA Boundary	14.35	Koorda - Bullfinch Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4150157	Kirby St	Kirby St	Mount Marshall	0.00	Ingleton Rd & Lindsay St	0.26	Bencubbin - Beacon Rd & Burakin - Wialki Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Mount Marshall

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4150122	Koorda - Bencubbin Rd	Koorda - Bencubbin Rd	Mount Marshall	0.00	East Boundary Rd & Breakell Rd	6.09	Mahe Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4150145	Koorda - Bullfinch Rd	Koorda - Bullfinch Rd	Mount Marshall	0.00	Koorda - Bullfinch Rd & East Boundary Rd	47.98	Mukinbudin LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4150110	Kuhl Rd	Kuhl Rd	Mount Marshall	0.00	Bimbij Rd	8.89	White Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4150048	Lacey Rd	Lacey Rd	Mount Marshall	0.00	Breakell Rd	2.51	Surtees Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4150029	Lancaster Rd	Lancaster Rd	Mount Marshall	0.00	Mouroubra Rd	16.09	Bimbij Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4150131	Linden Rd	Linden Rd	Mount Marshall	0.00	Grylls Rd	2.63	Buckley Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Mount Marshall

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4150015	Longmuir Rd	Longmuir Rd	Mount Marshall	0.00	Longmuir Rd & East Boundary Rd	5.17	Cleary - Gabbin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4150023	Luckman Rd	Luckman Rd	Mount Marshall	0.00	Welbungin - Wialki Rd	12.80	Wattoning West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4150128	Mackenzie Rd	Mackenzie Rd	Mount Marshall	0.00	Koorda - Bullfinch Rd	11.31	Gilham Cooper Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4150005	Mandiga - Marindo Rd	Mandiga - Marindo Rd	Mount Marshall	0.00	Bencubbin - Gabbin Rd & Mandiga Rd	39.95	Burakin - Wialki Rd & Marindo North Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Mungangabby Rd : No access permitted into Mungangabby Rd from Mandiga - Marindo Rd
4150119	Mandiga - Trayning Rd	Mandiga - Trayning Rd	Mount Marshall	0.00	Koorda - Bullfinch Rd	13.31	Trayning LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h

Tandem Drive Network 2.1



Mount Marshall

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4150026	Mandiga Rd	Mandiga Rd	Mount Marshall	0.00	Bencubbin - Gabbin Rd & Mandiga - Marindo Rd	4.10	Koorda - Bullfinch Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4150040	Marindo North Rd	Marindo North Rd	Mount Marshall	0.00	Mandiga - Marindo Rd & Burakin - Wialki Rd	12.86	Scotsman Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4150040	Marindo North Rd	Marindo North Rd	Mount Marshall	12.86	Scotsman Rd	27.47	Bunce Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4150069	Marshall Rock North Rd	Marshall Rock North Rd	Mount Marshall	0.00	Gillett Rd	5.45	Koorda - Bullfinch Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Mount Marshall

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4150070	Marshall Rock South Rd	Marshall Rock South Rd	Mount Marshall	0.00	Koorda - Bullfinch Rd	4.03	Bencubbin - Kununoppin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4150065	Matthews Rd	Matthews Rd	Mount Marshall	0.00	Welbungin - Wialki Rd	7.06	Barbalin - Koonkoobing Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4150104	Medlin St	Medlin St	Mount Marshall	0.00	Burakin - Wialki Rd	0.33	Lindsay St & Calderwood Dr	
4150109	Millar Rd	Millar Rd	Mount Marshall	0.00	Gillett Rd	4.39		<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4150079	Mitchell Rd	Mitchell Rd	Mount Marshall	0.00	Dalgouring Rd	15.67	Bimbijy Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4150079	Mitchell Rd	Mitchell Rd	Mount Marshall	15.67	Bimbijy Rd	21.54	Marindo North Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4150146	Monger St	Monger St	Mount Marshall	0.00	Koorda - Bullfinch Rd & Powell St	1.14	Bencubbin - Beacon Rd & Murray St	<ul style="list-style-type: none"> Maximum speed 40 km/h

Tandem Drive Network 2.1



Mount Marshall

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4150010	Mouroubra Rd	Mouroubra Rd	Mount Marshall	0.00	Cleary Bin Rd & Burakin - Wialki Rd	95.88	Maranalgo Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4150152	Mukinbudin - Wialki Rd	Mukinbudin - Wialki Rd	Mount Marshall	0.00	Beckingham St & Burakin - Wialki Rd	10.50	Mukinbudin LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4150118	Mulji Rd	Mulji Rd	Mount Marshall	0.00	Cleary - Gabbin Rd	6.66	East Boundary Rd & Mulji Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4150117	Mungangabby Rd	Mungangabby Rd	Mount Marshall	0.00	Beacon Back Rd	5.69	Mandiga - Marindo Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Mandiga - Marindo Rd : No access permitted into Mandiga - Marindo Rd from Mungangabby Rd
4150074	Oneil Rd	Oneil Rd	Mount Marshall	0.00	Burakin - Wialki Rd	0.82		<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4150090	Padbury St	Padbury St	Mount Marshall	0.00	Monger St	0.27	Collins St & Gillett Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Mount Marshall

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4150027	Pauley Rd	Pauley Rd	Mount Marshall	0.00	Gabbin - Narkal Rd	7.25	Mulji Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4150049	Perry Rd	Perry Rd	Mount Marshall	0.00	Bencubbin - Beacon Rd & Sachse North South Rd	8.88	Welbungin - Wialki Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4150061	Polkinghorne Rd	Polkinghorne Rd	Mount Marshall	0.00	Bell Rd & Welbungin South Rd	2.93	Polkinghorne Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4150113	Potts Rd	Potts Rd	Mount Marshall	0.00	Gillett Rd	4.55	Welbungin - Wialki Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Mount Marshall

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4150060	Probert Rd	Probert Rd	Mount Marshall	0.00	Welbungin - Wialki Rd	8.34	Marshall Rock North Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4150043	Red Dam Rd	Red Dam Rd	Mount Marshall	0.00	Cleary - Gabbin Rd	8.95	Mandiga - Marindo Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4150068	Sachse East West Rd	Sachse East West Rd	Mount Marshall	0.00	Bencubbin - Beacon Rd	2.30	Sachse North South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Mount Marshall

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4150067	Sachse North South Rd	Sachse North South Rd	Mount Marshall	0.00	Bencubbin - Beacon Rd & Perry Rd	8.08	Gillett Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4150020	Scotsman Rd	Scotsman Rd	Mount Marshall	0.00	Scotsman Rd & Boundary Rd	53.63	Scotsman Rd & Remlap Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4150064	Stone Rd	Stone Rd	Mount Marshall	0.00	Bimbijy Rd	9.90	Stone Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Mount Marshall

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4150055	Surtees Rd	Surtees Rd	Mount Marshall	0.00	Greenham Rd	8.69	Gray Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4150054	Waddouring Back Rd	Waddouring Back Rd	Mount Marshall	0.00	Kellerberrin - Bencubbin Rd & Gilham Cooper Rd & Grylls Rd	4.80	Breakell Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4150054	Waddouring Back Rd	Waddouring Back Rd	Mount Marshall	4.90	Breakell Rd	10.82	Beagley Rd & Gabbabin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Mount Marshall

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4150059	Walker Rd	Walker Rd	Mount Marshall	0.00	Sachse North South Rd	8.87	Welbungin - Wialki Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4150142	Watson Ct	Watson Ct	Mount Marshall	0.00	Monger St	0.24	Collins St	
4150007	Welbungin - Wialki Rd	Welbungin - Wialki Rd	Mount Marshall	0.00	Mukinbudin - Wialki Rd	41.55	Koorda - Bullfinch Rd & Welbungin South Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4150124	Welbungin Bin Rd	Welbungin Bin Rd	Mount Marshall	0.00	Welbungin South Rd	0.94	Koorda - Bullfinch Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4150004	Welbungin South Rd	Welbungin South Rd	Mount Marshall	0.00	Koorda - Bullfinch Rd & Welbungin - Wialki Rd	15.45	Trayning LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4150144	Welsh East Rd	Welsh East Rd	Mount Marshall	0.00	Cleary - Gabbin Rd	0.75	Bencubbin - Gabbin Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4150143	Welsh Rd	Welsh Rd	Mount Marshall	0.00	Cleary - Gabbin Rd	4.01	Pauley Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4150111	White Rd	White Rd	Mount Marshall	0.00	Huckstep Rd & Ingleton Rd	3.82		<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Mount Marshall

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4150076	Whittle Rd	Whittle Rd	Mount Marshall	0.00	Welbungin - Wialki Rd	5.88	Whittle Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4150120	Whyte East Rd	Whyte East Rd	Mount Marshall	0.00	Barbalin - Koonkoobing Rd	5.42	Whyte East Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4150084	Whyte Rd	Whyte Rd	Mount Marshall	0.00	Barbalin - Koonkoobing Rd	4.75	Koorda - Bullfinch Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4150082	Wialki North East Rd	Wialki North East Rd	Mount Marshall	0.00	Carlton Rd & Boundary Rd	2.86	Oneil Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h

Tandem Drive Network 2.1



Mount Marshall

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4150031	Wren Rd	Wren Rd	Mount Marshall	0.00	Breakell Rd & Kellerberrin - Bencubbin Rd	19.32	Fogarty Rd	<ul style="list-style-type: none">No operation on unsealed road segment when visibly wet, without road owner's approval.
4150031	Wren Rd	Wren Rd	Mount Marshall	19.32	Fogarty Rd	19.41	Barbalin - Koonkoobing Rd	
415Z002	Beacon Grain Bin Rd (P)	Beacon Grain Bin Rd (P)	Mount Marshall	0.00	Ingleton Rd & Calderwood Dr	0.28	Beacon Grain Bin Rd (P) - End Road	<ul style="list-style-type: none">Note: Low Volume (LV)Maximum speed 100 km/hDirect radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Mukinbudin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4160087	Aitken Rd	Aitken Rd	Mukinbudin	0.00	Barbalin North Rd	3.79	Aitken Rd & Koonkoobing Rd	
4160024	Albert Rd	Albert Rd	Mukinbudin	0.00	Copeland Rd & Mukinbudin - Wialki Rd	4.05	McGregor Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4160089	Andrews East Rd	Andrews East Rd	Mukinbudin	0.00	Lake Brown South Rd & Cookinbin Rd	6.34	Stockton Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4160085	Angle Rd	Angle Rd	Mukinbudin	0.00	Driscoll Rd & Adams Rd & Moondon Rd	7.78	Angle Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4160028	Barbalin - Koonkoobing Rd	Barbalin - Koonkoobing Rd	Mukinbudin	0.00	Kununoppin - Mukinbudin Rd	8.59	Wundowlin Rd & Barbalin - Koonkoobing Rd	
4160026	Barbalin North Rd	Barbalin North Rd	Mukinbudin	0.00	Barbalin South Rd & Koorda - Bullfinch Rd	25.67	Mukinbudin - Wialki Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Mukinbudin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4160027	Barbalin South Rd	Barbalin South Rd	Mukinbudin	0.00	Koorda - Bullfinch Rd & Barbalin North Rd	0.28		<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4160027	Barbalin South Rd	Barbalin South Rd	Mukinbudin	0.28		6.02	Kununoppin - Mukinbudin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4160008	Beringbooding Rd	Beringbooding Rd	Mukinbudin	0.00	Bonnie Rock - Lake Brown Rd & Clune Rd	13.25	Rabbit Proof Fence Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4160006	Bonnie Rock - Lake Brown Rd	Bonnie Rock - Lake Brown Rd	Mukinbudin	0.00	Koorda - Bullfinch Rd & Lake Brown South Rd	49.04	Percy Rd & Mukinbudin - Bonnie Rock Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4160044	Bonnie Rock Tank Rd	Bonnie Rock Tank Rd	Mukinbudin	0.00	Toole Rd	3.13	Sprigg Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4160097	Borlase Rd	Borlase Rd	Mukinbudin	0.00	Forest Av & Mukinbudin - Wialki Rd	5.65	Mukinbudin - Bonnie Rock Rd & Graham Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4160041	Brandis Rd	Brandis Rd	Mukinbudin	0.00	Wialki South Rd	6.15	Mukinbudin - Bonnie Rock Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Mukinbudin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4160012	Carlton Rd	Carlton Rd	Mukinbudin	0.00	Wialki North East Rd & Boundary Rd	7.37	Moondon Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4160015	Clamp Rd	Clamp Rd	Mukinbudin	0.00	Whyte Rd & Mukinbudin - Wialki Rd	14.55	Harry Rd	
4160069	Clamp St	Clamp St	Mukinbudin	0.00	Strugnell St	0.14	Clamp St - End Road	
4160045	Clune Rd	Clune Rd	Mukinbudin	0.00	Doig Rd	9.68	Bonnie Rock - Lake Brown Rd & Beringbooding Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4160032	Comerford Rd	Comerford Rd	Mukinbudin	0.00	Harry Rd	8.01	Walton Rd & Bonnie Rock - Lake Brown Rd	
4160082	Connell Rd	Connell Rd	Mukinbudin	0.00	Beringbooding Rd	8.34	Mt Jackson Rd	<ul style="list-style-type: none"> Maximum speed 70 km/h
4160021	Cookinbin Rd	Cookinbin Rd	Mukinbudin	0.00	Dandanning Rd	9.03	Andrews East Rd & Lake Brown South Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4160048	Copeland North Rd	Copeland North Rd	Mukinbudin	0.00	Copeland South Rd & Copeland Rd	4.03	Clamp Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4160016	Copeland Rd	Copeland Rd	Mukinbudin	0.00	Albert Rd & Mukinbudin - Wialki Rd	12.96	Wymond Rd & Mukinbudin North East Rd	
4160047	Cunderin Rd	Cunderin Rd	Mukinbudin	0.00	Beringbooding Rd	15.85	Walton Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4160020	Dandanning Rd	Dandanning Rd	Mukinbudin	0.00	Kununoppin - Mukinbudin Rd	10.94	Nungarin North Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4160029	Davis Rd	Davis Rd	Mukinbudin	0.00	Koorda - Bullfinch Rd	6.24	Virgin Rd & Quanta Cutting - Weira Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
4160106	Dead Horse Hill West Rd	Dead Horse Hill West Rd	Mukinbudin	0.00	English Rd	7.72	Stockton Rd	

Tandem Drive Network 2.1



Mukinbudin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4160081	Dease Rd	Dease Rd	Mukinbudin	0.00	Boundary Rd & Dease Rd	6.82	Moondon Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4160056	Doig Rd	Doig Rd	Mukinbudin	0.00	Mukinbudin - Bonnie Rock Rd	10.95	Graham Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4160046	Dootaning Rd	Dootaning Rd	Mukinbudin	7.00	7.0km From Mukinbudin - Bonnie Rock Rd	10.76	Bonnie Rock - Lake Brown Rd	
4160111	Driscoll Rd	Driscoll Rd	Mukinbudin	0.00	Boundary Rd	7.60	Adams Rd & Angle Rd & Moondon Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4160094	Elsewhere Rd	Elsewhere Rd	Mukinbudin	0.00	Cunderin Rd	2.09	Elsewhere Rd & Rabbit Proof Fence Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4160096	Forest Av	Forest Av	Mukinbudin	0.00	Koonkoobing Rd	5.29	Borlase Rd & Mukinbudin - Wialki Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4160030	Forty Six Gate Rd	Forty Six Gate Rd	Mukinbudin	0.00	Quanta Cutting North Rd	10.61	Elachbutting Rd & Rabbit Proof Fence Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
4160011	Graham Rd	Graham Rd	Mukinbudin	0.00	Borlase Rd & Mukinbudin - Bonnie Rock Rd	14.09	Bonnie Rock - Lake Brown Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Mukinbudin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4160031	Harry Rd	Harry Rd	Mukinbudin	0.00	Mukinbudin - Wialki Rd	16.53	Bonnie Rock - Lake Brown Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4160071	Henry Rd	Henry Rd	Mukinbudin	0.00	Scotsman Rd & Moondon Rd	4.86	Henry Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4160023	Jones East Rd	Jones East Rd	Mukinbudin	0.00	Manuel Rd & Mukinbudin - Wialki Rd	4.04	McGregor Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4160076	Jones Rd	Jones Rd	Mukinbudin	0.00	Barbalin South Rd	2.88	Jones Rd & Barbalin - Koonkoobing Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h

Tandem Drive Network 2.1



Mukinbudin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4160033	Karomin Rd	Karomin Rd	Mukinbudin	0.00	Nungarin North Rd	3.87	Nungarin LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4160088	Koonkoobing Rd	Koonkoobing Rd	Mukinbudin	0.00	Forest Av	3.44	Aitken Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4160107	Koorda - Bullfinch Rd	Koorda - Bullfinch Rd	Mukinbudin	0.00	Mount Marshall LGA Boundary	41.31	Nungarin LGA Boundary	
4160108	Kununoppin - Mukinbudin Rd	Kununoppin - Mukinbudin Rd	Mukinbudin	0.00	Trayning LGA Boundary	19.12	Koorda - Bullfinch Rd & Mukinbudin - Wialki Rd	<ul style="list-style-type: none"> Intersection Maddock St : No left turn permitted into Maddock St from Kununoppin-Mukinbudin Rd
4160055	Kuser Rd	Kuser Rd	Mukinbudin	0.00	Mukinbudin - Bonnie Rock Rd	1.93	Spencers Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4160013	Lake Brown South Rd	Lake Brown South Rd	Mukinbudin	0.00	Koorda - Bullfinch Rd & Bonnie Rock - Lake Brown Rd	13.28	Lake Brown South Rd & Devlin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Mukinbudin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4160086	Lavery Rd	Lavery Rd	Mukinbudin	0.00	Mukinbudin North East Rd	4.61	Copeland Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4160057	Maddock St	Maddock St	Mukinbudin	0.52	White St	0.63	Kununoppin - Mukinbudin Rd	
4160049	Manuel Rd	Manuel Rd	Mukinbudin	0.00	Jones East Rd & Mukinbudin - Wialki Rd	4.03	Copeland South Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 40 km/h Intersection Jones East Rd & Mukinbudin - Wialki Rd : No left turn permitted into Mukinbudin-Wialki Road from Manuel Road. No right turn permitted into Manuel Road from Mukinbudin-Wialki Road.
4160022	McGregor Rd	McGregor Rd	Mukinbudin	0.00	Kununoppin - Mukinbudin Rd & Nungarin North Rd	2.51	Koorda - Bullfinch Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Koorda - Bullfinch Rd : No left turn permitted into Koorda-Bullfinch Road from McGregory Rd
4160022	McGregor Rd	McGregor Rd	Mukinbudin	2.90	Koorda - Bullfinch Rd	14.33	Whyte Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Koorda - Bullfinch Rd : No access into Koorda-Bullfinch Road from McGregor Rd

Tandem Drive Network 2.1



Mukinbudin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4160074	McInnes Rd	McInnes Rd	Mukinbudin	0.00	Graham Rd	3.83	Molyneux Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4160079	Miguel East Rd	Miguel East Rd	Mukinbudin	0.00	Boundary Rd	7.59	Moondon Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4160078	Milne Rd	Milne Rd	Mukinbudin	0.00	Mukinbudin North East Rd	6.48	Bonnie Rock - Lake Brown Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4160073	Molyneux Rd	Molyneux Rd	Mukinbudin	0.00	Mukinbudin - Bonnie Rock Rd	5.58	McInnes Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4160009	Moondon Rd	Moondon Rd	Mukinbudin	0.00	Mukinbudin - Bonnie Rock Rd	32.92	Driscoll Rd & Adams Rd & Angle Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4160050	Morrison Rd	Morrison Rd	Mukinbudin	0.00	Bonnie Rock - Lake Brown Rd	12.13	Morrison Rd & Rabbit Proof Fence Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Mukinbudin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4160083	Mott Rd	Mott Rd	Mukinbudin	0.00	Bonnie Rock - Lake Brown Rd	7.00	Farm Entrance 3km After Quanta Cutting North Rd	
4160109	Mukinbudin - Bonnie Rock Rd	Mukinbudin - Bonnie Rock Rd	Mukinbudin	0.00	Mukinbudin - Wialki Rd	28.86	Bonnie Rock - Lake Brown Rd & Percy Rd	
4160110	Mukinbudin - Wialki Rd	Mukinbudin - Wialki Rd	Mukinbudin	0.00	Koorda - Bullfinch Rd & Kununoppin - Mukinbudin Rd	42.92	Mount Marshall LGA Boundary	
4160005	Mukinbudin North East Rd	Mukinbudin North East Rd	Mukinbudin	0.00	Koorda - Bullfinch Rd	21.51	Quanta Cutting - Weira Rd & Quanta Cutting North Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4160007	Nungarin North Rd	Nungarin North Rd	Mukinbudin	0.00	Kununoppin - Mukinbudin Rd & McGregor Rd	10.70	Nungarin LGA Boundary	
4160019	Ogilvie Rd	Ogilvie Rd	Mukinbudin	0.00	Bonnie Rock - Lake Brown Rd	13.66	Bonnie Rock - Lake Brown Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4160112	Percy Rd	Percy Rd	Mukinbudin	0.00	Bonnie Rock - Lake Brown Rd & Mukinbudin - Bonnie Rock Rd	1.36	Sprigg Rd	
4160014	Popes Hill South Rd	Popes Hill South Rd	Mukinbudin	0.00	Koorda - Bullfinch Rd	8.84	Cookinbin Rd	
4160014	Popes Hill South Rd	Popes Hill South Rd	Mukinbudin	8.84	Cookinbin Rd	14.40	Lake Brown South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4160070	Potter St	Potter St	Mukinbudin	0.00	Strugnell St	0.49	Potter Rd - End Road	
4160093	Quanta Cutting - Weira Rd	Quanta Cutting - Weira Rd	Mukinbudin	0.00	Nungarin LGA Boundary	9.14	Mukinbudin North East Rd & Quanta Cutting North Rd	
4160010	Quanta Cutting North Rd	Quanta Cutting North Rd	Mukinbudin	0.00	Quanta Cutting - Weira Rd & Mukinbudin North East Rd	8.88	Forty Six Gate Rd	
4160010	Quanta Cutting North Rd	Quanta Cutting North Rd	Mukinbudin	8.88	Forty Six Gate Rd	10.10	Wilgoyne Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
4160010	Quanta Cutting North Rd	Quanta Cutting North Rd	Mukinbudin	10.10	Wilgoyne Rd	14.71	Ogilvie Rd	
4160052	Scotsman Rd	Scotsman Rd	Mukinbudin	0.00	Scotsman Rd & Boundary Rd	7.57	Moondon Rd & Henry Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4160072	Sheardown Rd	Sheardown Rd	Mukinbudin	0.00	Moondon Rd	12.25	Toole Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Mukinbudin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4160054	Spencers Rd	Spencers Rd	Mukinbudin	0.00	Moondon Rd	10.22	Kuser Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4160043	Sprigg Rd	Sprigg Rd	Mukinbudin	0.00	Bonnie Rock - Lake Brown Rd	9.66	Sprigg Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4160036	Squire Rd	Squire Rd	Mukinbudin	0.00	Nungarin North Rd	4.03	Dandanning Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4160080	Stockton Rd	Stockton Rd	Mukinbudin	0.00	Koorda - Bullfinch Rd	6.83	Stock Rd	
4160068	Strugnell St	Strugnell St	Mukinbudin	0.00	Koorda - Bullfinch Rd	0.79	Mukinbudin - Wialki Rd	
4160042	Toole Rd	Toole Rd	Mukinbudin	0.00	Mukinbudin - Bonnie Rock Rd	16.60	Toole Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4160018	Walton Rd	Walton Rd	Mukinbudin	0.00	Bonnie Rock - Lake Brown Rd & Comerford Rd	13.40	Rabbit Proof Fence Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4160075	Wattoning West Rd	Wattoning West Rd	Mukinbudin	0.00	Wilgoyne Rd & Mukinbudin - Wialki Rd	8.63	Barbalin North Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Mukinbudin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4160075	Wattoning West Rd	Wattoning West Rd	Mukinbudin	8.63	Barbalin North Rd	9.01	Luckman Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4160062	White St	White St	Mukinbudin	0.35	Maddock St	0.48	Koorda - Bullfinch Rd	<ul style="list-style-type: none"> Intersection Koorda - Bullfinch Rd : No left turn permitted into Koorda-Bullfinch Rd from White St
4160017	Whyte Rd	Whyte Rd	Mukinbudin	0.00	Clamp Rd & Mukinbudin - Wialki Rd	6.80	Wattoning West Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4160039	Wialki South Rd	Wialki South Rd	Mukinbudin	0.00	Borlase Rd	15.80	Boundary Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4160004	Wilgoyne Rd	Wilgoyne Rd	Mukinbudin	0.00	Wattoning West Rd & Mukinbudin - Wialki Rd	20.97	Quanta Cutting North Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4160092	Wundowlin Rd	Wundowlin Rd	Mukinbudin	0.00	Barbalin - Koonkoobing Rd	1.26	Koorda - Bullfinch Rd	<ul style="list-style-type: none"> Intersection Barbalin - Koonkoobing Rd : No access permitted into Barbalin Koonkobbin Rd from Wundowlin Rd
4160077	Wymond Rd	Wymond Rd	Mukinbudin	0.00	Copeland Rd & Mukinbudin North East Rd	14.15	Harry Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Mukinbudin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4160040	Wyoming Trl	Wyoming Trl	Mukinbudin	0.00	Mukinbudin - Wialki Rd	5.10	Wialki South Rd	<ul style="list-style-type: none">• All operators must carry written support from the road manager acknowledging the operator's use of the road.• Headlights to be switched on at all times• No operation on unsealed road segment when visibly wet, without road owner's approval.• Note: Low Volume (LV)• Maximum speed 60 km/h• When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.• Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Mundaring

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1060012	Artello Bay Rd	Artello Bay Rd	Mundaring	0.00	Farrall Rd	0.46	Rothschild Pl	
1063039	Bunning Rd	Bunning Rd	Mundaring	2.37	Kingston Rd	4.81	Quail St & Bunning Rd	
1060014	Dayana Cl	Dayana Cl	Mundaring	0.00	Elliott St	0.08	Dayana Cl - End Road	
1060019	Elliott St	Elliott St	Mundaring	0.00	Stanhope Gdns	0.37	Farrall Rd	
1060015	Elmsfield Rd	Elmsfield Rd	Mundaring	0.00	Farrall Rd	0.66	Runyon Rd	
1060016	Farrall Rd	Farrall Rd	Mundaring	0.00	Great Eastern Hwy & Horace St	1.00	Farrall Rd & Morrison Rd	
1060185	Gallant Ct	Gallant Ct	Mundaring	0.00	Orchard Av	0.08	Gallant Ct - End Road	<ul style="list-style-type: none"> No Operation Saturday and Sunday
1060017	Meliador Wy	Meliador Wy	Mundaring	0.00	Runyon Rd	0.55	Elmsfield Rd	
1060001	Morrison Rd	Morrison Rd	Mundaring	0.00	Roe Hwy & Morrison Rd	0.49	Farrall Rd	<ul style="list-style-type: none"> Intersection Farrall Rd : No right turn permitted into Farrall Rd from Morrison Rd
1060021	Muros Pl	Muros Pl	Mundaring	0.00	Rothschild Pl	0.19	Muros Pl - End Road	
1060008	Orchard Av	Orchard Av	Mundaring	0.00	Orchard Av & Morrison Rd	0.35	Rothschild Pl	
1060180	Rothschild Pl	Rothschild Pl	Mundaring	0.00	Farrall Rd	0.46	Rothschild Pl - End Road	
1060018	Runyon Rd	Runyon Rd	Mundaring	0.00	Farrall Rd	0.34	Meliador Wy	
1060007	Stanhope Gdns	Stanhope Gdns	Mundaring	0.00	Great Eastern Hwy	0.58	Rothschild Pl	
106Z006	Allen Rd (F)	Allen Rd (F)	Mundaring	10.45	5.05km Before Gorrie Rd (F)	16.73	Nockine Rd (F)	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Murchison

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
7050003	Beringarra - Byro Rd	Beringarra - Byro Rd	Murchison	0.00	Carnarvon - Mullewa Rd	8.95	8.95km From Carnarvon - Mullewa Rd.	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h No Operation between the hours of sunset and sunrise Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
7050001	Beringarra - Pindar Rd	Beringarra - Pindar Rd	Murchison	97.09	For 11.69km From Manfred Rd to Mro	255.56		<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
7050001	Beringarra - Pindar Rd	Beringarra - Pindar Rd	Murchison	255.56		317.32	Greater Geraldton (C) LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
7050005	Boolardy - Kalli Rd	Boolardy - Kalli Rd	Murchison	0.00	Beringarra - Pindar Rd	20.00	20km From Beringarra - Pindar Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
7050032	Boolardy - Wooleen Rd	Boolardy - Wooleen Rd	Murchison	0.00	Beringarra - Pindar Rd	19.08	Wooleen - Mt Wittenoom Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
7050043	Carnarvon - Mullewa Rd	Carnarvon - Mullewa Rd	Murchison	0.00	Upper Gascoyne LGA Boundary	11.10	Wooramel Crossing	
7050043	Carnarvon - Mullewa Rd	Carnarvon - Mullewa Rd	Murchison	11.10	Wooramel Crossing	278.86	Greater Geraldton (C) LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h No Operation between the hours of sunset and sunrise Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Murchison

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
7050004	Twin Peaks - Wooleen Rd	Twin Peaks - Wooleen Rd	Murchison	0.00	Was 0004 Twin Peaks- Wooleen Rd & Carnarvon - Mullewa Rd	45.66	Wooleen Access Rd & Wooleen - Mt Wittenoom Rd	<ul style="list-style-type: none">• Headlights to be switched on at all times• No operation on unsealed road segment when visibly wet, without road owner's approval.• Note: Low Volume (LV)• Maximum speed 80 km/h• Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
7050027	Wooleen - Mt Wittenoom Rd	Wooleen - Mt Wittenoom Rd	Murchison	0.00	Twin Peaks - Wooleen Rd & Wooleen Access Rd	13.00	0.4km From Boolardy - Wooleen Rd	<ul style="list-style-type: none">• Headlights to be switched on at all times• No operation on unsealed road segment when visibly wet, without road owner's approval.• Note: Low Volume (LV)• Maximum speed 80 km/h• Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Murray

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2150262	Baker St	Baker St	Murray	0.00	Phillips Rd	0.36	Butler St & Harries Wy	
2150057	Banksiadale Rd	Banksiadale Rd	Murray	0.00	Del Park Rd	1.78	Wilde Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Maximum speed 40 km/h Sunday and Public Holidays Operation Only between 7:00 AM and 6:00 PM
2150121	Beacham Rd	Beacham Rd	Murray	0.00	Pinjarra Rd	0.20	0.04km From Avondale Blvd	
2150003	Burnside Rd	Burnside Rd	Murray	0.00	Pinjarra Williams Rd	4.98	Coolup East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times
2150114	Caris Park Rd	Caris Park Rd	Murray	0.00	Old Bunbury Rd	2.93	Caris Park Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2150364	Collins Rd	Collins Rd	Murray	0.00	Old Bunbury Rd	2.36	Collins Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2150002	Coolup East Rd	Coolup East Rd	Murray	0.00	South Western Hwy	5.80	Burnside Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2150017	Coolup Rd South	Coolup Rd South	Murray	3.59	Gibbings Rd	5.06	Valli Rd & Leach Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2150214	Corio Rd	Corio Rd	Murray	0.93	8.36km South From Lakes Road.	9.29	Lakes Rd & Hopeland Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2150533	Del Park Rd	Del Park Rd	Murray	0.00	South Western Hwy	25.35	Newton St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2150823	Dollyup St	Dollyup St	Murray	0.00	Lakes Rd	0.71	Mervyn St	
2150133	Farley Rd	Farley Rd	Murray	0.00	Pinjarra Williams Rd	2.26	Farley Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road.
2150098	Fiegert Rd	Fiegert Rd	Murray	0.00	Pinjarra Rd	5.71	Lakelands Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Empty Travel Only

Tandem Drive Network 2.1



Murray

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2150018	Gibbings Rd	Gibbings Rd	Murray	0.00	Coolup Rd South	3.48	Mayfield Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2150004	Greenlands Rd	Greenlands Rd	Murray	0.00	Forrest Hwy	6.43	Carrabungup Rd & Lake Mealup Rd	
2150130	Gull Rd	Gull Rd	Murray	0.00	Lakes Rd & Paterson Rd	2.95	0.27km From End of Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2150055	Hines Rd	Hines Rd	Murray	0.00	South Western Hwy	4.60	Scarp Rd (Nth)	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road.
2150012	Hopeland Rd	Hopeland Rd	Murray	1.99	1.99km From Hopeland Rd	6.15	Lakes Rd & Corio Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2150216	Kirkham Rd	Kirkham Rd	Murray	0.00	Coolup East Rd	0.41	Kirkham Rd - End Road	
2150009	Lakes Rd	Lakes Rd	Murray	0.00	Lakes Rd East	12.50	Hopeland Rd & Corio Rd	
2150009	Lakes Rd	Lakes Rd	Murray	12.50	Hopeland Rd & Corio Rd	18.04	South St & Railway Av	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2150016	Mayfield Rd	Mayfield Rd	Murray	2.74	Gibbings Rd	3.10	0.36km From Gibbings Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2150858	Mervyn St	Mervyn St	Murray	0.00	Midgegooroo Rd	0.45	Mervyn St - End Road	
2150824	Midgegooroo Rd	Midgegooroo Rd	Murray	0.00	Dollyup St	0.34	Midgegooroo Rd - End Road	
2150397	Moores Rd	Moores Rd	Murray	0.82	Munday Av	1.06	Phillips Rd	<ul style="list-style-type: none"> A RAV must not be driven on this road in excess of 4.3 metres in height unless written approval is obtained and must be carried from relevant overhead telecommunication and electrical transmission cable controller.
2150397	Moores Rd	Moores Rd	Murray	1.06	Phillips Rd	2.20	Paperbark Pl	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Empty Travel Only No Operation between 6:00 PM and 7:00 AM A RAV must not be driven on this road in excess of 4.3 metres in height unless written approval is obtained and must be carried from relevant overhead telecommunication and electrical transmission cable controller.

Tandem Drive Network 2.1



Murray

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2150138	Morrell Rd	Morrell Rd	Murray	0.00	South Western Hwy	3.12	Morrell Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road.
2150660	Munday Av	Munday Av	Murray	0.00	Moore Rd	1.13	Munday Av - End Road	
2150353	Nambeelup Rd	Nambeelup Rd	Murray	0.00	Lakes Rd	1.39	Nambeelup Rd - End Road	<ul style="list-style-type: none"> Intersection Lakes Rd : No left turn permitted into Lakes Rd from Nambeelup Rd
2150060	Nanga Rd	Nanga Rd	Murray	0.00	Pinjarra Williams Rd	6.56	Nanga Rd & Park Rd (F)	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road.
2150058	Newton St	Newton St	Murray	0.00	Del Park Rd	0.45	Newton St - End Road	
2150536	Old Bunbury Rd	Old Bunbury Rd	Murray	0.00	South Western Hwy	17.19	Waroona LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Caris Park Rd : No left turn permitted into Caris Park Rd from Old Bunbury Rd
2150574	Paperbark Pl	Paperbark Pl	Murray	0.00	Moore Rd	0.31	Paperbark Pl - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Empty Travel Only No Operation between 6:00 PM and 7:00 AM
2150013	Paterson Rd	Paterson Rd	Murray	8.36	2.3km From Rogers Rd	15.12	Lakes Rd & Gull Rd	<ul style="list-style-type: none"> Maximum speed 70 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2150265	Phillips Rd	Phillips Rd	Murray	0.00	Pinjarra Rd	0.95	Moore Rd	
2150220	Scarp Rd	Scarp Rd	Murray	0.00	Pinjarra Williams Rd	0.65	Scarp Rd (South) - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Murray

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2150061	Scarp Rd (Nth)	Scarp Rd (Nth)	Murray	0.00	Del Park Rd	14.20	Scarp Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
2150727	Seaeagle Ct	Seaeagle Ct	Murray	0.00	Lakes Rd	0.75	Seaeagle Ct Cul-De-Sac	
2150143	Shanns Rd	Shanns Rd	Murray	0.00	Lakes Rd	2.05	0.27km From End of Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2150064	South St	South St	Murray	0.00	South Western Hwy	0.31	Lakes Rd & Railway Av	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2150582	Valli Rd	Valli Rd	Murray	0.00	Coolup Rd South & Leach Rd	2.37	South Western Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2150100	Watson Dr	Watson Dr	Murray	0.00	Furnissdale Rd & Pinjarra Rd	0.13	Service Station Access Road	
215Z074	Alcoa Dr	Alcoa Dr	Murray	0.00	South Western Hwy	7.01	Pinjarra Alumina Refinery Access Rd	

Tandem Drive Network 2.1



Nannup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2160107	Balingup - Nannup Rd	Balingup - Nannup Rd	Nannup	19.22	Dunnet Rd	19.49	Grange Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2160049	Black Point Rd	Black Point Rd	Nannup	10.02	0.73km From Stewart Rd	10.75	Stewart Rd	
2160049	Black Point Rd	Black Point Rd	Nannup	10.82	Stewart Rd	20.41	Mayall Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2160109	Brockman Hwy	Brockman Hwy	Nannup	0.00	Bridgetown - Greenbushes LGA Boundary	23.33	Dunnet Rd & Kearney St	
2160063	Coronation Rd	Coronation Rd	Nannup	0.00	Vasse Hwy	17.51	Graphite Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2160014	Cundinup - Dudinyillup Rd	Cundinup - Dudinyillup Rd	Nannup	0.00	Cundinup South Rd	6.71	Balingup - Nannup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Nannup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2160002	Cundinup - Kirup Rd	Cundinup - Kirup Rd	Nannup	0.00	Cundinup Rd & Cundinup South Rd	4.86	Donnybrook - Balingup LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2160001	Cundinup Rd	Cundinup Rd	Nannup	0.00	White Rd & Cundinup West Rd	0.57	Cundinup - Kirup Rd & Cundinup South Rd	<ul style="list-style-type: none"> Intersection White Rd & Cundinup West Rd : No right turn permitted into White Rd from Cundinup Rd.
2160094	Cundinup South Rd	Cundinup South Rd	Nannup	0.00	Cundinup Rd & Cundinup - Kirup Rd	3.14	Cundinup - Dudinyillup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2160094	Cundinup South Rd	Cundinup South Rd	Nannup	3.14	Cundinup - Dudinyillup Rd	13.03	Vasse Hwy	
2160093	Cundinup West Rd	Cundinup West Rd	Nannup	0.00	Vasse Hwy	1.47	1.47km East From Vasse (M008)	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
2160093	Cundinup West Rd	Cundinup West Rd	Nannup	1.47	1.47km East From Vasse (M008)	9.41	White Rd & Cundinup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2160011	Donnelly Mill Rd	Donnelly Mill Rd	Nannup	0.00	Sears Rd	1.68	Bridgetown - Greenbushes LGA Boundary	
2160037	Dunnet Rd	Dunnet Rd	Nannup	0.00	Balingup - Nannup Rd	0.16	Folly Rd (F)	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Nannup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2160004	East Nannup Rd	East Nannup Rd	Nannup	0.00	Vasse Hwy	4.60	4.60 Km From Vasse Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2160004	East Nannup Rd	East Nannup Rd	Nannup	4.60	4.60 Km From Vasse Hwy	12.63	Gold Gully Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2160069	Fouracres Rd	Fouracres Rd	Nannup	0.00	Governor Broome Rd & Milyeannup Coast Rd	20.75	Black Point Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2160008	Gold Gully Rd	Gold Gully Rd	Nannup	0.00	Vasse Hwy	22.52	Brockman Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2160007	Governor Broome Rd	Governor Broome Rd	Nannup	0.00	Fouracres Rd & Milyeannup Coast Rd	10.97	Augusta - Margaret River LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2160032	Grange Rd	Grange Rd	Nannup	0.61	Balingup - Nannup Rd	0.73	Warren Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Nannup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2160119	Graphite Rd	Graphite Rd	Nannup	0.00	Coronation Rd & Graphite Rd	18.32	Vasse Hwy	<ul style="list-style-type: none"> Intersection Mount Leewin Loop Rd : No right turn permitted into Mount Leewin Loop Rd from Graphite Rd
2160045	Jalbarragup Rd	Jalbarragup Rd	Nannup	0.00	Brockman Hwy	4.35	Johnston Rd & Jalbarragup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2160067	Jangardup Rd	Jangardup Rd	Nannup	0.00	Black Point Rd	3.56	Pneumonia Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.
2160067	Jangardup Rd	Jangardup Rd	Nannup	3.56	Pneumonia Rd	11.23	Jangardup Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Pneumonia Rd : No left turn permitted into Jangardup Road from Pneumonia Road.
2160033	Kearney St	Kearney St	Nannup	0.00	Dunnet Rd & Brockman Hwy	0.26	Warren Rd	
2160099	King Rd	King Rd	Nannup	0.00	Stacey Rd	0.95	King Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Nannup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2160098	Mayall Rd	Mayall Rd	Nannup	0.00	Black Point Rd	2.12	Mayall Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2160005	Milyeannup Coast Rd	Milyeannup Coast Rd	Nannup	0.00	Stewart Rd	26.56	Milyeannup Coast Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2160017	Mount Leewin Loop Rd	Mount Leewin Loop Rd	Nannup	3.20	1.97km From Lyon Rd	6.90	Graphite Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Graphite Rd : No left turn permitted into Graphite Rd from Moutn Leewin Loop Rd
2160047	Mowen Rd	Mowen Rd	Nannup	0.00	Warren Rd & Vasse Hwy	33.10	Sues Rd	
2160021	Old Cundinup Rd	Old Cundinup Rd	Nannup	0.00	Vasse Hwy	5.90	Cundinup South Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Nannup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2160066	Pneumonia Rd	Pneumonia Rd	Nannup	0.00	Jangardup Rd	11.10	11.1km From Jangardup Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Jangardup Rd : No left turn permitted into Jangardup Rd from Pneumonia Rd.
2160006	Sears Rd	Sears Rd	Nannup	0.00	Brockman Hwy	13.80	Manjimup LGA Boundary	
2160022	Stacey Rd	Stacey Rd	Nannup	0.00	Brockman Hwy	2.74	Jalbarragup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2160013	White Rd	White Rd	Nannup	0.00	Cundinup West Rd & Cundinup Rd	3.70	Donnybrook - Balingup LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Cundinup West Rd & Cundinup Rd : No left turn permitted into Cundinup Road from White Road.

Tandem Drive Network 2.1



Nannup

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
216Z094	Asplin Rd	Asplin Rd	Nannup	0.00	Brockman Hwy	1.85	Folly Rd (F)	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
216Z092	Folly Rd (F)	Folly Rd (F)	Nannup	0.00	Dunnet Rd	2.65	Asplin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
216Z102	Jalbarragup Rd	Jalbarragup Rd	Nannup	0.00	Jalbarragup Rd & Johnston Rd	17.25	Jalbarragup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Narembeen

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4170114	Abbot Rd	Abbot Rd	Narembeen	0.00	Starcevich Chapman Rd	4.25	Cramphorne Rd	
4170044	Anderson Rocks Rd	Anderson Rocks Rd	Narembeen	0.00	Williamson Rd	34.93	Hyden North Rd	<ul style="list-style-type: none"> Intersection Hyden North Rd : No left turn permitted into Hyden North Rd from Anderson Rock Rd
4170032	Bailey Rd	Bailey Rd	Narembeen	0.00	Wadderin Graball Rd	12.38	Mt Walker Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170021	Billericay East Rd	Billericay East Rd	Narembeen	0.00	Kondinin - Narembeen Rd	28.61	Billericay East Rd & Lahoar Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Kondinin - Narembeen Rd : No right turn permitted into Kondinin-Narembeen Rd from Billericay East Rd. No right turn permitted into Billericay East Rd from Kondinin-Narembeen Rd
4170022	Billericay West Rd	Billericay West Rd	Narembeen	0.00	George Rd	12.70	Kondinin - Narembeen Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170012	Bows Rd	Bows Rd	Narembeen	0.00	Narembeen Boundary Rd	12.58	Dayman Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170087	Bristow - Butler Rd	Bristow - Butler Rd	Narembeen	0.00	Kondinin - Narembeen Rd	5.12	Yandle Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Narembeen

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4170020	Brown Rd	Brown Rd	Narembeen	0.00	Kondinin - Narembeen Rd	12.38	Brown Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4170128	Bruce Rock - Narembeen Rd	Bruce Rock - Narembeen Rd	Narembeen	0.00	Bruce Rock LGA Boundary	13.62	Longhurst St & Northmore St	
4170103	Bruce Rock East Rd	Bruce Rock East Rd	Narembeen	0.00	Bruce Rock LGA Boundary	4.86	Butler Rd & Merredin - Narembeen Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170085	Burgin Rd	Burgin Rd	Narembeen	0.00	Cusak Drv	2.55	Wadderin Graball Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Wadderin Graball Rd : No access permitted into Wadderin Grabball Rd from Burgin Rd.
4170110	Butler Boundary Rd	Butler Boundary Rd	Narembeen	0.00	Bruce Rock LGA Boundary	2.24	Bruce Rock East Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170028	Butler Rd	Butler Rd	Narembeen	0.00	Wogarl - Muntadgin Rd	15.38	Merredin - Narembeen Rd & Bruce Rock East Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Narembreen

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4170038	Calzoni Rd	Calzoni Rd	Narembreen	0.00	Yilgarn LGA Boundary	34.15	Mt Walker - Hyden Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4170081	Cavanagh Rd	Cavanagh Rd	Narembreen	0.00	South Kumminin East Rd	6.12	Hedges East Rd	
4170068	Cheethams Rd	Cheethams Rd	Narembreen	0.00	Corrigin - Narembreen Rd	7.54	Healey Rd & Narembreen Boundary Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170059	Chick Rd	Chick Rd	Narembreen	0.00	Coker Rd	3.61	The Humps Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170037	Church Rd	Church Rd	Narembreen	0.00	Calzoni Rd	6.63	Soldiers Rd	
4170037	Church Rd	Church Rd	Narembreen	6.64	Soldiers Rd	11.36	Church Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4170060	Coker Rd	Coker Rd	Narembreen	0.00	Calzoni Rd	6.96	Anderson Rocks Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170135	Corrigin - Narembreen Rd	Corrigin - Narembreen Rd	Narembreen	0.00	Corrigin - Narembreen Rd & Boundary Rd	17.03	Kondinin - Narembreen Rd & South Kumminin East Rd	
4170067	Coshes Rd	Coshes Rd	Narembreen	0.00	Billericay East Rd	7.64	South Kumminin East Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170040	Coverley Rd	Coverley Rd	Narembreen	0.00	Soldiers Rd	15.48	Wogarl West Rd & Wogarl - Muntadgin Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h
4170054	Cowan Rd	Cowan Rd	Narembreen	0.00	Wogarl East Rd	12.91	Soldiers Rd	

Tandem Drive Network 2.1



Narembeen

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4170036	Cramphorne North Rd	Cramphorne North Rd	Narembeen	0.00	Cramphorne North Rd - Start Road	7.21	Hooper Rd	
4170013	Cramphorne Rd	Cramphorne Rd	Narembeen	0.00	Bruce Rock LGA Boundary	42.29	Cox Rd & Cramphorne Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170062	Cullen Rd	Cullen Rd	Narembeen	0.00	Wogarl East Rd	9.98	Yeomans Rd	
4170047	Cumminin Rd	Cumminin Rd	Narembeen	0.00	Koolberrin Rd	8.58	Bruce Rock LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170132	Currall St	Currall St	Narembeen	0.00	Merredin - Narembeen Rd & Brown St	0.70	Latham Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Maximum speed 50 km/h
4170073	Cusak Drv	Cusak Drv	Narembeen	0.00	Dixon Rd	8.72	Wadderin Graball Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170111	Dam Rd	Dam Rd	Narembeen	0.00	Yeomans Rd	3.62	Soldiers Rd & Mt Walker - Hyden Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Narembreen

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4170083	Dayman Rd	Dayman Rd	Narembreen	0.00	Kondinin - Narembreen Rd	4.83	Bruce Rock - Narembreen Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h
4170018	Dixon Rd	Dixon Rd	Narembreen	0.00	Merredin - Narembreen Rd & Yawerlin Creek Rd	40.22	Dixon Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170007	Emu Hill East Rd	Emu Hill East Rd	Narembreen	0.00	Mt Walker - Hyden Rd	43.10	Rail Crossing 70 Metres South East of Kondinin - Narembreen Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Narembreen South Rd : No right turn permitted into Narembreen South Rd from Emu Hill East Rd
4170007	Emu Hill East Rd	Emu Hill East Rd	Narembreen	43.10	Rail Crossing 70 Metres South East of Kondinin - Narembreen Rd	43.17	Kondinin - Narembreen Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170101	Emu Hill Rd	Emu Hill Rd	Narembreen	0.00	Fawcett Rd	3.87	Cumminin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Fawcett Rd : No access permitted into Fawcett Rd from Emu Hill Rd

Tandem Drive Network 2.1



Narembeen

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4170086	Fawcett Rd	Fawcett Rd	Narembeen	0.00	Bows Rd	8.92	Bruce Rock - Narembeen Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4170065	Fiegert Rd	Fiegert Rd	Narembeen	0.00	South Kumminin East Rd	3.76	Fiegert Rd - End Road	
4170174	Fricker Rd	Fricker Rd	Narembeen	0.00	Merredin - Narembeen Rd	0.96	Soldiers Rd & Latham Rd	
4170048	Garmony Rd	Garmony Rd	Narembeen	0.00	Fawcett Rd	6.77		<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4170076	Georgeff Rd	Georgeff Rd	Narembeen	0.00	Cramphorne Rd	7.13	Georgeff Rd - End Road	
4170051	Grays Rd	Grays Rd	Narembeen	0.00	Soldiers Rd	3.44	Sloss Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170023	Hedges East Rd	Hedges East Rd	Narembeen	0.00	Kondinin - Narembeen Rd & Hedges West Rd	32.86	Hyden North Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Narembeen

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4170070	Hedges Homestead Rd	Hedges Homestead Rd	Narembeen	0.00	Cumminin Rd	4.32	Narembeen Boundary Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170104	Hedges West Rd	Hedges West Rd	Narembeen	0.00	Babakin South East Rd & Narembeen Boundary Rd	12.04	Kondinin - Narembeen Rd & Hedges East Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170024	Hogstrome Rd	Hogstrome Rd	Narembeen	0.00	Soldiers Rd	8.06	Emu Hill East Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4170043	Hunter Rd	Hunter Rd	Narembeen	0.00	Mt Arrowsmith Rd	14.38	Hyden North Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170011	Hyden North Rd	Hyden North Rd	Narembeen	0.00	Emu Hill East Rd	25.44	Mt Walker - Hyden Rd	<ul style="list-style-type: none"> Intersection Anderson Rocks Rd : No right turn permitted into Anderson Rock Rd from Hyden North Rd
4170078	Kerses Rd	Kerses Rd	Narembeen	0.00	Cramphorne Rd	4.77	Starcevich Chapman Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170130	Kondinin - Narembeen Rd	Kondinin - Narembeen Rd	Narembeen	0.00	Kondinin LGA Boundary	26.80	Longhurst St & Latham Rd	

Tandem Drive Network 2.1



Narembreen

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4170113	Koolberrin Rd	Koolberrin Rd	Narembreen	0.00	Kondinin - Narembreen Rd	7.94	Cumminin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170066	Lahoar Rd	Lahoar Rd	Narembreen	0.00	Kondinin LGA Boundary	3.56	Fiegert Rd	
4170133	Latham Rd	Latham Rd	Narembreen	0.00	Soldiers Rd & Fricker Rd	1.60	Longhurst St & Kondinin - Narembreen Rd	
4170129	Longhurst St	Longhurst St	Narembreen	0.00	Northmore St & Bruce Rock - Narembreen Rd	0.46	Kondinin - Narembreen Rd & Latham Rd	
4170026	Malones Rd	Malones Rd	Narembreen	0.00	Corrigin - Narembreen Rd	2.68	Billericay West Rd	
4170131	Merredin - Narembreen Rd	Merredin - Narembreen Rd	Narembreen	0.00	Merredin LGA Boundary	30.08	Fricker Rd	
4170131	Merredin - Narembreen Rd	Merredin - Narembreen Rd	Narembreen	30.08	Fricker Rd	30.92	Currall St & Brown St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4170034	Metcalf Rd	Metcalf Rd	Narembreen	0.00	Soldiers Rd	4.67	Yeomans Rd	
4170034	Metcalf Rd	Metcalf Rd	Narembreen	4.68	Yeomans Rd	14.64	Wogarl East Rd	
4170049	Moorine South Rd	Moorine South Rd	Narembreen	0.00	Sloss Rd	4.18	Yilgarn LGA Boundary	
4170074	Mortimore Rd	Mortimore Rd	Narembreen	0.00	Dixon Rd	4.42	Burgin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170041	Mt Arrowsmith Rd	Mt Arrowsmith Rd	Narembreen	0.00	Mt Arrowsmith Rd - Start Road	13.55	Mt Walker Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4170006	Mt Walker - Hyden Rd	Mt Walker - Hyden Rd	Narembreen	0.00	Soldiers Rd & Dam Rd	23.67	Hyden - Mount Walker Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h

Tandem Drive Network 2.1



Narembeen

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4170035	Mt Walker North Rd	Mt Walker North Rd	Narembeen	0.00	Starcevich Chapman Rd	28.78	Mt Walker Rd & Mt Walker South Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170134	Mt Walker Rd	Mt Walker Rd	Narembeen	0.00	Kondinin - Narembeen Rd	0.44	Narembeen South Rd	<ul style="list-style-type: none"> HVS Update 7-2022
4170134	Mt Walker Rd	Mt Walker Rd	Narembeen	0.44	Narembeen South Rd	41.44	Mt Walker - Hyden Rd	<ul style="list-style-type: none"> Intersection Hogstrome Rd : No left turn permitted into Hogstrome Rd from Mt Walker Rd westbound
4170105	Mt Walker South Rd	Mt Walker South Rd	Narembeen	0.00	Mt Walker Rd & Mt Walker North Rd	10.04	Hyden North Rd	
4170109	Narembeen Boundary Rd	Narembeen Boundary Rd	Narembeen	0.00	Babakin South East Rd & Narembeen Boundary Rd & Hedges West Rd	6.39	Boundary Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170005	Narembeen South Rd	Narembeen South Rd	Narembeen	0.00	Mt Walker Rd	23.49	Billericay East Rd	<ul style="list-style-type: none"> Intersection Emu Hill East Rd : No right turn permitted into Emu Hill East Rd from Narembeen South Rd
4170027	Potter Rd	Potter Rd	Narembeen	0.00	Butler Rd	9.22	Merredin LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170031	Roach Rd	Roach Rd	Narembeen	0.00	Coles Boundary Rd	8.10	Roach Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4170080	Roe Rd	Roe Rd	Narembeen	0.00	Hyden North Rd	10.33	Kondinin LGA Boundary	

Tandem Drive Network 2.1



Narembeen

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4170082	Roger Rd	Roger Rd	Narembeen	0.00	South Kumminin East Rd	7.41	Hunter Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170033	Schwartz Rd	Schwartz Rd	Narembeen	0.00	Mt Walker Rd	18.16	Wogarl East Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170045	Sedgewick Rd	Sedgewick Rd	Narembeen	0.00	Calzoni Rd	13.56	Sedgwick Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4170077	Slade Rd	Slade Rd	Narembeen	0.00	Starcevich Chapman Rd	9.20	Wogarl East Rd	
4170052	Sloss Rd	Sloss Rd	Narembeen	0.00	Sloss Rd - Start Road	21.09	Calzoni Rd	
4170071	Smith Rd	Smith Rd	Narembeen	0.00	Mt Walker Rd	4.03	Emu Hill East Rd	
4170004	Soldiers Rd	Soldiers Rd	Narembeen	0.00	Latham Rd & Fricker Rd	75.17	Yilgarn LGA Boundary	<ul style="list-style-type: none"> Maximum speed 60 km/h
4170122	South Kumminin Bin Rd	South Kumminin Bin Rd	Narembeen	0.00	South Kumminin East Rd	1.29	0.09km From Kondinin Narembeen Rd	
4170008	South Kumminin East Rd	South Kumminin East Rd	Narembeen	0.00	South Kumminin East Rd - Start Road	49.76	Corrigin - Narembeen Rd & Kondinin - Narembeen Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170014	Starcevich - Chapman Rd	Starcevich - Chapman Rd	Narembeen	0.00	Wogarl - Muntadgin Rd	29.35	Starcevich - Chapman Rd - End Road	

Tandem Drive Network 2.1



Narembeen

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4170030	Tank North Rd	Tank North Rd	Narembeen	0.00	Bruce Rock - Narembeen Rd	11.59	Wogarl West Rd & Yawerlin Creek Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection : No right turn permitted into Bruce Rock - Narembeen Rd from Tank North Rd
4170025	The Humps Rd	The Humps Rd	Narembeen	0.00	Calzoni Rd	7.43	Anderson Rocks Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170025	The Humps Rd	The Humps Rd	Narembeen	7.43	Anderson Rocks Rd	12.57	Raine Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170029	Tudor Rd	Tudor Rd	Narembeen	0.00	Dixon Rd	8.09	Butler Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170009	Wadderin Graball Rd	Wadderin Graball Rd	Narembeen	0.00	Soldiers Rd & Walker Rd	18.89	Bailey Rd	<ul style="list-style-type: none"> Intersection Burgin Rd : No access permitted into Burgin Rd from Wadderin Grabbal Rd
4170084	Walker Rd	Walker Rd	Narembeen	0.00	Merredin - Narembeen Rd	2.37	Wadderin Graball Rd & Soldiers Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170046	Williamson Rd	Williamson Rd	Narembeen	0.00	Calzoni Rd	14.72	Kondinin LGA Boundary	

Tandem Drive Network 2.1



Narembeen

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4170042	Wilson Rd	Wilson Rd	Narembeen	0.00	Mt Walker Rd	10.14	Hedges East Rd	
4170039	Wogarl - Graball Rd	Wogarl - Graball Rd	Narembeen	0.00	Wogarl - Muntadgin Rd	1.20	Wogarl East Rd	
4170039	Wogarl - Graball Rd	Wogarl - Graball Rd	Narembeen	1.20	Wogarl East Rd	6.19	Dixon Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170039	Wogarl - Graball Rd	Wogarl - Graball Rd	Narembeen	6.21	Dixon Rd	8.09	Wadderin Graball Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170019	Wogarl - Muntadgin Rd	Wogarl - Muntadgin Rd	Narembeen	0.00	Wogarl West Rd & Coverley Rd	15.28	Merredin LGA Boundary	
4170016	Wogarl East Rd	Wogarl East Rd	Narembeen	0.00	Wogarl Graball Rd	36.91	Waterbiden Rd & Dam Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170015	Wogarl West Rd	Wogarl West Rd	Narembeen	0.00	Wogarl - Muntadgin Rd & Coverley Rd	20.67	Bruce Rock LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170055	Woolocutty Soak Rd	Woolocutty Soak Rd	Narembeen	0.00	Emu Fence Rd	9.13	Kondinin LGA Boundary	
4170069	Yandle Rd	Yandle Rd	Narembeen	0.00	Cheethams Rd	5.54	Koolberrin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Narembeen

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4170069	Yandle Rd	Yandle Rd	Narembeen	9.11	Bristow - Butler Rd	12.26	Bows Rd	<ul style="list-style-type: none">Headlights to be switched on at all timesNote: Low Volume (LV)Maximum speed 40 km/hWhen travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4170017	Yawerlin Creek Rd	Yawerlin Creek Rd	Narembeen	0.00	Dixon Rd & Merredin - Narembeen Rd	4.77	Tank North Rd & Wogarl West Rd	
4170010	Yeomans Rd	Yeomans Rd	Narembeen	1.86	Wadderin Graball Rd	30.61	Mt Walker North Rd	<ul style="list-style-type: none">Maximum speed 80 km/h
4170010	Yeomans Rd	Yeomans Rd	Narembeen	30.61	Mt Walker North Rd	38.10	Dam Rd	<ul style="list-style-type: none">Headlights to be switched on at all timesNote: Low Volume (LV)Maximum speed 60 km/hWhen travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Narrogin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4180236	Armstrong Rd	Armstrong Rd	Narrogin	0.00	Williams Kondinin Rd	4.20	Lange Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4180236	Armstrong Rd	Armstrong Rd	Narrogin	4.20	0.1km From Lange Rd	4.30	Lange Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4180210	Birdwhistle Rd	Birdwhistle Rd	Narrogin	0.00	Narrogin - Harrismith Rd	15.88	O'Dea Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4180280	Blight Rd	Blight Rd	Narrogin	0.00	Great Southern Hwy	0.36	0.36km From Great Southern Hwy	
4180065	Booth St	Booth St	Narrogin	0.14	0.135km From Havelock St & Lavater St	0.39	Condon Rd & Narrogin Valley Rd	
4180312	Boundain North Rd	Boundain North Rd	Narrogin	0.00	Narrogin - Harrismith Rd	8.35	Crooked Pool Rd & Cannell Rd	
4180270	Boxsell Rd	Boxsell Rd	Narrogin	0.00	Farrelly Rd & Great Southern Hwy	1.60	Boxsell Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Narrogin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4180273	Bradford Rd	Bradford Rd	Narrogin	0.00	Bradford Exchange Rd	4.78	Clayton Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Bradford Exchange Rd : No access permitted to or from Bradfords Exchange Rd
4180235	Brooks Rd	Brooks Rd	Narrogin	0.00	Birdwhistle Rd & Campbells Rd	5.30	Wickepin LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4180336	Cannell Rd	Cannell Rd	Narrogin	0.00	Taylor Rd	6.66	Narrogin - Harrismith Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4180239	Cardwell Rd	Cardwell Rd	Narrogin	0.00	Wagin - Wickepin Rd	2.76	Cardwell Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Narrogin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4180213	Chomley Rd	Chomley Rd	Narrogin	0.00	Tarwonga Rd	16.82	Highbury West Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Oneill Rd : No right turn permitted into O'Neill Rd from Chomley Rd
4180047	Clayton Rd	Clayton Rd	Narrogin	0.00	Earl St North & Clayton Rd & Earl St	2.67	Wiese Rd	<ul style="list-style-type: none"> Maximum speed 40 km/h
4180047	Clayton Rd	Clayton Rd	Narrogin	2.67	Wiese Rd	20.16	Williams LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4180262	Condon Rd	Condon Rd	Narrogin	0.00	Great Southern Hwy & Graham Rd	0.53	0.45km From Narrogin Valley Rd & Graham Rd	
4180202	Congelin - Narrogin Rd	Congelin - Narrogin Rd	Narrogin	0.00	White Rd & Fleay Rd	9.61	Congelin - Narrogin Rd & Nebrikinning Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Narrogin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4180220	Contine Rd	Contine Rd	Narrogin	0.00	Great Southern Hwy	7.77	Cooraminning Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Narrakine Rd South : No access permitted to or from Narrakine Road South
4180217	Cooraminning Rd	Cooraminning Rd	Narrogin	0.00	Williams Kondinin Rd	2.69	Wanerie Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
4180287	Cornwall Rd	Cornwall Rd	Narrogin	0.00	Williams Kondinin Rd	5.36	Cornwall Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4180286	Cowcher Rd	Cowcher Rd	Narrogin	0.00	Williams Kondinin Rd	7.47	Clayton Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4180260	Crooked Pool Rd	Crooked Pool Rd	Narrogin	0.00	Boundain North Rd & Cannell Rd	3.84	Birdwhistle Rd	

Tandem Drive Network 2.1



Narrogin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4180209	Dongolocking Rd	Dongolocking Rd	Narrogin	0.00	Narrogin - Harrismith Rd	10.99	Wagin - Wickepin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4180322	Dwelyerdine Rd	Dwelyerdine Rd	Narrogin	0.00	Wagin - Wickepin Rd	5.87	Wickepin LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
4180346	Earl St North	Earl St North	Narrogin	0.00	Clayton Rd & Earl St	0.86	Hillside Rd & Golf Course Pde	
4180064	Eston St	Eston St	Narrogin	0.00	Exeter St	0.22	Clayton Rd	<ul style="list-style-type: none"> Intersection Clayton Rd : No access permitted into Williams Narrogin Hwy from Eston St
4180123	Exeter St	Exeter St	Narrogin	0.00	Earl St North	0.09	Eston St	
4180101	Federal St	Federal St	Narrogin	0.00	Sale St	0.35	Williams - Narrogin Hwy & Federal St	
4180101	Federal St	Federal St	Narrogin	1.32	Forrest St	2.44	Narrogin South Rty	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4180247	Flavel Rd	Flavel Rd	Narrogin	0.00	Manaring Rd	3.54	Woods Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4180003	Forrest St	Forrest St	Narrogin	0.10	Francis St	0.30	Federal St	
4180005	Gordon St	Gordon St	Narrogin	0.00	Hartoge St & Former Station Access - Was Doney St & Doney St	0.56	Gordon St Cul-De-Sac	
4180077	Graham Rd	Graham Rd	Narrogin	0.00	Condon Rd & Great Southern Hwy	1.36	Graham Rd - End Road	

Tandem Drive Network 2.1



Narrogin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4180303	Graham Rd	Graham Rd	Narrogin	0.00	Tarwonga Rd	10.71	Williams LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4180240	Halls Rd	Halls Rd	Narrogin	0.00	Whinbin Rock Rd	3.80	Wagin LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4180122	Harbour St	Harbour St	Narrogin	0.00	Havelock St	0.12	Harbour St - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). A Restricted Access Vehicle must not be driven on this road in excess of 4.30 m in height unless written approval is obtained from Western Power
4180025	Havelock St	Havelock St	Narrogin	0.93	Harbour St	1.01	Herald St	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Herald St : No left turn permitted into Havelock St from Herald St
4180126	Herald St	Herald St	Narrogin	0.00	Pioneer Dr & Forrest St	1.17	Narrogin - Harrismith Rd	

Tandem Drive Network 2.1



Narrogin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4180215	Highbury East Rd	Highbury East Rd	Narrogin	0.00	Rushy Pool Rd	5.90	Borgas Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Rushy Pool Rd : No access permitted to or from Rushy Pool Rd
4180215	Highbury East Rd	Highbury East Rd	Narrogin	5.90	Borgas Rd	14.80	Great Southern Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4180223	Highbury South Rd	Highbury South Rd	Narrogin	0.00	Great Southern Hwy	6.21	Yarranabee Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4180216	Highbury West Rd	Highbury West Rd	Narrogin	0.00	Great Southern Hwy	0.98		<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Narrogin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4180216	Highbury West Rd	Highbury West Rd	Narrogin	0.98		12.42	Tarwonga Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4180216	Highbury West Rd	Highbury West Rd	Narrogin	12.42	Tarwonga Rd	16.99	Manaring Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4180253	Hilders Rd	Hilders Rd	Narrogin	0.00	Williams Kondinin Rd	7.56	Taylor Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4180278	Hyde Rd	Hyde Rd	Narrogin	0.00	Chomley Rd	6.96	Wagin LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4180342	Jones Rd	Jones Rd	Narrogin	0.00	Manaring Rd	1.14	Saunders Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Narrogin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4180319	Kemp Rd	Kemp Rd	Narrogin	0.00	Lock Rd	7.48	Lock Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Lock Rd : No access permitted into Kemp Rd (SLK 0.00) from Lock Rd
4180320	Kilpatrick Rd	Kilpatrick Rd	Narrogin	0.00	Lakes Rd & Wagin - Wickepin Rd	6.96	Dongolocking Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Lakes Rd & Wagin - Wickepin Rd : No access permitted into Wagin Wickepin Rd from Kilpatrick Rd
4180219	Lakes Rd	Lakes Rd	Narrogin	0.00	Wickepin LGA Boundary	5.70	Wagin - Wickepin Rd & Kilpatrick Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4180307	Lange Rd	Lange Rd	Narrogin	0.00	Birdwhistle Rd	6.08	Armstrong Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Narrogin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4180307	Lange Rd	Lange Rd	Narrogin	6.08	Armstrong Rd	10.35	Wickepin LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4180035	Lefroy St	Lefroy St	Narrogin	0.23	White Rd & Clayton Rd	1.27	Williams Rd & Williams Kondinin Rd	<ul style="list-style-type: none"> Maximum speed 40 km/h
4180257	Lock Rd	Lock Rd	Narrogin	0.00	Narrogin - Harrismith Rd	6.92	Narrogin Valley Rd	
4180128	Lydeker Wy	Lydeker Wy	Narrogin	0.00	Graham Rd	0.41	Mokine Rd	
4180211	Manaring Rd	Manaring Rd	Narrogin	0.00	Williams Kondinin Rd	3.76	Graham Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4180211	Manaring Rd	Manaring Rd	Narrogin	3.76	Graham Rd	6.86	Jones Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Narrogin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4180211	Manaring Rd	Manaring Rd	Narrogin	6.86	Jones Rd	8.05	Highbury West Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4180211	Manaring Rd	Manaring Rd	Narrogin	8.05	Highbury West Rd	13.25	Manaring Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4180252	Manning Rd	Manning Rd	Narrogin	0.00	Lock Rd	8.88	Narrogin Valley Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4180261	Marramucking Rd	Marramucking Rd	Narrogin	0.00	Boundain North Rd	6.45	Williams Kondinin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Narrogin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4180341	McKenzie Rd	McKenzie Rd	Narrogin	0.00	Williams Kondinin Rd	1.85	Clayton Rd & Higham Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4180230	Michael Brown Rd	Michael Brown Rd	Narrogin	0.00	Williams Kondinin Rd & Sprigg Trk	5.88	Narrogin - Harrismith Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Williams Kondinin Rd & Sprigg Trk : No access permitted to or from Narrogin-Kondinin Rd
4180051	Mokine Rd	Mokine Rd	Narrogin	0.62	Graham Rd	2.86	Katta Rd & Narrakine Rd South	<ul style="list-style-type: none"> Maximum speed 60 km/h
4180226	Morcombe Rd	Morcombe Rd	Narrogin	0.00	Wagin LGA Boundary	5.48	Whinbin Rock Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4180277	Moyses Rd	Moyses Rd	Narrogin	0.00	Great Southern Hwy	2.48	0.03km From End of Road	
4180321	Murdoch Rd	Murdoch Rd	Narrogin	0.00	Wagin LGA Boundary	3.64	Greens Rd & Dwelyerdine Rd	

Tandem Drive Network 2.1



Narrogin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4180112	Narrakine Rd	Narrakine Rd	Narrogin	0.00	Wandering - Narrogin Rd & Fleay Rd	1.16	Clayton Rd	
4180221	Narrakine Rd South	Narrakine Rd South	Narrogin	1.01	Katta Rd & Mokine Rd	2.56	Wanerie Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
4180221	Narrakine Rd South	Narrakine Rd South	Narrogin	2.56	Wanerie Rd	10.26	Blight Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4180331	Narrogin - Harrismith Rd	Narrogin - Harrismith Rd	Narrogin	0.00	Herald St	18.01	Pethybridge Rd	
4180331	Narrogin - Harrismith Rd	Narrogin - Harrismith Rd	Narrogin	18.01	Pethybridge Rd	30.17	Wagin - Wickepin Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h
4180331	Narrogin - Harrismith Rd	Narrogin - Harrismith Rd	Narrogin	30.17	Wagin - Wickepin Rd	35.14	Yilliminning Rd	
4180212	Narrogin Valley Rd	Narrogin Valley Rd	Narrogin	0.00	Booth St & Condon Rd	24.61	Rushy Pool Rd & Pethybridge Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4180255	Nomans Lake Siding Rd	Nomans Lake Siding Rd	Narrogin	0.00	Narrogin - Harrismith Rd	6.12	Read Rd	<ul style="list-style-type: none"> Maximum speed 70 km/h
4180256	O'Dea Rd	O'Dea Rd	Narrogin	0.00	Nomans Lake Siding Rd	4.06	Birdwhistle Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Narrogin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4180222	Oneill Rd	Oneill Rd	Narrogin	0.00	Highbury West Rd	5.18	Chomley Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Chomley Rd : No access permitted into Chomley Rd from O'Neill Rd
4180323	Pethybridge Rd	Pethybridge Rd	Narrogin	0.00	Birdwhistle Rd	1.86	Narrogin - Harrismith Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4180323	Pethybridge Rd	Pethybridge Rd	Narrogin	1.86	Narrogin - Harrismith Rd	7.44	Rushy Pool Rd & Narrogin Valley Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4180324	Piesseville - Tarwonga Rd	Piesseville - Tarwonga Rd	Narrogin	0.00	Piesseville - Tarwonga Rd & Tarwonga Rd	2.98	Tarwonga East Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Narrogin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4180311	Quarry Rd	Quarry Rd	Narrogin	0.00	Clayton Rd	3.22	Williams Kondinin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4180333	Read Rd	Read Rd	Narrogin	0.00	Wickepin - Harrismith Rd	3.99	Narrogin - Harrismith Rd	
4180274	Rosedale Rd	Rosedale Rd	Narrogin	0.00	Clayton Rd	6.87	Congelin - Narrogin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4180206	Rushy Pool Rd	Rushy Pool Rd	Narrogin	0.00	Narrogin Valley Rd & Pethybridge Rd	4.17	4.17km From Pethybridge Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4180063	Sale St	Sale St	Narrogin	0.00	Federal St	0.15	Earl St North	
4180293	Saunders Rd	Saunders Rd	Narrogin	0.00	Manaring Rd	6.66	Graham Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Narrogin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4180276	Simmons Rd	Simmons Rd	Narrogin	0.00	Great Southern Hwy	3.80	Narrogin Valley Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4180265	Spouse Rd	Spouse Rd	Narrogin	0.00	Congelin - Narrogin Rd	4.32	Clayton Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4180275	Sprigg Trk	Sprigg Trk	Narrogin	0.00	Williams Kondinin Rd & Michael Brown Rd	1.03	Sprigg Trk - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4180258	Spriggs Rd	Spriggs Rd	Narrogin	0.00	Williams Kondinin Rd	3.70	Cuballing LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4180114	Stewart Rd	Stewart Rd	Narrogin	0.00	Graham Rd	0.54	Stewart Rd - End Road	

Tandem Drive Network 2.1



Narrogin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4180243	T McDonalds Rd	T McDonalds Rd	Narrogin	0.00	Wagin - Wickepin Rd	2.41	T McDonalds Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4180204	Tarwonga Rd	Tarwonga Rd	Narrogin	0.00	Williams Kondinin Rd	27.15	Piesseville - Tarwonga Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4180218	Taylor Rd	Taylor Rd	Narrogin	0.00	Boundain North Rd	7.28	Williams Kondinin Rd	<ul style="list-style-type: none"> Intersection Williams Kondinin Rd : No right turn permitted into Narrogin Kondini Rd from Taylor Rd
4180207	Wagin - Wickepin Rd	Wagin - Wickepin Rd	Narrogin	0.00	Narrogin - Harrismith Rd	18.45	Wagin LGA Boundary	<ul style="list-style-type: none"> Maximum speed 80 km/h Intersection Lakes Rd & Kilpatrick Rd : No access permitted into Kilpatrick Rd from Wagin Wickepin Rd
4180332	Wandering - Narrogin Rd	Wandering - Narrogin Rd	Narrogin	0.00	Springhill Rd & Wandering - Narrogin Rd	6.53	Narrakine Rd & Fleay Rd	
4180271	Wanerie Rd	Wanerie Rd	Narrogin	0.00	Great Southern Hwy	5.35	Cooraminning Rd	<ul style="list-style-type: none"> Intersection Narrakine Rd South : No right turn permitted into Narrakine South Rd from Wanerie Rd
4180292	Wangeling Gully Rd	Wangeling Gully Rd	Narrogin	0.00	Tarwonga Rd	3.87	Williams LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Narrogin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4180205	Whinbin Rock Rd	Whinbin Rock Rd	Narrogin	0.00	Great Southern Hwy	24.93	Wagin - Wickepin Rd	<ul style="list-style-type: none">No operation on unsealed road segment when visibly wet, without road owner's approval.Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4180208	Wickepin - Harrismith Rd	Wickepin - Harrismith Rd	Narrogin	0.00	Wickepin LGA Boundary	5.29	Wickepin - Harrismith Rd & Giles Rd	
4180224	Wiese Rd	Wiese Rd	Narrogin	0.00	Great Southern Hwy	7.88	Morcombe Rd	<ul style="list-style-type: none">Headlights to be switched on at all timesNo operation on unsealed road segment when visibly wet, without road owner's approval.Note: Low Volume (LV)Maximum speed 60 km/hWhen travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4180246	Woods Rd	Woods Rd	Narrogin	0.00	Tarwonga Rd	3.97	Highbury West Rd	
4180214	Yarranabee Rd	Yarranabee Rd	Narrogin	0.00	Chomley Rd	7.67	Yarranabee Rd - End Road	

Tandem Drive Network 2.1



Nedlands (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1220003	Alfred Rd	Alfred Rd	Nedlands (C)	0.30	Brockway Rd	0.64	Ashton Av & Alfred Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h Combinations exceeding (20m length - 2.5m width - 4.3m height) are not permitted.
1220003	Alfred Rd	Alfred Rd	Nedlands (C)	1.24	Alfred Rd & Davies Rd & Montgomery Av	2.72	To Campbell Barracks & West Coast Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h Combinations exceeding (20m length - 2.5m width - 4.3m height) are not permitted.
1220143	Brockway Rd	Brockway Rd	Nedlands (C)	0.11	Alfred Rd	1.43	Lemnos St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h Combinations exceeding (20m length - 2.5m width - 4.3m height) are not permitted.
1220179	Lemnos St	Lemnos St	Nedlands (C)	0.00	Brockway Rd	0.83	Bedbrook Pl	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h Combinations exceeding (20m length - 2.5m width - 4.3m height) are not permitted.

Tandem Drive Network 2.1



Ngaanyatjarraku

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6120015	Great Central Rd	Great Central Rd	Ngaanyatjarraku	0.00	Laverton LGA Boundary	437.09	Great Central Rd - Lg & State Bdry	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. All operators must obtain an Aboriginal Affairs Planning Authority (AAPA) Lands Permit prior to travelling on the road. Permits can be obtained through the Department of Planning, Lands and Heritage website.
6120002	Irrunytju Rd	Irrunytju Rd	Ngaanyatjarraku	107.74	Papulankutja Rd	127.72	5.5km From Wingellina Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. All operators must obtain an Aboriginal Affairs Planning Authority (AAPA) Lands Permit prior to travelling on the road. Permits can be obtained through the Department of Planning, Lands and Heritage website.
6120002	Irrunytju Rd	Irrunytju Rd	Ngaanyatjarraku	127.72	5.5km From Wingellina Rd	133.22	Wingellina Rd	
6120014	Mantamaru Rd	Mantamaru Rd	Ngaanyatjarraku	0.00	Papulankutja Rd	3.02	Nyinnga Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6120014	Mantamaru Rd	Mantamaru Rd	Ngaanyatjarraku	3.02	Nyinnga Rd	52.71	Great Central Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6120090	Nyinnga Rd	Nyinnga Rd	Ngaanyatjarraku	0.00	Papulankutja Rd	2.95	Mantamaru Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6120003	Papulankutja Rd	Papulankutja Rd	Ngaanyatjarraku	0.00	Great Central Rd	244.22	3.42km From Irrunytju Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. All operators must obtain an Aboriginal Affairs Planning Authority (AAPA) Lands Permit prior to travelling on the road. Permits can be obtained through the Department of Planning, Lands and Heritage website.
6120003	Papulankutja Rd	Papulankutja Rd	Ngaanyatjarraku	244.22	3.42km From Irrunytju Rd	247.64	Irrunytju Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. All operators must obtain an Aboriginal Affairs Planning Authority (AAPA) Lands Permit prior to travelling on the road. Permits can be obtained through the Department of Planning, Lands and Heritage website.
6120011	Wingellina Rd	Wingellina Rd	Ngaanyatjarraku	0.00	Irrunytju Rd	6.30	Wingellina Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. All operators must obtain an Aboriginal Affairs Planning Authority (AAPA) Lands Permit prior to travelling on the road. Permits can be obtained through the Department of Planning, Lands and Heritage website.

Tandem Drive Network 2.1



Northam

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4211027	Carter Rd	Carter Rd	Northam	0.00	Northam York Rd	8.43	Grass Valley South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Vehicle not to exceed 25m in total length No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h No Operation from 7:00 AM to 8:30 AM and 4:00 PM to 5:00 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4212012	Charles St	Charles St	Northam	0.21	Fitzgerald St	0.35	Wellington St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road.
4211051	Chitty Rd	Chitty Rd	Northam	0.00	Great Eastern Hwy	1.08	Tamma Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Tamma Rd : No right turn permitted into Tamma Rd from Chitty Rd
4211051	Chitty Rd	Chitty Rd	Northam	1.08	Tamma Rd	4.82	Toodyay LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Northam

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4211209	Clackline - Toodyay Rd	Clackline - Toodyay Rd	Northam	0.00	Eadine Rd	3.05	Toodyay LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Vehicle not to exceed 25m in total length No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h No Operation from 7:00 AM to 8:30 AM and 4:00 PM to 5:00 PM
4211159	Clydesdale Rd	Clydesdale Rd	Northam	0.00	Great Eastern Hwy	13.98	Meenaar North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Bridge 0616 Unknown : Bridge not to be crossed.
4212113	Colebatch St	Colebatch St	Northam	0.00	Newcastle Rd	0.12	0.12km From Newcastle Rd	<ul style="list-style-type: none"> Intersection Newcastle Rd : No left turn permitted into Newcastle Rd from Colebatch St
4211036	Fernie Rd	Fernie Rd	Northam	0.00	Kingia Rd	6.63	Toodyay LGA Boundary	
4212003	Fitzgerald St	Fitzgerald St	Northam	1.18	240m East of Charles St	1.42	Charles St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Northam

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4211054	Frenches Rd	Frenches Rd	Northam	0.20	0.2km From Haddrill Rd	4.21	Northam Pithara Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h No Operation from 7:00 AM to 8:30 AM and 4:00 PM to 5:00 PM The rail crossing is not to be crossed
4212004	Gairdner St	Gairdner St	Northam	0.00	Newcastle Rd & Fitzgerald St	0.14	Wellington St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road.
4211138	Gooch Rd	Gooch Rd	Northam	0.00	Spencers Brook Rd	2.45	Gooch Rd - End Road	<ul style="list-style-type: none"> Empty Travel Only
4211028	Grass Valley North Rd	Grass Valley North Rd	Northam	0.00	Jennapullin Rd	10.52	Southern Brook Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Northam

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4211024	Grass Valley South Rd	Grass Valley South Rd	Northam	0.00	Muluckine Rd & Keane St	7.28	Carter Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h No Operation from 7:00 AM to 8:30 AM and 4:00 PM to 5:00 PM When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Tank Rd : No left turn permitted into Tank Rd from Grass Valley South Rd
4211024	Grass Valley South Rd	Grass Valley South Rd	Northam	7.28	Carter Rd	14.63	York LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4211047	Habgood Rd	Habgood Rd	Northam	0.00	Southern Brook Rd	5.48	Northam Pithara Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Northam

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4211033	Haddrill Rd	Haddrill Rd	Northam	9.23	5.2km From Goomalling Toodyay Rd	11.10	Goomalling LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) 40 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4211017	Inkpen Rd	Inkpen Rd	Northam	0.00	Great Eastern Hwy	15.09	Great Southern Hwy & Yarra Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4211025	Irishtown Rd	Irishtown Rd	Northam	0.00	Katrine Rd	0.68	Irishtown Rd & Irishtown Rd Link Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4211025	Irishtown Rd	Irishtown Rd	Northam	0.68	Irishtown Rd & Irishtown Rd Link Rd	1.04	Irishtown Rd Link Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h No Operation from 7:00 AM to 8:30 AM and 4:00 PM to 5:00 PM

Tandem Drive Network 2.1



Northam

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4211025	Irishtown Rd	Irishtown Rd	Northam	1.04	Irishtown Rd Link Rd	17.08	Goomalling Toodyay Rd & Bejoording Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h No Operation from 7:00 AM to 8:30 AM and 4:00 PM to 5:00 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4211232	Irishtown Rd Link Rd	Irishtown Rd Link Rd	Northam	0.00	Irishtown Rd	0.32	Great Eastern Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h No Operation from 7:00 AM to 8:30 AM and 4:00 PM to 5:00 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4211026	Jennapullin Rd	Jennapullin Rd	Northam	0.00	Carter St & Keane St	15.77	Northam Pithara Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Vehicle not to exceed 25m in total length Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h No Operation from 7:00 AM to 8:30 AM and 4:00 PM to 5:00 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4211078	Keane St	Keane St	Northam	0.00	Carter St & Jennapullin Rd	1.00	Grass Valley South Rd & Muluckine Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Northam

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4211128	Leeming Rd	Leeming Rd	Northam	0.00	Grass Valley South Rd	2.74	2.74km From Grass Valley South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 40 km/h
4211128	Leeming Rd	Leeming Rd	Northam	2.74	0.56km From Whittaker Rd	4.81	Great Eastern Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
4211015	Linley Valley Rd	Linley Valley Rd	Northam	0.00	Great Eastern Hwy	0.24	0.24km From Great Eastern Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Great Eastern Hwy : No left turn permitted onto Great Eastern Hwy from Linley Valley Rd
4212225	Mitchell Av	Mitchell Av	Northam	0.81	Olympic Dr	4.12	Great Eastern Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4211023	Muluckine Rd	Muluckine Rd	Northam	0.00	Northam York Rd	7.23	Grass Valley South Rd & Keane St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h No Operation from 7:00 AM to 8:30 AM and 4:00 PM to 5:00 PM When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4211126	Muresk Rd	Muresk Rd	Northam	0.00	Spencers Brook Rd	1.64	Muresk Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Northam

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4212224	Newcastle Rd	Newcastle Rd	Northam	0.00	Fitzgerald St & Gairdner St	2.85	Colebatch St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4212224	Newcastle Rd	Newcastle Rd	Northam	2.85	Colebatch St	2.97	Northam Toodyay Rd & Northam Toodyay Rd Link Rd & McMillan Pl	
4211227	Old Quarry Rd	Old Quarry Rd	Northam	0.00	Northam Toodyay Rd	0.46	Old Quarry Rd - End Road	
4212022	Old York Rd	Old York Rd	Northam	0.56	Stewart St	1.26	Yilgarn Av	
4211048	Parker Rd	Parker Rd	Northam	0.00	Duck Pool Rd & Meenaar South Rd	7.15	York LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4211150	Peacock Rd	Peacock Rd	Northam	0.00	Grass Valley South Rd	2.20	Parker Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4211089	Refractory Rd	Refractory Rd	Northam	0.00	Great Eastern Hwy	3.97	Chitty Rd	<ul style="list-style-type: none"> Vehicle not to exceed 20m in total length Maximum speed 40 km/h

Tandem Drive Network 2.1



Northam

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4211063	Seabrook Rd	Seabrook Rd	Northam	0.00	Tank Rd	0.24	0.24km After Tank Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h No Operation from 7:00 AM to 8:30 AM and 4:00 PM to 5:00 PM When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Tank Rd : No access permitted into Tank Rd from Seabrook Rd
4211021	Southern Brook Rd	Southern Brook Rd	Northam	0.00	Northam Pithara Rd	12.50	0.51km East of Dudley Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h No Operation from 7:00 AM to 8:30 AM and 4:00 PM to 5:00 PM Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4211021	Southern Brook Rd	Southern Brook Rd	Northam	12.50	0.5 Km After Dudley Rd	20.36	Cunderdin LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h No Operation from 7:00 AM to 8:30 AM and 4:00 PM to 5:00 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Northam

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4211020	Spencers Brook Rd	Spencers Brook Rd	Northam	1.49	Burlong Rd Svc Rd	23.87	Great Eastern Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No access permitted into Wellington St from Spencers Brook Rd
4211243	Spionkop Rd	Spionkop Rd	Northam	0.00	Leeming Rd	0.71	Spionkop Rd - End Road	
4211087	Talbot West Rd	Talbot West Rd	Northam	3.82	Yarra Rd	6.81	York LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4211105	Tamma Rd	Tamma Rd	Northam	2.43	Carlin Rd	4.03	Chitty Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 30 km/h Intersection Chitty Rd : No left turn permitted into Chitty Rd from Tamma Rd
4211050	Tank Rd	Tank Rd	Northam	0.00	Grass Valley South Rd	6.07	Boramin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Grass Valley South Rd : No right turn permitted into Grass Valley South Rd from Tank Rd Intersection Seabrook Rd : No access permitted into Seabrook Rd from Tank Rd

Tandem Drive Network 2.1



Northam

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4211034	Trimmer Rd	Trimmer Rd	Northam	0.00	Spencers Brook Rd	4.16	Great Eastern Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4211163	Vivian St	Vivian St	Northam	0.00	Great Eastern Hwy	0.38	Keane St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4211040	Wariin Rd	Wariin Rd	Northam	0.00	Great Eastern Hwy	8.57	Great Southern Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h No Operation from 7:00 AM to 8:30 AM and 4:00 PM to 5:00 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4212001	Wellington St	Wellington St	Northam	1.16	Gairdner St	1.48	Charles St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Northam

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4211082	Wheat Bin Rd	Wheat Bin Rd	Northam	0.00	Keane St	1.06	Wheat Bin Rd - End Road	
4211039	Wongamine Rd	Wongamine Rd	Northam	6.60	3.78km From Toodyay Goomalling Rd	7.93	Goomalling LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4211086	Yarra Rd	Yarra Rd	Northam	0.00	Great Southern Hwy & Inkpen Rd	1.69	Talbot West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4211022	Yarramony Rd	Yarramony Rd	Northam	0.00	Northam Pithara Rd	2.45	Goomalling LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h No Operation from 7:00 AM to 8:30 AM and 4:00 PM to 5:00 PM
4212226	Yilgarn Av	Yilgarn Av	Northam	0.00	York Rd & Yilgarn Av	3.52	Great Eastern Hwy	
421Z007	Yilgarn Av Slip Rd	Yilgarn Av Slip Rd	Northam	0.00	Great Eastern Hwy	0.07	Yilgarn Av	

Tandem Drive Network 2.1



Northampton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5130081	Ajana Back Rd	Ajana Back Rd	Northampton	0.00	Kalbarri Rd	11.50	North West Coastal Hwy	
5130033	Ajana East Rd	Ajana East Rd	Northampton	0.00	Kalbarri Rd & North West Coastal Hwy	3.25	3.25km From North West Coastal Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5130033	Ajana East Rd	Ajana East Rd	Northampton	3.25	3.25km From North West Coastal Hwy	16.55	Diepeveen Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.
5130033	Ajana East Rd	Ajana East Rd	Northampton	16.55	Diepeveen Rd	25.98	Wickens Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.
5130085	Atkinson Cr	Atkinson Cr	Northampton	0.00	Porter St	1.02	Atkinson Cr - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times
5130128	Auger St	Auger St	Northampton	0.00	Grey St	0.24	Smith St	<ul style="list-style-type: none"> Operation permitted in a clockwise direction only

Tandem Drive Network 2.1



Northampton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5130166	Balaam Rd	Balaam Rd	Northampton	0.00	Blue Well Rd	0.53	Chapman Valley LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5130025	Balla - Whelarra Rd	Balla - Whelarra Rd	Northampton	0.00	Chapman Valley LGA Boundary	20.88	Binnu East Rd	
5130025	Balla - Whelarra Rd	Balla - Whelarra Rd	Northampton	20.88	Binnu East Rd	35.30	14.42 North East From Binnu East Road.	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
5130054	Bandy Rd	Bandy Rd	Northampton	0.00	North West Coastal Hwy	1.04	Bandy Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. No Operation from Apr to Sep
5130003	Binnu East Rd	Binnu East Rd	Northampton	0.00	North West Coastal Hwy	30.84	Balla - Whelarra Rd	
5130089	Binnu Sand Plain	Binnu Sand Plain	Northampton	0.00	North West Coastal Hwy	2.68	Binnu Sand Plain - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5130011	Binnu West Rd	Binnu West Rd	Northampton	0.00	Wright St & North West Coastal Hwy	47.99	Ogilvie West Rd	
5130019	Blue Well Rd	Blue Well Rd	Northampton	0.00	Horry Rd	14.60	Blue Well - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5130055	Bowes Spring Rd	Bowes Spring Rd	Northampton	3.64	Harvey Rd	8.20	Frosty Gully Rd	

Tandem Drive Network 2.1



Northampton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5130020	Box Rd	Box Rd	Northampton	0.00	Ogilvie West Rd	6.12	Binnu West Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5130035	Brooks Rd	Brooks Rd	Northampton	0.00	North West Coastal Hwy	14.24	Brooks Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
5130006	Chilimony Rd	Chilimony Rd	Northampton	0.00	North West Coastal Hwy	28.59	Binnu West Rd	<ul style="list-style-type: none"> 30 km/h below posted speed limit Intersection Burges Rd & Well Siding Rd : No left turn permitted into Well Siding Road from Chillmony Road
5130251	Clotworthy St	Clotworthy St	Northampton	0.00	Kalbarri Rd & Balaam St	0.11	Smith St	
5130032	Coolcalalaya Rd	Coolcalalaya Rd	Northampton	0.00	North West Coastal Hwy	73.53	Murchison LGA Boundary	
5130060	Diepeveen Rd	Diepeveen Rd	Northampton	0.00	Binnu East Rd	9.70	Ajana East Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5130090	Eastough Rd	Eastough Rd	Northampton	0.00	Kalbarri Rd	1.80	Eastough Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5130053	Elliott Rd	Elliott Rd	Northampton	0.00	North West Coastal Hwy	3.02	Wibi Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. No Operation from Apr to Sep

Tandem Drive Network 2.1



Northampton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5130044	Frosty Gully Rd	Frosty Gully Rd	Northampton	3.48	East Bowes Rd	12.89	Blue Well Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection East Bowes Rd : No access permitted into East Bowes Rd from Frosty Gully Rd
5130051	Gill Rd	Gill Rd	Northampton	0.00	Mitchell Rd	4.67	Sandy Gully Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation Only from Oct to Mar Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5130121	Grey St	Grey St	Northampton	0.53	Porter St	1.36	Auger St	<ul style="list-style-type: none"> Operation permitted in a clockwise direction only
5130008	Harvey Rd	Harvey Rd	Northampton	0.00	Stephen St	6.09	Bowes Spring Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5130023	Hatch Rd	Hatch Rd	Northampton	0.00	North West Coastal Hwy	2.55	Jackson Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Northampton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5130074	Horan Rd	Horan Rd	Northampton	0.00	Ogilvie East Rd	8.44	Mongeragarry Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h No Operation from Apr to Sep Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5130218	Horrocks Rd	Horrocks Rd	Northampton	0.00	Horrocks Rd & Port Gregory Rd	5.76	Suckling Rd	
5130218	Horrocks Rd	Horrocks Rd	Northampton	5.76	Suckling Rd	11.68	1.89km Before Bowes River Rd	<ul style="list-style-type: none"> Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel).
5130042	Horry Rd	Horry Rd	Northampton	0.00	Harvey Rd	12.86	Blue Well Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5130245	Hose Rd	Hose Rd	Northampton	0.00	George Grey Dr	1.32	0.19km From Ogilvie West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
5130037	Johnson Rd	Johnson Rd	Northampton	0.00	Wundi Rd	7.57	Johnson Rd - End Road	
5130250	Kalbarri Rd	Kalbarri Rd	Northampton	0.00	North West Coastal Hwy & Ajana East Rd	64.36	Balaam St & Clotworthy St	
5139000	Kitson Ct	Kitson Ct	Northampton	0.00	Seventh Av	0.26	Seventh Av	
5130058	Magee Rd	Magee Rd	Northampton	0.00	Binnu West Rd	6.14	Magee Rd - End Road	

Tandem Drive Network 2.1



Northampton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5130050	Mitchell Rd	Mitchell Rd	Northampton	0.00	Port Gregory Rd	6.53	Mitchell Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5130073	Mongeragarry Rd	Mongeragarry Rd	Northampton	0.00	Binnu East Rd	10.35	Mongeragarry Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5130164	Nanda Dr	Nanda Dr	Northampton	1.97	Porter St	2.04	Smith St & Porter St	<ul style="list-style-type: none"> Operation permitted in a clockwise direction only
5130036	Nobla Stock Route	Nobla Stock Route	Northampton	0.00	Ogilvie East Rd	3.56	Nolba Stock Route Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5130043	North Rd	North Rd	Northampton	0.00	Chilimony Rd	4.82	North West Coastal Hwy	<ul style="list-style-type: none"> Vehicle not to exceed 30m in total length Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit No Operation from Apr to Sep
5130219	Northampton - Nabawa Rd	Northampton - Nabawa Rd	Northampton	0.00	Hampton St & North West Coastal Hwy	10.81	Northampton - Nabawa Rd & East Bowes Rd	
5130238	Oakabella Rd	Oakabella Rd	Northampton	0.00	Hatch Rd	2.45	Starling Rd	
5130093	Oakabella Rd East	Oakabella Rd East	Northampton	0.00	North West Coastal Hwy	3.05	Oakabella Rd East - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 40 km/h

Tandem Drive Network 2.1



Northampton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5130009	Ogilvie East Rd	Ogilvie East Rd	Northampton	0.00	North West Coastal Hwy	33.29	Reynolds Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit No Operation from Apr to Sep Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5130078	Ogilvie School Rd	Ogilvie School Rd	Northampton	0.00	Ogilvie East Rd	0.40	0.4km From Ogilvie East Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. No Operation from Apr to Sep Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5130078	Ogilvie School Rd	Ogilvie School Rd	Northampton	0.40	Cbh Bin	5.90	Sudlow Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h No Operation from Apr to Sep When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5130013	Ogilvie West Rd	Ogilvie West Rd	Northampton	8.97	Chilimony Rd	58.93	George Grey Dr	<ul style="list-style-type: none"> Vehicle not to exceed 30m in total length Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit No Operation from Apr to Sep

Tandem Drive Network 2.1



Northampton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5130038	Olivier Rd	Olivier Rd	Northampton	0.00	Stone St	2.27	Olivier Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5130109	Onslow St	Onslow St	Northampton	0.00	Stone St	1.04	Stephen St	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5130229	Parker Rd	Parker Rd	Northampton	0.00	North West Coastal Hwy	2.00	Wundi Rd	
5130129	Porter St	Porter St	Northampton	0.00	Grey St	0.64	Nanda Dr	<ul style="list-style-type: none"> Operation permitted in a clockwise direction only. Intersection Grey St : No left turn permitted into Grey St from Porter St Intersection Nanda Dr : No left turn permitted into Nanda Dr from Porter St
5130129	Porter St	Porter St	Northampton	0.72	Smith St & Nanda Dr	1.81	Atkinson Cr	
5130022	Ralphs Rd	Ralphs Rd	Northampton	0.00	Binnu East Rd	11.08	Ralphs Rd - End Road	<ul style="list-style-type: none"> Intersection Binnu East Rd : No left turn permitted into Binnu East Rd from Ralphs Rd
5130017	Rob Rd	Rob Rd	Northampton	0.00	Chilimony Rd	12.49	Swamp Rd & Rob Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5130017	Rob Rd	Rob Rd	Northampton	12.49	Swamp Rd & Rob Rd	12.73	Swamp Rd	<ul style="list-style-type: none"> Vehicle not to exceed 20m in total length Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h Operation Only from Oct to Mar Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Northampton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5130017	Rob Rd	Rob Rd	Northampton	12.73	Swamp Rd	14.99	End of Road - North of Swamp Rd	<ul style="list-style-type: none"> Vehicle not to exceed 20m in total length Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h Operation Only from Oct to Mar
5130017	Rob Rd	Rob Rd	Northampton	14.99	End of Road - North of Swamp Rd	19.49	Rob Rd - End Road	
5130024	Rose Hill Rd	Rose Hill Rd	Northampton	0.00	Suckling Rd	3.92	Mitchell Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5130253	Routledge Rd	Routledge Rd	Northampton	0.00	Ruddaway Rd & Teakle Rd	1.95	Routledge Rd - End Road	
5130052	Sandy Gully Rd	Sandy Gully Rd	Northampton	0.00	Port Gregory Rd	4.16		<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5130225	Seventh Av	Seventh Av	Northampton	0.34	Kitson Ct	0.55	Hampton St	
5130127	Smith St	Smith St	Northampton	0.00	Nanda Dr & Porter St	1.02	Clotworthy St	

Tandem Drive Network 2.1



Northampton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5130027	Starling Rd	Starling Rd	Northampton	0.00	North West Coastal Hwy	4.47	Oakabella Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection North West Coastal Hwy : No access permitted into North West Coastal Hwy from Starling Rd Intersection Oakabella Rd : No left turn permitted into Oakabella Rd from Starling Rd
5130099	Stephen St	Stephen St	Northampton	0.00	Hampton St	2.10	Harvey Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
5130004	Stone St	Stone St	Northampton	0.00	Olivier Rd	0.81	Onslow St	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5130029	Suckling Rd	Suckling Rd	Northampton	0.00	Horrocks Rd	6.31	Suckling Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Northampton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5130079	Sudlow Rd	Sudlow Rd	Northampton	0.00	North West Coastal Hwy	8.94	Helens Rd (Nru)	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5130076	Sutherland St	Sutherland St	Northampton	0.00	Atkinson Cr	0.33	Atkinson Cr	
5130012	Swamp Rd	Swamp Rd	Northampton	0.00	Port Gregory Rd	16.72	0.78km From Swamp Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5130012	Swamp Rd	Swamp Rd	Northampton	16.72	0.78km From Swamp Rd	17.50	Swamp Rd - End Road	
5130014	Teakle Rd	Teakle Rd	Northampton	0.00	Teakle Rd - Dead End	13.06		<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5130059	Telegraph Rd	Telegraph Rd	Northampton	0.00	Binnu West Rd	5.27	Telegraph Rd - End Road	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5130140	Warribanno Chimney Rd	Warribanno Chimney Rd	Northampton	0.00	Kalbarri Rd	8.64	Geraldine Rd	

Tandem Drive Network 2.1



Northampton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5130088	Well Siding Rd	Well Siding Rd	Northampton	0.00	Burges Rd & Chilimony Rd	4.92	North Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Burges Rd & Chilimony Rd : No left turn permitted into Well Siding Road from Chillmony Road Intersection North Rd : No left turn permitted into North Road from Well Siding Road
5130224	White Cliffs Rd	White Cliffs Rd	Northampton	4.80	2.25km From Mitchell St	13.02	Port Gregory Rd	
5130021	Wickens Rd	Wickens Rd	Northampton	0.00	Balla - Whelarra Rd	16.43	Binnu East Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5130005	Wundi Rd	Wundi Rd	Northampton	1.61	0.37km From Johnson Rd	4.07	Parker Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Northampton

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5130005	Wundi Rd	Wundi Rd	Northampton	4.07	Parker Rd	15.89	Wundi Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h No Operation from Apr to Sep Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5130018	Yallabatharra Rd	Yallabatharra Rd	Northampton	0.00	Swamp Rd	8.18		<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5130018	Yallabatharra Rd	Yallabatharra Rd	Northampton	8.18		9.09	Port Gregory Rd	
5130178	Yandi Rd	Yandi Rd	Northampton	0.00	Coolcalalaya Rd	4.04	Yandi Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5130007	Yerina Spring Rd	Yerina Spring Rd	Northampton	0.00	Port Gregory Rd	33.54	Erriary West Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit No Operation from Apr to Sep Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Nungarin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4220007	Baandee North Rd	Baandee North Rd	Nungarin	0.00	Herbert Rd	17.95	Southern Lga Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4220020	Baird Rd	Baird Rd	Nungarin	0.00	McGlenn Rd	12.70	Roberts Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Nangeenan North Rd : No right turn permitted into Nangeenan North Rd from Baird Rd (westbound)
4220018	Baker Rd	Baker Rd	Nungarin	0.00	Karomin Rd	11.60	Moodiljing Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4220017	Beurteaux Rd	Beurteaux Rd	Nungarin	0.00	McGlenn Rd	5.75	Beurteaux Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4220005	Chandler - Merredin Rd	Chandler - Merredin Rd	Nungarin	0.00	Chandler - Nungarin Rd & English Rd	5.17	Merredin LGA Boundary	
4220003	Chandler - Nungarin Rd	Chandler - Nungarin Rd	Nungarin	0.00	Railway Av & Danberrin Rd	35.44	English Rd No 60	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Intersection Chandler North West Rd : No left turn permitted into Chandler North West Rd from Chandler - Nungarin Rd

Tandem Drive Network 2.1



Nungarin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4220053	Chandler North West Rd	Chandler North West Rd	Nungarin	0.00	Stock Rd	7.43	Chandler - Nungarin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Stock Rd : No left turn permitted into Stock Rd (southbound) from Chandler North West Rd Intersection Chandler - Nungarin Rd : No right turn permitted into Chandler - Nungarin Rd (westbound) from Chandler North West Rd
4220011	Cornish Rd	Cornish Rd	Nungarin	0.00	Nungarin North Rd	16.47	Chandler - Nungarin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4220028	Creagh Rd	Creagh Rd	Nungarin	0.00	Nungarin Wyalkatchem Rd	5.05	Moodiljing-Watson Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
4220002	Danberrin Rd	Danberrin Rd	Nungarin	0.00	Chandler - Nungarin Rd & Railway Av	17.40	Nukarni West Rd & Hines Hill North Rd	
4220037	Devlin Rd	Devlin Rd	Nungarin	0.00	Lake Brown South Rd	7.54	Stock Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Nungarin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4220014	Elabbin East Rd	Elabbin East Rd	Nungarin	0.00	Merredin Nungarin Rd	10.65	Knungajin - Merredin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Merredin Nungarin Rd : No left turn permitted into Goomalling - Merredin from Elabbin East Rd
4220060	English Rd	English Rd	Nungarin	0.00	Koorda - Bullfinch Rd	8.90	Chandler - Nungarin Rd & Chandler - Merredin Rd	
4220019	Goomarin - Nukarni Rd	Goomarin - Nukarni Rd	Nungarin	0.00	Payne Rd & Goomarin - Nukarni Rd	6.04	Merredin LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4220016	Herbert Rd	Herbert Rd	Nungarin	0.00	Nungarin Wyalkatchem Rd & Baker Rd	17.61	Merredin Nungarin Rd	
4220008	Hodges Rd	Hodges Rd	Nungarin	0.00	Nangeenan North Rd	16.90	Trayning LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Intersection McGlinn Rd : No access permitted into McGlinn Rd (northbound) from Hodges Rd

Tandem Drive Network 2.1



Nungarin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4220035	Johnson Rd	Johnson Rd	Nungarin	0.00	Nungarin North Rd	5.85	Lake Brown South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4220015	Jolly Rd	Jolly Rd	Nungarin	0.00	Young Rd	9.09	Cornish Rd & Masters Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4220010	Karomin Rd	Karomin Rd	Nungarin	0.00	Moodiljing-Watson Rd	12.37	Mukinbudin LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4220013	Knungajin - Merredin Rd	Knungajin - Merredin Rd	Nungarin	0.00	Chandler - Nungarin Rd & Lees Rd	8.91	Goomarin - Nukarni Rd & Knungajin - Merredin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Maximum speed 70 km/h

Tandem Drive Network 2.1



Nungarin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4220004	Knungajin Rd	Knungajin Rd	Nungarin	0.00	Chandler - Nungarin Rd	15.34	Cornish Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4220064	Koorda - Bullfinch Rd	Koorda - Bullfinch Rd	Nungarin	0.00	Mukinbudin LGA Boundary	9.90	Koorda - Bullfinch Rd & Rabbit Proof Fence Rd	
4220012	Lake Brown South Rd	Lake Brown South Rd	Nungarin	0.00	Elabbin - Le Vaux Rd & Le Vaux Rd	17.75	Devlin Rd No 37	
4220012	Lake Brown South Rd	Lake Brown South Rd	Nungarin	17.75	3.22km Frpm Popes Hill South Rd	22.63	Lake Brown South Rd & Devlin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4220026	Lees Rd	Lees Rd	Nungarin	0.00	Chandler - Nungarin Rd & Knungajin - Merredin Rd	4.24	Knungajin East Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4220021	McGlenn Rd	McGlenn Rd	Nungarin	0.00	Nukarni West Rd	15.94	Herbert Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Hodges Rd : No access permitted into Hodges Rd from McGlenn Rd (southbound)
4220023	Moodiljing-Watson Rd	Moodiljing-Watson Rd	Nungarin	0.00	Baker Rd	8.79	Karomin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
4220023	Moodiljing-Watson Rd	Moodiljing-Watson Rd	Nungarin	8.79	Karomin Rd	9.35	Nungarin North Rd	

Tandem Drive Network 2.1



Nungarin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4220022	Nangeenan North Rd	Nangeenan North Rd	Nungarin	0.00	Nukarni West Rd & Nangeenan North Rd	10.61	Merredin Nungarin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Baird Rd : No left turn permitted into Baird Rd from Nanheenan North Rd (southbound)
4220009	Nukarni West Rd	Nukarni West Rd	Nungarin	0.00	Nukarni West Rd & Nangeenan North Rd	16.96	Baandee North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4220001	Nungarin North Rd	Nungarin North Rd	Nungarin	0.00	Danberrin Rd	2.62	Nungarin Wyalkatchem Rd	
4220001	Nungarin North Rd	Nungarin North Rd	Nungarin	2.67	Nungarin Wyalkatchem Rd	22.73	Mukinbudin LGA Boundary	
4220040	Quanta Cutting - Weira Rd	Quanta Cutting - Weira Rd	Nungarin	0.00	Koorda - Bullfinch Rd	7.15	Mukinbudin LGA Boundary	
4220033	Sainsbury Rd	Sainsbury Rd	Nungarin	0.00	Elabbin East Rd	11.78	Williams Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4220036	Stock Rd	Stock Rd	Nungarin	0.00	Young Rd & Woodward Rd	14.16	Stockton Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4220038	Talgomine Reserve Rd	Talgomine Reserve Rd	Nungarin	0.00	Lees Rd	7.82	Merredin LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Nungarin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4220030	Virgin Rd	Virgin Rd	Nungarin	0.00	Davis Rd & Quanta Cutting - Weira Rd	6.60	English Rd & Rabbit Proof Fence Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4220024	Williams Rd	Williams Rd	Nungarin	0.00	Cornish Rd	14.28	Karomin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4220061	Woodward Rd	Woodward Rd	Nungarin	0.00	Young Rd & Stock Rd	2.02	Merredin LGA Boundary	
4220039	Young Rd	Young Rd	Nungarin	0.00	Talgomine Reserve Rd	4.70	Stock Rd & Woodward Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Perenjori

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5140056	Avery Rd	Avery Rd	Perenjori	0.00	Reid Rd & Coorow - Latham Rd	9.74	Chapman Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140013	Back Bowgada Rd	Back Bowgada Rd	Perenjori	0.00	Olden Rd	8.51	Payne Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140013	Back Bowgada Rd	Back Bowgada Rd	Perenjori	8.74	Payne Rd & Hill Rd	12.21	Mullewa Wubin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h Intersection Mullewa Wubin Rd : No right turn permitted into Wubin Mullewa Rd from Back Bowgada Rd
5140075	Barker Rd	Barker Rd	Perenjori	0.00	Maya East Rd	3.89	Richards Rd & Wilder Rd	
5140034	Barrett Rd	Barrett Rd	Perenjori	0.00	Carnamah - Perenjori Rd	8.30	Chappel Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Perenjori

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5140088	Bartlett Rd	Bartlett Rd	Perenjori	0.00	Barrett Rd	8.38	Boundary Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140097	Barwick Rd	Barwick Rd	Perenjori	0.00	Carnamah - Perenjori Rd	5.63	1.63km From Hesford Back Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140024	Baxter Rd	Baxter Rd	Perenjori	0.00	Caron East Rd	10.33	Selner Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
5140024	Baxter Rd	Baxter Rd	Perenjori	10.33	Selner Rd	11.76	Gellatly West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Perenjori

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5140024	Baxter Rd	Baxter Rd	Perenjori	11.76	Gellatly West Rd	13.48	Perenjori - Rothsay Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5140066	Benton Rd	Benton Rd	Perenjori	0.00	Maya East Rd	13.63	Taylor Rd	
5140004	Bestry Rd	Bestry Rd	Perenjori	0.00	Sharpe Rd	9.28	Solomon Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140004	Bestry Rd	Bestry Rd	Perenjori	9.28	Solomon Rd	16.10	Bestry Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Perenjori

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5140156	Billeroo Rd	Billeroo Rd	Perenjori	0.00	McDonald Rd & Liebe Rd	2.15	Lampard - Tremlett Rd & Billeroo Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5140023	Bob Kings Rd	Bob Kings Rd	Perenjori	0.00	Syson Rd	7.36	Baxter Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5140138	Boonerong Rd	Boonerong Rd	Perenjori	0.00	Warriedar Copper Mine Rd	4.99	Boonerong Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
5140047	Boundary Rd	Boundary Rd	Perenjori	0.00	Perenjori - Three Springs Rd	15.54		<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5140047	Boundary Rd	Boundary Rd	Perenjori	15.54		15.60	Hill Rd	
5140150	Bowgada Bin North Rd	Bowgada Bin North Rd	Perenjori	0.00	Bowgada Bin Rd	0.05	Cbh Bin Access Road 0.05km From Bowgada Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h No Operation between the hours of sunset and sunrise Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140144	Bowgada Bin Rd	Bowgada Bin Rd	Perenjori	0.00	Olden Rd	2.10	Mullewa Wubin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h No Operation between the hours of sunset and sunrise Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140003	Bowgada East Rd	Bowgada East Rd	Perenjori	0.00	Back Bowgada Rd	8.67	Sharpe Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5140001	Bowgada Rd	Bowgada Rd	Perenjori	0.00	Mullewa Wubin Rd	1.45	Back Bowgada Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Perenjori

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5140132	Britt St	Britt St	Perenjori	0.00	Summers Rd & Mullewa Wubin Rd	0.06	60m From Summers Rd & Mullewa Wubin Rd	
5140070	Bryant Rd	Bryant Rd	Perenjori	0.00	Maya South West Rd	2.26	Dalwallinu LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140081	Bunjil - Carnamah Rd	Bunjil - Carnamah Rd	Perenjori	0.00	Mullewa Wubin Rd & Bunjil North East Rd	23.24	Bunjil - Carnamah Rd & Backman Rd	
5140051	Bunjil North East Rd	Bunjil North East Rd	Perenjori	0.00	Mullewa Wubin Rd & Bunjil - Carnamah Rd	14.15	Syson Rd	
5140073	Burgess Rd	Burgess Rd	Perenjori	0.00	Maya East Rd	3.55	Wilder Rd	
5140067	Caffens Rd	Caffens Rd	Perenjori	0.00	Mullewa Wubin Rd	10.58	Coorow - Maya Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5140146	Calver Rd	Calver Rd	Perenjori	0.00	Mullewa Wubin Rd	0.98	Morawa LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140037	Camac Rd	Camac Rd	Perenjori	0.00	Metcalf Rd	4.52	Carnamah LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140096	Cannon Rd	Cannon Rd	Perenjori	0.00	Metcalf Rd	11.32	Old Perth Rd	

Tandem Drive Network 2.1



Perenjori

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5140147	Carmichael Rd	Carmichael Rd	Perenjori	0.00	Dalwallinu LGA Boundary	2.13	Maya South West Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140165	Carnamah - Perenjori Rd	Carnamah - Perenjori Rd	Perenjori	0.00	Carnamah - Perenjori Rd & Perenjori - Three Springs Rd	23.42	Mullewa Wubin Rd & Oversby Rd & Fowler St	
5140120	Caron East Rd	Caron East Rd	Perenjori	0.00	Caron Rd & Mullewa Wubin Rd	14.02	Syson Rd	
5140035	Caron Rd	Caron Rd	Perenjori	0.00	Mullewa Wubin Rd & Caron East Rd	20.24	Caron Rd & Back Inering Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140195	Cbh Maya Bin Access	Cbh Maya Bin Access	Perenjori	0.00	Maya South West Rd	1.75	Mullewa Wubin Rd & Maya East Rd	
5140057	Chapman Rd	Chapman Rd	Perenjori	0.00	Avery Rd	2.22	Hirsch Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Perenjori

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5140057	Chapman Rd	Chapman Rd	Perenjori	2.22	Hirsch Rd	6.28	Liebe Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140042	Chappel Rd	Chappel Rd	Perenjori	0.00	Barrett Rd	4.58	Metcalfe Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140064	Chisholm Rd	Chisholm Rd	Perenjori	0.00	Maya East Rd	15.87	Rabbit Proof Fence Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
5140166	Coorow - Latham Rd	Coorow - Latham Rd	Perenjori	0.00	Coorow - Latham Rd & Waites Rd	18.18	Mullewa Wubin Rd & Taylor Rd	<ul style="list-style-type: none"> HVS Update 7-2022
5140060	Coorow - Maya Rd	Coorow - Maya Rd	Perenjori	0.00	Mullewa Wubin Rd	9.54	Caffens Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
5140060	Coorow - Maya Rd	Coorow - Maya Rd	Perenjori	9.54	Caffens Rd	19.53	Coorow - Maya Rd & Teasdale Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Perenjori

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5140123	Crossing Rd	Crossing Rd	Perenjori	0.00	Mullewa Wubin Rd & Loading St	0.13	Russell St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5140006	Cunningham Rd	Cunningham Rd	Perenjori	0.00	Fallon Rd & Tait Rd	4.23	Bowgada East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140158	Diamonds Rd	Diamonds Rd	Perenjori	0.00	Coorow - Maya Rd	2.30	Maya South West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5140115	Dring Rd	Dring Rd	Perenjori	0.00	Caron Rd	8.17	Bunjil - Carnamah Rd	
5140115	Dring Rd	Dring Rd	Perenjori	8.17	Bunjil - Carnamah Rd	18.89	Waddy Forest Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Perenjori

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5140163	England Cr	England Cr	Perenjori	0.00	Loading St	0.34	England Cr - End Road	<ul style="list-style-type: none"> No turn permitted into or out of England Cres intersection, approximately 150m west of Loading St
5140046	Farrs Rd	Farrs Rd	Perenjori	0.00	Farrs Rd - Start Road	13.04	Waugh Rd	
5140080	Forte Rd	Forte Rd	Perenjori	0.00	Mullewa Wubin Rd	19.34	Watson Rd	
5140025	Gellatly Rd	Gellatly Rd	Perenjori	0.00	Gellatly Rd - Start Road	2.71	Perenjori - Rothsay Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. No Operation between the hours of sunset and sunrise
5140151	Gellatly West Rd	Gellatly West Rd	Perenjori	0.00	Gellatly Rd	2.01	Baxter Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
5140167	Goodlands Rd	Goodlands Rd	Perenjori	0.00	Great Northern Hwy	5.00	Dalwallinu LGA Boundary	
5140014	Grant Rd	Grant Rd	Perenjori	0.00	Mullewa Wubin Rd	9.00	Odea Rd	
5140014	Grant Rd	Grant Rd	Perenjori	9.00	Odea Rd	13.90	Koolanooka Rd	<ul style="list-style-type: none"> Note: Low Volume (LV) Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140014	Grant Rd	Grant Rd	Perenjori	13.90	Koolanooka Rd	19.51	Boundary Rd	
5140084	Griffith Rd	Griffith Rd	Perenjori	0.00	Old Perth Rd & Bunjil - Carnamah Rd	25.74	Farrs Rd	
5140125	Hesford St	Hesford St	Perenjori	0.00	Fowler St	0.12	Russell St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5140030	Hibbles Rd	Hibbles Rd	Perenjori	0.00	Perenjori - Rothsay Rd	6.10	Hibbles Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
5140009	Hill Rd	Hill Rd	Perenjori	0.00	Payne Rd & Back Bowgada Rd	1.37	1.37km From Payne Rd & Back Bowgada Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h

Tandem Drive Network 2.1



Perenjori

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5140009	Hill Rd	Hill Rd	Perenjori	1.37	1.37km From Payne Rd & Back Bowgada Rd	14.45	Koolanooka Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140009	Hill Rd	Hill Rd	Perenjori	14.45	Koolanooka Rd	20.10	Boundary Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
5140009	Hill Rd	Hill Rd	Perenjori	20.10	Boundary Rd	20.86	Morawa South Rd	
5140009	Hill Rd	Hill Rd	Perenjori	20.86	Morawa South Rd	26.17	Young Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
5140059	Hirsch Rd	Hirsch Rd	Perenjori	0.00	Dring Rd	19.66	Mullewa Wubin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Mullewa Wubin Rd : No Exit Or Entry From Or To Wubin-Mullewa Road Permitted
5140045	I Just Rd	I Just Rd	Perenjori	0.00	Taylor Rd	3.01	I Just Rd - End Road	
5140196	Iona Rd	Iona Rd	Perenjori	0.00	Mullewa Wubin Rd	3.95	Bunjil - Carnamah Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5140071	Jackson Rd	Jackson Rd	Perenjori	0.00	Maya South West Rd	1.84	Dalwallinu LGA Boundary	
5140117	James Rd	James Rd	Perenjori	0.00	Bunjil - Carnamah Rd	8.14	Caron Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Perenjori

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5140016	Karara Rd	Karara Rd	Perenjori	0.00	Warriedar Copper Mine Rd	11.75	Karara Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
5140190	Keegan Rd	Keegan Rd	Perenjori	0.00	Old Perth Rd	3.93	Mullewa Wubin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. No Operation between the hours of sunset and sunrise Combinations exceeding 19 metres in length must not cross railway.
5140028	Keogh Rd	Keogh Rd	Perenjori	0.00	Mullewa Wubin Rd	17.43	Keogh Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection North Rd : No left turn permitted into North Road from Keogh Road.
5140050	Kings Rd	Kings Rd	Perenjori	0.00	Syson Rd	1.03	Kings Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140031	Koolanooka Rd	Koolanooka Rd	Perenjori	0.00	Sutherland Rd	13.94	Koolanooka South Rd	
5140083	Liebe Rd	Liebe Rd	Perenjori	0.00	Bunjil - Carnamah Rd	16.94	McDonald Rd & Billeroo Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5140130	Loading St	Loading St	Perenjori	0.00	Crossing Rd & Mullewa Wubin Rd	0.69	Carnamah - Perenjori Rd & Old Well Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit

Tandem Drive Network 2.1



Perenjori

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5140005	Lochada Rd	Lochada Rd	Perenjori	0.00	Morawa LGA Boundary	18.47	Mungada Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140032	Malcolm Rd	Malcolm Rd	Perenjori	0.00	Morawa LGA Boundary	6.10	Hill Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5140077	Martin Rd	Martin Rd	Perenjori	0.00	Chisholm Rd	10.45	Rabbit Proof Fence Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
5140021	Mason Rd	Mason Rd	Perenjori	0.00	Wanarra Rd	7.77	Smith Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
5140061	Maya East Rd	Maya East Rd	Perenjori	0.00	Cbh Maya Bin Access & Mullewa Wubin Rd	24.63	Rabbit Proof Fence Rd	
5140069	Maya South West Rd	Maya South West Rd	Perenjori	0.00	Mullewa Wubin Rd	20.03	Thomsons Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Bryant Rd : No right turn permitted into Bryant Rd from Maya South Rd

Tandem Drive Network 2.1



Perenjori

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5140112	McAlpine Rd	McAlpine Rd	Perenjori	0.00	Caffens Rd	6.40	Railway Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140116	McDonald Rd	McDonald Rd	Perenjori	0.00	Billeroo Rd & Liebe Rd	4.19	Bunjil - Carnamah Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5140033	Metcalfe Rd	Metcalfe Rd	Perenjori	0.00	Grant Rd	20.94	Caron Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140039	Morawa South Rd	Morawa South Rd	Perenjori	0.00	Hill Rd	5.64	Morawa South Rd & Garnsworthy Rd	
5140091	Moriarty Rd	Moriarty Rd	Perenjori	0.00	Spencer Rd	5.94	Rayner Rd	
5140068	Muriels L	Muriels L	Perenjori	0.00	Coorow - Maya Rd	3.15	Coorow - Latham Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Perenjori

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5140093	Norrish Rd	Norrish Rd	Perenjori	0.00	Payne Rd	12.56	Solomon Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140090	North Rd	North Rd	Perenjori	0.00	Oversby Rd	0.03	Russell St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Maximum Speed of 50 km/h through the townsite
5140090	North Rd	North Rd	Perenjori	0.03	Russell St	19.73	Lochada Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Maximum Speed of 50 km/h through the townsite

Tandem Drive Network 2.1



Perenjori

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5140007	Odea Rd	Odea Rd	Perenjori	0.00	Grant Rd	7.10	Settlement Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140029	Old Mullewa Rd	Old Mullewa Rd	Perenjori	0.00	Mullewa Wubin Rd	5.57	Carnamah - Perenjori Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140095	Old Perth Rd	Old Perth Rd	Perenjori	0.00	Carnamah - Perenjori Rd	26.03	Bunjil - Carnamah Rd	
5140095	Old Perth Rd	Old Perth Rd	Perenjori	26.23	Griffith Rd & Bunjil - Carnamah Rd	32.20	End of Road	
5140099	Old Well Rd	Old Well Rd	Perenjori	0.00	Carnamah - Perenjori Rd & Loading St	1.05	Old Well Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
5140002	Olden Rd	Olden Rd	Perenjori	0.00	Bowgada Rd	6.34	Tait Rd & Olden Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140020	Oliver Rd	Oliver Rd	Perenjori	0.00	Syson Rd	8.71	Oliver Rd - End Road	

Tandem Drive Network 2.1



Perenjori

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5140114	Otte Rd	Otte Rd	Perenjori	0.00	Iona Rd	7.70	Hirsch Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140152	Oversby North Rd	Oversby North Rd	Perenjori	0.00	Oversby Rd	1.66	Oversby North Rd - End Road	
5140094	Oversby Rd	Oversby Rd	Perenjori	0.00	Carnamah - Perenjori Rd & Fowler St & Mullewa Wubin Rd	0.15	North Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5140094	Oversby Rd	Oversby Rd	Perenjori	19.64	Syson Rd	20.30	Oversby North Rd	
5140011	Parkwood Rd	Parkwood Rd	Perenjori	0.00	Hill Rd	10.06	Bateman Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140154	Parnham Rd	Parnham Rd	Perenjori	0.00	Wagh Rd	5.97	Rabbit Proof Fence Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5140012	Payne Rd	Payne Rd	Perenjori	0.00	Back Bowgada Rd & Hill Rd	0.90	Norrish Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
5140015	Perenjori - Rothsay Rd	Perenjori - Rothsay Rd	Perenjori	0.00	Mullewa Wubin Rd	34.69	Rabbit Proof Fence Rd & Warriedar Copper Mine Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h

Tandem Drive Network 2.1



Perenjori

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5140038	Perenjori - Three Springs Rd	Perenjori - Three Springs Rd	Perenjori	0.00	Carnamah - Perenjori Rd	6.15	Perenjori - Three Springs Rd & Boundary Rd	
5140017	Rabbit Proof Fence Rd	Rabbit Proof Fence Rd	Perenjori	0.00	Perenjori - Rothsay Rd & Warriedar Copper Mine Rd	57.61	Maya East Rd	
5140085	Rayner Rd	Rayner Rd	Perenjori	0.00	Griffith Rd	6.76	Moriarty Rd	
5140079	Rowe Rd	Rowe Rd	Perenjori	0.00	Watson Rd	7.96	Taylor Rd	
5140129	Russell St	Russell St	Perenjori	0.00	Crossing Rd	0.72	North Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5140026	Selner Rd	Selner Rd	Perenjori	0.00	Stan Cannon Rd	5.35	Baxter Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. No Operation between the hours of sunset and sunrise COMBINATIONS EXCEEDING 19 METRES MUST NOT CROSS RAILWAY
5140191	Settlement East Rd	Settlement East Rd	Perenjori	0.00	Payne Rd	2.90	Back Bowgada Rd	
5140008	Settlement Rd	Settlement Rd	Perenjori	0.00	Mullewa Wubin Rd	14.77	Morawa South Rd	
5140092	Sharpe Rd	Sharpe Rd	Perenjori	0.00	Lochada Rd	6.19	Bestry Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140053	Simpson Rd	Simpson Rd	Perenjori	0.00	Rabbit Proof Fence Rd	7.54	Simpson Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
5140022	Smith Rd	Smith Rd	Perenjori	0.00	Smith Rd - Start Road	13.40	Syson Rd	
5140126	Smith St	Smith St	Perenjori	0.00	Fowler St	0.26	Livingstone St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Perenjori

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5140027	Solomon Rd	Solomon Rd	Perenjori	0.00	Selner Rd	24.85	Lochada Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140040	Spencer Rd	Spencer Rd	Perenjori	0.00	Dring Rd	45.24	Spencer Rd - End Road	
5140100	Stan Cannon Rd	Stan Cannon Rd	Perenjori	0.00	Mullewa Wubin Rd	2.03	Selner Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. No Operation between the hours of sunset and sunrise COMBINATIONS EXCEEDING 19 METRES MUST NOT CROSS RAILWAY
5140100	Stan Cannon Rd	Stan Cannon Rd	Perenjori	2.03	Selner Rd	9.90	Baxter Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
5140036	Starkeys Rd	Starkeys Rd	Perenjori	0.00	Old Perth Rd	12.71	Metcalfe Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140048	Summers Rd	Summers Rd	Perenjori	0.00	Britt St & Mullewa Wubin Rd	1.63	Syson Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Perenjori

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5140048	Summers Rd	Summers Rd	Perenjori	1.63	Syson Rd	7.31	Farrs Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5140089	Sutherland Rd	Sutherland Rd	Perenjori	0.00	Boundary Rd	8.39	Barrett Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5140074	Syme Rd	Syme Rd	Perenjori	0.00	Wilder Rd	3.56	Maya East Rd	
5140049	Syson Rd	Syson Rd	Perenjori	0.00	Summers Rd	27.30	Oliver Rd & Syson Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
5140049	Syson Rd	Syson Rd	Perenjori	27.30	Oliver Rd & Syson Rd	37.16	Oversby Rd	
5140052	Taylor Rd	Taylor Rd	Perenjori	0.00	Coorow - Latham Rd & Mullewa Wubin Rd	22.35	Duffel Rd & Rabbit Proof Fence Rd	
5140124	Timmings St	Timmings St	Perenjori	0.00	Fowler St & Mullewa Wubin Rd	0.12	Russell St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
5140058	Tremlett Rd	Tremlett Rd	Perenjori	0.00	Lampard - Tremlett Rd	8.39	Dring Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Perenjori

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5140087	Waites Rd	Waites Rd	Perenjori	0.00	Coorow - Maya Rd	2.54	Coorow - Latham Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Operation is only permitted during the grain harvest period, commencing on the first day of October to the last day of February the following year. For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5140143	Wanarra East Rd	Wanarra East Rd	Perenjori	0.00	Wanarra Rd & Wanarra North Rd	38.75	Yalgoo LGA Boundary	
5140018	Wanarra Rd	Wanarra Rd	Perenjori	0.00	Perenjori - Rothsay Rd	24.11	Wanarra East Rd & Wanarra North Rd	
5140141	Warriedar Copper Mine Rd	Warriedar Copper Mine Rd	Perenjori	0.00	Perenjori - Rothsay Rd & Rabbit Proof Fence Rd	63.70	Yalgoo LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
5140110	Waterhouse Rd	Waterhouse Rd	Perenjori	0.00	Benton Rd	5.79	Watson Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
5140065	Watson Rd	Watson Rd	Perenjori	0.00	Maya East Rd	17.04	Rabbit Proof Fence Rd	
5140065	Watson Rd	Watson Rd	Perenjori	17.04	Rabbit Proof Fence Rd	19.86	Watson Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
5140044	Waugh Rd	Waugh Rd	Perenjori	0.00	Rabbit Proof Fence Rd	7.55	Waugh Rd & Farris Rd	
5140170	Waugh Rd	Waugh Rd	Perenjori	0.00	Waugh Rd & Farris Rd	5.10	Taylor Rd	
5140063	Wilder Rd	Wilder Rd	Perenjori	0.00	Mullewa Wubin Rd	14.13	Fitzsimons Rd & Wilder Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Intersection Mullewa Wubin Rd : No right turn permitted into Mullewa Wubin Rd from Wilder Rd

Tandem Drive Network 2.1



Perenjori

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5140164	Williams Rd	Williams Rd	Perenjori	0.00	Coorow - Latham Rd	5.20	Williams Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5140010	Young Rd	Young Rd	Perenjori	0.00	Hill Rd	2.74	Young Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
514Z003	Perenjori Cbh Access	Perenjori Cbh Access	Perenjori	0.00	Mullewa Wubin Rd	1.51	Perenjori Cbh Wheat Bins	
514Z008	Settlement Rd	Settlement Rd	Perenjori	0.00	Back Bowgada Rd	0.06	Settlement Rd - End Road	

Tandem Drive Network 2.1



Pingelly

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4230046	Albert Walton Rd	Albert Walton Rd	Pingelly	0.00	Yealering - Pingelly Rd	3.41	Groves Rd & Lilleystone Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230003	Aldersyde - Pingelly Rd	Aldersyde - Pingelly Rd	Pingelly	0.00	Review St & Somerset St	6.20	Moorumbine Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4230003	Aldersyde - Pingelly Rd	Aldersyde - Pingelly Rd	Pingelly	6.20	Moorumbine Rd	22.68	Jingaring Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4230003	Aldersyde - Pingelly Rd	Aldersyde - Pingelly Rd	Pingelly	22.68	Jingaring Rd	25.51	Brookton LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230036	Avery South Rd	Avery South Rd	Pingelly	0.00	Kulyaling Rd West	1.33	Lamard Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Pingelly

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4230131	Aviation St	Aviation St	Pingelly	0.00	Great Southern Hwy & Quadrant St	0.50	Aviation St - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230029	Bassendean Rd	Bassendean Rd	Pingelly	0.00	Ford Rd	4.89	Moorumbine Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230171	Belt Rd	Belt Rd	Pingelly	0.00	Thompson Rd	1.61	Belt Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230033	Bettison Rd	Bettison Rd	Pingelly	0.00	Wickepin - Pingelly Rd	1.63	Nyamutin Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4230068	Blechynden Rd	Blechynden Rd	Pingelly	0.00	Aldersyde - Pingelly Rd	4.51	Shaddick Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Pingelly

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4230049	Boyagin Rd	Boyagin Rd	Pingelly	0.00	Walwalling Rd	14.79	York - Williams Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230059	Brains Rd	Brains Rd	Pingelly	0.00	Wickepin - Pingelly Rd	1.95	Tutanning Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230155	Brown St	Brown St	Pingelly	0.98	Parker St	1.27	Wickepin - Pingelly Rd & Harper St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4230157	Bullaring Rd	Bullaring Rd	Pingelly	0.00	Wickepin - Pingelly Rd	35.24	Milton Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4230157	Bullaring Rd	Bullaring Rd	Pingelly	35.24	Milton Rd	39.69	Corrigin LGA Boundary	
4230025	Bulyee Rd	Bulyee Rd	Pingelly	0.00	Bullaring Rd	7.11	Corrigin LGA Boundary	

Tandem Drive Network 2.1



Pingelly

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4230022	Dwarlaking Rd	Dwarlaking Rd	Pingelly	0.00	Hickmott Rd & Bullaring Rd	12.90	Wilson Rd & Dwarlaking Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230070	Fairhead Rd	Fairhead Rd	Pingelly	0.00	Bullaring Rd	1.75	Fairhead Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230030	Ford Rd	Ford Rd	Pingelly	0.00	Great Southern Hwy	4.23	Bennier Rd & Davis Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230047	Gillett Rd	Gillett Rd	Pingelly	0.00	Moorumbine Rd	1.95	Gillett Rd - End Road	
4230111	Harper St	Harper St	Pingelly	0.00	Yenellin Rd & Pitt St	0.58	Wickepin - Pingelly Rd & Brown St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4230055	Hassell Rd	Hassell Rd	Pingelly	0.00	Yenellin Rd	3.56	Hassell Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Pingelly

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4230038	Hastings Rd	Hastings Rd	Pingelly	0.00	Shaddick Rd	4.75		<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230054	Hill Rd	Hill Rd	Pingelly	0.00	Yenellin Rd & Nyamutin Rd	1.95	Hill Rd - End Road	
4230037	Ivanhoe Rd	Ivanhoe Rd	Pingelly	0.00	North Wandering Rd	4.28	Ivanhoe Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230008	Jingaring Rd	Jingaring Rd	Pingelly	0.00	Aldersyde - Pingelly Rd	16.52	Dwarlaking Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230028	Kerr Rd	Kerr Rd	Pingelly	0.00	Walwalling Rd	5.68	Kerr Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230039	Key West Rd	Key West Rd	Pingelly	0.00	North Bannister - Pingelly Rd	3.06	Key West Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Pingelly

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4230141	Kulyaling Rd West	Kulyaling Rd West	Pingelly	0.00	Great Southern Hwy	5.46	Walwalling Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230035	Lamard Rd	Lamard Rd	Pingelly	0.00	Great Southern Hwy	5.65	Lamard Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230075	Leons Rd	Leons Rd	Pingelly	0.00	North Wandering Rd	1.07	York - Williams Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230040	Marshall Rd	Marshall Rd	Pingelly	0.00	Wickepin - Pingelly Rd	3.74	Marshall Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Pingelly

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4230009	Merwanga Rd	Merwanga Rd	Pingelly	0.00	North Bannister - Pingelly Rd	6.10	Cuballing LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230016	Milton Rd	Milton Rd	Pingelly	0.00	Bullaring Rd	0.32	0.32km From Bullaring Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4230016	Milton Rd	Milton Rd	Pingelly	0.32	0.32km From Bullaring Rd	8.44	Woyerling Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Woyerling Rd : No access permitted to or from Milton Rd From The Bickers Rd / Kew Rd / Mcdonald Rd Intersection
4230016	Milton Rd	Milton Rd	Pingelly	8.44	Woyerling Rd	12.84	Yealering - Pingelly Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Pingelly

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4230011	Moorumbine Rd	Moorumbine Rd	Pingelly	0.00	Shaddick Rd	4.37	Aldersyde - Pingelly Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230011	Moorumbine Rd	Moorumbine Rd	Pingelly	4.37	Aldersyde - Pingelly Rd	10.43	Davis Rd & Moorumbine Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4230015	Napping Pool Rd	Napping Pool Rd	Pingelly	0.00	North Bannister - Pingelly Rd	7.12	Cuballing LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230058	Norm Rd	Norm Rd	Pingelly	0.00	York - Williams Rd	3.65	Norm Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Pingelly

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4230152	North Bannister - Pingelly Rd	North Bannister - Pingelly Rd	Pingelly	0.00	York - Williams Rd & Wandering - Pingelly Rd	18.62	Naylor St & Park St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230004	North Wandering Rd	North Wandering Rd	Pingelly	0.00	North Bannister - Pingelly Rd	17.91	York - Williams Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230023	Nyamutin Rd	Nyamutin Rd	Pingelly	0.00	Wickepin - Pingelly Rd	6.88	Chopping Rd & Neamutin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230062	Overington Rd	Overington Rd	Pingelly	0.00	Aldersyde - Pingelly Rd	1.79	Overington Rd - End Road	
4230053	Page Rd	Page Rd	Pingelly	0.00	North Wandering Rd	1.75	Page Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Pingelly

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4230087	Paragon St	Paragon St	Pingelly	0.00	Review St	0.62	Park St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4230153	Park St	Park St	Pingelly	0.00	Naylor St & North Bannister - Pingelly Rd	0.65	Paragon St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4230093	Parker St	Parker St	Pingelly	0.00	Review St	0.61	Brown St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4230043	Perry Rd	Perry Rd	Pingelly	0.00	Shaddick Rd	1.25	Perry Rd - End Road	
4230052	Red Hill Rd	Red Hill Rd	Pingelly	0.00	Kulyaling Rd West	2.84	Red Hill Rd - End Road	
4230050	Reeds Rd	Reeds Rd	Pingelly	0.00	Tanners Rd	1.20	Cuballing LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230081	Review St	Review St	Pingelly	0.49	Vinicombe St	1.82	Parker St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4230063	Ryan Rd	Ryan Rd	Pingelly	0.00	North Wandering Rd	2.54	Kerr Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h
4230010	Shaddick Rd	Shaddick Rd	Pingelly	0.00	Wickepin - Pingelly Rd	20.81	Bullaring Rd	

Tandem Drive Network 2.1



Pingelly

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4230026	South Kweda Rd	South Kweda Rd	Pingelly	0.00	Bullaring Rd	12.35	Brookton LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230041	Stanes Rd	Stanes Rd	Pingelly	0.00	Bullaring Rd	1.77	Tutanning Rd	
4230034	Stewart Rd	Stewart Rd	Pingelly	0.00	Bullaring Rd	8.17	Jingaring Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230044	Tanners Rd	Tanners Rd	Pingelly	0.00	Yenellin Rd	1.86	Cuballing LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4230064	Thompson Rd	Thompson Rd	Pingelly	0.00	Yenellin Rd	5.20	Great Southern Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230048	Tutanning Rd	Tutanning Rd	Pingelly	4.29	Brains Rd	4.94	Stanes Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230145	Vinicombe St	Vinicombe St	Pingelly	0.00	Review St	0.29	Vinicombe St - End Road	

Tandem Drive Network 2.1



Pingelly

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4230019	Walwalling Rd	Walwalling Rd	Pingelly	0.00	Kulyaling Rd West & Walwalling Rd	9.00	North Wandering Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230156	Wickepin - Pingelly Rd	Wickepin - Pingelly Rd	Pingelly	0.00	Harper St & Brown St	29.72	Stratherne Rd & Wickepin - Pingelly Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Intersection Yealering - Pingelly Rd & Popanyinning East Rd : No right turn permitted into Popanyinning East Rd from Wickepin Pingelly Rd
4230167	Woyerling Rd	Woyerling Rd	Pingelly	0.00	Bullaring Rd	10.88	Yealering - Pingelly Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230007	Yealering - Pingelly Rd	Yealering - Pingelly Rd	Pingelly	0.00	Wickepin - Pingelly Rd & Popanyinning East Rd	23.18	Wickepin LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Pingelly

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4230006	Yenellin Rd	Yenellin Rd	Pingelly	0.00	Pitt St & Harper St	16.20	Nyamutin Rd & Hill Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230005	York - Williams Rd	York - Williams Rd	Pingelly	0.00	York - Williams Rd & Boyagin Rd	8.67	York - Williams Rd & North Wandering Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4230020	Zig Zag Rd	Zig Zag Rd	Pingelly	0.00	Great Southern Hwy	4.40	Merwanga Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120220	Amarillup Rd	Amarillup Rd	Plantagenet	0.00	Seymour Rd & Pile Rd & The Springs Rd	4.00	Amarillup Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3120159	Armstrong Rd	Armstrong Rd	Plantagenet	0.00	Chester Pass Rd	0.97	Albany (C) LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3120123	Bails Rd	Bails Rd	Plantagenet	0.00	Albany Hwy	1.61	Bails Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3120190	Ball Rd	Ball Rd	Plantagenet	0.00	Kwornicup Rd	1.97	Ball Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Kwornicup Rd : No right turn permitted into Kwornicup Rd from Ball Rd.

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120053	Barrow Rd	Barrow Rd	Plantagenet	0.00	Porongurup Rd	13.46	Trent Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h Maximum speed on gravel 60km/h
3120053	Barrow Rd	Barrow Rd	Plantagenet	13.46	Trent Rd	13.65	Duck Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h
3120053	Barrow Rd	Barrow Rd	Plantagenet	13.65	Duck Rd	14.91	Woogenellup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3120143	Belfield Rd	Belfield Rd	Plantagenet	0.00	Amarillup Rd	1.66	For 1.66 Km to Farm Gate	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. 'Trucks Entering' signs to be erected and removed when not in use.
3120006	Beverley Rd	Beverley Rd	Plantagenet	0.00	Albany Hwy	4.37	Hughes Rd & Townsend St	<ul style="list-style-type: none"> Maximum speed 80 km/h Maximum speed of 60 km/h on gravel road.

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120037	Bloxidge Rd	Bloxidge Rd	Plantagenet	0.00	Palmdale Rd	10.80	Pfeiffer Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3120067	Blue Lake Rd	Blue Lake Rd	Plantagenet	0.00	Denmark Mt Barker Rd	1.59	The Springs Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Denmark Mt Barker Rd : No right turn permitted into Denmark-Mt Barker Rd from Blue Lake Rd.
3120067	Blue Lake Rd	Blue Lake Rd	Plantagenet	1.59	The Springs Rd	5.28	3.69km From The Springs Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3120067	Blue Lake Rd	Blue Lake Rd	Plantagenet	5.28	3.69km From The Springs Rd	11.49	Seymour Rd & Blue Lake Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120103	Bore Rd	Bore Rd	Plantagenet	0.00	Muir Hwy	2.11	Bore Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). 'Trucks Entering' signs to be positioned on Muirs Hwy in both directions.
3120158	Bostock Rd	Bostock Rd	Plantagenet	0.00	Woogenellup Rd	1.45	Bostock Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
3120271	Bourke St	Bourke St	Plantagenet	0.00	Taylor Rd	0.40	Bourke St - End Road	
3120045	Boyup Rd	Boyup Rd	Plantagenet	0.00	Muir Hwy	22.56	Martagallup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Eulup - Manurup Rd : No access permitted into Eulup-Manurup Rd from Boyup Rd
3120038	Branson Rd	Branson Rd	Plantagenet	0.00	Chester Pass Rd	10.75	Branson Rd - End Road	<ul style="list-style-type: none"> Maximum speed 80 km/h Maximum speed of 60 km/h on gravel road.
3120174	Bunker Rd	Bunker Rd	Plantagenet	0.00	Martagallup Rd	3.50	Martagallup - Tenterden Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h Maximum speed of 60 km/h on gravel road.
3120131	Burnside Rd	Burnside Rd	Plantagenet	0.00	Woogenellup Rd	3.43	Burnside Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
3120032	Carbarup Rd	Carbarup Rd	Plantagenet	0.00	Hassell Av & Beverley Rd	5.82	To Farm Access Gate 50m West of Moorilup Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h Maximum speed on gravel 60km/h. Rail Crossing at the intersection of Moorilup and Carbarup Rd not to be crossed.
3120032	Carbarup Rd	Carbarup Rd	Plantagenet	5.87	Moorilup Rd & Collins Rd	14.00	Woogenellup Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h Maximum speed on gravel 60km/h. Rail Crossing at the intersection of Moorilup and Carbarup Rd not to be crossed.

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120334	Chester Rd	Chester Rd	Plantagenet	0.00	Muir Hwy	0.38	Chester Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3120016	Chillinup Rd	Chillinup Rd	Plantagenet	0.00	Chester Pass Rd	17.75	Albany (C) LGA Boundary	
3120018	Chorkerup Rd	Chorkerup Rd	Plantagenet	0.00	Albany Hwy	4.79	Siding Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
3120018	Chorkerup Rd	Chorkerup Rd	Plantagenet	4.99	Narrikup Rd & Siding Rd	11.98	The Pass Rd & Healy Rd & Creek Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
3120109	Clear Hills Rd	Clear Hills Rd	Plantagenet	0.00	Muir Hwy	11.52	Clear Hills Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3120084	Costello Rd	Costello Rd	Plantagenet	0.00	Lake Matilda Rd	6.07	Costello Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
3120178	Craddock Rd	Craddock Rd	Plantagenet	1.84	Wilson Rd	3.00	Farm Gate 1.16km From Wilson Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120082	Crockerup Rd	Crockerup Rd	Plantagenet	0.00	Albany Hwy	2.45	Riches Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3120082	Crockerup Rd	Crockerup Rd	Plantagenet	2.45	Riches Rd	4.79	4.79km From Albany Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3120311	Crystal Brook Rd	Crystal Brook Rd	Plantagenet	0.00	Spencer Rd	4.25	Crystal Brook Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120086	Duck Rd	Duck Rd	Plantagenet	0.00	Woogenellup Rd	6.15	Barrow Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3120163	Duthie Rd	Duthie Rd	Plantagenet	0.00	Harvey Rd	1.86	1.86 Km North of Harvey Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3120187	Elliott Rd	Elliott Rd	Plantagenet	0.00	Settlement Rd	3.00	3km South of Settlement Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120061	Eulup - Manurup Rd	Eulup - Manurup Rd	Plantagenet	2.95	Entrance to Mt Barker Agriculture Research Centre	16.70	Boyup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h Intersection Boyup Rd : No Access From 3120045 Boyup Rd
3120156	Ford Rd	Ford Rd	Plantagenet	0.00	Woogenellup Rd	1.23	Ford Rd - End Road	
3120260	Frankland - Rocky Gully Rd	Frankland - Rocky Gully Rd	Plantagenet	0.00	Cranbrook LGA Boundary	7.00	Muir Hwy	
3120199	Gidley L	Gidley L	Plantagenet	0.00	Settlement Rd	1.20	Gidley L - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3120173	Gorton Rd	Gorton Rd	Plantagenet	0.00	Mallawillup Rd	3.60	Gorton Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h Maximum speed of 60km/h on gravel roads.
3120121	Greenhills Rd	Greenhills Rd	Plantagenet	0.00	Yellanup Rd	0.90	Lionetti Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120072	Halsey Rd	Halsey Rd	Plantagenet	0.00	Fisher Rd	5.39	Albany Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3120227	Hannan Wy	Hannan Wy	Plantagenet	0.00	Jackson Rd & Albany Hwy	0.78	Narrikup Rd	
3120175	Happy Valley Rd	Happy Valley Rd	Plantagenet	0.00	Martagallup Rd	1.20	Happy Valley Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3120060	Harvey Rd	Harvey Rd	Plantagenet	0.00	Denmark Mt Barker Rd	5.80	4.60 Km Past Duthie Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Denmark Mt Barker Rd : Left turn only permitted into Denmark - Mt Barker Rd from Harvey Rd.

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120060	Harvey Rd	Harvey Rd	Plantagenet	10.20	From Muir Hwy For 1.1km to Plantation Access	11.30	Muir Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Muir Hwy : No right turn permitted into Muir Hwy from Harvey Rd
3120113	Hay River Rd	Hay River Rd	Plantagenet	0.00	St Werburghs Rd	4.07	For 4.07 Km	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3120113	Hay River Rd	Hay River Rd	Plantagenet	4.07	2.23km Before Wyuna Hts	6.30	Wyuna Hts	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Empty Travel Only Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120113	Hay River Rd	Hay River Rd	Plantagenet	6.30	Wyuna Hts	8.48	Spencer Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3120057	Healy Rd	Healy Rd	Plantagenet	0.00	Spencer Rd	5.91	Chorkerup Rd & The Pass Rd & Creek Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3120189	Hiker Rd	Hiker Rd	Plantagenet	0.00	Turpin Rd & Nornalup Rd	5.92	Hiker Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
3120176	Hobbs Rd	Hobbs Rd	Plantagenet	0.00	Albany Hwy	2.80	Jutland Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3120024	Jackson Rd	Jackson Rd	Plantagenet	0.00	Hannan Wy & Albany Hwy	9.66	Settlement Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h Intersection Settlement Rd : No access permitted into Settlement Rd from Jackson Rd

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120133	Jolly Rd	Jolly Rd	Plantagenet	0.00	Narrikup Rd	0.86	Access to Plantation Access Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). 'Trucks Entering' signs to be erected and removed when not in use.
3120157	Kalgan Plains Rd	Kalgan Plains Rd	Plantagenet	0.00	Woogenellup Rd	3.01	Kalgan Plains Rd - End Road	
3120106	Kent River Rd	Kent River Rd	Plantagenet	0.00	Nornalup Rd	10.24	Turpin Rd & Mill Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
3120234	Kirkwood Rd	Kirkwood Rd	Plantagenet	0.00	Sanders Rd & Red Gum Pass Rd	2.80	Kirkwood Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3120054	Knight Rd	Knight Rd	Plantagenet	0.00	Porongurup Rd	14.69	Woogenellup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120064	Kwornicup Rd	Kwornicup Rd	Plantagenet	0.00	Mitchell Rd & Boyup Rd	16.81	Yallambe Rd & Sidcup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3120058	Lake Barnes Rd	Lake Barnes Rd	Plantagenet	0.00	Spencer Rd	5.60	Lake Barnes Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3120081	Lake Katherine Rd	Lake Katherine Rd	Plantagenet	0.00	Mallawillup Rd	6.28	Lake Katherine Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3120047	Lake Matilda Rd	Lake Matilda Rd	Plantagenet	0.00	Red Gum Pass Rd	10.87	Shelderton Rd & Archers Rd	

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120161	Lionetti Rd	Lionetti Rd	Plantagenet	0.00	Greenhills Rd	1.74	Lionetti Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3120001	Lowood Rd	Lowood Rd	Plantagenet	1.33	For 0.45km From Albany Hwy to Fuel Depot Access Rd (Southern End of Lowood Rd)	1.78	Albany Hwy	
3120014	Mallawillup Rd	Mallawillup Rd	Plantagenet	0.00	Martagallup Rd	27.54	Poorarecup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
3120046	Martagallup - Tenterden Rd	Martagallup - Tenterden Rd	Plantagenet	0.00	Martagallup Rd	8.46	Albany Hwy	<ul style="list-style-type: none"> Maximum speed 60 km/h
3120013	Martagallup Rd	Martagallup Rd	Plantagenet	0.00	Albany Hwy	10.65	Cranbrook LGA Boundary	<ul style="list-style-type: none"> Maximum speed 80 km/h Maximum speed of 60 km/h on gravel road.
3120004	McDonald Av	McDonald Av	Plantagenet	0.43	1.2km East From Taylor Road	0.75	Marmion St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
3120004	McDonald Av	McDonald Av	Plantagenet	0.75	Marmion St	1.63	Taylor Rd	
3120164	McMahon Rd	McMahon Rd	Plantagenet	0.00	The Springs Rd	2.19	McMahon Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection The Springs Rd : No right turn permitted into The Springs Rd from McMahon Rd.

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120166	McWilliams Rd	McWilliams Rd	Plantagenet	0.00	Nornalup Rd	3.86	For 3.86 Km to Plantation Entry	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3120100	Mill Rd	Mill Rd	Plantagenet	0.00	Muir Hwy	7.71	Turpin Rd & Kent River Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
3120117	Millinup Rd	Millinup Rd	Plantagenet	0.00	Chester Pass Rd	4.75	Sixpenny Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3120117	Millinup Rd	Millinup Rd	Plantagenet	4.75	Sixpenny Rd	8.41	Rogers Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120117	Millinup Rd	Millinup Rd	Plantagenet	13.01	Woodlands Rd	14.20	Millinup Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Woodlands Rd : No access permitted to or from Woodlands Rd.
3120153	Mills Rd	Mills Rd	Plantagenet	0.00	Porongurup Rd	1.94	Mills Rd - End Road	
3120139	Mitchell Rd	Mitchell Rd	Plantagenet	0.00	Eulup - Manurup Rd	3.84	3.84km From Eulup Manurup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3120263	Mitchell St	Mitchell St	Plantagenet	0.00	Lowood Rd	2.49	Albany Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 50 km/h No operation during School Bus hours. Operators are to contact the local schools to obtain school bus hours.

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120074	Monash Rd	Monash Rd	Plantagenet	0.00	Beverley Rd	4.11	Todd Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3120180	Moorilup Rd	Moorilup Rd	Plantagenet	0.00	Carbarup Rd & Collins Rd	3.38	Red Gum Pass Rd & View Range Rd	
3120118	Morande Rd	Morande Rd	Plantagenet	0.00	Yellanup Rd	7.14	Settlement Rd & Yungup Rd North	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Yellanup Rd : No access permitted into Yellanup Rd from Morande Rd

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120165	Mulcahy Rd	Mulcahy Rd	Plantagenet	0.00	Perillup South Rd	2.05	Waters 478 Plantations	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. One truck movement at a time. "Trucks Entering" signs to be erected and removed when not in use.
3120148	Narrikup Rd	Narrikup Rd	Plantagenet	0.00	Hannan Wy	7.03	Chorkerup Rd & Siding Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h
3120009	Nornalup Rd	Nornalup Rd	Plantagenet	0.00	Muir Hwy	31.06	Nornalup Rd & Nornalup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
3120261	Oatlands Rd	Oatlands Rd	Plantagenet	0.00	Albany Hwy	1.56	Sounness St & Porongurup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h
3120098	Old Coach Rd	Old Coach Rd	Plantagenet	0.00	Settlement Rd	8.17	Reynolds Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120114	Oneill Rd	Oneill Rd	Plantagenet	0.00	Albany Hwy	6.48	Oneill Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3120035	Palmdale Rd	Palmdale Rd	Plantagenet	0.00	Chillinup Rd	13.90	Albany (C) LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Maximum speed of 80km/h on sealed roads and 60km/h on gravel roads during the day time.
3120107	Papes Rd	Papes Rd	Plantagenet	0.00	Muir Hwy	5.22	Papes Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120111	Pardelup Rd	Pardelup Rd	Plantagenet	0.00	Muir Hwy	3.44	Pile Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3120140	Pavlovich Rd	Pavlovich Rd	Plantagenet	4.75	Whitworth Rd	5.63	Pavlovich Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3120132	Pearce Rd	Pearce Rd	Plantagenet	0.00	Woogenellup Rd	2.09	Pearce Rd - End Road	

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120222	Pellew Rd	Pellew Rd	Plantagenet	0.00	Carbarup Rd	2.70	Sanders Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Sanders Rd : No access permitted into Sanders Rd from Pellow Rd
3120011	Perillup Rd	Perillup Rd	Plantagenet	0.00	Muir Hwy	9.40	Poorarecup Rd & Rocky Gully Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3120065	Perillup South Rd	Perillup South Rd	Plantagenet	0.00	Muir Hwy	15.46	Right Hand Turn North 2.5km West From Mulcahy Rd (F)	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Reduce speed & "Trucks Entering" signs must be placed at approaches to intersection with Mulcahy Rd (F)
3120010	Pile Rd	Pile Rd	Plantagenet	0.00	Muir Hwy	9.34	Amarillup Rd & Seymour Rd & The Springs Rd	

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120142	Poorarecup Rd	Poorarecup Rd	Plantagenet	0.00	Perillup Rd & Rocky Gully Rd	8.45	Poorrarecup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
3120262	Porongurup Rd	Porongurup Rd	Plantagenet	0.00	Oatlands Rd & Sounness St	28.18	Chester Pass Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. 30 km/h below posted speed limit Intersection Chester Pass Rd : No Left Turn Permitted Into Albany Lake Grace Rd
3120124	Pugh Rd	Pugh Rd	Plantagenet	0.00	Albany Hwy	2.49	Pugh Rd - End Road	<ul style="list-style-type: none"> Maximum speed 80 km/h Maximum speed of 60 km/h on gravel section
3120062	Quangellup Rd	Quangellup Rd	Plantagenet	0.00	Muir Hwy	8.24	Eulup - Manurup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3120104	Quindabellup North Rd	Quindabellup North Rd	Plantagenet	0.00	Muir Hwy & Quindabellup South Rd	4.99	Rocky Gully Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120105	Quindabellup South Rd	Quindabellup South Rd	Plantagenet	0.00	Muir Hwy & Quindabellup North Rd	7.59	Turpin Rd	
3120170	Randell Rd	Randell Rd	Plantagenet	0.00	Rocky Gully Rd	4.80	Poorarecup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Rocky Gully Rd : No right turn permitted into Rocky Gully Rd from Randell Rd
3120012	Red Gum Pass Rd	Red Gum Pass Rd	Plantagenet	0.08	Lake Matilda Rd	0.18	Townsend St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
3120012	Red Gum Pass Rd	Red Gum Pass Rd	Plantagenet	0.18	Townsend St	14.61	Red Gum Pass Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h Maximum speed on gravel 60km/h
3120122	Red Hill Rd	Red Hill Rd	Plantagenet	0.00	Albany Hwy	0.96	Red Hill Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3120059	Reynolds Rd	Reynolds Rd	Plantagenet	0.00	Yellanup Rd	7.08	Reynolds Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120101	Rocky Gully Rd	Rocky Gully Rd	Plantagenet	0.00	Frankland - Rocky Gully Rd	17.99	Randell Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3120101	Rocky Gully Rd	Rocky Gully Rd	Plantagenet	17.99	Randell Rd	23.08	Poorarecup Rd & Perillup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Randell Rd : No right turn permitted into Randell Rd from Rocky Gully Rd
3120083	Sanders Rd	Sanders Rd	Plantagenet	0.00	Carbarup Rd	8.69	Kirkwood Rd & Red Gum Pass Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Pellew Rd : No access permitted into Pellew Rd from Sanders Rd

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120017	Settlement Rd	Settlement Rd	Plantagenet	0.00	Albany Hwy	18.83	Settlement Rd & Morande Rd & Yungup Rd North	<ul style="list-style-type: none"> Intersection Jackson Rd : No access permitted into Jackson Rd from Settlement Rd
3120301	Settlement Rd East	Settlement Rd East	Plantagenet	0.00	Settlement Rd	6.68	Yungup North West Rd & Harris Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3120198	Seymour Rd	Seymour Rd	Plantagenet	0.00	Blue Lake Rd	8.75	Amarillup Rd & Pile Rd & The Springs Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3120127	Shanhun Rd	Shanhun Rd	Plantagenet	0.00	Shanhun Rd - Start Road	1.69	Chester Pass Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120048	Sidcup Rd	Sidcup Rd	Plantagenet	0.00	Muir Hwy	16.07	Perillup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3120331	Siding Rd	Siding Rd	Plantagenet	0.00	Narrikup Rd & Chorkerup Rd	0.55	Albany (C) LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3120110	Simpson Rd	Simpson Rd	Plantagenet	0.00	Pile Rd	6.10	Simpson Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3120008	Spencer Rd	Spencer Rd	Plantagenet	0.00	Albany Hwy	19.08	Denmark Mt Barker Rd	
3120134	St Jack Rd	St Jack Rd	Plantagenet	0.00	St Jack Rd - Start Road	4.67	St Jack Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
3120112	St Werburghs Rd	St Werburghs Rd	Plantagenet	0.00	Mitchell St	6.11	Hay River Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120112	St Werburghs Rd	St Werburghs Rd	Plantagenet	10.01		13.22	Muir Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3120135	Steicke Rd	Steicke Rd	Plantagenet	0.00	Woodlands Rd & Porongurup Rd	1.51	Steicke Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3120036	Stirling School Rd	Stirling School Rd	Plantagenet	0.00	Palmdale Rd	8.72	Pfeiffer Rd & South Stirling Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h Maximum speed of 60 km/h on gravel road.
3120015	Sturdee Rd	Sturdee Rd	Plantagenet	0.00	Albany Hwy	10.72	Boyup Rd	
3120034	Syred Rd	Syred Rd	Plantagenet	0.00	Chester Pass Rd	10.23	Palmdale Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h Maximum speed of 60 km/h on on gravel roads.
3120033	Takalarup Rd	Takalarup Rd	Plantagenet	0.00	Chester Pass Rd	14.55	Syred Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h Maximum speed of 60km/h on gravel road.
3120232	Taylor Rd	Taylor Rd	Plantagenet	0.18	Bourke St	1.08	Muir Hwy	
3120197	Teddington Rd	Teddington Rd	Plantagenet	0.00	Boyup Rd	0.12	For 0.12 Km to The Plantation Access Gate	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120268	The Pass Rd	The Pass Rd	Plantagenet	0.00	Chorkerup Rd & Healy Rd & Creek Rd	5.50	Walitj Tree Farm	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3120066	The Springs Rd	The Springs Rd	Plantagenet	0.00	Blue Lake Rd	16.17	Amarillup Rd & Seymour Rd & Pile Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Blue Lake Rd : No right turn permitted into Blue Lake Rd from The Springs Rd. Intersection Amarillup Rd & Seymour Rd & Pile Rd : No access permitted into Seymour Rd from The Springs Rd.
3120137	Tingelup Rd	Tingelup Rd	Plantagenet	0.00	Barrow Rd	2.33	Tingelup Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3120073	Todd Rd	Todd Rd	Plantagenet	0.00	Albany Hwy	4.43	Lake Matilda Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
3120279	Townsend St	Townsend St	Plantagenet	0.00	Hughes Rd & Beverley Rd	0.63	Red Gum Pass Rd	<ul style="list-style-type: none"> Maximum speed 40 km/h

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120162	Townshend Rd	Townshend Rd	Plantagenet	0.00	Yellanup Rd	5.06	Watermans Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3120049	Turpin North Rd	Turpin North Rd	Plantagenet	0.00	Muir Hwy & Turpin Rd	5.71	Rocky Gully Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120050	Turpin Rd	Turpin Rd	Plantagenet	0.00	Muir Hwy & Turpin North Rd	14.97	Hiker Rd & Nornalup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Signage to be erected as per harvest agreement.
3120085	View Range Rd	View Range Rd	Plantagenet	0.00	Moorilup Rd & Red Gum Pass Rd	8.15	Young Rd & Chinninup Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h Maximum speed of 60 km/h on gravel road.
3120177	Ward Rd	Ward Rd	Plantagenet	0.00	Albany Hwy	1.80	For 1.80 Km to Tree Farm Access Gate	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3120056	Washpool Rd	Washpool Rd	Plantagenet	0.00	Chester Pass Rd	12.25	Knight Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h GAALGEGUP CREEK BRIDGE AND CONCRETE RAMP NEXT TO BRIDGE ARE NOT TO BE CROSSED

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120097	Watermans Rd	Watermans Rd	Plantagenet	0.00	Albany Hwy	13.68	Porongurup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3120141	Whitworth Rd	Whitworth Rd	Plantagenet	0.00	Muir Hwy	3.38	Pavlovich Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3120349	Wilcox Rd	Wilcox Rd	Plantagenet	0.00	Albany Hwy	0.20	Albany (C) LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3120063	Wilson Rd	Wilson Rd	Plantagenet	0.00	Albany Hwy	9.06	Eulup - Manurup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h
3120027	Woodlands Rd	Woodlands Rd	Plantagenet	5.72	Millinup Rd	9.38	Yellanup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Millinup Rd : No Right Turn Into Millinup Rd Permitted

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120003	Woogenellup Rd	Woogenellup Rd	Plantagenet	0.00	Woogenellup Rd Rty	36.82	Chester Pass Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3120055	Woogenellup Rd North	Woogenellup Rd North	Plantagenet	0.00	Woogenellup Rd	23.20	Chester Pass Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3120146	Wragg Rd	Wragg Rd	Plantagenet	0.00	Denmark Mt Barker Rd	6.43	St Werburghs Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Denmark Mt Barker Rd : No left turn permitted into Denmark Mount Barker Rd from Wragg Rd.
3120307	Yallambe Rd	Yallambe Rd	Plantagenet	0.00	Sidcup Rd & Kworncup Rd	1.95	Yallambe Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Plantagenet

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3120130	Yaralla Rd	Yaralla Rd	Plantagenet	0.00	Yaralla Rd - Start Road	3.86	Yaralla Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
3120007	Yellanup Rd	Yellanup Rd	Plantagenet	0.00	Albany Hwy	24.00	Chester Pass Rd	<ul style="list-style-type: none"> Intersection Morande Rd : No access permitted into Morande Rd from Yellanup Rd
3120346	Yungup Rd North	Yungup Rd North	Plantagenet	0.00	Settlement Rd & Morande Rd	1.47	1.47km From Settlement Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
312Z020	Clear Hills Rd	Clear Hills Rd	Plantagenet	0.00	Clear Hills Rd	2.70	Mannos Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
312Z023	Hiker Rd	Hiker Rd	Plantagenet	0.00	Hiker Rd	23.28	Durham Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
312Z019	Red Gum Pass Rd	Red Gum Pass Rd	Plantagenet	0.00	Red Gum Pass Rd	4.50	Redgum Pass Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h Maximum speed on gravel 60km/h

Tandem Drive Network 2.1



Port Hedland (T)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
8130173	Abydos Pl	Abydos Pl	Port Hedland (T)	0.00	Yanana St	0.14	Abydos Pl - End Road	
8139001	Airport Access Rd	Airport Access Rd	Port Hedland (T)	0.00	Great Northern Hwy	2.05	Great Northern Hwy	
8130449	Alloy Wy	Alloy Wy	Port Hedland (T)	0.00	Tailings Elb	0.18	Phosphorus St	
8130523	Altitude Av	Altitude Av	Port Hedland (T)	0.00	Wallwork Rd	2.22		<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
8130098	Anderson St	Anderson St	Port Hedland (T)	1.60	Short St	1.76	Morgans St	
8130262	Anthill St	Anthill St	Port Hedland (T)	0.00	Pinga St	0.38	0.38km From Pinga St	
8130526	Bayley Rtt	Bayley Rtt	Port Hedland (T)	0.00	Altitude Av	0.68		<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
8130298	Bell St	Bell St	Port Hedland (T)	0.00	Great Northern Hwy	0.40	0.40km From Great Northern Hwy	
8130346	Boodarie Dr	Boodarie Dr	Port Hedland (T)	0.00	Great Northern Hwy	5.08	Bhp Hbi Project	
8130094	Boodarie Station Access Rd	Boodarie Station Access Rd	Port Hedland (T)	0.00	Great Northern Hwy	5.30	For 5.30 Km	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
8130099	Cajarina Rd	Cajarina Rd	Port Hedland (T)	0.00	Pinga St	1.03	Kangan Wy	
8130264	Carlindie Wy	Carlindie Wy	Port Hedland (T)	0.00	Harwell Wy	0.42	Harwell Wy	
8130345	Feldspar St	Feldspar St	Port Hedland (T)	0.00	Harwell Wy	0.13	Manganese St	
8130542	Flynn Pl	Flynn Pl	Port Hedland (T)	0.00	Altitude Av	0.15	Cemetery Access Rd (New)	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
8130450	Furnace Rd	Furnace Rd	Port Hedland (T)	0.00	Hematite Dr	0.37	Tailings Elb	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
8130105	Harwell Wy	Harwell Wy	Port Hedland (T)	0.00	Cajarina Rd	1.65	Kangan Wy	<ul style="list-style-type: none"> A RAV must not be driven on this road in excess of 4.3 metres in height unless written approval is obtained from Horizon Power
8130446	Hematite Dr	Hematite Dr	Port Hedland (T)	0.00	Pinga St	0.97	Quarry Rd	
8130396	Hillside-Woodstock Rd	Hillside-Woodstock Rd	Port Hedland (T)	0.00	Great Northern Hwy	17.54	Marble Bar-Woodstock Rd	
8130340	Iron Ore St	Iron Ore St	Port Hedland (T)	0.00	Pinnacles St	0.26	Harwell Wy	
8130263	Kangan Wy	Kangan Wy	Port Hedland (T)	0.00	Cajarina Rd	0.27	Munda Wy	
8130066	Leehey St	Leehey St	Port Hedland (T)	0.00	Trig St	0.52	Moorambine St	
8130297	Leslie St	Leslie St	Port Hedland (T)	0.00	Bell St	0.25	Leslie St - End Road	
8130525	Loreto Cct	Loreto Cct	Port Hedland (T)	0.00	Altitude Av	1.30	Altitude Av	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
8130344	Manganese St	Manganese St	Port Hedland (T)	0.00	Pinga St	0.15	Feldspar St	
8130344	Manganese St	Manganese St	Port Hedland (T)	0.15	Feldspar St	0.55		<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
8130344	Manganese St	Manganese St	Port Hedland (T)	0.55		0.74	Iron Ore St	
8130397	Marble Bar-Woodstock Rd	Marble Bar-Woodstock Rd	Port Hedland (T)	0.00	Hillside-Woodstock Rd	18.35	Marble Bar - Woodstock Rd	
8130172	Miller St	Miller St	Port Hedland (T)	0.00	Moorambine St	0.16	Miller St - End Road	
8130071	Moorambine St	Moorambine St	Port Hedland (T)	0.00	Leehey St	0.89	Yanana St	

Tandem Drive Network 2.1



Port Hedland (T)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
8130236	Munda Wy	Munda Wy	Port Hedland (T)	0.00	Harwell Wy	0.82	Harwell Wy	<ul style="list-style-type: none"> A RAV must not be driven on this road in excess of 4.3 metres in height unless written approval is obtained from Horizon Power
8130063	Murrena St	Murrena St	Port Hedland (T)	0.00	Pinnacles St	0.52	Taaffee St	
8130444	Oxide Wy	Oxide Wy	Port Hedland (T)	0.00	Harwell Wy	0.38	Pinnacles St	
8130237	Pardoo St	Pardoo St	Port Hedland (T)	0.00	Cajarina Rd	0.21	Munda Wy	
8130068	Peawah St	Peawah St	Port Hedland (T)	0.00	Schillaman St	0.63	Moorambine St	
8130448	Phosphorus St	Phosphorus St	Port Hedland (T)	0.00	Tailings Elb	1.56	Tailings Elb	
8130061	Pinga St	Pinga St	Port Hedland (T)	0.26	Cajarina Rd	2.21	Great Northern Hwy	
8130062	Pinnacles St	Pinnacles St	Port Hedland (T)	0.00	Pinga St	0.99	Ridley St	
8130301	Pippingarra Rd	Pippingarra Rd	Port Hedland (T)	0.00	Great Northern Hwy	63.87	Pippingarra Access Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times
8130332	Quarry Rd	Quarry Rd	Port Hedland (T)	0.00	Wallwork Rd	0.65	Hematite Dr	
8130240	Quartz Quarry Rd	Quartz Quarry Rd	Port Hedland (T)	0.00	Great Northern Hwy	1.10	Shoata Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
8130524	Quininup Wy	Quininup Wy	Port Hedland (T)	0.00	Altitude Av	0.50	Quininup Wy - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
8130219	Redbank Rd	Redbank Rd	Port Hedland (T)	0.00	Redbank Rd - Start Road	0.69	Roche Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
8130219	Redbank Rd	Redbank Rd	Port Hedland (T)	0.77	Roche Rd	1.90	Jan Da Nul Lay Down Yard Access	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
8130065	Ridley St	Ridley St	Port Hedland (T)	0.00	Pinnacles St	0.34	Trig St	
8130365	Roche Rd	Roche Rd	Port Hedland (T)	0.00	Wilson St	0.29	Redbank Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
8130067	Sandhill St	Sandhill St	Port Hedland (T)	0.00	Trig St	0.46	Moorambine St	
8130070	Schillaman St	Schillaman St	Port Hedland (T)	0.00	Pinga St	0.84	Schillaman St - End Road	
8130261	Shoata Rd	Shoata Rd	Port Hedland (T)	0.00	Hamilton Rd	3.30	Quartz Quarry Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
8130157	Short St	Short St	Port Hedland (T)	0.00	Wilson St	0.05	Anderson St	
8130015	Sutherland St	Sutherland St	Port Hedland (T)	0.32	Morgans St	0.42	Marina Rd	
8130064	Taaffee St	Taaffee St	Port Hedland (T)	0.00	Pinnacles St	0.38	Trig St	
8130447	Tailings Elb	Tailings Elb	Port Hedland (T)	0.00	Hematite Dr	1.14	Quarry Rd	
8130072	Trig St	Trig St	Port Hedland (T)	0.00	Pinga St	0.66	Ridley St	
8139000	Unknown Rd	Unknown Rd	Port Hedland (T)	0.00	Anderson St	0.26	Sutherland St	
8130188	Wallwork Rd	Wallwork Rd	Port Hedland (T)	0.00	Wilson St	1.69	Quarry Rd	
8130001	Wedge St	Wedge St	Port Hedland (T)	0.42	Wilson St	0.54	End Road	
8130069	Yanana St	Yanana St	Port Hedland (T)	0.00	Schillaman St	0.52	Moorambine St	

Tandem Drive Network 2.1



Port Hedland (T)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
813Z033	Unknown Rd	Unnamed Rd	Port Hedland (T)	1.05	1.05km From Unnamed Rd	1.90	1.8km From Unnamed Rd	<ul style="list-style-type: none">All operators must carry written support from the road manager acknowledging the operator's use of the road.
813Z020	Utah Point Rd (P)	Utah Point Rd (P)	Port Hedland (T)	0.00	Great Northern Hwy	9.08	Utah Point Rd (P) - End Road	

Tandem Drive Network 2.1



Quairading

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4240068	Adamson Rd	Adamson Rd	Quairading	0.00	Quairading - Cunderdin Rd	3.54	Wackett Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240018	Anderson Rd	Anderson Rd	Quairading	0.00	Doodenanning - Mawson Rd	2.97	Cubbine Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240105	Andrews Rd	Andrews Rd	Quairading	0.00	Dangin - Mears Rd	6.79	Quairading South Rd & Burrows Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240165	Ashton St	Ashton St	Quairading	0.00	Quairading York Rd	1.13	Quairading - Corrigin Rd	
4240129	Avon St	Avon St	Quairading	0.00	Forrest St	0.87	Junction Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240014	Badjaling North Rd	Badjaling North Rd	Quairading	0.00	Badjaling Rd & Badjaling South Rd & Yoting Rd	17.88	Cubbine Rd	
4240014	Badjaling North Rd	Badjaling North Rd	Quairading	17.88	Cubbine Rd	24.20	Rabbit Proof Fence South Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4240152	Badjaling Rd	Badjaling Rd	Quairading	0.00	Badjaling North Rd & Badjaling South Rd & Yoting Rd	2.59	Bruce Rock Quairading Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Quairading

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4240003	Badjaling South Rd	Badjaling South Rd	Quairading	0.00	Old Beverley East Rd	10.30	Badjaling Rd & Badjaling North Rd & Yoting Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For a Restricted Access Vehicle (RAV) Category 2 (B) - B Triple, bridge 5105 not to be crossed. Bridge located 100m north of Shenton Rd.
4240017	Balkuling North Rd	Balkuling North Rd	Quairading	0.00	Waghorn South Rd & Cubbine Rd & Waghorn Rd	9.78	Balkuling Nth Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240025	Bellacabella - Doodenanning Rd	Bellacabella - Doodenanning Rd	Quairading	0.00	Doodenanning - Mawson Rd	6.98	Maynard Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240025	Bellacabella - Doodenanning Rd	Bellacabella - Doodenanning Rd	Quairading	7.04	Maynard Rd	8.58	Thomson Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240071	Black Rd	Black Rd	Quairading	0.00	Mount Stirling Rd	4.11	Black Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240103	Blake North Rd	Blake North Rd	Quairading	0.00	Blake Rd	2.04	Blake North Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240102	Blake Rd	Blake Rd	Quairading	0.00	Tregenza Rd	7.84	Dangin - Mears Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Quairading

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4240037	Bland Rd	Bland Rd	Quairading	0.00	Mount Stirling Rd	6.14	Old Yoting Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240074	Blechynden Rd	Blechynden Rd	Quairading	0.00	Solomon Rd	2.38	Badjaling North Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4240065	Bloom Rd	Bloom Rd	Quairading	0.00	Dangin North Rd	2.39	Toapin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4240040	Bond Rd	Bond Rd	Quairading	0.00	Wamenusking Rd	5.44	Bulyee - Quairading Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240149	Boyle Rd	Boyle Rd	Quairading	0.00	Doodenanning - Mawson Rd	0.89	Anderson Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240122	Brown Rd	Brown Rd	Quairading	0.00	Hughes Rd	3.03	Pantapin South Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240002	Bulyee - Quairading Rd	Bulyee - Quairading Rd	Quairading	0.00	Quairading - Corrigin Rd	16.67	Corrigin LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Quairading

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4240099	Burrows Rd	Burrows Rd	Quairading	0.00	Quairading South Rd & Andrews Rd	3.14	Bulyee - Quairading Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240104	Caroling Rd	Caroling Rd	Quairading	0.00	Blake Rd	1.77	Caroling South Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240033	Caroling South Rd	Caroling South Rd	Quairading	0.00	Dangin - Mears Rd	5.77	Andrews Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240026	Carter - Doodenanning Rd	Carter - Doodenanning Rd	Quairading	0.00	Cunderdin LGA Boundary	8.11	Doodenanning - Mawson Rd & Geyer St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240101	Church Rd	Church Rd	Quairading	0.00	Quairading South Rd	3.49	Blake Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240013	Crimp Rd	Crimp Rd	Quairading	0.00	Maynard Rd	6.69	Doodenanning - Mawson Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Quairading

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4240005	Cubbine Rd	Cubbine Rd	Quairading	0.00	York LGA Boundary	32.92	Badjaling North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Cubbine Rd : No access permitted into Taylors North West Rd from Cubbine Rd Intersection Hayes Rd : No right turn permitted into Hayes Rd from Cubbine Rd
4240005	Cubbine Rd	Cubbine Rd	Quairading	32.92	Badjaling North Rd	40.16	Tammin LGA Boundary	<ul style="list-style-type: none"> Intersection Taylors North West Rd : No access permitted into Taylors North West Rd from Cubbine Rd
4240113	Dall Rd	Dall Rd	Quairading	0.00	Badjaling South Rd	2.75	Dall Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240010	Dangin - Mears Rd	Dangin - Mears Rd	Quairading	0.00	Quairading York Rd	22.20	Brookton LGA Boundary	<ul style="list-style-type: none"> For Restricted Access Vehicle Category 2 - B-Triple, bridge 4693 & 4142 not to be crossed. Bridge #4693 is located 3.67km north of Old Beverley West Rd and #4142 is located 3.02km south of Old Beverley West Rd.
4240029	Dangin North Rd	Dangin North Rd	Quairading	0.00	Quairading York Rd	9.78	Dulbellling North Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4240023	Dangin South Rd	Dangin South Rd	Quairading	0.00	Homebush Rd	15.46	Quairading York Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240027	Doodenanning - Mawson Rd	Doodenanning - Mawson Rd	Quairading	0.00	Geyer St & Carter - Doodenanning Rd	18.35	Mawson Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Quairading

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4240051	Dorakin Rd	Dorakin Rd	Quairading	0.00	Quairading - Cunderdin Rd & Livingstone Rd	6.77	Hayes Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Intersection Weir Rd : No access permitted into Weir Rd from Dorakin Rd
4240028	Dulbellling North Rd	Dulbellling North Rd	Quairading	0.00	Doodenanning - Mawson Rd	12.32	Quairading York Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240028	Dulbellling North Rd	Dulbellling North Rd	Quairading	12.46	Quairading York Rd	15.52	Dulbellling West Rd & Dulbellling South Rd & Ellen Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240022	Dulbellling South Rd	Dulbellling South Rd	Quairading	0.00	Dulbellling North Rd & Dulbellling West Rd & Ellen Rd	17.63	Dulbellling South Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240089	Dulbellling West Rd	Dulbellling West Rd	Quairading	0.00	Dulbellling West Rd - Start Road	1.81	Dulbellling North Rd & Dulbellling South Rd & Ellen Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240042	Ellen Rd	Ellen Rd	Quairading	0.00	Dulbellling North Rd & Dulbellling West Rd & Dulbellling South Rd	3.37	Quairading York Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240052	Geyer St	Geyer St	Quairading	0.00	Doodenanning - Mawson Rd & Carter - Doodenanning Rd	1.28	Unnamed Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240052	Geyer St	Geyer St	Quairading	1.28	Unnamed Rd	2.21	Doodenanning Rd	

Tandem Drive Network 2.1



Quairading

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4240061	Giles Rd	Giles Rd	Quairading	0.00	Waghorn Rd	0.64	Giles Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240080	Glenluce Rd	Glenluce Rd	Quairading	0.00	Munyard Rd & Pantapin North West Rd	5.06	Kellerberrin LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240167	Goldfields Rd	Goldfields Rd	Quairading	0.00	York - Tammin Rd	9.16	Cunderdin LGA Boundary	
4240059	Green Rd	Green Rd	Quairading	0.00	Dulbellin North Rd	1.94	Green Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240039	Handscombe Rd	Handscombe Rd	Quairading	0.00	Pantapin South Rd	5.29	Yoting South Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240109	Harvey Rd	Harvey Rd	Quairading	0.00	Bulyee - Quairading Rd	6.48	Wamenusking Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240047	Hayes East Rd	Hayes East Rd	Quairading	0.00	Bland Rd	5.45	Kellerberrin - Yoting Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Quairading

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4240015	Hayes Rd	Hayes Rd	Quairading	0.00	Quairading York Rd	6.49	Dorakin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4240015	Hayes Rd	Hayes Rd	Quairading	6.49	Dorakin Rd	14.24	Cubbine Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Cubbine Rd : No access permitted into Cubbine Rd from Hayes Rd
4240095	Haythornthwaites North Rd	Haythornthwaites North Rd	Quairading	0.00	Haythornthwaites North Rd - Start Road	3.70	Quairading - Corrigin Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240100	Haythornthwaites Rd	Haythornthwaites Rd	Quairading	0.00	Bulyee - Quairading Rd	2.66	Quairading South Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Quairading

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4240056	Heal Rd	Heal Rd	Quairading	0.00	Quairading - Corrigin Rd	2.47	Stacey Bus Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4240044	Homebush Rd	Homebush Rd	Quairading	0.00	Lake Mears Rd	8.10	Dangin - Mears Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240110	Horsley Rd	Horsley Rd	Quairading	0.00	Wamenusking Rd	5.78	Quairading - Corrigin Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240120	Hughes Rd	Hughes Rd	Quairading	0.00	Old Beverley East Rd	2.86	Bruce Rock LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240090	Johnston Rd	Johnston Rd	Quairading	0.00	Dangin South Rd	4.27	Johnson Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4240133	Junction Rd	Junction Rd	Quairading	0.00	Quairading York Rd	0.74	Quairading - Cunderdin Rd & Coraling St & Cubbine Rd	<ul style="list-style-type: none"> Intersection Quairading York Rd : No left turn permitted into York Merredin Rd from Junction Rd
4240097	Kallarra Rd	Kallarra Rd	Quairading	0.00	Quairading South Rd	3.76	Kallarra Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240073	Karrakin Rd	Karrakin Rd	Quairading	0.00	Cubbine Rd	5.01	Karrakin Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Quairading

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4240164	Kellerberrin - Yoting Rd	Kellerberrin - Yoting Rd	Quairading	0.00	Kellerberrin LGA Boundary	16.10	Bruce Rock Quairading Rd & Yoting Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4240083	Kelly Rd	Kelly Rd	Quairading	0.00	Bruce Rock Quairading Rd	0.60	Kelly Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240064	Kevill Rd	Kevill Rd	Quairading	0.00	Doodenanning - Mawson Rd	4.45	Dulbellling North Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Dulbellling North Rd : No left turn permitted into Dulbellling North Rd from Kevill Rd
4240011	Lake Mears Rd	Lake Mears Rd	Quairading	0.00	Dangin - Mears Rd	4.95	Brookton LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240070	Livingstone Rd	Livingstone Rd	Quairading	0.00	Dorakin Rd & Quairading - Cunderdin Rd	4.09	Mount Stirling Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240134	Loudon St	Loudon St	Quairading	0.39	Bruce Rock Quairading Rd & Jennaberring Rd	0.88	Mount Stirling Rd & Coraling St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Quairading

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4240094	Lyalls Rd	Lyalls Rd	Quairading	0.00	Old Beverley West Rd	0.62	Lyalls Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240049	Manning Rd	Manning Rd	Quairading	0.00	Quairading York Rd	2.68	Jacobs Well Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240053	Maynard Rd	Maynard Rd	Quairading	0.00	Cubbine Rd & Peacock Rd	10.18	Goldfields Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240123	McLennan St	McLennan St	Quairading	0.49	Avon St	1.23	Suburban Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240062	Mears Rd	Mears Rd	Quairading	0.00	Waghorn Rd	3.08	Anderson Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240086	Mills Rd	Mills Rd	Quairading	0.00	Lake Mears Rd	1.93	Mills Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240063	Minchin Rd	Minchin Rd	Quairading	0.00	Balkuling North Rd	0.97	Minchin South Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Quairading

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4240066	Minchin South Rd	Minchin South Rd	Quairading	0.00	Minchin Rd	1.51	Minchin South Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4240012	Mount Stirling Rd	Mount Stirling Rd	Quairading	0.00	Coraling St & Loudon St	11.78	Badjaling North Rd	
4240012	Mount Stirling Rd	Mount Stirling Rd	Quairading	11.82	Badjaling North Rd	28.50	Kellerberrin - Yoting Rd	
4240045	Munyard Rd	Munyard Rd	Quairading	0.00	Kellerberrin - Yoting Rd	8.78	Pantapin North Rd & Ogrady Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240093	Nottle East Side Rd	Nottle East Side Rd	Quairading	0.00	Yacklin Rd	3.39	Nottle East Side Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240006	Old Beverley East Rd	Old Beverley East Rd	Quairading	0.00	Quairading - Corrigin Rd	15.12	Old Beverley Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240007	Old Beverley West Rd	Old Beverley West Rd	Quairading	0.00	Quairading South Rd	19.99	Morbinning Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240036	Old Yoting Rd	Old Yoting Rd	Quairading	0.00	Badjaling North Rd	13.62	Bruce Rock Quairading Rd & Unknown Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240160	Pannell Rd	Pannell Rd	Quairading	0.00	Quairading - Corrigin Rd	4.55	Corrigin LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Quairading

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4240021	Pantapin North Rd	Pantapin North Rd	Quairading	0.00	Bruce Rock Quairading Rd	14.00	Pantapin North Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240020	Pantapin North West Rd	Pantapin North West Rd	Quairading	0.00	Bruce Rock Quairading Rd	11.64	Munyard Rd & Glenluce Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240121	Pantapin South East Rd	Pantapin South East Rd	Quairading	0.00	Bruce Rock Quairading Rd	5.57	Hughes Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240016	Pantapin South Rd	Pantapin South Rd	Quairading	0.00	Old Beverley East Rd	14.84	Bruce Rock Quairading Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240128	Parker St	Parker St	Quairading	0.00	McLennan St	0.62	Ashton St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240144	Peacock Rd	Peacock Rd	Quairading	0.00	Cubbine Rd & Maynard Rd	3.11	Dulbellington North Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240077	Powell Rd	Powell Rd	Quairading	0.00	Badjaling North Rd	2.00	Visa Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240143	Punch Rd	Punch Rd	Quairading	0.00	Andrews Rd	4.90	North Kweda Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240166	Quairading - Corrigin Rd	Quairading - Corrigin Rd	Quairading	0.00	Ashton St	31.03	Corrigin LGA Boundary	

Tandem Drive Network 2.1



Quairading

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4240162	Quairading - Cunderdin Rd	Quairading - Cunderdin Rd	Quairading	0.00	Quairading Rd	20.18	Junction Rd & Coraling St & Cubbine Rd	
4240019	Quairading South Rd	Quairading South Rd	Quairading	0.00	Quairading - Corrigin Rd	12.29	Burrows Rd & Andrews Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240048	Ralston Rd	Ralston Rd	Quairading	0.00	Cubbine Rd	1.65	Tammin LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240159	Refuse Rd	Refuse Rd	Quairading	0.00	Quairading - Cunderdin Rd	0.25	Rubbish Tip Site	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240087	Richards Rd	Richards Rd	Quairading	0.00	Caroling South Rd	3.31	Richards Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240115	Robbs L	Robbs L	Quairading	0.00	Stones Rd	4.53	Quairading - Corrigin Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240038	Sandplain Rd	Sandplain Rd	Quairading	0.00	Bruce Rock Quairading Rd	2.96	Old Yoting Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240119	Shenton Rd	Shenton Rd	Quairading	0.00	Badjaling South Rd	5.16	Yoting South Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Quairading

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4240117	Simpson Rd	Simpson Rd	Quairading	0.00	Quairading - Corrigin Rd	2.96	Stones Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240032	Solomon Rd	Solomon Rd	Quairading	0.00	Bruce Rock Quairading Rd & Solomon South Rd	15.25	Cubbine Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240114	Solomon South Rd	Solomon South Rd	Quairading	0.00	Bruce Rock Quairading Rd & Solomon Rd	5.29	Stacey Bus Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240176	Squiers Rd	Squiers Rd	Quairading	0.00	Andrews Rd	2.05	Andrews Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240057	Stacey Bus Rd	Stacey Bus Rd	Quairading	0.00	Badjaling South Rd	8.14	Badjaling South Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240106	Stockpool Rd	Stockpool Rd	Quairading	0.00	Andrews Rd	5.51	Dangin - Mears Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240098	Stones Back Rd	Stones Back Rd	Quairading	0.00	Quairading South Rd	1.61	Stones Back Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240034	Stones Rd	Stones Rd	Quairading	0.00	Quairading - Corrigin Rd	8.73	Corrigin LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Quairading

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4240091	Strickland Rd	Strickland Rd	Quairading	0.00	Dangin - Mears Rd	0.88	Strickland Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240124	Suburban Rd	Suburban Rd	Quairading	0.00	McLennan St	0.67	Ashton St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240111	Sunny Vale Rd	Sunny Vale Rd	Quairading	0.00	Quairading - Corrigin Rd	3.20	Stacey Bus Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240031	Tammin Rd	Tammin Rd	Quairading	0.00	Wilson Rd & Wills Rd	2.46	Cubbine Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240072	Taylor Rd	Taylor Rd	Quairading	0.00	Mount Stirling Rd	5.42	Taylors North West Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240075	Taylors North West Rd	Taylors North West Rd	Quairading	0.00	Cubbine Rd	4.61	Taylor Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Intersection Cubbine Rd : No access permitted to Cubinne Rd from Taylors North West Rd
4240058	Thomson Rd	Thomson Rd	Quairading	0.00	Maynard Rd	5.20	Thompsons Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Quairading

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4240055	Toapin Rd	Toapin Rd	Quairading	0.00	Dulbellling North Rd	0.79	Quairading York Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4240055	Toapin Rd	Toapin Rd	Quairading	0.79	Quairading York Rd	2.09	Bloom Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Quairading York Rd : No left or right turn permitted into York Merredin Rd from Toapin Rd
4240055	Toapin Rd	Toapin Rd	Quairading	5.20	Dangin North Rd	7.08	Hayes Rd	
4240055	Toapin Rd	Toapin Rd	Quairading	7.10	Hayes Rd	11.86	Weir Rd	
4240107	Tregenza Rd	Tregenza Rd	Quairading	0.00	Caroling South Rd	2.09	Blake Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240092	Treloar Rd	Treloar Rd	Quairading	0.00	Dangin - Mears Rd	6.38	Dulbellling South Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240154	Unnamed Rd (Was Caporn Rd)	Unnamed Rd (Was Caporn Rd)	Quairading	0.00	Pantapin South East Rd	0.93	Unnamed Rd (Was Caporn Rd) - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Quairading

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4240146	Veitch Rd	Veitch Rd	Quairading	0.00	Balkuling North Rd	1.46	Veitch Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4240078	Visa Rd	Visa Rd	Quairading	0.00	Old Yoting Rd	6.15	Mount Stirling Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240030	Wackett Rd	Wackett Rd	Quairading	0.00	Quairading - Cunderdin Rd	7.52	Cubbine Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240060	Waghorn Rd	Waghorn Rd	Quairading	0.00	White Well Rd	6.33	Balkuling North Rd & Waghorn South Rd & Cubbine Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4240118	Wamenusking East Rd	Wamenusking East Rd	Quairading	0.00	Quairading - Corrigin Rd	7.64	Old Beverley East Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240041	Wamenusking Rd	Wamenusking Rd	Quairading	0.00	Bulyee - Quairading Rd	13.56	Stones Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Quairading

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4240050	Weir Rd	Weir Rd	Quairading	0.00	Dorakin Rd	5.60	Quairading York Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Dorakin Rd : No access permitted into Dorakin Rd from Weir Rd
4240067	Williams Rd	Williams Rd	Quairading	0.00	Dulbellling North Rd	1.03	Williams Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240076	Wills Rd	Wills Rd	Quairading	0.00	Wilson Rd & Tammin Rd	1.69	Badjaling North Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240172	Wilson Rd	Wilson Rd	Quairading	0.00	Mount Stirling Rd	4.77	Wills Rd & Tammin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4240148	Wishart Rd	Wishart Rd	Quairading	0.00	Bruce Rock Quairading Rd	2.13	Pantapin South East Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240043	Yacklin Rd	Yacklin Rd	Quairading	0.00	Dulbellling South Rd	8.37	Treloar Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240046	Yoting North Rd	Yoting North Rd	Quairading	0.00	Kellerberrin - Yoting Rd	9.76	Mount Stirling Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Quairading

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4240035	Yoting Rd	Yoting Rd	Quairading	0.00	Kellerberrin - Yoting Rd & Bruce Rock Quairading Rd	10.45	Badjaling Rd & Badjaling North Rd & Badjaling South Rd	<ul style="list-style-type: none">This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4240024	Yoting South Rd	Yoting South Rd	Quairading	0.00	Old Beverley East Rd	14.43	Bruce Rock Quairading Rd	<ul style="list-style-type: none">This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Ravensthorpe

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6100008	Aerodrome Rd	Aerodrome Rd	Ravensthorpe	0.00	Newdegate Ravensthorpe Rd	7.72	Thomas Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit No access permitted to Brookton Highway from Aerodrome Rd.
6100008	Aerodrome Rd	Aerodrome Rd	Ravensthorpe	7.72	Thomas Rd	31.53	Fitzgerald Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit
6100008	Aerodrome Rd	Aerodrome Rd	Ravensthorpe	31.68	Fitzgerald Rd	42.54	Mallee Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit
6100111	Beatty Rd	Beatty Rd	Ravensthorpe	0.00	Clarke Rd	31.12	Newdegate Ravensthorpe Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100047	Bedford Harbour East Rd	Bedford Harbour East Rd	Ravensthorpe	0.00	Bedford Harbour Rd	9.87	Coxall Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6100004	Bedford Harbour Rd	Bedford Harbour Rd	Ravensthorpe	0.00	South Coast Hwy	3.51	Jerdacuttup Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100004	Bedford Harbour Rd	Bedford Harbour Rd	Ravensthorpe	3.58	Jerdacuttup Rd	24.54	Springdale Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100041	Bridger Rd	Bridger Rd	Ravensthorpe	0.00	Newdegate Ravensthorpe Rd	11.26	Long Creek Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Ravensthorpe

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6100033	Buegge Rd	Buegge Rd	Ravensthorpe	0.00	Hopetoun-Ravensthorpe Rd	6.76	Buegge Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6100110	Clarke Rd	Clarke Rd	Ravensthorpe	0.00	Hayes Rd	11.13	Beatty Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100248	Coleman St	Coleman St	Ravensthorpe	0.00	Jamieson St & Morgans St	0.68	Coleman St - End Road	
6100075	Coujinup Rd	Coujinup Rd	Ravensthorpe	0.00	South Coast Hwy	9.32	Bandalup Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100075	Coujinup Rd	Coujinup Rd	Ravensthorpe	9.44	Bandalup Rd	14.50	Coujinup Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100045	Cowell Rd	Cowell Rd	Ravensthorpe	0.00	Doyle Rd	8.79	Coxall Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6100016	Coxall Rd	Coxall Rd	Ravensthorpe	0.00	South Coast Hwy	20.14	Springdale Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100046	Dam Rd	Dam Rd	Ravensthorpe	0.00	Mt Short Rd & Newdegate Ravensthorpe Rd	4.94	Dam Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6100139	Dance St	Dance St	Ravensthorpe	0.00	Morgans St	0.28	Martin St & Webster Dr	<ul style="list-style-type: none"> Intersection Martin St & Webster Dr : NO access permitted into Martin St from Dance St.
6100100	Daniels Rd	Daniels Rd	Ravensthorpe	0.00	Springdale Rd	1.55	Daniels Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit
6100017	Doyle Rd	Doyle Rd	Ravensthorpe	0.00	South Coast Hwy	12.92	Esperance LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100053	Dunn St	Dunn St	Ravensthorpe	0.00	Floater Rd	0.18	Queen St	<ul style="list-style-type: none"> Intersection Floater Rd : No access permitted into Floater Rd from Dunn St
6100060	Elston St	Elston St	Ravensthorpe	0.00	Jamieson St	0.03	For 0.03km From South Coast Hwy to Service Station Access	

Tandem Drive Network 2.1



Ravensthorpe

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6100036	Fence Rd	Fence Rd	Ravensthorpe	0.00	South Coast Hwy	25.21	Springdale Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100083	Fitzgerald Rd	Fitzgerald Rd	Ravensthorpe	0.00	Old Ongerup Rd	7.17	South Coast Hwy	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100083	Fitzgerald Rd	Fitzgerald Rd	Ravensthorpe	7.19	South Coast Hwy	8.50	Jerramungup LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100083	Fitzgerald Rd	Fitzgerald Rd	Ravensthorpe	24.40	Jerramungup LGA Boundary	43.38	Koornong Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100083	Fitzgerald Rd	Fitzgerald Rd	Ravensthorpe	43.60	Koornong Rd	59.87	Fitzgerald Rd & Long Creek Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100117	Floater Rd	Floater Rd	Ravensthorpe	0.00	Newdegate Ravensthorpe Rd	2.41		
6100117	Floater Rd	Floater Rd	Ravensthorpe	2.41		25.91	Hayes Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. See Low Volume Condition Type A in the Operating Conditions Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6100025	Gordon Rd	Gordon Rd	Ravensthorpe	0.00	South Coast Hwy	5.83	Thomas Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit
6100074	Hatfield Rd	Hatfield Rd	Ravensthorpe	0.00	South Coast Hwy	3.91	Hatfield Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Ravensthorpe

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6100005	Hayes Rd	Hayes Rd	Ravensthorpe	0.00	Newdegate Ravensthorpe Rd	30.19	Clarke Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6100249	Jamieson St	Jamieson St	Ravensthorpe	0.01	Shell Service Station Driveway	0.48	Ravensthorpe Bypass Rty	
6100002	Jerdacuttup Rd	Jerdacuttup Rd	Ravensthorpe	0.00	Hopetoun-Ravensthorpe Rd	28.13	Fence Rd	
6100002	Jerdacuttup Rd	Jerdacuttup Rd	Ravensthorpe	28.18	Fence Rd	43.78	South Coast Hwy	
6100032	John Forrest Rd	John Forrest Rd	Ravensthorpe	0.00	Hopetoun-Ravensthorpe Rd	12.11	6km North From Phillips River Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6100034	Jones Rd	Jones Rd	Ravensthorpe	0.00	Hopetoun-Ravensthorpe Rd	2.94	Jones Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100116	King Rd	King Rd	Ravensthorpe	0.00	King Rd - Start Road	5.65	Mt Short Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6100112	Koorong Rd	Koorong Rd	Ravensthorpe	0.00	Koorong Rd - Start Road	3.66	Old Ongerup Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100112	Koorong Rd	Koorong Rd	Ravensthorpe	3.70	Old Ongerup Rd	6.12	South Coast Hwy	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100112	Koorong Rd	Koorong Rd	Ravensthorpe	6.13	South Coast Hwy	38.46	Mallee Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100119	Laurina Rd	Laurina Rd	Ravensthorpe	0.00	Hopetoun-Ravensthorpe Rd	4.86	Laurina Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Ravensthorpe

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6100082	Long Creek Rd	Long Creek Rd	Ravensthorpe	0.00	Fitzgerald Rd	14.21	Aerodrome Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100082	Long Creek Rd	Long Creek Rd	Ravensthorpe	14.26	Aerodrome Rd	27.40	Koorong Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100086	Mallee Rd	Mallee Rd	Ravensthorpe	0.00	West River Rd & Mallee Rd	21.90	Mallee Rd & Aerodrome Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100057	Martin St	Martin St	Ravensthorpe	0.00	Dance St & Webster Dr	0.20	Neil St	<ul style="list-style-type: none"> Intersection Neil St : No access permitted into Neil St from Martin St.
6100001	Mason Bay Rd	Mason Bay Rd	Ravensthorpe	0.00	Masons Rd (Nru) & Jerdacuttup Rd	17.40	Springdale Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100001	Mason Bay Rd	Mason Bay Rd	Ravensthorpe	17.45	Springdale Rd	24.00	4.6km South - Then 2km East After Springdale Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100035	Maydon Rd	Maydon Rd	Ravensthorpe	0.00	South Coast Hwy	3.00	For 3.00 Km	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6100023	Melaleuca Rd	Melaleuca Rd	Ravensthorpe	0.00	Mills Rd	32.47	West Point Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100015	Middle Rd	Middle Rd	Ravensthorpe	0.00	Tamarine Rd	9.02	Mason Bay Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100015	Middle Rd	Middle Rd	Ravensthorpe	9.13	Mason Bay Rd	19.60	Fence Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100015	Middle Rd	Middle Rd	Ravensthorpe	19.63	Fence Rd	31.27	Bedford Harbour Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100015	Middle Rd	Middle Rd	Ravensthorpe	31.31	Bedford Harbour Rd	41.44	Coxall Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100018	Mills Rd	Mills Rd	Ravensthorpe	0.00	South Coast Hwy	5.50		<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100011	Moir Rd	Moir Rd	Ravensthorpe	0.00	Martin St & Scott St	22.82	Moir Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6100079	Moolyall Rd	Moolyall Rd	Ravensthorpe	0.00	Woodenup Rd	14.00	Floater Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Ravensthorpe

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6100242	Morgans St	Morgans St	Ravensthorpe	0.00	South Coast Hwy	1.26	Queen St	<ul style="list-style-type: none"> Intersection Dance St : No access permitted into Dance St from Morgans St. Intersection Scott St & Floater Rd : No left turn permitted into Scott St from Morgans St. Intersection Queen St : No access permitted into Queen St from Old Coast Hwy
6100010	Mt Short Rd	Mt Short Rd	Ravensthorpe	0.00	Dam Rd & Newdegate Ravensthorpe Rd	1.62	King Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6100140	Neil St	Neil St	Ravensthorpe	0.00	Morgans St	0.28	Martin St	<ul style="list-style-type: none"> Intersection Morgans St : No access permitted into Morgans St from Neil St.
6100020	Nindilbillup Rd	Nindilbillup Rd	Ravensthorpe	0.00	Hayes Rd	41.04	South Coast Hwy	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100021	North Rd	North Rd	Ravensthorpe	0.00	Beatty Rd	10.10	Hayes Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6109000	Old Floater Rd	Old Floater Rd	Ravensthorpe	0.00	Morgans St & Scott St	1.08	End Road - Old Floater Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school dropoffs/ pick-ups have been completed on the road. Intersection Dunn St : No left turn permitted into Dunn St from Floater Rd

Tandem Drive Network 2.1



Ravensthorpe

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6100037	Old Newdegate Rd	Old Newdegate Rd	Ravensthorpe	0.00	Newdegate Ravensthorpe Rd	0.96	0.96km From Newdegate Ravensthorpe Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
6100037	Old Newdegate Rd	Old Newdegate Rd	Ravensthorpe	0.96	0.96km From Newdegate Ravensthorpe Rd	1.39	Floater Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6100026	Old Ongerup Rd	Old Ongerup Rd	Ravensthorpe	0.00	South Coast Hwy	17.16	Hammersley Dr & West River Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6100026	Old Ongerup Rd	Old Ongerup Rd	Ravensthorpe	17.30	West River Rd	36.53	Witt Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6100109	Powley Rd	Powley Rd	Ravensthorpe	0.00	Muncaster Rd & Stennetts Lake Rd	6.12	Beatty Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100109	Powley Rd	Powley Rd	Ravensthorpe	6.21	Beatty Rd	15.94	Hayes Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100056	Queen St	Queen St	Ravensthorpe	0.48	Morgans St	0.62	Dunn St	<ul style="list-style-type: none"> Intersection Dunn St : No access permitted into Dunn St from Queen St

Tandem Drive Network 2.1



Ravensthorpe

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6100115	Rawlinson Rd	Rawlinson Rd	Ravensthorpe	0.00	Esperance LGA Boundary	5.10	Melaleuca Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100115	Rawlinson Rd	Rawlinson Rd	Ravensthorpe	5.17	Melaleuca Rd	20.29	West Point Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100080	River Rd	River Rd	Ravensthorpe	0.00	Melaleuca Rd	3.47	Esperance LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6100019	Rock Hole Rd	Rock Hole Rd	Ravensthorpe	0.00	South Coast Hwy	15.98	Rawlinson Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100141	Scott St	Scott St	Ravensthorpe	0.00	Morgans St & Floater Rd	0.29	Martin St & Moir Rd	<ul style="list-style-type: none"> Intersection Morgans St & Floater Rd : No right turn permitted into Morgans St from Scott St.
6100009	Springdale Rd	Springdale Rd	Ravensthorpe	0.00	Hopetoun-Ravensthorpe Rd	59.64	Esperance LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100031	Steeredale Rd	Steeredale Rd	Ravensthorpe	0.00	Hopetoun-Ravensthorpe Rd	3.20	Steeredale Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6100014	Tamarine Rd	Tamarine Rd	Ravensthorpe	0.00	Jerdacuttup Rd	15.14	Springdale Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100113	Thomas Rd	Thomas Rd	Ravensthorpe	0.00	South Coast Hwy	2.99	Gordon Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit No access permitted to South Coast Highway from Thomas Road.
6100113	Thomas Rd	Thomas Rd	Ravensthorpe	2.99	Gordon Rd	5.70	Aerodrome Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit

Tandem Drive Network 2.1



Ravensthorpe

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6100114	West Point Rd	West Point Rd	Ravensthorpe	0.00	Esperance LGA Boundary	13.00	4.21km South West of Melaleuca Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100114	West Point Rd	West Point Rd	Ravensthorpe	21.40	3.9km North East of Rawlinson Rd	42.99	South Coast Hwy	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100006	West River Rd	West River Rd	Ravensthorpe	0.00	Mallee Rd	10.65	Fitzgerald Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100006	West River Rd	West River Rd	Ravensthorpe	10.69	Fitzgerald Rd	26.69	South Coast Hwy	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100006	West River Rd	West River Rd	Ravensthorpe	26.76	South Coast Hwy	33.80	Old Ongerup Rd & Hamersley Dr	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6100078	Woodenup Rd	Woodenup Rd	Ravensthorpe	0.00	Nindilbillup Rd	5.94	Moolyall Rd	
6100078	Woodenup Rd	Woodenup Rd	Ravensthorpe	5.94	Moolyall Rd	18.22	Floater Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
610Z004	Masons Rd (Nru)	Masons Rd (Nru)	Ravensthorpe	0.00	Mason Bay Rd & Jerdacuttup Rd	3.00	For 3.00 Km	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
610Z002	Reclass From Moir Rd 6100011/7-S	Moir Rd	Ravensthorpe	0.00	Moir Rd	3.24	Moir Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Rockingham (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1073179	Alloy Av	Alloy Av	Rockingham (C)	0.00	Patterson Rd & Charles St	0.26	Alumina Rd	
1070976	Alumina Rd	Alumina Rd	Rockingham (C)	0.00	Patterson Rd	1.72	Alloy Av	
1070418	Ambrose St	Ambrose St	Rockingham (C)	0.00	Dixon Rd	0.55	Dixon Rd	
1070617	Arkwright Rd	Arkwright Rd	Rockingham (C)	0.00	Dixon Rd	0.24	Crompton Rd	
1070982	Bakewell Dr	Bakewell Dr	Rockingham (C)	0.60	0.12km From Toynbee Wy	1.20	Port Kennedy Dr	
1070011	Baldivis Rd	Baldivis Rd	Rockingham (C)	0.00	Stakehill Rd & Unknown Rd	2.93	Sixty Eight Rd	
1070011	Baldivis Rd	Baldivis Rd	Rockingham (C)	10.60	Kerosene L	11.20	Kulija Rd	
1070011	Baldivis Rd	Baldivis Rd	Rockingham (C)	11.24	Kulija Rd	13.43	Telephone L & Wellard Rd	
1071406	Beale Wy	Beale Wy	Rockingham (C)	0.00	Tesla Rd	0.48	Carlston Rd	
1071358	Blackburn Dr	Blackburn Dr	Rockingham (C)	0.37	Helmshore Wy	0.86	Port Kennedy Dr	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
1072166	Carlston Rd	Carlston Rd	Rockingham (C)	0.18	Beale Wy	0.33	Ennis Av	
1070035	Charles St	Charles St	Rockingham (C)	0.01	Claymore St	0.49	Patterson Rd & Alloy Av	
1070312	Chesterfield Rd	Chesterfield Rd	Rockingham (C)	0.00	Mandurah Rd	0.49	Chesterfield Rd - End Road	
1070614	Cort Wy	Cort Wy	Rockingham (C)	0.00	Nasmyth Rd	0.38	Nasmyth Rd	
1070420	Crocker St	Crocker St	Rockingham (C)	0.00	Dixon Rd	0.31	Crocker St - End Road	
1070615	Crompton Rd	Crompton Rd	Rockingham (C)	0.00	Nasmyth Rd	1.10	Day Rd	
1070016	Day Rd	Day Rd	Rockingham (C)	0.00	Mandurah Rd	1.12	Dixon Rd	
1073227	Dixon Rd	Dixon Rd	Rockingham (C)	0.00	Louise St	4.17	Gilmore Av & Mandurah Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Intersection Evinrude Bend : No access permitted into Evinrude Bnd from Dixon Rd
1071341	Edison Cct	Edison Cct	Rockingham (C)	0.00	Day Rd	0.27	Day Rd	
1070111	Eighty Rd	Eighty Rd	Rockingham (C)	0.00	Stakehill Rd	2.55	Sixty Eight Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1071428	Enterprise Wy	Enterprise Wy	Rockingham (C)	0.00	Merchant Dr	0.52	Enterprise Wy - End Road	
1072210	Evinrude Bend	Evinrude Bend	Rockingham (C)	0.00	McCamey Av	0.65	Dixon Rd	<ul style="list-style-type: none"> No Left turn permitted into Evinrude Bnd from Dixon Rd. No Right turn permitted into Evinrude Bnd from Dixon Rd. No Right turn permitted into Dixon Rd from Evinrude Bnd. Intersection Dixon Rd : No right turn permitted into Dixon Rd from Evinrude Bend.
1079013	Exchange Pl	Exchange Pl	Rockingham (C)	0.00	Lodge Dr	0.18	Exchange Pl - End Road	
1071572	Guild Wy	Guild Wy	Rockingham (C)	0.00	Pedlar Cct	0.12	Guild Wy - End Road	

Tandem Drive Network 2.1



Rockingham (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1070951	Hargreaves Rd	Hargreaves Rd	Rockingham (C)	0.00	Dixon Rd	0.12	Savery Wy	
1071264	Helmshore Wy	Helmshore Wy	Rockingham (C)	0.00	Blackburn Dr	0.54	Bessemer Rd	
1070419	Hurrell Wy	Hurrell Wy	Rockingham (C)	0.00	Morgan St	1.15	Morgan St	
1070421	Islip St	Islip St	Rockingham (C)	0.00	Hurrell Wy	0.12	Morgan St	
1070121	Karnup Rd	Karnup Rd	Rockingham (C)	0.00	Baldivis Rd	2.66	Serpentine - Jarrahdale LGA Boundary	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
1070009	Kerosene L	Kerosene L	Rockingham (C)	0.00	Mandurah Rd	2.88	Baldivis Rd	
1072660	Kulija Rd	Kulija Rd	Rockingham (C)	0.00	Mundijong Rd	4.28	Mandurah Rd	
1071776	Lodge Dr	Lodge Dr	Rockingham (C)	0.00	Day Rd	0.40	Venture Pl	
1070490	Louise St	Louise St	Rockingham (C)	1.13	Dixon Rd	1.42	Patterson Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
1070437	Mandurah Rd	Mandurah Rd	Rockingham (C)	0.00	Wellard Rd & Mandurah Rd	16.35	Ennis Av & Detonator Rd & Mandurah Rd	<ul style="list-style-type: none"> Intersection Wellard Rd & Mandurah Rd : No right turn permitted into Wellard Road From Mandurah Road. No left turn into Wellard Road from Mandurah Road.
1071342	McCamey Av	McCamey Av	Rockingham (C)	0.00	Dixon Rd	0.33	Day Rd	
1071413	Merchant Dr	Merchant Dr	Rockingham (C)	0.00	Patterson Rd	0.64	Pedlar Cct	
1070101	Millar Rd	Millar Rd	Rockingham (C)	0.37	Kulija Rd	3.80	Baldivis Rd	
1070417	Morgan St	Morgan St	Rockingham (C)	0.00	Crocker St	0.92	Dixon Rd	
1070010	Mundijong Rd	Mundijong Rd	Rockingham (C)	0.00	Serpentine - Jarrahdale LGA Boundary	4.72	Kulija Rd	
1072110	Nairn Dr	Nairn Dr	Rockingham (C)	1.19	0.08 Km Past Honeysuckle Mews	3.20	0.03 Km Past Safety Bay Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1070616	Nasmyth Rd	Nasmyth Rd	Rockingham (C)	0.00	Dixon Rd	0.27	Cort Wy	
1072172	Office Rd	Office Rd	Rockingham (C)	0.00	Patterson Rd	1.08	Mandurah Rd	<ul style="list-style-type: none"> Intersection Patterson Rd : No right turn permitted into Melville Mandurah Hwy from Office Rd. Intersection Ocean St : No left turn permitted from Office Road into Ocean Street Intersection Mandurah Rd : No right turn permitted into Mandurah Rd from Office Rd.
1070108	Paganoni Rd	Paganoni Rd	Rockingham (C)	0.00	Vine Rd & Kwinana Fwy (Southbound) off to Paganoni Rd & Paganoni Rd on to Kwinana Fwy (Southbound)	3.42	Mandurah Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1070001	Patterson Rd	Patterson Rd	Rockingham (C)	0.52	Flinders L & Read St	2.78	Ennis Av & Patterson Rd	

Tandem Drive Network 2.1



Rockingham (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1071571	Pedlar Cct	Pedlar Cct	Rockingham (C)	0.00	Patterson Rd	0.36	Pedlar Cct - End Road	
1071408	Pickard Av	Pickard Av	Rockingham (C)	0.00	Patterson Rd	0.34	Tesla Rd	
1071007	Port Kennedy Dr	Port Kennedy Dr	Rockingham (C)	0.00	Ennis Av & Port Kennedy Dr Acceleration Lane & Melville Mandurah Hwy off to Port Kennedy Dr	1.35	Blackburn Dr	<ul style="list-style-type: none"> Intersection Bakewell Dr : No left turn permitted into Bakewell Dr from Port Kennedy Dr
1070005	Read St	Read St	Rockingham (C)	0.00	Patterson Rd & Flinders L	5.75	Safety Bay Rd & Warnbro Sound Av	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
1070422	Rogers St	Rogers St	Rockingham (C)	0.00	Morgan St	0.12	Dixon Rd	
1070003	Safety Bay Rd	Safety Bay Rd	Rockingham (C)	13.93	Nairn Dr	15.70	Folly Rd & Safety Bay Rd on to Kwinana Fwy (Southbound) & Kwinana Fwy (Southbound) off to Safety Bay Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1070950	Savery Wy	Savery Wy	Rockingham (C)	0.00	Crompton Rd	0.53	Crompton Rd	
1079009	Scandium Wy	Scandium Wy	Rockingham (C)	0.00	Day Rd	0.78	Chesterfield Rd	
1070037	Sixty Eight Rd	Sixty Eight Rd	Rockingham (C)	0.00	Mandurah Rd	4.72	Tinson Rd	<ul style="list-style-type: none"> Intersection Mandurah Rd : No Access To 1070437 Mandurah Rd
1070109	St Albans Rd	St Albans Rd	Rockingham (C)	3.46	Mundijong Rd	5.89	Telephone L & Baldivis Rd	<ul style="list-style-type: none"> Intersection Mundijong Rd : Left Turn Only From Mundijong Rd Into St Albans Rd. Right Turn Only From St Albans Rd Into Mundijong Rd
1070036	Stakehill Rd	Stakehill Rd	Rockingham (C)	0.00	Unknown Rd & Baldivis Rd	3.80	Mandurah Rd	
1071265	Stockton Rd	Stockton Rd	Rockingham (C)	0.00	Sunlight Dr	0.25	Helmshore Wy	
1073222	Telephone L	Telephone L	Rockingham (C)	0.00	Wellard Rd & Baldivis Rd	2.30		
1073222	Telephone L	Telephone L	Rockingham (C)	4.60	Mundijong Rd	6.34	Haines Rd	
1072165	Tesla Rd	Tesla Rd	Rockingham (C)	0.00	Pickard Av	0.19	Beale Wy	
1079012	Venture Pl	Venture Pl	Rockingham (C)	0.00	Lodge Dr	0.28	Venture Pl - End Road	
1070690	Ward Rd	Ward Rd	Rockingham (C)	0.00	Patterson Rd	0.34	Ward Rd - End Road	
1070686	Wellard Rd	Wellard Rd	Rockingham (C)	0.00	Mandurah Rd	0.13		<ul style="list-style-type: none"> Intersection Mandurah Rd : No left turn permitted into Mandurah Road from Wellard Road.
1072211	Whittle Rd	Whittle Rd	Rockingham (C)	0.00	McCamey Av	0.35	Evinrude Bend	
1071362	Zirconia Dr	Zirconia Dr	Rockingham (C)	0.28	0.28km From Alumina Rd	0.91	Alumina Rd	

Tandem Drive Network 2.1



Sandstone

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
7010016	Gidgee Mine Access Rd	Gidgee Mine Access Rd	Sandstone	0.00	Sandstone - Wiluna Rd	9.40	Gidgee Access Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
7010030	Griffith St	Griffith St	Sandstone	0.00	Griffith St - Start Road	0.50	Irvine St	<ul style="list-style-type: none"> Intersection Oroya St : No Right Turn Permitted Into Oroya St (Westbound)
7010019	Hack St	Hack St	Sandstone	0.18	Oroya St	0.38	Rowe St	<ul style="list-style-type: none"> Intersection Oroya St : No Right Turn Permitted Into Oroya St
7010008	Lake Barlee Access Rd	Lake Barlee Access Rd	Sandstone	0.00	Lake Barlee Access Rd & Youanmi Access Rd	73.10	21.199km From Trainers Rock Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
7010004	Meekatharra - Sandstone Rd	Meekatharra - Sandstone Rd	Sandstone	0.00	Sandstone - Wiluna Rd	49.47	3.66km From Cogla Downs East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
7010004	Meekatharra - Sandstone Rd	Meekatharra - Sandstone Rd	Sandstone	49.47	3.66km From Cogla Downs East Rd	62.59	Meekatharra LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
7010003	Menzies - Sandstone Rd	Menzies - Sandstone Rd	Sandstone	0.00	Paynes Find - Sandstone Rd	85.78	Menzies North West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
7010029	Oroya St	Oroya St	Sandstone	0.00	Sandstone - Wiluna Rd	1.07	Mt Magnet Sandstone Rd & Agnew Sandstone Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road.
7010033	Payne St	Payne St	Sandstone	0.19	Oroya St	0.38	Rowe St	<ul style="list-style-type: none"> Intersection Oroya St : No Right Turn Permitted Into Oroya St
7010002	Paynes Find - Sandstone Rd	Paynes Find - Sandstone Rd	Sandstone	0.00	Mt Magnet Sandstone Rd	224.98	Yalgoo LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
7010035	Rowe St	Rowe St	Sandstone	0.00	Griffith St	0.27	Payne St	
7010005	Sandstone - Wiluna Rd	Sandstone - Wiluna Rd	Sandstone	0.00	Mt Magnet Sandstone Rd	90.52	Wiluna Lga Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
7010007	Youanmi Rd	Youanmi Rd	Sandstone	0.00	Paynes Find - Sandstone Rd	51.83	Mount Magnet LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Sandstone

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
701Z007	Lake Barlee Access Rd	Lake Barlee Access Rd	Sandstone	0.00	Paynes Find - Sandstone Rd	3.28	Lake Barlee Access Rd & Youanmi Access Rd	
701Z005	Youanmi Access Rd	Youanmi Access Rd	Sandstone	0.00	Lake Barlee Access Rd	2.12	Youanmi Access Rd - End Road	

Tandem Drive Network 2.1



Serpentine - Jarrahdale

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1080186	Anketell Rd	Anketell Rd	Serpentine - Jarrahdale	0.00	Thomas Rd	3.08	Kwinana (C) LGA Boundary	
1080040	Coogly Rd	Coogly Rd	Serpentine - Jarrahdale	0.00	South Western Hwy	0.47	0.47km After South Western Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
1080170	Coyle Rd	Coyle Rd	Serpentine - Jarrahdale	0.00	Casuarina Rd & Lydon Rd	1.98	King Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1080061	Dirk Rd	Dirk Rd	Serpentine - Jarrahdale	0.00	South Western Hwy	0.60	Hall Rd & Baden Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Only one truck movement at a time.
1080236	Dougall St	Dougall St	Serpentine - Jarrahdale	0.00	Nettleton Rd	0.13	Michael St	
1080010	Gossage Rd	Gossage Rd	Serpentine - Jarrahdale	2.03	Kargotich Rd	4.70	Boomerang Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
1080279	Jackson Rd	Jackson Rd	Serpentine - Jarrahdale	0.37	King Rd	1.87	Bird Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
1080002	Jarrahdale Rd	Jarrahdale Rd	Serpentine - Jarrahdale	14.92	2.56km After Blue Rock Rd	21.46	Albany Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Serpentine - Jarrahdale

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1080009	Kargotich Rd	Kargotich Rd	Serpentine - Jarrahdale	3.18	Thomas Rd - Kargotich Rd Rty	9.99	Bishop Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 90 km/h No Operation between the hours of sunset and sunrise Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
1080009	Kargotich Rd	Kargotich Rd	Serpentine - Jarrahdale	9.99	Bishop Rd	13.01	Mundijong Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 90 km/h
1080007	Karnup Rd	Karnup Rd	Serpentine - Jarrahdale	7.30	Lot 904 Karnup Rd	13.73	Rockingham (C) LGA Boundary	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
1080130	Kiln Rd	Kiln Rd	Serpentine - Jarrahdale	0.00	South Western Hwy	1.28	1.28km From South Western Hwy	
1080026	King Rd	King Rd	Serpentine - Jarrahdale	0.00	Mundijong Rd	8.44	Thomas Rd	
1080038	Lightbody Rd	Lightbody Rd	Serpentine - Jarrahdale	0.00	Mundijong Rd	0.40	Feed Lot	<ul style="list-style-type: none"> Intersection Mundijong Rd : No left turn permitted into Lightbody Rd from Mundijong Rd
1080065	Manning Rd	Manning Rd	Serpentine - Jarrahdale	0.00	Karnup Rd	0.50	0.495km From Karnup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
1080237	Michael St	Michael St	Serpentine - Jarrahdale	0.00	Dougall St	0.12	Michael St - End Road	
1080004	Mundijong Rd	Mundijong Rd	Serpentine - Jarrahdale	3.01	Kargotich Rd	9.50	Rockingham (C) LGA Boundary	
1080006	Nettleton Rd	Nettleton Rd	Serpentine - Jarrahdale	0.00	South Western Hwy	0.31	Dougall St	

Tandem Drive Network 2.1



Serpentine - Jarrahdale

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1080129	Nicholson Rd	Nicholson Rd	Serpentine - Jarrahdale	0.00	Nicholson Rd & Rowley Rd West	2.68	Thomas Rd - Nicholson Rd Rty	
1080046	Norman Rd	Norman Rd	Serpentine - Jarrahdale	0.00	South Western Hwy	1.72	Robertson Rd	
1080076	Robertson Rd	Robertson Rd	Serpentine - Jarrahdale	3.29	Norman Rd	4.54		
1080302	Rowley Rd	Rowley Rd	Serpentine - Jarrahdale	0.31	3.42km From Tonkin Hwy	3.72	Tonkin Hwy	<ul style="list-style-type: none">A RAV must not be driven on this road in excess of 4.5 metres in height unless written approval is obtained from the cable provider.

Tandem Drive Network 2.1



Shark Bay

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
8040037	Dampier Rd	Dampier Rd	Shark Bay	0.00	Monkey Mia Rd	1.85	Bates Rd	
8040047	Denham Lookout Rd	Denham Lookout Rd	Shark Bay	0.00	Shark Bay Rd	0.65	Denham Lookout Rd - End Road	
8040024	Useless Loop Rd	Useless Loop Rd	Shark Bay	0.00	Shark Bay Rd	85.50		
8040002	Woodleigh - Byro Rd	Woodleigh - Byro Rd	Shark Bay	0.00	North West Coastal Hwy	119.90	Byro - Woodleigh Rd	

Tandem Drive Network 2.1



Stirling (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1251655	Abrams St	Abrams St	Stirling (C)	0.00	Stretton Pl	0.47	Ledgar Rd	
1250059	Alexander Dr	Alexander Dr	Stirling (C)	6.74	Alexander Dr & Reid Hwy West Bnd off to Alexander Dr & Alexander Dr on to Reid Hwy West Bnd	8.73	Alexander Dr & Beach Rd	
1250142	Balcatta Rd	Balcatta Rd	Stirling (C)	0.00	Wanneroo Rd	2.84	Mitchell Fwy (Southbound) off to Reid Hwy & Reid Hwy on to Mitchell Fwy (Southbound) & Reid Hwy	
1250001	Beach Rd	Beach Rd	Stirling (C)	0.00	Beach Rd & Alexander Dr	5.40	Beach Rd & Wanneroo Rd	
1251907	Bendsten Pl	Bendsten Pl	Stirling (C)	0.00	Balcatta Rd	0.18	Mumford Pl (West)	
1251908	Booth Pl	Booth Pl	Stirling (C)	0.00	Ledgar Rd	0.10	Booth Pl - End Road	
1251586	Corbusier Pl	Corbusier Pl	Stirling (C)	0.00	Balcatta Rd	0.21	Corbusier Pl - End Road	
1251551	Cressall Rd	Cressall Rd	Stirling (C)	0.00	Balcatta Rd	0.46	Gibberd Rd	
1250140	Delawney St	Delawney St	Stirling (C)	0.00	Ledgar Rd & Erindale Rd	1.55	Delawney St - End Road	
1250141	Erindale Rd	Erindale Rd	Stirling (C)	0.32	Mitchell Fwy (H016)	2.26	Reid Hwy	<ul style="list-style-type: none"> Intersection Reid Hwy : No left turn permitted into Reid Highway from Erindale Road.
1251878	Foley St	Foley St	Stirling (C)	0.00	Balcatta Rd	0.19	Halley Rd	
1251792	Geddes St	Geddes St	Stirling (C)	0.00	Balcatta Rd	0.41	Kirke St	
1251585	Gibberd Rd	Gibberd Rd	Stirling (C)	0.00	Erindale Rd	0.51	Gibberd Rd - End Road	
1250662	Halley Rd	Halley Rd	Stirling (C)	0.00	Wanneroo Rd & Victoria Rd	0.52	Geddes St	
1250088	Hutton St	Hutton St	Stirling (C)	1.04	Hutton St on to Mitchell Fwy (Northbound) & Mitchell Fwy (Northbound) off to Hutton St	1.17	Mitchell Fwy (Southbound) off to Hutton St & Hutton St on to Mitchell Fwy (Southbound)	
1251915	Kenhelm St	Kenhelm St	Stirling (C)	0.00	Balcatta Rd	0.23	Kenhelm St - End Road	
1250139	Kirke St	Kirke St	Stirling (C)	0.00	Halley Rd	0.35	Geddes St	
1251653	Ledgar Rd	Ledgar Rd	Stirling (C)	0.00	Balcatta Rd	1.04	Delawney St & Erindale Rd	
1251759	Macadam Pl	Macadam Pl	Stirling (C)	0.00	Balcatta Rd	0.39	Macadam Pl - End Road	
1251943	Mumford Pl	Mumford Pl	Stirling (C)	0.00	Balcatta Rd	0.30	Mumford Pl - End Road	
1252324	Mumford Pl (West)	Mumford Pl (West)	Stirling (C)	0.00	Mumford Pl	0.41	Bendsten Pl	
1251917	Natalie Wy	Natalie Wy	Stirling (C)	0.00	Balcatta Rd	0.45	Delawney St	
1251654	Stretton Pl	Stretton Pl	Stirling (C)	0.00	Ledgar Rd	0.26	Stretton Pl - End Road	
1252685	Victoria Rd	Victoria Rd	Stirling (C)	0.00	Alexander Dr & Victoria Rd	0.37	Victoria Rd - End Road	
1251555	Whipple St	Whipple St	Stirling (C)	0.00	Erindale Rd	0.34	Abrams St	

Tandem Drive Network 2.1



Swan (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1092053	Abernethy Rd	Abernethy Rd	Swan (C)	0.00	Abernethy Rd & Brinsmead Rd	0.80	Great Eastern Hwy Bypa	
1091461	Action Rd	Action Rd	Swan (C)	0.00	Exchange Rd	0.29	Pavers Cir	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090687	Agett Rd	Agett Rd	Swan (C)	0.00	Truganina Rd	0.27	Cusack Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090698	Alexander Dr	Alexander Dr	Swan (C)	0.00	Bayswater (C) LGA Boundary	3.69	Marangaroo Dr & Alexander Dr	
1090075	Almeria Pde	Almeria Pde	Swan (C)	14.89	1km From Apple St	15.89	Apple St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. A RAV must not be driven on this road in excess of 4.3 metres in height unless written approval is obtained and must be carried from relevant overhead telecommunication and electrical transmission cable controller.
1090952	Anvil Cl	Anvil Cl	Swan (C)	0.00	Hyne Rd	0.11	Anvil Cl - End Road	
1090097	Apple St	Apple St	Swan (C)	0.00	Great Northern Hwy - Apple St - Coondaree Pde Rty	0.32	Rtaa	
1090097	Apple St	Apple St	Swan (C)	0.32	Road Train Assembly Area	0.78	Almeria Pde	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1090692	Arvida St	Arvida St	Swan (C)	0.00	Crocker Dr	0.31	Irvine Dr	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091840	Atley St	Atley St	Swan (C)	0.00	Beringarra Av	0.24	Victoria Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090384	Bassett Rd	Bassett Rd	Swan (C)	0.00	Great Northern Hwy	0.13	0.13lm From Great Northern Hwy	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090697	Beach Rd	Beach Rd	Swan (C)	0.00	Beach Rd & Alexander Dr	1.62	Marshall Rd & Malaga Dr	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091835	Beringarra Av	Beringarra Av	Swan (C)	0.00	Malaga Dr	2.55	Marshall Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090369	Bishop Rd	Bishop Rd	Swan (C)	0.00	Great Northern Hwy	0.15	For 0.15 Km to Shire Depot	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1091465	Bonner Dr	Bonner Dr	Swan (C)	0.00	Beach Rd	0.49	Capital Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091837	Boulder Rd	Boulder Rd	Swan (C)	0.00	Millrose Dr	1.10	Beringarra Av	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090228	Breeze Rd	Breeze Rd	Swan (C)	0.00	Lilydale Rd	2.89	Mayo Rd	
1091246	Bulbey St	Bulbey St	Swan (C)	0.00	Irwin St	0.29	Military Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090231	Bunning Rd	Bunning Rd	Swan (C)	0.00	Old Toodyay Rd & Toodyay Rd	4.53	Quail St & Bunning Rd	
1091146	Bushby St	Bushby St	Swan (C)	0.00	Elgee Rd	0.25	Great Eastern Hwy	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090978	Bushmead Rd	Bushmead Rd	Swan (C)	0.00	Helena Valley Rd & Midland Rd	1.71	Central Av	<ul style="list-style-type: none"> 10 km/h below posted speed limit

Tandem Drive Network 2.1



Swan (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1090076	Butternab Rd	Butternab Rd	Swan (C)	0.00	Great Northern Hwy	0.22	0.22km From Great Northern Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
1090699	Camboon Rd	Camboon Rd	Swan (C)	0.00	Camboon Rd Cul-De-Sac	1.43	Beach Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091463	Capital Rd	Capital Rd	Swan (C)	0.00	Alexander Dr	0.26	Enterprise Cr	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091267	Carson Rd	Carson Rd	Swan (C)	0.00	Alexander Dr	0.29	Westchester Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090973	Central Av	Central Av	Swan (C)	0.00	Bushmead Rd	0.35	Central Av - End Road	
1091899	Century Rd	Century Rd	Swan (C)	0.00	Trade Rd	0.36	Industry St	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091232	Clayton St	Clayton St	Swan (C)	0.61	Lloyd St	1.82	Clayton St on to Roe Hwy (Southbound)	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091232	Clayton St	Clayton St	Swan (C)	1.82	Clayton St on to Roe Hwy (Southbound)	1.83	Roe Hwy (H018)	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. 10 km/h below posted speed limit
1091232	Clayton St	Clayton St	Swan (C)	1.83	Roe Hwy (H018)	2.75	0.51km From Clayton St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1091841	Cogla St	Cogla St	Swan (C)	0.00	Victoria Rd	0.22	Mulgul Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091829	Commerce St	Commerce St	Swan (C)	0.00	Mulgul Rd	0.33	Malaga Dr	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090103	Coondaree Pde	Coondaree Pde	Swan (C)	0.00	Great Northern Hwy - Apple St - Coondaree Pde Rty	0.71	0.71km From Great Northern Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1091184	Cowan Gdns	Cowan Gdns	Swan (C)	0.00	Elgee Rd	0.18	Lennard Gdns	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090693	Crocker Dr	Crocker Dr	Swan (C)	0.00	Beach Rd	1.02	Victoria Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091270	Cusack Rd	Cusack Rd	Swan (C)	0.00	Truganina Rd	0.49	Agett Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090361	Dale Rd	Dale Rd	Swan (C)	0.00	Great Northern Hwy	0.31		
1091263	Denninup Wy	Denninup Wy	Swan (C)	0.00	Oxleigh Dr	0.90	Townsend St	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090077	Dewar Rd	Dewar Rd	Swan (C)	0.00	Great Northern Hwy	0.45	Dewars Rd - End Road	
1091241	Edward St	Edward St	Swan (C)	0.00	Clayton St	0.20	Rason Pde	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091175	Elgee Rd	Elgee Rd	Swan (C)	0.10	From PTA Access Gate Located 75m East of Lloyd Street	1.23	Robinson Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091831	Energy St	Energy St	Swan (C)	0.00	Mulgul Rd	0.28	Marshall Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091464	Enterprise Cr	Enterprise Cr	Swan (C)	0.00	Bonner Dr	0.48	Action Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091462	Exchange Rd	Exchange Rd	Swan (C)	0.00	Enterprise Cr	0.32	Illawarra Cr	<ul style="list-style-type: none"> 10 km/h below posted speed limit

Tandem Drive Network 2.1



Swan (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1091466	Exhibition Dr	Exhibition Dr	Swan (C)	0.00	Bonner Dr	0.42	Beach Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091143	Ferguson St	Ferguson St	Swan (C)	0.00	Elgee Rd	0.26	Great Eastern Hwy	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090106	Glen Rd	Glen Rd	Swan (C)	0.00	Great Northern Hwy	0.05	Hallatt Gdns	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1092104	Glyde Ct	Glyde Ct	Swan (C)	0.00	Boulder Rd	0.22	Glyde Ct - End Road	
1090549	Gnangara Rd	Gnangara Rd	Swan (C)	5.10	Gaskell Rd (Restricted Access)	6.59	Gnangara Rd & Gnangara Rd (Westbound) on to Tonkin Hwy (Southbound)	
1093682	Goodwood Cr	Goodwood Cr	Swan (C)	0.00	Westbrook Pde & The Promenade	0.05	50m After Westbrook Pde & Drumpellier Dr	
1091579	Great Northern Hwy	Great Northern Hwy	Swan (C)	1.45	Richardson Rd	1.80	Bassett Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. 10 km/h below posted speed limit
1091579	Great Northern Hwy	Great Northern Hwy	Swan (C)	1.80	Bassett Rd	2.64	Roe Hwy & Reid Hwy & Great Northern Hwy	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090311	Haddrill Rd	Haddrill Rd	Swan (C)	0.00	Great Northern Hwy	0.12	For Approximately 0.12 Km to Service Station Access Rd	<ul style="list-style-type: none"> Intersection Great Northern Hwy : No Access To Great Northern Hwy Permitted From Haddrill Rd
1091747	Harlond Av	Harlond Av	Swan (C)	0.00	Camboon Rd	0.46	Beach Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090567	Harper St	Harper St	Swan (C)	0.00	West Swan Rd	0.39	Harper St - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1090686	Harris Rd	Harris Rd	Swan (C)	0.00	Agett Rd	0.16		<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091240	Helen St	Helen St	Swan (C)	0.00	Edward St	0.26	Robinson Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091734	Hod Wy	Hod Wy	Swan (C)	0.00	Pavers Cir	0.20	Pavers Cir	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091689	Holder Wy	Holder Wy	Swan (C)	0.00	Harlond Av	0.74	Harlond Av	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090690	Hunt St	Hunt St	Swan (C)	0.00	Crocker Dr	0.35	Irvine Dr	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090953	Hyne Rd	Hyne Rd	Swan (C)	0.00	Great Eastern Hwy	0.57	Hyne Rd - End Road	
1091830	Industry St	Industry St	Swan (C)	0.00	Energy St	0.36	Trade Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091268	Inverness St	Inverness St	Swan (C)	0.00	Crocker Dr	0.27	Irvine Dr	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091928	Iron St	Iron St	Swan (C)	0.00	Mulgul Rd	0.26	Marshall Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090691	Irvine Dr	Irvine Dr	Swan (C)	0.00	Crocker Dr	1.04	Victoria Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091249	Irwin St	Irwin St	Swan (C)	0.00	Clayton St	0.40	Bulbey St	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091186	James St	James St	Swan (C)	0.00	Robinson Rd	0.10	James St - End Road	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091843	Juna Dr	Juna Dr	Swan (C)	0.00	Millrose Dr	0.56	Boulder Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090955	Kalamunda Rd	Kalamunda Rd	Swan (C)	0.00	Great Eastern Hwy	0.97	Great Eastern Hwy Bypa	
1090955	Kalamunda Rd	Kalamunda Rd	Swan (C)	0.97	Great Eastern Hwy Bypa	2.83	King Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1090696	Kent Wy	Kent Wy	Swan (C)	0.00	Westchester Rd	0.95	Crocker Dr	<ul style="list-style-type: none"> 10 km/h below posted speed limit

Tandem Drive Network 2.1



Swan (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1091265	Kiln St	Kiln St	Swan (C)	0.00	Vale St	0.26	Cassowary Dr	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091176	Landor Gdns	Landor Gdns	Swan (C)	0.00	Elgee Rd	0.16		<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091177	Lefroy Av	Lefroy Av	Swan (C)	0.00	Great Eastern Hwy	0.26	Elgee Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091500	Lewis Jones Crss	Lewis Jones Crss	Swan (C)	0.00	Toodyay Rd	0.07	0.07km From Toodyay Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1090095	Lexia Av	Lexia Av	Swan (C)	0.00	Almeria Pde	0.08	0.08km From Almeria Pde	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1090229	Lilydale Rd	Lilydale Rd	Swan (C)	0.00	Toodyay Rd	6.62	Mundaring LGA Boundary	
1091173	Lloyd St	Lloyd St	Swan (C)	2.08	Clayton St	2.60	Great Eastern Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. 10 km/h below posted speed limit
1091173	Lloyd St	Lloyd St	Swan (C)	2.60	Great Eastern Hwy	4.83	Toodyay Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit Intersection Toodyay Rd : No Left Turn Permitted From Lloyd St To Toodyay Rd
1091724	Lorries Ct	Lorries Ct	Swan (C)	0.00	Camboon Rd	0.12	Lorries Ct - End Road	
1090662	Malaga Dr	Malaga Dr	Swan (C)	0.00	Bayswater (C) LGA Boundary	0.06	Malaga Dr on to Reid Hwy (Eastbound) & Reid Hwy (Eastbound) off to Malaga Dr	
1090662	Malaga Dr	Malaga Dr	Swan (C)	0.06	Malaga Dr on to Reid Hwy (Eastbound) & Reid Hwy (Eastbound) off to Malaga Dr	1.41	Marshall Rd & Beach Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090564	Marshall Rd	Marshall Rd	Swan (C)	5.17	Beringarra Av	7.05	Beach Rd & Malaga Dr	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090225	Mayo Rd	Mayo Rd	Swan (C)	0.00	Toodyay Rd	4.98	Needham Rd & Dinsdale Rd	
1091838	Meka St	Meka St	Swan (C)	0.00	Beringarra Av	0.12	Boulder Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091900	Mercantile Wy	Mercantile Wy	Swan (C)	0.00	Mulgul Rd	0.66	Mulgul Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091269	Midas Rd	Midas Rd	Swan (C)	0.00	Victoria Rd	0.51	Camboon Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091251	Military Rd	Military Rd	Swan (C)	0.00	Clayton St	1.47	Bushmead Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091836	Millrose Dr	Millrose Dr	Swan (C)	0.00	Beringarra Av	0.76	Beringarra Av	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1092013	Milly Ct	Milly Ct	Swan (C)	0.00	Beringarra Av	0.31	Milly Ct Cul-De-Sac	
1090689	Montgomery Wy	Montgomery Wy	Swan (C)	0.00	Hunt St	0.41	Irvine Dr	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091181	Moore Av	Moore Av	Swan (C)	0.00	Elgee Rd	0.26	Great Eastern Hwy	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091114	Morrison Rd	Morrison Rd	Swan (C)	1.26	Keane St & Great Northern Hwy	3.42	Roe Hwy & Morrison Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1092184	Muchea South Rd	Muchea South Rd	Swan (C)	0.00	Railway Pde & Neaves Rd	0.80	Rutland Rd	
1091827	Mulgul Rd	Mulgul Rd	Swan (C)	0.00	Malaga Dr	1.90	Beringarra Av	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091839	Narloo St	Narloo St	Swan (C)	0.00	Beringarra Av	0.24	Victoria Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit

Tandem Drive Network 2.1



Swan (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1090049	Neaves Rd	Neaves Rd	Swan (C)	0.00	Railway Pde & Muchea South Rd	1.75	Neaves Rd Rty	
1090049	Neaves Rd	Neaves Rd	Swan (C)	1.96	Neaves Rd Rty	12.30	Wanneroo (C) LGA Boundary	
1090212	Old Coach Rd	Old Coach Rd	Swan (C)	0.00	Toodyay Rd	2.13	1.4km From Sells Cl	
1090212	Old Coach Rd	Old Coach Rd	Swan (C)	3.77	0.14km From Tilden Dr	4.71	Brennan Rise	
1090056	Old West Rd	Old West Rd	Swan (C)	1.02	Kirby Rd	3.66	Neaves Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
1091247	Oliver St	Oliver St	Swan (C)	0.00	Military Rd	0.15	Oliver St Cul-De-Sac	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091262	Oxleigh Dr	Oxleigh Dr	Swan (C)	0.00	Beach Rd	0.92	Illawarra Cr	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091733	Pavers Cir	Pavers Cir	Swan (C)	0.00	Action Rd	0.63		<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090214	Preedy Rd	Preedy Rd	Swan (C)	0.00	Toodyay Rd	0.97	Old Coach Rd	
1090074	Railway Pde	Railway Pde	Swan (C)	12.87	120 M South of Strachan Road	14.25	Muchea South Rd & Neaves Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. 10 km/h below posted speed limit No Operation between 8:00 AM and 9:00 AM and between 3:00 PM and 4:00 PM
1091239	Rason Pde	Rason Pde	Swan (C)	0.00	Edward St	0.29	Robinson Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090209	Reserve Rd	Reserve Rd	Swan (C)	0.00	Toodyay Rd	3.10	1.44km From Stock Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 50 km/h No Operation between the hours of sunset and sunrise Intersection Toodyay Rd : No left turn permitted into Toodyay Rd from Reserve Rd
1091929	Resource Wy	Resource Wy	Swan (C)	0.00	Iron St	0.62	Mulgul Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091242	Ridgeway Rd	Ridgeway Rd	Swan (C)	0.00	Clayton St	0.21	Ridgeway Rd - End Road	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091187	Robert St	Robert St	Swan (C)	0.00	Robinson Rd	0.06	Robert St - End Road	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091185	Robinson Rd	Robinson Rd	Swan (C)	0.00	Great Eastern Hwy	0.72	Clayton St & Roe Hwy (Northbound) off to Clayton St	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091723	Rowe St	Rowe St	Swan (C)	0.00	Camboon Rd	0.28	Harlond Av	
1090045	Rutland Rd	Rutland Rd	Swan (C)	0.00	Great Northern Hwy	1.99	Muchea South Rd	

Tandem Drive Network 2.1



Swan (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1090695	Stanford Wy	Stanford Wy	Swan (C)	0.00	Westchester Rd	0.54	Westchester Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091248	Stanley St	Stanley St	Swan (C)	0.00	Military Rd	0.12	Stanley St - End Road	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090951	Steel Ct	Steel Ct	Swan (C)	0.00	Hyne Rd	0.14	Steel Ct - End Road	
1090987	Stirling Cr	Stirling Cr	Swan (C)	0.00	Stirling Cr & Adelaide St West & Adelaide St	0.29	0.40km South of Talbot Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090987	Stirling Cr	Stirling Cr	Swan (C)	0.29	Entrance to Lot 1 Stirling Cr	1.11	Great Eastern Hwy Bypa	<ul style="list-style-type: none"> 10 km/h below posted speed limit Continued RAV Network access on Stirling Crescent, south of Great Eastern Highway Bypass, may no longer be available following the imminent closure of the Stirling Crescent / Great Eastern Highway Bypass intersection.
1090987	Stirling Cr	Stirling Cr	Swan (C)	1.11	Great Eastern Hwy Bypa	1.90	Bushmead Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090987	Stirling Cr	Stirling Cr	Swan (C)	1.90	Bushmead Rd	2.65	To Linfox Entry/Exit Gate - Slk 2.67 (0.75 Km From Bushmead Rd	
1090987	Stirling Cr	Stirling Cr	Swan (C)	2.65	Talbot Rd	3.08	Central Ave	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090084	Stock Rd	Stock Rd	Swan (C)	0.17	Great Northern Hwy - Stock Rd Rty	5.24	Stock West Rd Rty	
1090967	Talbot Rd	Talbot Rd	Swan (C)	0.00	Talbot Rd Cul-De-Sac	0.62	Stirling Cr	<ul style="list-style-type: none"> 10 km/h below posted speed limit Continued RAV Network access to Talbot Road from Stirling Crescent may be impacted due to closure of Stirling Crescent/Great Eastern Highway Bypass intersection.
1090967	Talbot Rd	Talbot Rd	Swan (C)	0.62	Stirling Cr	1.43	Talbot Rd - Start Road	<ul style="list-style-type: none"> A RAV must not be driven on this road in excess of 4.3 metres in height unless written approval is obtained from the cable provider. Continued RAV Network access to Talbot Road from Stirling Crescent may be impacted due to closure of Stirling Crescent/Great Eastern Highway Bypass intersection. Intersection Stirling Cr : No left turn permitted into Stirling Crescent from Talbot Road East.
1092148	The Promenade	The Promenade	Swan (C)	2.01	Hesperia Pde & Westbrook Pde	3.00	The Promenade Rty	
1090215	Tilden Dr	Tilden Dr	Swan (C)	0.00	Old Coach Rd	2.00	Lillie Rd	
1093828	Tipper Ct	Tipper Ct	Swan (C)	0.00	Bushmead Rd	0.30	Tipper Ct - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1091376	Toodyay Rd	Toodyay Rd	Swan (C)	0.00	Eveline Rd & Great Northern Hwy	1.84	Roe Hwy & Toodyay Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091266	Townsend St	Townsend St	Swan (C)	0.00	Kiln St	0.74	Pavers Cir	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091828	Trade Rd	Trade Rd	Swan (C)	0.00	Mulgul Rd	0.45	Marshall Rd & Business Wy	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090651	Truganina Rd	Truganina Rd	Swan (C)	0.00	Malaga Dr	1.55	Unnamed Rd & Alexander Dr	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091264	Vale St	Vale St	Swan (C)	0.00	Denninup Wy	0.55	Weir Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1092096	Victoria Rd	Victoria Rd	Swan (C)	0.00	Beringarra Av	3.30	Victoria Rd & Alexander Dr	
1090043	Walyunga Rd	Walyunga Rd	Swan (C)	0.00	Great Northern Hwy	0.95	For 950m From Great Northern Highway	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Swan (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1090001	Wandena Rd	Wandena Rd	Swan (C)	0.00	Great Northern Hwy	0.82	Wandena Rd & Green St	
1090080	Warbrook Rd	Warbrook Rd	Swan (C)	0.00	Great Northern Hwy	0.34	For 340m From Great Northern Hwy to Kalgrains Driveway	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1090078	Warren Rd	Warren Rd	Swan (C)	0.00	Great Northern Hwy	1.79	Moolicar Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Permitted to intersection of Moolicar Rd only. Moolicar Rd not authorised.
1091245	Wells St	Wells St	Swan (C)	0.00	Military Rd	0.38	Irwin St	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1090502	West Swan Rd	West Swan Rd	Swan (C)	1.61	Harper St	4.25	Reid Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1090694	Westchester Rd	Westchester Rd	Swan (C)	0.00	Kent Wy	0.84	Crocker Dr	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091244	Wildon St	Wildon St	Swan (C)	0.00	Clayton St	0.41	Irwin St	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1091250	Wilkins St	Wilkins St	Swan (C)	0.00	Irwin St	0.10	Wilkins St - End Road	<ul style="list-style-type: none"> 10 km/h below posted speed limit
1092001	Yeeda Wy	Yeeda Wy	Swan (C)	0.00	Juna Dr	0.12	Boulder Rd	
109Z032	Brinsmead Rd	Brinsmead Rd	Swan (C)	0.00	Abernethy Rd	0.27	Collopy Rd	<ul style="list-style-type: none"> Intersection Abernethy Rd : No left turn permitted into Abernethy Road from Brinsmead Road.
109Z033	Collopy Rd	Collopy Rd	Swan (C)	0.00	Unknown Rd & Collopy Rd	0.36	Ulm Pl	
109Z029	Ulm Pl	Ulm Pl	Swan (C)	0.00	Abernethy Rd & Yagine Cl	0.38	End Road	
109Z031	Unknown Rd	Unknown Rd	Swan (C)	0.00	Collopy Rd	0.22	Unknown Rd - End Road	
109Z027	Yagine Cl	Yagine Cl	Swan (C)	0.00	Ulm Pl & Abernethy Rd	0.37	209322	

Tandem Drive Network 2.1



Tammin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4250050	Barrack Rd	Barrack Rd	Tammin	0.00	Station Rd & Walston St	7.29	Great Eastern Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4250051	Barrack South Rd	Barrack South Rd	Tammin	0.00	Barrack Rd	2.62	Barrack South Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4250032	Blakiston Rd	Blakiston Rd	Tammin	0.00	Tammin - Wyalkatchem Rd & Blakistans Rd	4.90	Yorakine Rock Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4250064	Bolton Rd	Bolton Rd	Tammin	0.00	Golf Links Rd	1.26	Bolton Rd East	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4250003	Bungulla North Rd	Bungulla North Rd	Tammin	0.00	Great Eastern Hwy	28.13	28.13km From Great Eastern Hwy	
4250078	Bungulla Siding Rd	Bungulla Siding Rd	Tammin	0.00	Goldfields Rd	0.74	Bungulla Siding Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4250023	Bungulla South Rd	Bungulla South Rd	Tammin	0.00	Great Eastern Hwy	3.52	Goldfields Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4250077	Carter Rd	Carter Rd	Tammin	0.00	Yorakine Rd	0.80	Carter Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4250019	Chappell Wheeldon Rd	Chappell Wheeldon Rd	Tammin	0.00	Youering Rd	10.12	Tammin - Wyalkatchem Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4250074	Christison Rd	Christison Rd	Tammin	0.00	Chappell Wheeldon Rd	1.30	Christison Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4250067	Clark Rd	Clark Rd	Tammin	0.00	Tammin South Rd	3.53	Clark Rd - End Road	

Tandem Drive Network 2.1



Tammin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4250011	Cubbine Rd	Cubbine Rd	Tammin	0.00	Quairading LGA Boundary	15.12	Kellerberrin - Yoting Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4250016	Dixon Rd	Dixon Rd	Tammin	0.00	Ralston Rd	5.65	Tammin South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4250016	Dixon Rd	Dixon Rd	Tammin	5.65	Tammin South Rd	7.28	Dixon Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4250029	Doongin Peak Rd	Doongin Peak Rd	Tammin	0.00	Youering Rd	8.91	Golf Links Rd	
4250063	Dunn Rd	Dunn Rd	Tammin	0.00	Yorakine Rd	3.33	Dunn Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Tammin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4250020	Eleven Mile Rd	Eleven Mile Rd	Tammin	0.00	Eleven Mile Rd - Start Road	5.68	Yorkrakine Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4250069	Ellis Rd	Ellis Rd	Tammin	0.00	Waltham Rd	2.21	Ellis Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4250072	Finey Rd	Finey Rd	Tammin	0.00	Cubbine Rd	3.53	Tammin South Rd	
4250066	Forsyth Rd	Forsyth Rd	Tammin	0.00	Moore Rd	2.00	Forsyth Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4250034	Franklin Rd	Franklin Rd	Tammin	0.00	Great Eastern Hwy	4.65	Wyola South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4250068	Gardner Rd	Gardner Rd	Tammin	0.00	Gardner Rd - Start Road	4.39	Curtis Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4250058	Gardner Reserve Rd	Gardner Reserve Rd	Tammin	0.00	Ralston Rd	6.22	Cubbine Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4250002	Goldfields Rd	Goldfields Rd	Tammin	0.00	Hinsley Rd & Tammin South Rd	12.08	Kellerberrin LGA Boundary	
4250030	Golf Links Rd	Golf Links Rd	Tammin	0.00	Yorkrakine Rd	6.48	Packham Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4250075	Gunn Rd	Gunn Rd	Tammin	0.00	Moore Rd	1.82	Gunn Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4250062	Harris Rd	Harris Rd	Tammin	0.00	York - Tammin Rd	2.48	Harris Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Tammin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4250065	Hinsley Rd	Hinsley Rd	Tammin	0.00	Ralston Rd	1.67	Goldfields Rd & Tammin South Rd	
4250056	Hocking Rd	Hocking Rd	Tammin	0.00	Yorakine Rd	3.04	Tammin - Wyalkatchem Rd	
4250018	Kitto Rodgers Rd	Kitto Rodgers Rd	Tammin	0.00	York - Tammin Rd	9.03	Ralston Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4250017	Leslie Rd	Leslie Rd	Tammin	0.00	Goldfields Rd	8.40	Turon Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Turon Rd : No access permitted into Turon Rd from Leslie Rd
4250071	Lind Rd	Lind Rd	Tammin	0.00	Bungulla North Rd	1.97	Shaw Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4250084	Little Underwood Rd	Little Underwood Rd	Tammin	0.00	York - Tammin Rd & Underwood Rd	0.16	Great Eastern Hwy	
4250031	Livesey North Rd	Livesey North Rd	Tammin	0.00	Livesey North Rd Access	14.10	Doongin Peak Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4250049	Lowles Rd	Lowles Rd	Tammin	0.00	Yorakine Rd	5.18	Doongin Peak Rd	

Tandem Drive Network 2.1



Tammin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4250055	Mackin Rd	Mackin Rd	Tammin	0.00	Tammin - Wyalkatchem Rd	5.51	Yorkrakine Rock Rd	
4250060	McQueen Rd	McQueen Rd	Tammin	0.00	Bungulla North Rd	1.76	Kellerberrin LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4250036	Moore Rd	Moore Rd	Tammin	0.00	Tammin South Rd	5.21	Cubbine Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4250009	Nelson Rd	Nelson Rd	Tammin	0.00	Tammin South Rd	12.92	McNeil Rd & Kellerberrin - Yoting Rd	
4250026	Nock Rd	Nock Rd	Tammin	0.00	Tammin - Wyalkatchem Rd	4.20	580m After Yorkrakine Rd	
4250026	Nock Rd	Nock Rd	Tammin	4.20	580m After Yorkrakine Rd	7.82	Bungulla North Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4250015	O'Loughlin Rd	O'Loughlin Rd	Tammin	0.00	Tammin - Wyalkatchem Rd	1.60	Yorkrakine West Rd & Davies Rd	
4250027	Packham Rd	Packham Rd	Tammin	0.00	Livesey North Rd	6.90	Great Eastern Hwy	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4250053	Palmer Rd	Palmer Rd	Tammin	0.00	Bungulla North Rd	1.50	Palmer Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4250024	Parrawilla Rd	Parrawilla Rd	Tammin	0.00	Great Eastern Hwy	5.67	Parrawilla Rd & Lg Bdry	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4250022	Quartermaine Rd	Quartermaine Rd	Tammin	0.00	Rabbit Proof Fence South Rd	8.20	Ralston Rd	
4250028	Quinn Rodgers Rd	Quinn Rodgers Rd	Tammin	0.00	York - Tammin Rd	4.40	Wyola South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4250059	Rabbit Proof Fence South Rd	Rabbit Proof Fence South Rd	Tammin	0.00	York - Tammin Rd & Goldfields Rd & Rabbit Proof Fence South Rd	5.66	Badjalang North Rd	
4250004	Ralston Rd	Ralston Rd	Tammin	0.00	York - Tammin Rd	18.37	Quairading LGA Boundary	

Tandem Drive Network 2.1



Tammin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4250052	Saunders Rd	Saunders Rd	Tammin	0.00	Goldfields Rd	3.80	Saunders Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4250025	Shaw Rd	Shaw Rd	Tammin	0.00	Waltham Rd	5.74	York Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4250080	Tammin - Wyalkatchem Rd	Tammin - Wyalkatchem Rd	Tammin	0.00	Station Rd & Great Eastern Hwy & Donnan St	32.10	Blakiston Rd & Blakistans Rd & Tammin - Wyalkatchem Rd	
4250005	Tammin South Rd	Tammin South Rd	Tammin	0.00	York - Tammin Rd	20.54	Sth Eastern Corner Lot 12762, 20.54km From York Tammin Rd	
4250073	Thomson Rd	Thomson Rd	Tammin	0.00	Cubbine Rd	1.78	Thomson Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4250008	Turon Rd	Turon Rd	Tammin	0.00	Yorakine Rd	14.81	Kellerberrin LGA Boundary	
4250013	Waltham Rd	Waltham Rd	Tammin	0.00	Turon Rd	7.80	Yorakine Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Turon Rd : No access permitted into Turon Rd from Waltham Rd
4250076	Wheeldon Rd	Wheeldon Rd	Tammin	0.00	Chappell Wheeldon Rd	1.92	Wheeldon Rd - End Road	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4250010	Wyola North Rd	Wyola North Rd	Tammin	0.00	Great Eastern Hwy	4.87	Wyola Rd North	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4250012	Wyola South Rd	Wyola South Rd	Tammin	0.00	Great Eastern Hwy	12.67	York - Tammin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Tammin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4250081	York - Tammin Rd	York - Tammin Rd	Tammin	0.00	Goldfields Rd & Rabbit Proof Fence South Rd	19.85	Underwood Rd & Little Underwood Rd	
4250021	York Rd	York Rd	Tammin	0.00	Yorakine Rd	6.10	Bungulla North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4250035	Yorakine Cemetery Rd	Yorakine Cemetery Rd	Tammin	0.00	Bungulla North Rd	1.76	Kellerberrin LGA Boundary	
4250007	Yorakine East Rd	Yorakine East Rd	Tammin	0.00	Ryan Rd & Yorakine East Rd	3.44	Yorakine West Rd & Bungulla North Rd & Nembudding South Rd	
4250006	Yorakine Rd	Yorakine Rd	Tammin	0.00	Great Eastern Hwy	31.07	Yorakine West Rd	
4250014	Yorakine Rock Rd	Yorakine Rock Rd	Tammin	0.00	Yorakine Rock Rd - Start Road	10.70	Tammin - Wyalkatchem Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4250043	Yorakine West Rd	Yorakine West Rd	Tammin	0.00	Bungulla North Rd & Yorakine East Rd & Nembudding South Rd	3.50	Shiells Rd & Yorakine West Rd	
4250057	Youering Rd	Youering Rd	Tammin	0.00	Tammin - Wyalkatchem Rd	9.87	Wyola Rd North	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Three Springs

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5150006	Arrino South Rd	Arrino South Rd	Three Springs	0.00	Midlands Rd	15.72	Three Springs - Eneabba Rd	
5150005	Arrino West Rd	Arrino West Rd	Three Springs	0.00	Midlands Rd	15.78	Carey Rd & Tomkins Rd	
5150091	Bastian Rd	Bastian Rd	Three Springs	0.00	Bastian Rd - Start Road	3.24	Maint Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5150090	Bateman Rd	Bateman Rd	Three Springs	0.00	Padbury Rd	2.48	Broad Rd	
5150090	Bateman Rd	Bateman Rd	Three Springs	2.48	Broad Rd	16.00	Boundary Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5150034	Beekeepers Rd	Beekeepers Rd	Three Springs	0.00	First North Rd	16.60	Carnamah LGA Boundary	
5150008	Bligh Rd	Bligh Rd	Three Springs	0.00	Three Springs - Morawa Rd	9.85	Morawa LGA Boundary	
5150013	Broad Rd	Broad Rd	Three Springs	0.00	Perenjori - Three Springs Rd	5.42	Bateman Rd	
5150031	Bruce Rd	Bruce Rd	Three Springs	0.00	Three Springs - Morawa Rd	1.26	Bruce Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5150050	Bunney Rd	Bunney Rd	Three Springs	0.00	Tomkins Rd	19.43	First North Rd	
5150025	Campbell Rd	Campbell Rd	Three Springs	0.00	Dudawa Rd & Three Springs - Morawa Rd	2.74	Sheppard Rd	
5150059	Carey Rd	Carey Rd	Three Springs	0.00	Arrino West Rd & Tomkins Rd	14.52	Natta Rd	
5150071	Carter St	Carter St	Three Springs	0.41	Maley St	0.61	Hall St	
5150015	Dog Hole Rd	Dog Hole Rd	Three Springs	0.00	Kangaroo Rd	10.92	Nebru Rd	
5150035	Dookoonooka Rd	Dookoonooka Rd	Three Springs	0.00	Wilton Well Rd	6.86	Turkey Flat Rd	

Tandem Drive Network 2.1



Three Springs

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5150002	Dudawa Rd	Dudawa Rd	Three Springs	0.00	Midlands Rd	14.70	Campbell Rd & Three Springs - Morawa Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5150010	First North Rd	First North Rd	Three Springs	0.00	Skipper Rd & Bunney Rd	13.55	Carnamah LGA Boundary	
5150033	Franklin Rd	Franklin Rd	Three Springs	0.00	Midlands Rd	6.19	Bastian Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Midlands Rd : No right turn permitted into Midlands Rd from Franklin Rd
5150074	Hall St	Hall St	Three Springs	0.00	Railway Rd	0.12	Carter St	
5150028	Hydraulic Rd	Hydraulic Rd	Three Springs	0.00	Arrino South Rd	19.94	Bunney Rd	
5150024	Inering Rd	Inering Rd	Three Springs	0.00	Perenjori - Three Springs Rd	2.02	Carnamah LGA Boundary	
5150094	Kangaroo Rd	Kangaroo Rd	Three Springs	0.00	Three Springs - Eneabba Rd	15.95	First North Road	
5150014	Lynch Rd	Lynch Rd	Three Springs	0.00	Midlands Rd	12.95	Lynch Rd - End Road	
5150073	Maley St	Maley St	Three Springs	0.00	Railway Rd	0.12	Carter St	
5150062	Malry Rd	Malry Rd	Three Springs	0.00	Rothsay Rd	0.09	Midlands Rd	
5150017	McNeil Rd	McNeil Rd	Three Springs	0.00	Maley Rd	3.16	McNeill Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5150018	Mitchell Rd	Mitchell Rd	Three Springs	0.00	Arrino West Rd	9.85	Scott Rd & Yandanooka West Rd	
5150087	Natta Rd	Natta Rd	Three Springs	0.00	Tomkins Rd	13.08	Mingenew LGA Boundary	
5150003	Nebru Rd	Nebru Rd	Three Springs	0.00	Three Springs - Eneabba Rd	28.42	Loc 3962 (Bunney Rd)	
5150001	Perenjori - Three Springs Rd	Perenjori - Three Springs Rd	Three Springs	0.00	Three Springs - Morawa Rd	24.57	Perenjori - Three Springs Rd & Boundary Rd	

Tandem Drive Network 2.1



Three Springs

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5150029	Phillips Rd	Phillips Rd	Three Springs	0.00	Dudawa Rd	2.74	Simpson Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5150022	Railway Rd	Railway Rd	Three Springs	0.00	Midlands Rd & Railway Rd	1.61	For 1.61 Km	
5150060	Reed Rd	Reed Rd	Three Springs	0.00	Nebru Rd	2.83	Hydraulic Rd	
5150082	Robinson Rd	Robinson Rd	Three Springs	0.00	Sundalara Rd	9.12	Bunney Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5150026	Rothsay Rd	Rothsay Rd	Three Springs	0.00	Dudawa Rd	0.88	Malry Rd	
5150026	Rothsay Rd	Rothsay Rd	Three Springs	2.01	Lynch Rd	2.05	Sunset Rd & Midlands Rd	
5150019	Scott Rd	Scott Rd	Three Springs	0.00	Carey Rd	7.24	Mingenew South Rd & Yandanooka West Rd	
5150009	Second North Rd	Second North Rd	Three Springs	0.00	Skipper Rd	9.85	1.79km From Beekeepers Rd	
5150011	Sheppard Rd	Sheppard Rd	Three Springs	0.00	Bligh Rd	11.15	Dudawa Rd	
5150007	Simpson Rd	Simpson Rd	Three Springs	0.00	Wilson Rd	1.61	Broad Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5150007	Simpson Rd	Simpson Rd	Three Springs	1.61	Broad Rd	25.62	Dudawa Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5150004	Skipper Rd	Skipper Rd	Three Springs	0.00	First North Rd & Bunney Rd	17.76	Irwin LGA Boundary	
5150064	Slaughter St	Slaughter St	Three Springs	0.00	Three Springs - Morawa Rd	0.95	Talc Rd	

Tandem Drive Network 2.1



Three Springs

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5150095	Strutton Rd	Strutton Rd	Three Springs	0.00	Three Springs - Eneabba Rd	11.02	Thomas Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5150095	Strutton Rd	Strutton Rd	Three Springs	11.02	Thomas Rd	11.46	North West Cnr Loc 4374	
5150042	Sundalara Rd	Sundalara Rd	Three Springs	0.00	Tomkins Rd	5.46	Robinson Rd	
5150037	Sunset Rd	Sunset Rd	Three Springs	0.00	Rothsay Rd & Midlands Rd	8.14	Sunrise Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5150085	Talc Rd	Talc Rd	Three Springs	0.00	Railway Rd	0.18	Franklin St	
5150038	Telegraph Rd	Telegraph Rd	Three Springs	0.00	Three Springs - Morawa Rd	3.47	Franklin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Three Springs - Morawa Rd : No left turn permitted into Three Springs - Morawa Rd from Telegraph Rd
5150058	Thomas Rd	Thomas Rd	Three Springs	0.00	Wilton Well Rd	5.59	Strutton Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5150104	Thomas St	Thomas St	Three Springs	0.00	Railway Rd	0.25	Three Springs - Eneabba Rd & Mayrhofer St	
5150105	Three Springs - Eneabba Rd	Three Springs - Eneabba Rd	Three Springs	0.00	Mayrhofer St & Thomas St	39.99	Carnamah LGA Boundary	
5150106	Three Springs - Morawa Rd	Three Springs - Morawa Rd	Three Springs	0.15	Slaughter St	29.86	Morawa LGA Boundary	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Telegraph Rd : No access permitted into Telegraph Rd from Three Springs Morawa Rd
5150093	Tomkins Rd	Tomkins Rd	Three Springs	0.00	Carey Rd & Arrino West Rd	23.66	Irwin LGA Boundary	
5150012	Turkey Flat Rd	Turkey Flat Rd	Three Springs	0.00	Three Springs - Eneabba Rd	12.05	Carnamah LGA Boundary	<ul style="list-style-type: none"> Maximum speed 60 km/h

Tandem Drive Network 2.1



Three Springs

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5150053	Wanneranooka Rd	Wanneranooka Rd	Three Springs	0.00	Three Springs - Morawa Rd	1.41	Wanneranooka Rd - End Road	
5150075	Water St	Water St	Three Springs	0.00	Railway Rd	0.89	West Yarra Rd	
5150061	Weir Rd	Weir Rd	Three Springs	0.00	Perenjori - Three Springs Rd	5.43	Bateman Rd	
5150021	West Yarra Rd	West Yarra Rd	Three Springs	0.00	Three Springs - Eneabba Rd	1.00	1km From Three Springs - Eneabba Rd	<ul style="list-style-type: none"> Intersection Three Springs - Eneabba Rd : No left turn permitted into Three Springs Eneabba Rd from West Yarra Rd
5150079	Wilton Well Rd	Wilton Well Rd	Three Springs	0.00	Three Springs - Eneabba Rd	17.62	Lucas Rokich Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Toodyay

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4260061	Anzac Av	Anzac Av	Toodyay	0.00	Clinton St	0.40	Harper Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4260001	Bejoording Rd	Bejoording Rd	Toodyay	0.00	Toodyay - Bindi Bindi Rd	12.71	Goomalling LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4260027	Bulligan Rd	Bulligan Rd	Toodyay	0.00	Bulligan Rd - Start Road	6.80	Victoria Plains LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4260019	Chatcup Rd	Chatcup Rd	Toodyay	0.00	Toodyay - Bindi Bindi Rd	5.70	Hall Rd & Leeming Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4260016	Chitty Rd	Chitty Rd	Toodyay	0.00	Salt Valley Rd	6.75	Northam LGA Boundary	
4260046	Church Gully Rd	Church Gully Rd	Toodyay	0.00	Dewars Pool - Bindoon Rd & Toodyay - Bindi Bindi Rd	4.48	Balgaling Rd & Leeming Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4260193	Clackline - Toodyay Rd	Clackline - Toodyay Rd	Toodyay	0.00	Northam LGA Boundary	10.56	Toodyay Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times
4260063	Clinton St	Clinton St	Toodyay	0.33	Fiennes St	0.42	Anzac Av	<ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Toodyay

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4260032	Connor Rd	Connor Rd	Toodyay	0.00	Toodyay - Bindi Bindi Rd	2.58	Bull Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
4260025	Coondle West Rd	Coondle West Rd	Toodyay	0.00	Toodyay - Bindi Bindi Rd	10.42	Julimar Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4260194	Dewars Pool - Bindoon Rd	Dewars Pool - Bindoon Rd	Toodyay	0.00	Church Gully Rd & Toodyay - Bindi Bindi Rd	24.60	0.05km From Dewars Pool Bindoon Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4260013	Fernie Rd	Fernie Rd	Toodyay	0.00	Toodyay Rd	2.89	Salt Valley Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h
4260013	Fernie Rd	Fernie Rd	Toodyay	2.89	Salt Valley Rd	6.56	Northam LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
4260064	Fiennes St	Fiennes St	Toodyay	0.17	Clinton St	0.36	Duke St & Hamersley St	<ul style="list-style-type: none"> Headlights to be switched on at all times
4260024	Forest Rd	Forest Rd	Toodyay	0.00	Goomalling Toodyay Rd	3.83	Red Gully Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Toodyay

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4260168	Hall Rd	Hall Rd	Toodyay	0.00	Chatcup Rd & Leeming Rd	5.75	Nunile Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Woodlands Rd : No access permitted into Woodlands Rd from Hall Rd Intersection Woodendale Rd : No access permitted into Woodendale Rd from Hall Rd
4260126	Hamersley St	Hamersley St	Toodyay	0.00	Stirling Tce	0.68	Duke St & Fiennes St	<ul style="list-style-type: none"> Headlights to be switched on at all times
4260058	Harper Rd	Harper Rd	Toodyay	0.00	Stirling Tce & Telegraph Rd	0.24	Harper St & Anzac Ave	<ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4260058	Harper Rd	Harper Rd	Toodyay	0.24	Harper St & Anzac Ave	0.25	Anzac Av	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4260009	Leeming Rd	Leeming Rd	Toodyay	0.00	Church Gully Rd & Balgaling Rd	6.90	Nunile Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Church Gully Rd & Balgaling Rd : No access permitted into Church Gully Rd from Leeming Rd
4260036	Long Forrest Rd	Long Forrest Rd	Toodyay	0.00	Toodyay - Bindi Bindi Rd	6.73	Goomalling LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Toodyay

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4260021	Morangup Rd	Morangup Rd	Toodyay	0.00	Toodyay Rd	11.50	7.48 Km Past McKnoe Dr	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h No operation during School Bus hours. Operators are to contact the local schools to obtain school bus hours.
4260026	Mount Rd	Mount Rd	Toodyay	0.00	Telegraph Rd	8.16	Old Plains Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4260002	Nunile Rd	Nunile Rd	Toodyay	7.25	Woodlands Rd & Solomons Rd	13.95	Bejoording Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4260006	Old Plains Rd	Old Plains Rd	Toodyay	0.00	Telegraph Rd	17.38	Victoria Plains LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Toodyay

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4260037	One Man Rd	One Man Rd	Toodyay	0.00	One Man Rd - Start Road	7.88	Nunile Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4260038	Rockdale Rd	Rockdale Rd	Toodyay	0.00	Telegraph Rd	9.82	Rockdale Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4260014	Salt Valley Rd	Salt Valley Rd	Toodyay	0.00	Fernie Rd	12.14	Toodyay Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h
4260195	Stirling Tce	Stirling Tce	Toodyay	0.00	Toodyay Rd & Goomalling Toodyay Rd	0.10	Hamersley St	<ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4260005	Telegraph Rd	Telegraph Rd	Toodyay	0.00	Toodyay - Bindi Bindi Rd	9.71	Carroll Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Toodyay

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4260196	Telegraph Rd	Telegraph Rd	Toodyay	0.00	Stirling Tce & Harper Rd	2.15	Toodyay - Bindi Bindi Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4260197	Toodyay - Bindi Bindi Rd	Toodyay - Bindi Bindi Rd	Toodyay	0.00	Telegraph Rd	9.05	Church Gully Rd & Dewars Pool - Bindoon Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 80 km/h
4260197	Toodyay - Bindi Bindi Rd	Toodyay - Bindi Bindi Rd	Toodyay	9.05	Church Gully Rd & Dewars Pool - Bindoon Rd	33.40	Victoria Plains LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection One Man Rd : No left turn permitted into One Man Rd from Toodyay-Bindi Bindi Rd from either direction.
4260029	Wattening Rd	Wattening Rd	Toodyay	0.00	Telegraph Rd	4.26	1.09km From Toodyay Bindi Bindi Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Railway line not to be crossed.
4260007	Woodendale Rd	Woodendale Rd	Toodyay	0.00	Goomalling Toodyay Rd	6.06	Hall Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Hall Rd : No access permitted into Hall Rd from Woodendale Rd

Tandem Drive Network 2.1



Toodyay

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4260033	Woodlands Rd	Woodlands Rd	Toodyay	0.00	Hall Rd	2.25	Nunile Rd & Solomons Rd	<ul style="list-style-type: none">All operators must carry written support from the road manager acknowledging the operator's use of the road.Headlights to be switched on at all timesNo operation on unsealed road segment when visibly wet, without road owner's approval.Note: Low Volume (LV)Maximum speed 60 km/hWhen travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).Intersection Hall Rd : No access permitted into Hall Rd from Woodlands Rd

Tandem Drive Network 2.1



Trayning

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4130065	Appleyard Rd	Appleyard Rd	Trayning	0.00	Wilson St & Hewitt St	1.77	Kununoppin - Mukinbudin Rd	
4130095	Barnes Rd	Barnes Rd	Trayning	0.00	Yelbeni South East Rd & Dunkley Rd	11.63	Riley Rd & Kellerberrin - Bencubbin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
4130085	Beurteaux Rd	Beurteaux Rd	Trayning	0.00	Purdy Rd	1.89	Beurteaux Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4130001	Bencubbin - Kununoppin Rd	Bencubbin - Kununoppin Rd	Trayning	0.00	Leake St & Thompson Rd	13.30	Harrod Rd	
4130001	Bencubbin - Kununoppin Rd	Bencubbin - Kununoppin Rd	Trayning	13.46	Harrod Rd	20.48	Mount Marshall LGA Boundary	<ul style="list-style-type: none"> Intersection Bencubbin - Kununoppin Rd : No Left Turn When Travelling South At Harrods Road
4130040	Brown Rd	Brown Rd	Trayning	0.00	Swamp Well Rd	3.88	Fleming Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4130045	Buckley Rd	Buckley Rd	Trayning	0.00	Kellerberrin - Bencubbin Rd	11.84	Linden Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4130037	Condor Rd	Condor Rd	Trayning	0.00	Sherzinger Rd	2.58	Elsegood Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Trayning

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4130052	Couper Rd	Couper Rd	Trayning	0.00	Doodlakine - Kununoppin Rd	4.16	McNeil Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Doodlakine - Kununoppin Rd : No access permitted to or from Doodlakine-Kununoppin Rd
4130052	Couper Rd	Couper Rd	Trayning	4.16	McNeil Rd	6.23	Purdy Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4130075	Couper St	Couper St	Trayning	0.00	Adam St	0.27	Walker St	<ul style="list-style-type: none"> Maximum speed 40 km/h
4130084	Couper St	Couper St	Trayning	0.00	Wilson St	0.55	Thompson Rd	
4130057	Doherty Rd	Doherty Rd	Trayning	0.00	Ryans Rd	4.84	Purdy Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Trayning

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4130007	Doodlakine - Kununoppin Rd	Doodlakine - Kununoppin Rd	Trayning	0.00	Nungarin Wyalkatchem Rd & Moujakine Rd	27.48	Doodlakine - Kununoppin Rd & Laird Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4130025	Dunkley Rd	Dunkley Rd	Trayning	0.00	Yelbeni South East Rd & Barnes Rd	8.20	Kellerberrin - Yelbeni Rd	
4130041	Fleming Rd	Fleming Rd	Trayning	0.00	McAndrew Rd	10.37	Gabbin - Trayning Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4130041	Fleming Rd	Fleming Rd	Trayning	10.37	Gabbin - Trayning Rd	11.57	Gabbin - Trayning Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4130031	Foord Rd	Foord Rd	Trayning	0.00	Swamp Well Rd	5.71	Gabbin - Trayning Rd	
4130015	Gabbin - Trayning Rd	Gabbin - Trayning Rd	Trayning	0.00	Mandiga - Trayning Rd	15.50	Fleming Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
4130014	Gale Rd	Gale Rd	Trayning	0.00	Mulcahy Rd & Nungarin Wyalkatchem Rd	12.06	McAndrew Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4130032	Gangell Rd	Gangell Rd	Trayning	0.00	Nalkain Rd	5.65	Wallambin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
4130010	Gents Rd	Gents Rd	Trayning	0.00	Keene Rd	7.30	Nungarin Wyalkatchem Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Trayning

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4130010	Gents Rd	Gents Rd	Trayning	7.30	Nungarin Wyalkatchem Rd	11.70	Lee Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4130010	Gents Rd	Gents Rd	Trayning	11.70	Lee Rd	15.99	Stapleton Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4130010	Gents Rd	Gents Rd	Trayning	15.99	Stapleton Rd	24.89	Riley Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4130027	Goldfields Rd	Goldfields Rd	Trayning	0.00	Sherzinger Rd	5.30	Gale Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Trayning

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4130027	Goldfields Rd	Goldfields Rd	Trayning	9.50	Swamp Well Rd	15.39	Trayning North Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4130064	Golf Links Rd	Golf Links Rd	Trayning	0.00	Sherzinger Rd	2.80	Goldfields Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4130090	Harrod Rd	Harrod Rd	Trayning	0.00	Kellerberrin - Bencubbin Rd	10.69	Kununoppin - Mukinbudin Rd	<ul style="list-style-type: none"> Intersection Kununoppin - Mukinbudin Rd : No access permitted into Kununoppin - Mukinbudin Rd from Harrod Rd
4130023	Hewitt Rd	Hewitt Rd	Trayning	0.00	Kununoppin - Mukinbudin Rd	6.13	Baker Rd	
4130056	Hodges Rd	Hodges Rd	Trayning	0.00	Purdy Rd	1.42	Nungarin LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4130009	Huandanning Rd	Huandanning Rd	Trayning	0.00	Nungarin Wyalkatchem Rd	23.08	Pullen Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4130009	Huandanning Rd	Huandanning Rd	Trayning	23.08	Pullen Rd	28.92	Durokoppin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Trayning

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4130063	Kahl Rd	Kahl Rd	Trayning	0.00	Nungarin Wyalkatchem Rd	1.52	Kahl Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4130017	Keene Rd	Keene Rd	Trayning	0.00	Kellerberrin - Bencubbin Rd	6.00	Moujakine Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4130099	Kellerberrin - Bencubbin Rd	Kellerberrin - Bencubbin Rd	Trayning	0.00	Kellerberrin LGA Boundary	31.34	Felgate Pde & Twine St	
4130101	Kellerberrin - Bencubbin Rd	Kellerberrin - Bencubbin Rd	Trayning	0.00	Sutherland St & Twine St	20.29	Mount Marshall LGA Boundary	
4130008	Kellerberrin - Yelbeni Rd	Kellerberrin - Yelbeni Rd	Trayning	0.00	Nungarin Wyalkatchem Rd	25.07	Kellerberrin LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4130044	Kidd Rd	Kidd Rd	Trayning	0.00	Kununoppin - Mukinbudin Rd	5.82	1.51 Km Past Sutton Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4130030	Kodj Kodjin Rd	Kodj Kodjin Rd	Trayning	0.00	Riley Rd	3.13	Letchford Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Trayning

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4130102	Kununoppin - Mukinbudin Rd	Kununoppin - Mukinbudin Rd	Trayning	0.00	Purdy Rd & Nungarin Wyalkatchem Rd	23.83	Mukinbudin LGA Boundary	<ul style="list-style-type: none"> Intersection Harrod Rd : No access permitted into Harrod Rd from Kununoppin Mukinbudin Rd
4130048	Lamond Rd	Lamond Rd	Trayning	0.00	Kununoppin - Mukinbudin Rd	2.41	Bencubbin - Kununoppin Rd	
4130036	Lee Rd	Lee Rd	Trayning	0.00	Nungarin Wyalkatchem Rd	18.06	Doodlakine - Kununoppin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4130020	Letchford Rd	Letchford Rd	Trayning	0.00	Doodlakine - Kununoppin Rd	0.04	Kodj Kodjin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Doodlakine - Kununoppin Rd : No access to or from Doodlakine-Kununoppin Road.
4130020	Letchford Rd	Letchford Rd	Trayning	0.04	Kodj Kodjin Rd	4.47	Kellerberrin - Bencubbin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4130020	Letchford Rd	Letchford Rd	Trayning	4.47	Kellerberrin - Bencubbin Rd	16.48	Kellerberrin - Yelbeni Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
4130060	Lockyer Rd	Lockyer Rd	Trayning	0.00	Mandiga - Trayning Rd	5.49	Buckley Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Mandiga - Trayning Rd : No access permitted into Mandiga - Trayning Rd from Lockyer Rd

Tandem Drive Network 2.1



Trayning

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4130005	Mandiga - Trayning Rd	Mandiga - Trayning Rd	Trayning	0.00	Kellerberrin - Bencubbin Rd	13.72	Mount Marshall LGA Boundary	<ul style="list-style-type: none"> Intersection Lockyer Rd : No access permitted into Lockyer Rd from Mandiga - Trayning Rd
4130021	McAndrew Rd	McAndrew Rd	Trayning	0.00	McAndrew Rd - Start Road	9.15	Swamp Well Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4130012	McNeil Rd	McNeil Rd	Trayning	0.00	Nungarin Wyalkatchem Rd	7.49	Sachse Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4130013	Minniberri Rd	Minniberri Rd	Trayning	0.00	Huandanning Rd	20.30	Purdy Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Doodlakine - Kununoppin Rd : No access permitted to or from Doodlakine-Kununoppin Rd. No straight through access permitted at Doodlakine-Kununoppin Rd.
4130011	Moujakine Rd	Moujakine Rd	Trayning	0.00	Doodlakine - Kununoppin Rd & Nungarin Wyalkatchem Rd	12.53	Harrod Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4130024	Mulcahy Rd	Mulcahy Rd	Trayning	0.00	Gale Rd & Nungarin Wyalkatchem Rd	5.29	Yelbeni South East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
4130059	Mullins Rd	Mullins Rd	Trayning	0.00	Swamp Well Rd	2.04	Gale Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4130026	Perks - O'Meara Rd	Perks - O'Meara Rd	Trayning	0.00	Nungarin Wyalkatchem Rd	15.85	Tilbrook Rd & Ryan Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Trayning

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4130088	Pullen Rd	Pullen Rd	Trayning	0.00	Laird Rd & Kellerberrin - Bencubbin Rd	7.14	Huandanning Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4130004	Purdy Rd	Purdy Rd	Trayning	0.00	Nungarin Wyalkatchem Rd & Kununoppin - Mukinbudin Rd	28.48	Doodlakine - Kununoppin Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h Intersection Doodlakine - Kununoppin Rd : No Access To Or From Doodlakine-Kununoppin Road
4130047	Rance Rd	Rance Rd	Trayning	0.00	Moujakine Rd	1.36	Thompson Rd	
4130022	Riley Rd	Riley Rd	Trayning	0.00	Kellerberrin - Bencubbin Rd & Barnes Rd	4.45	Kodj Kodjin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4130022	Riley Rd	Riley Rd	Trayning	4.45	Kodj Kodjin Rd	6.55	Doodlakine - Kununoppin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4130074	Riley St	Riley St	Trayning	0.00	Railway St	0.26	Couper St	<ul style="list-style-type: none"> Maximum speed 40 km/h

Tandem Drive Network 2.1



Trayning

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4130034	Ryans Rd	Ryans Rd	Trayning	0.00	Doodlakine - Kununoppin Rd	9.15	Baandee North Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
4130033	Sachse Rd	Sachse Rd	Trayning	0.00	Doodlakine - Kununoppin Rd	6.77	Purdy Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4130003	Sherzinger Rd	Sherzinger Rd	Trayning	0.00	Nungarin Wyalkatchem Rd	13.34	McAndrew Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4130006	Smeeton Rd	Smeeton Rd	Trayning	0.00	Swamp Well Rd	13.00	Kellerberrin - Bencubbin Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
4130016	Stapleton Rd	Stapleton Rd	Trayning	0.00	Perks - O'Meara Rd	5.61	Mulcahy Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4130016	Stapleton Rd	Stapleton Rd	Trayning	5.61	Mulcahy Rd	12.08	Travers Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Trayning

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4130016	Stapleton Rd	Stapleton Rd	Trayning	12.08	Travers Rd	19.47	Stapleton Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4130028	Sutherland Rd	Sutherland Rd	Trayning	0.00	Kellerberrin - Yelbeni Rd	6.20	Huandanning Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4130072	Sutherland St	Sutherland St	Trayning	0.00	Nungarin Wyalkatchem Rd & Railway St	0.72	Kellerberrin - Bencubbin Rd & Twine St	<ul style="list-style-type: none"> HVS Update 7-2022
4130072	Sutherland St	Sutherland St	Trayning	0.75	Twine St	1.37	Sutherland St - End Road	<ul style="list-style-type: none"> Intersection Sutherland St - End Road : No access permitted into Goomalling Merredin Rd from Sutherland St.
4130051	Sutton Rd	Sutton Rd	Trayning	0.00	Kidd Rd	5.76	Billyacatting Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4130018	Swamp Well Rd	Swamp Well Rd	Trayning	0.00	Nungarin Wyalkatchem Rd	17.60	Gabbin - Trayning Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4130046	Thompson Rd	Thompson Rd	Trayning	0.00	Moujakine Rd	12.32	Leake St & Bencubbin - Kununoppin Rd	
4130046	Thompson Rd	Thompson Rd	Trayning	12.36	Bencubbin - Kununoppin Rd	14.46	Kununoppin - Mukinbudin Rd	

Tandem Drive Network 2.1



Trayning

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4130038	Tilbrook Rd	Tilbrook Rd	Trayning	0.00	Kellerberrin - Yelbeni Rd	7.47	Wyalkatchem LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4130043	Travers Rd	Travers Rd	Trayning	0.00	Goldfields Rd	2.86	Nungarin Wyalkatchem Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4130043	Travers Rd	Travers Rd	Trayning	6.32	Lee Rd	23.04	Letchford Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4130043	Travers Rd	Travers Rd	Trayning	29.42		31.40	Kellerberrin - Bencubbin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4130019	Trayning North Rd	Trayning North Rd	Trayning	0.00	Kellerberrin - Bencubbin Rd	8.29	Swamp Well Rd	
4130100	Twine St	Twine St	Trayning	0.00	Felgate Pde & Kellerberrin - Bencubbin Rd	0.49	Sutherland St & Kellerberrin - Bencubbin Rd	
4130097	Un - Named	Un - Named	Trayning	0.00	Nungarin Wyalkatchem Rd	0.09	Wilson St	<ul style="list-style-type: none"> Maximum speed 50 km/h
4130073	Walker St	Walker St	Trayning	0.00	Couper St	0.26	Nungarin Wyalkatchem Rd & Railway St	<ul style="list-style-type: none"> Maximum speed 40 km/h

Tandem Drive Network 2.1



Trayning

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4130042	Wallambin Rd	Wallambin Rd	Trayning	0.00	Fleming Rd	7.43	Wallambin Rd & Gangell Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4130035	Welbungin South Rd	Welbungin South Rd	Trayning	0.00	Kununoppin - Mukinbudin Rd	4.34	Mount Marshall LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4130076	Wilson St	Wilson St	Trayning	0.00	Nungarin Wyalkatchem Rd	1.18	Hewitt St & Appleyard Rd	
4130002	Yelbeni South East Rd	Yelbeni South East Rd	Trayning	0.00	Nungarin Wyalkatchem Rd	8.63	Dunkley Rd & Barnes Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Upper Gascoyne

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
8050008	Carey Downs Rd	Carey Downs Rd	Upper Gascoyne	0.00	Pimbee Rd	36.67	Carey Downs Access	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit
8050045	Carnarvon - Mullewa Rd	Carnarvon - Mullewa Rd	Upper Gascoyne	0.00	Carnarvon LGA Boundary	0.07	Mooka Rd	
8050045	Carnarvon - Mullewa Rd	Carnarvon - Mullewa Rd	Upper Gascoyne	0.07	Mooka Rd	187.35	Murchison LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit No Operation from May to Sep between 6:00 PM and 6:00 AM and from Oct to Apr between 8:00 PM and 5:00 AM
8050001	Cobra - Dairy Creek Rd	Cobra - Dairy Creek Rd	Upper Gascoyne	0.00	Carnarvon - Mullewa Rd	161.08	Cobra - Mount Augustus Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
8050007	Cobra - Gifford Creek Rd	Cobra - Gifford Creek Rd	Upper Gascoyne	0.00	Edmund - Gifford Creek Rd	31.77	Cobra - Dairy Creek Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
8050020	Cobra - Mount Augustus Rd	Cobra - Mount Augustus Rd	Upper Gascoyne	0.00	Dooley Downs Rd	46.82	Cobra - Dairy Creek Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
8050013	Dalgety Downs - Glenburgh Rd	Dalgety Downs - Glenburgh Rd	Upper Gascoyne	0.00	Dalgety Downs - Landor Rd	21.85	Carnarvon - Mullewa Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit
8050005	Dalgety Downs - Landor Rd	Dalgety Downs - Landor Rd	Upper Gascoyne	0.00	Dalgety Downs - Glenburgh Rd	76.64	Landor - Meekatharra Rd & Landor - Mt Augustus Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit
8050006	Edmund - Gifford Creek Rd	Edmund - Gifford Creek Rd	Upper Gascoyne	0.00	Ullawarra Rd	28.65	Cobra - Gifford Creek Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h

Tandem Drive Network 2.1



Upper Gascoyne

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
8050009	Eudamullah Rd	Eudamullah Rd	Upper Gascoyne	0.00	Ullawarra Rd	21.76	Eudamullah Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit
8050044	Killili Rd	Killili Rd	Upper Gascoyne	0.00	Carnarvon - Mullewa Rd	2.31	Ullawarra Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit
8050032	Landor - Meekatharra Rd	Landor - Meekatharra Rd	Upper Gascoyne	0.00	Landor - Mt Augustus Rd & Dalgety Downs - Landor Rd	59.92	Meekatharra LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
8050004	Landor - Mt Augustus Rd	Landor - Mt Augustus Rd	Upper Gascoyne	0.00	Landor - Meekatharra Rd & Dalgety Downs - Landor Rd	103.26	Cobra - Mount Augustus Rd & Dooley Downs Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
8050048	Lyndon - Minnie Creek Rd	Lyndon - Minnie Creek Rd	Upper Gascoyne	0.00	Ullawarra Rd	25.91	Carnarvon LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit
8050011	Meekatharra - Mount Clere Rd	Meekatharra - Mount Clere Rd	Upper Gascoyne	0.00	Landor - Mount Clere Rd & Mt Clere - Woodlands Rd	21.65	Meekatharra LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit
8050012	Mt Augustus - Woodlands Rd	Mt Augustus - Woodlands Rd	Upper Gascoyne	0.00	Landor - Mt Augustus Rd	76.31	Woodlands - Mt Augustus	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit
8050003	Pimbee Rd	Pimbee Rd	Upper Gascoyne	0.00	Carnarvon - Mullewa Rd	86.63	Carnarvon LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit

Tandem Drive Network 2.1



Upper Gascoyne

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
8050040	Pingandy Rd	Pingandy Rd	Upper Gascoyne	57.81	Pingandy Homestead Access Rd	87.66	Pingandy Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit
8050002	Ullawarra Rd	Ullawarra Rd	Upper Gascoyne	0.00	Killili Rd	218.75	28.37km North of Edmund Gifford Creek Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit
8050021	Weedarrah Rd	Weedarrah Rd	Upper Gascoyne	0.00	Cobra - Dairy Creek Rd	8.05	Cattleyards	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit Road between the cattleyards and Weedarrah Station unsuitable for RAV access.



Victoria Park (T)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1290133	Bank St	Bank St	Victoria Park (T)	0.00	Bank St - Start Road	0.79	Oats St	
1290234	Briggs St	Briggs St	Victoria Park (T)	0.00	Rutland Av (Sth)	1.52	Briggs St & Orrong Rd	
1290237	Cohn St	Cohn St	Victoria Park (T)	0.00	Rutland Av (Sth)	1.43	Orrong Rd	
1290235	Downing St	Downing St	Victoria Park (T)	0.00	Cohn St	0.21	Briggs St	
1290112	Forward St	Forward St	Victoria Park (T)	0.11	Swansea St East	0.39	Bank St	
1290223	Harris St	Harris St	Victoria Park (T)	0.00	Kew St	0.63	Cohn St	
1290215	Kew St	Kew St	Victoria Park (T)	0.00	Canning (C) LGA Boundary	0.40	Kew St & Orrong Rd	
1290217	Mars St East	Mars St East	Victoria Park (T)	0.00	President St	0.22	Kew St & Mars St	
1290111	Milford St	Milford St	Victoria Park (T)	0.16	Swansea St East	0.50	Bank St	
1290224	Planet St	Planet St	Victoria Park (T)	0.00	President St & Planet St	0.45	Cohn St	
1290218	President St	President St	Victoria Park (T)	0.00	Planet St	0.76	President St & Orrong Rd	
1290240	Raleigh St	Raleigh St	Victoria Park (T)	0.00	Briggs St & Raliegh St	0.23	Cohn St	
1290241	Rutland Av (Sth)	Rutland Av (Sth)	Victoria Park (T)	0.00	Rutland Av - North Side	0.46	Cohn St	
1290219	Sandra Pl	Sandra Pl	Victoria Park (T)	0.00	Harris St	0.21	Sandra Pl - End Road	
1290256	Savill Pl	Savill Pl	Victoria Park (T)	0.00	Cohn St	0.09	Savill Pl - End Road	
1290214	Star St	Star St	Victoria Park (T)	1.72	Cohn St	2.37	Kew St & Star St	
1290110	Swansea St East	Swansea St East	Victoria Park (T)	0.00	Welshpool Rd	0.14	Forward St	
1290236	Tuckett St	Tuckett St	Victoria Park (T)	0.00	Briggs St	0.15	Cohn St	

Tandem Drive Network 2.1



Victoria Plains

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5170044	Batty Bog Rd	Batty Bog Rd	Victoria Plains	0.00	Gillingarra - Glentromie Rd	6.27	Great Northern Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5170112	Behanging North Rd	Behanging North Rd	Victoria Plains	12.99	Calingari-Wongan Hills Rd	19.53	Carani East Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.
5170010	Behanging Rd	Behanging Rd	Victoria Plains	0.00	Toodyay - Bindi Bindi Rd	13.52	Corondeen Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Toodyay - Bindi Bindi Rd : No right turn permitted into Toodyay - Bindi Bindi Rd from Behanging Rd

Tandem Drive Network 2.1



Victoria Plains

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5170034	Benaring Rd	Benaring Rd	Victoria Plains	0.00	Konnongorring West Rd	7.07	Goomalling - Calingiri Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5170091	Bigsprings Rd	Bigsprings Rd	Victoria Plains	0.00	Goomalling - Calingiri Rd	2.95	Bain Rd & Burnt Hill Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School Bus Route - Contact Operators on UHF CH 11
5170118	Bin Rd	Bin Rd	Victoria Plains	0.00	Calingiri Rd	0.85	Calingiri - New Norcia Rd	<ul style="list-style-type: none"> Maximum speed 40 km/h
5170051	Blood Rd	Blood Rd	Victoria Plains	0.00	Erickson Rd	3.66	For 3.66km From Erickson Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
5170007	Bolgart East Rd	Bolgart East Rd	Victoria Plains	0.00	Smith St & Macpherson St	12.55	Goomalling LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School Bus Route - Contact Operators on UHF CH 11

Tandem Drive Network 2.1



Victoria Plains

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5170023	Bolgart West Rd	Bolgart West Rd	Victoria Plains	0.00	Toodyay - Bindi Bindi Rd	16.76	Old Plains Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Toodyay - Bindi Bindi Rd : No right turn permitted into Toodyay Bindi Bindi Rd from Bolgart West Rd Intersection Old Plains Rd : No left turn permitted into Old Plains Rd from Bolgart West Rd
5170017	Boundary Rd	Boundary Rd	Victoria Plains	0.00	Gillingarra Rd	6.03	Boundary Rd & Boxhall Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Gillingarra Rd : No Access Into Gillingarra Road Permitted
5170062	Boxhall Rd	Boxhall Rd	Victoria Plains	0.00	Bindoon Moora Rd	9.63	Boundary Rd	
5170054	Bull Rd	Bull Rd	Victoria Plains	0.00	Bolgart East Rd	1.44	Toodyay LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5170032	Bulligan Rd	Bulligan Rd	Victoria Plains	0.00	Bolgart West Rd	4.77	Toodyay LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School Bus Route - Contact Operators on UHF CH 11

Tandem Drive Network 2.1



Victoria Plains

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5170078	Burnett Rd	Burnett Rd	Victoria Plains	0.00	Great Northern Hwy	4.91	Burnett Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Great Northern Hwy : No right turn permitted into Great Northern Hwy from Burnett Rd
5170011	Calcarra East Rd	Calcarra East Rd	Victoria Plains	0.00	Toodyay - Bindi Bindi Rd	3.63	Corondeen Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5170057	Calcarra West Rd	Calcarra West Rd	Victoria Plains	0.00	Toodyay - Bindi Bindi Rd	6.96	Old Telegraph South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5170008	Calingiri - New Norcia Rd	Calingiri - New Norcia Rd	Victoria Plains	0.00	Toodyay - Bindi Bindi Rd	27.55	Great Northern Hwy	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
5170132	Campbell St	Campbell St	Victoria Plains	0.00	Calingari-Wongan Hills Rd	0.10	Campbell Rd - End of Road	

Tandem Drive Network 2.1



Victoria Plains

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5170037	Carani East Rd	Carani East Rd	Victoria Plains	0.00	Toodyay - Bindi Bindi Rd & Carani West Rd	14.03	Calingari-Wongan Hills Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School Bus Route - Contact Operators on UHF CH 11
5170013	Carani West Rd	Carani West Rd	Victoria Plains	0.00	Carani East Rd & Toodyay - Bindi Bindi Rd	11.72	Calingiri - New Norcia Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School Bus Route - Contact Operators on UHF CH 11
5170036	Catabody Rd	Catabody Rd	Victoria Plains	0.00	Catabody Rd & Toodyay - Bindi Bindi Rd	9.62	Calingari-Wongan Hills Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Calingari-Wongan Hills Rd : No right turn permitted into Wongan Hills - Calingiri Rd from Catabody Rd

Tandem Drive Network 2.1



Victoria Plains

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5170073	Catabody Rd	Catabody Rd	Victoria Plains	0.00	Catabody Rd & Toodyay - Bindi Bindi Rd	5.41	Calingiri - New Norcia Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5170052	Clarke Rd	Clarke Rd	Victoria Plains	0.00	Bolgart East Rd	3.17	Clarke Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
5170003	Cocking Rd	Cocking Rd	Victoria Plains	0.00	Mogumber - Yarawindah Rd	6.77	West Point Rd & Murphy Gully Rd	
5170025	Corondeen Rd	Corondeen Rd	Victoria Plains	0.00	Goomalling - Calingiri Rd	12.19	Goomalling - Calingiri Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5170039	Duggan Rd	Duggan Rd	Victoria Plains	0.00	Skilling Rd	9.56	Sandplain Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
5170039	Duggan Rd	Duggan Rd	Victoria Plains	16.75	Motoning Rd	19.63	Bailey Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h

Tandem Drive Network 2.1



Victoria Plains

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5170079	Edmonds Rd	Edmonds Rd	Victoria Plains	0.00	Behanging North Rd	5.14	Goomalling - Calingiri Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5170093	Emmanuel St	Emmanuel St	Victoria Plains	0.00	Poincaire St	0.24	Smith St	<ul style="list-style-type: none"> Maximum speed 60 km/h
5170093	Emmanuel St	Emmanuel St	Victoria Plains	0.24	Smith St	0.26	Smith St	
5170050	Erickson Rd	Erickson Rd	Victoria Plains	0.00	Bolgart East Rd	6.84	Behanging Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Victoria Plains

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5170068	Essex Rd	Essex Rd	Victoria Plains	0.00	Wongan Hills - Waddington Rd	5.75	Essex Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5170042	Flavell Rd	Flavell Rd	Victoria Plains	0.00	Wongan Hills - Waddington Rd	8.08	Wilson Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5170035	Fordham Rd	Fordham Rd	Victoria Plains	0.00	Corondeen Rd	6.22	Wyening East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5170026	Gabalong West Rd	Gabalong West Rd	Victoria Plains	0.00	Great Northern Hwy	9.57	Gabalong West Rd & Skilling Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Great Northern Hwy : No Access To Or From Great Northern Highway

Tandem Drive Network 2.1



Victoria Plains

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5170019	Gillingarra - Glentromie Rd	Gillingarra - Glentromie Rd	Victoria Plains	0.00	Gillingarra - New Norcia Rd	19.59	Great Northern Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School Bus Route - Contact Operators on UHF CH 11
5170009	Gillingarra - New Norcia Rd	Gillingarra - New Norcia Rd	Victoria Plains	0.00	Bindoon Moora Rd	18.01	New Norcia Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
5170016	Gillingarra Rd	Gillingarra Rd	Victoria Plains	0.00	Bindoon Moora Rd	11.17	Gillingarra Rd & Boundary Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
5170004	Glentromie - Yerecoin Rd	Glentromie - Yerecoin Rd	Victoria Plains	0.00	Great Northern Hwy	0.95	For 0.95 Km to Mackie Hay Access Gate	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5170004	Glentromie - Yerecoin Rd	Glentromie - Yerecoin Rd	Victoria Plains	0.95	For 0.95 Km to Mackie Hay Access Gate	15.61	Toodyay - Bindi Bindi Rd	
5170021	Golf Course Rd	Golf Course Rd	Victoria Plains	0.00	Toodyay - Bindi Bindi Rd	11.89	Motoning Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5170123	Goomalling - Calingiri Rd	Goomalling - Calingiri Rd	Victoria Plains	0.00	Goomalling LGA Boundary	21.02	Toodyay - Bindi Bindi Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Victoria Plains

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5170030	Goudge Rd	Goudge Rd	Victoria Plains	0.00	Calingiri Rd	8.80	Newdale Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School Bus Route - Contact Operators on UHF CH 11
5170030	Goudge Rd	Goudge Rd	Victoria Plains	8.80	Newdale Rd	11.44	Newdale Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5170058	Hawkins Rd	Hawkins Rd	Victoria Plains	0.00	Calingiri - New Norcia Rd	2.42	For 2.42km From Calingiri - New Norcia Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
5170111	Howard Rd	Howard Rd	Victoria Plains	0.00	Calingiri - New Norcia Rd	4.91	Carani West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5170074	Jones Rd	Jones Rd	Victoria Plains	0.00	Calingiri Rd	3.23	Lydock Rd	
5170014	Konnongorring West Rd	Konnongorring West Rd	Victoria Plains	0.00	Calingiri-Wongan Hills Rd	7.60	Goomalling LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Victoria Plains

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5170065	Longman Rd	Longman Rd	Victoria Plains	0.00	Gillingarra - Glentromie Rd	3.22	For 3.22km From Gillingarra - Glentromie Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 40 km/h
5170056	Lydock Rd	Lydock Rd	Victoria Plains	0.00	Calingiri Rd	4.97	Calcarra West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5170049	Martin Rd	Martin Rd	Victoria Plains	4.41	Yerecoin South East Rd & Yerecoin South - East Rd	9.72	Carani East Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
5170006	Mogumber - Yarawindah Rd	Mogumber - Yarawindah Rd	Victoria Plains	0.00	Bindoon Moora Rd & Mogumber West Rd	18.04	Great Northern Hwy	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Great Northern Hwy : No right turn permitted into Great Northern Hwy from Mogumber Yarawindah Rd. No right turn permitted into Mogumber Yarawindah Rd from Great Northern Hwy.
5170015	Mogumber West Rd	Mogumber West Rd	Victoria Plains	0.00	Bindoon Moora Rd & Mogumber - Yarawindah Rd	9.56	Mogumber Rd West & Clarke Rd	

Tandem Drive Network 2.1



Victoria Plains

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5170048	Motoning Rd	Motoning Rd	Victoria Plains	0.00	Duggan Rd	8.49	Thomson Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5179000	New Norcia Rd	New Norcia Rd	Victoria Plains	0.00	Great Northern Hwy	1.32		
5170001	Newdale Rd	Newdale Rd	Victoria Plains	0.00	Yenart Rd	11.36	Old Plains Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School Bus Route - Contact Operators on UHF CH 11
5170095	Nicholas St	Nicholas St	Victoria Plains	0.00	Poincare St	0.26	Nicholas St - End Road	<ul style="list-style-type: none"> Maximum speed 60 km/h
5170129	O`Dea Pl	O`Dea Pl	Victoria Plains	0.00	Calcarra West Rd	0.50	O`Dea Pl - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Victoria Plains

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5170027	Old Plains Rd	Old Plains Rd	Victoria Plains	0.00	Great Northern Hwy	17.16	Calingiri Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5170027	Old Plains Rd	Old Plains Rd	Victoria Plains	17.25	Calingiri Rd	35.95	Toodyay LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5170046	Old Telegraph South Rd	Old Telegraph South Rd	Victoria Plains	0.00	Bolgart West Rd	8.69	Calingiri Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Victoria Plains

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5170031	Parker Rd	Parker Rd	Victoria Plains	0.00	Calingiri Rd	6.19	Goudge Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School Bus Route - Contact Operators on UHF CH 11
5170033	Pither Rd	Pither Rd	Victoria Plains	0.00	Old Plains Rd	4.84	Bolgart West Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5170092	Poincaire St	Poincaire St	Victoria Plains	0.00	Nicholas St	0.69	Toodyay - Bindi Bindi Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
5170018	Red Gully Rd	Red Gully Rd	Victoria Plains	0.00	Mogumber West Rd	1.73	1.734km From Mogumber West Rd.	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval.
5170043	Roe Rd	Roe Rd	Victoria Plains	0.00	Toodyay - Bindi Bindi Rd	3.92	Skilling Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5170002	Sandplain Rd	Sandplain Rd	Victoria Plains	0.00	Duggan Rd	5.37	Wongan Hills - Waddington Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Victoria Plains

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5170029	Skilling Rd	Skilling Rd	Victoria Plains	0.00	Carani West Rd	6.91	Glentromie - Yerecoin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5170029	Skilling Rd	Skilling Rd	Victoria Plains	7.04	Glentromie - Yerecoin Rd	27.40	Gabalong West Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5170109	Smith St	Smith St	Victoria Plains	0.00	Emmanuel St	0.27	Bolgart East Rd & Macpherson St	<ul style="list-style-type: none"> Maximum speed 60 km/h
5170096	Somers St	Somers St	Victoria Plains	0.00	Poincaire St	0.12	Toodyay - Bindi Bindi Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
5170040	Sudholz Rd	Sudholz Rd	Victoria Plains	0.00	Wongan Hills - Waddington Rd	5.85	Sudholz Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5170060	Sykes Rd	Sykes Rd	Victoria Plains	0.00	Bindoon Moora Rd	4.12	Sykes Rd - End Road	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School Bus Route - Contact Operators on UHF CH 11

Tandem Drive Network 2.1



Victoria Plains

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5170020	Thompson Rd	Thompson Rd	Victoria Plains	0.00	Bindoon Moora Rd	7.78	Gillingarra - Glentromie Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School Bus Route - Contact Operators on UHF CH 11
5170124	Toodyay - Bindi Bindi Rd	Toodyay - Bindi Bindi Rd	Victoria Plains	0.00	Toodyay LGA Boundary	24.58	Calingiri Rd & Railway St	<ul style="list-style-type: none"> Intersection Bolgart West Rd : No left turn permitted into Bolgart West Rd from Toodyay - Bindi Bindi Rd Intersection Behanging Rd : No left turn permitted into Behanging Rd from Toodyay - Bindi Bindi Rd
5170125	Toodyay - Bindi Bindi Rd	Toodyay - Bindi Bindi Rd	Victoria Plains	0.00	Yulgering Rd & Railway St	41.10	Moora LGA Boundary	
5170067	Wallamarra Rd	Wallamarra Rd	Victoria Plains	0.00	Great Northern Hwy	3.58	Wallamarra Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5170041	Wilson Rd	Wilson Rd	Victoria Plains	0.00	Toodyay - Bindi Bindi Rd	5.79	Wongan - Ballidu LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5170066	Wirrilda Rd	Wirrilda Rd	Victoria Plains	0.00	Gillingarra - Glentromie Rd	1.91	Moora LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
5170126	Wongan Hills - Waddington Rd	Wongan Hills - Waddington Rd	Victoria Plains	0.00	Wongan - Ballidu LGA Boundary	5.30	Toodyay - Bindi Bindi Rd	
5170127	Wongan Hills - Waddington Rd	Wongan Hills - Waddington Rd	Victoria Plains	0.00	Toodyay - Bindi Bindi Rd	11.62	Great Northern Hwy	

Tandem Drive Network 2.1



Victoria Plains

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5170038	Woods Rd	Woods Rd	Victoria Plains	0.00	Carani East Rd	5.84	Yerecoin South - East Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School Bus Route - Contact Operators on UHF CH 11
5170038	Woods Rd	Woods Rd	Victoria Plains	5.84	Yerecoin South - East Rd	9.70	Golf Course Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5170022	Wyening East Rd	Wyening East Rd	Victoria Plains	0.00	Toodyay - Bindi Bindi Rd	9.90	Wyening East Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5170028	Wyening West Rd	Wyening West Rd	Victoria Plains	0.00	Toodyay - Bindi Bindi Rd	6.81	Bolgart West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Victoria Plains

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5170045	Yenart Rd	Yenart Rd	Victoria Plains	0.00	Calingiri - New Norcia Rd	10.65	Old Plains Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School Bus Route - Contact Operators on UHF CH 11
5170005	Yerecoin South - East Rd	Yerecoin South - East Rd	Victoria Plains	0.00	Toodyay - Bindi Bindi Rd	14.52	Yerecoin South East Rd & Martin Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School Bus Route - Contact Operators on UHF CH 11
517Z004	Railway Facility Access Rd	Railway Facility Access Rd	Victoria Plains	0.72	Cbh Access Road 0.25km From Toodyay - Bindi Bindi Road	0.97	Toodyay - Bindi Bindi Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) 40 km/h below posted speed limit When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Vincent (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1300313	Caversham St	Caversham St	Vincent (C)	0.00	Claisebrook Rd	0.13	Caversham St - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Combinations exceeding (20m length - 2.5m width - 4.3m height) are not permitted.
1300309	Claisebrook Rd	Claisebrook Rd	Vincent (C)	0.00	Summers St	0.29	Somerville St & Edward St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Combinations exceeding (20m length - 2.5m width - 4.3m height) are not permitted.
1300250	Edward St	Edward St	Vincent (C)	0.00	Somerville St & Claisebrook Rd	0.33	Lord St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Combinations exceeding (20m length - 2.5m width - 4.3m height) are not permitted.
1300292	Guildford Rd	Guildford Rd	Vincent (C)	0.00	Lord St & Walcott St	0.24	Whatley Cr & Guildford Rd & East Pde	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Combinations exceeding (20m length - 2.5m width - 3.93m height) are not permitted.
1300276	Lord St	Lord St	Vincent (C)	0.23	Edward St	1.48	Guildford Rd & Walcott St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Combinations exceeding (20m length - 2.5m width - 4.3m height) are not permitted.
1300191	Summers St	Summers St	Vincent (C)	0.00	Lord St & Bulwer St	0.09	Claisebrook Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Combinations exceeding (20m length - 2.5m width - 4.3m height) are not permitted.

Tandem Drive Network 2.1



Wagin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3150160	Airfield Rd	Airfield Rd	Wagin	0.00	Vine St	1.57	Bullock Hills Rd	
3150064	Badgarning Rd	Badgarning Rd	Wagin	0.00	Ganzer Rd	5.40	1km From Tillellan Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Ganzer Rd : No access permitted into Ganzer Rd from Badgarning Rd
3150092	Ball Rd	Ball Rd	Wagin	1.80	Bullock Hills Rd	6.66	Woodanilling LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h No Operation between the hours of sunset and sunrise Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3150003	Ballagin Rd	Ballagin Rd	Wagin	0.00	Great Southern Hwy	13.52	Piesseville - Tarwonga Rd	
3150017	Ballaying Rd	Ballaying Rd	Wagin	0.00	Wagin Dumbleyung Rd & Smiths Rd	1.15	Ballaying South Rd & Ballaying West	
3150018	Ballaying South Rd	Ballaying South Rd	Wagin	0.00	Ballaying Rd & Ballaying West	12.05	Ballaying Rd	<ul style="list-style-type: none"> Maximum speed 70 km/h
3150094	Ballaying West	Ballaying West	Wagin	0.00	Bullock Hills Rd	5.93	Ballaying Rd & Ballaying South Rd	
3150002	Beaufort Rd	Beaufort Rd	Wagin	0.00	Umbra St & Unicorn St	30.90	West Arthur LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Becker Rd & Kennetts Rd : No left turn permitted into Kennetts Rd from Beaufort Rd

Tandem Drive Network 2.1



Wagin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3150051	Becker Rd	Becker Rd	Wagin	0.00	Beaufort Rd	6.94	Beaufort Rd & Kennetts Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Beaufort Rd & Kennetts Rd : No right turn permitted into Beaufort Rd from Becker Rd at southern intersection
3150006	Behn Ord Rd	Behn Ord Rd	Wagin	0.00	Wagin Dumbleyung Rd	14.22	Dumbleyung LGA Boundary	<ul style="list-style-type: none"> Maximum speed 70 km/h Intersection Wagin Dumbleyung Rd : No Left Turn Into Collie-Lake King Rd Permitted
3150007	Bockaring Rd	Bockaring Rd	Wagin	0.00	Bullock Hills Rd	8.87	Woodanilling LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3150050	Boddington Rd	Boddington Rd	Wagin	0.00	Queerearrup Rd	3.22	Beaufort Rd	<ul style="list-style-type: none"> Maximum speed 70 km/h

Tandem Drive Network 2.1



Wagin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3150065	Bolts Rd	Bolts Rd	Wagin	0.00	Moore St & Tudor St	3.84	1.53km From Reeves Rd North	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3150065	Bolts Rd	Bolts Rd	Wagin	3.84	1.53km From Reeves Rd North	6.70	Bolts Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Wagin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3150098	Bosenberg Rd	Bosenberg Rd	Wagin	0.00	Bockaring Rd	3.22	Bosenberg Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3150028	Boyalling Rd	Boyalling Rd	Wagin	0.00	Arthur Rd	7.90	De Lyanine North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h No Operation between the hours of sunset and sunrise Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Warup West Rd : No left turn permitted into Warup Rd West from Boyalling Rd southbound
3150004	Bullock Hills Rd	Bullock Hills Rd	Wagin	0.00	Tudhoe St	1.32	Airfield Rd	
3150004	Bullock Hills Rd	Bullock Hills Rd	Wagin	1.32	Airfield Rd	14.56	Ballaying West	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3150004	Bullock Hills Rd	Bullock Hills Rd	Wagin	14.56	Ballaying West	28.75	Bullock Hills Rd & Dare Dr	

Tandem Drive Network 2.1



Wagin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3150036	Cailles Rd	Cailles Rd	Wagin	0.00	Beaufort Rd	5.94	Wilcox Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3150061	Carberdine Pool Rd	Carberdine Pool Rd	Wagin	0.00	Spriggs Fraser Rd	2.57	Carberdine Pool Rd & Carberdine Pool	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3150008	Collanilling Rd	Collanilling Rd	Wagin	0.00	Wagin Dumbleyung Rd	18.27	Quicks Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Dongolocking Rd : No right turn permitted into Dongolocking Rd from Collanilling Rd (travelling south). No left turn permitted into Dongolocking Rd from Collanilling Rd (travelling north).
3150054	Condining Rd	Condining Rd	Wagin	0.00	Piesse Rd	1.37	Great Southern Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Great Southern Hwy : No left turn permitted into Great Southern Hwy from Condining Rd
3150161	Costelloe St	Costelloe St	Wagin	0.00	Tudhoe St	0.61	Omdurman St	
3150198	Cowcher Rd	Cowcher Rd	Wagin	0.00	Tudor St	0.08	Vine St	

Tandem Drive Network 2.1



Wagin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3150027	De Lyanine North Rd	De Lyanine North Rd	Wagin	0.00	Norring Dellyanine Rd	7.11	Arthur Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Arthur Rd : No access permitted into Collie Lake King Rd from De Lyanine North Rd
3150045	Dellyanine Rd	Dellyanine Rd	Wagin	0.00	Norring Dellyanine Rd & Prossers Rd	1.61	West Arthur LGA Boundary	<ul style="list-style-type: none"> Maximum speed 70 km/h
3150001	Dongolocking Rd	Dongolocking Rd	Wagin	0.00	Wagin Dumbleyung Rd	33.27	Dumbleyung LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Gundaring Nth Rd : No access permitted into Gundaring North Rd from Dongolocking Rd
3150059	Drayton Rd	Drayton Rd	Wagin	0.00	Lucas Rd	1.88	Warup North Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Wagin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3150089	Dwelyerdine Rd	Dwelyerdine Rd	Wagin	0.00	Dumbleyung LGA Boundary	7.19	Wickepin LGA Boundary	<ul style="list-style-type: none"> Maximum speed 70 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3150080	Edwards Rd	Edwards Rd	Wagin	0.00	Jaloran Rd	10.28	Piesseville - Jaloran Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3150081	Evans Rd	Evans Rd	Wagin	0.00	Edwards Rd	4.18	Piesseville - Jaloran Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3150075	Farrow Rd	Farrow Rd	Wagin	0.00	Collanilling Rd	4.67	Rowells Rd	
3150048	Flagstaff Rd	Flagstaff Rd	Wagin	0.00	Pederick Rd	7.89	Woodanilling LGA Boundary	<ul style="list-style-type: none"> Maximum speed 70 km/h
3150106	Frosts Rd	Frosts Rd	Wagin	0.00	Ballaying West	2.13	Bullock Hills Rd	
3150060	Fullers Rd	Fullers Rd	Wagin	0.00	Lucas Rd	3.67	Ballagin Rd	
3150058	Ganzer Rd	Ganzer Rd	Wagin	0.00	Arthur Rd	5.22	Lucas Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Badgarning Rd : No access permitted into Badgarning Rd from Ganzer Rd

Tandem Drive Network 2.1



Wagin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3150039	Gundaring Nth Rd	Gundaring Nth Rd	Wagin	0.00	Dongolocking Rd	7.56	Wagin Dumbleyung Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Dongolocking Rd : No access permitted into Dongolocking Rd from Gundaring North Rd
3150029	Gundaring South	Gundaring South	Wagin	0.00	Bullock Hills Rd	3.54	Wagin Dumbleyung Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3150084	Halls Rd	Halls Rd	Wagin	0.00	Wagin - Wickepin Rd	2.03	Narrogin LGA Boundary	
3150041	Harris Rd	Harris Rd	Wagin	0.00	Warup South Rd	6.70	Norring Dellyanine Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Warup South Rd : No right turn permitted into Warup South Rd from Harris Rd Intersection Norring Dellyanine Rd : No left turn permitted into Norring Dellyanine Rd from Harris Rd
3150019	Height Rd	Height Rd	Wagin	0.00	Behn Ord Rd	5.40	Jeffris Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Wagin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3150071	Heights Tie Rd	Heights Tie Rd	Wagin	0.00	Behn Ord Rd	1.61	Height Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3150101	Hyde Rd	Hyde Rd	Wagin	0.00	Piesseville - Tarwonga Rd	1.61	Narrogin LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3150005	Jaloran Rd	Jaloran Rd	Wagin	0.00	Tudhoe St	19.48	Piesseville - Jaloran Rd & Wagin - Wickepin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Tudhoe St : No left turn permitted into Collie-Lake King Rd from Jaloran Rd
3150070	Jeffris Rd	Jeffris Rd	Wagin	0.00	Wagin Dumbleyung Rd	3.38	Height Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Wagin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3150044	Jessup Rd	Jessup Rd	Wagin	0.00	Arthur Rd	6.91	Warup West Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3159000	Johnson Rd	Johnson Rd	Wagin	0.00	Ballagin Rd	1.34	Johnson Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3150052	Kennetts Rd	Kennetts Rd	Wagin	0.00	Beaufort Rd & Becker Rd	1.02	Norring Rd	<ul style="list-style-type: none"> Intersection Beaufort Rd & Becker Rd : No right turn permitted into Beaufort Rd from Kennetts Rd
3150047	Kershaws Rd	Kershaws Rd	Wagin	0.00	Norring Dellyanine Rd	2.08	Beaufort Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3150205	Lalla Rhook Rd	Lalla Rhook Rd	Wagin	0.00	Warup South Rd	1.40	Lalla Rhook Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3150192	Lefroy St	Lefroy St	Wagin	0.00	Tudhoe St	0.26	Vernal St	<ul style="list-style-type: none"> Intersection Vernal St : No left turn permitted into Vernal St from Lefroy St

Tandem Drive Network 2.1



Wagin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3150032	Lime Lake East Rd	Lime Lake East Rd	Wagin	0.00	Great Southern Hwy	4.25	Lime Lake Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3150013	Lime Lake West	Lime Lake West	Wagin	0.00	Norring Rd	8.52	Great Southern Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3150020	Lucas Rd	Lucas Rd	Wagin	0.00	Arthur Rd	8.03	Noble Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3150150	Moore St	Moore St	Wagin	0.00	Badgarning Rd & Great Southern Hwy	1.45	Tudor St & Bolts Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Reeves Rd North : No left turn permitted into Reeves Rd North from Moore St
3150091	Murdoch Rd	Murdoch Rd	Wagin	0.00	Robinson Rd	4.67	Narrogin LGA Boundary	

Tandem Drive Network 2.1



Wagin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3150063	Nelson Rd	Nelson Rd	Wagin	0.00	Arthur Rd	3.70	Ballagin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Arthur Rd : No access permitted into Collie Lake King from Nelson Rd
3150011	Noble Rd	Noble Rd	Wagin	0.00	Ballagin Rd	6.03	Warup North Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
3150011	Noble Rd	Noble Rd	Wagin	6.04	Warup North Rd	15.98	West Arthur LGA Boundary	
3150010	Norring Dellyanine Rd	Norring Dellyanine Rd	Wagin	0.00	Dellyanine Rd & Prossers Rd	17.70	Norring Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
3150009	Norring Rd	Norring Rd	Wagin	0.00	Beaufort Rd	9.68	Pederick Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Pederick Rd : No access permitted into Pederick Rd from Norring Rd
3150072	Painters Rd	Painters Rd	Wagin	0.00	Gundaring Nth Rd	5.89	Collanilling Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3150040	Pederick Rd	Pederick Rd	Wagin	0.00	Norring Rd	4.90	Queerearrup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Wagin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3150055	Piesse Rd	Piesse Rd	Wagin	0.00	Great Southern Hwy	1.06	Sprigg Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Great Southern Hwy : No access permitted into Northam Cranbrook from Piesse Rd
3150055	Piesse Rd	Piesse Rd	Wagin	1.06	Sprigg Rd	1.62	Condining Rd	
3150022	Piesseville - Jalaran Rd	Piesseville - Jalaran Rd	Wagin	0.00	Jalaran Rd & Wagin - Wickepin Rd	14.97	Great Southern Hwy	<ul style="list-style-type: none"> Maximum speed 70 km/h Intersection Great Southern Hwy : No Access To Or From Northam-Cranbrook Rd Permitted
3150012	Piesseville - Tarwonga Rd	Piesseville - Tarwonga Rd	Wagin	0.00	Great Southern Hwy	20.05	West Arthur LGA Boundary	<ul style="list-style-type: none"> Maximum speed 70 km/h
3150099	Puntaping Rd	Puntaping Rd	Wagin	0.00	Bullock Hills Rd	4.80	Farm Access Gate	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3150035	Queerearrup Rd	Queerearrup Rd	Wagin	0.00	Beaufort Rd	1.35	Pederick Rd	
3150035	Queerearrup Rd	Queerearrup Rd	Wagin	1.35	Pederick Rd	4.12	Boddington Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3150035	Queerearrup Rd	Queerearrup Rd	Wagin	4.12	Boddington Rd	5.95	Queerearrup Rd - End Road	
3150023	Quicks Rd	Quicks Rd	Wagin	0.00	Robinson Rd	8.62	Wagin - Wickepin Rd	
3150115	Ranford St	Ranford St	Wagin	0.15	Tavistock St	0.29	Tudhoe St	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Tudhoe St : No left turn permitted into Collie Lake King (Tudhoe Street) from Rabford Street. No right turn permitted into Collie Lake King (Tudhoe Street) from Ranford Street. Left turn only permitted into Tavistock Street from Ranford Street.

Tandem Drive Network 2.1



Wagin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3150203	Reeves Rd North	Reeves Rd North	Wagin	0.00	Moore St	2.80	Bolts Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3150126	Rifle St	Rifle St	Wagin	0.00	Arthur Rd	2.05	Beaufort Rd	<ul style="list-style-type: none"> Intersection Arthur Rd : No left turn permitted into Collie Lake King from Rifle St
3150100	Riseborough Rd	Riseborough Rd	Wagin	2.00	2km From Puntaping Rd	8.46	Great Southern Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3150087	Robinson Rd	Robinson Rd	Wagin	0.00	Dongolocking Rd	6.10	Murdoch Rd	
3150021	Rowells Rd	Rowells Rd	Wagin	0.00	Behn Ord Rd	12.87	Dongolocking Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3150068	Smiths Rd	Smiths Rd	Wagin	0.00	Ballaying Rd & Wagin Dumbleyung Rd	3.60	Behn Ord Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Wagin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3150034	Sprigg Rd	Sprigg Rd	Wagin	0.00	Piesse Rd	1.20	Great Southern Hwy	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3150026	Spriggs Fraser Rd	Spriggs Fraser Rd	Wagin	0.00	Noble Rd	5.70	Carberdine Pool Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3150026	Spriggs Fraser Rd	Spriggs Fraser Rd	Wagin	5.70	Carberdine Pool Rd	10.94	Arthur Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3150222	Stewart Rd	Stewart Rd	Wagin	0.00	Tudhoe St & Wagin Dumbleyung Rd	0.36	0.36km From Collie Lake King Rd	
3150180	Strickland L	Strickland L	Wagin	0.00	Upland St & Strickland St	0.15	Usil L & Tavistock St	<ul style="list-style-type: none"> Operation permitted in a clockwise direction only. Intersection Usil L & Tavistock St : No left turn permitted into Tavistock Street from Strickland Lane.

Tandem Drive Network 2.1



Wagin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3150042	Sutherlands Rd	Sutherlands Rd	Wagin	0.00	Behn Ord Rd	1.61	Sutherland Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3150158	Tavistock St	Tavistock St	Wagin	0.00	Tudor St	0.42	Throssell St	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Ranford St : No right turn permitted into Ranford Street from Tavistock Street.
3150025	Taylor's Rd	Taylor's Rd	Wagin	0.00	Beaufort Rd	8.91	Jessup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3150031	Thompson Rd	Thompson Rd	Wagin	0.00	Piesseville - Tarwonga Rd	10.06	Noble Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3150066	Tillellan Rd	Tillellan Rd	Wagin	0.00	Badgarning Rd	2.18	0.7km From Arthur Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Wagin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3150066	Tillellan Rd	Tillellan Rd	Wagin	3.74		4.83	Arthur Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3150024	Toolibin South Rd	Toolibin South Rd	Wagin	0.00	Dwelyerdine Rd & Toolibin South Rd	9.56	Dongolocking Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3150144	Tudor St	Tudor St	Wagin	0.00	Tudhoe St	1.17	Moore St & Bolts Rd	
3150108	Umbra St	Umbra St	Wagin	0.00	Tudor St	0.67	Beaufort Rd & Unicorn St	<ul style="list-style-type: none"> Maximum speed 50 km/h Intersection Tudor St : No Left Turn Into Northam-Cranbrook Road Permitted
3150157	Unicorn St	Unicorn St	Wagin	0.45	Beaufort Rd & Umbra St	0.47	Beaufort Rd	<ul style="list-style-type: none"> Maximum speed 50 km/h
3150116	Upland St	Upland St	Wagin	0.00	Tudor St	0.20	Strickland St & Strickland L	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Tudor St : No left turn permitted into Northam Cranbrook (Tudor Street) from Upland Street. No right turn permitted into Northam Cranbrook (Tudor Street) from Upland Street.
3150191	Vale St	Vale St	Wagin	0.00	Ventnor St & Vine St	0.20	Vernon St	
3150152	Ventnor St	Ventnor St	Wagin	0.00	Vale St & Vine St	0.23	Vernal St	
3150169	Vernal St	Vernal St	Wagin	0.00	Ventnor St	0.85	Bullock Hills Rd	<ul style="list-style-type: none"> Intersection Lefroy St : No right turn permitted into Lefroy St from Vernal St Intersection Bullock Hills Rd : No left turn permitted into Bullock Hills Rd from Vernal St
3150177	Vernon St	Vernon St	Wagin	0.00	Tudhoe St	1.20	Airfield Rd	
3150170	Vine St	Vine St	Wagin	0.00	Cowcher Rd	0.57	Ventnor St & Vale St	
3150078	Wagin - Wickepin Rd	Wagin - Wickepin Rd	Wagin	0.00	Jaloran Rd & Piesseville - Jaloran Rd	11.08	Narrogin LGA Boundary	

Tandem Drive Network 2.1



Wagin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3150030	Walkers Rd	Walkers Rd	Wagin	0.00	Edwards Rd	7.56	Great Southern Hwy	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Great Southern Hwy : No right turn permitted into Great Southern Hwy from Walkers Rd
3150015	Warup North Rd	Warup North Rd	Wagin	0.00	Koobadong Rd & Thompson Rd	10.16	Warup South Rd & Arthur Rd	
3150014	Warup South Rd	Warup South Rd	Wagin	0.00	Beaufort Rd	16.29	Warup North Rd & Arthur Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Harris Rd : No left turn permitted into Harris Rd from Warup South Rd Intersection Warup West Rd : No access permitted into Warup Rd West from Warup South Rd
3150016	Warup West Rd	Warup West Rd	Wagin	0.00	Warup South Rd	9.06	Arthur Rd	<ul style="list-style-type: none"> Intersection Warup South Rd : No access permitted into Warup Rd South from Warup Rd West Intersection Boyalling Rd : No right turn permitted into Boyalling Rd northbound from Warup Rd West
3150057	Watson Rd	Watson Rd	Wagin	0.00	Warup North Rd	3.78	Watson Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3150095	West's Rd	West's Rd	Wagin	0.00	Bullock Hills Rd	0.60	West's Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Wandering

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4270034	Andersons Rd	Andersons Rd	Wandering	0.00	Dwarda East Rd	0.45	Extracts Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4270002	Bannister Rd	Bannister Rd	Wandering	0.00	North Bannister - Wandering Rd	14.58	Albany Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection North Bannister - Wandering Rd : No left turn permitted into North Bannister - Wandering Rd from Bannister Rd
4270008	Carabin Rd	Carabin Rd	Wandering	0.00	Noombling - Norrine Rd	10.73	York - Williams Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Mooterdine Loop : No right turn permitted into Mooterdine Loop from Carabin Rd

Tandem Drive Network 2.1



Wandering

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4270006	Codjatonine - Hastings Rd	Codjatonine - Hastings Rd	Wandering	0.00	North Wandering Rd	11.87	Wandering - Pingelly Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4270017	Codjatonine - Mooterdine Rd	Codjatonine - Mooterdine Rd	Wandering	0.00	Wandering - Pingelly Rd	7.72	Carabin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Carabin Rd : No access permitted to or from Carabin Rd
4270003	Crossman - Dwarda Rd	Crossman - Dwarda Rd	Wandering	0.00	Fourteen Mile Brook Rd	8.12	Boddington LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. For a RAV Category 2 - B Double. Bridges 3062 & 3063A not to be crossed. Bridge 3062 located 2.98km South of Fourteen Mile Brook Rd. Bridge 3063A located 4.49km South of Fourteen Mile Brook Rd.
4270054	Deans Rd	Deans Rd	Wandering	0.00	Wandering - Pingelly Rd	4.59		<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Wandering

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4270012	Dwarda East Rd	Dwarda East Rd	Wandering	0.00	Crossman - Dwarda Rd	7.57	Fourteen Mile Brook Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Fourteen Mile Brook Rd : No left turn permitted into Fourteen Mile Brook Rd from Dwarda East Rd
4270023	Edwards Rd	Edwards Rd	Wandering	0.00	Wandering - Pingelly Rd	4.12	Edward Rd - End Road	
4270044	Extracts Rd	Extracts Rd	Wandering	0.00	Andersons Rd	2.69	Williams LGA Boundary	
4270004	Fourteen Mile Brook Rd	Fourteen Mile Brook Rd	Wandering	0.00	Wandering - Pingelly Rd	13.78	Williams LGA Boundary	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4270024	George Rd	George Rd	Wandering	0.00	Codjatotine - Hastings Rd	7.55	Wandering - Pingelly Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4270027	Grahams Rd	Grahams Rd	Wandering	0.00	Mooterdine Loop	2.21	Noombling - Norrine Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Wandering

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4270015	Herdigan Rd	Herdigan Rd	Wandering	0.00	Ricks Rd	7.82	Young Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Ricks Rd : No Right Turn Into Ricks Road Permitted
4270011	Kubbine Rd	Kubbine Rd	Wandering	0.00	North Wandering Rd	6.66	York - Williams Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h
4270067	Lamont Rd	Lamont Rd	Wandering	0.00	Young Rd	0.60	Lamont Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4270014	Mission Rd	Mission Rd	Wandering	0.00	North Bannister - Wandering Rd	3.51	1.34km Before Mission Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Wandering

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4270052	Monk Rd	Monk Rd	Wandering	0.00	Carabin Rd	0.80	Monk Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4270064	Mooterdine Loop	Mooterdine Loop	Wandering	0.00	Carabin Rd	7.90	Carabin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). No left turn permitted out of Mooterdine Transport Depot Intersection Carabin Rd : No right turn permitted into Carabin Rd from Mooterdine Loop
4270013	Moramockinging Rd	Moramockinging Rd	Wandering	0.00	Wandering - Pingelly Rd	7.70	Oconnell Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Wandering

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4270013	Moramocking Rd	Moramocking Rd	Wandering	7.70	Oconnell Rd	8.84	Reid Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4270071	Ngulla Mia Rd	Ngulla Mia Rd	Wandering	0.00	Ricks Rd	1.58	Ngulla Mia Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4270005	Noombling - Norrine Rd	Noombling - Norrine Rd	Wandering	0.00	Fourteen Mile Brook Rd	12.35	Wandering - Pingelly Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4270055	North Bannister - Wandering Rd	North Bannister - Wandering Rd	Wandering	0.00	Albany Hwy	26.16	North Wandering Rd & Wandering - Pingelly Rd	<ul style="list-style-type: none"> Intersection Ricks Rd : No Right Turn Into 4270010 Ricks Rd Intersection Bannister Rd : No Right Turn Into 4270002 Bannister Rd
4270001	North Wandering Rd	North Wandering Rd	Wandering	0.00	Wandering - Pingelly Rd & North Bannister - Wandering Rd	27.35	York - Williams Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4270060	Pennington Rd	Pennington Rd	Wandering	0.00	Wandering - Pingelly Rd	2.05	Pennington Rd - End Road	
4270049	Popanyinning West Rd	Popanyinning West Rd	Wandering	0.00	Wandering Narrogin Rd	0.47	Cuballing LGA Boundary	

Tandem Drive Network 2.1



Wandering

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4270021	Potts Rd	Potts Rd	Wandering	0.00	North Wandering Rd	5.00	Codjatotine - Hastings Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4270025	Reid Rd	Reid Rd	Wandering	0.00	Crossman - Dwarda Rd	3.16	Moramocking Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4270010	Ricks Rd	Ricks Rd	Wandering	0.00	North Bannister - Wandering Rd	25.91	North Wandering Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection North Bannister - Wandering Rd : No left turn permitted into North Bannister - Wandering Rd from Ricks Rd Intersection Herdigan Rd : No right turn permitted into Herdigan Rd from Ricks Rd
4270009	Sheoak Rd	Sheoak Rd	Wandering	0.00	North Wandering Rd	6.03	Ricks Rd	
4270018	Stevens Rd	Stevens Rd	Wandering	0.00	York - Williams Rd	2.70	Cuballing LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Wandering

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4270068	Underwood Rd	Underwood Rd	Wandering	0.00	Herdigan Rd	0.60	Underwood Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4270056	Wandering - Pingelly Rd	Wandering - Pingelly Rd	Wandering	0.00	North Wandering Rd & North Bannister - Wandering Rd	27.81	York - Williams Rd & North Bannister - Pingelly Rd	
4270057	Wandering Narrogin Rd	Wandering Narrogin Rd	Wandering	0.00	Wandering - Pingelly Rd	6.50	Wandering - Narrogin Rd	
4270072	Warburton Rd	Warburton Rd	Wandering	0.00	Wandering - Pingelly Rd	1.15	Warburton Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4270020	Watts Rd	Watts Rd	Wandering	0.00	Crossman - Dwarda Rd	2.48	Fourteen Mile Brook Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Wandering

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4270007	York - Williams Rd	York - Williams Rd	Wandering	0.00	York - Williams Rd & North Wandering Rd	9.77	Wandering - Pingelly Rd & North Bannister - Pingelly Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4270007	York - Williams Rd	York - Williams Rd	Wandering	9.77	Wandering - Pingelly Rd & North Bannister - Pingelly Rd	15.40	Wandering Narrogin Rd	
4270007	York - Williams Rd	York - Williams Rd	Wandering	15.43	Wandering Narrogin Rd	26.71	Williams LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4270016	Young Rd	Young Rd	Wandering	0.00	Wearne Rd (F)	7.30	Brookton LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Wanneroo (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1109791	Accomplish Wy	Accomplish Wy	Wanneroo (C)	0.00	Boom St	0.34	Forward St	
1103373	Achievement Wy	Achievement Wy	Wanneroo (C)	0.00	Paramount Dr & Challenge Bvd	1.08	Paramount Dr	
1103374	Action Pl	Action Pl	Wanneroo (C)	0.00	Triumph Av	0.18	Challenge Bvd	
1104826	Advantage Wy	Advantage Wy	Wanneroo (C)	0.00	Rigali Wy	0.22	Hartman Dr	<ul style="list-style-type: none"> Intersection Hartman Dr : No right turn permitted into Hartman Dr from Advantage Wy
1101654	Alexander Dr	Alexander Dr	Wanneroo (C)	0.00	Beach Rd & Alexander Dr	6.58	Alexander Dr - End Road	
1104417	Ambition Gte	Ambition Gte	Wanneroo (C)	0.00	Motivation Dr	0.03	Ambition Gte - End Road	
1105807	Apex Wy	Apex Wy	Wanneroo (C)	0.00	Prestige Pde & Prosperity Av	0.21	Volcanic Loop	
1101283	Arrigo St	Arrigo St	Wanneroo (C)	0.00	Dellamarta Rd	0.20	Buckingham Dr	
1100269	Ashby St	Ashby St	Wanneroo (C)	0.52	Entrance to Inghams Chicken Farm Entrance	0.82	Badgerup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Badgerup Rd : No Left Turn Onto 1100208 Badgerup Rd
1101181	Attwell St	Attwell St	Wanneroo (C)	0.00	Prestige Pde & Gngara Rd	0.72	Furniss Rd	
1104732	Automotive Dr	Automotive Dr	Wanneroo (C)	0.00	Wanneroo Rd	0.47	Garino Rise	
1101705	Avery St	Avery St	Wanneroo (C)	0.00	Mather Dr	0.40		
1101705	Avery St	Avery St	Wanneroo (C)	0.56		0.80	Greenwich Pde	
1106002	Axis Pde	Axis Pde	Wanneroo (C)	0.07		0.65	Orbit St	
1100208	Badgerup Rd	Badgerup Rd	Wanneroo (C)	0.00	Ross St & Hawkins Rd	3.66	Ocean Reef Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Ashby St : No Left Turn Onto 1100269 Ashby St
1106058	Bally St	Bally St	Wanneroo (C)	0.00	Darlot Rd	0.24	Mirraboooka Av	
1101272	Baretta Rd	Baretta Rd	Wanneroo (C)	0.00	Berriman Dr	0.87	Lindsay Rd	
1102143	Beach Rd	Beach Rd	Wanneroo (C)	0.00	Beach Rd & Wanneroo Rd	5.45	Beach Rd & Alexander Dr	
1105528	Beneficial Wy	Beneficial Wy	Wanneroo (C)	0.00	Inspiration Dr	0.30	Distinction Rd	
1101269	Berriman Dr	Berriman Dr	Wanneroo (C)	0.00	Prindiville Dr	1.52	Prindiville Dr	
1105256	Bessemer Wy	Bessemer Wy	Wanneroo (C)	0.00	Bombardier Rd	0.21	Lancaster Rd	
1105257	Bombardier Rd	Bombardier Rd	Wanneroo (C)	0.00	Lancaster Rd	0.20	Bombardier Rd - End Road	
1108130	Boom St	Boom St	Wanneroo (C)	0.00	Fortitude Bvd & Supreme Loop	0.61	Accomplish Wy	
1101284	Brady St	Brady St	Wanneroo (C)	0.00	Buckingham Dr	0.15	Ocean Reef Rd	<ul style="list-style-type: none"> Intersection Ocean Reef Rd : No Right Turn Into Ocean Reef Rd From Brady St
1101275	Buckingham Dr	Buckingham Dr	Wanneroo (C)	0.00	Wanneroo Rd	1.69	Hartman Dr	
1105809	Cache Bend	Cache Bend	Wanneroo (C)	0.00	Opportunity St	0.03	Cache Bend - Db Start	
1101626	Callaway St	Callaway St	Wanneroo (C)	0.00	Gngara Rd	1.12	Competition Wy	
1100254	Caporn St	Caporn St	Wanneroo (C)	0.02		2.37	Rousset Rd & Franklin Rd	<ul style="list-style-type: none"> Intersection Rousset Rd & Franklin Rd : No left turn permitted into Rousset Rd from Caporn St

Tandem Drive Network 2.1



Wanneroo (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1100465	Carabooda Rd	Carabooda Rd	Wanneroo (C)	0.00	Karoborup Rd	3.26	Cutler Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1109796	Carbonate Rd	Carbonate Rd	Wanneroo (C)	0.00	Wisdom Tce	0.43	Apex Wy	<ul style="list-style-type: none"> Intersection Apex Wy : No right turn permitted into Apex Wy from Carbonate Rd
1103375	Challenge Bvd	Challenge Bvd	Wanneroo (C)	0.00	Excellence Dr & Motivation Dr	0.78	Paramount Dr & Achievement Wy	
1102413	Chitty Rd	Chitty Rd	Wanneroo (C)	0.00	Perry Rd	0.26	Chitty Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1101277	Chokolich St	Chokolich St	Wanneroo (C)	0.00	Prindiville Dr	0.22	Dellamarta Rd	
1106059	Christable Wy	Christable Wy	Wanneroo (C)	0.00	Furniss Rd	1.20	Bally St	
1104418	Competition Wy	Competition Wy	Wanneroo (C)	0.00	Prosperity Av	0.98	Opportunity St	
1104893	Conquest Wy	Conquest Wy	Wanneroo (C)	0.00	Excellence Dr	0.83	Motivation Dr	
1102256	Cowle St	Cowle St	Wanneroo (C)	0.00	Gnangara Rd	0.13	Hoskins Rd	
1105529	Creative St	Creative St	Wanneroo (C)	0.00	Inspiration Dr	0.36	Excellence Dr	
1106060	Darlot Rd	Darlot Rd	Wanneroo (C)	0.00	Furniss Rd	0.41	Christable Wy	
1101280	Dellamarta Rd	Dellamarta Rd	Wanneroo (C)	0.00	Prindiville Dr	1.48	Lumsden Rd	
1106287	Destiny Wy	Destiny Wy	Wanneroo (C)	0.70	For 300m From Niche Parade.	1.00	Niche Pde	
1106061	Dillington Pass	Dillington Pass	Wanneroo (C)	0.00	Fallon Rd	0.26	Christable Wy	
1105810	Distinction Rd	Distinction Rd	Wanneroo (C)	0.00	Conquest Wy	1.05	Prestige Pde & Wisdom Tce	
1101281	Dobbins St	Dobbins St	Wanneroo (C)	0.00	Buckingham Dr	0.17	Dellamarta Rd	
1100262	Dundebar Rd	Dundebar Rd	Wanneroo (C)	0.00	Wanneroo Rd	2.82	Franklin Rd	
1105210	Edison Rise	Edison Rise	Wanneroo (C)	0.00	Lancaster Rd	0.27	Berriman Dr	
1104827	Endeavour Wy	Endeavour Wy	Wanneroo (C)	0.00	Success Wy	0.19	Innovation Cct	
1106919	Eternity St	Eternity St	Wanneroo (C)	0.00	Destiny Wy	0.26	Wisdom Tce	
1104828	Excellence Dr	Excellence Dr	Wanneroo (C)	0.00	Challenge Bvd & Motivation Dr	1.30	Excellence Dr - End Road	
1106062	Fallon Rd	Fallon Rd	Wanneroo (C)	0.00	Christable Wy	0.42	Darlot Rd	
1106943	Fellowship Rd	Fellowship Rd	Wanneroo (C)	0.00	Fortitude Bvd	0.66	Boom St	
1101575	Finlay Pl	Finlay Pl	Wanneroo (C)	0.00	Buckingham Dr	0.30	Uppill Pl	
1100474	Flynn Dr	Flynn Dr	Wanneroo (C)	0.00	Wanneroo Rd & Neerabup Rd	5.83	Old Yanchep Rd	
1106944	Fortitude Bvd	Fortitude Bvd	Wanneroo (C)	0.00	Niche Pde & Ocean Reef Rd	0.78	Forward St	
1109790	Forward St	Forward St	Wanneroo (C)	0.00	Fortitude Bvd	0.29	Boom St	
1100266	Franklin Rd	Franklin Rd	Wanneroo (C)	0.00	Rousset Rd & Caporn St	2.76	Lenore Rd & High Rd	
1101671	Furniss Rd	Furniss Rd	Wanneroo (C)	0.00	Mosey St & Mullingar Wy	1.50	Mirrabooka Av	
1101661	Garden Park Dr	Garden Park Dr	Wanneroo (C)	0.00	Caporn St	1.45	Dundebar Rd	
1105513	Garino Rise	Garino Rise	Wanneroo (C)	0.00	Lancaster Rd	0.27	Berriman Dr	

Tandem Drive Network 2.1



Wanneroo (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1108186	Gavranich Wy	Gavranich Wy	Wanneroo (C)	0.00	Windsor Rd	0.65	Gavranich Wy - End Road	
1100468	Gibbs Rd	Gibbs Rd	Wanneroo (C)	2.30	Wesco Rd & Nowergup Rd	3.65	Godel Rd	
1106004	Global Rd	Global Rd	Wanneroo (C)	0.00	Hemisphere St	0.15		
1106946	Glory Rd	Glory Rd	Wanneroo (C)	0.00	Supreme Loop	0.29	Supreme Loop	
1101282	Glossop St	Glossop St	Wanneroo (C)	0.00	Buckingham Dr	0.20	Dellamarta Rd	
1102401	Glover St	Glover St	Wanneroo (C)	0.00	Attwell St	0.21	Christable Wy	
1100004	Gnangara Rd	Gnangara Rd	Wanneroo (C)	1.13	Rigali Wy	4.21	Gnangara Rd & Ocean Reef Rd & Sydney Rd	
1102089	Godel Rd	Godel Rd	Wanneroo (C)	0.00	Gibbs Rd	0.60	Quarry Access At 600m	
1106005	Greenwich Pde	Greenwich Pde	Wanneroo (C)	0.00	Flynn Dr	0.63		
1101268	Hartman Dr	Hartman Dr	Wanneroo (C)	2.09	Gnangara Rd	4.00	Ocean Reef Rd & Lenore Rd	<ul style="list-style-type: none"> Intersection Advantage Wy : No left turn permitted into Advantage Wy from Hartman Dr
1100267	Hawkins Rd	Hawkins Rd	Wanneroo (C)	0.00	Badgerup Rd & Ross St	4.13	Townsend Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Badgerup Rd & Ross St : No Left Turn Into 1100209 Ross St
1106006	Hemisphere St	Hemisphere St	Wanneroo (C)	0.21		0.63	Global Rd	
1101900	Hepburn Av	Hepburn Av	Wanneroo (C)	0.00	Hepburn Av & Alexander Dr	5.34	Wanneroo Rd & Hepburn Av	<ul style="list-style-type: none"> Maximum speed 60 km/h
1103098	Hester Av	Hester Av	Wanneroo (C)	0.00	Marmion Av - Hester Av Rty	2.95	Wanneroo Rd	
1107121	Hester Av Slip South	Hester Av Slip South	Wanneroo (C)	0.00	Hester Av	0.15	Marmion Av	
1100253	Honey St	Honey St	Wanneroo (C)	0.00	Caporn St	0.66	Honey St - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Height not to exceed 4.3 metres
1106007	Horizon Tce	Horizon Tce	Wanneroo (C)	0.00	Axis Pde	0.13		
1101668	Hoskins Rd	Hoskins Rd	Wanneroo (C)	0.00	Mosey St	0.38	Cowle St	
1105808	Icon Link	Icon Link	Wanneroo (C)	0.00	Opportunity St	0.15	Prosperity Av	
1104829	Innovation Cct	Innovation Cct	Wanneroo (C)	0.00	Rigali Wy	1.14	Rigali Wy	
1104894	Inspiration Dr	Inspiration Dr	Wanneroo (C)	0.00	Hartman Dr	1.26	Prestige Pde	
1105813	Integrity Wy	Integrity Wy	Wanneroo (C)	0.00	Prestige Pde	0.32	Callaway St	
1105530	Investment Rd	Investment Rd	Wanneroo (C)	0.00	Inspiration Dr	0.07	Investment Rd - End Road	
1101279	Irwin Rd	Irwin Rd	Wanneroo (C)	0.00	Prindiville Dr	0.22	Dellamarta Rd	
1101278	Ismail St	Ismail St	Wanneroo (C)	0.00	Prindiville Dr	0.22	Dellamarta Rd	
1101665	Joondalup Dr	Joondalup Dr	Wanneroo (C)	0.00	Joondalup (C) LGA Boundary	0.35	Wanneroo Rd - Joondalup Dr Rty off to Joondalup Dr (Westbound)	
1106063	Kalinga Wy	Kalinga Wy	Wanneroo (C)	0.00	Fallon Rd	0.26	Christable Wy	
1100466	Karoborup Rd	Karoborup Rd	Wanneroo (C)	1.35	Carabooda Rd	1.37	Carabooda Rd	

Tandem Drive Network 2.1



Wanneroo (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1100466	Karoborup Rd	Karoborup Rd	Wanneroo (C)	1.37	Carabooda Rd	4.24	Wanneroo Rd & Romeo Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Wanneroo Rd & Romeo Rd : No right turn permitted into Wanneroo Rd from Karoborup Rd
1100677	Kiln Rd	Kiln Rd	Wanneroo (C)	0.00	Karoborup Rd	1.16	Kiln Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h
1100206	Lancaster Rd	Lancaster Rd	Wanneroo (C)	0.00	Wanneroo Rd	0.74	Windsor Rd	
1104416	Leadership Wy	Leadership Wy	Wanneroo (C)	0.00	Paramount Dr	0.33	Motivation Dr	
1101183	Lenore Rd	Lenore Rd	Wanneroo (C)	0.00	Ocean Reef Rd & Hartman Dr	3.36	High Rd & Franklin Rd	
1101270	Lindsay Rd	Lindsay Rd	Wanneroo (C)	0.00	Berriman Dr	0.28	Prindiville Dr	
1107883	Link Road From Joondalup Dr (Eastbound) on to Wanneroo Rd	Link Road From Joondalup Dr (Eastbound) on to Wanneroo Rd	Wanneroo (C)	0.00	Joondalup Dr	0.32	Wanneroo Rd & Wanneroo Rd Joondalup Dr Rty	
1109798	Lithic Wy	Lithic Wy	Wanneroo (C)	0.00	Carbonate Rd	0.21	Volcanic Loop	
1101285	Luisini Rd	Luisini Rd	Wanneroo (C)	0.00	Hartman Dr	0.63	Parri Rd	
1101276	Lumsden Rd	Lumsden Rd	Wanneroo (C)	0.00	Buckingham Dr	0.39	Prindiville Dr	
1101274	Mackie St	Mackie St	Wanneroo (C)	0.00	Baretta Rd	0.12	Prindiville Dr	
1101704	Mather Dr	Mather Dr	Wanneroo (C)	0.00	Flynn Dr	1.23	Pederick Rd	
1100168	Mirrabooka Av	Mirrabooka Av	Wanneroo (C)	4.99	Furniss Rd	5.83	Gnangara Rd	
1101670	Mosey St	Mosey St	Wanneroo (C)	0.00	Gnangara Rd	0.42	Furniss Rd & Mullingar Wy	
1103376	Motivation Dr	Motivation Dr	Wanneroo (C)	0.00	Hartman Dr	1.18	Ocean Reef Rd	
1104733	Motor Pde	Motor Pde	Wanneroo (C)	0.00	Pembroke Rd & Lancaster Rd	0.34	Berriman Dr	
1109989	Mowatt Cl	Mowatt Cl	Wanneroo (C)	0.00	Wanneroo Rd & Clarkson Av	0.08	0.08km After Wanneroo Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1100475	Neaves Rd	Neaves Rd	Wanneroo (C)	0.00	Joondalup Dr & Old Yanchep Rd	6.67	Swan (C) LGA Boundary	
1103105	Neerabup Rd	Neerabup Rd	Wanneroo (C)	0.00	Marmion Av - Neerabup Rd Rty	2.06	Mitchell Fwy (Northbound) off to Neerabup Rd & Neerabup Rd on to Mitchell Fwy (Northbound)	<ul style="list-style-type: none"> No Operation between 8:00 PM and 6:00 AM
1103105	Neerabup Rd	Neerabup Rd	Wanneroo (C)	2.06	Mitchell Fwy (Northbound) off to Neerabup Rd & Neerabup Rd on to Mitchell Fwy (Northbound)	4.33	Wanneroo Rd & Flynn Dr	
1101273	Nevin St	Nevin St	Wanneroo (C)	0.00	Prindiville Dr	0.12	Baretta Rd	
1106920	Niche Pde	Niche Pde	Wanneroo (C)	0.00	Fortitude Bvd & Ocean Reef Rd	0.47	Wisdom Tce	<ul style="list-style-type: none"> Intersection Fortitude Bvd & Ocean Reef Rd : No left turn permitted into Niche Parade from Ocean Reef Road.
1103107	Nowergup Rd	Nowergup Rd	Wanneroo (C)	0.00	Wanneroo Rd	0.89	Wesco Rd & Gibbs Rd	

Tandem Drive Network 2.1



Wanneroo (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1101574	O'Connor Wy	O'Connor Wy	Wanneroo (C)	0.00	Buckingham Dr	0.49	Finlay Pl	
1100456	Old Yanchep Rd	Old Yanchep Rd	Wanneroo (C)	0.00	Joondalup Dr & Neaves Rd	4.43	Wattle Av	
1100456	Old Yanchep Rd	Old Yanchep Rd	Wanneroo (C)	4.43	Wattle Av	7.13	Wesco Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1100456	Old Yanchep Rd	Old Yanchep Rd	Wanneroo (C)	7.13	Wesco Rd	13.54	Cutler Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Includes from Cutler Road (North) until Lot 502 Old Yanchep Road
1100456	Old Yanchep Rd	Old Yanchep Rd	Wanneroo (C)	13.54	Cutler Rd	16.37	2.825km From Cutler Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
1105811	Opportunity St	Opportunity St	Wanneroo (C)	0.00	Competition Wy	0.49	Callaway St	
1101271	Pappas St	Pappas St	Wanneroo (C)	0.00	Berriman Dr	0.15	Baretta Rd	
1103377	Paramount Dr	Paramount Dr	Wanneroo (C)	0.00	Hartman Dr	0.90	Motivation Dr	
1101286	Parri Rd	Parri Rd	Wanneroo (C)	0.00	Rigali Wy	0.47	Parri Rd - End Road	
1101738	Pederick Rd	Pederick Rd	Wanneroo (C)	1.23	Mather Dr	3.92	Old Yanchep Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1104381	Pembroke Rd	Pembroke Rd	Wanneroo (C)	0.00	Lancaster Rd & Motor Pde	0.17	Pembroke Rd - End Road	
1100471	Perry Rd	Perry Rd	Wanneroo (C)	0.00	Ziatas Rd	13.96	Perry Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1100250	Pinjar Rd	Pinjar Rd	Wanneroo (C)	1.15	Hollosy Wy & Caporn St	3.02	1.87km North of Caporn St	
1105814	Prestige Pde	Prestige Pde	Wanneroo (C)	0.00	Attwell St & Gngara Rd	0.98	Ocean Reef Rd	
1101267	Prindiville Dr	Prindiville Dr	Wanneroo (C)	0.00	Hartman Dr	1.47	Wanneroo Rd & Rosso Mndr	
1105531	Profit Pass	Profit Pass	Wanneroo (C)	0.00	Inspiration Dr	0.28	Distinction Rd	
1105812	Prosperity Av	Prosperity Av	Wanneroo (C)	0.00	Prestige Pde & Apex Wy	0.74	Competition Wy	<ul style="list-style-type: none"> Intersection Callaway St : No left turn permitted into Callaway St (north) from Prosperity Ave (west)
1105532	Quantum Link	Quantum Link	Wanneroo (C)	0.00	Inspiration Dr	0.26	Distinction Rd	
1109797	Quartz Wy	Quartz Wy	Wanneroo (C)	0.00	Carbonate Rd	0.22	Volcanic Loop	
1108187	Radich Ch	Radich Ch	Wanneroo (C)	0.00	Windsor Rd	0.26	Gavranich Wy	
1104832	Rigali Wy	Rigali Wy	Wanneroo (C)	0.00	Gngara Rd	0.57	Innovation Cct	
1101672	Rimmer Rd	Rimmer Rd	Wanneroo (C)	0.00	Mosey St	0.63	Attwell St	
1106012	Ring St	Ring St	Wanneroo (C)	0.00	Hemisphere St	0.31		
1101667	Rogers Wy	Rogers Wy	Wanneroo (C)	0.00	Mosey St	0.70	Rimmer Rd	
1100457	Romeo Rd	Romeo Rd	Wanneroo (C)	0.00	Wanneroo Rd & Karoborup Rd	0.74	Mitchell Fwy (Northbound) off to Romeo Rd	

Tandem Drive Network 2.1



Wanneroo (C)

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
1100209	Ross St	Ross St	Wanneroo (C)	0.00	Badgerup Rd & Hawkins Rd	0.98	Damian Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Badgerup Rd & Hawkins Rd : No Left Turn Into 1100208 Badgerup Rd
1100264	Rousset Rd	Rousset Rd	Wanneroo (C)	0.00	Caporn St & Franklin Rd	1.17	Townsend Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Caporn St & Franklin Rd : No right turn permitted into Caporn St from Rousset Rd
1100264	Rousset Rd	Rousset Rd	Wanneroo (C)	1.17	Townsend Rd	3.09	Rousset Rd - End Road	
1104830	Success Wy	Success Wy	Wanneroo (C)	0.00	Rigali Wy	0.24	Venture Loop	
1106947	Supreme Loop	Supreme Loop	Wanneroo (C)	0.00	Blaze Rd & Fortitude Bvd	0.87	Fortitude Bvd & Boom St	
1100265	Townsend Rd	Townsend Rd	Wanneroo (C)	0.00	Rousset Rd	1.66	Hawkins Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1106149	Trandos Rd	Trandos Rd	Wanneroo (C)	0.00	Old Yanchep Rd	0.07	0.07km From Old Yanchep Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1100268	Trichet Rd	Trichet Rd	Wanneroo (C)	0.00	Hawkins Rd	1.67	Franklin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1103378	Triumph Av	Triumph Av	Wanneroo (C)	0.00	Paramount Dr	0.74	Leadership Wy	
1102641	Turnbull Rd	Turnbull Rd	Wanneroo (C)	0.00	Avery St	0.36	Warman St	
1104384	Uppill Pl	Uppill Pl	Wanneroo (C)	0.00	O'Connor Wy	0.35	Uppill Pl - End Road	
1104831	Venture Loop	Venture Loop	Wanneroo (C)	0.00	Innovation Cct	0.31	Innovation Cct	
1101832	Villanova St	Villanova St	Wanneroo (C)	0.00	Wanneroo Rd	0.07	0.07km After Wanneroo Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
1105815	Vision St	Vision St	Wanneroo (C)	0.00	Callaway St	0.43	Inspiration Dr	
1109799	Volcanic Loop	Volcanic Loop	Wanneroo (C)	0.00	Wisdom Tce	0.78	Apex Wy	
1107885	Wanneroo Rd - Joondalup Dr Rty off to Joondalup Dr (Westbound)	Wanneroo Rd - Joondalup Dr Rty off to Joondalup Dr (Westbound)	Wanneroo (C)	0.00	Wanneroo Rd & Wanneroo Rd Joondalup Dr Rty	0.28	Joondalup Dr	
1102642	Warman St	Warman St	Wanneroo (C)	0.00	Mather Dr	0.39		
1100469	Wattle Av	Wattle Av	Wanneroo (C)	4.31	Wattle Av - Db End	6.19	Old Yanchep Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h
1102608	Welsh Pl	Welsh Pl	Wanneroo (C)	0.00	Rogers Wy	0.07	Welsh Pl - End Road	
1100467	Wesco Rd	Wesco Rd	Wanneroo (C)	0.00	Old Yanchep Rd	5.93	Gibbs Rd & Nowergup Rd	
1102645	Windsor Rd	Windsor Rd	Wanneroo (C)	0.00	Wanneroo Rd	0.81	Lancaster Rd	
1106921	Wisdom Tce	Wisdom Tce	Wanneroo (C)	0.00	Eternity St	0.72	Distinction Rd & Prestige Pde	<ul style="list-style-type: none"> Intersection Distinction Rd & Prestige Pde : No left turn permitted into Prestige Pde from Wisdom Tce
1102263	Ziatas Rd	Ziatas Rd	Wanneroo (C)	0.00	Old Yanchep Rd	1.52	Perry Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Waroona

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2090026	Bancell Rd	Bancell Rd	Waroona	0.00	Somers Rd & Brockman Rd	2.31	South Western Hwy	<ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Curfew applies on school days only.
2090003	Bristol Rd	Bristol Rd	Waroona	0.00	Somers Rd	7.06	Johnston Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. For a Restricted Access Vehicle Category 2 (B) - B-Triple, bridge 4734A not to be crossed (located 2.97km west of Somers Rd)
2090005	Buller Rd	Buller Rd	Waroona	3.50	1.05km From Somers Rd	4.55	Somers Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h No Operation between the hours of sunset and sunrise Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2090005	Buller Rd	Buller Rd	Waroona	4.55	Somers Rd	7.82	1.04 Km Past Alexander Rd	<ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Curfew applies on school days only.
2090005	Buller Rd	Buller Rd	Waroona	7.82	1.04 Km Past Alexander Rd	8.14	Richards Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2090001	Coronation Rd	Coronation Rd	Waroona	0.00	South Western Hwy	6.41	Somers Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Curfew applies on school days only.

Tandem Drive Network 2.1



Waroona

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2090001	Coronation Rd	Coronation Rd	Waroona	6.41	Somers Rd	16.20	Peppermint Grove Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. No Operation between the hours of sunset and sunrise Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2090004	Johnston Rd	Johnston Rd	Waroona	0.00	Forrest Hwy	8.90	Harvey LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2090233	Kularda Rd	Kularda Rd	Waroona	0.00	Old Bunbury Rd Svc Rd (West)	1.51	Lake Clifton Rd	
2090234	Lake Clifton Rd	Lake Clifton Rd	Waroona	0.00	Forrest Hwy	5.72	Old Coast Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2090020	Mayfield Rd	Mayfield Rd	Waroona	0.00	South Western Hwy	0.27	McNeill Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
2090065	McDowell St	McDowell St	Waroona	0.00	Nanga Brook Rd & Hill St	1.13	South Western Hwy	

Tandem Drive Network 2.1



Waroona

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2090067	McLarty St	McLarty St	Waroona	0.00	Fouracre St	1.23	Lyons Rd & Weir Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
2090080	McNeill Rd	McNeill Rd	Waroona	0.00	Logue St	4.50	Driveway 0.5 Km North of The Mayfield Road Intersection	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road.
2090006	Nanga Brook Rd	Nanga Brook Rd	Waroona	0.00	McDowell St & Hill St	20.12	Nanga Rd No 74	
2090074	Nanga Rd	Nanga Rd	Waroona	0.00	Nanga Rd & Park Rd (F)	5.55	Murray Valley Rd (F)	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2090190	Old Bunbury Rd	Old Bunbury Rd	Waroona	0.00	Murray LGA Boundary	1.39	Forrest Hwy	
2090174	Peel Rd East	Peel Rd East	Waroona	0.00	South Western Hwy	0.70	Dallas St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h

Tandem Drive Network 2.1



Waroona

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
2090002	Peppermint Grove Rd	Peppermint Grove Rd	Waroona	0.00	Coronation Rd	5.96	Forrest Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h No Operation between the hours of sunset and sunrise Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
2090223	Richards Rd	Richards Rd	Waroona	0.00	Buller Rd	0.51	Richards Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
2090021	Somers Rd	Somers Rd	Waroona	0.00	Brockman Rd & Bancell Rd	11.19	Coronation Rd	<ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Curfew applies on school days only. Bridge 5188 Logue Brook B1 Drain : Bridge not to be crossed.
2090010	Wagerup - Willowdale Rd	Wagerup - Willowdale Rd	Waroona	0.00	Willowdale Rd & Scarp Rd (F)	4.79	Willowdale Access Rd & Willowdale Rd (P)	
2090011	Waterous Rd	Waterous Rd	Waroona	0.00	South Western Hwy	1.40	1.4km From South Western Hwy	
2090009	Willowdale Rd	Willowdale Rd	Waroona	0.00	South Western Hwy	1.83	Wagerup Alumina Refinery Access Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h
2090009	Willowdale Rd	Willowdale Rd	Waroona	1.83	Wagerup Alumina Refinery Access Rd	6.28	Wagerup - Willowdale Rd & Scarp Rd (F)	

Tandem Drive Network 2.1



Waroona

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
209Z014	Lake Clifton Rd West Bnd Slip	Lake Clifton Rd West Bnd Slip	Waroona	0.00	Forrest Hwy	0.06	Forrest Hwy & Lake Clifton Rd	
209Z024	Willowdale Rd (P)	Willowdale Rd (P)	Waroona	0.00	Wagerup - Willowdale Rd & Willowdale Access Rd	2.61	Willowdale Rd (P)	

Tandem Drive Network 2.1



West Arthur

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3160108	Abbott Rd	Abbott Rd	West Arthur	0.00	Wireless Station Rd	1.63	Abbott Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3160071	Adcock Rd	Adcock Rd	West Arthur	0.00	Albany Hwy	3.06	Adcock Rd - End Road	
3160095	Agg Rd	Agg Rd	West Arthur	0.00	Darkan Rd	1.99	Agg Rd - End Road	
3160057	Airlie Rd	Airlie Rd	West Arthur	0.00	Glenorchy South Rd	3.57	Moodiarrup South	
3160074	Anderson Rd	Anderson Rd	West Arthur	0.00	Quill Rd	2.76	Anderson Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3160109	Angel Rd	Angel Rd	West Arthur	0.00	Arthur Rd	4.46	Angel Rd - End Road	
3160203	Arthur River - Dinninup Rd	Arthur River - Dinninup Rd	West Arthur	0.00	Boyup Brook - Arthur River Rd	60.26	Albany Hwy	
3160123	Arthur St	Arthur St	West Arthur	0.00	Gibbs St	0.73	Horwood St	
3160024	Ballock Rd	Ballock Rd	West Arthur	0.00	Boscabel - Chittinup Rd & Ballock Rd	9.35	Rees Rd	
3160025	Beaufort Rd	Beaufort Rd	West Arthur	0.00	Albany Hwy	4.57	Wagin LGA Boundary	
3160089	Bellotti Rd	Bellotti Rd	West Arthur	0.00	Boscabel - Chittinup Rd	2.72	Bellotti Rd - End Road	

Tandem Drive Network 2.1



West Arthur

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3160037	Bokal - East Arthur Rd	Bokal - East Arthur Rd	West Arthur	0.00	Albany Hwy	17.89	Arthur River - Dinninup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3160017	Bokal North Rd	Bokal North Rd	West Arthur	0.00	Coalfields Rd	17.61	Arthur River - Dinninup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3160119	Bokal Siding Rd	Bokal Siding Rd	West Arthur	0.00	Bokal North Rd	1.31	Bokal North Rd	
3160030	Bokal South Rd	Bokal South Rd	West Arthur	0.00	Arthur River - Dinninup Rd	14.26	Coben Soak Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3160021	Boscabel - Chittinup Rd	Boscabel - Chittinup Rd	West Arthur	0.00	Moodiarrup - Changerup Rd	3.77	Kojonup LGA Boundary	
3160003	Bowelling - Duranillin Rd	Bowelling - Duranillin Rd	West Arthur	0.00	Coalfields Rd	36.40	Darkan Rd	

Tandem Drive Network 2.1



West Arthur

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3160005	Bowelling - McAlinden Rd	Bowelling - McAlinden Rd	West Arthur	0.00	Trigwell Bridge Rd	15.93	Boyup Brook North Rd & Bowelling - McAlinden Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3160043	Bunce King Rd	Bunce King Rd	West Arthur	13.31	2.93km Before Dardadine South Rd	16.24	Dardadine South Rd	
3160047	Burnett Rd	Burnett Rd	West Arthur	0.00	Noble Rd	6.74	Albany Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
3160121	Burrowes St	Burrowes St	West Arthur	0.00	Gibbs St & Burrowes St West	0.85	Collie - Lake King (M037)	
3160126	Butler St	Butler St	West Arthur	0.00	Burrowes St	0.25	Arthur St	
3160012	Capercup North Rd	Capercup North Rd	West Arthur	0.00	Darkan Rd	15.00	Bowelling - Duranillin Rd & Capercup South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



West Arthur

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3160014	Capercup South Rd	Capercup South Rd	West Arthur	0.00	Bowelling - Duranillin Rd & Capercup North Rd	10.24	Arthur River - Dinninup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3160046	Capercup South West	Capercup South West	West Arthur	0.00	Moodiarrup West Rd	5.99	Bowelling - Duranillin Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
3160033	Carymunna Rd	Carymunna Rd	West Arthur	0.00	Howie Rd	2.60	Coalfields Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3160049	Clarke Rd	Clarke Rd	West Arthur	0.00	Arthur River - Dinninup Rd	6.34	Coalfields Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



West Arthur

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3160056	Clifton Rd	Clifton Rd	West Arthur	0.58	Bokal - East Arthur Rd	3.95	Clifton Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3160051	Coben Soak Rd	Coben Soak Rd	West Arthur	0.00	Woodanilling LGA Boundary	4.22	Ballock Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3160051	Coben Soak Rd	Coben Soak Rd	West Arthur	4.29	Ballock Rd	7.51	Bokal South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3160100	Cochrane Rd	Cochrane Rd	West Arthur	0.00	Capercup North Rd	0.98	Cochrane Rd - End Road	
3160093	Coltart Rd	Coltart Rd	West Arthur	0.00	Capercup North Rd	5.17	Darkan Rd & Schinzig Buller Rd	

Tandem Drive Network 2.1



West Arthur

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3160008	Cordering Rd North	Cordering Rd North	West Arthur	0.00	Coalfields Rd	18.41	Bowelling - Duranillin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3160018	Cordering Rd South	Cordering Rd South	West Arthur	0.00	Gibbs Rd	7.85	Bowelling - Duranillin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3160101	Craigie Rd	Craigie Rd	West Arthur	0.00	Sandalwood Rd	3.50	Craigie Rd - End Road	
3160135	Cusack Rd	Cusack Rd	West Arthur	0.00	Moodiarrup South	4.31	Moodiarrup - Changerup Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3160111	Cuthbert Rd	Cuthbert Rd	West Arthur	0.00	Bokal North Rd	4.67	Arthur River - Dinninup Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



West Arthur

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3160015	Dardadine South Rd	Dardadine South Rd	West Arthur	0.00	Albany Hwy	15.74	Williams LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3160201	Darkan Rd	Darkan Rd	West Arthur	0.00	Darkan South Rd & Johnston Dr	33.29	Arthur River - Dinninup Rd & Moodiarrup South	
3160206	Darkan South Rd	Darkan South Rd	West Arthur	0.00	Coalfields Rd & Williams Darkan Rd	0.77		
3160110	Darling Rd	Darling Rd	West Arthur	0.00	Cuthbert Rd	3.57	Darling Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
3160094	Dawson Rd	Dawson Rd	West Arthur	0.00	Horley Rd	0.99	Dawson Rd - End Road	
3160036	Dellyanine Rd	Dellyanine Rd	West Arthur	0.00	Albany Hwy	3.58	Wagin LGA Boundary	
3160134	Don Rd	Don Rd	West Arthur	0.00	Collie LGA Boundary	4.93	Don Rd (F)	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3160072	Doyle Rd	Doyle Rd	West Arthur	0.00	Bokal South Rd	8.67	Morrell Rd & Ways Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
3160148	Dunleath Rd	Dunleath Rd	West Arthur	0.00	Coalfields Rd	1.93	Dunleath Rd - End Road	
3160062	Eulin Crossing Rd	Eulin Crossing Rd	West Arthur	0.00	Arthur River - Dinninup Rd	4.30	Eulin Crossing Rd & Kulikup North Rd	<ul style="list-style-type: none"> Eulin Crossing 4.14km South from Arthur River - Dinninup Rd is not permitted to be crossed
3160131	Ewing St	Ewing St	West Arthur	0.00	Darkan Rd	0.12	Horley St	

Tandem Drive Network 2.1



West Arthur

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3160058	Farrell Rd	Farrell Rd	West Arthur	0.00	Coalfields Rd	9.24	Farrell Rd - End	
3160050	Ferrari Rd	Ferrari Rd	West Arthur	0.00	Rajander Rd	1.03	Gibbs Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3160059	Fleays Rd	Fleays Rd	West Arthur	0.00	Coalfields Rd	4.22		
3160029	Gibbs Rd	Gibbs Rd	West Arthur	0.00	Cordering Rd North	13.96	Bowelling - Duranillin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3160029	Gibbs Rd	Gibbs Rd	West Arthur	21.21	Cordering Rd South	37.70	Boyup Brook LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



West Arthur

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3160107	Gibbs Rd North	Gibbs Rd North	West Arthur	0.00	Quindanning - Darkan Rd	3.58	Gibbs Rd North - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3160060	Gibbs Siding Rd	Gibbs Siding Rd	West Arthur	0.00	Coalfields Rd	4.78	Gibbs Siding - End Road	
3160027	Glenorchy South Rd	Glenorchy South Rd	West Arthur	0.00	Qualeup North Rd & Wongerup Rd	8.93	Arthur River - Dinninup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Bridge 4020 Arthur River : Bridge not to be crossed.
3160048	Gorn Rd	Gorn Rd	West Arthur	0.00	Woodanilling LGA Boundary	7.23	Bokal South Rd	
3160120	Growden Pl	Growden Pl	West Arthur	0.68		1.02	Growden Pl - End Road	
3160151	Growden Pl	Growden Pl	West Arthur	0.00	Growden Pl	0.23	Coalfields Rd	
3160022	Hall Rd	Hall Rd	West Arthur	0.00	Bokal South Rd	6.72	Arthur River - Dinninup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3160096	Hebb Rd	Hebb Rd	West Arthur	0.00	Bowelling - Duranillin Rd	0.03	Hebb Rd - End Road	
3160011	Hillman - Dardadine Rd	Hillman - Dardadine Rd	West Arthur	0.00	Hillman Rd & Bunce King Rd	6.92	Williams LGA Boundary	

Tandem Drive Network 2.1



West Arthur

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3160013	Hillman Rd	Hillman Rd	West Arthur	0.00	Coalfields Rd	4.48	Hillman - Dardadine Rd & Bunce King Rd	
3160122	Hillman St	Hillman St	West Arthur	0.00	Gibbs St	0.74	Horwood St	
3160052	Horley Rd	Horley Rd	West Arthur	0.00	Darkan Rd	7.60	O'Connell Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3160130	Horley St	Horley St	West Arthur	0.00	Williams St	0.36	Thompson St	
3160124	Horwood St	Horwood St	West Arthur	0.00	Burrowes St	0.59	Horwood St - End Road	
3160044	Howie Rd	Howie Rd	West Arthur	0.00	Hillman - Dardadine Rd	24.47	Albany Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3160125	Hull St	Hull St	West Arthur	0.00	Burrowes St	0.25	Arthur St	
3160088	Hulse Rd	Hulse Rd	West Arthur	0.00	Hillman - Dardadine Rd	0.48	Hulse Rd - End Road	
3160039	Jackson Rd	Jackson Rd	West Arthur	0.00	McAlinden Rd	2.69	Jackson Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3160141	Johnston Dr	Johnston Dr	West Arthur	0.00	Darkan Rd & Darkan South Rd	0.69	Hillman Arthur Back L & Gibbs St	

Tandem Drive Network 2.1



West Arthur

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3160034	Kings Rd	Kings Rd	West Arthur	0.00	Bunce King Rd	3.97	Howie Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3160112	Knapp Rd	Knapp Rd	West Arthur	0.00	Bokal North Rd	2.40	Knapp Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
3160105	Knight Rd	Knight Rd	West Arthur	0.00	Farrell Rd	1.45	Knight Rd - End Road	
3160055	Lloyd Rd	Lloyd Rd	West Arthur	0.00	Cordering Rd North	4.12	Capercup North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3160152	Marshs Access Rd	Marshs Access Rd	West Arthur	0.00	Glenorchy South Rd	0.95	Marshs Access Rd - End Road	
3160001	McAlinden Rd	McAlinden Rd	West Arthur	0.00	Boyup Brook LGA Boundary	6.02	Cardiff - McAlinden Rd	
3160078	McDonald Rd	McDonald Rd	West Arthur	0.00	Coalfields Rd	1.78	McDonald Rd - End Road	
3160069	Mercer Rd	Mercer Rd	West Arthur	0.00	Albany Hwy	1.17	Mercer Rd - End Road	
3160202	Moodiarrup - Changerup Rd	Moodiarrup - Changerup Rd	West Arthur	0.00	Arthur River - Dinninup Rd	11.06	Darkan - Kojonup Rd	
3160035	Moodiarrup South	Moodiarrup South	West Arthur	0.00	Darkan Rd & Arthur River - Dinninup Rd	9.40	Old Collie Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



West Arthur

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3160028	Moodiarrup West Rd	Moodiarrup West Rd	West Arthur	0.00	Darkan Rd	26.07	Trigwell Bridge Rd & McKenna Access Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3160038	Morrell Rd	Morrell Rd	West Arthur	0.00	Bokal - East Arthur Rd	5.03	Ways Rd & Doyle Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
3160019	Noble Rd	Noble Rd	West Arthur	0.00	Albany Hwy	8.43	Wagin LGA Boundary	
3160031	Nunendine Rd	Nunendine Rd	West Arthur	0.00	Varis Rd	6.35	Don Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3160053	O'Connell Rd	O'Connell Rd	West Arthur	0.00	Capercup North Rd	7.19	Darkan Rd & Rutherford Rd	
3160082	Oconnor Rd	Oconnor Rd	West Arthur	0.00	Albany Hwy	8.85	Dardadine South Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
3160054	Old Collie Rd	Old Collie Rd	West Arthur	0.00	Old Collie Rd & Moodiarrup South	3.97	Glenorchy South Rd	

Tandem Drive Network 2.1



West Arthur

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3160070	Pederick Rd	Pederick Rd	West Arthur	0.00	Dellyanine Rd	1.66	Pederick Rd - End Road	
3160092	Perry Rd	Perry Rd	West Arthur	0.00	Schinzig Buller Rd	1.17	Perry Rd - End Road	
3160009	Piesseville - Tarwonga Rd	Piesseville - Tarwonga Rd	West Arthur	0.00	Piesseville - Tarwonga Rd & Tarwonga Rd	4.06	Wagin LGA Boundary	
3160143	Pollard Rd	Pollard Rd	West Arthur	0.00	Don Rd	2.40	Pollard Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3160150	Prowse Rd	Prowse Rd	West Arthur	0.00	Coalfields Rd	0.82	Prowse Rd - End Road	
3160081	Quartermaine Rd	Quartermaine Rd	West Arthur	0.00	Fleays Rd	0.80	Quartermaine Rd - End Road	
3160010	Quill Rd	Quill Rd	West Arthur	0.00	Darkan Rd	8.37	Bokal North Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
3160007	Quindanning - Darkan Rd	Quindanning - Darkan Rd	West Arthur	0.00	Coalfields Rd	8.00	Williams LGA Boundary	
3160045	Rajander Rd	Rajander Rd	West Arthur	0.00	Coalfields Rd	7.83	Rajander Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3160002	Rd No. 2	Rd No. 2	West Arthur	0.00	Coalfields Rd	1.29	Rd No. 2 - End Road	
3160023	Rees Rd	Rees Rd	West Arthur	0.00	Bokal South Rd & Wier East	7.20	Leggoe Rd & Rees Rd	
3160067	Reid Rd	Reid Rd	West Arthur	0.00	Gibbs Rd	1.00	Reid Rd - End Road	
3160149	Rhodesdale Rd	Rhodesdale Rd	West Arthur	0.00	Darkan Rd	0.75	Rhodesdale Rd - End Road	

Tandem Drive Network 2.1



West Arthur

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3160068	Robins Rd	Robins Rd	West Arthur	0.00	Cordering Rd South	1.29	Robins Rd - End Road	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
3160066	Rutherford Rd	Rutherford Rd	West Arthur	0.00	Darkan Rd & O'Connell Rd	3.60	Quill Rd	
3160026	Sandalwood Rd	Sandalwood Rd	West Arthur	0.00	Craigie Rd & Sandalwood Rd	10.13	Trigwell Bridge Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3160041	Schinzig Buller Rd	Schinzig Buller Rd	West Arthur	0.00	Darkan Rd & Coltart Rd	13.17	Coalfields Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3160097	Scott Rd	Scott Rd	West Arthur	0.00	Bowelling - Duranillin Rd	3.55	Scott Rd - End Road	
3160086	Shield Rd	Shield Rd	West Arthur	0.00	Hillman - Dardadine Rd	3.30	Stricklands Rd	
3160116	Smith Rd	Smith Rd	West Arthur	0.00	Clarke Rd	1.07	Smith Rd - End Road	
3160087	South Rd	South Rd	West Arthur	0.00	Hillman - Dardadine Rd	2.83	South Rd - End Road	

Tandem Drive Network 2.1



West Arthur

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3160106	Spencer Rd	Spencer Rd	West Arthur	0.00	Gibbs Siding Rd	1.82	Spencer Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3160146	Steddy Rd	Steddy Rd	West Arthur	0.00	Quindanning - Darkan Rd	0.87	Steddy Rd No.146 - End Road	
3160061	Stewart Rd	Stewart Rd	West Arthur	0.00	Moodiarup West Rd	14.45	Arthur River - Dinninup Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
3160085	Stricklands Rd	Stricklands Rd	West Arthur	0.00	Shield Rd	2.65	Dardadine South Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
3160118	Telfer Rd	Telfer Rd	West Arthur	0.00	Gibbs Rd	1.70	Telfer Rd - End Road	
3160132	Thompson St	Thompson St	West Arthur	0.00	Darkan Rd	0.12	Horley St	
3160004	Trigwell Bridge Rd	Trigwell Bridge Rd	West Arthur	0.00	Arthur River - Dinninup Rd	34.09	Bowelling - Duranillin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3160098	Trigwell Rd	Trigwell Rd	West Arthur	0.00	Arthur River - Dinninup Rd	4.06	Trigwell Rd - End Road	
3160115	Vanzetti Rd	Vanzetti Rd	West Arthur	0.00	Bokal - East Arthur Rd	0.85	Vanzetti Rd - End Road	
3160042	Varis Rd	Varis Rd	West Arthur	0.00	Coalfields Rd	6.43	Nunendine Rd	

Tandem Drive Network 2.1



West Arthur

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3160040	W - Tree Gully Rd	W - Tree Gully Rd	West Arthur	0.00	Trigwell Bridge Rd	4.67	W Tree Gully Rd & Moore Rodgers Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3160099	Ways Rd	Ways Rd	West Arthur	0.00	Woodanilling LGA Boundary	1.15	Morrell Rd & Doyle Rd	
3160113	Weir West	Weir West	West Arthur	0.00	Arthur River - Dinninup Rd	0.80	Weir West - End Road	
3160147	Wheeler Rd	Wheeler Rd	West Arthur	0.00	Sandalwood Rd	1.60	Wheeler Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3160114	Wier East	Wier East	West Arthur	0.00	Bokal South Rd & Rees Rd	0.64	Wier East - End Road	
3160207	Williams Darkan Rd	Williams Darkan Rd	West Arthur	0.00	Coalfields Rd & Darkan South Rd	9.99	Williams-Darkan Rd	
3160129	Williams St	Williams St	West Arthur	0.00	Darkan Rd	0.12	Horley St	
3160032	Wireless Station Rd	Wireless Station Rd	West Arthur	0.00	Albany Hwy	5.54	Angel Rd	
3160084	Wooldridge Rd	Wooldridge Rd	West Arthur	0.00	Howie Rd	2.77	Wooldridge Rd - End Road	
3160104	Wunnenberg Rd	Wunnenberg Rd	West Arthur	0.00	Bowelling - Duranillin Rd	3.30	Bowelling - Duranillin Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Westonia

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4280019	4 Mile Gate Rd	4 Mile Gate Rd	Westonia	0.00	Walgoolan South Rd	6.03	Burracoppin South Rd	
4280020	6 Mile Gate Rd	6 Mile Gate Rd	Westonia	0.00	Clothier Rd & Walgoolan South Rd	4.35	Burracoppin South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4280067	Barnett Rd	Barnett Rd	Westonia	0.00	Warralakin Rd	7.86	Rabbit Proof Fence Rd	
4280010	Begley Rd	Begley Rd	Westonia	0.00	Leach Rd	33.61	33.61km From Leach Rd	
4280042	Bennett Rd	Bennett Rd	Westonia	0.00	Begley Rd	4.10	Warralakin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h No Operation between the hours of sunset and sunrise Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4280032	Boodarockin North Rd	Boodarockin North Rd	Westonia	0.00	Koorda - Bullfinch Rd & Boodarockin Rd	19.30	Hunter Rd	
4280095	Boodarockin Rd	Boodarockin Rd	Westonia	0.00	Warrachuppin Rd & Carrabin Westonia Rd	0.88	Wolfram St	<ul style="list-style-type: none"> Maximum speed 80 km/h
4280095	Boodarockin Rd	Boodarockin Rd	Westonia	0.88	Wolfram St	3.06	.13km From Corisini Rd	
4280095	Boodarockin Rd	Boodarockin Rd	Westonia	3.06	0.13km From Corsini Rd	38.78	Koorda - Bullfinch Rd & Boodarockin North Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4280040	Capito Rd	Capito Rd	Westonia	0.00	Fourteen Mile Gate Rd & Rabbit Proof Fence Rd	9.00	Warralakin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4280003	Carrabin Siding Rd	Carrabin Siding Rd	Westonia	0.00	Great Eastern Hwy	0.40	Carrabin South Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4280003	Carrabin Siding Rd	Carrabin Siding Rd	Westonia	0.40	Carrabin South Rd	2.24	Carrabin South Rd	

Tandem Drive Network 2.1



Westonia

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4280006	Carrabin South Rd	Carrabin South Rd	Westonia	0.00	Carrabin Siding Rd	17.43	Day Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4280085	Carrabin Westonia Rd	Carrabin Westonia Rd	Westonia	0.00	Great Eastern Hwy	7.56	Wolfram St	
4280085	Carrabin Westonia Rd	Carrabin Westonia Rd	Westonia	7.56	Wolfram St	9.26	Warrachuppin Rd & Boodarockin Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
4280012	Daddow Rd	Daddow Rd	Westonia	0.00	Begley Rd	27.13	McDowall Rd	
4280014	Day Rd	Day Rd	Westonia	0.00	Carrabin South Rd	3.70	McPharlin Rd & Day Rd	
4280080	Della Bosca Rd	Della Bosca Rd	Westonia	0.00	Jasper St & Kaolin St	3.80		<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4280080	Della Bosca Rd	Della Bosca Rd	Westonia	3.80		4.60	Della Bosca Rd - End Road	
4280073	Duncan Rd	Duncan Rd	Westonia	0.00	Hunter Rd	4.67	Duncan Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4280015	Echo Valley Rd	Echo Valley Rd	Westonia	0.00	Koorda - Bullfinch Rd & Begley Rd	36.23	Elachbutting Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
4280031	Elachbutting Rd	Elachbutting Rd	Westonia	0.00	Masefield Rd	24.17	Rabbit Proof Fence Rd & Forty Six Gate Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4280064	Elsewhere Rd	Elsewhere Rd	Westonia	2.09	Elachbutting Rd	9.29	Elsewhere Rd & Rabbit Proof Fence Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Westonia

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4280034	Farina Rd	Farina Rd	Westonia	0.00	Echo Valley Rd	16.21	Hunter Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4280082	Fox St	Fox St	Westonia	0.00	Warralakin Rd	0.69	Cbh Access Rd 0.69km From Warralakin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4280018	George Rd	George Rd	Westonia	0.00	Warralakin Rd	22.48	Capito Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4280008	Goldfields Rd	Goldfields Rd	Westonia	0.00	Carrabin Siding Rd	16.93	Burracoppin South Rd	<ul style="list-style-type: none"> Intersection Burracoppin South Rd : No left turn permitted into Burracoppin South Rd from Goldfields Rd.
4280053	Hodgeson Rd	Hodgeson Rd	Westonia	0.00	Clothier Rd & Carrabin South Rd	5.15	Lowe Rd & Smith Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
4280033	Hunter Rd	Hunter Rd	Westonia	3.78	Duncan Rd	11.37	Farina Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4280058	Kaolin St	Kaolin St	Westonia	0.00	Carrabin Westonia Rd	0.99	Della Bosca Rd & Jasper St	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4280083	Koorda - Bullfinch Rd	Koorda - Bullfinch Rd	Westonia	0.00	Koorda - Bullfinch Rd & Rabbit Proof Fence Rd	35.24	Yilgarn LGA Boundary	
4280016	Leach Rd	Leach Rd	Westonia	0.00	Carrabin Westonia Rd	21.06	Rabbit Proof Fence Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h
4280041	Logan Rd	Logan Rd	Westonia	0.00	Warralakin Rd	4.09	Maxfield Rd	

Tandem Drive Network 2.1



Westonia

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4280005	Lookout Dr	Lookout Dr	Westonia	0.00	Boodarockin Rd	0.72	Lookout Dr - End Road	
4280030	Masefield Rd	Masefield Rd	Westonia	0.00	Rabbit Proof Fence Rd	8.76	Elachbutting Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h No Operation between the hours of sunset and sunrise Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4280011	Maxfield Rd	Maxfield Rd	Westonia	0.00	Stoneman Rd	29.04	Koorda - Bullfinch Rd	
4280052	McDowall Rd	McDowall Rd	Westonia	0.00	Boodarockin Rd & Egg Rock Rd	14.99	Koorda - Bullfinch Rd	
4280013	McPharlin Rd	McPharlin Rd	Westonia	0.00	Burracoppin South Rd & McPharlin Rd	6.73	Day Rd	
4280050	Morrison Rd	Morrison Rd	Westonia	0.00	Morrison Rd & Rabbit Proof Fence Rd	19.40	Warrachuppin North Rd	
4280025	Rabbit Proof Fence Rd	Rabbit Proof Fence Rd	Westonia	1.80	Burracoppin Siding Rd	105.12	Rabbit Proof Fence Rd - End Road	
4280089	Shreeve Rd	Shreeve Rd	Westonia	0.00	Great Eastern Hwy	2.57	Leach Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h
4280009	Stoneman Rd	Stoneman Rd	Westonia	0.00	Warralakin Rd	11.53	Boundary Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h
4280004	Walgoolan South Rd	Walgoolan South Rd	Westonia	0.00	Great Eastern Hwy	16.08	McPharlin Rd	
4280021	Warrachuppin North Rd	Warrachuppin North Rd	Westonia	0.00	Koorda - Bullfinch Rd & Warrachuppin Rd	18.86	Hunter Rd	
4280100	Warrachuppin Rd	Warrachuppin Rd	Westonia	0.00	Boodarockin Rd & Carrabin Westonia Rd	0.58		<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
4280100	Warrachuppin Rd	Warrachuppin Rd	Westonia	1.59		2.37		<ul style="list-style-type: none"> Maximum speed 80 km/h
4280100	Warrachuppin Rd	Warrachuppin Rd	Westonia	2.37		32.22	Koorda - Bullfinch Rd & Warrachuppin North Rd	
4280072	Warralakin North Rd	Warralakin North Rd	Westonia	0.00	Koorda - Bullfinch Rd & Warralakin Rd	6.47	Warralakin North Rd - End Road	
4280084	Warralakin Rd	Warralakin Rd	Westonia	0.00	Great Eastern Hwy	40.02	Koorda - Bullfinch Rd & Warralakin North Rd	
4280035	Webb Rd	Webb Rd	Westonia	0.00	Warrachuppin North Rd	9.97	Boodarockin North Rd	
4280101	Wolfram St	Wolfram St	Westonia	0.00	Carrabin Westonia Rd	0.99		

Tandem Drive Network 2.1



Wickepin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4290048	Aileen Rd	Aileen Rd	Wickepin	0.00	Williams Kondinin Rd	2.90	Aileen Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4290098	Angwins Rd	Angwins Rd	Wickepin	0.00	Wagin LGA Boundary	2.01	Wedin South Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290054	Astbury Rd	Astbury Rd	Wickepin	0.00	Lakes Rd & Robinson Rd	4.77	Toolibin South Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290043	Avery Rd	Avery Rd	Wickepin	0.00	Wickepin - Pingelly Rd	4.97	Avery Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Wickepin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4290049	Baker Rd	Baker Rd	Wickepin	2.23	Line Rd	13.15	Baker Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Wickepin - Harrismith Rd : No left turn permitted into Wickepin - Harrismith Rd from Baker Rd (southbound). No left turn permitted into Wickepin - Harrismith Rd from Baker Rd (northbound). No left turn permitted into Baker Rd from Wickepin Harrismith Rd (eastbound). No left turn permitted into Baker Rd from Wickepin Harrismith Rd (westbound).
4290083	Bergin Rd	Bergin Rd	Wickepin	0.00	Kirk Rock Rd	1.31	Eighty Six Gate Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290086	Bin Rd	Bin Rd	Wickepin	0.00	Williams Kondinin Rd	0.26	Bin Rd - End Road	
4290081	Brooks Rd	Brooks Rd	Wickepin	0.00	Wickepin - Harrismith Rd	6.84	Narrogin LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290027	Brown Rd	Brown Rd	Wickepin	0.00	Baker Rd	16.36	Canal Rd	
4290089	Butler Rd	Butler Rd	Wickepin	0.00	Malyalling Rd	3.37	Coad Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290107	Campbell St	Campbell St	Wickepin	0.00	Wogolin Rd	0.58	Whyte Rd	<ul style="list-style-type: none"> Maximum speed 50 km/h

Tandem Drive Network 2.1



Wickepin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4290077	Canal Rd	Canal Rd	Wickepin	0.00	Wickepin - Harrismith Rd	9.27	Wogolin South Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290104	Coad Rd	Coad Rd	Wickepin	0.00	Gillimanning Rd	4.20	Butler Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290156	Collins St	Collins St	Wickepin	0.00	Wogolin Rd	0.58	Wickepin - Harrismith Rd & Whyte Rd & Dumblebung Rd	
4290118	Connor St	Connor St	Wickepin	0.00	King St	0.05	Cbh Access Road 0.05km From King St	
4290122	Coxon St	Coxon St	Wickepin	0.00	Lomos Rd South & Wickepin - Corrigin Rd	0.05	King St	
4290024	Cuballing East Rd	Cuballing East Rd	Wickepin	0.00	Williams Kondinin Rd	2.93	Cuballing East Rd & Wardering Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h
4290044	Dalton Rd	Dalton Rd	Wickepin	0.00	Wickepin - Corrigin Rd	9.01	Kirk Rock Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290028	Dorakin Rd	Dorakin Rd	Wickepin	0.00	Wogolin South Rd	7.26	Williams Kondinin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290006	Dwelyerdine Rd	Dwelyerdine Rd	Wickepin	0.00	Narrogin LGA Boundary	5.87	Wagin LGA Boundary	

Tandem Drive Network 2.1



Wickepin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4290031	Eighty Four Gate Rd	Eighty Four Gate Rd	Wickepin	0.00	Rabbit Proof Fence Rd Nth	11.83	Yealering South East Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290013	Eighty Six Gate Rd	Eighty Six Gate Rd	Wickepin	0.00	Wickepin - Corrigin Rd	26.65	Eighty Six Gate Rd & Rabbit Proof Fence Rd Nth & Rabbit Proof Fence Rd	
4290033	Elsinore Rd	Elsinore Rd	Wickepin	0.00	Eighty Four Gate Rd	8.26	Williams Kondinin Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
4290033	Elsinore Rd	Elsinore Rd	Wickepin	8.30	Williams Kondinin Rd	15.07	Rabbit Proof Fence Rd No.150	<ul style="list-style-type: none"> Maximum speed 60 km/h
4290033	Elsinore Rd	Elsinore Rd	Wickepin	15.07	Rabbit Proof Fence Rd No.150	15.11	Rabbit Proof Fence Rd	
4290047	Elson Rd	Elson Rd	Wickepin	0.00	Yealering South East Rd	11.18	Rabbit Proof Fence Rd Nth	<ul style="list-style-type: none"> Maximum speed 60 km/h
4290092	English Rd	English Rd	Wickepin	0.00	Wogolin South Rd	6.15	Halliday Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290055	Fleay Rd	Fleay Rd	Wickepin	0.00	Yarling Brook Rd	4.89	Wickepin - Corrigin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4290055	Fleay Rd	Fleay Rd	Wickepin	4.89	Wickepin - Corrigin Rd	12.89	Ten Mile Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Wickepin - Corrigin Rd : No Left Turn Into Wickepin-Corrigin Road Permitted

Tandem Drive Network 2.1



Wickepin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4290070	Fox Rd	Fox Rd	Wickepin	0.00	Wedin South Rd	8.85	Tincurrin Rd	
4290093	Giles Rd	Giles Rd	Wickepin	0.00	Wickepin - Harrismith Rd	1.86	1.86km North of Wickepin - Harrismith Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290093	Giles Rd	Giles Rd	Wickepin	1.86	1.86km North of Wickepin - Harrismith Rd	3.41	Giles Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290035	Gillimanning Rd	Gillimanning Rd	Wickepin	0.00	Wickepin - Pingelly Rd	18.97	Wickepin - Corrigin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Wickepin - Pingelly Rd : No left turn permitted into Pingelly-Wickepin Rd from Gillimanning Rd
4290063	Gray Rd	Gray Rd	Wickepin	0.00	Ward Rd & Harrismith South Rd	4.01	Kulin - Dumbleyung Rd & Boundary Rd & Rabbit Proof Fence Rd Sth	
4290021	Halliday Rd	Halliday Rd	Wickepin	0.00	Wogolin South Rd	6.86	Williams Kondinin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290051	Harrismith Nth Rd	Harrismith Nth Rd	Wickepin	0.00	Elsinore Rd	14.20	Wickepin - Harrismith Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
4290026	Harrismith South Rd	Harrismith South Rd	Wickepin	0.00	South St	10.46	Ward Rd & Gray Rd	
4290073	Healey Rd	Healey Rd	Wickepin	0.00	Harrismith Nth Rd	4.69	Rabbit Proof Fence Rd	
4290032	Heffernan Rd	Heffernan Rd	Wickepin	0.00	Eighty Six Gate Rd	5.53	Williams Kondinin Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
4290140	Helm Rd	Helm Rd	Wickepin	0.00	Williams Kondinin Rd	8.09	Tincurrin North Rd & Wogolin South Rd	

Tandem Drive Network 2.1



Wickepin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4290056	Hemley Rd	Hemley Rd	Wickepin	0.00	Wickepin North Rd	2.70	Yarling Brook Rd	<ul style="list-style-type: none">Headlights to be switched on at all timesNote: Low Volume (LV)Maximum speed 60 km/hWhen travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290096	Hill Rd	Hill Rd	Wickepin	0.00	McDougalls Rd & Line Rd	8.49	Hill Rd - End Road	<ul style="list-style-type: none">Headlights to be switched on at all timesNote: Low Volume (LV)Maximum speed 60 km/hWhen travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).Intersection McDougalls Rd & Line Rd : No access permitted into Line Rd from Hill Rd. No access permitted into Hill Rd from Line Rd.
4290091	Hughes Rd	Hughes Rd	Wickepin	0.00	Sparks Rd & Williams Kondinin Rd	3.85	Hughes Rd - End Road	<ul style="list-style-type: none">Headlights to be switched on at all timesNote: Low Volume (LV)Maximum speed 60 km/hWhen travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290160	Inkiepinkie Rd	Inkiepinkie Rd	Wickepin	0.00	Kerruish Rd & Pauley Rd	5.30	Rose Rd	<ul style="list-style-type: none">Headlights to be switched on at all timesNo operation on unsealed road segment when visibly wet, without road owner's approval.Note: Low Volume (LV)Maximum speed 60 km/hWhen travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290160	Inkiepinkie Rd	Inkiepinkie Rd	Wickepin	5.30	Rose Rd	8.32	Wickepin - Pingelly Rd & Green Rd	<ul style="list-style-type: none">No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Wickepin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4299000	Jackson Rd	Jackson Rd	Wickepin	0.00	Yealering South East Rd	1.19	Kirk Rock Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Kirk Rock Rd : No left turn permitted into Jackson Rd from Kirk Rock Rd (Northbound)
4290062	Kerr Rd	Kerr Rd	Wickepin	0.00	Williams Kondinin Rd	4.28	Halliday Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290030	Kerruish Rd	Kerruish Rd	Wickepin	0.00	Inkiepinkie Rd & Pauley Rd	4.00	Townsend Rd & Kerruish Rd	<ul style="list-style-type: none"> Intersection Townsend Rd & Kerruish Rd : No access permitted into Townsend Rd from Kerruish Rd
4290106	King St	King St	Wickepin	0.00	Coxon St	0.68	Connor St	
4290014	Kirk Rock Rd	Kirk Rock Rd	Wickepin	0.00	Yealering - Kulin Rd & Elsegood Rd	23.46	Malyalling East Rd & Wickepin - Corrigin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Yealering South East Rd : No access permitted into Yealering South East Rd from Kirk Rock Rd. Intersection Turner Rd : No left turn permitted into Turner Rd from Kirk Rock Rd
4290149	Lakes Rd	Lakes Rd	Wickepin	0.00	Narrogin LGA Boundary	1.42	Astbury Rd & Robinson Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Wickepin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4290053	Lange Rd	Lange Rd	Wickepin	0.00	Williams Kondinin Rd	1.45	Narrogin LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4290076	Leeson Rd	Leeson Rd	Wickepin	0.00	Williams Kondinin Rd	11.27	Modra Rd & Leeson Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Williams Kondinin Rd : No right turn permitted into Narrogin-Kondinin Rd from Leeson Rd
4290075	Lilleystone Rd	Lilleystone Rd	Wickepin	0.00	Gillimanning Rd	3.61	Albert Walton Rd & Groves Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Albert Walton Rd & Groves Rd : No access permitted to Albert Walton Rd from Lilleystone Rd
4290008	Line Rd	Line Rd	Wickepin	0.00	Yilliminning Rd & Toolibin North Rd	25.27	Wickepin - Harrismith Rd	
4290155	Lomos Rd South	Lomos Rd South	Wickepin	0.00	Lomos South Rd	6.28	Coxon St & Wickepin - Corrigin Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h

Tandem Drive Network 2.1



Wickepin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4290020	Malyalling East Rd	Malyalling East Rd	Wickepin	0.00	Yarling Brook Rd	4.47	Kirk Rock Rd & Wickepin - Corrigin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290036	Malyalling Rd	Malyalling Rd	Wickepin	0.00	Wickepin North Rd	16.37	Kirk Rock Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290101	McDougalls Rd	McDougalls Rd	Wickepin	0.00	Line Rd & Hill Rd	8.42	Wickepin - Harrismith Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4290144	McLean Rd	McLean Rd	Wickepin	0.00	Williams Kondinin Rd	3.69	English Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
4290164	Murray Rd	Murray Rd	Wickepin	0.00	Tincurrin Rd	3.44	Wishbone Rd	
4290039	Mutton Rd	Mutton Rd	Wickepin	3.25	Russell Rd	7.54	Malyalling Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290085	Norman Rd	Norman Rd	Wickepin	0.00	Watt Rd	0.89	Norman Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Wickepin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4290095	Norths Rd	Norths Rd	Wickepin	0.00	Toolibin South Rd	4.08	Angwins Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290100	One O Four Gate Rd	One O Four Gate Rd	Wickepin	0.00	Rabbit Proof Fence Rd Sth	4.32	Harrismith South Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290061	Parnell Rd	Parnell Rd	Wickepin	0.00	Wishbone Rd	5.06	Harrismith South Rd	
4290078	Pauley Rd	Pauley Rd	Wickepin	0.00	Cuballing LGA Boundary	8.30	Wickepin - Pingelly Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Townsendale Rd : No Left Turn Into Townsendale Road Permitted
4290150	Rabbit Proof Fence Rd	Rabbit Proof Fence Rd	Wickepin	0.00	Dudin Rd & Kealley Rd	9.78	Williams Kondinin Rd	
4290150	Rabbit Proof Fence Rd	Rabbit Proof Fence Rd	Wickepin	9.80	Williams Kondinin Rd	14.85	Eighty Six Gate Rd & Rabbit Proof Fence Rd Nth	
4290067	Rich Rd	Rich Rd	Wickepin	0.00	Eighty Six Gate Rd	2.07	Rich Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4290111	Richter St	Richter St	Wickepin	0.00	Wickepin - Pingelly Rd	0.41	Richter St - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.

Tandem Drive Network 2.1



Wickepin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4290050	Robinson Rd	Robinson Rd	Wickepin	0.00	Astbury Rd & Lakes Rd	6.37	Dwelyerdine Rd & Robinson Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290052	Rose Rd	Rose Rd	Wickepin	0.00	Inkiepinkie Rd	4.10	Leeson Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
4290052	Rose Rd	Rose Rd	Wickepin	4.10	Leeson Rd	7.37	Williams Kondinin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290045	Russell Rd	Russell Rd	Wickepin	0.00	Wickepin - Pingelly Rd	12.65	Wickepin - Corrigin Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Yarling Brook Rd : No access permitted into Yarling Brook Rd from Russell Rd
4290058	Sparks Rd	Sparks Rd	Wickepin	0.00	Williams Kondinin Rd & Hughes Rd	5.42	Helm Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290072	Sprigg Rd	Sprigg Rd	Wickepin	0.00	Williams Kondinin Rd	8.29	Eighty Four Gate Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
4290163	Stock Route Rd	Stock Route Rd	Wickepin	0.00	Wickepin - Harrismith Rd	6.24	Rabbit Proof Fence Rd Sth	

Tandem Drive Network 2.1



Wickepin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4290071	Swainston Rd	Swainston Rd	Wickepin	0.00	Corrigin LGA Boundary	2.68	Swainston Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4290087	Tank Rd	Tank Rd	Wickepin	0.00	Williams Kondinin Rd	0.40	Tank Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4290009	Ten Mile Rd	Ten Mile Rd	Wickepin	0.00	Williams Kondinin Rd	6.65	Eighty Six Gate Rd	
4290011	Tincurrin North Rd	Tincurrin North Rd	Wickepin	0.00	Line Rd & Tincurrin Rd	14.99	Wogolin South Rd & Helm Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
4290016	Tincurrin Rd	Tincurrin Rd	Wickepin	0.00	Tincurrin North Rd & Line Rd	7.79	Dumblebung LGA Boundary	<ul style="list-style-type: none"> Maximum speed 60 km/h
4290010	Toolibin North Rd	Toolibin North Rd	Wickepin	0.00	Williams Kondinin Rd	20.14	Yilliminning Rd & Line Rd	<ul style="list-style-type: none"> Intersection Wickepin - Harrismith Rd : No left turn permitted into Wickepin-Harrismith Rd from Toolibin North Rd. No right turn permitted into Toolibin Nth Rd from Wickepin Harrismith Rd (westbound). No left turn permitted into Toolibin Nth Rd from Wickepin Harrismith Rd (eastbound).
4290022	Toolibin South Rd	Toolibin South Rd	Wickepin	0.00	Toolibin South Rd & Dwelyerdine Rd	11.64	Old Line Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Old Line Rd : No right turn permitted into Line Rd from Toolibin South Rd
4290037	Townsendale Rd	Townsendale Rd	Wickepin	0.00	Kerruish Rd	2.72	Pauley Rd	<ul style="list-style-type: none"> Intersection Pauley Rd : No right turn permitted nto Pauley Rd from Townsendale Rd

Tandem Drive Network 2.1



Wickepin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4290066	Turner Rd	Turner Rd	Wickepin	0.00	Kirk Rock Rd	2.54	Turner Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Kirk Rock Rd : No right turn permitted into Kirk Rock Rd from Turner Rd
4290060	Ward Rd	Ward Rd	Wickepin	0.00	Gray Rd & Harrismith South Rd	6.88	Wishbone Rd	
4290025	Watt Rd	Watt Rd	Wickepin	0.00	Williams Kondinin Rd	5.85	Watt Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290074	Wedin North Rd	Wedin North Rd	Wickepin	0.00	Wickepin - Harrismith Rd	6.04	Line Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290029	Wedin South Rd	Wedin South Rd	Wickepin	0.00	Line Rd	7.66	Angwins Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290080	White Rd	White Rd	Wickepin	0.00	Williams Kondinin Rd	2.03	Fleay Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290001	Wickepin - Corrigin Rd	Wickepin - Corrigin Rd	Wickepin	0.00	Williams Kondinin Rd	20.80	Gillmanning Rd	<ul style="list-style-type: none"> Intersection Fleay Rd : No left turn permitted into Fleay's Road from Wickepin-Corrigin Rd.

Tandem Drive Network 2.1



Wickepin

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4290001	Wickepin - Corrigin Rd	Wickepin - Corrigin Rd	Wickepin	20.80	Gillimanning Rd	22.71	Dalton St	<ul style="list-style-type: none"> HVS Update 7-2022
4290001	Wickepin - Corrigin Rd	Wickepin - Corrigin Rd	Wickepin	22.71	Dalton St	24.40	Lake Rd & Wickepin - Corrigin Rd	
4290002	Wickepin - Harrismith Rd	Wickepin - Harrismith Rd	Wickepin	0.00	Wickepin - Harrismith Rd & Giles Rd	27.65	Stock Route Rd	
4290157	Wickepin - Harrismith Rd	Wickepin - Harrismith Rd	Wickepin	0.00	Collins St & Whyte Rd & Dumbleyung Rd	10.48	Narrogin LGA Boundary	
4290003	Wickepin - Pingelly Rd	Wickepin - Pingelly Rd	Wickepin	0.00	Stratherne Rd & Wickepin - Pingelly Rd	24.88	Williams Kondinin Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
4290015	Wickepin North Rd	Wickepin North Rd	Wickepin	0.00	Wickepin - Pingelly Rd	15.87	Gillimanning Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
4290040	Wishbone Rd	Wishbone Rd	Wickepin	0.00	Line Rd	3.44	Suckroo Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
4290040	Wishbone Rd	Wishbone Rd	Wickepin	3.44	Suckroo Rd	15.52	Dumbleyung LGA Boundary	
4290017	Wogolin South Rd	Wogolin South Rd	Wickepin	0.00	Elsinore Rd	29.38	Halliday Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290038	Woodward Rd	Woodward Rd	Wickepin	0.00	Kirk Rock Rd	3.38	Eighty Six Gate Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290018	Yarling Brook Rd	Yarling Brook Rd	Wickepin	0.00	Williams Kondinin Rd	10.98	Malyalling Rd	
4290005	Yealering - Pingelly Rd	Yealering - Pingelly Rd	Wickepin	0.00	Lomos Rd South	1.74	Pingelly LGA Boundary	
4290007	Yealering South East Rd	Yealering South East Rd	Wickepin	0.00	Lake Rd & Yealering South East Rd	19.96	Eighty Six Gate Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4290004	Yilliminning Rd	Yilliminning Rd	Wickepin	0.00	Narrogin - Harrismith Rd	5.30	Line Rd & Toolibin North Rd	<ul style="list-style-type: none"> Maximum speed 70 km/h

Tandem Drive Network 2.1



Williams

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4300065	Andersons Rd	Andersons Rd	Williams	0.00	Wandering LGA Boundary	2.25	Andersons Rd - End Road	
4300034	Bates Rd	Bates Rd	Williams	0.00	Pinjarra Williams Rd	3.36	Bates Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4300051	Bulleid Rd	Bulleid Rd	Williams	0.00	Albany Hwy	1.61	Bullied Rd - End Road	
4300121	Carne Rd	Carne Rd	Williams	0.00	Albany Hwy	6.11	Narrakine Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Narrakine Rd : No entry or exit permitted into Carne Rd from Narrakine Rd
4300035	Chapman Rd	Chapman Rd	Williams	0.00	Pinjarra Williams Rd	2.13	Chapman Rd - End Road	
4300007	Clayton Rd	Clayton Rd	Williams	0.00	Narrogin Rd	11.83	Narrogin LGA Boundary	
4300004	Congelin - Narrogin Rd	Congelin - Narrogin Rd	Williams	0.00	York - Williams Rd	6.14	Neika Rd (F) & Congelin - Narrogin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Williams

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4300025	Cowcher Rd	Cowcher Rd	Williams	0.00	Pinjarra Williams Rd	4.04	Cowcher Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4300017	Culbin - Boraning Rd	Culbin - Boraning Rd	Williams	0.00	Williams-Darkan Rd & Culbin South Rd	17.70	Pinjarra Williams Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4300088	Curteis Rd	Curteis Rd	Williams	0.00	Pinjarra Williams Rd	2.91		
4300009	Dardadine Rd	Dardadine Rd	Williams	0.00	Albany Hwy	21.05	Williams-Darkan Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4300039	Dardadine South Rd	Dardadine South Rd	Williams	0.00	Dardadine Rd	0.48	West Arthur LGA Boundary	
4300019	Deep Dene Rd	Deep Dene Rd	Williams	0.00	Albany Hwy	5.76	Wangeling Gully Rd	

Tandem Drive Network 2.1



Williams

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4300028	English Rd	English Rd	Williams	0.00	Williams-Darkan Rd	6.56	English Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4300031	Extracts Rd	Extracts Rd	Williams	0.00	Albany Hwy	11.90	Wandering LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4300060	Folland Rd	Folland Rd	Williams	0.00	York - Williams Rd	2.09	Folland Rd - End Road	
4300005	Fourteen Mile Brook Rd	Fourteen Mile Brook Rd	Williams	0.00	York - Williams Rd	12.13	Wandering LGA Boundary	
4300087	Fowler Rd	Fowler Rd	Williams	0.00	York - Williams Rd	0.32	Fowler Rd - End Road	
4300015	Glenfield Rd	Glenfield Rd	Williams	0.00	Narrogin Rd	13.63	Williams Kondinin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Williams

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4300024	Graham Rd	Graham Rd	Williams	0.00	Glenfield Rd	1.95	Narrogin LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4300048	Hamon Rd	Hamon Rd	Williams	0.00	Fourteen Mile Brook Rd	0.85	Hamon Rd - End Road	
4300040	Hillman - Dardadine Rd	Hillman - Dardadine Rd	Williams	0.00	Dardadine Rd	1.78	West Arthur LGA Boundary	
4300013	Hurley Rd	Hurley Rd	Williams	0.00	Albany Hwy	13.84	Williams-Darkan Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4300055	Johnstone Rd	Johnstone Rd	Williams	0.00	Narrakine Rd	1.29	Johnstone Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4300094	Josbury Rd	Josbury Rd	Williams	0.00	Williams-Darkan Rd	0.17	Josbury Rd	

Tandem Drive Network 2.1



Williams

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4300054	Kennedy Rd	Kennedy Rd	Williams	0.00	Narrakine Rd	2.74	Kennedy Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4300081	Lyons Rd	Lyons Rd	Williams	0.00	Fourteen Mile Brook Rd	1.77	Lyons Rd - End Road	
4300018	Marling Rd	Marling Rd	Williams	0.00	Pinjarra Williams Rd	7.14	Collie Williams Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Collie Williams Rd : No left turn permitted into Collie Williams Rd from Marling Rd
4300011	Marradong Rd	Marradong Rd	Williams	0.00	Albany Hwy	1.49	For 1.49 Km to Hay Press Facility	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h
4300011	Marradong Rd	Marradong Rd	Williams	1.49	1.49 Km From Albany Hwy (Hay Press Facility)	11.45	Marradong Rd & South Crossman Rd	

Tandem Drive Network 2.1



Williams

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4300049	Martin Rd	Martin Rd	Williams	0.00	York - Williams Rd	3.86	Martin Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4300033	McKenzie Rd	McKenzie Rd	Williams	0.00	Albany Hwy	3.01	McKenzie Rd - End Road	
4300026	Medlen Rd	Medlen Rd	Williams	0.00	Albany Hwy	8.26	Medlen Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4300079	Mundays Rd	Mundays Rd	Williams	0.00	Zilko Rd	6.20	6.20km From Zilko Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Williams

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4300014	Narrakine Rd	Narrakine Rd	Williams	0.00	Albany Hwy	17.44	Narrakine Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4300029	Nash Rd	Nash Rd	Williams	0.00	Albany Hwy	5.88	Nash Rd - End Road	
4300027	Old Soldiers Rd	Old Soldiers Rd	Williams	0.00	Pinjarra Williams Rd	3.92	Old Soldiers Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4300047	Petchell Rd	Petchell Rd	Williams	0.00	Glenfield Rd	2.09	Petchell Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4300084	Phillis Rd	Phillis Rd	Williams	0.00	Hurley Rd	3.44	Hurley Rd	

Tandem Drive Network 2.1



Williams

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4300098	Pig Gully Rd	Pig Gully Rd	Williams	0.00	Collie Williams Rd	10.50	Taylor Rd	<ul style="list-style-type: none"> Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Collie Williams Rd : No access permitted to Collie Williams from Pig Gully Rd
4300037	Plank Rd	Plank Rd	Williams	0.00	Quindanning - Darkan Rd	2.93	Unnamed Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4300002	Quindanning - Darkan Rd	Quindanning - Darkan Rd	Williams	0.00	Quindanning-Darkan Rd & Norwood Rd	28.91	West Arthur LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Collie Williams Rd : Right turn only permitted into Collie Williams Rd from Quindanning Darkan Rd
4300030	Redman Rd	Redman Rd	Williams	0.00	Quindanning - Darkan Rd	1.45	Redman Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Williams

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4300074	Richmond St	Richmond St	Williams	1.75		2.14	0.17km East of Clayton Rd	
4300080	Rintoul Rd	Rintoul Rd	Williams	0.00	Fourteen Mile Brook Rd	1.23	Rintoul Rd - End Road	
4300057	Roccis Rd	Roccis Rd	Williams	0.00	Collie Williams Rd	3.90	For 3.90km From Collie Williams Rd to Farm Gate	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4300064	Sattler Rd	Sattler Rd	Williams	0.00	Sattler Rd - Start Road	1.92	Dardadine Rd	
4300064	Sattler Rd	Sattler Rd	Williams	2.22	Dardadine Rd	5.42	Hurley Rd	
4300016	Tarwonga East Rd	Tarwonga East Rd	Williams	0.00	Albany Hwy	2.78	Piesseville - Tarwonga Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4300038	Taylor Rd	Taylor Rd	Williams	0.00	Williams-Darkan Rd	9.10	Pig Gully Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Williams

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4300006	Tinshed Josbury Rd	Tinshed Josbury Rd	Williams	0.00	Pinjarra Williams Rd	2.53	Josbury Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4300045	Top End Rd	Top End Rd	Williams	0.00	Pinjarra Williams Rd	1.13	Top End Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4300023	Wangeling Gully Rd	Wangeling Gully Rd	Williams	0.00	Albany Hwy	9.20	Narrogin LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4300021	Westmere Rd	Westmere Rd	Williams	0.00	Albany Hwy	5.01	Westmere Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Williams

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4300128	Williams-Darkan Rd	Williams-Darkan Rd	Williams	0.00	Pinjarra Williams Rd	25.52	Williams Darkan Rd	
4300092	Yarrabin Rd	Yarrabin Rd	Williams	0.00	Westmere Rd	4.50	Yarrabin Rd - End Road	
4300001	York - Williams Rd	York - Williams Rd	Williams	0.00	Albany Hwy	19.15	Fowler Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4300001	York - Williams Rd	York - Williams Rd	Williams	19.15	Fowler Rd	20.68	Fourteen Mile Brook Rd & York - Williams Rd	
4300010	York - Williams Rd	York - Williams Rd	Williams	0.00	York - Williams Rd & Fourteen Mile Brook Rd	8.01	Wandering LGA Boundary	
4300012	Zilko Rd	Zilko Rd	Williams	0.00	Narrakine Rd	19.65	Boddington LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Direct radio contact must be maintained with other RAV's to establish their position on or near the road (suggested UHF channel 40)
430Z007	Josbury Rd (Private)	Josbury Rd	Williams	0.00	Josbury Rd	0.32		

Tandem Drive Network 2.1



Wiluna

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
7060054	Barwidgee - Yandal Rd	Barwidgee - Yandal Rd	Wiluna	0.00	Barwidgee Rd	6.50	Wonganoo Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
7060054	Barwidgee - Yandal Rd	Barwidgee - Yandal Rd	Wiluna	6.50	Wonganoo Rd	35.73	Leonora LGA Boundary	
7060012	Barwidgee Rd	Barwidgee Rd	Wiluna	0.00	Wongawol Rd	44.60	Barwidgee - Yandal Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
7060018	Carnegie - Glenayle Rd	Carnegie - Glenayle Rd	Wiluna	0.00	Sydney Heads Rd	88.89	Carnegie Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
7060009	Carnegie Rd	Carnegie Rd	Wiluna	0.00	Wongawol Rd	124.10	Gunbarrel Hwy & Carnegie - Prenti Downs Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
7060071	Earaheedy Rd	Earaheedy Rd	Wiluna	0.00	Granite Peak Access Rd & Granite Peak - Lake Violet Rd	15.98	Sydney Heads Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
7060004	Granite Peak - Lake Violet Rd	Granite Peak - Lake Violet Rd	Wiluna	0.00	Wongawol Rd	142.73	Granite Peak Access Rd & Earahedy Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
7060014	Jundee Rd	Jundee Rd	Wiluna	0.00	Wongawol Rd	5.04	Research Station Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
7060014	Jundee Rd	Jundee Rd	Wiluna	5.18	Research Station Rd	42.16	Jundee Access Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
7060008	Research Station Rd	Research Station Rd	Wiluna	0.00	Wongawol Rd	7.88	0.95 Km Past Jundee Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
7060002	Sandstone - Wiluna Rd	Sandstone - Wiluna Rd	Wiluna	0.00	Goldfields Hwy	26.89	Joyner's Find Gold / Iron Access Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 70 km/h No operation after significant rainfall resulting in pooling of water or flowing of water across the road. Road damage must be immediately reported to Wiluna Fe Pty Ltd.
7060032	Sydney Heads Rd	Sydney Heads Rd	Wiluna	21.03	Earaheedy Rd	89.71	Carnegie - Glenayle Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
7060035	Thompson St	Thompson St	Wiluna	0.00	Goldfields Hwy & Wiluna Bypa	1.69	Caledonia St	
7060007	Village Rd	Village Rd	Wiluna	0.00	Wongawol Rd	5.16	Village Rd - End Road	
7060036	Wells St	Wells St	Wiluna	0.07	Woodley St	0.86	Caledonia St & Wongawol Rd	
7060001	Wiluna North Rd	Wiluna North Rd	Wiluna	0.00	Wotton St & Lawrence St	87.15	Meekatharra Lga Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
7060016	Wonganoo Rd	Wonganoo Rd	Wiluna	0.00	Barwidgee - Yandal Rd	61.62	Leonora LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
7060003	Wongawol Rd	Wongawol Rd	Wiluna	0.00	Caledonia St & Wells St	214.05	Carnegie Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
7060040	Woodley St	Woodley St	Wiluna	0.00	Wiluna Bypa	0.27	Wells St	
7060033	Wotton St	Wotton St	Wiluna	0.45	Wells St	1.22	Wiluna North Rd & Lawrence St	

Tandem Drive Network 2.1



Wongan - Ballidu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5180099	Alpha St	Alpha St	Wongan - Ballidu	0.00	Federation St	0.11	Fairbanks St	
5180175	Armstrong Rd	Armstrong Rd	Wongan - Ballidu	0.00	Lake Hinds North Rd	6.11	Bowen Rd	
5180160	Avon Rd	Avon Rd	Wongan - Ballidu	0.00	Pioneer Rd	1.14	Boundary Rd	
5180077	Bailey Rd	Bailey Rd	Wongan - Ballidu	0.00	Wilding Rd	4.10	1km South - Then 3km West From Wilding Rd	
5180044	Ballermina Rd	Ballermina Rd	Wongan - Ballidu	0.00	Ballidu East Rd	10.80	Kondut East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180004	Ballidu - Bindi Bindi Rd	Ballidu - Bindi Bindi Rd	Wongan - Ballidu	0.00	Federation St & Northam Pithara Rd & Carter Rd	26.83	Bindi - Ballidu Rd & Toothra - Exchange Rd & Nadji Mia Rd	
5180032	Ballidu - South East Rd	Ballidu - South East Rd	Wongan - Ballidu	0.00	Townsend Rd	12.61	Old Ballidu Rd & Kondut East Rd	
5180003	Ballidu East Rd	Ballidu East Rd	Wongan - Ballidu	0.00	Bunyip St & Ranger Rd	25.57	Hospital Rd	
5180135	Barrett - Lennard Rd	Barrett - Lennard Rd	Wongan - Ballidu	0.00	Kondut West Rd	3.85	3.85km From Kondut West Rd	
5180042	Barrow Rd	Barrow Rd	Wongan - Ballidu	0.00	Hospital Rd	12.66	Dowerin - Kalannie Rd	
5180108	Bauer Rd	Bauer Rd	Wongan - Ballidu	0.00	Ballidu East Rd	0.76	Ballidu - South East Rd	
5180133	Beilby Rd	Beilby Rd	Wongan - Ballidu	0.00	Northam Pithara Rd	11.24	White Well Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Northam Pithara Rd : No access permitted into Northam - Pithara from Beilby Rd
5180125	Bexton Rd	Bexton Rd	Wongan - Ballidu	0.00	Barrow Rd	3.36	Kirwan Rd	
5180161	Boundary Rd	Boundary Rd	Wongan - Ballidu	0.00	Manmanning Rd	1.15	Boundary Rd & Melbourne Rd	

Tandem Drive Network 2.1



Wongan - Ballidu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5180136	Bowen Rd	Bowen Rd	Wongan - Ballidu	0.00	Lake Hinds North Rd	8.27	Gabalong East Rd & Tootra Fence Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
5180110	Brennan Rd	Brennan Rd	Wongan - Ballidu	0.00	Yerecoin South East Rd	4.67	Calingari-Wongan Hills Rd	
5180130	Brophy Rd	Brophy Rd	Wongan - Ballidu	0.00	Cousins Rd & Ballidu - Bindi Bindi Rd	4.55	Beilby Rd	
5180043	Bunketch - Kulja Rd	Bunketch - Kulja Rd	Wongan - Ballidu	0.00	Dowerin - Kalannie Rd	10.59	Koorda LGA Boundary	
5180100	Bunyip St	Bunyip St	Wongan - Ballidu	0.00	Federation St	0.26	Ranger Rd & Ballidu East Rd	<ul style="list-style-type: none"> Intersection Federation St : No left turn permitted into Federation St from Bunyip St
5180192	Burakin - Wialki Rd	Burakin - Wialki Rd	Wongan - Ballidu	0.00	Dowerin - Kalannie Rd	6.83	Koorda LGA Boundary	
5180057	Burakin East Rd	Burakin East Rd	Wongan - Ballidu	0.00	Dowerin - Kalannie Rd	5.98		
5180056	Burakin North Rd	Burakin North Rd	Wongan - Ballidu	0.00	Burakin - Wialki Rd	4.37	Bunketch - Kulja Rd	
5180198	Cadoux - Koorda Rd	Cadoux - Koorda Rd	Wongan - Ballidu	0.00	Dowerin - Kalannie Rd	7.20	Koorda - Wongan Hills Rd	
5180016	Cadoux North Rd	Cadoux North Rd	Wongan - Ballidu	0.00	Wongan Hills-Cadoux Rd	14.08	Degrussa Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180119	Cadoux Rifle Range Rd	Cadoux Rifle Range Rd	Wongan - Ballidu	0.00	Dowerin - Kalannie Rd	1.78	Lego Rd	
5180117	Cadoux South Rd	Cadoux South Rd	Wongan - Ballidu	0.00	Wongan Hills-Cadoux Rd	4.85	Koorda - Wongan Hills Rd & Railway Rd	
5180179	Carter St	Carter St	Wongan - Ballidu	0.00	Manmanning Rd	0.18	Jensen St	
5180159	Central Rd	Central Rd	Wongan - Ballidu	0.00	Manmanning Rd	1.20	Melbourne Rd	

Tandem Drive Network 2.1



Wongan - Ballidu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5180061	Clarke Rd	Clarke Rd	Wongan - Ballidu	0.00	Hospital Rd	12.98	Cadoux North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Hospital Rd : No access permitted into Hospital Rd from Clarke Rd
5180068	Cochrane Rd	Cochrane Rd	Wongan - Ballidu	0.00	Wongan Hills-Cadoux Rd	0.70	Dowerin - Kalannie Rd	
5180093	Commercial Rd	Commercial Rd	Wongan - Ballidu	0.00	Ninan St	1.52	Wongan Hills - Waddington Rd	
5180140	Conway Rd	Conway Rd	Wongan - Ballidu	0.00	Elphin - Korraling Rd	1.25	Conway Rd - End Road	
5180165	Cooney Rd	Cooney Rd	Wongan - Ballidu	0.00	Rabbit Proof Fence Rd	2.19	Dowerin - Kalannie Rd	
5180058	Corbett Rd	Corbett Rd	Wongan - Ballidu	0.00	Dowerin - Kalannie Rd	6.04	Corbett Rd - End Road	
5180131	Cousins Rd	Cousins Rd	Wongan - Ballidu	0.00	Brophy Rd & Ballidu - Bindi Bindi Rd	4.50	Cousins Rd - End Road	
5180033	Craig Rd	Craig Rd	Wongan - Ballidu	0.00	Northam Pithara Rd	18.24	Kondut West Rd	
5180039	Craske Rd	Craske Rd	Wongan - Ballidu	0.00	Ballidu East Rd	10.57	Dalwallinu LGA Boundary	
5180021	Damboring West Rd	Damboring West Rd	Wongan - Ballidu	0.00	Dalwallinu LGA Boundary	10.04	Newton Rd & Latham Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180151	Danes Rd	Danes Rd	Wongan - Ballidu	0.00	Reid Rd	0.78	Dowerin - Kalannie Rd	
5180151	Danes Rd	Danes Rd	Wongan - Ballidu	0.86	Dowerin - Kalannie Rd	3.09	Burakin North Rd	
5180045	Davey Rd	Davey Rd	Wongan - Ballidu	0.00	Ballidu East Rd	5.90	Degrussa Rd	

Tandem Drive Network 2.1



Wongan - Ballidu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5180047	Degrussa Rd	Degrussa Rd	Wongan - Ballidu	0.00	Ballermina Rd	14.24	Hospital Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180047	Degrussa Rd	Degrussa Rd	Wongan - Ballidu	14.26	Hospital Rd	27.88	Kirwan West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180073	Douglas Rd	Douglas Rd	Wongan - Ballidu	0.00	Ballidu - Bindi Bindi Rd	6.22	Latham Rd	
5180193	Dowerin - Kalannie Rd	Dowerin - Kalannie Rd	Wongan - Ballidu	0.00	Dowerin LGA Boundary	43.45	Dalwallinu LGA Boundary	
5180138	Elphin - Korraling Rd	Elphin - Korraling Rd	Wongan - Ballidu	0.00	Wongan Hills - Waddington Rd	5.64	Craig Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180102	Fairbanks St	Fairbanks St	Wongan - Ballidu	0.35	Bunyip St	0.52	Alpha St	
5180096	Federation St	Federation St	Wongan - Ballidu	0.00	Northam Pithara Rd & Ballidu - Bindi Bindi Rd & Carter Rd	1.16	Northam Pithara Rd & Carter Rd	
5180156	Ffoulkes Rd	Ffoulkes Rd	Wongan - Ballidu	0.00	Calingari-Wongan Hills Rd	1.31	Serio Rd	<ul style="list-style-type: none"> Intersection Serio Rd : No access permitted into Serio Rd from Ffoulkes Rd
5180186	Finck Rd	Finck Rd	Wongan - Ballidu	0.00	Kokardine West Rd	1.69	Finck Rd - End Road	
5180120	Flat Rocks Rd	Flat Rocks Rd	Wongan - Ballidu	0.00	Dowerin - Kalannie Rd	5.88	Kalajzic Rd	

Tandem Drive Network 2.1



Wongan - Ballidu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5180137	Fowler Rd	Fowler Rd	Wongan - Ballidu	0.00	Smith Rd	2.27	Mail Route Rd	
5180106	Freestone Rd	Freestone Rd	Wongan - Ballidu	0.00	Ballidu - South East Rd	14.93	Degrussa Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180027	Gabalong East Rd	Gabalong East Rd	Wongan - Ballidu	0.00	Lake Hinds North Rd	14.99	Moora LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180167	Gaston Rd	Gaston Rd	Wongan - Ballidu	0.00	Dowerin - Kalannie Rd	2.94	Rabbit Proof Fence Rd	
5180071	Glenvar Rd	Glenvar Rd	Wongan - Ballidu	0.00	Old Ballidu Rd	3.06	Glenvar Rd - End Road	
5180078	Goodie Rd	Goodie Rd	Wongan - Ballidu	0.00	Danubin St	3.37	Kalguddering North Rd	
5180115	Griffiths Rd	Griffiths Rd	Wongan - Ballidu	0.00	Manmanning Rd	3.30	Griffiths Rd - End Road	
5180074	Hesford Rd	Hesford Rd	Wongan - Ballidu	0.00	Kirwan West Rd	6.90	Barrow Rd	
5180122	Holben Rd	Holben Rd	Wongan - Ballidu	0.00	Cadoux North Rd	5.22		
5180127	Hooper Rd	Hooper Rd	Wongan - Ballidu	0.00	Hospital Rd	8.66	Freestone Rd	
5180195	Hospital Rd	Hospital Rd	Wongan - Ballidu	0.00	Quinlan St & Pioneer Rd	67.47	Dowerin - Kalannie Rd	<ul style="list-style-type: none"> Intersection Clarke Rd : No access permitted into Clarke Rd from Hospital Rd
5180038	Hourigan Rd	Hourigan Rd	Wongan - Ballidu	0.00	Ballidu East Rd	9.82	Dalwallinu LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180141	Hunt Rd	Hunt Rd	Wongan - Ballidu	0.00	Craske Rd	7.33	Hunt Rd - End of Road	
5180013	Jenkin Rd	Jenkin Rd	Wongan - Ballidu	0.00	Northam Pithara Rd	3.60	Kondut West Rd	

Tandem Drive Network 2.1



Wongan - Ballidu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5180066	Jenks Rd	Jenks Rd	Wongan - Ballidu	0.00	East Boundary Rd & Tootra Fence Rd	9.05	Ballidu - Bindi Bindi Rd	
5180180	Jensen St	Jensen St	Wongan - Ballidu	0.00	Manmanning Rd	0.68	Cemetery Rd	<ul style="list-style-type: none"> Intersection Manmanning Rd : No right turn permitted into Manmanning Rd from Jensen St.
5180054	Johnson Rd	Johnson Rd	Wongan - Ballidu	0.00	Cadoux - Koorda Rd	5.30	Rabbit Proof Fence Rd	
5180185	Joynes Rd	Joynes Rd	Wongan - Ballidu	0.00	Clarke Rd	1.81	Kokardine West Rd	
5180123	Kalajzic Rd	Kalajzic Rd	Wongan - Ballidu	0.00	Dowerin - Kalannie Rd	5.88	Cadoux North Rd	
5180011	Kalguddering East Rd	Kalguddering East Rd	Wongan - Ballidu	0.00	Northam Pithara Rd	17.28	Wilkins Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180036	Kalguddering North Rd	Kalguddering North Rd	Wongan - Ballidu	0.00	Kalguddering East Rd	5.75	Moonijin West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180112	Kalguddering Rd	Kalguddering Rd	Wongan - Ballidu	0.00	Kalguddering East Rd	3.30	Kalguddering West Rd	
5180014	Kalguddering West Rd	Kalguddering West Rd	Wongan - Ballidu	0.00	Northam Pithara Rd	10.62	Calingari-Wongan Hills Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180124	Kalsall Rd	Kalsall Rd	Wongan - Ballidu	0.00	Burakin - Wialki Rd	2.67	Bunketch - Kulja Rd	

Tandem Drive Network 2.1



Wongan - Ballidu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5180024	Kirwan East Rd	Kirwan East Rd	Wongan - Ballidu	0.00	Dowerin - Kalannie Rd	6.90	Broadhurst Rd & Kirwan East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180022	Kirwan Rd	Kirwan Rd	Wongan - Ballidu	0.00	Hospital Rd	14.10	Rabbit Proof Fence Rd	
5180023	Kirwan West Rd	Kirwan West Rd	Wongan - Ballidu	0.00	Dowerin - Kalannie Rd	16.36	Hospital Rd	
5180018	Kokardine East Rd	Kokardine East Rd	Wongan - Ballidu	0.00	Dowerin - Kalannie Rd	6.10	Montague Rd & Rabbit Proof Fence Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180017	Kokardine West Rd	Kokardine West Rd	Wongan - Ballidu	0.00	Dowerin - Kalannie Rd	5.10	Cadoux North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Wongan - Ballidu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5180017	Kokardine West Rd	Kokardine West Rd	Wongan - Ballidu	5.18	Cadoux North Rd	16.69	Hospital Rd & Kondut East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180009	Kondut East Rd	Kondut East Rd	Wongan - Ballidu	0.00	Northam Pithara Rd	23.69	Kokardine West Rd & Hospital Rd	
5180031	Kondut South East Rd	Kondut South East Rd	Wongan - Ballidu	0.00	Northam Pithara Rd	15.71	Hospital Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5180010	Kondut West Rd	Kondut West Rd	Wongan - Ballidu	0.00	Northam Pithara Rd	17.54	Lake Hinds North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180034	Korraling Rd	Korraling Rd	Wongan - Ballidu	0.00	Old Ballidu Rd	11.82	Korraling Rd- End Road	
5180029	Lake Hinds North Rd	Lake Hinds North Rd	Wongan - Ballidu	0.00	Wongan Hills - Waddington Rd	16.65	Kondut West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Wongan - Ballidu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5180147	Latham Rd	Latham Rd	Wongan - Ballidu	0.00	Newton Rd & Damboring West Rd	10.26	Nadji Mia Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180129	Leahy Rd	Leahy Rd	Wongan - Ballidu	0.00	Kondut East Rd	2.23	Freestone Rd	
5180118	Lego Rd	Lego Rd	Wongan - Ballidu	0.00	Vincent Rd	8.18	Kokardine East Rd	
5180114	Litchfield Rd	Litchfield Rd	Wongan - Ballidu	0.00	Kalguddering East Rd	7.76	Manmanning Rd	
5180037	Lloyd Rd	Lloyd Rd	Wongan - Ballidu	0.00	Latham Rd	7.20	Sutherland Rd & Lloyd Rd	
5180070	Mail Route Rd	Mail Route Rd	Wongan - Ballidu	0.00	Bowen Rd	2.68	Mail Route Rd - End of Road	
5180132	Mailey Rd	Mailey Rd	Wongan - Ballidu	0.00	Ballidu - Bindi Bindi Rd	1.30	Mailey Rd - End Road	
5180006	Manmanning Rd	Manmanning Rd	Wongan - Ballidu	0.00	Northam Pithara Rd & Wongan Rd	7.59	Oliver Rd	<ul style="list-style-type: none"> 10 km/h below posted speed limit Intersection Jensen St : No left turn permitted into Jensen St from Manmanning Rd
5180006	Manmanning Rd	Manmanning Rd	Wongan - Ballidu	7.59	Oliver Rd	32.11	Jones Rd & Manmanning Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180150	McCashney Rd	McCashney Rd	Wongan - Ballidu	0.00	Hospital Rd	9.51	Degrussa Rd	
5180015	Meadows Rd	Meadows Rd	Wongan - Ballidu	0.00	Meadows Rd & Rifle Range Rd	8.68	Ranger Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
5180171	Melbourne Rd	Melbourne Rd	Wongan - Ballidu	0.00	Pioneer Rd	0.65	Central Rd	
5180046	Millsteed Rd	Millsteed Rd	Wongan - Ballidu	0.00	Old Ballidu Rd	3.28	Millsteed Rd - End Road	
5180062	Mincherton Rd	Mincherton Rd	Wongan - Ballidu	0.00	Clarke Rd	5.05	Wongan Hills-Cadoux Rd	
5180116	Mocardy Rd	Mocardy Rd	Wongan - Ballidu	0.00	Hospital Rd	2.54	Mocardy Rd - End Road	
5180169	Montague Rd	Montague Rd	Wongan - Ballidu	0.00	Rabbit Proof Fence Rd & Kokardine East Rd	1.38	Moningar Rd & Montague Rd	
5180007	Moonijin West Rd	Moonijin West Rd	Wongan - Ballidu	0.00	Manmanning Rd	23.65	Dowerin LGA Boundary	

Tandem Drive Network 2.1



Wongan - Ballidu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5180002	Mountjoy Rd	Mountjoy Rd	Wongan - Ballidu	0.00	Kalguddering East Rd	2.43	Goomalling LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180069	Murphy Rd	Murphy Rd	Wongan - Ballidu	0.00	Dowerin - Kalannie Rd	0.92	Murphy Rd - End of Road	
5180072	Newton Rd	Newton Rd	Wongan - Ballidu	0.00	Ballidu - Bindi Bindi Rd	7.77	Damboring West Rd & Latham Rd	
5180030	Old Ballidu Rd	Old Ballidu Rd	Wongan - Ballidu	0.00	Northam Pithara Rd	12.78	Kondut South East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180121	Old Kokardine Rd	Old Kokardine Rd	Wongan - Ballidu	0.00	Kokardine West Rd	6.14		
5180139	Oliver Rd	Oliver Rd	Wongan - Ballidu	0.00	Manmanning Rd	1.67	Hospital Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
5180064	Parker Rd	Parker Rd	Wongan - Ballidu	0.00	Lake Hinds North Rd	2.09	Parker Rd - End Road	
5180184	Phillips Rd	Phillips Rd	Wongan - Ballidu	0.00	Clarke Rd	1.71	Kokardine West Rd	
5180163	Pioneer Rd	Pioneer Rd	Wongan - Ballidu	0.00	Manmanning Rd	1.22	Quinlan St & Hospital Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
5180049	Podmore Rd	Podmore Rd	Wongan - Ballidu	0.00	Wongan - Koorda Rd	4.17	Wongan Hills-Cadoux Rd	
5180040	Quain Rd	Quain Rd	Wongan - Ballidu	0.00	Ballidu East Rd	11.32	Dalwallinu LGA Boundary	

Tandem Drive Network 2.1



Wongan - Ballidu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5180025	Rabbit Proof Fence Rd	Rabbit Proof Fence Rd	Wongan - Ballidu	0.00	Dalwallinu LGA Boundary	8.10	Barrow Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180025	Rabbit Proof Fence Rd	Rabbit Proof Fence Rd	Wongan - Ballidu	8.10	Barrow Rd	13.03	Kirwan Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
5180025	Rabbit Proof Fence Rd	Rabbit Proof Fence Rd	Wongan - Ballidu	13.03	Kirwan Rd	13.21	Dowerin - Kalannie Rd	
5180025	Rabbit Proof Fence Rd	Rabbit Proof Fence Rd	Wongan - Ballidu	13.21	Dowerin - Kalannie Rd	26.00	Montague Rd & Kokardine East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180051	Raine Rd	Raine Rd	Wongan - Ballidu	0.00	Salvare Rd	4.84	Jones Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180075	Ranger Rd	Ranger Rd	Wongan - Ballidu	0.00	Bunyip St & Ballidu East Rd	1.12	Meadows Rd	
5180149	Regan Rd	Regan Rd	Wongan - Ballidu	0.00	Ballidu - Bindi Bindi Rd	1.56	Carter Rd	
5180055	Reid Rd	Reid Rd	Wongan - Ballidu	0.00	Barrow Rd	10.21	Dowerin - Kalannie Rd	

Tandem Drive Network 2.1



Wongan - Ballidu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5180041	Reynolds Rd	Reynolds Rd	Wongan - Ballidu	0.00	Ballidu East Rd	10.96	Dalwallinu LGA Boundary	
5180012	Rifle Range Rd	Rifle Range Rd	Wongan - Ballidu	0.00	Meadows Rd & Rifle Range Rd	31.69	Hospital Rd	
5180109	Robinson Rd	Robinson Rd	Wongan - Ballidu	0.00	Wongan Hills - Waddington Rd	2.15	Robinson Rd - End Road	
5180187	Sadler Rd	Sadler Rd	Wongan - Ballidu	0.00	Ninan St	0.95	Sadler Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180206	Salvare Rd	Salvare Rd	Wongan - Ballidu	0.00	Manmanning Rd	7.22	Wongan - Koorda Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180134	Scotney Rd	Scotney Rd	Wongan - Ballidu	0.00	Kondut West Rd	5.81	Scotney Rd - End Road	
5180076	Serio Rd	Serio Rd	Wongan - Ballidu	0.00	Wilding Rd	5.21	Ffoulkes Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Ffoulkes Rd : No access permitted into Ffoulkes Rd from Serio Rd

Tandem Drive Network 2.1



Wongan - Ballidu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5180126	Sermon Rd	Sermon Rd	Wongan - Ballidu	0.00	Ballidu East Rd	6.00	Degrussa Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180113	Sewell Rd	Sewell Rd	Wongan - Ballidu	0.00	Ward Rd & Moonijin West Rd	5.53	Manmanning Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180020	Sheoak Rd	Sheoak Rd	Wongan - Ballidu	0.00	Ballidu - Bindi Bindi Rd	12.57	Dalwallinu LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180048	Silver Rd	Silver Rd	Wongan - Ballidu	0.00	Ballidu - South East Rd	7.36	Ballermina Rd	
5180067	Smith Rd	Smith Rd	Wongan - Ballidu	0.00	Wongan Hills - Waddington Rd	17.03	Gabalong East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180026	Stokes Rd	Stokes Rd	Wongan - Ballidu	0.00	Hospital Rd	15.35	Moonijin West Rd	

Tandem Drive Network 2.1



Wongan - Ballidu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5180152	Strahan Rd	Strahan Rd	Wongan - Ballidu	0.00	Rabbit Proof Fence Rd	3.38	Koorda LGA Boundary	
5180128	Swift Rd	Swift Rd	Wongan - Ballidu	0.00	Kondut East Rd	6.82	Kondut South East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180059	Tascosa Rd	Tascosa Rd	Wongan - Ballidu	0.00	Kirwan East Rd	5.88	Strahan Rd	
5180065	Tootra Fence Rd	Tootra Fence Rd	Wongan - Ballidu	0.00	Gabalong East Rd & Bowen Rd	7.09	East Boundary Rd & Jenks Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180170	Townsend Rd	Townsend Rd	Wongan - Ballidu	0.00	Federation St	0.51	Ballidu East Rd	
5180053	Vincent Rd	Vincent Rd	Wongan - Ballidu	0.00	Dowerin - Kalannie Rd	9.42	Rabbit Proof Fence Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180050	Walker Rd	Walker Rd	Wongan - Ballidu	0.00	Wongan Hills-Cadoux Rd	5.10	Koorda - Wongan Hills Rd	

Tandem Drive Network 2.1



Wongan - Ballidu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5180174	Ward Rd	Ward Rd	Wongan - Ballidu	0.00	Moonijin West Rd & Sewell Rd	2.48	Dowerin LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180111	Wells Rd	Wells Rd	Wongan - Ballidu	0.00	Kalguddering West Rd	4.10	Wells Rd - End Road	
5180019	White Well Rd	White Well Rd	Wongan - Ballidu	0.00	Kondut West Rd	11.54	Ballidu - Bindi Bindi Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180063	Whyte Rd	Whyte Rd	Wongan - Ballidu	0.00	Ballidu East Rd	5.10	Whyte Rd - End Road	
5180028	Wilding Rd	Wilding Rd	Wongan - Ballidu	0.00	Calingari-Wongan Hills Rd & Ninan St	14.90	Wongan Hills - Waddington Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
5180177	Wilkins Rd	Wilkins Rd	Wongan - Ballidu	0.00	Kalguddering East Rd	4.02	Moonijin West Rd	
5180005	Wilson Rd	Wilson Rd	Wongan - Ballidu	0.00	Smith Rd	8.21	Victoria Plains LGA Boundary	
5180035	Wongan - Koorda Rd	Wongan - Koorda Rd	Wongan - Ballidu	0.00	Hospital Rd	16.35	Jones Rd & Koorda - Wongan Hills Rd	
5180199	Wongan Hills - Waddington Rd	Wongan Hills - Waddington Rd	Wongan - Ballidu	0.00	Northam Pithara Rd & Wongan Rd	30.21	Victoria Plains LGA Boundary	

Tandem Drive Network 2.1



Wongan - Ballidu

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
5180197	Wongan Hills-Cadoux Rd	Wongan Hills-Cadoux Rd	Wongan - Ballidu	0.00	Hospital Rd	22.47	Dowerin - Kalannie Rd	
5180008	Yerecoin South East Rd	Yerecoin South East Rd	Wongan - Ballidu	0.00	Calingari-Wongan Hills Rd	3.00	Ninan Farm	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). No access past Ninan Farm
5180008	Yerecoin South East Rd	Yerecoin South East Rd	Wongan - Ballidu	3.00	Ninan Farm	13.50	Martin Rd & Yerecoin South - East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Woodanilling

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3170061	Andrews Rd	Andrews Rd	Woodanilling	0.00	Watson Rd	5.54	Wagin LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3170009	Ashwell Rd	Ashwell Rd	Woodanilling	0.00	Great Southern Hwy	16.10	Flagstaff Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Great Southern Hwy : No access permitted to or from Northam-Cranbrook Rd. Intersection Kojonolokan Rd : No right turn permitted into Kojonolokan Rd from Ashwell Rd. Intersection Flagstaff Rd : No right turn permitted into Flagstaff Rd from Ashwell Rd
3170025	Ball Rd	Ball Rd	Woodanilling	0.00	Oxley Rd	10.06	Wagin LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Woodanilling

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3170008	Ballaying Rd	Ballaying Rd	Woodanilling	0.00	Harvey Rd	9.78	Ballaying South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Harvey Rd : No right turn permitted into Harvey Rd from Ballaying Rd.
3170052	Baxter Rd	Baxter Rd	Woodanilling	0.00	Monger Rd	2.63		<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3170064	Bockaring Rd	Bockaring Rd	Woodanilling	0.00	Wagin LGA Boundary	1.58	Kerr Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Woodanilling

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3170064	Bockaring Rd	Bockaring Rd	Woodanilling	1.58	Kerr Rd	5.36	Bockaring Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3170015	Burt Rd	Burt Rd	Woodanilling	0.00	Robinson East Rd	8.66	Tie Line Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Tie Line Rd : No left turn permitted into Tieline Rd from Burt Rd
3170002	Cartmeticup Rd	Cartmeticup Rd	Woodanilling	0.00	Oxley Rd	13.05	Robinson East Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.

Tandem Drive Network 2.1



Woodanilling

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3170090	Cavanagh Rd	Cavanagh Rd	Woodanilling	0.00	Robinson West Rd	2.15	Cavanagh Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3170021	Church Rd	Church Rd	Woodanilling	0.00	Cartmeticup Rd	2.61	Cronin Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h Intersection Cartmeticup Rd : No right turn permitted into Cartmeticup Rd from Church Rd
3170021	Church Rd	Church Rd	Woodanilling	2.61	Cronin Rd	4.99	Tie Line Rd & Darby Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3170023	Coben Soak Rd	Coben Soak Rd	Woodanilling	0.00	Albany Hwy	9.89	West Arthur LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
3170031	Cornwall Rd	Cornwall Rd	Woodanilling	0.00	Onslow Rd	9.42	Robinson West Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Robinson West Rd : No left turn permitted Into Robinson West Rd from Cornwall Rd

Tandem Drive Network 2.1



Woodanilling

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3170041	Cronin Rd	Cronin Rd	Woodanilling	0.00	Church Rd	3.01	Harvey Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3170041	Cronin Rd	Cronin Rd	Woodanilling	3.01	Harvey Rd	8.48	Oxley Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
3170012	Darby Rd	Darby Rd	Woodanilling	0.00	Harvey Rd	5.73	Church Rd & Tie Line Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3170017	Douglas Rd	Douglas Rd	Woodanilling	0.00	Robinson West Rd & Westwood Rd	16.69	Maders Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Woodanilling

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3170044	Fiegerts Rd	Fiegerts Rd	Woodanilling	0.00	Robinson West Rd	5.42	Fiegerts Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover.
3170056	Flagstaff Rd	Flagstaff Rd	Woodanilling	0.00	Douglas Rd	1.75	Ashwell Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
3170056	Flagstaff Rd	Flagstaff Rd	Woodanilling	1.75	Ashwell Rd	5.15	Wagin LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Ashwell Rd : No left turn permitted into Ashwell Rd from Flagstaff Rd.
3170037	Forbes Rd	Forbes Rd	Woodanilling	0.00	Oxley Rd	2.70	Dumbleyung LGA Boundary	<ul style="list-style-type: none"> Maximum speed 70 km/h Intersection Oxley Rd : No Right Turn Into Oxley Road Permitted

Tandem Drive Network 2.1



Woodanilling

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3170051	Gorn Rd	Gorn Rd	Woodanilling	0.00	Leggoe Rd	0.58	West Arthur LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3170033	Griffiths Rd	Griffiths Rd	Woodanilling	0.00	Leggoe Rd	4.76	Ways Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3170100	Hale Rd	Hale Rd	Woodanilling	0.00	Albany Hwy	4.60	Hale Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3170042	Harrison Rd	Harrison Rd	Woodanilling	0.00	Harrison Rd & Coben Soak Rd	2.62	Youngs Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Woodanilling

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3170004	Harvey Rd	Harvey Rd	Woodanilling	0.00	Lime Lake Rd	2.84	Darby Rd	<ul style="list-style-type: none"> Maximum speed 60 km/h
3170004	Harvey Rd	Harvey Rd	Woodanilling	2.84	Darby Rd	14.07	Cartmeticup Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Cronin Rd : No left turn permitted into Cronin Rd from Harvey Rd (in either direction)
3170034	Hensman Rd	Hensman Rd	Woodanilling	0.00	Great Southern Hwy	4.40	Katanning LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Great Southern Hwy : No left turn permitted into Northam-Cranbrook Rd from Hensman Rd.
3170039	Hope Farm Rd	Hope Farm Rd	Woodanilling	0.00	Church Rd	2.59	Trimmer Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Woodanilling

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3170057	Hope Rd	Hope Rd	Woodanilling	0.00	Johnston Rd	1.96	Westwood Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3170038	Johnston Rd	Johnston Rd	Woodanilling	0.00	Hope Rd	2.44	Robinson West Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3170038	Johnston Rd	Johnston Rd	Woodanilling	2.44	Robinson West Rd	2.52	Robinson Rd West	<ul style="list-style-type: none"> Maximum speed 60 km/h
3170027	Kelly Rd	Kelly Rd	Woodanilling	0.00	Oxley Rd	2.00	Katanning LGA Boundary	
3170058	Kerr Rd	Kerr Rd	Woodanilling	0.00	Lime Lake Rd	1.90	Bockaring Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3170028	Kojonolokan Rd	Kojonolokan Rd	Woodanilling	0.00	Ashwell Rd	2.12	Watson Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Woodanilling

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3170014	Leggoe Rd	Leggoe Rd	Woodanilling	0.00	Albany Hwy	12.26	Rees Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3170018	Lime Lake Rd	Lime Lake Rd	Woodanilling	0.00	Lime Lake East Rd	8.36	Harvey Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3170018	Lime Lake Rd	Lime Lake Rd	Woodanilling	8.36	Harvey Rd	9.07	Lime Lake Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Woodanilling

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3170088	Macri Rd	Macri Rd	Woodanilling	0.00	Leggoe Rd	0.55	Macri Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3170043	Maders Rd	Maders Rd	Woodanilling	0.00	Robinson West Rd	3.33	Douglas Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3170053	Marshall Rd	Marshall Rd	Woodanilling	0.00	Orchard Rd	3.40	Newstead Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3170066	Monger Rd	Monger Rd	Woodanilling	0.00	Robinson East Rd	0.65	Baxter Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
3170032	Newstead Rd	Newstead Rd	Woodanilling	0.00	Great Southern Hwy	3.42	Cornwall Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h

Tandem Drive Network 2.1



Woodanilling

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3170022	Oakland Rd	Oakland Rd	Woodanilling	0.00	Cartmeticup Rd	6.08	Tie Line Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3170019	Onslow Rd	Onslow Rd	Woodanilling	0.00	Great Southern Hwy	11.56	River Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3170019	Onslow Rd	Onslow Rd	Woodanilling	11.56	River Rd	16.33	Kojonup Lga Boundary	<ul style="list-style-type: none"> Maximum speed 60 km/h
3170006	Orchard Rd	Orchard Rd	Woodanilling	0.00	Robinson West Rd	10.30	River Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Robinson West Rd : No access permitted into Robinson West Rd from Orchard Rd
3170006	Orchard Rd	Orchard Rd	Woodanilling	10.30	River Rd	20.97	Ramm Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3170086	Oxley Rd	Oxley Rd	Woodanilling	0.00	Robinson East Rd & Katanning - Dumbleyung Rd	20.28	Katanning - Dumbleyung Rd & Sunter Rd	

Tandem Drive Network 2.1



Woodanilling

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3170046	Prinsep Rd	Prinsep Rd	Woodanilling	0.00	Hensman Rd	1.66	Throssell Rd & Prinsep Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3170035	Quatermaine Rd	Quatermaine Rd	Woodanilling	0.00	Ashwell Rd	1.97	Stronach Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Stronach Rd : No entry permitted into Stronach Rd from Quatermaine Rd.
3170049	Queerearrup Rd	Queerearrup Rd	Woodanilling	0.00	Douglas Rd	4.60	Queerearrup Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Woodanilling

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3170055	Ramm Rd	Ramm Rd	Woodanilling	0.00	Orchard Rd	4.98	Ramm Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
3170065	Rees Rd	Rees Rd	Woodanilling	0.00	Leggoe Rd & Rees Rd	1.16	Youngs Rd	
3170048	Reshke Rd	Reshke Rd	Woodanilling	0.00	Robinson West Rd	2.82	Douglas Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Douglas Rd : No access permitted into Douglas Rd from Reshke Rd
3170026	River Rd	River Rd	Woodanilling	0.00	Orchard Rd	7.66	Onslow Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Woodanilling

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3170001	Robinson East Rd	Robinson East Rd	Woodanilling	0.00	Robinson Rd	1.68	Oxley Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3170001	Robinson East Rd	Robinson East Rd	Woodanilling	1.76	Oxley Rd & Katanning - Dumbleyung Rd	10.84	Cartmeticup Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3170001	Robinson East Rd	Robinson East Rd	Woodanilling	10.84	Cartmeticup Rd	13.57	Robinson West Rd & Great Southern Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road.
3170087	Robinson West Rd	Robinson West Rd	Woodanilling	0.00	Great Southern Hwy & Robinson East Rd	32.42	Albany Hwy	<ul style="list-style-type: none"> Intersection Orchard Rd : No access permitted into Orchard Rd from Robinson West Rd
3170024	Sand Plain Rd	Sand Plain Rd	Woodanilling	0.00	Ball Rd	5.14	Sandplain Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Woodanilling

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3170036	School Rd	School Rd	Woodanilling	0.00	Ballaying Rd	3.39	Harvey Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3170063	Shackley Rd	Shackley Rd	Woodanilling	0.00	Tie Line Rd	5.97	Sugg Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3170007	Shenton Rd	Shenton Rd	Woodanilling	0.00	Katanning LGA Boundary	7.03	Robinson East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h
3170029	Stronach Rd	Stronach Rd	Woodanilling	0.00	Great Southern Hwy	5.80	Quartermaine Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Great Southern Hwy : No left turn permitted into Northam-Cranbrook Rd from Stronach Rd Intersection Quartermaine Rd : No left turn permitted into Quartermaine Rd from Stronach Rd

Tandem Drive Network 2.1



Woodanilling

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3170016	Sugg Rd	Sugg Rd	Woodanilling	0.00	Tie Line Rd	3.82	Shackley Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3170016	Sugg Rd	Sugg Rd	Woodanilling	3.82	Shackley Rd	7.92	Lime Lake Rd	<ul style="list-style-type: none"> Maximum speed 70 km/h
3170011	Tie Line Rd	Tie Line Rd	Woodanilling	0.10	Burt Rd	15.41	Harvey Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3170003	Trimmer Rd	Trimmer Rd	Woodanilling	0.00	Tie Line Rd	12.48	Katanning LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
3170010	Watson Rd	Watson Rd	Woodanilling	0.00	Great Southern Hwy	9.47	Kojonolokan Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Woodanilling

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
3170013	Ways Rd	Ways Rd	Woodanilling	0.00	Albany Hwy	9.48	West Arthur LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
3170078	Westwood Rd	Westwood Rd	Woodanilling	0.00	Orchard Rd	4.13	Hope Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Robinson West Rd & Douglas Rd : No right turn permitted into Robinson West Rd (westbound) from Westwood Rd (southbound)
3170020	Youngs Rd	Youngs Rd	Woodanilling	0.00	Albany Hwy	10.88	Rees Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
3170062	Zadow Rd	Zadow Rd	Woodanilling	0.00	Coben Soak Rd	2.99	Youngs Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h

Tandem Drive Network 2.1



Wyalkatchem

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4310019	Allan Rd	Allan Rd	Wyalkatchem	0.00	Nungarin Wyalkatchem Rd	6.63	Hammond Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Nungarin Wyalkatchem Rd : No access permitted into Goomalling Merredin Rd from Allan Rd
4310012	Amery - Benjaberring Rd	Amery - Benjaberring Rd	Wyalkatchem	0.00	Harrison Rd & McKay Rd & Benjaberring South Rd	5.10	Dowerin LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Benjaberring - Hindmarsh Rd : No access permitted into Benjaberring Hindmarsh Rd from Amery Benjaberring Rd
4310056	Begley Rd	Begley Rd	Wyalkatchem	1.15	Cemetery Rd	4.54	Begley Rd - End Road	
4310027	Benjaberring - Hindmarsh Rd	Benjaberring - Hindmarsh Rd	Wyalkatchem	0.00	Amery - Benjaberring Rd	4.97	Goomalling Wyalkatchem Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Amery - Benjaberring Rd : No access permitted into Amery Benjaberring Rd from Benjaberring Hindmarsh Rd
4310027	Benjaberring - Hindmarsh Rd	Benjaberring - Hindmarsh Rd	Wyalkatchem	5.03	Goomalling - Merredin & Benjaberring-Hindmarsh Rd	15.70	Twenty Six Gate Rd & Borgward Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310133	Benjaberring South Rd	Benjaberring South Rd	Wyalkatchem	0.00	Davies South Rd & Goomalling Wyalkatchem Rd	2.66	Harrison Rd & McKay Rd & Amery - Benjaberring Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Wyalkatchem

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4310051	Bookham Rd	Bookham Rd	Wyalkatchem	0.00	Goldfields Rd	7.40	Holdsworth Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310043	Borgward Rd	Borgward Rd	Wyalkatchem	0.00	Cunderdin - Wyalkatchem Rd	3.76	Twenty Six Gate Rd & Benjaberring - Hindmarsh Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Cunderdin - Wyalkatchem Rd : No right turn permitted into Cunderdin Wyalkatchem Rd from Borgward Rd
4310068	Boyle Rd	Boyle Rd	Wyalkatchem	0.00	Nembudding South Rd	3.53	Shiells Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Wyalkatchem

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4310047	Bruse Rd	Bruse Rd	Wyalkatchem	0.00	Elashgin Rd	11.99	Byrne Rd & Remnant Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4310025	Butlin St	Butlin St	Wyalkatchem	0.00	Butlin St - Start Road	0.18	Grace St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310018	Byrne Rd	Byrne Rd	Wyalkatchem	0.00	Cunderdin - Wyalkatchem Rd	2.39	Bruse Rd & Remnant Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Cunderdin - Wyalkatchem Rd : No access permitted into Cunderdin Wyalkatchem Rd from Byrne Rd

Tandem Drive Network 2.1



Wyalkatchem

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4310057	Carter Rd	Carter Rd	Wyalkatchem	0.00	Goomalling Wyalkatchem Rd	4.23	Carter Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4310029	Cemetery Rd	Cemetery Rd	Wyalkatchem	0.00	Mitchell St & Railway Tce	5.09	Goomalling Wyalkatchem Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310036	Chilman Rd	Chilman Rd	Wyalkatchem	0.00	Wallambin Rd	6.22	Wyalkatchem North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Wyalkatchem

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4310065	Clifford Rd	Clifford Rd	Wyalkatchem	0.00	Wyalkatchem - Koorda Rd	6.43	Wallambin Rd & Lackman Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310121	Cowcowing - Siding Rd	Cowcowing - Siding Rd	Wyalkatchem	0.00	Wyalkatchem - Koorda Rd	0.54	Cowcowing West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310028	Cowcowing West Rd	Cowcowing West Rd	Wyalkatchem	0.00	Wyalkatchem North Rd	5.80	Wyalkatchem - Koorda Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Wyalkatchem

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4310122	Cox Rd	Cox Rd	Wyalkatchem	0.00	Maitland Rd	6.88	Tammin - Wyalkatchem Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310122	Cox Rd	Cox Rd	Wyalkatchem	6.88	Tammin - Wyalkatchem Rd	12.70	Yorakine Rock Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4310131	Cunderdin - Wyalkatchem Rd	Cunderdin - Wyalkatchem Rd	Wyalkatchem	0.00	Seventeen Mile Gate Rd & Cunderdin - Wyalkatchem Rd	31.23	Hands Dr	
4310011	Davies Rd	Davies Rd	Wyalkatchem	0.00	Korrelocking North Rd & Nungarin Wyalkatchem Rd	21.36	O'Loughlin Rd & Yorakine West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
4310006	Davies South Rd	Davies South Rd	Wyalkatchem	0.00	Cunderdin - Wyalkatchem Rd	13.25	Benjaberring South Rd & Goomalling Wyalkatchem Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Benjaberring South Rd & Goomalling Wyalkatchem Rd : No access permitted into Goomalling Merredin Rd from Davies South Rd

Tandem Drive Network 2.1



Wyalkatchem

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4310022	Depierres Rd	Depierres Rd	Wyalkatchem	0.00	Divers Rd & Tammin - Wyalkatchem Rd	8.53	Hobden Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310022	Depierres Rd	Depierres Rd	Wyalkatchem	8.53	Hobden Rd	13.32	Cunderdin - Wyalkatchem Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310001	Divers Rd	Divers Rd	Wyalkatchem	0.00	Depierres Rd & Tammin - Wyalkatchem Rd	6.09	Yorakine Rock Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310048	Elashgin East West Rd	Elashgin East West Rd	Wyalkatchem	0.00	Davies Rd	10.00	Brennan Rd & Tammin - Wyalkatchem Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4310005	Elashgin Rd	Elashgin Rd	Wyalkatchem	0.00	Nungarin Wyalkatchem Rd	14.94	Maitland Rd	<ul style="list-style-type: none"> Intersection Nungarin Wyalkatchem Rd : No Access To Or From Goomalling - Merredin Road
4310003	Elsegood Rd	Elsegood Rd	Wyalkatchem	0.00	Wyalkatchem - Koorda Rd & Jackson Rd	20.56	Condor Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Wyalkatchem

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4310067	Farmer Rd	Farmer Rd	Wyalkatchem	0.00	Elsegood Rd	5.33	Turner Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310114	Ferries St	Ferries St	Wyalkatchem	0.00	Hands Dr	0.21	Grace St	
4310086	Fisher Rd	Fisher Rd	Wyalkatchem	0.00	Tammin - Wyalkatchem Rd	3.51	Cunderdin - Wyalkatchem Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310059	Flowery Patch Rd	Flowery Patch Rd	Wyalkatchem	0.00	Depierres Rd	1.41	Cunderdin LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310037	Gamble Rd	Gamble Rd	Wyalkatchem	0.00	Martin Rd	2.74	Wallambin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
4310104	Gamble St	Gamble St	Wyalkatchem	0.00	Railway Tce	1.86	White Dam Rd & Wyalkatchem North Rd	

Tandem Drive Network 2.1



Wyalkatchem

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4310066	Gambrell Rd	Gambrell Rd	Wyalkatchem	0.00	Nungarin Wyalkatchem Rd	3.61	Goldfields Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310079	Gangell Rd	Gangell Rd	Wyalkatchem	0.00	Wallambin Rd	2.80	Nalkain Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310038	Garn Rd	Garn Rd	Wyalkatchem	0.00	Mitchell St & Goomalling Wyalkatchem Rd & Hands Dr	6.24	Garn Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Mitchell St & Goomalling Wyalkatchem Rd & Hands Dr : No access permitted into Goomalling Merredin Rd from Garn Rd

Tandem Drive Network 2.1



Wyalkatchem

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4310085	Gnuca - Nalkain Rd	Gnuca - Nalkain Rd	Wyalkatchem	0.00	Wyalkatchem - Koorda Rd	1.29	Holdsworth Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310085	Gnuca - Nalkain Rd	Gnuca - Nalkain Rd	Wyalkatchem	1.37	Holdsworth Rd	4.80	Martin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310085	Gnuca - Nalkain Rd	Gnuca - Nalkain Rd	Wyalkatchem	4.86	Martin Rd	8.37	Wallambin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310015	Goldfields Rd	Goldfields Rd	Wyalkatchem	0.00	Wyalkatchem - Koorda Rd	16.95	McNee Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310109	Grace St	Grace St	Wyalkatchem	0.00	Mitchell St	0.61	Aquatic Access Rd & Railway Tce & Town Access Rd	

Tandem Drive Network 2.1



Wyalkatchem

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4310023	Greaves Rd	Greaves Rd	Wyalkatchem	0.00	Yorkrakine East Rd	3.44	Trayning LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310035	Hammond Rd	Hammond Rd	Wyalkatchem	0.00	Davies Rd	7.68	Nembudding South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4310035	Hammond Rd	Hammond Rd	Wyalkatchem	7.76	Nembudding South Rd	9.41	Trayning LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4310034	Hardwick Rd	Hardwick Rd	Wyalkatchem	0.00	Davies Rd	7.52	Rifle Range Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Wyalkatchem

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4310033	Harrison Rd	Harrison Rd	Wyalkatchem	0.00	McKay Rd & Benjaberring South Rd & Amery - Benjaberring Rd	8.95	Martin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4310031	Hennessey Rd	Hennessey Rd	Wyalkatchem	0.00	Davies South Rd	2.10	Benjaberring - Hindmarsh Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310082	Hobden Rd	Hobden Rd	Wyalkatchem	0.00	Cunderdin - Wyalkatchem Rd	4.00	Depierres Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Wyalkatchem

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4310032	Hodgson Rd	Hodgson Rd	Wyalkatchem	0.00	Elsegood Rd	3.41	Goldfields Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310020	Holdsworth Rd	Holdsworth Rd	Wyalkatchem	0.00	Harrison Rd	17.49	Lackman Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310129	Honour Av	Honour Av	Wyalkatchem	0.00	Railway Tce	0.75	Wyalkatchem - Koorda Rd & Slocum St	
4310071	Jackson Rd	Jackson Rd	Wyalkatchem	0.00	Wyalkatchem North Rd	3.38	Wyalkatchem - Koorda Rd & Elsegood Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Wyalkatchem

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4310097	Jarvis Rd	Jarvis Rd	Wyalkatchem	0.00	Nungarin Wyalkatchem Rd & Nembudding South Rd	8.99	Elsegood Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Nungarin Wyalkatchem Rd & Nembudding South Rd : No Left Turn From Jarvis Road Into Nungarin Wyalkatchem Road
4310087	Jennings Rd	Jennings Rd	Wyalkatchem	0.00	Cowcowing West Rd	3.85	Wyalkatchem - Koorda Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Rail not to be crossed Intersection Wyalkatchem - Koorda Rd : No left turn permitted from Jennings Rd into Wyalkatchem Koorda Rd
4310016	Korrelocking North Rd	Korrelocking North Rd	Wyalkatchem	0.00	Nungarin Wyalkatchem Rd & Davies Rd	3.31	Goldfields Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310125	Lackman Rd	Lackman Rd	Wyalkatchem	0.00	Elsegood Rd	11.66	Wallambin Rd & Clifford Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Wyalkatchem

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4310017	Lawrence Rd	Lawrence Rd	Wyalkatchem	0.00	Harrison Rd & Richter Rd	5.90	Minnivale North East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4310041	Lewis East West Rd	Lewis East West Rd	Wyalkatchem	0.00	Harrison Rd	3.53	Lawrence Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310013	Lewis Rd	Lewis Rd	Wyalkatchem	0.00	Lawrence Rd	7.11	Old Nalkain Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Lewis East West Rd : No Left Turn From Lewis Road Into Lewis East West Road
4310075	Maitland Rd	Maitland Rd	Wyalkatchem	0.00	Tammin - Wyalkatchem Rd	6.86	Parsons Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310014	Martin Rd	Martin Rd	Wyalkatchem	0.00	Minnivale North East Rd & Lewis Rd	13.99	Wyalkatchem - Koorda Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Wyalkatchem

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4310040	McKay Rd	McKay Rd	Wyalkatchem	0.00	Carter Rd	3.66	Harrison Rd & Benjaberring South Rd & Amery - Benjaberring Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310009	McNee Rd	McNee Rd	Wyalkatchem	0.00	Nembudding Bin Rd	9.22	Elsegood Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310009	McNee Rd	McNee Rd	Wyalkatchem	9.36	Elsegood Rd	18.91	Wallambin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Wyalkatchem

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4310089	Metcalf Rd	Metcalf Rd	Wyalkatchem	0.00	Benjaberring - Hindmarsh Rd	0.82	Dowerin LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310054	Minnivale North East Rd	Minnivale North East Rd	Wyalkatchem	0.00	Lewis Rd & Martin Rd	6.73	Dowerin LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4310053	Mitchell Rd	Mitchell Rd	Wyalkatchem	0.00	Minnivale North East Rd	2.35	Old Nalkain Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310128	Mitchell St	Mitchell St	Wyalkatchem	0.00	Goomalling Wyalkatchem Rd & Hands Dr & Garn Rd	0.23	Cemetery Rd & Railway Tce	
4310064	Mizen Rd	Mizen Rd	Wyalkatchem	0.00	Tammin - Wyalkatchem Rd	3.03	Cox Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Wyalkatchem

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4310088	Nembudding Bin Rd	Nembudding Bin Rd	Wyalkatchem	0.00	Nungarin Wyalkatchem Rd	1.53	Nungarin Wyalkatchem Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h
4310008	Nembudding South Rd	Nembudding South Rd	Wyalkatchem	0.00	Jarvis Rd & Nungarin Wyalkatchem Rd	19.64	Yorakine West Rd & Bungulla North Rd & Yorakine East Rd	
4310055	Old Nalkain Rd	Old Nalkain Rd	Wyalkatchem	0.00	Wyalkatchem North Rd	11.85	Dowerin LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
4310007	Parsons Rd	Parsons Rd	Wyalkatchem	0.00	Elashgin Rd	16.18	Yorakine West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4310050	Pulford Rd	Pulford Rd	Wyalkatchem	0.00	Cunderdin - Wyalkatchem Rd	1.59	Dowerin LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310103	Railway Tce	Railway Tce	Wyalkatchem	0.00	Mitchell St & Cemetery Rd	0.73	Aquatic Access Rd & Grace St & Town Access Rd	
4310042	Remnant Rd	Remnant Rd	Wyalkatchem	0.00	Byrne Rd & Bruse Rd	4.31	Cunderdin - Wyalkatchem Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



Wyalkatchem

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4310069	Rhind Rd	Rhind Rd	Wyalkatchem	0.00	Wyalkatchem - Koorda Rd	1.31	Rhind Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4310105	Riches St	Riches St	Wyalkatchem	0.00	Railway Tce	0.49	Piesse St & Lindsay St	<ul style="list-style-type: none"> Intersection Piesse St & Lindsay St : No Right Turn Into Lindsay St
4310021	Rifle Range Rd	Rifle Range Rd	Wyalkatchem	0.00	Tammin - Wyalkatchem Rd	4.92	Hardwick Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310026	Ross Rd	Ross Rd	Wyalkatchem	0.00	Cunderdin - Wyalkatchem Rd	5.43	Davies South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Wyalkatchem

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4310045	Ryan Rd	Ryan Rd	Wyalkatchem	0.00	Perks - O'Meara Rd & Tilbrook Rd	6.54	Kellerberrin LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4310132	Tammin - Wyalkatchem Rd	Tammin - Wyalkatchem Rd	Wyalkatchem	0.00	Blakiston Rd & Tammin - Wyalkatchem Rd & Blakistans Rd	28.44	Nungarin Wyalkatchem Rd	
4310052	Thiel Rd	Thiel Rd	Wyalkatchem	0.00	Allan Rd	3.99	Davies Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4310024	Tilbrook Rd	Tilbrook Rd	Wyalkatchem	0.00	Davies Rd	9.10	Trayning LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310119	Town Access Rd	Town Access Rd	Wyalkatchem	0.00	Aquatic Access Rd & Grace St & Railway Tce	0.18	Nungarin Wyalkatchem Rd & Hands Dr	

Tandem Drive Network 2.1



Wyalkatchem

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4310058	Trenorden Rd	Trenorden Rd	Wyalkatchem	0.00	Elsegood Rd	1.63	Trenorden Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310046	Turner Rd	Turner Rd	Wyalkatchem	0.00	Lackman Rd	7.16	McNee Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310123	Tyler Rd	Tyler Rd	Wyalkatchem	0.00	Nungarin Wyalkatchem Rd	4.42	Goldfields Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310010	Wallambin Rd	Wallambin Rd	Wyalkatchem	0.00	Gamble Rd	19.71	Wallambin Rd & Gangell Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
4310062	West Lake Rd	West Lake Rd	Wyalkatchem	0.00	Nungarin Wyalkatchem Rd	1.90	West Lake Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Wyalkatchem

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4310073	Williamson Rd	Williamson Rd	Wyalkatchem	0.00	Goldfields Rd	4.13	Elsegood Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310063	Wilson Rd	Wilson Rd	Wyalkatchem	0.00	Tammin - Wyalkatchem Rd	2.41	Wilson Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4310106	Wilson St	Wilson St	Wyalkatchem	0.26	Gamble St	0.61	Riches St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Intersection Honour Av : No right turn permitted into Honour Ave from Wilson St
4310130	Wyalkatchem - Koorda Rd	Wyalkatchem - Koorda Rd	Wyalkatchem	0.00	Honour Av & Slocum St	25.52	Wyalkatchem - Koorda Rd & Lackman Rd	
4310002	Wyalkatchem North Rd	Wyalkatchem North Rd	Wyalkatchem	0.00	White Dam Rd & Gamble St	25.45	Koorda LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Wyalkatchem

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4310099	Yorakine East Rd	Yorakine East Rd	Wyalkatchem	0.00	Ryan Rd & Yorakine East Rd	3.89	Trayning LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4310004	Yorakine West Rd	Yorakine West Rd	Wyalkatchem	0.00	Cox Rd	11.13	Shiells Rd & Yorakine West Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Wyndham - East Kimberley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
0040024	Arawodi Rd	Arawodi Rd	Wyndham - East Kimberley	0.00	Weaber Plain Rd	1.91	Arawodi Rd - End Road	
0040279	Arenga St	Arenga St	Wyndham - East Kimberley	0.00	Weaber Plain Rd	0.09	Carpentaria St	
0040101	Bandicoot Dr	Bandicoot Dr	Wyndham - East Kimberley	0.08	0.08km From Messmate Wy	1.20	Ivanhoe Rd	
0040118	Bloodwood Dr	Bloodwood Dr	Wyndham - East Kimberley	0.00	Konkerberry Dr	0.58	River Gum Av	
0040039	Bonaparte St	Bonaparte St	Wyndham - East Kimberley	0.00	Great Northern Hwy & GNH Service Rd No 1	0.13	Koolama St	
0040358	Caldesia Loop	Caldesia Loop	Wyndham - East Kimberley	0.00	Weaber Plain Rd	0.86	Caldesia Loop & Caldesia Loop	
0040006	Carlton Hill Rd	Carlton Hill Rd	Wyndham - East Kimberley	0.00	Weaber Plain Rd	23.73	Carlton Hill Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
0040215	Carpentaria St	Carpentaria St	Wyndham - East Kimberley	0.14	Poincettia Wy	0.54	Kentia Wy	
0040269	Cocus Wy	Cocus Wy	Wyndham - East Kimberley	0.00	Weaber Plain Rd	0.27	Salacca Loop	
0040094	Coolibah Dr	Coolibah Dr	Wyndham - East Kimberley	1.92	Rain Tree St	2.23	Ivanhoe Rd	
0040195	Crossing Falls Rd	Crossing Falls Rd	Wyndham - East Kimberley	0.00	Victoria Hwy	8.06	Cherubin Rd	
0040188	Dianella Wy	Dianella Wy	Wyndham - East Kimberley	0.00	Bandicoot Dr	0.30	Poinciana St	
0040189	Drovers Rd	Drovers Rd	Wyndham - East Kimberley	0.00	Victoria Hwy	1.75	Old Darwin Rd South	
0040138	Duncan Rd	Duncan Rd	Wyndham - East Kimberley	0.00	Duncan Rd - Northern Territory	58.34	Halls Creek LGA Boundary	
0040146	Durack Dr	Durack Dr	Wyndham - East Kimberley	0.00	Research Station Rd	2.80	Durack Dr - End Road	
0040023	Farm Hill Rd	Farm Hill Rd	Wyndham - East Kimberley	0.00	Research Station Rd	2.94	Farm Hill Rd - End Road	
0040014	Gibb River - Kalumburu Rd	Gibb River - Kalumburu Rd	Wyndham - East Kimberley	0.00	Gibb River Wyndham Rd & Derby Gibb River Rd	248.29	Gibb River - Kalumburu Rd	
0040183	Ivanhoe Rd	Ivanhoe Rd	Wyndham - East Kimberley	0.00	Victoria Hwy	9.43	Research Station Rd	
0040194	Jabiru Rd	Jabiru Rd	Wyndham - East Kimberley	0.00	Packsaddle Rd	1.53	Jabiru Rd - End Road	
0040044	Kimberley St	Kimberley St	Wyndham - East Kimberley	0.00	Great Northern Hwy	0.49	Kimberley St - End Road	
0040095	Konkerberry Dr	Konkerberry Dr	Wyndham - East Kimberley	1.16	Bloodwood Dr	1.62	Poinciana St	
0040042	Koolama St	Koolama St	Wyndham - East Kimberley	0.00	Koolama St - Start Road	1.26	Minderoo St	
0040036	Koolinda St	Koolinda St	Wyndham - East Kimberley	0.00	Great Northern Hwy & GNH Service Rd No 2	0.23	Bonaparte St	
0040139	Lake Argyle Rd	Lake Argyle Rd	Wyndham - East Kimberley	0.00	Victoria Hwy	34.68	Lake Argyle Rd (P) & Argyle Lookout Rd	
0040119	Mango St	Mango St	Wyndham - East Kimberley	0.00	Konkerberry Dr	0.45	Poinciana St	
0040086	Meat Works Rd	Meat Works Rd	Wyndham - East Kimberley	0.00	Harbour Rd & Gully Rd	0.72	Barytes Rd	
0040097	Messmate Wy	Messmate Wy	Wyndham - East Kimberley	0.00	Victoria Hwy	0.15	0.145km From Victoria Hwy	<ul style="list-style-type: none"> Intersection Victoria Hwy : No right turn permitted into Victoria Hwy from Messmate Wy.
0040219	Mills Rd	Mills Rd	Wyndham - East Kimberley	0.00	Ivanhoe Rd	3.00	Weaber Plain Rd	
0040359	Moonamang Rd	Moonamang Rd	Wyndham - East Kimberley	0.00	Weaber Plain Rd & Moonamang Rd	27.08	1.12km From Wooljim L	

Tandem Drive Network 2.1



Wyndham - East Kimberley

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
0040175	Mulligans Lagoon Rd	Mulligans Lagoon Rd	Wyndham - East Kimberley	0.00	Weaber Plain Rd	9.68	Mulligans Lagoon - End Road	
0040027	Oolrui Rd	Oolrui Rd	Wyndham - East Kimberley	0.00	Research Station Rd	1.41	Oolrui Rd - End Road	
0040048	Ord St	Ord St	Wyndham - East Kimberley	0.00	Sharpe St	0.31	Kimberley St	
0040180	Packsaddle Rd	Packsaddle Rd	Wyndham - East Kimberley	0.00	Victoria Hwy	15.70	Packsaddle Rd - End Road	
0040214	Poincettia Wy	Poincettia Wy	Wyndham - East Kimberley	0.00	Weaber Plain Rd	0.72	Carpentaria St	
0040217	Poinciana St	Poinciana St	Wyndham - East Kimberley	0.00	Bandicoot Dr	0.55	Konkerberry Dr	
0040116	Pruinosa St	Pruinosa St	Wyndham - East Kimberley	0.00	Bandicoot Dr	0.12	Victoria Hwy	
0040187	Rain Tree St	Rain Tree St	Wyndham - East Kimberley	0.00	Coolibah Dr	0.13	Konkerberry Dr	
0040019	Research Station Rd	Research Station Rd	Wyndham - East Kimberley	0.00	Ivanhoe Rd	18.00	Unknown Rd	
0040120	River Gum Av	River Gum Av	Wyndham - East Kimberley	0.00	Mango St	0.36	Bandicoot Dr	
0040046	Sharpe St	Sharpe St	Wyndham - East Kimberley	0.00	Great Northern Hwy	0.27	Durack Rd	
0040020	Stock Route Rd	Stock Route Rd	Wyndham - East Kimberley	0.00	Research Station Rd	1.47	Stock Route Rd - End Road	
0040066	Stockman Rd	Stockman Rd	Wyndham - East Kimberley	0.00	Victoria Hwy	0.33	Stockman Rd - End Road	
0040034	Timor St	Timor St	Wyndham - East Kimberley	0.00	Great Northern Hwy	0.08	Koolama St	
0040018	Weaber Plain Rd	Weaber Plain Rd	Wyndham - East Kimberley	1.70	Poincettia Wy	32.14	Weaber Plain Rd - End Road	<ul style="list-style-type: none"> Intersection Martins Gap Rd : No right turn permitted into Weaber Plain Rd from Moonamang Rd
0040137	Weero Rd	Weero Rd	Wyndham - East Kimberley	0.00	Victoria Hwy	0.87		<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
0040061	Welch St	Welch St	Wyndham - East Kimberley	0.00	Great Northern Hwy	0.45	Ivanhoe St	
004Z039	Fish Farm Rd	Fish Farm Rd	Wyndham - East Kimberley	0.00	Crossing Falls Rd	6.94	Fish Farm Rd - End Road	
004Z022	Gibb River - Kalumburu Rd (P)	Gibb River - Kalumburu Rd	Wyndham - East Kimberley	0.00	Gibb River - Kalumburu Rd	13.97		

Tandem Drive Network 2.1



Yalgoo

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
7070051	Dalgaranga - Mount Magnet Rd	Dalgaranga - Mount Magnet Rd	Yalgoo	17.40	Uanna Hill Rd	22.25	Mount Farmer Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
7070001	Gibbons St	Gibbons St	Yalgoo	0.00	Piesse St	0.68	Henty St & Selwyn St & Shamrock Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
7070076	Morawa - Yalgoo Rd	Morawa - Yalgoo Rd	Yalgoo	0.00	Morawa LGA Boundary	83.00	Piesse St & Geraldton Mt Magnet Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
7070027	Mt Gibson Rd	Mt Gibson Rd	Yalgoo	0.00	Great Northern Hwy	9.08	Mummaloo Mine Site Access Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
7070026	Ninghan Rd	Ninghan Rd	Yalgoo	0.00	Great Northern Hwy	7.00	Ninghan Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
7070012	Paynes Find - Sandstone Rd	Paynes Find - Sandstone Rd	Yalgoo	0.00	Great Northern Hwy	7.60	Sandstone LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
7070075	Paynes Find Town Rd	Paynes Find Town Rd	Yalgoo	0.00	Great Northern Hwy	0.87	Great Northern Hwy	
7070002	Shamrock Rd	Shamrock Rd	Yalgoo	0.00	Henty St & Selwyn St & Gibbons St	0.27	Mitchell St & Yalgoo North Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
7070053	Uanna Hill Rd	Uanna Hill Rd	Yalgoo	0.00	Dalgaranga - Mount Magnet Rd	16.64	Dalgaranga - Cue & Austin Downs - Dalgaranga Rd & Western Queen Access Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
7070066	Wanarra East Rd	Wanarra East Rd	Yalgoo	0.00	Mine Southern Access Rd	1.57	Wanarra East Rd Link Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
7070066	Wanarra East Rd	Wanarra East Rd	Yalgoo	1.57	Wanarra East Rd Link Rd	5.10	Perenjori LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Yalgoo

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
7070015	Warriedar Copper Mine Rd	Warriedar Copper Mine Rd	Yalgoo	0.00	Yalgoo - Ninghan Rd	6.28	Perenjori LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
7070008	Yalgoo - Ninghan Rd	Yalgoo - Ninghan Rd	Yalgoo	0.00	Great Northern Hwy	137.27	Geraldton Mt Magnet Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
7070009	Yalgoo North Rd	Yalgoo North Rd	Yalgoo	0.00	Mitchell St & Shamrock Rd	94.00	Meka - Noondie Rd & Meka - Mt Wittenoom	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
707Z008	Wanarra East Rd Link Rd	Wanarra East Rd Link Rd	Yalgoo	0.00	Great Northern Hwy	0.40	Wanarra East Rd	

Tandem Drive Network 2.1



Yilgarn

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6110099	Achernar St	Achernar St	Yilgarn	0.07	Altair St	0.36	Spica St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110089	Altair St	Altair St	Yilgarn	0.00	Great Eastern Hwy & Orion St	0.20	Achernar St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110139	Antonio Rd	Antonio Rd	Yilgarn	0.00	Della Rd	13.50	Bodallin South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
6110092	Arcturus St	Arcturus St	Yilgarn	0.00	Koolyanobbing Rd	1.13	Arcturus St - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110073	Armanasco Rd	Armanasco Rd	Yilgarn	0.00	Southern Cross South Rd	3.80	Parker Range Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6110019	Beaton Rd	Beaton Rd	Yilgarn	0.00	Great Eastern Hwy	8.10	Garrett Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Yilgarn

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6110019	Beaton Rd	Beaton Rd	Yilgarn	8.18	Garrett Rd	18.48	Sth Cross Cbh Wheat Bin Rd & Threeboys Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6110049	Bennett Rd	Bennett Rd	Yilgarn	0.00	Emu Fence Rd	48.22	Nulla Nulla South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
6110128	Blair Rd	Blair Rd	Yilgarn	0.00	Great Eastern Hwy	6.12	Savodeli Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110002	Bodallin North Rd	Bodallin North Rd	Yilgarn	0.00	Great Eastern Hwy	26.37	Corinthia West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6110005	Bodallin South Rd	Bodallin South Rd	Yilgarn	0.00	Bodallin South Rd	28.99	Dulyalbin Rd & Sykes Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6110088	Bodallin South Rd	Bodallin South Rd	Yilgarn	0.00	Ivey Rd & Yerbillion Rd	4.20	Great Eastern Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h

Tandem Drive Network 2.1



Yilgarn

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6110077	Brennand Rd	Brennand Rd	Yilgarn	0.00	Eifler Rd	25.30	Emu Fence Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110016	Bullfinch - Evanston Rd	Bullfinch - Evanston Rd	Yilgarn	0.00	Manxman Rd & Mt Jackson Rd & Durbridge Cr	30.50	Mine Access Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6110016	Bullfinch - Evanston Rd	Bullfinch - Evanston Rd	Yilgarn	30.50	14.7km From Pringle Rd	101.35	1.95km Before Mt Jackson Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6110016	Bullfinch - Evanston Rd	Bullfinch - Evanston Rd	Yilgarn	101.35	1.95km Before Mt Jackson Rd	133.70	Die Hardy Mine Access Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6110127	Burro Rd	Burro Rd	Yilgarn	0.00	Turkey Hill Rd	1.28	Burro Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6110124	Cairns Rd	Cairns Rd	Yilgarn	0.00	Narla Loop Rd	10.61	Corinthia West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
6110080	Calzoni Rd	Calzoni Rd	Yilgarn	0.00	Emu Fence Rd	2.01	Naremben LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110154	Cameron Rd	Cameron Rd	Yilgarn	0.00	Koolyanobbing - Southern Cross Rd	2.16	Bullfinch Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110091	Canopus St	Canopus St	Yilgarn	0.00	Threeboys Rd	0.70	Altair St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110155	Carstairs Rd	Carstairs Rd	Yilgarn	0.00	Moorine South Rd	3.60	Goodhill Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Yilgarn

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6110056	Central Rd	Central Rd	Yilgarn	0.00	Grace Rd	14.00	Frog Rock - Marvel Loch Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
6110185	Cockatoo Tank Rd	Cockatoo Tank Rd	Yilgarn	0.00	Southern Cross Marvel Loch Rd	14.19	Parker Range Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6110009	Corinthia East Rd	Corinthia East Rd	Yilgarn	6.80	Turkey Hill Rd	16.38	Koolyanobbing - Southern Cross Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
6110159	Corinthia West Rd	Corinthia West Rd	Yilgarn	0.00	Bullfinch Rd	35.48	Bodallin North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
6110053	Corsini Rd	Corsini Rd	Yilgarn	0.00	Ivey Rd	6.60	Corsini Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Yilgarn

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6110131	Cox Rd	Cox Rd	Yilgarn	0.00	Cramphorne Rd	6.05	Cox Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6110041	Cramphorne Rd	Cramphorne Rd	Yilgarn	0.00	Cox Rd & Cramphorne Rd	55.17	Emu Fence Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6110024	Dairy Rd	Dairy Rd	Yilgarn	0.00	Koolyanobbing - Southern Cross Rd	9.98	Koolyanobbing - Southern Cross Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6110085	Della Rd	Della Rd	Yilgarn	0.00	Lowe Rd	8.13	Merredin LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110103	Dowd Rd	Dowd Rd	Yilgarn	0.00	Robinson Dr & Koolyanobbing - Southern Cross Rd	1.40	Aurora Access Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h
6110083	Dulyalbin Rd	Dulyalbin Rd	Yilgarn	0.00	Hackling Rd	48.52	Southern Cross South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6110062	Edwards Find - Marvel Loch Rd	Edwards Find - Marvel Loch Rd	Yilgarn	0.00	Parker Range Rd & Patroni Rd	6.17	Cockatoo Tank Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110174	Eifler Rd	Eifler Rd	Yilgarn	0.00	Cramphorne Rd	17.50	Dulyalbin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6110046	Emu Fence Rd	Emu Fence Rd	Yilgarn	39.21	Great Eastern Hwy	147.55	Woolocutty Soak Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Yilgarn

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6110059	Frog Rock - Marvel Loch Rd	Frog Rock - Marvel Loch Rd	Yilgarn	0.00	Moorine South Rd	31.17	Southern Cross Marvel Loch Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110145	G Kent Rd	G Kent Rd	Yilgarn	0.00	Bodallin South Rd	2.50	G Kent Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6110066	Garbin Rd	Garbin Rd	Yilgarn	0.00	Cramphorne Rd	20.44	Cramphorne Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h
6110010	Garrett Rd	Garrett Rd	Yilgarn	0.00	Posa Rd	14.09	Great Eastern Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Nicholson Rd : No left turn permitted into Nicholson Rd from Garrett Rd
6110010	Garrett Rd	Garrett Rd	Yilgarn	14.24	Great Eastern Hwy	26.95	Pearce Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Yilgarn

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6110216	Gatley Rd	Gatley Rd	Yilgarn	0.00	Southern Cross Marvel Loch Rd & Ghooli South Rd	9.50	Southern Cross South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
6110055	Gethin Rd	Gethin Rd	Yilgarn	0.00	Nulla Nulla South Rd	4.30	Dowdalls Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
6110055	Gethin Rd	Gethin Rd	Yilgarn	4.30	Dowdalls Rd	8.90	Moorine South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h
6110026	Ghooli - Koolyanobbing Rd	Ghooli - Koolyanobbing Rd	Yilgarn	0.00	Great Eastern Hwy	17.23	Koolyanobbing - Southern Cross Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
6110061	Ghooli South Rd	Ghooli South Rd	Yilgarn	0.00	Great Eastern Hwy	23.54	Southern Cross Marvel Loch Rd & Gatley Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110040	Gill Rd	Gill Rd	Yilgarn	0.00	Bennett Rd	6.76	Moorine South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
6110219	Glendower Rd	Glendower Rd	Yilgarn	0.00	Ghooli South Rd	9.80	Southern Cross Marvel Loch Rd & Unkovich Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110158	Gobetti Rd	Gobetti Rd	Yilgarn	0.00	Goodhill Rd	8.60	Parker Range Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110003	Golden Valley Rd	Golden Valley Rd	Yilgarn	0.00	Mt Jackson Rd	14.00	Mt Jackson Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.

Tandem Drive Network 2.1



Yilgarn

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6110029	Goodhill Rd	Goodhill Rd	Yilgarn	0.00	Parker Range Rd	8.80	Gobetti Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Parker Range Rd : No access permitted into Parkers Range Rd from Goodhill Rd
6110051	Grace Rd	Grace Rd	Yilgarn	0.00	Parker Range Rd	35.45	Dulyalbin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6110150	Granich Rd	Granich Rd	Yilgarn	0.00	Great Eastern Hwy	13.40	Nullanulla North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110047	Green Rd	Green Rd	Yilgarn	0.00	Eifler Rd	7.64	Southern Cross South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6110068	Guerini Rd	Guerini Rd	Yilgarn	0.00	Corinthia East Rd	7.24	Guerini Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110035	Harvey Rd	Harvey Rd	Yilgarn	0.00	Moorine South Rd	19.47	Bodallin South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h

Tandem Drive Network 2.1



Yilgarn

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6110138	Hitching Rd	Hitching Rd	Yilgarn	0.00	Ivey Rd	2.41	Bodallin South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6110064	Ivey Rd	Ivey Rd	Yilgarn	0.00	Great Eastern Hwy	28.76	Dulyalbin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
6110173	John Rd	John Rd	Yilgarn	0.00	John Rd - Start Road	4.50	Moorine South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
6110033	Kent Rd	Kent Rd	Yilgarn	6.23	Nulla Nulla South Rd	20.58	Bodallin South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
6110225	Koolyanobbing - Southern Cross Rd	Koolyanobbing - Southern Cross Rd	Yilgarn	0.00	Polaris St & Koolyanobbing Rd	52.28	Robinson Dr & Dowd Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110224	Koolyanobbing Rd	Koolyanobbing Rd	Yilgarn	0.00	Phoenix St & Sirius St	0.64	Koolyanobbing - Southern Cross Rd & Polaris St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110226	Koorda - Bullfinch Rd	Koorda - Bullfinch Rd	Yilgarn	0.00	Westonia LGA Boundary	24.35	Manxman Rd & Bullfinch Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110122	Lake Seabrook Rd	Lake Seabrook Rd	Yilgarn	0.00	Koolyanobbing - Southern Cross Rd	17.10	Yellowdine Seabrook	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Yilgarn

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6110054	Lapsley Rd	Lapsley Rd	Yilgarn	0.00	Kent Rd	13.00	Harvey Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Harvey Rd : No access permitted into Harvey Rd from Lapsley Rd
6110043	Leeder Rd	Leeder Rd	Yilgarn	0.00	Bodallin South Rd	8.21	Lapsley Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6110125	Liddell Rd	Liddell Rd	Yilgarn	0.00	Great Eastern Hwy	6.19	Moorine South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6110045	Liebeck Rd	Liebeck Rd	Yilgarn	0.00	Merredin LGA Boundary	2.00	Meranda North Rd & Reynolds Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110065	Lowe Rd	Lowe Rd	Yilgarn	0.00	Ivey Rd	10.60	Hodgeson Rd & Smith Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
6110162	Mangini Rd	Mangini Rd	Yilgarn	0.00	Parker Range Rd	4.00	Mangini Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
6110116	Manxman Rd	Manxman Rd	Yilgarn	0.00	Koorda - Bullfinch Rd & Bullfinch Rd	0.93	Bullfinch - Evanston Rd & Mt Jackson Rd & Durbridge Cr	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Yilgarn

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6110004	Marvel Loch - Forrestania Rd	Marvel Loch - Forrestania Rd	Yilgarn	0.00	Argent St & Lenneberg St	91.90	Kondinin LGA Boundary	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6110037	McKenzie Rd	McKenzie Rd	Yilgarn	0.00	Moorine South Rd	20.75	Bennett Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
6110078	Meranda North Rd	Meranda North Rd	Yilgarn	0.00	Reynolds Rd & Liebeck Rd	17.15	Cramphorne Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110078	Meranda North Rd	Meranda North Rd	Yilgarn	17.15	Cramphorne Rd	37.49	Moorine South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6110078	Meranda North Rd	Meranda North Rd	Yilgarn	37.49	Moorine South Rd	58.20	Emu Fence Rd & King Ingram Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110087	Moorine Rock Cbh Wheat Bin Rd	Moorine Rock Cbh Wheat Bin Rd	Yilgarn	0.00	Saxby Rd	0.46	Great Eastern Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110075	Moorine Rock Rd	Moorine Rock Rd	Yilgarn	0.00	Noongar North Rd	12.00	Newbury Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
6110001	Moorine South Rd	Moorine South Rd	Yilgarn	0.00	Great Eastern Hwy	79.11	Narembreen LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6110014	Mt Jackson Rd	Mt Jackson Rd	Yilgarn	0.00	Manxman Rd & Bullfinch - Evanston Rd & Durbridge Cr	120.70	Bullfinch - Evanston Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110044	Murray Rd	Murray Rd	Yilgarn	0.00	Murray Rd - Start Road	1.99	Bodallin North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Yilgarn

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6110044	Murray Rd	Murray Rd	Yilgarn	2.09	Bodallin North Rd	9.59	Noongar North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6110052	Narla Loop Rd	Narla Loop Rd	Yilgarn	0.00	Bullfinch Rd	19.70	Koorda - Bullfinch Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6110076	Narla South Rd	Narla South Rd	Yilgarn	0.00	Narla Loop Rd	21.50	Moorine Rock Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6110030	Nevoria - Yellowdine Rd	Nevoria - Yellowdine Rd	Yilgarn	0.00	Marvel Loch - Forrestania Rd	34.31	Great Eastern Hwy	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110143	Newbury Rd	Newbury Rd	Yilgarn	0.00	Moorine Rock Rd	10.04	Corinthia West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h

Tandem Drive Network 2.1



Yilgarn

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6110130	Nicholson Rd	Nicholson Rd	Yilgarn	0.00	Parker Range Rd	11.66	Garrett Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Garrett Rd : No right turn permitted into Garrett Rd from Nicholson Rd
6110034	Noongar North Rd	Noongar North Rd	Yilgarn	0.00	Great Eastern Hwy	39.83	Koorda - Bullfinch Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6110031	Noongar South Rd	Noongar South Rd	Yilgarn	0.00	Great Eastern Hwy	10.50	Nulla Nulla South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
6110042	Nulla Nulla South Rd	Nulla Nulla South Rd	Yilgarn	0.00	Great Eastern Hwy	59.50	Meranda North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.

Tandem Drive Network 2.1



Yilgarn

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6110036	Nullanulla North Rd	Nullanulla North Rd	Yilgarn	0.00	Great Eastern Hwy	10.93	Moorine Rock Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6110136	Nunn Rd	Nunn Rd	Yilgarn	0.00	Pasini Rd & Castor St	2.01	Nunn Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
6110063	Odgers Rd	Odgers Rd	Yilgarn	0.00	Southern Cross South Rd	4.70	Central Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6110063	Odgers Rd	Odgers Rd	Yilgarn	5.30	Central Rd	10.00	Panizza Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6110007	Panizza Rd	Panizza Rd	Yilgarn	0.00	Gatley Rd	37.72	Brennand Rd & Patroni Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6110038	Parker Range Rd	Parker Range Rd	Yilgarn	0.00	Great Eastern Hwy	57.04	Marvel Loch - Forrestania Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval.
6110134	Pasini Rd	Pasini Rd	Yilgarn	0.00	Nunn Rd & Castor St	2.56	Pasini Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h

Tandem Drive Network 2.1



Yilgarn

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6110060	Patroni Rd	Patroni Rd	Yilgarn	0.00	Frog Rock - Marvel Loch Rd	14.20	Grace Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6110160	Pearce Rd	Pearce Rd	Yilgarn	0.00	Bullfinch Rd	9.00	Garrett Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110097	Phoenix St	Phoenix St	Yilgarn	0.43	Spica St	0.56	Kooyanobbing Rd & Sirius St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110093	Polaris St	Polaris St	Yilgarn	0.57	Great Eastern Hwy & Orion St	1.48	Kooyanobbing - Southern Cross Rd & Kooyanobbing Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110129	Posa Rd	Posa Rd	Yilgarn	0.00	Southern Cross South Rd	3.86	Nicholson Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6110135	Pringle Rd	Pringle Rd	Yilgarn	0.00	Bullfinch - Evanston Rd	4.80	Withers Find North Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
6110126	Rackich Rd	Rackich Rd	Yilgarn	0.00	Turkey Hill Rd	3.38	Rackich Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



Yilgarn

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6110084	Reynolds Rd	Reynolds Rd	Yilgarn	0.00	Dulyalbin Rd	3.60	Meranda North Rd & Liebeck Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
6110094	Rigel St	Rigel St	Yilgarn	0.00	Arcturus St	0.16	Antares St	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110141	Rogers North Rd	Rogers North Rd	Yilgarn	0.00	Koolyanobbing - Southern Cross Rd	6.37	Corinthia East Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
6110032	Rose Rd	Rose Rd	Yilgarn	0.00	Eifler Rd	14.00	Nulla Nulla South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
6110032	Rose Rd	Rose Rd	Yilgarn	14.00	Nulla Nulla South Rd	24.40	Dulyalbin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6110170	Savodeli Rd	Savodeli Rd	Yilgarn	0.00	Glendower Rd	0.40	Blair Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Yilgarn

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6110100	Sirius St	Sirius St	Yilgarn	0.00	Southern Cross Marvel Loch Rd & Fraser Gold Mine Access Rd	0.28	Orion St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
6110082	Soldiers Rd	Soldiers Rd	Yilgarn	0.00	Narembreen LGA Boundary	5.72	Emu Fence Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h
6110006	Southern Cross South Rd	Southern Cross South Rd	Yilgarn	0.00	Great Eastern Hwy	89.96	Sloss Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval.
6110090	Spica St	Spica St	Yilgarn	0.20	Orion St	1.02	Phoenix St	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110067	Stewart Rd	Stewart Rd	Yilgarn	0.00	Moorine South Rd	1.00	1 Km North West From Moorine South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6110086	Sth Cross Cbh Wheat Bin Rd	Sth Cross Cbh Wheat Bin Rd	Yilgarn	0.00	Bullfinch Rd	0.53	Beaton Rd & Threeboys Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110201	Threeboys Rd	Threeboys Rd	Yilgarn	0.00	Great Eastern Hwy	2.91	Sth Cross Cbh Wheat Bin Rd & Beaton Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.

Tandem Drive Network 2.1



Yilgarn

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
6110008	Turkey Hill Rd	Turkey Hill Rd	Yilgarn	0.00	Bullfinch Rd	29.10	0.36km From End of Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h
6110165	Vultee Rd	Vultee Rd	Yilgarn	0.00	Emu Fence Rd	4.60	Vultee Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road.
6110069	Westonia Rd	Westonia Rd	Yilgarn	0.00	Bodallin North Rd	15.87	Boodarockin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
6110018	Withers Find North Rd	Withers Find North Rd	Yilgarn	0.00	Bullfinch - Turkey Hill Rd	14.40	Withers Find North Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h

Tandem Drive Network 2.1



York

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4330040	Allen Rd	Allen Rd	York	0.00	Quairading York Rd	6.14	Cameron Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4330051	Ashworth Rd	Ashworth Rd	York	0.00	Great Southern Hwy	6.94	Mokine Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Mokine Rd : No access permitted into Mokine Rd from Ashworth Rd
4330037	Badgin Rd	Badgin Rd	York	0.00	York - Tammin Rd	5.11	Doodenanning Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



York

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4330017	Berry Brow Rd	Berry Brow Rd	York	0.00	Great Southern Hwy	10.11	Northam LGA Boundary	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4330026	Bogling Rd	Bogling Rd	York	0.00	Sees Rd	7.09	Mannavale Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4330015	Boyercurtty Rd	Boyercurtty Rd	York	0.00	Wambyn Rd	7.29	Mokine Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h

Tandem Drive Network 2.1



York

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4330086	Buckingham Rd	Buckingham Rd	York	0.85	Northam York Rd	2.70	End of Sealed Section	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4330005	Burges Siding Rd	Burges Siding Rd	York	0.00	Spencers Brook - York Rd	1.56	Northam York Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Spencers Brook - York Rd : No access permitted to Spencers Brook - York Rd from Burges Siding Rd
4330043	Cameron Rd	Cameron Rd	York	0.00	York - Tammin Rd	11.98	Doodenanning Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Chester Rd : No left turn permitted into Chester Rd from Cameron Rd

Tandem Drive Network 2.1



York

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4330083	Chester Rd	Chester Rd	York	0.00	Cameron Rd	0.73	Chester Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4330078	Corner Well Rd	Corner Well Rd	York	0.00	Doodenanning Rd	5.55	Quairading York Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4330038	Cubbine Rd	Cubbine Rd	York	0.00	Quairading York Rd	7.42	Quairading LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4330020	Cut Hill Rd	Cut Hill Rd	York	0.00	Great Southern Hwy	2.18	Talbot Rd & Knotts Rd & Arnold Park Rd	

Tandem Drive Network 2.1



York

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4330008	Doodenanning Rd	Doodenanning Rd	York	0.00	Penny Dr & Greenhills Rd	19.09	Geyer St	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Quonamining Rd : No right turn permitted into Quonamining Rd from Doodenanning Rd Intersection Gaults Rd : No left turn permitted into Gaults Rd from Doodenanning Rd
4330214	Fisher St	Fisher St	York	0.00	Forrest St	0.24	Horley Rd & Main Camp Rd	
4330061	Flea Pool Rd	Flea Pool Rd	York	0.00	Mannavale Rd	5.79	Wallaby Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4330061	Flea Pool Rd	Flea Pool Rd	York	5.79	Wallaby Rd	12.34	Flea Pool Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4330123	Forrest St	Forrest St	York	0.00	Fisher St	0.46	Henrietta St & Great Southern Hwy	

Tandem Drive Network 2.1



York

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4330123	Forrest St	Forrest St	York	0.46	Henrietta St & Great Southern Hwy	0.80	South St & Ulster Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 40 km/h No Operation Weekdays between 8:00 AM to 9:00 AM and No Operation Monday Tuesday Thursday Friday between 2:30 PM to 3:30 PM and No Operation Wednesday between 1:30 PM to 2:30 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4330075	Gaults Rd	Gaults Rd	York	0.00	Doodenanning Rd	0.21	Gaults Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Doodenanning Rd : No right turn permitted into Doodenanning Rd from Gaults Rd
4330024	Grass Valley South Rd	Grass Valley South Rd	York	0.00	Sees Rd & Quellington Rd	2.13	Northam LGA Boundary	<ul style="list-style-type: none"> Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4330150	Greenhills Rd	Greenhills Rd	York	0.00	Quairading York Rd	4.86	Penny Dr & Doodenanning Rd	<ul style="list-style-type: none"> Maximum speed 80 km/h Intersection Quairading York Rd : No Left Turn Into York Merredin Rd From Greenhills Rd
4330016	Greenhills South Rd	Greenhills South Rd	York	0.00	Penny Dr & Quairading York Rd	4.34	Beverley LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



York

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4330007	Gwambygine East Rd	Gwambygine East Rd	York	0.00	Great Southern Hwy	2.54	Top Beverley - York Rd	<ul style="list-style-type: none"> Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4330007	Gwambygine East Rd	Gwambygine East Rd	York	2.54	Top Beverley - York Rd	12.70	Quairading York Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4330080	Halbert Rd	Halbert Rd	York	0.00	Cubbine Rd	1.12	Quairading York Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4330046	Hamersley Siding Rd	Hamersley Siding Rd	York	0.00	Mokine Rd	9.50	Spencers Brook - York Rd & Wilberforce Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



York

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4330060	Hardy Rd	Hardy Rd	York	0.00	Mannavale Rd	3.01	Cunderdin LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4330048	Karabine Rd	Karabine Rd	York	0.00	Wilberforce Rd & Northam York Rd	2.91	Karabine Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. 'Trucks Entering' signs to be erected on Northam Cranbrook Rd and removed when not in use.
4330079	Keebles Rd	Keebles Rd	York	0.00	Cubbine Rd	2.10	Keebles Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.

Tandem Drive Network 2.1



York

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4330073	Kennedy Rd	Kennedy Rd	York	0.00	Mills Rd	4.67	Kennedys Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4330028	Knotts Rd	Knotts Rd	York	0.00	Avon Tce & Great Southern Hwy	4.68	Cut Hill Rd & Talbot Rd & Arnold Park Rd	<ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4330025	Lennard Rd	Lennard Rd	York	0.00	Northam York Rd	7.55	Sees Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4330035	Mackie Rd	Mackie Rd	York	0.00	York - Tammin Rd	8.92	Quairading York Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4330002	Mannavale Rd	Mannavale Rd	York	0.00	York - Tammin Rd	1.86	Flea Pool Rd	

Tandem Drive Network 2.1



York

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4330002	Mannavale Rd	Mannavale Rd	York	1.86	Flea Pool Rd	13.35	Quellington Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4330069	Marwick Rd	Marwick Rd	York	0.00	Quairading York Rd	4.04	York - Tammin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4330074	Mills Rd	Mills Rd	York	0.00	Quairading York Rd	5.69	Beverley LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4330010	Mokine Rd	Mokine Rd	York	0.00	Ulster Rd	17.75	Mokine Rd & Leaver Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Intersection Ashworth Rd : No right turn permitted into Ashworth Rd from Mokine Rd

Tandem Drive Network 2.1



York

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4330063	Moore Rd	Moore Rd	York	0.00	York - Tammin Rd	2.53	Cunderdin LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4330198	Morris Edwards Dr	Morris Edwards Dr	York	0.00	Macartney St & Ulster Rd	2.73	Great Southern Hwy	<ul style="list-style-type: none"> Intersection Great Southern Hwy : No access permitted into Chidlow York from Morris Edwards Dr
4330249	Myanarra Rd	Myanarra Rd	York	0.00	Mokine Rd	1.83	Myanarra Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4330076	Narraloggan Rd	Narraloggan Rd	York	0.00	York - Tammin Rd & Near Warding Rd	6.08	Doodenanning Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection York - Tammin Rd & Near Warding Rd : No right turn permitted into York Tammin Rd from Narraloggan Rd

Tandem Drive Network 2.1



York

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4330065	Northbourne Rd	Northbourne Rd	York	0.00	Top Beverley - York Rd	1.47	Northbourne Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4330066	Osborn Rd	Osborn Rd	York	0.00	Quairading York Rd	1.22	Rudall Rd & Springs Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4330011	Ovens Rd	Ovens Rd	York	0.00	Great Southern Hwy	8.32	Qualen West Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4330027	Parker Rd	Parker Rd	York	0.00	Northam LGA Boundary	2.33	Quellington Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



York

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4330219	Penny Dr	Penny Dr	York	0.00	Doodenanning Rd & Greenhills Rd	3.09	Quairading York Rd & Greenhills South Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4330042	Piccadilly Rd	Piccadilly Rd	York	0.00	Quairading York Rd	6.53	Beverley LGA Boundary	
4330019	Qualen West Rd	Qualen West Rd	York	0.00	Talbot Rd	16.38	Talbot West Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Talbot Rd : No access permitted into Talbot Rd from Qualen West Rd
4330036	Quonamining Rd	Quonamining Rd	York	0.00	Doodenanning Rd	6.33	York - Tammin Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Doodenanning Rd : No left turn permitted into Doodenanning Rd from Quonamining Rd

Tandem Drive Network 2.1



York

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4330081	Rickeys Siding Rd	Rickeys Siding Rd	York	0.00	Quairading York Rd	2.18	Beverley LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4330023	Sees Rd	Sees Rd	York	0.00	York - Tammin Rd	6.00	Lennard Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4330023	Sees Rd	Sees Rd	York	6.00	Lennard Rd	8.74	Grass Valley South Rd & Quellington Rd	
4330004	Spencers Brook - York Rd	Spencers Brook - York Rd	York	0.00	Northam LGA Boundary	19.54	Seventh Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Intersection Burges Siding Rd : No access permitted into Burges Siding Rd from Spencers Broo-York Rd
4330260	Springs Rd	Springs Rd	York	0.00	Osborn Rd & Rudall Rd	0.45	Springs Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



York

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4330039	St Jacks Rd	St Jacks Rd	York	0.00	Quairading York Rd	1.36	Beverley LGA Boundary	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4330033	Station Rd	Station Rd	York	0.00	Quairading York Rd	4.97	Taylor Rd	
4330013	Talbot Hall Rd	Talbot Hall Rd	York	0.00	Talbot Rd	7.37	Qualen West Rd	
4330003	Talbot Rd	Talbot Rd	York	0.00	Cut Hill Rd & Knotts Rd & Arnold Park Rd	0.99	Qualen West Rd	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4330003	Talbot Rd	Talbot Rd	York	0.99	Qualen West Rd	15.97	Talbot West Rd	<ul style="list-style-type: none"> Intersection Qualen West Rd : No right turn permitted into Qualen West Rd from Talbot Rd
4330012	Talbot West Rd	Talbot West Rd	York	0.00	Northam LGA Boundary	32.69	Beverley LGA Boundary	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).

Tandem Drive Network 2.1



York

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4330034	Taylor Rd	Taylor Rd	York	0.00	York - Tammin Rd	4.98	Taylor Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4330009	Top Beverley - York Rd	Top Beverley - York Rd	York	0.00	Quairading York Rd	4.34	Mackie River Bridge	<ul style="list-style-type: none"> Maximum speed 70 km/h
4330009	Top Beverley - York Rd	Top Beverley - York Rd	York	4.34	Mackie River Bridge	14.08	Top Beverley York Rd	<ul style="list-style-type: none"> Maximum speed 90 km/h
4330090	Ulster Rd	Ulster Rd	York	0.00	South St & Forrest St	2.11	Mokine Rd	<ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 40 km/h No Operation Weekdays between 8:00 AM to 9:00 AM and No Operation Monday Tuesday Thursday7 Friday between 2:30 PM to 3:30 PM and No Operation Wednesday between 1:30 PM to 2:30 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road.
4330030	Wallaby Rd	Wallaby Rd	York	0.00	York - Tammin Rd	4.66	Flea Pool Rd	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4330014	Wambyn Rd	Wambyn Rd	York	0.00	Northam LGA Boundary	10.18	Great Southern Hwy	<ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h

Tandem Drive Network 2.1



York

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
4330029	Warding Rd	Warding Rd	York	0.00	York - Tammin Rd	6.36	Cunderdin LGA Boundary	<ul style="list-style-type: none"> Intersection York - Tammin Rd : No access to York-Tammin Rd from Warding Rd
4330197	White Well Rd	White Well Rd	York	0.00	Doodenanning Rd	1.15	Waghorn Rd	<ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).
4330047	Williams Rd	Williams Rd	York	0.00	Mokine Rd	1.67	Williams Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction.
4330001	York - Tammin Rd	York - Tammin Rd	York	0.00	Northam York Rd	33.51	Goldfields Rd	<ul style="list-style-type: none"> Intersection Warding Rd : No access to Warding Rd from York-Tammin Rd

Tandem Drive Network 2.1



Unspecified

Road No	Road Name	Local Road Name	Local Government	SLK From	Intersection From	SLK To	Intersection To	Conditions
109Z034	Birralee Rd	Birralee Rd		0.00	The Promenade Rty	0.24	Birralee Rd End Road	
813Z026	Great Northern Hwy off to Utah Pt Rd	Great Northern Hwy off to Utah Pt Rd		0.00	Great Northern Hwy	0.42	Utah Point Rd (P)	
603Z025	Mt Henry Access Rd	Mt Henry Access Rd		0.00	Coolgardie Esperance Hwy	2.59	Mt Henry Access Rd - End Road	
813Z027	Utah Pt Rd on to Great Northern Hwy	Utah Pt Rd on to Great Northern Hwy		0.00	Utah Point Rd (P)	0.38	Great Northern Hwy	
209Z022	Wagerup Alumina Refinery Access Rd	Wagerup Alumina Refinery Access Rd		0.00	Willowdale Rd	1.50	Wagerup Alumina Refinery Access Rd - End Road	<ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h
302Z014	Wellstead Access Rd	Wellstead Access Rd		0.00	South Coast Hwy	0.34	South Coast Hwy	<ul style="list-style-type: none"> Intersection Baxter Rd : No access permitted into Baxter Rd from Wellstead Access Rd
513Z007	Wibi Rd	Wibi Rd		0.00	Elliott Rd	0.52	Wibi Rd - End Road	<ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h No Operation from Apr to Sep When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40).