



ROAD TABLE

Tandem Drive Network 4.1

Listed by Road Name Order



Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|------------------|----------|--|--------|---------------------------------------|---|
| 4120016 | 101 Gate East Rd | 101 Gate East Rd | Kulin | 0.00 | Rabbit Proof Fence Rd Sth | 28.65 | Tarin Rock North Rd & Kuender West Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3060037 | 114 Gate Rd | 114 Gate Rd | Dumbleyung | 0.00 | Moran Rd | 21.19 | Kulin - Dumbleyung Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5030056 | 36 Well Rd | 36 Well Rd | Dalwallinu | 0.00 | Nugadong West Rd | 4.51 | Wegner Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4280019 | 4 Mile Gate Rd | 4 Mile Gate Rd | Westonia | 0.00 | Walgoolan South Rd | 6.03 | Burracoppin South Rd | |
| 8140492 | 40 Mile Beach Access Rd | 40 Mile Beach Access Rd | Karratha (C) | 0.00 | North West Coastal Hwy | 0.59 | Appache Energy | |
| 8140492 | 40 Mile Beach Access Rd | 40 Mile Beach Access Rd | Karratha (C) | 0.59 | 0.6km From North West Coastal Highway. | 11.35 | 40 Mile Beach Access Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4040012 | 49 Gate West Rd | 49 Gate West Rd | Corrigin | 0.00 | Quairading - Corrigin Rd | 5.43 | Jubuk North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|-----------------------|----------|----------------------------------|--------|-------------------------------|---|
| 4040012 | 49 Gate West Rd | 49 Gate West Rd | Corrigin | 5.43 | Jubuk North Rd | 9.21 | Stones Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4040012 | 49 Gate West Rd | 49 Gate West Rd | Corrigin | 9.21 | Stones Rd | 20.22 | Bulyee - Quairading Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4280020 | 6 Mile Gate Rd | 6 Mile Gate Rd | Westonia | 0.00 | Clothier Rd & Walgoolan South Rd | 4.35 | Burracoppin South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5051157 | Abattoir Access Rd | Abattoir Access Rd | Greater Geraldton (C) | 0.00 | Kemp St & Rudds Gully Rd | 0.70 | Abattoir Access Rd - End Road | |
| 4140225 | Abattoir Rd | Abattoir Rd | Merredin | 0.00 | O'Connor St | 1.74 | Abattoirs Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5051071 | Abattoir Rd | Abattoir Rd | Greater Geraldton (C) | 0.00 | Geraldton Mt Magnet Rd | 0.57 | 0.57km (20m After Siding Rd) | |
| 4170114 | Abbot Rd | Abbot Rd | Narembeen | 0.00 | Starcevich Chapman Rd | 4.25 | Cramphorne Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|--------------------------|----------|--|--------|--|--|
| 3060129 | Abbott L | Abbott L | Dumblenyung | 0.00 | One Twenty Nine Rd | 1.16 | Abbott L - End Road | |
| 3160108 | Abbott Rd | Abbott Rd | West Arthur | 0.00 | Wireless Station Rd | 1.63 | Abbott Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2180106 | Abel St | Abel St | Boyup Brook | 0.00 | Bridge St & Abel St | 0.15 | Forrest St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 2180031 | Abels Rd | Abels Rd | Boyup Brook | 0.00 | Donnybrook Kojonup Rd & Abel St | 0.10 | 0.1km From Donnybrook Kojonup Rd | |
| 1050170 | Abercrombie Rd | Abercrombie Rd | Kwinana (C) | 0.00 | Thomas Rd | 2.90 | Hope Valley Rd | |
| 1020997 | Abernethy Rd | Abernethy Rd | Kalamunda | 0.00 | Abernethy Rd & Abernethy Rd on to Tonkin Hwy | 6.58 | Abernethy Rd & Brinsmead Rd | <ul style="list-style-type: none"> Intersection Port Pl & Grogan Rd : No right turn permitted into Grogan Rd from Abernethy Rd |
| 1092053 | Abernethy Rd | Abernethy Rd | Swan (C) | 0.00 | Abernethy Rd & Brinsmead Rd | 0.80 | Great Eastern Hwy Bypa | |
| 1130002 | Abernethy Rd | Abernethy Rd | Belmont (C) | 0.00 | Great Eastern Hwy | 7.37 | Abernethy Rd on to Tonkin Hwy & Abernethy Rd | <ul style="list-style-type: none"> Intersection Casella Pl : No left turn permitted into Casella Pl from Abernethy Rd |
| H894 | Abernethy Rd on to Leach Hwy (Eastbound) | Abernethy Rd on to Leach Hwy (Eastbound) | Belmont (C) | 0.00 | Abernethy Rd & Leach Hwy (Eastbound) off to Abernethy Rd | 0.32 | Leach Hwy | |
| H896 | Abernethy Rd on to Leach Hwy (Westbound) | Abernethy Rd on to Leach Hwy (Westbound) | Belmont (C) | 0.00 | Abernethy Rd & Leach Hwy (Westbound) off to Abernethy Rd | 0.59 | Leach Hwy | |
| H254 | Abernethy Rd on to Tonkin Hwy (Southbound) | Abernethy Rd on to Tonkin Hwy | Belmont (C) | 0.00 | Abernethy Rd | 0.40 | Tonkin Hwy (Eastbound) off to Roe Hwy (Southbound) | |
| 2010095 | Ablett Rd | Ablett Rd | Augusta - Margaret River | 0.00 | North Treeton Rd & Treeton Rd | 2.14 | Wirring Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 2010095 | Ablett Rd | Ablett Rd | Augusta - Margaret River | 2.15 | Wirring Rd | 5.71 | Bussell Hwy | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 1251655 | Abrams St | Abrams St | Stirling (C) | 0.00 | Stretton Pl | 0.47 | Ledgar Rd | |
| 3110137 | Absolon St | Absolon St | Lake Grace | 0.62 | Access Driveway 0.48km From Albany Lake Grace Rd | 1.10 | South Rd | <ul style="list-style-type: none"> Intersection South Rd : No left turn permitted onto Albany Lake Grace Rd from Absolon St |
| 8130173 | Abydos Pl | Abydos Pl | Port Hedland (T) | 0.00 | Yanana St | 0.14 | Abydos Pl - End Road | |
| 4100129 | Acacia Rd | Acacia Rd | Kondinin | 0.00 | Wheeler Rock Rd | 4.10 | Forbes Rd | |
| 1109791 | Accomplish Wy | Accomplish Wy | Wanneroo (C) | 0.00 | Boom St | 0.34 | Forward St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|------------------------------|--------|-------------------------|---|
| 3110162 | Ace Rd | Ace Rd | Lake Grace | 0.00 | Pickernell Rd | 4.99 | Finlay Rd & Hogan Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6110099 | Achernar St | Achernar St | Yilgarn | 0.07 | Altair St | 0.36 | Spica St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 1103373 | Achievement Wy | Achievement Wy | Wanneroo (C) | 0.00 | Paramount Dr & Challenge Bvd | 1.08 | Paramount Dr | |
| 1030613 | Acourt Rd | Acourt Rd | Cockburn (C) | 0.00 | Nicholson Rd | 1.35 | Canning Lga Boundary | |
| 1140757 | Acourt Rd | Acourt Rd | Canning (C) | 0.00 | Cockburn (C) LGA Boundary | 1.44 | Acourt Rd - End Road | |
| 1103374 | Action Pl | Action Pl | Wanneroo (C) | 0.00 | Triumph Av | 0.18 | Challenge Bvd | |
| 1091461 | Action Rd | Action Rd | Swan (C) | 0.00 | Exchange Rd | 0.29 | Pavers Cir | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 2050025 | Acton Park Rd | Acton Park Rd | Busselton (C) | 0.00 | Vasse Hwy | 9.52 | Jalbarragup Rd | <ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Curfew applies on schools days only. |
| 1141127 | Adams Dr | Adams Dr | Canning (C) | 0.00 | Welshpool Rd | 0.92 | Tomlinson Rd | |
| 3060025 | Adams Rd | Adams Rd | Dumbleyung | 0.00 | Kent LGA Boundary | 16.00 | Kukerin South Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3090132 | Adams Rd | Adams Rd | Kent | 0.00 | Kukerin Rd & Peterson Rd | 2.53 | Dumbleyung LGA Boundary | |
| 4060123 | Adams Rd | Adams Rd | Cunderdin | 0.00 | Cunderdin - Minnivale Rd | 4.11 | Quelagetting Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|-------------------------------------|--------|-----------------------------|---|
| 4110124 | Adams Rd | Adams Rd | Koorda | 0.00 | Martin Rd | 3.44 | Adams Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 40 km/h |
| 1180156 | Adams St | Adams St | Fremantle (C) | 0.00 | Peel Rd | 0.24 | Bellamy St | |
| 4240068 | Adamson Rd | Adamson Rd | Quairading | 0.00 | Quairading - Cunderdin Rd | 3.54 | Wackett Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 3160071 | Adcock Rd | Adcock Rd | West Arthur | 0.00 | Albany Hwy | 3.06 | Adcock Rd - End Road | |
| 3040146 | Addis Rd | Addis Rd | Cranbrook | 0.00 | Cranbrook - Frankland Rd | 4.85 | Addis Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3090065 | Addis Rd | Addis Rd | Kent | 0.00 | Hobart Rd | 4.84 | Wallacup Rd | |
| 1020076 | Adelaide St West | Adelaide St West | Kalamunda | 1.00 | Stirling Cr | 1.49 | Adelaide St West - End Road | <ul style="list-style-type: none"> Continued RAV Network access to Adelaide St West from Stirling Crescent may be impacted due to closure of Stirling Crescent/Great Eastern Highway Bypass intersection. |
| 5090066 | Adji Daji Rd | Adji Daji Rd | Mingenew | 0.00 | Mingenew Morawa Rd | 0.73 | Adji Daji Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1104826 | Advantage Wy | Advantage Wy | Wanneroo (C) | 0.00 | Rigali Wy | 0.22 | Hartman Dr | <ul style="list-style-type: none"> Intersection Hartman Dr : No right turn permitted into Hartman Dr from Advantage Wy |
| 2180028 | Aegers Bridge Rd | Aegers Bridge Rd | Boyup Brook | 0.00 | Donnybrook Kojonup Rd & Six Mile Rd | 5.35 | Jayes Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|-----------------------|----------|---|--------|---------------------------------|--|
| 5050661 | Aerodrome Rd | Aerodrome Rd | Greater Geraldton (C) | 0.00 | Carnarvon - Mullewa Rd | 0.25 | Aerodrome Rd - End Road | |
| 6100008 | Aerodrome Rd | Aerodrome Rd | Ravensthorpe | 0.00 | Newdegate Ravensthorpe Rd | 7.72 | Thomas Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit No access permitted to Brookton Highway from Aerodrome Rd. |
| 6100008 | Aerodrome Rd | Aerodrome Rd | Ravensthorpe | 7.72 | Thomas Rd | 31.53 | Fitzgerald Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 6100008 | Aerodrome Rd | Aerodrome Rd | Ravensthorpe | 31.68 | Fitzgerald Rd | 42.54 | Mallee Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 113Z004 | Affleck Rd (Federal) | Affleck Rd (Federal) | Belmont (C) | 0.00 | Grogan Dr (Federal) | 1.03 | Affleck Rd (Federal) - End Road | |
| 5110036 | Agar Rd | Agar Rd | Morawa | 0.00 | White Rd | 6.81 | Mingenew Morawa Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5040015 | Agaton Rd | Agaton Rd | Dandaragan | 0.00 | North West Rd | 30.08 | Watheroo Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1090687 | Agett Rd | Agett Rd | Swan (C) | 0.00 | Truganina Rd | 0.27 | Cusack Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 3160095 | Agg Rd | Agg Rd | West Arthur | 0.00 | Darkan Rd | 1.99 | Agg Rd - End Road | |
| 4100051 | Aggiss Rd | Aggiss Rd | Kondinin | 0.00 | Pederah West Rd & North Lake Grace - Karlgarin Rd | 8.54 | Kondinin Hyden Rd | |
| 6080090 | Agnew - Lake Miranda Rd | Agnew - Lake Miranda Rd | Leonora | 0.00 | Old Agnew Rd & Agnew - Vivien Rd | 4.61 | Agnew Leinster Rd | |
| 6080036 | Agnew - Leinster Rd | Agnew - Leinster Rd | Leonora | 0.00 | Goldfields Hwy | 2.42 | Leinster - Mine Rd & Agnew Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|--|--------|-------------------------|--|
| 6080116 | Agnew - Vivien Rd | Agnew - Vivien Rd | Leonora | 0.00 | Old Agnew Rd & Agnew - Lake Miranda Rd | 3.54 | Agnew Leinster Rd | |
| 6082058 | Agnew Rd | Agnew Rd | Leonora | 0.00 | Leinster - Mine Rd & Agnew - Leinster Rd | 1.50 | Mansbridge St | |
| 5160136 | Ahern Pl | Ahern Pl | Chapman Valley | 0.00 | Hickety Rd | 2.42 | Ahern Pl - End Road | |
| 4010051 | Aiken Rd | Aiken Rd | Beverley | 0.00 | Morbinning Rd | 3.74 | Aikens Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4290048 | Aileen Rd | Aileen Rd | Wickepin | 0.00 | Williams Kondinin Rd | 2.90 | Aileen Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6040533 | Ainsworth Rd | Ainsworth Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 12.17 | Ainsworth Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 3150160 | Airfield Rd | Airfield Rd | Wagin | 0.00 | Vine St | 1.57 | Bullock Hills Rd | |
| 5070014 | Airfield Rd | Airfield Rd | Gingin | 0.00 | Brand Hwy | 4.93 | Duffy Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 6020160 | Airleg Cr | Airleg Cr | Coolgardie | 0.00 | Durkin Rd | 0.21 | Airleg Cr - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|--------------------------|----------|--------------------------------------|--------|--|--|
| 3160057 | Airlie Rd | Airlie Rd | West Arthur | 0.00 | Glenorchy South Rd | 3.57 | Moodiarrup South | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 8139001 | Airport Access Rd | Airport Access Rd | Port Hedland (T) | 0.00 | Great Northern Hwy | 2.05 | Great Northern Hwy | |
| H066 | Airport Dr | Airport Dr | Belmont (C) | 0.00 | Leach Hwy | 0.16 | Tonkin Hwy (Southbound) off to Airport Dr (Southbound) | |
| 2010945 | Airstrip Access Rd | Airstrip Access Rd | Augusta - Margaret River | 0.00 | Perimeter Rd | 0.82 | Airstrip Access Rd - End Road | |
| 5100038 | Airstrip Rd | Airstrip Rd | Moora | 0.00 | Moora - Caro Rd | 7.00 | Airstrip Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4110136 | Aitken Rd | Aitken Rd | Koorda | 0.00 | Wyalkatchem - Koorda Rd | 0.42 | Railway South St & Railway St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 50 km/h |
| 4150107 | Aitken Rd | Aitken Rd | Mount Marshall | 0.00 | Barbalin - Koonkoobing Rd | 4.55 | Aitken Rd & Koonkoobing Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4160087 | Aitken Rd | Aitken Rd | Mukinbudin | 0.00 | Barbalin North Rd | 3.79 | Aitken Rd & Koonkoobing Rd | |
| 4110104 | Aitken St | Aitken St | Koorda | 0.00 | Booralaming - Kulja Rd | 1.11 | Burakin - Wialki Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 50 km/h |
| 1130292 | Aitken Wy | Aitken Wy | Belmont (C) | 0.00 | Abernethy Rd | 0.70 | Kewdale Rd | |
| 5130081 | Ajana Back Rd | Ajana Back Rd | Northampton | 0.00 | Kalbarri Rd | 11.50 | North West Coastal Hwy | |
| 5130033 | Ajana East Rd | Ajana East Rd | Northampton | 0.00 | Kalbarri Rd & North West Coastal Hwy | 3.25 | 3.25km From North West Coastal Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|-----------------------------|----------|---|--------|---------------------------------|--|
| 5130033 | Ajana East Rd | Ajana East Rd | Northampton | 3.25 | 3.25km From North West Coastal Hwy | 16.55 | Diepeveen Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. |
| 5130033 | Ajana East Rd | Ajana East Rd | Northampton | 16.55 | Diepeveen Rd | 25.98 | Wickens Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. |
| 4030121 | Akesson Rd | Akesson Rd | Bruce Rock | 0.00 | Bees Rd | 2.00 | Akesson Rd - End Road | |
| 1030900 | Alacrity Pl | Alacrity Pl | Cockburn (C) | 0.48 | Keel Wy | 0.71 | Diamantina Wy | |
| H001 | Albany Hwy | Albany Hwy | Canning (C) Gosnells (C) | 5.95 | Ashburton St & John St Sth | 10.16 | Kenwick Link & William St | <ul style="list-style-type: none"> Intersection Ewing St Sth & Bedford St : No left turn permitted into Ewing St from Albany Hwy |
| H001 | Albany Hwy | Albany Hwy | Gosnells (C) | 13.28 | McIntyre Wy | 13.65 | Kenwick Link & Austin Av | |
| H001 | Albany Hwy | Albany Hwy | Gosnells (C) Armada (C) | 19.78 | Tonkin Hwy Access Ramp off to Albany Hwy & Albany Hwy on to Tonkin Hwy (Northbound) Access Ramp | 26.77 | Armada Rd & South Western Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access Brookton Highway. |
| H001 | Albany Hwy | Albany Hwy | Armada (C) | 26.77 | Armada Rd & South Western Hwy | 35.22 | Road Train Assembly Area Access | <ul style="list-style-type: none"> RAVs must travel in the left-hand lane at all times, unless; <ul style="list-style-type: none"> avoiding an obstruction; obeying a traffic-control signal; or intending to turn off the carriageway, and in order to do so safely it is necessary to position the vehicle in another lane before starting the turn. When descending Bedforddale Hill, drivers must ensure they engage low gear, use their auxiliary brakes and must not exceed a maximum speed of 40 km/h. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|---|----------|--|--------|--|--|
| H001 | Albany Hwy | Albany Hwy | Armadale (C) Wandering Boddington Williams West Arthur Woodanilling Kojonup Broomehill - Tambellup Cranbrook Plantagenet Albany (C) | 35.22 | Road Train Assembly Area Access | 404.19 | Chester Pass Rty | <ul style="list-style-type: none"> Intersection Neymerup Rd : No left turn permitted into Albany Hwy from Neymerup Rd Intersection Brooking St & Nunijup Rd : No left turn permitted into Brooking St from Albany Hwy Intersection Link Rd : No left turn permitted into Link Rd from Albany Hwy. Intersection Locke St : No left turn permitted into Locke St from Albany Hwy |
| H1011 | Albany Hwy (Northbound) off to Menang Dr | Albany Hwy (Northbound) off to Menang Dr | Albany (C) | 0.00 | Albany Hwy | 0.55 | Menang Dr | |
| H870 | Albany Hwy (Southbound) Slip At Sw Hwy & Armadale Rd | Albany Hwy (Southbound) Slip At Sw Hwy & Armadale Rd | Armadale (C) | 0.00 | Albany Hwy | 0.08 | Albany Hwy | |
| H1009 | Albany Hwy (Southbound) off to Menang Dr (Northbound) | Albany Hwy (Southbound) off to Menang Dr (Northbound) | Albany (C) | 0.00 | Albany Hwy | 0.78 | Menang Dr | |
| H1010 | Albany Hwy (Southbound) off to Menang Dr (Southbound) | Albany Hwy (Southbound) off to Menang Dr (Southbound) | Albany (C) | 0.00 | Albany Hwy | 0.58 | Menang Dr | |
| H582 | Albany Hwy on to Leach Hwy (Eastbound) | Albany Hwy on to Leach Hwy (Eastbound) | Canning (C) | 0.00 | Leach Hwy (Eastbound) off to Albany Hwy & Albany Hwy | 0.39 | Leach Hwy | |
| H759 | Albany Hwy on to Tonkin Hwy (Northbound) Access Ramp | Albany Hwy on to Tonkin Hwy (Northbound) Access Ramp | Gosnells (C) | 0.00 | Tonkin Hwy Access Ramp off to Albany Hwy & Albany Hwy | 0.30 | Tonkin Hwy (Northbound) Access Ramp For Albany Hwy & Corfield Rd | |
| H757 | Albany Hwy on to Tonkin Hwy (Southbound) Access Ramp | Albany Hwy on to Tonkin Hwy (Southbound) Access Ramp | Gosnells (C) | 0.00 | Tonkin Hwy (Southbound) Access Ramp off to Albany Hwy & Albany Hwy | 0.34 | Tonkin Hwy (Southbound) Access Ramp For Albany Hwy & Corfield Rd | |
| H872 | Albany Hwy to Collie-Lake King Slip Rd | Albany Hwy to Collie-Lake King Slip Rd | West Arthur | 0.00 | Albany Hwy | 0.16 | Arthur Rd | |
| M001 | Albany Lake Grace | Chester Pass Rd Nyabing Pingrup Rd Sanderson St Paterson St Pingrup Lake Grace Rd South Rd | Albany (C) Plantagenet Gnowangerup Kent Lake Grace | 0.00 | Chester Pass Rd & South Coast Hwy | 229.03 | South Rd & Stubbs St | <ul style="list-style-type: none"> Intersection Porongurup Rd : No right turn permitted into Porongurup Rd from Albany Lake Grace Rd Intersection Mason St : No left turn permitted into Mason St from Albany Lake Grace Rd |
| H040 | Albany Port Rd | Hanrahan Rd Hahrahan Rd Princess Royal Dr | Albany (C) | 0.95 | Cuming Rd | 7.29 | Brunswick Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------------|-----------------------------|------------------|----------|--------------------------------------|--------|-------------------------------------|---|
| 4160024 | Albert Rd | Albert Rd | Mukinbudin | 0.00 | Copeland Rd & Mukinbudin - Wialki Rd | 4.05 | McGregor Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4230046 | Albert Walton Rd | Albert Walton Rd | Pingelly | 0.00 | Yealering - Pingelly Rd | 3.41 | Groves Rd & Lilleystone Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6080009 | Albion Downs - Yeelirrie Rd | Albion Downs - Yeelirrie Rd | Leonora | 0.00 | Goldfields Hwy | 43.99 | Altona - Yeelirrie Rd | |
| 215Z074 | Alcoa Dr | Alcoa Dr | Murray | 0.00 | South Western Hwy | 7.01 | Pinjarra Alumina Refinery Access Rd | |
| 4020115 | Aldersyde - Pingelly Rd | Aldersyde - Pingelly Rd | Brookton | 0.00 | Brookton - Kweda Rd | 3.75 | Pingelly LGA Boundary | |
| 4230003 | Aldersyde - Pingelly Rd | Aldersyde - Pingelly Rd | Pingelly | 0.00 | Review St & Somerset St | 6.20 | Moorumbine Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4230003 | Aldersyde - Pingelly Rd | Aldersyde - Pingelly Rd | Pingelly | 6.20 | Moorumbine Rd | 22.68 | Jingaring Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|--------------------------|----------|---|--------|------------------------------|--|
| 4230003 | Aldersyde - Pingelly Rd | Aldersyde - Pingelly Rd | Pingelly | 22.68 | Jingaring Rd | 25.51 | Brookton LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4020005 | Aldersyde North Rd | Aldersyde North Rd | Brookton | 0.00 | Brookton-Corrigin Rd | 4.24 | Brookton - Kweda Rd | |
| 4110087 | Aldred Rd | Aldred Rd | Koorda | 0.00 | Best Rd | 4.28 | Koorda - Dowerin Rd | |
| 6040097 | Aldrick Rd | Aldrick Rd | Esperance | 0.00 | Brown Rd | 2.84 | Aldrick Rd - End Road | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 1011500 | Alex Wood Dr | Alex Wood Dr | Armadaale (C) | 0.00 | Ranford Rd | 1.31 | Armadaale Rd | <ul style="list-style-type: none"> Intersection Archimedes Dr : No left turn permitted into Archimedes Dr from Alex Wood Dr |
| 1090698 | Alexander Dr | Alexander Dr | Swan (C) | 0.00 | Bayswater (C) LGA Boundary | 3.69 | Marangaroo Dr & Alexander Dr | |
| 1101654 | Alexander Dr | Alexander Dr | Wanneroo (C) | 0.00 | Beach Rd & Alexander Dr | 6.58 | Alexander Dr - End Road | |
| 1120877 | Alexander Dr | Alexander Dr | Bayswater (C) | 0.37 | Reid Hwy West Bnd off to Alexander Dr & Alexander Dr on to Reid Hwy West Bnd & Alexander Dr | 0.43 | Swan (C) LGA Boundary | |
| 1250059 | Alexander Dr | Alexander Dr | Stirling (C) | 6.74 | Alexander Dr & Reid Hwy West Bnd off to Alexander Dr & Alexander Dr on to Reid Hwy West Bnd | 8.73 | Alexander Dr & Beach Rd | |
| H846 | Alexander Dr on to Reid Hwy (Eastbound) | Alexander Dr on to Reid Hwy (Eastbound) | Stirling (C) Swan (C) | 0.00 | Alexander Dr & Reid Hwy (Eastbound) off to Alexander Dr | 0.55 | Reid Hwy | |
| H848 | Alexander Dr on to Reid Hwy (Westbound) | Alexander Dr on to Reid Hwy (Westbound) | Stirling (C) | 0.00 | Alexander Dr & Reid Hwy (Westbound) off to Alexander Dr | 0.66 | Reid Hwy | |
| 1130018 | Alexander Rd | Alexander Rd | Belmont (C) | 0.81 | Fisher St | 1.33 | Robinson Av | |
| 6040071 | Alexander Rd | Alexander Rd | Esperance | 0.00 | Fisheries Rd | 5.46 | Merivale Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|-----------------------|----------|------------------------------------|--------|---|---|
| 6040071 | Alexander Rd | Alexander Rd | Esperance | 5.46 | Merivale Rd | 9.90 | 4.44km From Merivale Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3100139 | Alger Rd | Alger Rd | Kojonup | 0.00 | Albany Hwy | 2.94 | Jago Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Albany Hwy : No right turn permitted into Albany Hwy from Alger Rd. |
| 1110124 | Alice St | Alice St | Bassendean (T) | 0.00 | Jackson St | 0.51 | Collier Rd | |
| 4310019 | Allan Rd | Allan Rd | Wyalkatchem | 0.00 | Nungarin Wyalkatchem Rd | 6.63 | Hammond Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Nungarin Wyalkatchem Rd : No access permitted into Goomalling Merredin Rd from Allan Rd |
| 5051006 | Allanooka Springs Rd | Allanooka Springs Rd | Greater Geraldton (C) | 0.00 | Walkaway - Nangetty Rd & Arthur Rd | 14.27 | Irwin LGA Boundary | <ul style="list-style-type: none"> Intersection Connolly Rd : No right turn permitted into Connolly Rd from Allanooka Springs |
| 5080026 | Allanooka Springs Rd | Allanooka Springs Rd | Irwin | 0.00 | Greater Geraldton (C) LGA Boundary | 33.29 | Allanooka Springs Rd & Erangy Spring Rd | |
| 5090008 | Allanooka Springs Rd | Allanooka Springs Rd | Mingenew | 0.00 | Depot Hill Rd | 7.24 | Allanooka Springs Rd & Erangy Spring Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|-----------------------|----------|---------------------------------------|--------|-----------------------------------|--|
| 3070135 | Allardyce St | Allardyce St | Gnowangerup | 0.00 | Hinkley Rd | 0.63 | Garnett Rd & Whitehead Rd | <ul style="list-style-type: none"> Maximum speed 40 km/h Intersection McDonald St : No left turn permitted into McDonald St (northbound) from Allardyce St (eastbound) Intersection Yougenup Rd : No left turn permitted into Broomehill Jerramungup Rd from Allardyce St |
| 4140159 | Allbeury St | Allbeury St | Merredin | 0.00 | Great Eastern Hwy | 0.52 | Muscat St | |
| 1010327 | Allen Rd | Allen Rd | Armadale (C) | 0.61 | Macfarlane Rd | 1.58 | Allen Rd - Db Start | |
| 1010327 | Allen Rd | Allen Rd | Armadale (C) | 3.47 | Haydock St | 3.56 | Ranford Rd | |
| 4030178 | Allen Rd | Allen Rd | Bruce Rock | 0.00 | Bruce Rock South Rd & Foos Rd Slip Rd | 5.63 | Cumminin Rd | <ul style="list-style-type: none"> Intersection Cumminin Rd : No access permitted into Cumminin Rd from Allen Rd |
| 4330040 | Allen Rd | Allen Rd | York | 0.00 | Quairading York Rd | 6.14 | Cameron Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 106Z006 | Allen Rd (F) | Allen Rd (F) | Mundaring | 10.45 | 5.05km Before Gorrie Rd (F) | 16.73 | Nockine Rd (F) | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4100005 | Allen Rocks Rd | Allen Rocks Rd | Kondinin | 0.00 | Hyden-Lake King Rd | 6.30 | Kulin LGA Boundary | |
| 4120014 | Allen Rocks Rd | Allen Rocks Rd | Kulin | 0.00 | Kondinin LGA Boundary | 18.75 | Pingaring - Varley Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 5050134 | Allen St | Allen St | Greater Geraldton (C) | 0.00 | Bradford St | 0.56 | 0.06km Before Allen St - End Road | |
| 4110091 | Allenby St | Allenby St | Koorda | 0.19 | Birdwood St | 0.55 | Haig St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------------|----------------------------|--------------------------|----------|---------------------------------------|--------|-------------------------------|--|
| 2060193 | Allenville Rd | Allenville Rd | Capel | 0.73 | Hasties Rd | 2.08 | Lillydale - Allenville Rd Rty | |
| 2040547 | Allnut Ct | Allnut Ct | Bunbury (C) | 0.00 | Palmer Cr | 0.37 | Allnut Ct - End Road | |
| 2010378 | Allnutt Tce | Allnutt Tce | Augusta - Margaret River | 1.21 | Ellis St & Hillview Rd | 2.07 | Blackwood Av & Bussell Hwy | <ul style="list-style-type: none"> 10 km/h below posted speed limit No Operation between the hours of sunset and sunrise |
| 1040220 | Alloa Rd | Alloa Rd | Gosnells (C) | 0.00 | Church Rd | 0.76 | Davison St | |
| 1041557 | Allott Wy | Allott Wy | Gosnells (C) | 0.00 | Emerald Rd | 0.14 | 0.14km From Emerald Rd | |
| 1073179 | Alloy Av | Alloy Av | Rockingham (C) | 0.00 | Patterson Rd & Charles St | 0.26 | Alumina Rd | |
| 8130449 | Alloy Wy | Alloy Wy | Port Hedland (T) | 0.00 | Tailings Elb | 0.18 | Phosphorus St | |
| 4140110 | Allsop Rd | Allsop Rd | Merredin | 0.00 | Depot Dam Rd | 4.67 | Old Muntadgin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Old Muntadgin Rd : No access permitted into Old Muntadgin Rd from Alisop Rd |
| 1090075 | Almeria Pde | Almeria Pde | Swan (C) | 14.89 | 1km From Apple St | 15.89 | Apple St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. A RAV must not be driven on this road in excess of 4.3 metres in height unless written approval is obtained and must be carried from relevant overhead telecommunication and electrical transmission cable controller. |
| 5180099 | Alpha St | Alpha St | Wongan - Ballidu | 0.00 | Federation St | 0.11 | Fairbanks St | |
| 6110089 | Altair St | Altair St | Yilgarn | 0.00 | Great Eastern Hwy & Orion St | 0.20 | Achernar St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 7030135 | Alternate Heavy Haulage Rd | Alternate Heavy Haulage Rd | Meekatharra | 3.10 | Landor - Meekatharra Rd | 4.52 | Great Northern Hwy | |
| 1031443 | Altona St | Altona St | Cockburn (C) | 0.00 | Port Kembla Dr | 0.21 | Altona St - End Road | |
| 1070976 | Alumina Rd | Alumina Rd | Rockingham (C) | 0.00 | Patterson Rd | 1.72 | Alloy Av | |
| 3120220 | Amarillup Rd | Amarillup Rd | Plantagenet | 0.00 | Seymour Rd & Pile Rd & The Springs Rd | 4.00 | Amarillup Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5050698 | Ambania Rd | Ambania Rd | Greater Geraldton (C) | 0.00 | Ambania Rd - Start Road | 18.93 | Edwards Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|------------------|----------|--|--------|---|--|
| 2050023 | Ambergate Rd | Ambergate Rd | Busselton (C) | 0.00 | Chapman Hill Rd | 2.53 | Queen Elizabeth Av | |
| 2050023 | Ambergate Rd | Ambergate Rd | Busselton (C) | 2.55 | Queen Elizabeth Av | 7.43 | Boallia Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1104417 | Ambition Gte | Ambition Gte | Wanneroo (C) | 0.00 | Motivation Dr | 0.03 | Ambition Gte - End Road | |
| 1070418 | Ambrose St | Ambrose St | Rockingham (C) | 0.00 | Dixon Rd | 0.55 | Dixon Rd | |
| 4070008 | Amery - Benjaberring Rd | Amery - Benjaberring Rd | Dowerin | 0.00 | Dowerin - Kalannie Rd | 14.47 | Wyalkatchem LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4310012 | Amery - Benjaberring Rd | Amery - Benjaberring Rd | Wyalkatchem | 0.00 | Harrison Rd & McKay Rd & Benjaberring South Rd | 5.10 | Dowerin LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Benjaberring - Hindmarsh Rd : No access permitted into Benjaberring Hindmarsh Rd from Amery Benjaberring Rd |
| 4070143 | Amery North Rd | Amery North Rd | Dowerin | 0.00 | Old Kalannie Rd | 8.34 | McHugh Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 113Z040 | Anderson PI (Federal) | Anderson PI (Federal) | Belmont (C) | 0.00 | Reid Rd (Federal) | 0.44 | Dunreath Dr (Federal) & Searle Rd (Federal) | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------------|----------|-----------------------|--------|----------------------------|--|
| 1030108 | Anderson Rd | Anderson Rd | Cockburn (C) | 0.00 | Russell Rd (West) | 0.19 | For 0.19 Km to End of Road | |
| 3030235 | Anderson Rd | Anderson Rd | Broomehill - Tambellup | 0.00 | Carr Rd | 4.77 | Tallents Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Carr Rd : No access permitted into Carr Rd from Anderson Rd |
| 3030235 | Anderson Rd | Anderson Rd | Broomehill - Tambellup | 4.77 | Tallents Rd | 7.33 | Pallinup South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3100152 | Anderson Rd | Anderson Rd | Kojonup | 0.00 | Donnybrook Kojonup Rd | 10.14 | Darkan - Kojonup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Darkan - Kojonup Rd : No access permitted into Darkan - Kojonup Rd from Anderson Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|-----------------------|----------|--------------------------|--------|------------------------|---|
| 3160074 | Anderson Rd | Anderson Rd | West Arthur | 0.00 | Quill Rd | 2.76 | Anderson Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4030094 | Anderson Rd | Anderson Rd | Bruce Rock | 0.00 | Liebeck Rd | 3.54 | Yarding North Rd | |
| 4080069 | Anderson Rd | Anderson Rd | Goomalling | 0.00 | Northam Pithara Rd | 3.66 | Jennacubbine East Rd | <ul style="list-style-type: none"> Maximum speed 70 km/h Intersection Jennacubbine East Rd : No right turn permitted into Jennacubbine East Rd from Anderson Rd |
| 4110019 | Anderson Rd | Anderson Rd | Koorda | 0.00 | Koorda - Kulja Rd | 30.09 | Black Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 4240018 | Anderson Rd | Anderson Rd | Quairading | 0.00 | Doodenanning - Mawson Rd | 2.97 | Cubbine Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5030102 | Anderson Rd | Anderson Rd | Dalwallinu | 0.00 | Pithara East Rd | 2.90 | Hodgson Rd | |
| 8140082 | Anderson Rd | Anderson Rd | Karratha (C) | 0.00 | Mardie Rd | 2.08 | Coolawanyah Rd | |
| 4170044 | Anderson Rocks Rd | Anderson Rocks Rd | Narembeen | 0.00 | Williamson Rd | 34.93 | Hyden North Rd | <ul style="list-style-type: none"> Intersection Hyden North Rd : No left turn permitted into Hyden North Rd from Anderson Rock Rd |
| 5050128 | Anderson St | Anderson St | Greater Geraldton (C) | 0.00 | Place Rd | 1.43 | Webborton Rd | <ul style="list-style-type: none"> Intersection Boyd St : No left turn permitted into Boyd St from Anderson St, |
| 8130098 | Anderson St | Anderson St | Port Hedland (T) | 1.60 | Short St | 1.76 | Morgans St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|------------------------------------|--------|--------------------|--|
| 4270034 | Andersons Rd | Andersons Rd | Wandering | 0.00 | Dwarda East Rd | 0.45 | Extracts Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030058 | Anderton Rd | Anderton Rd | Dalwallinu | 0.00 | Flynn Rd | 4.00 | Mullewa Wubin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2080375 | Andrew Foord Wy | Andrew Foord Wy | Dardanup | 0.00 | Kerr Rd | 0.32 | Coleman Turn | |
| 4160089 | Andrews East Rd | Andrews East Rd | Mukinbudin | 0.00 | Lake Brown South Rd & Cookinbin Rd | 6.34 | Stockton Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3170061 | Andrews Rd | Andrews Rd | Woodanilling | 0.00 | Watson Rd | 5.54 | Wagin LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|--------------------------|----------|------------------------------|--------|----------------------------------|---|
| 4240105 | Andrews Rd | Andrews Rd | Quairading | 0.00 | Dangin - Mears Rd | 6.79 | Quairading South Rd & Burrows Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 6040101 | Andrews Rd | Andrews Rd | Esperance | 0.00 | Goodwin Rd | 1.13 | Andrews Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4150022 | Andrews Tank Rd | Andrews Tank Rd | Mount Marshall | 0.00 | Andrews Tank Rd - Start Road | 15.09 | Mandiga - Marindo Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4150022 | Andrews Tank Rd | Andrews Tank Rd | Mount Marshall | 15.09 | Mandiga - Marindo Rd | 31.14 | East Boundary Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2010935 | Andrews Wy | Andrews Wy | Augusta - Margaret River | 0.00 | Wilkes Rd & Bussell Hwy | 1.69 | Andrews Wy - End Road | <ul style="list-style-type: none"> No operation on Sundays and Public Holidays |
| 3160109 | Angel Rd | Angel Rd | West Arthur | 0.00 | Arthur Rd | 4.46 | Angel Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|-----------------------|----------|-------------------------------------|--------|------------------------------------|---|
| 5051025 | Angels Rd | Angels Rd | Greater Geraldton (C) | 0.00 | East Chapman Rd | 5.42 | Chapman Valley LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. See Low Volume Condition Type A in the Operating Conditions Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5160075 | Angels Rd | Angels Rd | Chapman Valley | 0.00 | Urch Rd | 0.51 | Greater Geraldton (C) LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4090009 | Angle Rd | Angle Rd | Kellerberrin | 0.00 | Doodlakine - Kununoppin Rd | 13.28 | Ryans Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4160085 | Angle Rd | Angle Rd | Mukinbudin | 0.00 | Driscoll Rd & Adams Rd & Moondon Rd | 7.78 | Angle Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|-------------------------|----------|---|--------|--------------------------------------|---|
| 4290098 | Angwins Rd | Angwins Rd | Wickepin | 0.00 | Wagin LGA Boundary | 2.01 | Wedin South Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1050214 | Anketell Rd | Anketell Rd | Kwinana (C) | 0.00 | Rockingham Rd | 9.58 | Serpentine - Jarrahdale LGA Boundary | |
| 1080186 | Anketell Rd | Anketell Rd | Serpentine - Jarrahdale | 0.00 | Thomas Rd | 3.08 | Kwinana (C) LGA Boundary | |
| H701 | Anketell Rd on to Kwinana Fwy (Northbound) | Anketell Rd on to Kwinana Fwy (Northbound) | Kwinana (C) | 0.00 | Anketell Rd & Kwinana Fwy (Northbound) off to Anketell Rd | 0.34 | Kwinana Fwy | |
| H699 | Anketell Rd on to Kwinana Fwy (Southbound) | Anketell Rd on to Kwinana Fwy (Southbound) | Kwinana (C) | 0.00 | Anketell Rd & Kwinana Fwy (Southbound) off to Anketell Rd | 0.37 | Kwinana Fwy | |
| 7030034 | Annean Rd | Annean Rd | Meekatharra | 0.00 | Great Northern Hwy | 15.53 | Annean Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h |
| 1140433 | Annie St | Annie St | Canning (C) | 0.00 | Star St | 0.11 | Annie St - End Road | |
| 0010181 | Antheous Wy | Antheous Wy | Broome | 0.00 | Tanami Dr | 0.27 | Mavis Rd | |
| 8130262 | Anthill St | Anthill St | Port Hedland (T) | 0.00 | Pinga St | 0.38 | 0.38km From Pinga St | |
| 4060015 | Antonio Rd | Antonio Rd | Cunderdin | 0.00 | Goomalling - Meckering Rd | 11.68 | Wilding Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Southern Brook Rd : No left turn permitted into Southern Brook Rd from Antonio Rd |
| 6110139 | Antonio Rd | Antonio Rd | Yilgarn | 0.00 | Della Rd | 13.50 | Bodallin South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 1090952 | Anvil Cl | Anvil Cl | Swan (C) | 0.00 | Hyne Rd | 0.11 | Anvil Cl - End Road | |
| 1141052 | Anvil Wy | Anvil Wy | Canning (C) | 0.00 | Division St Sth | 0.60 | Division St Sth | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|--------------------------|----------|---|--------|---------------------------------|--|
| 4260061 | Anzac Av | Anzac Av | Toodyay | 0.00 | Clinton St | 0.40 | Harper Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| H041 | Anzac Dr | Anzac Dr | Kalgoorlie - Boulder (C) | 0.00 | Great Eastern Hwy & West Kalgoorlie Rd | 7.04 | Lane St Rty | |
| 1105807 | Apex Wy | Apex Wy | Wanneroo (C) | 0.00 | Prestige Pde & Prosperity Av | 0.21 | Volcanic Loop | |
| 1090097 | Apple St | Apple St | Swan (C) | 0.00 | Great Northern Hwy - Apple St - Coondaree Pde Rty | 0.32 | Rtaa | |
| 1090097 | Apple St | Apple St | Swan (C) | 0.32 | Road Train Assembly Area | 0.78 | Almeria Pde | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4130065 | Appleyard Rd | Appleyard Rd | Trayning | 0.00 | Wilson St & Hewitt St | 1.77 | Kununoppin - Mukinbudin Rd | |
| 3070062 | Araluen Rd | Araluen Rd | Gnowangerup | 0.00 | Gnowangerup Jerramungup Rd | 13.20 | Coromup Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 0040024 | Arawodi Rd | Arawodi Rd | Wyndham - East Kimberley | 0.00 | Weaber Plain Rd | 1.91 | Arawodi Rd - End Road | |
| 2119002 | Arber Rd | Arber Rd | Harvey | 0.00 | Arber Rd & Rosamel Rd | 0.46 | Marriott Rd | |
| 211Z029 | Arber Rd | Arber Rd | Harvey | 0.00 | Treasure Rd | 4.42 | Arber Rd & Rosamel Rd | <ul style="list-style-type: none"> Intersection Arber Rd & Rosamel Rd : No right turn permitted into Rosamel Rd from Thampapillai Rd |
| 5030069 | Arbuckle Rd | Arbuckle Rd | Dalwallinu | 0.00 | Dalwallinu - Kalannie Rd | 11.06 | Peterson Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 0010087 | Archer St | Archer St | Broome | 0.00 | Port Dr | 0.48 | McDaniel Rd | |
| 3040053 | Archers Rd | Archers Rd | Cranbrook | 0.00 | Lunt Rd | 4.10 | Shelderton Rd & Lake Matilda Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 1011494 | Archimedes Dr | Archimedes Dr | Armadale (C) | 0.00 | Alex Wood Dr | 0.27 | 0.08km From Alex Wood Dr | <ul style="list-style-type: none"> 10 km/h below posted speed limit Intersection Alex Wood Dr : No left turn permitted into Alex Wood Dr from Archimedes Dr |
| 6110092 | Arcturus St | Arcturus St | Yilgarn | 0.00 | Koolyanobbing Rd | 1.13 | Arcturus St - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4030053 | Ardath North West Rd | Ardath North West Rd | Bruce Rock | 0.00 | Main St | 4.29 | Eujinyn South Rd | |
| 4030054 | Ardath South West Rd | Ardath South West Rd | Bruce Rock | 0.00 | Main St | 4.00 | Eujinyn South Rd | |
| 4030085 | Ardath West Rd | Ardath West Rd | Bruce Rock | 0.00 | Eujinyn South Rd | 13.36 | Carger Rd | |
| 5050657 | Ardingly North Rd | Ardingly North Rd | Greater Geraldton (C) | 0.00 | Geraldton Mt Magnet Rd | 4.45 | Bone Rd | |
| 5050609 | Ardingly South Rd | Ardingly South Rd | Greater Geraldton (C) | 0.00 | Geraldton Mt Magnet Rd | 37.34 | Mingenew - Mullewa Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|-------------------------------|----------|--------------------------------|--------|---------------------------------|--|
| 3110118 | Ardler Rd | Ardler Rd | Lake Grace | 0.00 | Magenta Rd | 10.79 | Old Ravensthorpe Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2180001 | Area Rd | Area Rd | Boyup Brook | 0.00 | Boyup Brook - Arthur River Rd | 13.28 | Kulikup North Rd | |
| 0040279 | Arenga St | Arenga St | Wyndham - East Kimberley | 0.00 | Weaber Plain Rd | 0.09 | Carpentaria St | |
| 3110067 | Argent Rd | Argent Rd | Lake Grace | 0.00 | Duckworth Rd | 6.90 | Burngup Rd & Macnamara Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5100174 | Arkells Rd | Arkells Rd | Moora | 0.00 | Great Northern Hwy | 2.80 | Arkells Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2130576 | Arkley St | Arkley St | Manjimup | 0.00 | Wetherell St | 0.15 | Arkley St - End Road | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 1070617 | Arkwright Rd | Arkwright Rd | Rockingham (C) | 0.00 | Dixon Rd | 0.24 | Crompton Rd | |
| H023 | Armadaale Rd | Armadaale Rd | Armadaale (C) Cockburn (C) | 0.00 | Albany Hwy & South Western Hwy | 16.06 | North Lake Rd | |
| H341 | Armadaale Rd (Eastbound) off to Beeliar Dr-Solomon Rd Rty | Armadaale Rd (Eastbound) off to Beeliar Dr-Solomon Rd Rty | Cockburn (C) | 0.00 | Armadaale Rd | 0.19 | Beeliar Dr-Solomon Rd Rty | |
| H349 | Armadaale Rd (Eastbound) off to Nicholson Rd Rty | Armadaale Rd (Eastbound) off to Nicholson Rd Rty | Armadaale (C) | 0.00 | Armadaale Rd | 0.32 | Armadaale Rd - Nicholson Rd Rty | |
| H347 | Armadaale Rd (Westbound) off to Nicholson Rd Rty | Armadaale Rd (Westbound) off to Nicholson Rd Rty | Armadaale (C) | 0.00 | Armadaale Rd | 0.32 | Armadaale Rd - Nicholson Rd Rty | |
| H344 | Armadaale Rd (Westbound) off to Tapper Rd-Verde Dr Rty | Armadaale Rd (Westbound) off to Trapper Rd-Verde Dr Rty | Cockburn (C) | 0.00 | Armadaale Rd | 0.24 | Tapper Rd-Verde Dr Rty | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|------------------|----------|--|--------|--|--|
| H410 | Armadale Rd - Anstey Rd Rty | Armadale Rd - Anstey Rd Rty | Armadale (C) | 0.00 | Weld St | 0.16 | Weld St | |
| H438 | Armadale Rd - Liddelow Rd Rty | Armadale Rd - Liddelow Rd Rty | Armadale (C) | 0.00 | Armadale Rd | 0.24 | Armadale Rd | |
| H436 | Armadale Rd - Nicholson Rd Rty | Armadale Rd - Nicholson Rd Rty | Armadale (C) | 0.00 | Nicholson Rd Rty on to Armadale Rd (Eastbound) | 0.22 | Nicholson Rd Rty on to Armadale Rd (Eastbound) | |
| H437 | Armadale Rd - Taylor Rd - Wright Rd Rty | Armadale Rd - Taylor Rd - Wright Rd Rty | Armadale (C) | 0.00 | Armadale Rd | 0.24 | Armadale Rd | |
| 6110073 | Armanasco Rd | Armanasco Rd | Yilgarn | 0.00 | Southern Cross South Rd | 3.80 | Parker Range Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1050812 | Armstrong Rd | Armstrong Rd | Kwinana (C) | 0.00 | Hope Valley Rd | 1.46 | Anketell Rd | |
| 3020177 | Armstrong Rd | Armstrong Rd | Albany (C) | 0.00 | Plantagenet LGA Boundary | 2.80 | Armstrong Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3100106 | Armstrong Rd | Armstrong Rd | Kojonup | 0.00 | Neymerup Rd | 5.16 | Norrish Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3120159 | Armstrong Rd | Armstrong Rd | Plantagenet | 0.00 | Chester Pass Rd | 0.97 | Albany (C) LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4140069 | Armstrong Rd | Armstrong Rd | Merredin | 0.00 | Bulls Head Rd | 3.32 | Ellery Rd & Koonadgin Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|-----------------------|----------|------------------------------|--------|------------------------------------|--|
| 4180236 | Armstrong Rd | Armstrong Rd | Narrogin | 0.00 | Williams Kondinin Rd | 4.20 | Lange Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4180236 | Armstrong Rd | Armstrong Rd | Narrogin | 4.20 | 0.1km From Lange Rd | 4.30 | Lange Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180175 | Armstrong Rd | Armstrong Rd | Wongan - Ballidu | 0.00 | Lake Hinds North Rd | 6.11 | Bowen Rd | |
| 4140075 | Arnold Rd | Arnold Rd | Merredin | 0.00 | Koonadgin Rd | 13.35 | Crees Rd | |
| 6040450 | Arnold Rd | Arnold Rd | Esperance | 0.00 | Swan Lagoon Rd | 10.06 | Bishops Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 3080142 | Arnold St | Arnold St | Katanning | 0.00 | Daping St | 0.31 | Conroy St | |
| 5100081 | Arrawarra Rd | Arrawarra Rd | Moora | 0.00 | Midlands Rd | 1.92 | Arrawarra Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1101283 | Arrigo St | Arrigo St | Wanneroo (C) | 0.00 | Dellamarta Rd | 0.20 | Buckingham Dr | |
| 5150006 | Arrino South Rd | Arrino South Rd | Three Springs | 0.00 | Midlands Rd | 15.72 | Three Springs - Eneabba Rd | |
| 5150005 | Arrino West Rd | Arrino West Rd | Three Springs | 0.00 | Midlands Rd | 15.78 | Carey Rd & Tomkins Rd | |
| 5050638 | Arrinooka Rd | Arrinooka Rd | Greater Geraldton (C) | 0.00 | Wongoondy - Tardun Rd | 6.63 | Morawa LGA Boundary | |
| 5110077 | Arrinooka Rd | Arrinooka Rd | Morawa | 0.00 | Mullewa Wubin Rd | 0.67 | For 0.67 Km to Farm Gate Access | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 5110077 | Arrinooka Rd | Arrinooka Rd | Morawa | 0.67 | 0.67km From Mullewa Wubin Rd | 14.19 | Greater Geraldton (C) LGA Boundary | |
| 4110084 | Arrow Rd | Arrow Rd | Koorda | 0.00 | Mollerin Rock South Rd | 2.60 | Arrow Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------------|----------------------------|-----------------------|----------|---------------------------------|--------|---|---|
| 1060012 | Artello Bay Rd | Artello Bay Rd | Mundaring | 0.00 | Farrall Rd | 0.46 | Rothschild Pl | |
| 1032778 | Artemis Loop | Artemis Loop | Cockburn (C) | 0.00 | Scorpius Rd | 1.04 | Artemis Loop - End of Construction | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4090029 | Arthur Rd | Arthur Rd | Kellerberrin | 0.00 | Goldfields Rd | 23.43 | Baandee North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Baandee North Rd : No right turn permitted into Baandee North Rd from Arthur Rd |
| 4120091 | Arthur Rd | Arthur Rd | Kulin | 0.00 | North Lake Grace - Karlgarin Rd | 3.73 | Arthur Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 5051008 | Arthur Rd | Arthur Rd | Greater Geraldton (C) | 0.00 | Deepdale Rd | 21.58 | Allanooka Springs Rd & Walkaway - Nangetty Rd | |
| 3160203 | Arthur River - Dinninup Rd | Arthur River - Dinninup Rd | West Arthur | 0.00 | Boyup Brook - Arthur River Rd | 60.26 | Albany Hwy | |
| 3160123 | Arthur St | Arthur St | West Arthur | 0.00 | Gibbs St | 0.73 | Horwood St | |
| 4090031 | Arts Rd | Arts Rd | Kellerberrin | 0.00 | Barnes Rd | 1.48 | Goldfields Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1090692 | Arvida St | Arvida St | Swan (C) | 0.00 | Crocker Dr | 0.31 | Irvine Dr | <ul style="list-style-type: none"> 10 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------------|---------------------------------|------------------|----------|-----------------------------|--------|-----------------------------|---|
| 7030067 | Ashburton Dwns - Meekatharra Rd | Ashburton Dwns - Meekatharra Rd | Meekatharra | 0.00 | Great Northern Hwy | 45.35 | Yulgajinna Community Access | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 80 km/h Maximum speed of 60km/h on gravel roads. |
| 7030067 | Ashburton Dwns - Meekatharra Rd | Ashburton Dwns - Meekatharra Rd | Meekatharra | 45.35 | Yulgajinna Community Access | 185.60 | Tangadee Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h Maximum speed of 60km/h on gravel roads. |
| 7030067 | Ashburton Dwns - Meekatharra Rd | Ashburton Dwns - Meekatharra Rd | Meekatharra | 185.60 | Tangadee Rd | 346.91 | 6.96km From The Lg Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 80 km/h Maximum speed of 60km/h on gravel roads. |
| 1020723 | Ashby Cl | Ashby Cl | Kalamunda | 0.00 | Berkshire Rd | 0.35 | Nardine Cl | |
| 6040048 | Ashdale Rd | Ashdale Rd | Esperance | 0.00 | Beltana Rd | 13.93 | Sears Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 6040048 | Ashdale Rd | Ashdale Rd | Esperance | 13.93 | Sears Rd | 28.95 | Cascade Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------------|----------|------------------------|--------|--------------------------|---|
| 3100089 | Ashe Rd | Ashe Rd | Kojonup | 0.00 | Kojonup - Frankland Rd | 8.55 | Balgarup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Kojonup - Frankland Rd : No access permitted to or from Kojonup-Frankland Rd. |
| 4020080 | Ashfield Rd | Ashfield Rd | Brookton | 0.00 | Brookton - Kweda Rd | 5.57 | Davis Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Davis Rd : No access permitted into Davis Rd from Ashfield Rd |
| 1050278 | Ashley Rd | Ashley Rd | Kwinana (C) | 0.00 | Postans Rd | 0.65 | Ashley Rd - End Road | |
| 0030056 | Ashley St | Ashley St | Derby - West Kimberley | 0.00 | Panton St | 2.19 | Fitzroy St & Rowan St | |
| 4240165 | Ashton St | Ashton St | Quairading | 0.00 | Quairading York Rd | 1.13 | Quairading - Corrigin Rd | |
| 3170009 | Ashwell Rd | Ashwell Rd | Woodanilling | 0.00 | Great Southern Hwy | 16.10 | Flagstaff Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Great Southern Hwy : No access permitted to or from Northam-Cranbrook Rd. Intersection Kojonolokan Rd : No right turn permitted into Kojonolokan Rd from Ashwell Rd. Intersection Flagstaff Rd : No right turn permitted into Flagstaff Rd from Ashwell Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|--------------------------|----------|-----------------------|--------|-------------------------------|---|
| 4330051 | Ashworth Rd | Ashworth Rd | York | 0.00 | Great Southern Hwy | 6.94 | Mokine Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Mokine Rd : No access permitted into Mokine Rd from Ashworth Rd |
| 4150121 | Askew Rd | Askew Rd | Mount Marshall | 0.00 | Bencubbin - Beacon Rd | 4.61 | Gillett Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 6051088 | Aslett Dr | Aslett Dr | Kalgoorlie - Boulder (C) | 0.00 | Graeme St | 0.18 | 0.18km From Graeme St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 216Z094 | Asplin Rd | Asplin Rd | Nannup | 0.00 | Brockman Hwy | 1.85 | Folly Rd (F) | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2180054 | Asplin Siding Rd | Asplin Siding Rd | Boyup Brook | 0.00 | Donnybrook Kojonup Rd | 10.55 | Boyup Brook - Arthur River Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|--------------------------|----------|---------------------------|--------|------------------------|--|
| 2180039 | Asplins Rd | Asplins Rd | Boyup Brook | 0.00 | Bridgetown Boyup Brook Rd | 6.50 | Greenfields Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4290054 | Astbury Rd | Astbury Rd | Wickepin | 0.00 | Lakes Rd & Robinson Rd | 4.77 | Toolibin South Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5100095 | Atbara St | Atbara St | Moora | 0.00 | Padbury St & Drummond St | 1.41 | Atbara St - End Road | |
| 6055031 | Atbara St | Atbara St | Kalgoorlie - Boulder (C) | 0.73 | Broadwood St | 1.30 | Great Eastern Hwy | |
| 4010026 | Athol Rd | Athol Rd | Beverley | 0.00 | Morbinning Rd | 12.79 | Yenyening Lakes Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5130085 | Atkinson Cr | Atkinson Cr | Northampton | 0.00 | Porter St | 1.02 | Atkinson Cr - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|--------------------------|----------|----------------------------|--------|-----------------------|--|
| 5030083 | Atkinson Rd | Atkinson Rd | Dalwallinu | 0.00 | Bell Rd | 6.99 | Sanders Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2070074 | Atkinson St North | Atkinson St North | Collie | 0.12 | 0.07km South From Moira Rd | 0.19 | Moira Rd | |
| 1140749 | Atlas Ct | Atlas Ct | Canning (C) | 0.00 | Kewdale Rd | 0.14 | Atlas Ct - End Road | |
| 1091840 | Atley St | Atley St | Swan (C) | 0.00 | Beringarra Av | 0.24 | Victoria Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 1101181 | Attwell St | Attwell St | Wanneroo (C) | 0.00 | Prestige Pde & Gnangara Rd | 0.72 | Furniss Rd | |
| 2170048 | Attwood Rd | Attwood Rd | Donnybrook - Balingup | 0.00 | Donnybrook Kojonup Rd | 3.30 | Attwood Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2010388 | Auger Wy | Auger Wy | Augusta - Margaret River | 0.00 | Boodjidup Rd | 0.68 | Boodjidup Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 6070044 | Augusta St | Augusta St | Laverton | 0.00 | Augusta St Roundabout | 0.19 | Macpherson Pl | |
| 6070112 | Augusta St Roundabout | Augusta St Roundabout | Laverton | 0.00 | Phoenix St | 0.20 | Phoenix St | |
| 8140304 | Augustus Dr | Augustus Dr | Karratha (C) | 0.00 | Augustus Dr - Start Road | 1.17 | Coolawanyah Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|-----------------|------------------|----------|--|--------|---------------------------|--|
| 5070032 | Aurisch Rd | Aurisch Rd | Gingin | 0.00 | Brand Hwy | 1.86 | 1.86km From Brand Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3040103 | Aurora Rd | Aurora Rd | Cranbrook | 0.00 | Yonka Rd | 1.86 | Aurora Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1040012 | Austin Av | Austin Av | Gosnells (C) | 0.00 | Davison St & Belmont Rd | 0.98 | Kenwick Link & Albany Hwy | |
| 4020015 | Austin Rd | Austin Rd | Brookton | 0.00 | Dangin - Mears Rd | 8.76 | Mills Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| H061 | Australind Roelands Link | Raymond Rd | Harvey | 0.00 | Forrest Hwy & Raymond Rd Acceleration Lane | 6.70 | South Western Hwy | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|----------------------------------|--------|------------------------|--|
| 1104732 | Automotive Dr | Automotive Dr | Wanneroo (C) | 0.00 | Wanneroo Rd | 0.47 | Garino Rise | |
| 4290043 | Avery Rd | Avery Rd | Wickepin | 0.00 | Wickepin - Pingelly Rd | 4.97 | Avery Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5140056 | Avery Rd | Avery Rd | Perenjori | 0.00 | Reid Rd & Coorow - Latham Rd | 9.74 | Chapman Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4230036 | Avery South Rd | Avery South Rd | Pingelly | 0.00 | Kulyaling Rd West | 1.33 | Lamard Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1101705 | Avery St | Avery St | Wanneroo (C) | 0.00 | Mather Dr | 0.40 | | |
| 1101705 | Avery St | Avery St | Wanneroo (C) | 0.56 | | 0.80 | Greenwich Pde | |
| 4230131 | Aviation St | Aviation St | Pingelly | 0.00 | Great Southern Hwy & Quadrant St | 0.50 | Aviation St - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------------|----------|--------------------------------------|--------|------------------------------|--|
| 4010098 | Avoca Rd | Avoca Rd | Beverley | 0.00 | Ewert Rd | 1.64 | Avoca Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180160 | Avon Rd | Avon Rd | Wongan - Ballidu | 0.00 | Pioneer Rd | 1.14 | Boundary Rd | |
| 4240129 | Avon St | Avon St | Quairading | 0.00 | Forrest St | 0.87 | Junction Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 1106002 | Axis Pde | Axis Pde | Wanneroo (C) | 0.07 | | 0.65 | Orbit St | |
| 3030229 | Aylmore Rd | Aylmore Rd | Broomehill - Tambellup | 0.00 | Toolbrunup Rd | 5.30 | Hassell Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3110001 | Aylmore Rd | Aylmore Rd | Lake Grace | 0.00 | Biddy - Buniche Rd | 24.02 | Kulin LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4100007 | Aylmore Rd | Aylmore Rd | Kondinin | 0.00 | Hyden Refuse Rd & Hyden-Lake King Rd | 13.40 | Aylmore Rd & Pederah East Rd | |
| 4120030 | Aylmore Rd | Aylmore Rd | Kulin | 0.00 | Aylmore Rd & Pederah East Rd | 22.93 | Lake Grace LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3070020 | Aylmore St | Aylmore St | Gnowangerup | 0.51 | Corbett St | 0.62 | Hughes St | |
| 1015628 | Ayres Rd | Ayres Rd | Armadale (C) | 0.77 | | 1.99 | Ranford Rd | |
| 4150039 | Ayres Rd | Ayres Rd | Mount Marshall | 0.00 | Bunce Rd | 26.36 | Burakin - Wialki Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------|----------|-----------------------------|--------|---|--|
| 4090020 | Baandee North Cross Rd | Baandee North Cross Rd | Kellerberrin | 0.00 | Doodlakine - Kununoppin Rd | 18.98 | Pustkuchen Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4090006 | Baandee North Rd | Baandee North Rd | Kellerberrin | 0.00 | Great Eastern Hwy | 29.33 | Baandee North Rd & Ryans Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4220007 | Baandee North Rd | Baandee North Rd | Nungarin | 0.00 | Herbert Rd | 17.95 | Southern Lga Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4140016 | Baandee South Rd | Baandee South Rd | Merredin | 0.00 | Great Eastern Hwy | 9.68 | Barr Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3110103 | Baanga Hill Rd | Baanga Hill Rd | Lake Grace | 0.00 | Smerdon Rd & Hatter Hill Rd | 10.31 | Stennetts Lake Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4030027 | Babakin - Corrigin Rd | Babakin - Corrigin Rd | Bruce Rock | 0.00 | Babakin East Rd | 5.73 | Crombie Rd & Babakin - Corrigin Rd & Hancock Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4040016 | Babakin - Corrigin Rd | Babakin - Corrigin Rd | Corrigin | 0.00 | Walton St | 4.35 | Heal Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|------------------|----------|---------------------------------|--------|---|--|
| 4040016 | Babakin - Corrigin Rd | Babakin - Corrigin Rd | Corrigin | 4.35 | Heal Rd | 20.59 | Crombie Rd & Babakin - Corrigin Rd & Hancock Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Heal Rd : No right turn permitted into Heal Rd from Babakin Corrigin Rd Intersection Corrigin - Wogerlin Rd : No access permitted into Corrigin Wogerlin Rd from Babakin Corrigin Rd Intersection Nornakin East Rd : No right turn permitted into Norankin East Rd from Babakin-Corrigin Rd |
| 4030051 | Babakin East Rd | Babakin East Rd | Bruce Rock | 0.00 | Babakin North West Rd & Bees Rd | 8.54 | Corrigin - Bruce Rock Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4030110 | Babakin North Rd | Babakin North Rd | Bruce Rock | 0.00 | Babakin North West Rd | 4.80 | Eujiny South Rd & Old Beverley Rd | |
| 4030030 | Babakin North West Rd | Babakin North West Rd | Bruce Rock | 0.00 | Babakin East Rd & Bees Rd | 5.00 | Old Beverley Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4030007 | Babakin South East Rd | Babakin South East Rd | Bruce Rock | 0.00 | Babakin East Rd | 20.38 | Narembreen Boundary Rd & Hedges West Rd | |
| 8030031 | Babbage Island Rd | Babbage Island Rd | Carnarvon | 0.00 | Robinson St | 3.11 | Silver City Rd & Pelican Point Rd | |
| 1141003 | Babel Rd | Babel Rd | Canning (C) | 0.00 | Moriarty Rd | 0.22 | Division St Sth | |
| 5140013 | Back Bowgada Rd | Back Bowgada Rd | Perenjori | 0.00 | Olden Rd | 8.51 | Payne Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5140013 | Back Bowgada Rd | Back Bowgada Rd | Perenjori | 8.74 | Payne Rd & Hill Rd | 12.21 | Mullewa Wubin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h Intersection Mullewa Wubin Rd : No right turn permitted into Wubin Mullewa Rd from Back Bowgada Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|-----------------------|----------|-------------------------|--------|-------------------------|--|
| 5010021 | Back Inering Rd | Back Inering Rd | Carnamah | 0.00 | Carnamah - Perenjori Rd | 7.50 | Jackson Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5010020 | Backman Rd | Backman Rd | Carnamah | 0.00 | Bunjil - Carnamah Rd | 4.51 | Billeroo Rd | |
| 6040012 | Backmans Rd | Backmans Rd | Esperance | 0.00 | Fisheries Rd | 13.34 | Scaddan Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6040012 | Backmans Rd | Backmans Rd | Esperance | 13.34 | Scaddan Rd | 27.81 | E.L.D. Rd & Burdett Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 3150064 | Badgarning Rd | Badgarning Rd | Wagin | 0.00 | Ganzer Rd | 5.40 | 1km From Tillellan Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Ganzer Rd : No access permitetd into Ganzer Rd from Badgarning Rd |
| 3080023 | Badgebup North Rd | Badgebup North Rd | Katanning | 0.00 | Katanning Nyabing Rd | 11.94 | Warren Rd & Datatine Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 5050616 | Badgedong Rd | Badgedong Rd | Greater Geraldton (C) | 0.00 | Nubberoo Rd | 2.51 | Badgedong Rd - End Road | |
| 5160115 | Badgedong Rd | Badgedong Rd | Chapman Valley | 0.00 | Nubberoo Rd | 4.61 | Badgedong Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|------------------|----------|----------------------|--------|----------------------|---|
| 3080129 | Badger Rd | Badger Rd | Katanning | 0.00 | Warren Rd | 3.36 | Badger Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4110056 | Badgerin Rock Rd | Badgerin Rock Rd | Koorda | 0.00 | Cadoux - Koorda Rd | 5.29 | Koorda North West Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 40 km/h below posted speed limit |
| 3090045 | Badgers Rd | Badgers Rd | Kent | 0.00 | Martens Rd | 13.80 | Cowcher Rd | |
| 1100208 | Badgerup Rd | Badgerup Rd | Wanneroo (C) | 0.00 | Ross St & Hawkins Rd | 3.66 | Ocean Reef Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Ashby St : No Left Turn Onto 1100269 Ashby St |
| 4090065 | Badgetopping South Rd | Badgetopping South Rd | Kellerberrin | 0.00 | Great Eastern Hwy | 13.83 | Smith Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4330037 | Badgin Rd | Badgin Rd | York | 0.00 | York - Tammin Rd | 5.11 | Doodenanning Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5040006 | Badgingarra Rd | Badgingarra Rd | Dandaragan | 0.00 | Dandaragan Rd | 32.40 | North West Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|---|--------|---|--|
| 4240014 | Badjaling North Rd | Badjaling North Rd | Quairading | 0.00 | Badjaling Rd & Badjaling South Rd & Yoting Rd | 17.88 | Cubbine Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4240014 | Badjaling North Rd | Badjaling North Rd | Quairading | 17.88 | Cubbine Rd | 24.20 | Rabbit Proof Fence South Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4240152 | Badjaling Rd | Badjaling Rd | Quairading | 0.00 | Badjaling North Rd & Badjaling South Rd & Yoting Rd | 2.59 | Bruce Rock Quairading Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4240003 | Badjaling South Rd | Badjaling South Rd | Quairading | 0.00 | Old Beverley East Rd | 10.30 | Badjaling Rd & Badjaling North Rd & Yoting Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060076 | Bagnalls Rd | Bagnalls Rd | Dumbleyung | 0.00 | Dumbleyung Lake Grace Rd | 4.15 | Mt Pleasant Rd | |
| 3060135 | Bahr Rd | Bahr Rd | Dumbleyung | 0.00 | Bennett St | 0.91 | Dumbleyung - Nyabing Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 1141029 | Baile Rd | Baile Rd | Canning (C) | 0.00 | Bannister Rd | 2.47 | Bannister Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|-----------------------|--------|---------------------|---|
| 4070077 | Bailey East West Rd | Bailey East West Rd | Dowerin | 0.00 | Dowerin - Kalannie Rd | 5.34 | Bailey Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4070038 | Bailey Rd | Bailey Rd | Dowerin | 0.00 | Dowerin - Koorda Rd | 8.12 | Booralaming West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Harris Rd : No access permitted into Harris Rd from Bailey Rd |
| 4120025 | Bailey Rd | Bailey Rd | Kulin | 0.00 | Kulin Rock Rd | 7.41 | Corrigin Kulin Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|---------------------|--------|---|--|
| 4170032 | Bailey Rd | Bailey Rd | Narembeen | 0.00 | Wadderin Graball Rd | 12.38 | Mt Walker Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030086 | Bailey Rd | Bailey Rd | Dalwallinu | 0.00 | Thompson Rd | 11.11 | Pearse Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. See Low Volume Condition Type A in the Operating Conditions Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180077 | Bailey Rd | Bailey Rd | Wongan - Ballidu | 0.00 | Wilding Rd | 4.10 | 1km South - Then 3km West From Wilding Rd | |
| 5080129 | Bailey St | Bailey St | Irwin | 0.00 | Moore Rd | 0.53 | Vincent St | |
| 3120123 | Bails Rd | Bails Rd | Plantagenet | 0.00 | Albany Hwy | 1.61 | Bails Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|---------------------|--------|---------------------|---|
| 4220020 | Baird Rd | Baird Rd | Nungarin | 0.00 | McGlenn Rd | 12.70 | Roberts Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Nangeenan North Rd : No right turn permitted into Nangeenan North Rd from Baird Rd (westbound) |
| 3110070 | Bairstow Rd | Bairstow Rd | Lake Grace | 0.00 | Mallee Hill Rd | 20.50 | Fourteen Mile Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3110130 | Baker Rd | Baker Rd | Lake Grace | 0.00 | Magenta Rd | 2.60 | 1.1km From Baker Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). |
| 3110130 | Baker Rd | Baker Rd | Lake Grace | 2.60 | 1.1km From Baker Rd | 3.70 | Baker Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). |
| 4220018 | Baker Rd | Baker Rd | Nungarin | 0.00 | Karomin Rd | 11.60 | Moodiljing Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4290049 | Baker Rd | Baker Rd | Wickepin | 2.23 | Line Rd | 13.15 | Baker Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Wickepin - Harrismith Rd : No left turn permitted into Wickepin - Harrismith Rd from Baker Rd (southbound). No left turn permitted into Wickepin - Harrismith Rd from Baker Rd (northbound). No left turn permitted into Baker Rd from Wickepin Harrismith Rd (eastbound). No left turn permitted into Baker Rd from Wickepin Harrismith Rd (westbound). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|------------------|----------|---------------------------|--------|---|---|
| 2150262 | Baker St | Baker St | Murray | 0.00 | Phillips Rd | 0.36 | Butler St & Harries Wy | |
| 1070982 | Bakewell Dr | Bakewell Dr | Rockingham (C) | 0.60 | 0.12km From Toynbee Wy | 1.20 | Port Kennedy Dr | |
| 5130166 | Balaam Rd | Balaam Rd | Northampton | 0.00 | Blue Well Rd | 0.53 | Chapman Valley LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5160052 | Balaam Rd | Balaam Rd | Chapman Valley | 0.00 | Nolba Rd | 4.50 | Northampton LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 60 km/h |
| 5100037 | Balarong Rd | Balarong Rd | Moora | 0.00 | Barberton East Rd | 11.42 | Midlands Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1250142 | Balcatta Rd | Balcatta Rd | Stirling (C) | 0.00 | Wanneroo Rd | 2.84 | Mitchell Fwy (Southbound) off to Reid Hwy & Reid Hwy on to Mitchell Fwy (Southbound) & Reid Hwy | |
| 4100081 | Bald Rock Rd | Bald Rock Rd | Kondinin | 0.00 | Hyden - Norseman Rd | 8.27 | Bald Rock Rd - End Road | |
| 1070011 | Baldivis Rd | Baldivis Rd | Rockingham (C) | 0.00 | Stakehill Rd & Unknown Rd | 2.93 | Sixty Eight Rd | |
| 1070011 | Baldivis Rd | Baldivis Rd | Rockingham (C) | 10.60 | Kerosene L | 11.20 | Kulija Rd | |
| 1070011 | Baldivis Rd | Baldivis Rd | Rockingham (C) | 11.24 | Kulija Rd | 13.43 | Telephone L & Wellard Rd | |
| H333 | Baldivis Services on to Kwinana Fwy (Northbound) | Baldivis Services on to Kwinana Fwy (Northbound) | Rockingham (C) | 0.00 | Baldivis Services | 0.29 | Kwinana Fwy | |
| H331 | Baldivis Services on to Kwinana Fwy (Southbound) | Baldivis Services on to Kwinana Fwy (Southbound) | Rockingham (C) | 0.00 | Baldivis Services | 0.29 | Kwinana Fwy | |
| 1130293 | Baldwin St | Baldwin St | Belmont (C) | 0.00 | Casella Pl | 0.40 | Tonkin Hwy (Northbound) off to McDowell St & McDowell St | |
| 8120043 | Balfour Downs Rd | Balfour Downs Rd | East Pilbara | 0.00 | Jigalong Rd | 39.89 | Talawana Trk | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------|----------|--|--------|------------------------------|---|
| 2180023 | Balgarup Rd | Balgarup Rd | Boyup Brook | 0.00 | Craigie Rd | 6.25 | Kulikup North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2180023 | Balgarup Rd | Balgarup Rd | Boyup Brook | 6.25 | Kulikup North Rd | 14.31 | Eulin Siding Rd & Kulikup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3100014 | Balgarup Rd | Balgarup Rd | Kojonup | 0.00 | Albany Hwy | 4.62 | Jingalup Rd | |
| 3100014 | Balgarup Rd | Balgarup Rd | Kojonup | 4.67 | Jingalup Rd | 16.72 | Phillips Rd & Harper Rd | |
| 3040078 | Balicip Rd | Balicip Rd | Cranbrook | 0.00 | Salt River Rd | 3.33 | Hamilla Rd | |
| 3040076 | Balijup Rd | Balijup Rd | Cranbrook | 0.00 | Nunijup Rd | 1.99 | Martagallup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 2160107 | Balingup - Nannup Rd | Balingup - Nannup Rd | Nannup | 19.22 | Dunnet Rd | 19.49 | Grange Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4240017 | Balkuling North Rd | Balkuling North Rd | Quairading | 0.00 | Waghorn South Rd & Cubbine Rd & Waghorn Rd | 9.78 | Balkuling Nth Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4010177 | Balkuling Nth Rd | Balkuling Nth Rd | Beverley | 0.00 | Quairading York Rd | 0.69 | Balkuling North Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|----------------------------|--------|--------------------------------|---|
| 4010032 | Balkuling Rd | Balkuling Rd | Beverley | 0.00 | Mawson Rd | 5.12 | Quairading York Rd & Murray Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060046 | Ball Rd | Ball Rd | Dumbleyung | 0.00 | Old Tincurrin Rd | 1.29 | Ball Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3100103 | Ball Rd | Ball Rd | Kojonup | 0.00 | Kemminup Rd & Axe Track Rd | 3.38 | Ball Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3120190 | Ball Rd | Ball Rd | Plantagenet | 0.00 | Kwornicup Rd | 1.97 | Ball Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Kwornicup Rd : No right turn permitted into Kwornicup Rd from Ball Rd. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|-----------------------------|--------|--|--|
| 3150092 | Ball Rd | Ball Rd | Wagin | 1.80 | Bullock Hills Rd | 6.66 | Woodanilling LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h No Operation between the hours of sunset and sunrise Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3170025 | Ball Rd | Ball Rd | Woodanilling | 0.00 | Oxley Rd | 10.06 | Wagin LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5130025 | Balla - Whelarra Rd | Balla - Whelarra Rd | Northampton | 0.00 | Chapman Valley LGA Boundary | 20.88 | Binnu East Rd | |
| 5130025 | Balla - Whelarra Rd | Balla - Whelarra Rd | Northampton | 20.88 | Binnu East Rd | 35.30 | 14.42 North East From Binnu East Road. | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 5160019 | Balla - Whelarra Rd | Balla - Whelarra Rd | Chapman Valley | 0.00 | Chapman Valley Rd | 12.85 | Northampton LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit. |
| 8140012 | Balla Balla Rd | Balla Balla Rd | Karratha (C) | 0.00 | North West Coastal Hwy | 20.88 | Balla Balla Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|--------------------------|------------------|----------|--|--------|---|--|
| 3150003 | Ballagin Rd | Ballagin Rd | Wagin | 0.00 | Great Southern Hwy | 13.52 | Piesseville - Tarwonga Rd | |
| 1130063 | Ballantyne Rd | Ballantyne Rd | Belmont (C) | 0.00 | Bell St | 0.77 | Miles Rd | |
| 3150017 | Ballaying Rd | Ballaying Rd | Wagin | 0.00 | Wagin Dumbleyung Rd & Smiths Rd | 1.15 | Ballaying South Rd & Ballaying West | |
| 3170008 | Ballaying Rd | Ballaying Rd | Woodanilling | 0.00 | Harvey Rd | 9.78 | Ballaying South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Harvey Rd : No right turn permitted into Harvey Rd from Ballaying Rd. |
| 3150018 | Ballaying South Rd | Ballaying South Rd | Wagin | 0.00 | Ballaying Rd & Ballaying West | 12.05 | Ballaying Rd | <ul style="list-style-type: none"> Maximum speed 70 km/h |
| 3150094 | Ballaying West | Ballaying West | Wagin | 0.00 | Bullock Hills Rd | 5.93 | Ballaying Rd & Ballaying South Rd | |
| 5180044 | Ballermina Rd | Ballermina Rd | Wongan - Ballidu | 0.00 | Ballidu East Rd | 10.80 | Kondut East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180004 | Ballidu - Bindi Bindi Rd | Ballidu - Bindi Bindi Rd | Wongan - Ballidu | 0.00 | Federation St & Northam Pithara Rd & Carter Rd | 26.83 | Bindi - Ballidu Rd & Toothra - Exchange Rd & Nadji Mia Rd | |
| 5180032 | Ballidu - South East Rd | Ballidu - South East Rd | Wongan - Ballidu | 0.00 | Townsend Rd | 12.61 | Old Ballidu Rd & Kondut East Rd | |
| 5180003 | Ballidu East Rd | Ballidu East Rd | Wongan - Ballidu | 0.00 | Bunyip St & Ranger Rd | 25.57 | Hospital Rd | |
| 3040002 | Ballochmyle Rd | Ballochmyle Rd | Cranbrook | 0.00 | Albany Hwy | 3.34 | Yeriminup Rd | |
| 3160024 | Ballock Rd | Ballock Rd | West Arthur | 0.00 | Boscabel - Chittinup Rd & Ballock Rd | 9.35 | Rees Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------------|------------------------------|--------------------------|----------|-------------------------------|--------|---|---|
| 4010009 | Bally - Bally Rd | Bally - Bally Rd | Beverley | 0.00 | Morbinning Rd | 13.86 | Yenyening Lakes Rd & Qualandary Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4010025 | Bally Bally - County Peak Rd | Bally Bally - County Peak Rd | Beverley | 0.00 | Bally - Bally Rd | 10.20 | Yenyening Lakes Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1106058 | Bally St | Bally St | Wanneroo (C) | 0.00 | Darlot Rd | 0.24 | Mirraboooka Av | |
| 8120002 | Bamboo Creek Rd | Bamboo Creek Rd | East Pilbara | 0.00 | Warrawagine Rd | 29.78 | Bamboo Creek Access Rd | |
| 2090026 | Bancell Rd | Bancell Rd | Waroona | 0.00 | Somers Rd & Brockman Rd | 2.31 | South Western Hwy | <ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Curfew applies on school days only. |
| 0040101 | Bandicoot Dr | Bandicoot Dr | Wyndham - East Kimberley | 0.08 | 0.08km From Messmate Wy | 1.20 | Ivanhoe Rd | |
| 3050252 | Bandit Rd | Bandit Rd | Denmark | 0.00 | South Coast Hwy | 0.50 | Plantation Access Gate 0.50km From South Coast Hwy | |
| 3050252 | Bandit Rd | Bandit Rd | Denmark | 0.50 | 0.50km From South Western Hwy | 2.42 | 2.42km From South Western Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|--|-------------------|----------|--|--------|--|--|
| 5130054 | Bandy Rd | Bandy Rd | Northampton | 0.00 | North West Coastal Hwy | 1.04 | Bandy Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. No Operation from Apr to Sep |
| 6070084 | Bandya Lake Wells Rd | Bandya Lake Wells Rd | Laverton | 85.55 | 8.02 Km Before Urarey - Warren Bore Rd | 93.55 | Regis Mine Entrance | |
| 6070009 | Bandya Rd | Bandya Rd | Laverton | 0.00 | Lancefield Diversion Rd | 105.60 | Bandya - Banjawarn Rd & Bandya Lake Wells Rd | |
| 1290133 | Bank St | Bank St | Victoria Park (T) | 0.00 | Bank St - Start Road | 0.79 | Oats St | |
| 2040305 | Bank St | Bank St | Bunbury (C) | 0.00 | South Western Hwy | 0.12 | The Avenue | |
| 1140177 | Banksia Rd | Banksia Rd | Canning (C) | 0.00 | Orrong Rd | 0.58 | McDowell St | |
| 2080062 | Banksia Rd | Banksia Rd | Dardanup | 1.62 | 0.6km From Tip Access Rd | 3.15 | Panizza Rd & Depiazzi Rd | |
| 2150057 | Banksiadale Rd | Banksiadale Rd | Murray | 0.00 | Del Park Rd | 1.78 | Wilde Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Maximum speed 40 km/h Sunday and Public Holidays Operation Only between 7:00 AM and 6:00 PM |
| 1141157 | Bannick Ct | Bannick Ct | Canning (C) | 0.00 | Ilda Rd | 0.52 | Canvale Rd | |
| M003 | Bannister Marradong | Bannister Marradong Rd Bannister Rd Marradong Rd | Boddington | 0.00 | Albany Hwy | 21.92 | Pinjarra Williams Rd | |
| 1140459 | Bannister Rd | Bannister Rd | Canning (C) | 0.00 | Bannister Rd - Start Road | 5.41 | Wilfred Rd & Nicholson Rd | |
| 4270002 | Bannister Rd | Bannister Rd | Wandering | 0.00 | North Bannister - Wandering Rd | 14.58 | Albany Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection North Bannister - Wandering Rd : No left turn permitted into North Bannister - Wandering Rd from Bannister Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---------------------------|------------------|----------|---|--------|--|---|
| 5190035 | Banovich Rd | Banovich Rd | Coorow | 0.00 | Brand Hwy | 12.30 | Dandaragan LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4150035 | Barbalin - Koonkoobing Rd | Barbalin - Koonkoobing Rd | Mount Marshall | 0.00 | Aitken Rd | 7.54 | Felbar Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4150035 | Barbalin - Koonkoobing Rd | Barbalin - Koonkoobing Rd | Mount Marshall | 11.88 | Luckman Rd | 16.78 | Whyte Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4160028 | Barbalin - Koonkoobing Rd | Barbalin - Koonkoobing Rd | Mukinbudin | 0.00 | Kununoppin - Mukinbudin Rd | 8.59 | Wundowlin Rd & Barbalin - Koonkoobing Rd | |
| 4160026 | Barbalin North Rd | Barbalin North Rd | Mukinbudin | 0.00 | Barbalin South Rd & Koorda - Bullfinch Rd | 25.67 | Mukinbudin - Wialki Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4160027 | Barbalin South Rd | Barbalin South Rd | Mukinbudin | 0.00 | Koorda - Bullfinch Rd & Barbalin North Rd | 0.28 | | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|---|--------|--|--|
| 4160027 | Barbalin South Rd | Barbalin South Rd | Mukinbudin | 0.28 | | 6.02 | Kununoppin - Mukinbudin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4040043 | Barber Rd | Barber Rd | Corrigin | 0.00 | Jubuk South Rd | 14.55 | Rafferty Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4040043 | Barber Rd | Barber Rd | Corrigin | 14.55 | Rafferty Rd | 19.01 | Bullaring Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5100125 | Barber St | Barber St | Moora | 0.78 | Moora - Miling Rd & Berkshire Valley Rd | 1.17 | 0.394km North From Moora Miling Rd & Berkshire Valley Rd | |
| 1031058 | Barberry Wy | Barberry Wy | Cockburn (C) | 0.00 | Cocos Dr | 0.74 | Barrington St | |
| 5100014 | Barberton East Rd | Barberton East Rd | Moora | 0.00 | Bindoon Moora Rd | 14.64 | Wass Rd & Wirrilda Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5040020 | Barberton West Rd | Barberton West Rd | Dandaragan | 0.00 | Rowes Rd | 11.53 | Boundary Rd & Barberton West Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|------------------------------------|--------|--|--|
| 5100035 | Barberton West Rd | Barberton West Rd | Moora | 0.00 | Bindoon Moora Rd | 11.64 | Boundary Rd & Barberton West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 1101272 | Baretta Rd | Baretta Rd | Wanneroo (C) | 0.00 | Berriman Dr | 0.87 | Lindsay Rd | |
| 6040262 | Baring Rd | Baring Rd | Esperance | 0.00 | Fisheries Rd | 6.12 | 6.12km From Fisheries Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 5140075 | Barker Rd | Barker Rd | Perenjori | 0.00 | Maya East Rd | 3.89 | Richards Rd & Wilder Rd | |
| 1130083 | Barker St | Barker St | Belmont (C) | 0.00 | Daly St | 0.80 | Abernethy Rd | |
| 1180384 | Barker St | Barker St | Fremantle (C) | 0.00 | Bracks St | 0.08 | Barker St - End Road | |
| 2050252 | Barlee St | Barlee St | Busselton (C) | 0.00 | Strelly St | 0.52 | Frederick St & West St | |
| 1141496 | Barley Pl | Barley Pl | Canning (C) | 0.00 | Craft St & Brewer Rd | 0.37 | Production Rd & Brewer Rd | |
| 4090018 | Barnes Rd | Barnes Rd | Kellerberrin | 0.00 | Goldfields Rd | 16.10 | Arthur Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4130095 | Barnes Rd | Barnes Rd | Trayning | 0.00 | Yelbeni South East Rd & Dunkley Rd | 11.63 | Riley Rd & Kellerberrin - Bencubbin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4140085 | Barnes Rd | Barnes Rd | Merredin | 0.00 | Old Muntadgin Rd | 4.22 | Bulls Head Rd & Booran South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|-----------------------|----------|--------------------------------|--------|--------------------------|---|
| 5110027 | Barnes Rd | Barnes Rd | Morawa | 0.00 | Robinson Rd | 4.61 | Gutha West Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4280067 | Barnett Rd | Barnett Rd | Westonia | 0.00 | Warralakin Rd | 7.86 | Rabbit Proof Fence Rd | |
| 4150063 | Barney Bore Rd | Barney Bore Rd | Mount Marshall | 6.83 | Ingleton Rd | 24.33 | Clark Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4030040 | Barr Rd | Barr Rd | Bruce Rock | 0.00 | Kwolyin South Rd | 6.11 | Old Beverley Rd | |
| 4140047 | Barr Rd | Barr Rd | Merredin | 0.00 | Korbel West Rd & Hines Hill Rd | 6.92 | Baandee South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4030149 | Barr St | Barr St | Bruce Rock | 0.00 | Bruce Rock - Naremben Rd | 0.32 | Loller St | |
| 5030075 | Barrabarra Rd | Barrabarra Rd | Dalwallinu | 0.00 | Birdwood Rd | 8.10 | Petrudor Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5050744 | Barrabarra Rd | Barrabarra Rd | Greater Geraldton (C) | 0.00 | Barrabarra Rd - Start Road | 11.76 | Barrabarra Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------|----------|-------------------------|--------|-----------------------------|--|
| 4250050 | Barrack Rd | Barrack Rd | Tammin | 0.00 | Station Rd & Walston St | 7.29 | Great Eastern Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4250051 | Barrack South Rd | Barrack South Rd | Tammin | 0.00 | Barrack Rd | 2.62 | Barrack South Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4140135 | Barrack St | Barrack St | Merredin | 0.89 | Queen St | 1.08 | Mary St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Maximum speed 50 km/h |
| 1141491 | Barrel Wy | Barrel Wy | Canning (C) | 0.00 | Baile Rd | 0.39 | Production Rd | |
| 5180135 | Barrett - Lennard Rd | Barrett - Lennard Rd | Wongan - Ballidu | 0.00 | Kondut West Rd | 3.85 | 3.85km From Kondut West Rd | |
| 5140034 | Barrett Rd | Barrett Rd | Perenjori | 0.00 | Carnamah - Perenjori Rd | 8.30 | Chappel Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|-----------------------------|--------|-----------------------|---|
| 4010013 | Barrington Rd | Barrington Rd | Beverley | 0.00 | Mawson Rd & Dongadilling Rd | 7.82 | Greenhills South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Mawson Rd & Dongadilling Rd : No access permitted into Mawson Rd from Barrington Rd. |
| 1030029 | Barrington St | Barrington St | Cockburn (C) | 1.14 | Stock Rd | 3.10 | Barberry Wy | |
| 3120053 | Barrow Rd | Barrow Rd | Plantagenet | 0.00 | Porongurup Rd | 13.46 | Trent Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h Maximum speed on gravel 60km/h |
| 3120053 | Barrow Rd | Barrow Rd | Plantagenet | 13.46 | Trent Rd | 13.65 | Duck Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h |
| 3120053 | Barrow Rd | Barrow Rd | Plantagenet | 13.65 | Duck Rd | 14.91 | Woogenellup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180042 | Barrow Rd | Barrow Rd | Wongan - Ballidu | 0.00 | Hospital Rd | 12.66 | Dowerin - Kalannie Rd | |
| 1050260 | Barter Rd | Barter Rd | Kwinana (C) | 0.00 | Leath Rd | 0.29 | Riseley Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|------------------|----------|---------------------------|--------|-----------------------------|--|
| 5140088 | Bartlett Rd | Bartlett Rd | Perenjori | 0.00 | Barrett Rd | 8.38 | Boundary Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060065 | Bartram Rd | Bartram Rd | Dumbleyung | 0.00 | Katanning - Dumbleyung Rd | 1.16 | Bennett St | |
| 4010187 | Bartram Rd | Bartram Rd | Beverley | 0.00 | Butchers Rd & Craig Rd | 0.70 | Brookton LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5140097 | Barwick Rd | Barwick Rd | Perenjori | 0.00 | Carnamah - Perenjori Rd | 5.63 | 1.63km From Hesford Back Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 7060054 | Barwidgee - Yandal Rd | Barwidgee - Yandal Rd | Wiluna | 0.00 | Barwidgee Rd | 6.50 | Wonganoo Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 7060054 | Barwidgee - Yandal Rd | Barwidgee - Yandal Rd | Wiluna | 6.50 | Wonganoo Rd | 35.73 | Leonora LGA Boundary | |
| 7060012 | Barwidgee Rd | Barwidgee Rd | Wiluna | 0.00 | Wongawol Rd | 44.60 | Barwidgee - Yandal Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 8140608 | Basalt Wy | Basalt Wy | Karratha (C) | 0.00 | Exploration Dr | 0.27 | Resource Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|-----------------------|--------|--|---|
| 3020262 | Basil Rd | Basil Rd | Albany (C) | 0.00 | Cape Riche Rd | 2.03 | 2.03km South - West From Cape Riche Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Cape Riche Rd : No access permitted into Cape Riche Rd from Basil Rd |
| 3020262 | Basil Rd | Basil Rd | Albany (C) | 2.03 | 1.27km From Turnor Rd | 9.10 | Venns Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1120094 | Bassendean Rd | Bassendean Rd | Bayswater (C) | 0.00 | Railway Pde | 0.95 | Cullen St & Rio St | |
| 4230029 | Bassendean Rd | Bassendean Rd | Pingelly | 0.00 | Ford Rd | 4.89 | Moorumbine Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1090384 | Bassett Rd | Bassett Rd | Swan (C) | 0.00 | Great Northern Hwy | 0.13 | 0.13lm From Great Northern Hwy | <ul style="list-style-type: none"> 10 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|-------------------------|--------|------------------------|---|
| 4140091 | Bassula Rd | Bassula Rd | Merredin | 0.00 | Booran South Rd | 8.89 | Springwell Valley Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Travel in a westerly direction only. |
| 5150091 | Bastian Rd | Bastian Rd | Three Springs | 0.00 | Bastian Rd - Start Road | 3.24 | Maint Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3050169 | Bastiani Rd | Bastiani Rd | Denmark | 0.00 | South Western Hwy | 1.84 | Bastiani Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------------|----------|----------------------------------|--------|-------------------------|--|
| 3030031 | Batchelor North Rd | Batchelor North Rd | Broomehill - Tambellup | 0.00 | Tie Line Rd & South Batchelor Rd | 5.01 | Batchelor Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3030242 | Batchelor Rd | Batchelor Rd | Broomehill - Tambellup | 0.00 | Gnowangerup - Tambellup Rd | 3.05 | Batchelor Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3080170 | Batchelor Rd | Batchelor Rd | Katanning | 0.00 | Murdong Rd | 1.24 | Batchelor North Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5150090 | Bateman Rd | Bateman Rd | Three Springs | 0.00 | Padbury Rd | 2.48 | Broad Rd | |
| 5150090 | Bateman Rd | Bateman Rd | Three Springs | 2.48 | Broad Rd | 16.00 | Boundary Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5050226 | Bateman St | Bateman St | Greater Geraldton (C) | 0.00 | Crawford St | 0.22 | Connolly St | |
| 6040280 | Bates North Rd | Bates North Rd | Esperance | 0.00 | South Coast Hwy | 1.03 | Coach Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4100068 | Bates Rd | Bates Rd | Kondinin | 0.00 | Raine Rd | 3.90 | Lovering Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|----------------------|--------|---------------------|---|
| 4300034 | Bates Rd | Bates Rd | Williams | 0.00 | Pinjarra Williams Rd | 3.36 | Bates Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6040237 | Bates Rd | Bates Rd | Esperance | 0.00 | Coach Rd | 3.25 | Telegraph Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 3090098 | Batt Rd | Batt Rd | Kent | 0.00 | Gillis Rd | 9.42 | Nyabing South Rd | |
| 5030123 | Battaglia Rd | Battaglia Rd | Dalwallinu | 0.00 | Goodlands Rd | 7.77 | Warren Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4050022 | Batts Rd | Batts Rd | Cuballing | 0.00 | Pennys Rd | 7.20 | Williams Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|-----------------------------|--------|-------------------------|---|
| 5170044 | Batty Bog Rd | Batty Bog Rd | Victoria Plains | 0.00 | Gillingarra - Glentromie Rd | 6.27 | Great Northern Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180108 | Bauer Rd | Bauer Rd | Wongan - Ballidu | 0.00 | Ballidu East Rd | 0.76 | Ballidu - South East Rd | |
| 5160098 | Baugh Rd | Baugh Rd | Chapman Valley | 0.00 | Station Valentine Rd | 7.05 | Baugh - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Unsealed section - 50km/h below posted speed limit. Sealed section - 20 km/h below posted speed limit. |
| 3020647 | Baxter Rd | Baxter Rd | Albany (C) | 0.00 | Windsor Rd | 0.05 | Wellstead Access Rd | <ul style="list-style-type: none"> Intersection Wellstead Access Rd : No left turn permitted into Wellstead Access Rd from Baxter Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|-------------------|--------|----------------------------|---|
| 3170052 | Baxter Rd | Baxter Rd | Woodanilling | 0.00 | Monger Rd | 2.63 | | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4060165 | Baxter Rd | Baxter Rd | Cunderdin | 0.00 | Great Eastern Hwy | 0.73 | Cunderdin - Wyalkatchem Rd | |
| 5110119 | Baxter Rd | Baxter Rd | Morawa | 0.00 | Jones Lake Rd | 4.64 | Norton Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 5140024 | Baxter Rd | Baxter Rd | Perenjori | 0.00 | Caron East Rd | 10.33 | Selner Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 5140024 | Baxter Rd | Baxter Rd | Perenjori | 10.33 | Selner Rd | 11.76 | Gellatly West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------------|---|------------------|----------|-----------------------------|--------|------------------------------------|---|
| 5140024 | Baxter Rd | Baxter Rd | Perenjori | 11.76 | Gellatly West Rd | 13.48 | Perenjori - Rothsay Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 8140106 | Bayly Av | Bayly Av | Karratha (C) | 0.00 | Dampier Rd | 1.81 | Goddard St | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 118Z044 | Bayly St (Fpa) | Bayly St (Fpa) | Fremantle (C) | 0.00 | Tydemans Rd | 0.10 | Bayly St - End Road | |
| 1090697 | Beach Rd | Beach Rd | Swan (C) | 0.00 | Beach Rd & Alexander Dr | 1.62 | Marshall Rd & Malaga Dr | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 1102143 | Beach Rd | Beach Rd | Wanneroo (C) | 0.00 | Beach Rd & Wanneroo Rd | 5.45 | Beach Rd & Alexander Dr | |
| 1250001 | Beach Rd | Beach Rd | Stirling (C) | 0.00 | Beach Rd & Alexander Dr | 5.40 | Beach Rd & Wanneroo Rd | |
| 1050197 | Beach St | Beach St | Kwinana (C) | 0.00 | Patterson Rd | 0.66 | Mandurah Rd | <ul style="list-style-type: none"> Intersection Patterson Rd : No right turn permitted into Melville Mandurah Hwy from Beach St. |
| H056 | Beach St (Victoria Quay Access) | Beach St Link Beach St (Victoria Quay Access) Peter Hughes Dr | Fremantle (C) | 0.00 | Queen Victoria St | 0.27 | Unknown Rd (Fpa) | |
| 2150121 | Beacham Rd | Beacham Rd | Murray | 0.00 | Pinjarra Rd | 0.20 | 0.04km From Avondale Blvd | |
| 4150011 | Beacon Back Rd | Beacon Back Rd | Mount Marshall | 0.00 | Bencubbin - Gabbin Rd | 38.51 | Burakin - Wialki Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 415Z002 | Beacon Grain Bin Rd (P) | Beacon Grain Bin Rd (P) | Mount Marshall | 0.00 | Ingleton Rd & Calderwood Dr | 0.28 | Beacon Grain Bin Rd (P) - End Road | <ul style="list-style-type: none"> Note: Low Volume (LV) Maximum speed 100 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4150016 | Beacon Rock Rd | Beacon Rock Rd | Mount Marshall | 0.00 | Ayres Rd | 26.25 | Dalgouring Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3090021 | Beagley Rd | Beagley Rd | Kent | 0.00 | North Kuringup Rd | 16.83 | Merilup Rd & Peterson Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|------------------------|--------|---|--|
| 4150072 | Beagley Rd | Beagley Rd | Mount Marshall | 0.00 | Koorda - Bullfinch Rd | 2.21 | Waddouring Back Rd & Gabbabin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1071406 | Beale Wy | Beale Wy | Rockingham (C) | 0.00 | Tesla Rd | 0.48 | Carlston Rd | |
| 1050144 | Beard St | Beard St | Kwinana (C) | 0.00 | Lee Rd & Rockingham Rd | 0.63 | Leath Rd | <ul style="list-style-type: none"> Intersection Brown Av : No left turn permitted into Brown Av from Beard St |
| 4120120 | Beard St | Beard St | Kulin | 0.00 | Stewart St | 1.14 | Kulin Rock Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 8110290 | Beasley Rd | Beasley Rd | Ashburton | 0.00 | Camp Rd | 0.13 | Turee Wy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Camp Rd : No access permitted into Camp Rd from Beasley Rd |
| 4030113 | Beaton Rd | Beaton Rd | Bruce Rock | 0.00 | Erikin South Rd | 2.24 | Yarding South Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4110083 | Beaton Rd | Beaton Rd | Koorda | 0.00 | Koorda North West Rd | 2.88 | Beaton Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6110019 | Beaton Rd | Beaton Rd | Yilgarn | 0.00 | Great Eastern Hwy | 8.10 | Garrett Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6110019 | Beaton Rd | Beaton Rd | Yilgarn | 8.18 | Garrett Rd | 18.48 | Sth Cross Cbh Wheat Bin Rd & Threeboys Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|-----------------------|----------|-----------------------|--------|---------------------------|--|
| 6100111 | Beatty Rd | Beatty Rd | Ravensthorpe | 0.00 | Clarke Rd | 31.12 | Newdegate Ravensthorpe Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 3150002 | Beaufort Rd | Beaufort Rd | Wagin | 0.00 | Umbra St & Unicorn St | 30.90 | West Arthur LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Becker Rd & Kennetts Rd : No left turn permitted into Kennetts Rd from Beaufort Rd |
| 3160025 | Beaufort Rd | Beaufort Rd | West Arthur | 0.00 | Albany Hwy | 4.57 | Wagin LGA Boundary | |
| 5050636 | Beaumont Rd | Beaumont Rd | Greater Geraldton (C) | 0.00 | Sutherland Rd | 9.37 | Dunkin Rd | |
| 6040214 | Beaumont Rd | Beaumont Rd | Esperance | 0.00 | Karl Berg Rd | 10.70 | Parmango Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4130085 | Beurteaux Rd | Beurteaux Rd | Trayning | 0.00 | Purdy Rd | 1.89 | Beurteaux Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5050126 | Beaver St | Beaver St | Greater Geraldton (C) | 0.00 | Flores Rd | 0.75 | Stow St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|-------------------|--------|--------------------------|--|
| 4080010 | Bebakine Rd | Bebakine Rd | Goomalling | 0.00 | Tyndall Rd | 9.73 | Bebakine Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4070133 | Bebbington Rd | Bebbington Rd | Dowerin | 0.00 | Parker Rd | 2.98 | Bebbington Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6040259 | Bebenorin Rd | Bebenorin Rd | Esperance | 17.50 | Henkes Rd | 24.18 | Muntz Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|--------------------------|----------|--|--------|----------------------------|--|
| 2010570 | Beck Rd | Beck Rd | Augusta - Margaret River | 0.00 | Brockman Hwy | 1.59 | Beck Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. 'Trucks Entering' signs to be erected on all approaches at Brockman Hwy intersection and removed when not in use. |
| 3150051 | Becker Rd | Becker Rd | Wagin | 0.00 | Beaufort Rd | 6.94 | Beaufort Rd & Kennetts Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Beaufort Rd & Kennetts Rd : No right turn permitted into Beaufort Rd from Becker Rd at southern intersection |
| 0020055 | Beckett St | Beckett St | Halls Creek | 0.00 | Duncan Rd | 1.44 | Beckett St | |
| 4150135 | Beckingham St | Beckingham St | Mount Marshall | 0.00 | Burakin - Wialki Rd & Mukinbudin - Wialki Rd | 0.97 | Oneil Rd & Dease Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6040431 | Beckwith Rd | Beckwith Rd | Esperance | 0.00 | Sims St | 0.42 | Beckwith Rd - End Road | |
| 2040573 | Beddingfield St | Beddingfield St | Bunbury (C) | 0.00 | Dodson Rd | 0.43 | Beddingfield St - End Road | |
| 4030060 | Bedell Rd | Bedell Rd | Bruce Rock | 0.00 | Bruce Rock East Rd | 5.20 | Wogarl West Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Currie Rd : No right turn permitted into Currie Rd from Bedell Rd |
| 1020895 | Bedford Cr | Bedford Cr | Kalamunda | 0.00 | Dundas Rd | 0.23 | Bedford Cr - End Road | |
| 1020895 | Bedford Cr | Bedford Cr | Kalamunda | 0.86 | Webster Rd | 1.15 | Dundas Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|------------------------|----------|---------------------------|--------|------------------------|---|
| 6100047 | Bedford Harbour East Rd | Bedford Harbour East Rd | Ravensthorpe | 0.00 | Bedford Harbour Rd | 9.87 | Coxall Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 6100004 | Bedford Harbour Rd | Bedford Harbour Rd | Ravensthorpe | 0.00 | South Coast Hwy | 3.51 | Jerdacuttup Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 6100004 | Bedford Harbour Rd | Bedford Harbour Rd | Ravensthorpe | 3.58 | Jerdacuttup Rd | 24.54 | Springdale Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 0020070 | Bedford Rd | Bedford Rd | Halls Creek | 0.00 | Duncan Rd | 0.21 | Bedford Rd - End Road | |
| 5050123 | Bedford St | Bedford St | Greater Geraldton (C) | 0.00 | Flores Rd | 0.29 | Newman St | |
| 5050123 | Bedford St | Bedford St | Greater Geraldton (C) | 0.32 | Newman St | 0.59 | Crawford St | |
| 8140606 | Bedrock Turn | Bedrock Turn | Karratha (C) | 0.00 | Exploration Dr | 1.01 | Pindan Rd | |
| 4060050 | Beebering Rd | Beebering Rd | Cunderdin | 0.00 | Goomalling - Meckering Rd | 8.27 | Meckering - Dowerin Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 7020008 | Beebyn - Karbar Rd | Beebyn - Karbar Rd | Cue | 54.48 | Wilgie - Mia Rd | 59.64 | Beringarra - Cue Rd | |
| 4080015 | Beecroft Rd | Beecroft Rd | Goomalling | 0.00 | Lockyer St & Railway Tce | 12.11 | Long Forrest Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h Bridge 4978 Mortlock River : Bridge not to be crossed. |
| 3030041 | Beejenup Rd | Beejenup Rd | Broomehill - Tambellup | 0.00 | Pallinup Rd | 18.55 | Toolbrunup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------------|----------|----------------------------|--------|---------------------------------|---|
| 3030041 | Beejenup Rd | Beejenup Rd | Broomehill - Tambellup | 18.55 | Toolbrunup Rd | 32.60 | Stirling Access Rd & Hamilla Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5010059 | Beekeepers Rd | Beekeepers Rd | Carnamah | 0.00 | Three Springs LGA Boundary | 0.45 | Brand Hwy | |
| 5010059 | Beekeepers Rd | Beekeepers Rd | Carnamah | 0.46 | Brand Hwy | 1.88 | Mine Site Entrance | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5150034 | Beekeepers Rd | Beekeepers Rd | Three Springs | 0.00 | First North Rd | 16.60 | Carnamah LGA Boundary | |
| 2070165 | Beela Rd | Beela Rd | Collie | 0.00 | Victor Rd | 9.74 | Harvey LGA Boundary | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|-----------------------|----------|---|--------|------------------------------------|---|
| 2170017 | Beelerup Rd | Beelerup Rd | Donnybrook - Balingup | 0.00 | Donnybrook Kojonup Rd | 5.56 | | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1030953 | Beeliar Dr | Beeliar Dr | Cockburn (C) | 0.00 | Beeliar Dr | 4.60 | Spearwood Av | |
| H072 | Beeliar Dr | Beeliar Dr | Cockburn (C) | 0.00 | Beeliar Dr-Solomon Rd Rty | 0.61 | Beeliar Dr | |
| H689 | Beeliar Dr on to Kwinana Fwy (Northbound) | Beeliar Dr on to Kwinana Fwy (Northbound) | Cockburn (C) | 0.00 | Kwinana Fwy (Northbound) off to Beeliar Dr & Beeliar Dr | 0.72 | North Lake Rd to Berrigan Dr Cd Rd | |
| H687 | Beeliar Dr on to Kwinana Fwy (Southbound) | Beeliar Dr on to Kwinana Fwy (Southbound) | Cockburn (C) | 0.00 | Beeliar Dr & Kwinana Fwy (Southbound) off to Beeliar Dr | 0.42 | Kwinana Fwy | |
| H434 | Beeliar Dr-Solomon Rd Rty | Beeliar Dr-Solomon Rd Rty | Cockburn (C) | 0.00 | Beeliar Dr | 0.21 | Beeliar Dr | |
| H346 | Beeliar Dr-Solomon Rd Rty on to Armadale Rd (Westbound) | Beeliar Dr-Solomon Rd Rty on to Armadale Rd (Westbound) | Cockburn (C) | 0.00 | Beeliar Dr-Solomon Rd Rty | 0.21 | Armadale Rd | |
| H342 | Beeliar Dr-Solomon Rd Rty to Tapper Rd-Verde Dr Rty | Beeliar Dr-Solomon Rd Rty to Tapper Rd-Verde Dr Rty | Cockburn (C) | 0.00 | Beeliar Dr-Solomon Rd Rty | 0.42 | Tapper Rd-Verde Dr Rty | |
| 3110010 | Beenong North Rd | Beenong North Rd | Lake Grace | 0.00 | Lake Grace Newdegate Rd | 12.08 | Kuender South Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5070004 | Beermullah Rd West | Beermullah Rd West | Gingin | 19.81 | 1.43km From Cowalla Rd | 21.24 | Greenwood Rd & Cowalla Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4030017 | Bees Rd | Bees Rd | Bruce Rock | 0.00 | Babakin North West Rd & Babakin East Rd | 14.38 | Shackleton - Bilbarin Rd | |
| 3110058 | Beetacoo Rd | Beetacoo Rd | Lake Grace | 0.00 | Pingrup Lake Grace Rd | 2.03 | Beetaloo Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1140374 | Beete St | Beete St | Canning (C) | 0.00 | Somersby Rd | 0.19 | Beete St - End Road | |
| 4280010 | Begley Rd | Begley Rd | Westonia | 0.00 | Leach Rd | 33.61 | 33.61km From Leach Rd | |
| 4310056 | Begley Rd | Begley Rd | Wyalkatchem | 1.15 | Cemetery Rd | 4.54 | Begley Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|---------------------------|--------|----------------------------------|---|
| 5170112 | Behanging North Rd | Behanging North Rd | Victoria Plains | 12.99 | Calingari-Wongan Hills Rd | 19.53 | Carani East Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5170010 | Behanging Rd | Behanging Rd | Victoria Plains | 0.00 | Toodyay - Bindi Bindi Rd | 13.52 | Corondeen Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Toodyay - Bindi Bindi Rd : No right turn permitted into Toodyay - Bindi Bindi Rd from Behanging Rd |
| 3060113 | Behn Ord Rd | Behn Ord Rd | Dumbleyung | 0.00 | Wagin LGA Boundary | 3.10 | Doradine Rd & Nippering North Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3150006 | Behn Ord Rd | Behn Ord Rd | Wagin | 0.00 | Wagin Dumbleyung Rd | 14.22 | Dumbleyung LGA Boundary | <ul style="list-style-type: none"> Maximum speed 70 km/h Intersection Wagin Dumbleyung Rd : No Left Turn Into Collie-Lake King Rd Permitted |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|--------------------------------------|--------|-------------------------|---|
| 5180133 | Beilby Rd | Beilby Rd | Wongan - Ballidu | 0.00 | Northam Pithara Rd | 11.24 | White Well Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Northam Pithara Rd : No access permitted into Northam - Pithara from Beilby Rd |
| 4080003 | Bejoording Rd | Bejoording Rd | Goomalling | 0.00 | Irishtown Rd & Goomalling Toodyay Rd | 3.77 | Red Gully Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4080003 | Bejoording Rd | Bejoording Rd | Goomalling | 3.77 | Red Gully Rd | 5.39 | Toodyay LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4260001 | Bejoording Rd | Bejoording Rd | Toodyay | 0.00 | Toodyay - Bindi Bindi Rd | 12.71 | Goomalling LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|-----------------------|----------|---------------------------------|--------|-----------------------------------|---|
| 3120143 | Belfield Rd | Belfield Rd | Plantagenet | 0.00 | Amarillup Rd | 1.66 | For 1.66 Km to Farm Gate | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. 'Trucks Entering' signs to be erected and removed when not in use. |
| 6040046 | Belgian Rd | Belgian Rd | Esperance | 0.00 | Rollond Rd | 6.49 | Grass Patch Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040046 | Belgian Rd | Belgian Rd | Esperance | 6.50 | Grass Patch Rd | 32.48 | Griffiths Rd & Speddingup Rd West | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 1130451 | Belgravia St | Belgravia St | Belmont (C) | 0.00 | Great Eastern Hwy & Stoneham St | 0.95 | Fairbrother St & Frederick St | |
| 5050667 | Belinga Spring Rd | Belinga Spring Rd | Greater Geraldton (C) | 0.00 | Mindage Spring Rd | 5.07 | Belinga Spring Rd - End Road | |
| 4030004 | Belka East Rd | Belka East Rd | Bruce Rock | 0.00 | Belka West Rd & Main Belka Rd | 0.13 | Korbelka Rd | |
| 4030004 | Belka East Rd | Belka East Rd | Bruce Rock | 0.13 | Korbelka Rd | 19.87 | Merredin LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Bruce Rock Merredin Rd : No access permitted into Bruce Rock Merredin Rd from Belka East Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|---|--------|----------------------------|---|
| 4140089 | Belka East Rd | Belka East Rd | Merredin | 0.00 | Brissenden Rd & Merredin - Narembene Rd | 1.72 | Bruce Rock LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h No Operation between the hours of sunset and sunrise Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4030016 | Belka South Rd | Belka South Rd | Bruce Rock | 0.00 | Bruce Rock Merredin Rd | 7.75 | Belka East Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection McGellin Rd : No left turn permitted into McGellin Rd from Belka South Rd, No right turn permitted into McGellin Rd from Belka South Rd |
| 4030005 | Belka West Rd | Belka West Rd | Bruce Rock | 0.00 | Main Belka Rd & Belka East Rd | 10.88 | Doodlakine - Bruce Rock Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 2050181 | Bell Dr | Bell Dr | Busselton (C) | 0.00 | Bussell Hwy | 0.56 | Broadwater Bvd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h |
| 3100144 | Bell Rd | Bell Rd | Kojonup | 0.00 | Albany Hwy | 3.57 | Bell Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|---------------------------------|--------|--------------------------------------|---|
| 4120058 | Bell Rd | Bell Rd | Kulin | 0.00 | Kukerin Rd | 9.61 | Tarin Rock North Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4150024 | Bell Rd | Bell Rd | Mount Marshall | 0.00 | Marshall Rock South Rd | 8.81 | Welbungin South Rd & Polkinghorne Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5030027 | Bell Rd | Bell Rd | Dalwallinu | 0.00 | Great Northern Hwy | 27.81 | Miling North Rd | <ul style="list-style-type: none"> Rail at Great Northern Hwy intersection not to be crossed. Intersection Great Northern Hwy : No access permitted into Great Northern Hwy from Bell Rd. |
| 5110017 | Bell Rd | Bell Rd | Morawa | 0.00 | Mullewa Wubin Rd & Vandeleur Rd | 19.07 | Evaside Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Mullewa Wubin Rd & Vandeleur Rd : No access permitted into Wubin-Mullewa Rd from Bell Rd |
| 1130274 | Bell St | Bell St | Belmont (C) | 0.00 | Division St Sth & Orrong Rd | 0.79 | Miles Rd | <ul style="list-style-type: none"> Intersection Sissons St : No Right Turn permitted into Sissons Street from Bell Street. |
| 1140775 | Bell St | Bell St | Canning (C) | 0.00 | Vulcan Rd | 0.32 | Magnet Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------------|--------------------------------|------------------|----------|--------------------------|--------|--------------------------------|---|
| 3070018 | Bell St | Bell St | Gnowangerup | 0.38 | Glengarry Rd | 1.00 | Walsh St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 8130298 | Bell St | Bell St | Port Hedland (T) | 0.00 | Great Northern Hwy | 0.40 | 0.40km From Great Northern Hwy | |
| 5160068 | Bella Vista Rd | Bella Vista Rd | Chapman Valley | 0.00 | Nanson - Howatharra Rd | 2.60 | Bella Vista Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4240025 | Bellacabella - Doodenanning Rd | Bellacabella - Doodenanning Rd | Quairading | 0.00 | Doodenanning - Mawson Rd | 6.98 | Maynard Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4240025 | Bellacabella - Doodenanning Rd | Bellacabella - Doodenanning Rd | Quairading | 7.04 | Maynard Rd | 8.58 | Thomson Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 1180108 | Bellamy St | Bellamy St | Fremantle (C) | 0.00 | Ladner St | 0.39 | Bowen St & Weatherburn Wy | |
| 3160089 | Bellotti Rd | Bellotti Rd | West Arthur | 0.00 | Boscabel - Chittinup Rd | 2.72 | Bellotti Rd - End Road | |
| 1140581 | Bellows St | Bellows St | Canning (C) | 0.00 | Forge St | 0.46 | Division St Sth | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|--------------------------------|--------|--------------------------|--|
| 1130010 | Belmont Av | Belmont Av | Belmont (C) | 0.00 | Tanunda Dr & Great Eastern Hwy | 1.41 | 0.09km From Alexander Rd | |
| 1130010 | Belmont Av | Belmont Av | Belmont (C) | 3.93 | Belmont Av - Db End | 4.40 | Noble St | |
| 3080063 | Belmont Rd | Belmont Rd | Katanning | 0.00 | Schultz Rd | 10.70 | Langaweira Rd | <ul style="list-style-type: none"> Maximum speed 70 km/h Intersection Schultz Rd : No Right Turn Into Schutz Road Permitted |
| 5190043 | Belpa Shenton Rd | Belpa Shenton Rd | Coorow | 0.00 | Davies Rd | 13.00 | Waddy Forest Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4230171 | Belt Rd | Belt Rd | Pingelly | 0.00 | Thompson Rd | 1.61 | Belt Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6040042 | Beltana Rd | Beltana Rd | Esperance | 0.00 | South Coast Hwy | 26.50 | Cascade Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 1130164 | Ben St | Ben St | Belmont (C) | 0.00 | Redcliffe Rd | 0.20 | Great Eastern Hwy | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---------------------------|--------------------------|----------|-------------------------------------|--------|-------------------------------------|--|
| 5170034 | Benaring Rd | Benaring Rd | Victoria Plains | 0.00 | Konnongorring West Rd | 7.07 | Goomalling - Calingiri Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2010572 | Benbow Rd | Benbow Rd | Augusta - Margaret River | 0.00 | McLeod Creek Rd | 1.06 | Benbow Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4150149 | Bencubbin - Beacon Rd | Bencubbin - Beacon Rd | Mount Marshall | 0.00 | Murray St & Monger St | 0.50 | 0.18km Before Bencubbin - Gabbin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 40 km/h |
| 4150149 | Bencubbin - Beacon Rd | Bencubbin - Beacon Rd | Mount Marshall | 0.50 | 0.18km Before Bencubbin - Gabbin Rd | 19.47 | Andrews Tank Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4150149 | Bencubbin - Beacon Rd | Bencubbin - Beacon Rd | Mount Marshall | 19.47 | Andrews Tank Rd | 42.22 | Burakin - Wialki Rd & Kirby St | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4150002 | Bencubbin - Gabbin Rd | Bencubbin - Gabbin Rd | Mount Marshall | 0.00 | Bencubbin - Beacon Rd | 16.94 | Scarlett St & Gabbin - Trayning Rd | |
| 4150002 | Bencubbin - Gabbin Rd | Bencubbin - Gabbin Rd | Mount Marshall | 16.95 | Huxley Rd | 17.25 | Scarlett St & Gabbin - Trayning Rd | |
| 4130001 | Bencubbin - Kununoppin Rd | Bencubbin - Kununoppin Rd | Trayning | 0.00 | Leake St & Thompson Rd | 13.30 | Harrod Rd | |
| 4130001 | Bencubbin - Kununoppin Rd | Bencubbin - Kununoppin Rd | Trayning | 13.46 | Harrod Rd | 20.48 | Mount Marshall LGA Boundary | <ul style="list-style-type: none"> Intersection Bencubbin - Kununoppin Rd : No Left Turn When Travelling South At Harrods Road |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---------------------------|------------------|----------|-----------------------------|--------|--------------------------|---|
| 4150017 | Bencubbin - Kununoppin Rd | Bencubbin - Kununoppin Rd | Mount Marshall | 0.00 | Kellerberrin - Bencubbin Rd | 14.24 | Trayning LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4090011 | Benderine North Rd | Benderine North Rd | Kellerberrin | 0.00 | Turon Rd & McClelland Rd | 12.75 | Nanyanine Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4090044 | Benderine Rd | Benderine Rd | Kellerberrin | 0.00 | Kellerberrin - Yelbeni Rd | 3.21 | Benderine Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4100014 | Bendering East Rd | Bendering East Rd | Kondinin | 0.00 | Kondinin - Naremben Rd | 24.50 | Karlgarin Hills North Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------------|-----------------------------|------------------|----------|---|--------|------------------------------------|--|
| 4100033 | Bendering Hall North Rd | Bendering Hall North Rd | Kondinin | 0.00 | Bendering Rd | 5.63 | Bendering Hall North Rd - End Road | |
| 4100094 | Bendering Hall Rd | Bendering Hall Rd | Kondinin | 0.00 | Bendering Rd | 9.04 | Bendering Hall Rd - End Road | |
| 4040001 | Bendering Rd | Bendering Rd | Corrigin | 0.00 | Corrigin Kondinin Rd | 27.83 | Pruden Rd & Bendering Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4100010 | Bendering Rd | Bendering Rd | Kondinin | 0.00 | Kondinin - Narembreen Rd | 12.60 | Pruden Rd & Bendering Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4100040 | Bendering Siding Rd | Bendering Siding Rd | Kondinin | 0.00 | Kondinin - Narembreen Rd | 1.77 | Bendering Rd | |
| 4100031 | Bendering West Rd | Bendering West Rd | Kondinin | 0.00 | Bendering Hall Rd & Koorikin Rd | 4.71 | Bendering Rd | |
| 1251907 | Bendsten Pl | Bendsten Pl | Stirling (C) | 0.00 | Balcatta Rd | 0.18 | Mumford Pl (West) | |
| 1105528 | Beneficial Wy | Beneficial Wy | Wanneroo (C) | 0.00 | Inspiration Dr | 0.30 | Distinction Rd | |
| 4310027 | Benjaberring - Hindmarsh Rd | Benjaberring - Hindmarsh Rd | Wyalkatchem | 0.00 | Amery - Benjaberring Rd | 4.97 | Goomalling Wyalkatchem Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Amery - Benjaberring Rd : No access permitted into Amery Benjaberring Rd from Benjaberring Hindmarsh Rd |
| 4310027 | Benjaberring - Hindmarsh Rd | Benjaberring - Hindmarsh Rd | Wyalkatchem | 5.03 | Goomalling - Merredin & Benjaberring-Hindmarsh Rd | 15.70 | Twenty Six Gate Rd & Borgward Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|------------------|----------|---|--------|--|---|
| 4310133 | Benjaberring South Rd | Benjaberring South Rd | Wyalkatchem | 0.00 | Davies South Rd & Goomalling Wyalkatchem Rd | 2.66 | Harrison Rd & McKay Rd & Amery - Benjaberring Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2180047 | Benjinup Siding Rd | Benjinup Siding Rd | Boyup Brook | 0.00 | Donnybrook Kojonup Rd & Foster Glen Rd | 1.17 | Greenfields Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3100059 | Benn Pde | Benn Pde | Kojonup | 0.00 | Albany Hwy | 0.52 | Pensioner Rd | |
| 3020077 | Bennett Rd | Bennett Rd | Albany (C) | 0.00 | Chester Pass Rd | 6.38 | Takenup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Chester Pass Rd : No access permitted into Albany Lake Grace Rd (Chester Pass Rd) from Bennett Rd |
| 4280042 | Bennett Rd | Bennett Rd | Westonia | 0.00 | Begley Rd | 4.10 | Warralakin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h No Operation between the hours of sunset and sunrise Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|---|--------|------------------------|---|
| 6110049 | Bennett Rd | Bennett Rd | Yilgarn | 0.00 | Emu Fence Rd | 48.22 | Nulla Nulla South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3060062 | Bennett St | Bennett St | Dumbleyung | 0.00 | Bahr Rd | 0.28 | Ebsary St & Absolon St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3060098 | Bennett St | Bennett St | Dumbleyung | 0.00 | Dumbleyung Lake Grace Rd & Kukerin North Rd | 2.52 | Scadden St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3180023 | Bennett St | Bennett St | Jerramungup | 0.00 | Robert St | 0.30 | Mary St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|-------------------------|--------|-----------------------|--|
| 3180110 | Bennett St | Bennett St | Jerramungup | 0.00 | Memorial Rd | 0.26 | Newton St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4020050 | Bennier Rd | Bennier Rd | Brookton | 0.00 | Davis Rd & Ford Rd | 1.23 | Bennier Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4140200 | Benson Rd | Benson Rd | Merredin | 0.00 | Telfer Av | 0.33 | Watson Rd | |
| 5010042 | Bentley Rd | Bentley Rd | Carnamah | 0.00 | Winchester West Rd | 7.31 | Midlands Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Slow down for the creek crossings Intersection Pearce Rd : No left turn permitted into Pearce Rd from Bentley Rd Intersection Midlands Rd : No access permitted to or from Midlands Road |
| 5140066 | Benton Rd | Benton Rd | Perenjori | 0.00 | Maya East Rd | 13.63 | Taylor Rd | |
| 4020062 | Benzie Rd | Benzie Rd | Brookton | 0.00 | Aldersyde - Pingelly Rd | 4.13 | Benzie Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|-----------------------|----------|--|--------|-------------------------------------|--|
| 4090022 | Beresford Rd | Beresford Rd | Kellerberrin | 0.00 | Angle Rd | 12.74 | Fisher Rd & Pustkuchen Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4290083 | Bergin Rd | Bergin Rd | Wickepin | 0.00 | Kirk Rock Rd | 1.31 | Eighty Six Gate Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 7050003 | Beringarra - Byro Rd | Beringarra - Byro Rd | Murchison | 0.00 | Carnarvon - Mullewa Rd | 8.95 | 8.95km From Carnarvon - Mullewa Rd. | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h No Operation between the hours of sunset and sunrise Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 7020001 | Beringarra - Cue Rd | Beringarra - Cue Rd | Cue | 0.00 | Heydon Pl & Robinson St | 88.44 | Murchison LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 5050642 | Beringarra - Pindar Rd | Beringarra - Pindar Rd | Greater Geraldton (C) | 0.00 | Pindar Town St | 5.72 | Murchison LGA Boundary | |
| 7050001 | Beringarra - Pindar Rd | Beringarra - Pindar Rd | Murchison | 97.09 | For 11.69km From Manfred Rd to Mro | 255.56 | | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 7050001 | Beringarra - Pindar Rd | Beringarra - Pindar Rd | Murchison | 255.56 | | 317.32 | Greater Geraldton (C) LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1091835 | Beringarra Av | Beringarra Av | Swan (C) | 0.00 | Malaga Dr | 2.55 | Marshall Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 4160008 | Beringbooding Rd | Beringbooding Rd | Mukinbudin | 0.00 | Bonnie Rock - Lake Brown Rd & Clune Rd | 13.25 | Rabbit Proof Fence Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|------------------|----------|---|--------|--|--|
| 4010029 | Beringer Rd | Beringer Rd | Beverley | 0.00 | Morbinning Rd | 8.93 | Bally - Bally Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1020043 | Berkshire Rd | Berkshire Rd | Kalamunda | 0.00 | Dundas Rd | 1.32 | Berkshire Rd (Westbound) on to Roe Hwy (Southbound) & Roe Hwy (Southbound) off to Berkshire Rd | <ul style="list-style-type: none"> Intersection Harrison Rd : No left turn permitted into Harrison Rd from Berkshire Rd |
| H276 | Berkshire Rd (Westbound) on to Roe Hwy (Southbound) | Berkshire Rd (Westbound) on to Roe Hwy (Southbound) | Kalamunda | 0.00 | Berkshire Rd & Roe Hwy (Southbound) off to Berkshire Rd | 0.52 | Roe Hwy | |
| H277 | Berkshire Rd on to Roe Hwy (Northbound) | Berkshire Rd on to Roe Hwy (Northbound) | Kalamunda | 0.00 | Roe Hwy (Northbound) off to Berkshire Rd & Berkshire Rd | 0.50 | Roe Hwy | |
| 5100084 | Berkshire Valley Rd | Berkshire Valley Rd | Moora | 0.00 | Moora - Miling Rd | 3.95 | Old Geraldton Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5100194 | Berkshire Valley Rd | Berkshire Valley Rd | Moora | 0.00 | Gardiner St | 0.69 | Barber St & Moora - Miling Rd | |
| 5190126 | Beros Rd | Beros Rd | Coorow | 0.00 | Brand Hwy | 6.20 | Beros Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1030503 | Berrigan Dr | Berrigan Dr | Cockburn (C) | 1.64 | Kwinana Fwy (Northbound) off to Berrigan Dr | 4.67 | Karel Av | |
| H685 | Berrigan Dr on to Kwinana Fwy (Northbound) | Berrigan Dr on to Kwinana Fwy (Northbound) | Cockburn (C) | 0.00 | Berrigan Dr & Kwinana Fwy (Northbound) off to Berrigan Dr | 0.40 | Kwinana Fwy | |
| H683 | Berrigan Dr on to Kwinana Fwy (Southbound) | Berrigan Dr on to Kwinana Fwy (Southbound) | Cockburn (C) | 0.00 | Berrigan Dr & Kwinana Fwy (Southbound) off to Berrigan Dr | 0.35 | Berrigan Dr to North Lake Rd Cd Rd | |
| H377 | Berrigan Dr to North Lake Rd Cd Rd | Berrigan Dr to North Lake Rd Cd Rd | Cockburn (C) | 0.00 | Kwinana Fwy | 1.71 | Kwinana Fwy | |
| H379 | Berrigan Dr to North Lake Rd Cd Rd off to North Lake Rd | Berrigan Dr to North Lake Rd Cd Rd off to North Lake Rd | Cockburn (C) | 0.00 | Berrigan Dr to North Lake Rd Cd Rd | 0.39 | Armadaale Rd | |
| 6040694 | Berrigan St | Berrigan St | Esperance | 0.00 | Currong St | 0.25 | Hill St | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 1101269 | Berriman Dr | Berriman Dr | Wanneroo (C) | 0.00 | Prindiville Dr | 1.52 | Prindiville Dr | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|-------------------------------------|--------|-------------------------|---|
| 4070013 | Berring East Rd | Berring East Rd | Dowerin | 0.00 | Ucarty South Rd & Nambling South Rd | 4.95 | Goomalling LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4080027 | Berring East Rd | Berring East Rd | Goomalling | 0.00 | Goomalling Wyalkatchem Rd | 3.34 | Dowerin LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h |
| 4080040 | Berring Rd | Berring Rd | Goomalling | 0.00 | Berring Rd - Start Road | 7.35 | Berring East Rd | |
| 4080040 | Berring Rd | Berring Rd | Goomalling | 7.44 | Berring East Rd | 14.75 | Oak Park Rd | |
| 4330017 | Berry Brow Rd | Berry Brow Rd | York | 0.00 | Great Southern Hwy | 10.11 | Northam LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|--------------------------|----------|--------------------------------|--------|------------------------|--|
| 2010046 | Bessell Rd | Bessell Rd | Augusta - Margaret River | 0.00 | Rosa Glen Rd | 13.31 | Crozier Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1015202 | Bessemer Rd | Bessemer Rd | Armadale (C) | 0.00 | Remisko Dr | 0.21 | Bessemer Rd - End Road | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 1105256 | Bessemer Wy | Bessemer Wy | Wanneroo (C) | 0.00 | Bombardier Rd | 0.21 | Lancaster Rd | |
| 3030214 | Bessen Rd | Bessen Rd | Broomehill - Tambellup | 0.00 | Tambellup West Rd | 5.07 | Nymbup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Nymbup Rd : No access permitted into Nymbup Rd from Bessen Rd |
| 4110067 | Best Bypass Rd | Best Bypass Rd | Koorda | 0.00 | Smith Rd & Koorda - Dowerin Rd | 8.67 | Cadoux - Koorda Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4110032 | Best Rd | Best Rd | Koorda | 0.00 | Cadoux - Koorda Rd | 8.18 | Mactaggart Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 40 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|------------------------|--------|----------------------|---|
| 5140004 | Bestry Rd | Bestry Rd | Perenjori | 0.00 | Sharpe Rd | 9.28 | Solomon Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5140004 | Bestry Rd | Bestry Rd | Perenjori | 9.28 | Solomon Rd | 16.10 | Bestry Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6040521 | Bette West Rd | Bette West Rd | Esperance | 12.96 | Magagnotti Rd | 17.00 | Ainsworth Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4230033 | Bettison Rd | Bettison Rd | Pingelly | 0.00 | Wickepin - Pingelly Rd | 1.63 | Nyamutin Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4220017 | Beurteaux Rd | Beurteaux Rd | Nungarin | 0.00 | McGlenn Rd | 5.75 | Beurteaux Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|---------------------------------------|--------|-------------------------|---|
| 3120006 | Beverley Rd | Beverley Rd | Plantagenet | 0.00 | Albany Hwy | 4.37 | Hughes Rd & Townsend St | <ul style="list-style-type: none"> Maximum speed 80 km/h Maximum speed of 60 km/h on gravel road. |
| 5180125 | Bexton Rd | Bexton Rd | Wongan - Ballidu | 0.00 | Barrow Rd | 3.36 | Kirwan Rd | |
| 1021083 | Beyer Pl | Beyer Pl | Kalamunda | 0.00 | Abernethy Rd & Dubs Cl | 0.24 | Beyer Pl - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3110127 | Beynon Rd | Beynon Rd | Lake Grace | 0.00 | Mallee Hill Rd | 10.42 | Newdegate - Pingrup Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5040334 | Bibby Rd | Bibby Rd | Dandaragan | 0.00 | Brand Hwy | 22.97 | Munbinea Rd | |
| 3060012 | Bibiking Rd | Bibiking Rd | Dumbleyung | 0.67 | 0.67km From Katanning - Dumbleyung Rd | 2.54 | Powells Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060012 | Bibiking Rd | Bibiking Rd | Dumbleyung | 2.54 | Powells Rd | 6.80 | Sandplain Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|-------------------|--------|-------------------------|---|
| 3060012 | Bibiking Rd | Bibiking Rd | Dumbleyung | 6.80 | Sandplain Rd | 10.80 | Katanning LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3080154 | Bibiking Rd | Bibiking Rd | Katanning | 0.00 | River Rd | 4.80 | Dumbleyung LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3080150 | Bibiking South Rd | Bibiking South Rd | Katanning | 0.00 | McKenzie Rd | 2.03 | 2.03km From McKenzie Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|----------------------------------|--------|----------------------------|--|
| 3080150 | Bibiking South Rd | Bibiking South Rd | Katanning | 9.97 | 1.33km From River Rd | 11.30 | River Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5110143 | Bickford Rd | Bickford Rd | Morawa | 0.00 | Gutha East Rd | 7.60 | Sermon Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1040359 | Bickley Rd | Bickley Rd | Gosnells (C) | 0.00 | Bickley Rd & Nicholson Rd | 0.45 | Camberwell St & William St | |
| 1041096 | Bickley Rd | Bickley Rd | Gosnells (C) | 0.00 | Kenwick Rd & Hanson St | 1.32 | Bickley Rd "E" - End Road | |
| 4140045 | Bicks Rd | Bicks Rd | Merredin | 0.00 | Hart Rd & Chandler - Merredin Rd | 7.59 | Downsborough Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2050040 | Biddle Rd | Biddle Rd | Busselton (C) | 0.00 | Commonage Rd | 4.41 | Caves Rd | |
| 3110178 | Biddy - Buniche Rd | Biddy - Buniche Rd | Lake Grace | 0.00 | Buniche North Rd | 12.05 | Biddy - Camm Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3110002 | Biddy - Camm Rd | Biddy - Camm Rd | Lake Grace | 0.00 | Kulin Lake Grace Rd | 16.24 | Duckworth Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3110002 | Biddy - Camm Rd | Biddy - Camm Rd | Lake Grace | 16.31 | Duckworth Rd | 58.25 | Newdegate North Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3110002 | Biddy - Camm Rd | Biddy - Camm Rd | Lake Grace | 58.32 | Newdegate North Rd | 145.28 | Fence Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|--------------------------|------------------------|----------|------------------------------|--------|---|---|
| 3050412 | Bidewell Rd | Bidewell Rd | Denmark | 0.00 | Happy Valley Rd & Zig Zag Rd | 0.98 | For 0.98 Km to The Plantation Access Gate | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Happy Valley Rd & Zig Zag Rd : No left turn permitted into Happy Valley Rd from Bidewell Rd. |
| 5040059 | Bidgerabbie Rd | Bidgerabbie Rd | Dandaragan | 0.00 | Dandaragan Rd | 6.33 | Rowes Rd | |
| 7020017 | Big Bell - Coodardy Rd | Big Bell - Coodardy Rd | Cue | 0.00 | Coodardy - Noondie Rd | 8.76 | Big Bell - Wyah Pool Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 7020018 | Big Bell - Wyah Pool Rd | Big Bell - Wyah Pool Rd | Cue | 0.00 | Beringarra - Cue Rd | 14.01 | Big Bell - Coodardy Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 702Z003 | Big Bell North Access Rd | Big Bell North Access Rd | Cue | 0.00 | Big Bell - Coodardy Rd | 0.93 | Big Bell Mine Office | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 2110439 | Big Tree Rd | Big Tree Rd | Harvey | 7.42 | Sandalwood Rd | 10.56 | Mornington Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Empty travel only |
| 3030071 | Bignell Rd | Bignell Rd | Broomehill - Tambellup | 0.00 | Norrish Rd | 2.72 | Bignell Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|--------------------------|------------------|----------|--|--------|--------------------------|---|
| 4140101 | Bignell Rd | Bignell Rd | Merredin | 0.00 | Old Nukarni Rd | 4.71 | Nokaning East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5170091 | Bigsprings Rd | Bigsprings Rd | Victoria Plains | 0.00 | Goomalling - Calingiri Rd | 2.95 | Bain Rd & Burnt Hill Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School Bus Route - Contact Operators on UHF CH 11 |
| 4040011 | Bilbarin - Quairading Rd | Bilbarin - Quairading Rd | Corrigin | 0.00 | Babakin - Corrigin Rd & Bilbarin East Rd | 28.86 | Quairading - Corrigin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Babakin - Corrigin Rd & Bilbarin East Rd : No access permitted into Babakin - Corrigin Rd from Bilbarin Quairading Rd Intersection Shackleton - Bilbarin Rd : No left turn permitted into Shackleton Bilbarin Rd from Bilbarin Quairading Rd Intersection Walton Rd (B) : No access permitted into Walton Rd from Bilbarin - Quairading Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|--------------------------|----------|--|--------|--------------------------------|---|
| 4040009 | Bilbarin East Rd | Bilbarin East Rd | Corrigin | 0.00 | Babakin - Corrigin Rd & Bilbarin - Quairading Rd | 10.78 | Corrigin - Bruce Rock Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2030058 | Bill Baldock Dr | Bill Baldock Dr | Bridgetown - Greenbushes | 0.00 | Hester Rd | 1.64 | Bill Baldock Dr - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4100020 | Billericay East Rd | Billericay East Rd | Kondinin | 0.00 | Billericay East Rd & Lahoar Rd | 41.69 | Lovering Rd | |
| 4170021 | Billericay East Rd | Billericay East Rd | Narembeen | 0.00 | Kondinin - Narembeen Rd | 28.61 | Billericay East Rd & Lahoar Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Kondinin - Narembeen Rd : No right turn permitted into Kondinin-Narembeen Rd from Billericay East Rd. No right turn permitted into Billericay East Rd from Kondinin-Narembeen Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------|----------|------------------------|--------|-------------------------------------|---|
| 4170022 | Billericay West Rd | Billericay West Rd | Naremben | 0.00 | George Rd | 12.70 | Kondinin - Naremben Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5010043 | Billeroo - Coorow Rd | Billeroo - Coorow Rd | Carnamah | 0.00 | Winchester East Rd | 2.70 | Coorow LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5190017 | Billeroo - Coorow Rd | Billeroo - Coorow Rd | Coorow | 0.00 | Midlands Rd | 3.80 | Green Rd | |
| 5190017 | Billeroo - Coorow Rd | Billeroo - Coorow Rd | Coorow | 3.80 | Green Rd | 9.76 | Carnamah LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5010006 | Billeroo Rd | Billeroo Rd | Carnamah | 0.00 | Bunjil - Carnamah Rd | 8.80 | Rowland Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5010006 | Billeroo Rd | Billeroo Rd | Carnamah | 8.80 | Rowland Rd | 23.17 | Billeroo Rd & Lampard - Tremlett Rd | |
| 5140156 | Billeroo Rd | Billeroo Rd | Perenjori | 0.00 | McDonald Rd & Liebe Rd | 2.15 | Lampard - Tremlett Rd & Billeroo Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3100112 | Bilney Rd | Bilney Rd | Kojonup | 0.00 | Potts Rd | 2.14 | Bilney Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|-------------------------------------|--------|---|--|
| 4150009 | Bimbijy Rd | Bimbijy Rd | Mount Marshall | 0.00 | Burakin - Wialki Rd | 28.51 | 0.51km After Bunce Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4150009 | Bimbijy Rd | Bimbijy Rd | Mount Marshall | 28.51 | 0.51km After Bunce Rd | 91.79 | From Burakin - Wialki Rd For 91.79km | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3090117 | Bin Rd | Bin Rd | Kent | 0.00 | Kuringup Rd | 1.04 | Katanning Nyabing Rd | |
| 3100200 | Bin Rd | Bin Rd | Kojonup | 0.00 | Qualeup South Rd & Qualeup North Rd | 0.48 | Bin Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4290086 | Bin Rd | Bin Rd | Wickepin | 0.00 | Williams Kondinin Rd | 0.26 | Bin Rd - End Road | |
| 5170118 | Bin Rd | Bin Rd | Victoria Plains | 0.00 | Calingiri Rd | 0.85 | Calingiri - New Norcia Rd | <ul style="list-style-type: none"> Maximum speed 40 km/h |
| 5100008 | Bindi - Ballidu Rd | Bindi - Ballidu Rd | Moora | 0.00 | Great Northern Hwy | 16.63 | Ballidu - Bindi Bindi Rd & Toothra - Exchange Rd & Nadji Mia Rd | |
| 5100009 | Bindi East Rd | Bindi East Rd | Moora | 0.00 | Tootra Fence Rd | 12.52 | Piper Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5100009 | Bindi East Rd | Bindi East Rd | Moora | 12.52 | Piper Rd | 21.44 | Toodyay - Bindi Bindi Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------------------|----------------------------------|----------|----------------------------------|--------|-------------------------------|---|
| 5160023 | Bindoo Rd | Bindoo Rd | Chapman Valley | 0.00 | Yuna - Tenindewa Rd | 13.49 | Wandin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| M002 | Bindoon Moora | Bindoon Moora Rd | Chittering | 0.00 | Great Northern Hwy | 4.21 | Mooliabeenee Rd | |
| M002 | Bindoon Moora | Bindoon Moora Rd Padbury St | Chittering Victoria Plains Moora | 27.35 | Wannamal West Rd | 86.26 | Padbury St & Clinch St | <ul style="list-style-type: none"> Intersection West Point Rd : No left turn permitted into West Point Rd from Bindoon Moora Rd. |
| 6020011 | Binneringie Rd | Binneringie Rd | Coolgardie | 0.00 | Coolgardie Esperance Hwy | 28.91 | St Ives Spur Rd | |
| 6020011 | Binneringie Rd | Binneringie Rd | Coolgardie | 28.91 | St Ives Spur Rd | 28.92 | | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 6020011 | Binneringie Rd | Binneringie Rd | Coolgardie | 28.92 | | 37.86 | 8.953km After St Ives Spur Rd | |
| 6020011 | Binneringie Rd | Binneringie Rd | Coolgardie | 37.86 | 8.953km After St Ives Spur Rd | 63.85 | Bald Hill Access Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 8030038 | Binning Rd | Binning Rd | Carnarvon | 0.00 | Pelican Point Rd | 0.22 | Binning Rd - End Road | |
| 2110115 | Binningup Rd | Binningup Rd | Harvey | 0.00 | Forrest Hwy & Wellesley Rd North | 2.45 | 0.07km From Georgia St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------------|----------|------------------------------------|--------|---|---|
| 3030228 | Binniup Rd | Binniup Rd | Broomehill - Tambellup | 0.00 | Tambellup West Rd | 6.35 | Nymbup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Tambellup West Rd : No left turn permitted into Tambellup West Rd from Binniup Rd. |
| 5130003 | Binnu East Rd | Binnu East Rd | Northampton | 0.00 | North West Coastal Hwy | 30.84 | Balla - Whelarra Rd | |
| 5160045 | Binnu Rd East | Binnu Rd East | Chapman Valley | 0.00 | Binnu East Rd | 8.00 | Dartmoor - Lake Nerramyne Rd & Dartmoor Harris Rd & Dartmoor Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5130089 | Binnu Sand Plain | Binnu Sand Plain | Northampton | 0.00 | North West Coastal Hwy | 2.68 | Binnu Sand Plain - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5130011 | Binnu West Rd | Binnu West Rd | Northampton | 0.00 | Wright St & North West Coastal Hwy | 47.99 | Ogilvie West Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------------|----------|--------------------------|--------|-------------------------------|--|
| 4180210 | Birdwhistle Rd | Birdwhistle Rd | Narrogin | 0.00 | Narrogin - Harrismith Rd | 15.88 | O'Dea Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030071 | Birdwood Rd | Birdwood Rd | Dalwallinu | 0.00 | Pithara East Rd | 11.27 | Dalwallinu - Kalannie Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4110096 | Birdwood St | Birdwood St | Koorda | 0.00 | Railway St | 0.11 | Allenby St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Railway St : No left turn permitted into Railway St from Birdwood St |
| 118Z049 | Birksgate Rd | Birksgate Rd | Fremantle (C) | 0.00 | Rous Head Rd | 0.61 | Birksgate Rd (Fpa) - End Road | |
| 109Z034 | Birrallee Rd | Birrallee Rd | | 0.00 | The Promenade Rty | 0.24 | Birrallee Rd End Road | |
| 3030050 | Birt Rd | Birt Rd | Broomehill - Tambellup | 0.00 | Tambellup West Rd | 11.48 | O'Neill Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 1031593 | Biscayne Wy | Biscayne Wy | Cockburn (C) | 0.00 | Cutler Rd | 0.08 | Access Driveway | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 1090369 | Bishop Rd | Bishop Rd | Swan (C) | 0.00 | Great Northern Hwy | 0.15 | For 0.15 Km to Shire Depot | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3090041 | Bishop Rd | Bishop Rd | Kent | 0.00 | South Fence Rd | 13.30 | Martens Rd | |
| 3090041 | Bishop Rd | Bishop Rd | Kent | 14.27 | Martens Rd | 23.50 | Cowcher Rd | |
| 6040058 | Bishops Rd | Bishops Rd | Esperance | 0.00 | Field Rd | 18.85 | Williams Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---------------------------|--------------------------|----------|------------------------|--------|----------------------------|---|
| 6040058 | Bishops Rd | Bishops Rd | Esperance | 18.86 | Williams Rd | 29.69 | Grass Patch Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040058 | Bishops Rd | Bishops Rd | Esperance | 29.85 | Grass Patch Rd | 37.98 | Rollond Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 5040052 | Black Arrow Rd | Black Arrow Rd | Dandaragan | 0.00 | Cantabilling Rd | 8.68 | Jurien Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6055044 | Black Flag - Ora Banda Rd | Black Flag - Ora Banda Rd | Kalgoorlie - Boulder (C) | 0.00 | Goldfields Hwy | 41.05 | Broad Arrow - Ora Banda Rd | |
| 2160049 | Black Point Rd | Black Point Rd | Nannup | 10.02 | 0.73km From Stewart Rd | 10.75 | Stewart Rd | |
| 2160049 | Black Point Rd | Black Point Rd | Nannup | 10.82 | Stewart Rd | 20.41 | Mayall Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4110036 | Black Rd | Black Rd | Koorda | 12.74 | Scotsman Rd | 26.35 | Anderson Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|--------------------------|----------|--|--------|-----------------------------|---|
| 4110036 | Black Rd | Black Rd | Koorda | 26.35 | Anderson Rd | 29.35 | Kulja Central Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4240071 | Black Rd | Black Rd | Quairading | 0.00 | Mount Stirling Rd | 4.11 | Black Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5030117 | Black Rd | Black Rd | Dalwallinu | 8.87 | Glamoff Rd | 22.21 | Black Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 6055040 | Black St | Black St | Kalgoorlie - Boulder (C) | 0.00 | Bulong Rd & Williamstown Rd & Yarri Rd | 1.51 | Fimiston Open Pit Access Rd | |
| 2030036 | Blackboy Flat Rd | Blackboy Flat Rd | Bridgetown - Greenbushes | 0.00 | Brockman Hwy | 2.60 | 2km West of Grange Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1071358 | Blackburn Dr | Blackburn Dr | Rockingham (C) | 0.37 | Helmshore Wy | 0.86 | Port Kennedy Dr | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|--------------------------|----------|--------------------------|--------|--------------------------|---|
| 4010046 | Blackburn Rd | Blackburn Rd | Beverley | 0.00 | Glencoe Rd | 2.04 | Blackburn Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2030243 | Blackbutt Rd | Blackbutt Rd | Bridgetown - Greenbushes | 4.48 | McKelvie Rd | 6.55 | Dezotti Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 0010085 | Blackman St | Blackman St | Broome | 0.00 | Hunter St | 1.48 | Clementson St | |
| 0010300 | Blackman St Link | Blackman St Link | Broome | 0.00 | Port Dr | 0.05 | Blackman St | |
| 0010494 | Blacktip Rd | Blacktip Rd | Broome | 0.00 | Sundown Rd | 0.18 | Blacktip Rd - End Road | |
| 2010137 | Blackwood Av | Blackwood Av | Augusta - Margaret River | 1.78 | Blackwood Av & Ellis St | 3.09 | Leeuwin Rd & Osnaburg St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. 10 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3060015 | Bladondale Rd | Bladondale Rd | Dumpleyung | 0.00 | Dumpleyung Lake Grace Rd | 14.70 | Tarin Rock Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|---|--------|---------------------------|--|
| 1190282 | Blaikie St | Blaikie St | Melville (C) | 0.00 | Norma Rd & Pitt Wy | 0.24 | Blaikie St - End Road | |
| 6110128 | Blair Rd | Blair Rd | Yilgarn | 0.00 | Great Eastern Hwy | 6.12 | Savodeli Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4240103 | Blake North Rd | Blake North Rd | Quairading | 0.00 | Blake Rd | 2.04 | Blake North Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 3080292 | Blake Rd | Blake Rd | Katanning | 0.00 | Kibbleup Rd | 4.08 | Belmont Rd | |
| 4240102 | Blake Rd | Blake Rd | Quairading | 0.00 | Tregenza Rd | 7.84 | Dangin - Mears Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4250032 | Blakiston Rd | Blakiston Rd | Tammin | 0.00 | Tammin - Wyalkatchem Rd & Blakistans Rd | 4.90 | Yorkrakine Rock Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1180334 | Blamey Pl | Blamey Pl | Fremantle (C) | 0.00 | Forsyth St | 0.22 | Blamey Pl - End Road | |
| 4240037 | Bland Rd | Bland Rd | Quairading | 0.00 | Mount Stirling Rd | 6.14 | Old Yoting Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4230068 | Blechynden Rd | Blechynden Rd | Pingelly | 0.00 | Aldersyde - Pingelly Rd | 4.51 | Shaddick Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4240074 | Blechynden Rd | Blechynden Rd | Quairading | 0.00 | Solomon Rd | 2.38 | Badjalang North Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|--------------------------|----------|---------------------------|--------|---------------------------------|---|
| 5110079 | Bligh Rd | Bligh Rd | Morawa | 0.00 | Neates Rd | 2.04 | Three Springs LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5150008 | Bligh Rd | Bligh Rd | Three Springs | 0.00 | Three Springs - Morawa Rd | 9.85 | Morawa LGA Boundary | |
| 4180280 | Blight Rd | Blight Rd | Narrogin | 0.00 | Great Southern Hwy | 0.36 | 0.36km From Great Southern Hwy | |
| 5170051 | Blood Rd | Blood Rd | Victoria Plains | 0.00 | Erickson Rd | 3.66 | For 3.66km From Erickson Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 0040118 | Bloodwood Dr | Bloodwood Dr | Wyndham - East Kimberley | 0.00 | Konkerberry Dr | 0.58 | River Gum Av | |
| 4240065 | Bloom Rd | Bloom Rd | Quairading | 0.00 | Dangin North Rd | 2.39 | Toapin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2180080 | Bloomfields Rd | Bloomfields Rd | Boyup Brook | 0.00 | Kulikup South Rd | 7.54 | Foley Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 8030066 | Blowholes Rd | Blowholes Rd | Carnarvon | 0.00 | North West Coastal Hwy | 48.82 | Beach Rd & Quobba - Gnaraloo Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|----------------------------|--------|----------------------------|---|
| 3120037 | Bloxidge Rd | Bloxidge Rd | Plantagenet | 0.00 | Palmdale Rd | 10.80 | Pfeiffer Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3120067 | Blue Lake Rd | Blue Lake Rd | Plantagenet | 0.00 | Denmark Mt Barker Rd | 1.59 | The Springs Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Denmark Mt Barker Rd : No right turn permitted into Denmark-Mt Barker Rd from Blue Lake Rd. |
| 3120067 | Blue Lake Rd | Blue Lake Rd | Plantagenet | 1.59 | The Springs Rd | 5.28 | 3.69km From The Springs Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3120067 | Blue Lake Rd | Blue Lake Rd | Plantagenet | 5.28 | 3.69km From The Springs Rd | 11.49 | Seymour Rd & Blue Lake Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|----------------------------|--------|---------------------------|---|
| 5130019 | Blue Well Rd | Blue Well Rd | Northampton | 0.00 | Horry Rd | 14.60 | Blue Well - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3020044 | Bluff Creek Rd | Bluff Creek Rd | Albany (C) | 0.00 | South Coast Hwy | 9.48 | Bluff Creek Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6040065 | Blumann Rd | Blumann Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 10.80 | Coramup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 2050033 | Boallia Rd | Boallia Rd | Busselton (C) | 5.55 | 0.93km Before Ambergate Rd | 10.25 | Rendezvous Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3050017 | Board Rd | Board Rd | Denmark | 0.00 | South Coast Hwy | 6.20 | | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h No Operation Weekdays between 8:00 AM and 9:00 AM and between 3:00 PM and 4:00 PM Curfew applies on school days only. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|---------------------------|--------|---------------------------------------|--|
| 4080049 | Boase Rd | Boase Rd | Goomalling | 0.00 | Goomalling - Meckering Rd | 4.12 | Boase Rd - End Road | <ul style="list-style-type: none"> Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3020040 | Boat Harbour Rd | Boat Harbour Rd | Albany (C) | 0.00 | South Coast Hwy | 11.11 | 11.11km East From South Coast Highway | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 803Z007 | Boat Harbour Rd | Boat Harbour Rd | Carnarvon | 0.00 | Douglas St & West St | 1.51 | Boat Harbour Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 5140023 | Bob Kings Rd | Bob Kings Rd | Perenjori | 0.00 | Syson Rd | 7.36 | Baxter Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 3150007 | Bockaring Rd | Bockaring Rd | Wagin | 0.00 | Bullock Hills Rd | 8.87 | Woodanilling LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|--------------------|--------|-------------------------|--|
| 3170064 | Bockaring Rd | Bockaring Rd | Woodanilling | 0.00 | Wagin LGA Boundary | 1.58 | Kerr Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3170064 | Bockaring Rd | Bockaring Rd | Woodanilling | 1.58 | Kerr Rd | 5.36 | Bockaring Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6110002 | Bodallin North Rd | Bodallin North Rd | Yilgarn | 0.00 | Great Eastern Hwy | 26.37 | Corinthia West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6110005 | Bodallin South Rd | Bodallin South Rd | Yilgarn | 0.00 | Bodallin South Rd | 28.99 | Dulyalbin Rd & Sykes Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------|----------|-------------------------|--------|---------------------------------------|--|
| 6110088 | Bodallin South Rd | Bodallin South Rd | Yilgarn | 0.00 | Ivey Rd & Yerbillion Rd | 4.20 | Great Eastern Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 3150050 | Boddington Rd | Boddington Rd | Wagin | 0.00 | Queerearrup Rd | 3.22 | Beaufort Rd | <ul style="list-style-type: none"> Maximum speed 70 km/h |
| 5010010 | Bodycoat Rd | Bodycoat Rd | Carnamah | 0.00 | Caron Rd | 5.74 | Carnamah - Perenjori Rd & Mitchell Rd | |
| 4330026 | Bogling Rd | Bogling Rd | York | 0.00 | Sees Rd | 7.09 | Mannavale Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3100044 | Boilup North Rd | Boilup North Rd | Kojonup | 0.00 | Darkan - Kojonup Rd | 12.39 | Boscabel - Chittinup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. See Low Volume Condition Type A in the Operating Conditions Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3100158 | Boilup Rd | Boilup Rd | Kojonup | 0.00 | Darkan - Kojonup Rd | 4.58 | Anderson Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3160037 | Bokal - East Arthur Rd | Bokal - East Arthur Rd | West Arthur | 0.00 | Albany Hwy | 17.89 | Arthur River - Dinninup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|----------------------------|--------|----------------------------|---|
| 3160017 | Bokal North Rd | Bokal North Rd | West Arthur | 0.00 | Coalfields Rd | 17.61 | Arthur River - Dinninup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3160119 | Bokal Siding Rd | Bokal Siding Rd | West Arthur | 0.00 | Bokal North Rd | 1.31 | Bokal North Rd | |
| 3160030 | Bokal South Rd | Bokal South Rd | West Arthur | 0.00 | Arthur River - Dinninup Rd | 14.26 | Coben Soak Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3180089 | Bokelup Rd | Bokelup Rd | Jerramungup | 0.00 | Cameron Rd | 7.32 | Brook Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 3040013 | Bokerup Rd | Bokerup Rd | Cranbrook | 0.00 | Unicup Rd | 9.93 | Scott Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3040013 | Bokerup Rd | Bokerup Rd | Cranbrook | 9.93 | Scott Rd | 15.44 | Kojonup - Frankland Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|----------------------------|--------|------------------------------|---|
| 3100156 | Bokerup Rd | Bokerup Rd | Kojonup | 0.00 | Shamrock Rd | 8.87 | Bokerup Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Shamrock Rd : No right turn permitted into Shamrock Rd from Bokerup Rd |
| 3040030 | Bolbelup Rd | Bolbelup Rd | Cranbrook | 0.00 | Boyup Brook - Cranbrook Rd | 7.12 | Bokerup Rd | |
| 4080008 | Bolgart East Rd | Bolgart East Rd | Goomalling | 0.00 | Goomalling - Calingiri Rd | 14.38 | Victoria Plains LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h |
| 5170007 | Bolgart East Rd | Bolgart East Rd | Victoria Plains | 0.00 | Smith St & Macpherson St | 12.55 | Goomalling LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School Bus Route - Contact Operators on UHF CH 11 |
| 5170023 | Bolgart West Rd | Bolgart West Rd | Victoria Plains | 0.00 | Toodyay - Bindi Bindi Rd | 16.76 | Old Plains Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Toodyay - Bindi Bindi Rd : No right turn permitted into Toodyay Bindi Bindi Rd from Bolgart West Rd Intersection Old Plains Rd : No left turn permitted into Old Plains Rd from Bolgart West Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|--------------------------|----------|---------------------|--------|-----------------------------|---|
| 2030059 | Bolton Gale Rd | Bolton Gale Rd | Bridgetown - Greenbushes | 0.00 | Mokerdillup Rd | 0.82 | Bolton Gale Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4250064 | Bolton Rd | Bolton Rd | Tammin | 0.00 | Golf Links Rd | 1.26 | Bolton Rd East | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3150065 | Bolts Rd | Bolts Rd | Wagin | 0.00 | Moore St & Tudor St | 3.84 | 1.53km From Reeves Rd North | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------------|-----------------------------|--------------------------|----------|---|--------|--|--|
| 3150065 | Bolts Rd | Bolts Rd | Wagin | 3.84 | 1.53km From Reeves Rd North | 6.70 | Bolts Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1105257 | Bombardier Rd | Bombardier Rd | Wanneroo (C) | 0.00 | Lancaster Rd | 0.20 | Bombardier Rd - End Road | |
| 0040039 | Bonaparte St | Bonaparte St | Wyndham - East Kimberley | 0.00 | Great Northern Hwy & GNH Service Rd No 1 | 0.13 | Koolama St | |
| 4240040 | Bond Rd | Bond Rd | Quairading | 0.00 | Wamenusking Rd | 5.44 | Bulyee - Quairading Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4100090 | Bonds Rd | Bonds Rd | Kondinin | 0.00 | Corrigin LGA Boundary | 5.87 | Koorikin Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). |
| 5050621 | Bone Rd | Bone Rd | Greater Geraldton (C) | 0.00 | Geraldton Mt Magnet Rd | 9.64 | Tenindewa North Rd | |
| 1091465 | Bonner Dr | Bonner Dr | Swan (C) | 0.00 | Beach Rd | 0.49 | Capital Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 8120035 | Bonney Downs - Hillside Rd | Bonney Downs - Hillside Rd | East Pilbara | 0.00 | Marble Bar Rd | 6.50 | For 6.5km to Bc Iron Access Road | |
| 4160006 | Bonnie Rock - Lake Brown Rd | Bonnie Rock - Lake Brown Rd | Mukinbudin | 0.00 | Koorda - Bullfinch Rd & Lake Brown South Rd | 49.04 | Percy Rd & Mukinbudin - Bonnie Rock Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4160044 | Bonnie Rock Tank Rd | Bonnie Rock Tank Rd | Mukinbudin | 0.00 | Toole Rd | 3.13 | Sprigg Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------------|----------------------------|--------------------------|----------|--|--------|--|---|
| 5080014 | Bonniefield East Rd | Bonniefield East Rd | Irwin | 0.00 | Brand Hwy & Francisco Rd | 5.07 | Wye Farm Rd & Water Supply Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 8130346 | Boodarie Dr | Boodarie Dr | Port Hedland (T) | 0.00 | Great Northern Hwy | 5.08 | Bhp Hbi Project | |
| 8130094 | Boodarie Station Access Rd | Boodarie Station Access Rd | Port Hedland (T) | 0.00 | Great Northern Hwy | 5.30 | For 5.30 Km | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4280032 | Boodarockin North Rd | Boodarockin North Rd | Westonia | 0.00 | Koorda - Bullfinch Rd & Boodarockin Rd | 19.30 | Hunter Rd | |
| 4280095 | Boodarockin Rd | Boodarockin Rd | Westonia | 0.00 | Warrachuppin Rd & Carrabin Westonia Rd | 0.88 | Wolfram St | <ul style="list-style-type: none"> Maximum speed 80 km/h |
| 4280095 | Boodarockin Rd | Boodarockin Rd | Westonia | 0.88 | Wolfram St | 3.06 | .13km From Corisini Rd | |
| 4280095 | Boodarockin Rd | Boodarockin Rd | Westonia | 3.06 | 0.13km From Corsini Rd | 38.78 | Koorda - Bullfinch Rd & Boodarockin North Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 2010122 | Boodjidup Rd | Boodjidup Rd | Augusta - Margaret River | 0.00 | Boodjidup Rd Rty | 3.18 | 3.18km From Bussell Hwy | |
| 2011001 | Boodjidup Rd Rty | Boodjidup Rd Rty | Augusta - Margaret River | 0.00 | Bussell Hwy | 0.12 | Bussell Hwy | |
| 4310051 | Bookham Rd | Bookham Rd | Wyalkatchem | 0.00 | Goldfields Rd | 7.40 | Holdsworth Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------|----------|--|--------|--|--|
| 7050005 | Boolardy - Kalli Rd | Boolardy - Kalli Rd | Murchison | 0.00 | Beringarra - Pindar Rd | 20.00 | 20km From Beringarra - Pindar Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 7050032 | Boolardy - Wooleen Rd | Boolardy - Wooleen Rd | Murchison | 0.00 | Beringarra - Pindar Rd | 19.08 | Wooleen - Mt Wittenoom Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5090082 | Boolinda Rd | Boolinda Rd | Mingenew | 0.00 | Midlands Rd | 0.16 | Eleanor St | <ul style="list-style-type: none"> Intersection Eleanor St : No Right Turn Into Cbh Facility Located 20 Metres North Of The Rail Crossing |
| 1108130 | Boom St | Boom St | Wanneroo (C) | 0.00 | Fortitude Bvd & Supreme Loop | 0.61 | Accomplish Wy | |
| 8110265 | Boonderoo Rd | Boonderoo Rd | Ashburton | 0.00 | Doradeen Rd | 0.62 | 0.617km From Doradeen Rd | |
| 5140138 | Boonerong Rd | Boonerong Rd | Perenjori | 0.00 | Warriedar Copper Mine Rd | 4.99 | Boonerong Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 3090032 | Boongadoo North Rd | Boongadoo North Rd | Kent | 0.00 | Boongadoo South Rd & Dumbleyung - Nyabing Rd | 9.01 | Boongadoo North Rd - End Road | |
| 3090033 | Boongadoo South Rd | Boongadoo South Rd | Kent | 0.00 | Collins Rd | 6.30 | Boongadoo North Rd & Dumbleyung - Nyabing Rd | |
| 4110007 | Booralaming - Kulja Rd | Booralaming - Kulja Rd | Koorda | 0.00 | Koorda - Dowerin Rd | 50.54 | Burakin - Wialki Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4070040 | Booralaming West Rd | Booralaming West Rd | Dowerin | 0.00 | Dowerin - Koorda Rd | 14.86 | Dowerin - Kalannie Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4140084 | Booran North Rd | Booran North Rd | Merredin | 0.00 | Great Eastern Hwy & Gebert Rd | 5.70 | Booran North Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|--------------------------|----------|---------------------------------------|--------|--------------------------------------|---|
| 4140033 | Booran South Rd | Booran South Rd | Merredin | 0.00 | Bulls Head Rd & Barnes Rd | 12.20 | Great Eastern Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6055012 | Boorara Rd | Boorara Rd | Kalgoorlie - Boulder (C) | 0.00 | Goldfields Hwy | 1.22 | Black St | |
| 5051032 | Bootenal Rd | Bootenal Rd | Greater Geraldton (C) | 1.30 | Edward Rd | 7.66 | Glengarry Rd | <ul style="list-style-type: none"> Intersection Edward Rd : No access to or from Geraldton Walkaway (Edward Rd) |
| 1251908 | Booth Pl | Booth Pl | Stirling (C) | 0.00 | Ledgar Rd | 0.10 | Booth Pl - End Road | |
| 4180065 | Booth St | Booth St | Narrogin | 0.14 | 0.135km From Havelock St & Lavater St | 0.39 | Condon Rd & Narrogin Valley Rd | |
| 5040038 | Boothendarra Rd | Boothendarra Rd | Dandaragan | 0.00 | Brand Hwy | 5.95 | McKays Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5040038 | Boothendarra Rd | Boothendarra Rd | Dandaragan | 5.95 | McKays Rd | 26.22 | Coalara Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5040038 | Boothendarra Rd | Boothendarra Rd | Dandaragan | 26.24 | Coalara Rd | 29.50 | 3.07km From End of Road | |
| 3070146 | Borden - Bremer Bay Rd | Borden - Bremer Bay Rd | Gnowangerup | 0.00 | Chester Pass Rd | 39.72 | Monjebup Rd & Borden Boxwood Hill Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3180172 | Borden Boxwood Hill Rd | Borden Boxwood Hill Rd | Jerramungup | 0.00 | Monjebup Rd & Borden - Bremer Bay Rd | 14.98 | South Coast Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 3120103 | Bore Rd | Bore Rd | Plantagenet | 0.00 | Muir Hwy | 2.11 | Bore Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). 'Trucks Entering' signs to be positioned on Muirs Hwy in both directions. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|----------------------------|--------|--|--|
| 5110068 | Bore Rd | Bore Rd | Morawa | 0.00 | Johnson Rd | 8.05 | Gutha East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4070132 | Borgward East Rd | Borgward East Rd | Dowerin | 0.00 | Rabbit Proof Fence Rd | 1.66 | Borgward East Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Rabbit Proof Fence Rd : No left turn permitted into Rabbit Proof Fence Rd from Borgward East Rd |
| 4310043 | Borgward Rd | Borgward Rd | Wyalkatchem | 0.00 | Cunderdin - Wyalkatchem Rd | 3.76 | Twenty Six Gate Rd & Benjaberring - Hindmarsh Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Cunderdin - Wyalkatchem Rd : No right turn permitted into Cunderdin Wyalkatchem Rd from Borgward Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|------------------|----------|------------------------------------|--------|---|---|
| 4160097 | Borlase Rd | Borlase Rd | Mukinbudin | 0.00 | Forest Av & Mukinbudin - Wialki Rd | 5.65 | Mukinbudin - Bonnie Rock Rd & Graham Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3020107 | Bornholm South Rd | Bornholm South Rd | Albany (C) | 0.00 | Lower Denmark Rd | 1.88 | For 1.8km From Lower Denmark Rd | |
| 3100012 | Boscabel - Chittinup Rd | Boscabel - Chittinup Rd | Kojonup | 0.00 | Albany Hwy | 18.07 | West Arthur LGA Boundary | |
| 3160021 | Boscabel - Chittinup Rd | Boscabel - Chittinup Rd | West Arthur | 0.00 | Moodiarup - Changerup Rd | 3.77 | Kojonup LGA Boundary | |
| 3150098 | Bosenberg Rd | Bosenberg Rd | Wagin | 0.00 | Bockaring Rd | 3.22 | Bosenberg Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5110045 | Boss Rd | Boss Rd | Morawa | 0.00 | Dreghorn Rd | 4.17 | Agar Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Dreghorn Rd : No access permitted into Dreghorn Rd from Boss Rd |
| 3120158 | Bostock Rd | Bostock Rd | Plantagenet | 0.00 | Woogenellup Rd | 1.45 | Bostock Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4080021 | Botherling East Rd | Botherling East Rd | Goomalling | 0.00 | Northam Pithara Rd | 13.90 | Shara Rd & Botherling East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|--------------------------|----------|--------------------------|--------|------------------------------|--|
| 5030105 | Boucher Rd | Boucher Rd | Dalwallinu | 0.00 | Mullewa Wubin Rd | 7.08 | Manuel Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 113Z027 | Boud Av (Federal) | Boud Av (Federal) | Belmont (C) | 0.23 | Ross Dr (Federal) | 0.99 | End Road | |
| 1091837 | Boulder Rd | Boulder Rd | Swan (C) | 0.00 | Millrose Dr | 1.10 | Beringarra Av | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 6055013 | Boulder Rd | Boulder Rd | Kalgoorlie - Boulder (C) | 0.00 | Maritana St & Hannan St | 1.85 | Federal Rd | |
| 4180312 | Boundain North Rd | Boundain North Rd | Narrogin | 0.00 | Narrogin - Harrismith Rd | 8.35 | Crooked Pool Rd & Cannell Rd | |
| 3060094 | Boundary Rd | Boundary Rd | Dumbleyung | 0.00 | Muller Rd & Boundary Rd | 19.43 | Tarin Rock North Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4050146 | Boundary Rd | Boundary Rd | Cuballing | 0.00 | Popanyinning West Rd | 1.05 | Dowling St | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|---|--------|--------------------------|--|
| 4050146 | Boundary Rd | Boundary Rd | Cuballing | 1.05 | Dowling St | 1.73 | Williams Rd & Howard St | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4060156 | Boundary Rd | Boundary Rd | Cunderdin | 0.00 | Hardy Rd | 2.84 | Boundary Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4120055 | Boundary Rd | Boundary Rd | Kulin | 0.00 | Kulin - Dumbleyung Rd & Gray Rd & Rabbit Proof Fence Rd Sth | 13.92 | Muller Rd & Boundary Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4150025 | Boundary Rd | Boundary Rd | Mount Marshall | 0.00 | Mukinbudin - Wialki Rd | 36.11 | Emu Proof Fence Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5040021 | Boundary Rd | Boundary Rd | Dandaragan | 0.00 | Boundary Rd & Koojan Pool Rd | 3.53 | Boundary Rd & Boxhall Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5090062 | Boundary Rd | Boundary Rd | Mingenew | 0.00 | Depot Hill Rd | 7.33 | Erangy Spring Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5100051 | Boundary Rd | Boundary Rd | Moora | 0.00 | Boundary Rd & Koojan Pool Rd | 10.43 | Barberton West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---------------------------|------------------|----------|------------------------------|--------|--|--|
| 5140047 | Boundary Rd | Boundary Rd | Perenjori | 0.00 | Perenjori - Three Springs Rd | 15.54 | | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5140047 | Boundary Rd | Boundary Rd | Perenjori | 15.54 | | 15.60 | Hill Rd | |
| 5170017 | Boundary Rd | Boundary Rd | Victoria Plains | 0.00 | Gillingarra Rd | 6.03 | Boundary Rd & Boxhall Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Gillingarra Rd : No Access Into Gillingarra Road Permitted |
| 5180161 | Boundary Rd | Boundary Rd | Wongan - Ballidu | 0.00 | Manmanning Rd | 1.15 | Boundary Rd & Melbourne Rd | |
| 8030049 | Boundary Rd | Boundary Rd | Carnarvon | 0.66 | Robinson St | 1.58 | Boundary Rd - End Road | |
| 3120271 | Bourke St | Bourke St | Plantagenet | 0.00 | Taylor Rd | 0.40 | Bourke St - End Road | |
| 2040282 | Bovell St | Bovell St | Bunbury (C) | 0.00 | Robertson Dr | 0.13 | Richter Rd | |
| 6040292 | Bow Rd | Bow Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 1.50 | Farm Access Gate 1.5km From Coolgardie Esperance Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 3160003 | Bowelling - Duranillin Rd | Bowelling - Duranillin Rd | West Arthur | 0.00 | Coalfields Rd | 36.40 | Darkan Rd | |
| 2180026 | Bowelling - McAlinden Rd | Bowelling - McAlinden Rd | Boyup Brook | 0.00 | McAlinden Rd | 5.83 | Boyup Brook North Rd & Bowelling - McAlinden Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3160005 | Bowelling - McAlinden Rd | Bowelling - McAlinden Rd | West Arthur | 0.00 | Trigwell Bridge Rd | 15.93 | Boyup Brook North Rd & Bowelling - McAlinden Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------|----------|-----------------------------|--------|--|---|
| 5180136 | Bowen Rd | Bowen Rd | Wongan - Ballidu | 0.00 | Lake Hinds North Rd | 8.27 | Gabalong East Rd & Tootra Fence Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1180305 | Bowen St | Bowen St | Fremantle (C) | 0.00 | Bellamy St & Weatherburn Wy | 0.64 | Garling St & Garling St Sthn Cway | |
| 5130055 | Bowes Spring Rd | Bowes Spring Rd | Northampton | 3.64 | Harvey Rd | 8.20 | Frosty Gully Rd | |
| 5140150 | Bowgada Bin North Rd | Bowgada Bin North Rd | Perenjori | 0.00 | Bowgada Bin Rd | 0.05 | Cbh Bin Access Road 0.05km From Bowgada Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h No Operation between the hours of sunset and sunrise Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5140144 | Bowgada Bin Rd | Bowgada Bin Rd | Perenjori | 0.00 | Olden Rd | 2.10 | Mullewa Wubin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h No Operation between the hours of sunset and sunrise Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5140003 | Bowgada East Rd | Bowgada East Rd | Perenjori | 0.00 | Back Bowgada Rd | 8.67 | Sharpe Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5140001 | Bowgada Rd | Bowgada Rd | Perenjori | 0.00 | Mullewa Wubin Rd | 1.45 | Back Bowgada Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|-----------------------|----------|-------------------------------------|--------|---------------------------------|--|
| 2170049 | Bowman Rd | Bowman Rd | Donnybrook - Balingup | 0.00 | Charley Creek Rd | 2.25 | Bowman Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4110051 | Bowman Rd | Bowman Rd | Koorda | 0.00 | Maher Rd | 2.24 | Cooper Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 40 km/h below posted speed limit |
| 5010065 | Bowman St | Bowman St | Carnamah | 0.00 | Carnamah - Eneabba Rd & Midlands Rd | 1.03 | Bunjil - Carnamah Rd & Wheat Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h |
| 3090054 | Bowra Rd | Bowra Rd | Kent | 0.00 | Cowcher Rd | 15.12 | Needilup North Rd | |
| 3090054 | Bowra Rd | Bowra Rd | Kent | 15.18 | Needilup North Rd | 26.56 | Jerramungup LGA Boundary | |
| 3180085 | Bowra Rd | Bowra Rd | Jerramungup | 0.00 | Rabbit Proof Fence Rd | 4.06 | Kent LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|-----------------------|----------|----------------------------------|--------|--------------------------------------|--|
| 4020076 | Bowring Rd | Bowring Rd | Brookton | 0.00 | South East Nalya Rd | 2.74 | Brookton - Kweda Rd & North Nalya Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4170012 | Bows Rd | Bows Rd | Narembeen | 0.00 | Narembeen Boundary Rd | 12.58 | Dayman Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5130020 | Box Rd | Box Rd | Northampton | 0.00 | Ogilvie West Rd | 6.12 | Binnu West Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5050124 | Box St | Box St | Greater Geraldton (C) | 0.00 | Flores Rd | 0.59 | Anderson St | |
| 5170062 | Boxhall Rd | Boxhall Rd | Victoria Plains | 0.00 | Bindoon Moora Rd | 9.63 | Boundary Rd | |
| 4180270 | Boxsell Rd | Boxsell Rd | Narrogin | 0.00 | Farrelly Rd & Great Southern Hwy | 1.60 | Boxsell Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---------------------------|------------------|----------|---|--------|---|--|
| 3070005 | Boxwood Hill - Ongerup Rd | Boxwood Hill - Ongerup Rd | Gnowangerup | 0.00 | Boxwood Hill - Ongerup Rd & Corackerup Rd | 35.20 | Buncle St | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Buncle St : No left turn permitted from Boxwood Hill - Ongerup Rd into Buncle St |
| 3070005 | Boxwood Hill - Ongerup Rd | Boxwood Hill - Ongerup Rd | Gnowangerup | 35.20 | Buncle St | 35.33 | Walker St & Eldridge St | |
| 3180004 | Boxwood Hill - Ongerup Rd | Boxwood Hill - Ongerup Rd | Jerramungup | 0.00 | Borden Boxwood Hill Rd | 24.14 | Boxwood Hill - Ongerup Rd & Corackerup Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 3040016 | Boyacup Rd | Boyacup Rd | Cranbrook | 0.00 | Yeriminup Rd | 7.08 | Boyup Brook - Cranbrook Rd | |
| 3040016 | Boyacup Rd | Boyacup Rd | Cranbrook | 7.09 | Boyup Brook - Cranbrook Rd | 16.62 | Dujemerrup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Boyup Brook - Cranbrook Rd : No access permitted into Boyup Brook Cranbrook Rd from Boyacup Rd |
| 4020002 | Boyagarra Rd | Boyagarra Rd | Brookton | 0.00 | Great Southern Hwy | 22.30 | Jaensch Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|----------------------------------|----------|-------------------------------|--------|--------------------------|--|
| 4230049 | Boyagin Rd | Boyagin Rd | Pingelly | 0.00 | Walwalling Rd | 14.79 | York - Williams Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3150028 | Boyalling Rd | Boyalling Rd | Wagin | 0.00 | Arthur Rd | 7.90 | De Lyanine North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h No Operation between the hours of sunset and sunrise Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Warup West Rd : No left turn permitted into Warup Rd West from Boyalling Rd southbound |
| M061 | Boyanup Capel | Trigwell Rd Railway Rd Gavins Rd Capel Dr | Capel | 0.00 | South Western Hwy | 17.35 | Bussell Hwy | |
| M052 | Boyanup Picton | Bridge St Boyanup Picton Rd | Capel Bunbury (C) Dardanup | 0.00 | Bridge St & South Western Hwy | 17.61 | Picton Rty | |
| H866 | Boyanup Picton Slip Rd to South West Hwy (Westbound) | Boyanup Picton Slip Rd to South West Hwy (Westbound) | Bunbury (C) | 0.00 | Willinge Dr | 0.13 | South Western Hwy | |
| 5050125 | Boyd St | Boyd St | Greater Geraldton (C) | 0.00 | Flores Rd | 0.68 | 0.675km From Anderson St | <ul style="list-style-type: none"> Intersection Anderson St : No left turn permitted into Anderson St from Boyd St. |
| 4040147 | Boyd's St | Boyd's St | Corrigin | 0.21 | Channon Cl | 0.64 | Boyd's St - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|--------------------------|----------|---|--------|-------------------------|---|
| 6040017 | Boydell Rd | Boydell Rd | Esperance | 0.00 | Fleming Grove Rd & Coolgardie Esperance Hwy | 27.82 | Cascade Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4330015 | Boyercurtty Rd | Boyercurtty Rd | York | 0.00 | Wambyn Rd | 7.29 | Mokine Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4240149 | Boyle Rd | Boyle Rd | Quairading | 0.00 | Doodenanning - Mawson Rd | 0.89 | Anderson Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4310068 | Boyle Rd | Boyle Rd | Wyalkatchem | 0.00 | Nembudding South Rd | 3.53 | Shiells Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2030234 | Boyles Rd | Boyles Rd | Bridgetown - Greenbushes | 0.00 | Wilga Rd | 1.37 | Boyles Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4110126 | Boyne Rd | Boyne Rd | Koorda | 0.00 | Dukin West Rd | 3.10 | Wyalkatchem - Koorda Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------------|-------------------------------|------------------|----------|-------------------------------|--------|----------------------------|---|
| 2070286 | Boys Home Rd | Boys Home Rd | Collie | 0.00 | Collie Williams Rd | 2.98 | Boys Home Rd - End Road | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 2180210 | Boyup Brook - Arthur River Rd | Boyup Brook - Arthur River Rd | Boyup Brook | 0.00 | Abel St & Jayes Rd | 36.15 | Arthur River - Dinninup Rd | <ul style="list-style-type: none"> Intersection Newlgalup Rd : No access permitted into Newlgalup Rd from Boyup Brook - Arthur River Rd |
| 2180148 | Boyup Brook - Cranbrook Rd | Boyup Brook - Cranbrook Rd | Boyup Brook | 0.00 | Donnybrook Kojonup Rd | 59.79 | Cranbrook LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Wagner Rd : No right turn permitted into Wagner Rd from Boyup Brook - Cranbrook Rd |
| 3040047 | Boyup Brook - Cranbrook Rd | Boyup Brook - Cranbrook Rd | Cranbrook | 0.00 | Boyup Brook LGA Boundary | 63.75 | Cranbrook - Frankland Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Boyacup Rd : No access permitted into Boyacup Rd from Boyup Brook Cranbrook Rd |
| 2180002 | Boyup Brook North Rd | Boyup Brook North Rd | Boyup Brook | 0.00 | Boyup Brook - Arthur River Rd | 27.36 | Bowelling - McAlinden Rd | |
| 3120045 | Boyup Rd | Boyup Rd | Plantagenet | 0.00 | Muir Hwy | 22.56 | Martagallup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Eulup - Manurup Rd : No access permitted into Eulup-Manurup Rd from Boyup Rd |
| 4030093 | Bozanich Rd | Bozanich Rd | Bruce Rock | 0.00 | Jakovich Rd | 1.60 | Yarding North Rd | |
| 1180062 | Bracks St | Bracks St | Fremantle (C) | 0.00 | Tydemans Rd | 0.65 | Walter Pl | |
| 1011082 | Braddock St | Braddock St | Armadale (C) | 0.00 | Gillam Dr | 0.15 | Brant Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|-----------------------|----------|------------------------|--------|--------------------|---|
| 4180273 | Bradford Rd | Bradford Rd | Narrogin | 0.00 | Bradford Exchange Rd | 4.78 | Clayton Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Bradford Exchange Rd : No access permitted to or from Bradfords Exchange Rd |
| 1130276 | Bradford St | Bradford St | Belmont (C) | 0.00 | Hazelhurst St | 0.52 | Chilver St | |
| 5050393 | Bradford St | Bradford St | Greater Geraldton (C) | 0.00 | Allen St | 1.52 | Bradford St - End | |
| 4090060 | Bradley Rd | Bradley Rd | Kellerberrin | 0.00 | Cole Rd | 5.16 | Victoria Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5010028 | Bradley Rd | Bradley Rd | Carnamah | 0.00 | Bunjil - Carnamah Rd | 9.09 | Winchester East Rd | |
| 1101284 | Brady St | Brady St | Wanneroo (C) | 0.00 | Buckingham Dr | 0.15 | Ocean Reef Rd | <ul style="list-style-type: none"> Intersection Ocean Reef Rd : No Right Turn Into Ocean Reef Rd From Brady St |
| 4230059 | Brains Rd | Brains Rd | Pingelly | 0.00 | Wickepin - Pingelly Rd | 1.95 | Tutanning Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|---|----------|--|--------|---|--|
| 2010076 | Bramley River Rd | Bramley River Rd | Augusta - Margaret River | 0.00 | Osmington Rd | 5.70 | Jindong - Treeton Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2010076 | Bramley River Rd | Bramley River Rd | Augusta - Margaret River | 5.73 | Jindong - Treeton Rd | 11.55 | Bramley River Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| H004 | Brand Hwy | Brand Hwy | Chittering Gingin Dandaragan Coorow Carnamah Three Springs Irwin Greater Geraldton (C) | 0.00 | Brand Hwy Rty | 367.98 | John Willcock Link (Eastbound) off to Brand Hwy & Brand Hwy on to North West Coastal Hwy (Northbound) | |
| H373 | Brand Hwy (Southbound) off to Granary Dr | Brand Hwy (Southbound) off to Granary Dr | Chittering | 0.00 | Brand Hwy | 0.91 | Granary Dr on to Brand Hwy (Northbound) & Granary Dr | |
| H433 | Brand Hwy Rty | Brand Hwy Rty | Chittering | 0.00 | Great Northern Hwy | 0.69 | Great Northern Hwy | |
| H369 | Brand Hwy Rty on to Great Northern Hwy (Northbound) | Brand Hwy Rty on to Great Northern Hwy (Northbound) | Chittering | 0.00 | Brand Hwy Rty | 0.60 | Tonkin Hwy & Great Northern Hwy | |
| H371 | Brand Hwy Rty on to Tonkin Hwy (Southbound) | Brand Hwy Rty on to Tonkin Hwy (Southbound) | Chittering | 0.00 | Brand Hwy Rty | 0.63 | Tonkin Hwy | |
| H777 | Brand Hwy on to John Willcock Dr (Westbound) | Brand Hwy on to John Willcock Dr (Westbound) | Greater Geraldton (C) | 0.00 | Brand Hwy & North West Coastal Hwy (Southbound) off to Brand Hwy | 0.30 | John Willcock Link | |
| H779 | Brand Hwy on to North West Coastal Hwy (Northbound) | Brand Hwy on to North West Coastal Hwy (Northbound) | Greater Geraldton (C) | 0.00 | John Willcock Link (Eastbound) off to Brand Hwy & Brand Hwy | 0.26 | North West Coastal Hwy & John Willcock Link | |
| 5010039 | Brand Mudge Rd | Brand Mudge Rd | Carnamah | 0.00 | Lucas Rokich Rd | 5.10 | Carnamah - Eneabba Rd | |
| 5010039 | Brand Mudge Rd | Brand Mudge Rd | Carnamah | 5.10 | Carnamah - Eneabba Rd | 15.63 | Coorow LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|-------------------------|--------|-----------------------------|--|
| 5190019 | Brand Mudge Rd | Brand Mudge Rd | Coorow | 0.00 | Coorow - Green Head Rd | 16.08 | Carnamah LGA Boundary | |
| 4160041 | Brandis Rd | Brandis Rd | Mukinbudin | 0.00 | Wialki South Rd | 6.15 | Mukinbudin - Bonnie Rock Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4050057 | Brands Rd | Brands Rd | Cuballing | 0.00 | Wandering - Narrogin Rd | 2.71 | Stevens Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3120038 | Branson Rd | Branson Rd | Plantagenet | 0.00 | Chester Pass Rd | 10.75 | Branson Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h Maximum speed of 60 km/h on gravel road. |
| 4030098 | Branson Rd | Branson Rd | Bruce Rock | 0.00 | Babakin South East Rd | 2.02 | Corrigin LGA Boundary | |
| 4040096 | Branson Rd | Branson Rd | Corrigin | 0.00 | Mulcahy Rd | 2.41 | Bruce Rock LGA Boundary | |
| 1010407 | Brant Rd | Brant Rd | Armadale (C) | 0.00 | Lockhart Rd | 1.10 | Owen Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------------|----------|-------------------------------------|--------|-----------------------|---|
| 3030010 | Brassey Rd | Brassey Rd | Broomehill - Tambellup | 0.00 | Great Southern Hwy | 1.58 | Chilicup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Great Southern Hwy : No left turn permitted into Northam-Cranbrook Road from Brassey Rd |
| 3030010 | Brassey Rd | Brassey Rd | Broomehill - Tambellup | 1.58 | Chilicup Rd | 9.01 | Flat Rocks Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3030010 | Brassey Rd | Brassey Rd | Broomehill - Tambellup | 9.16 | Flat Rocks Rd & Greenhills South Rd | 15.09 | Brassey Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|----------------------|-----------------------|----------|---------------------------------------|--------|--|--|
| 3060035 | Brays Rd | Brays Rd | Dumbleyung | 0.00 | One Twenty Five Rd | 7.90 | Ditchburn Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6040156 | Brazier St | Brazier St | Esperance | 0.70 | Randell St | 1.56 | Harbour Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 4150036 | Breakell Rd | Breakell Rd | Mount Marshall | 0.00 | Wren Rd & Kellerberrin - Bencubbin Rd | 18.69 | Gabbin - Trayning Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4150036 | Breakell Rd | Breakell Rd | Mount Marshall | 18.69 | Gabbin - Trayning Rd | 25.40 | East Boundary Rd & Koorda - Bencubbin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 504Z016 | Breakwater Dr | Breakwater Dr | Dandaragan | 0.00 | Harbour Dr | 0.38 | 0.38km From Harbour Dr | |
| 3110115 | Breed Rd | Breed Rd | Lake Grace | 0.00 | Magenta Rd | 7.78 | Old Ravensthorpe Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1090228 | Breeze Rd | Breeze Rd | Swan (C) | 0.00 | Lilydale Rd | 2.89 | Mayo Rd | |
| M004 | Bremer Bay | Borden Bremer Bay Rd | Jerramungup | 0.00 | South Coast Hwy | 59.38 | Bremer Bay Rd | |
| 3180232 | Bremer Bay Rd | Bremer Bay Rd | Jerramungup | 0.00 | Borden Bremer Bay Rd | 0.32 | John St | |
| 4010006 | Bremner Rd | Bremner Rd | Beverley | 0.00 | Chipper St & Lukin St | 11.26 | Kokeby East Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Maximum speed 80 km/h Intersection Chipper St & Lukin St : No right turn permitted into Chipper St from Bremner St |
| 5050660 | Brenkley Rd | Brenkley Rd | Greater Geraldton (C) | 0.00 | Peter Rd | 4.72 | Brenkley Rd - End Road | |
| 5180110 | Brennan Rd | Brennan Rd | Wongan - Ballidu | 0.00 | Yerecoin South East Rd | 4.67 | Calingari-Wongan Hills Rd | |
| 1130373 | Brennan Wy | Brennan Wy | Belmont (C) | 0.00 | Belgravia St | 0.52 | Barker St | |
| 6110077 | Brennand Rd | Brennand Rd | Yilgarn | 0.00 | Eifler Rd | 25.30 | Emu Fence Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------------|----------|-----------------------------------|--------|--------------------------|--|
| 1020045 | Brentwood Rd | Brentwood Rd | Kalamunda | 0.00 | Crystal Brook Rd | 0.68 | Brentwood Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h |
| 1141495 | Brewer Rd | Brewer Rd | Canning (C) | 0.00 | Production Rd & Barley Pl | 0.46 | Enterprise Ct | |
| 4140060 | Briant Rd | Briant Rd | Merredin | 0.00 | Korbel East Rd & Totadgin Hall Rd | 14.61 | Old Muntadgin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5051145 | Brice Rd | Brice Rd | Greater Geraldton (C) | 1.15 | 100m Southwest From Arthur Rd | 1.25 | Arthur Rd | |
| 5051145 | Brice Rd | Brice Rd | Greater Geraldton (C) | 1.27 | Arthur Rd | 1.45 | 0.18km From Arthur Rd | <ul style="list-style-type: none"> Entry to stockyards 150 metres east of Arthur Rd only. |
| 3040098 | Brickhouse Rd | Brickhouse Rd | Cranbrook | 0.00 | Great Southern Hwy | 11.35 | Brickhouse Rd - End Road | |
| 0020005 | Bridge St | Bridge St | Halls Creek | 0.00 | Great Northern Hwy | 0.05 | Old Great Northern Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. ACCESS to and from the Halls Creek Power Station only |
| 2180107 | Bridge St | Bridge St | Boyup Brook | 0.00 | Bridge St & Abel St | 0.12 | Railway Pde | |
| 3030260 | Bridge St | Bridge St | Broomehill - Tambellup | 0.00 | Garrity St | 0.21 | Donald St | <ul style="list-style-type: none"> Intersection Garrity St : No left turn permitted into Northam Cranbrook from Bridge St |
| 3040018 | Bridge St | Bridge St | Cranbrook | 0.00 | Gordon St & King St | 0.31 | Rockwell Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3070067 | Bridgeman Rd | Bridgeman Rd | Gnowangerup | 0.00 | Bridgeman Rd - Start Road | 6.55 | Foster Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------------|--|---|----------|---|--------|--|--|
| 6100041 | Bridger Rd | Bridger Rd | Ravensthorpe | 0.00 | Newdegate Ravensthorpe Rd | 11.26 | Long Creek Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| M006 | Bridgetown Boyup Brook | Steere St Gifford Rd Bridgetown Boyup Brook Rd Jayes Rd | Bridgetown - Greenbushes Boyup Brook | 0.00 | Hampton St & Henry St | 30.48 | Abel St & Boyup Brook - Arthur River Rd | |
| 1290234 | Briggs St | Briggs St | Victoria Park (T) | 0.00 | Rutland Av (Sth) | 1.52 | Briggs St & Orrong Rd | |
| 5010018 | Brimson Rd | Brimson Rd | Carnamah | 0.00 | Carnamah - Eneabba Rd | 4.00 | Three Springs - Eneabba Rd | |
| 2010342 | Brindley St | Brindley St | Augusta - Margaret River | 0.00 | Hart Rd | 0.28 | Millar Wy | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 6055092 | Brinsden Rd | Brinsden Rd | Kalgoorlie - Boulder (C) | 0.00 | Craig Rd | 0.16 | Brinsden Rd - End Road | |
| 109Z032 | Brinsmead Rd | Brinsmead Rd | Swan (C) | 0.00 | Abernethy Rd | 0.27 | Collopy Rd | <ul style="list-style-type: none"> Intersection Abernethy Rd : No left turn permitted into Abernethy Road from Brinsmead Road. |
| 4140004 | Brissenden Rd | Brissenden Rd | Merredin | 0.00 | Merredin - Narembreen Rd & Belka East Rd | 18.94 | Crossland St & Dunwell Rd | |
| 5190077 | Bristol St | Bristol St | Coorow | 0.00 | South St | 0.80 | North St | |
| 4170087 | Bristow - Butler Rd | Bristow - Butler Rd | Narembreen | 0.00 | Kondinin - Narembreen Rd | 5.12 | Yandle Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5140132 | Britt St | Britt St | Perenjori | 0.00 | Summers Rd & Mullewa Wubin Rd | 0.06 | 60m From Summers Rd & Mullewa Wubin Rd | |
| 2040217 | Brittain Rd | Brittain Rd | Bunbury (C) | 2.06 | Richter Rd & Palmer Cr | 2.34 | Robertson Dr & South Western Hwy | |
| 6056128 | Broad Arrow - Mulgarrie Rd | Broad Arrow - Mulgarrie Rd | Kalgoorlie - Boulder (C) | 0.00 | Goldfields Hwy | 18.00 | Broad Arrow - Mulgarrie Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6055046 | Broad Arrow - Ora Banda Rd | Broad Arrow - Ora Banda Rd | Kalgoorlie - Boulder (C) | 0.00 | Goldfields Hwy | 27.70 | Ora Banda-Davyhurst Rd & Ora Banda - Carbine Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------------------------|----------|---------------------------------------|--------|---------------------------------------|---|
| 5110103 | Broad Av | Broad Av | Morawa | 0.00 | Winfield St | 0.10 | 0.1km From Wubin Mullewa (Cbh Access) | |
| 5110038 | Broad Rd | Broad Rd | Morawa | 0.00 | White Rd | 4.36 | Pintharuka West Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5150013 | Broad Rd | Broad Rd | Three Springs | 0.00 | Perenjori - Three Springs Rd | 5.42 | Bateman Rd | |
| 4110074 | Broadhurst Rd | Broadhurst Rd | Koorda | 0.00 | Booralaming - Kulja Rd | 2.02 | Kirwan East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1030415 | Broadmeadows St | Broadmeadows St | Cockburn (C) | 0.00 | Geelong Ct | 0.19 | Broadmeadows St - End Road | |
| 4060038 | Broads Rd | Broads Rd | Cunderdin | 0.00 | Moore Rd | 2.90 | Warding Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6055026 | Broadwood St | Broadwood St | Kalgoorlie - Boulder (C) | 0.00 | Gatacre Dr | 2.25 | Anzac Dr | |
| M027 | Brockman | Brockman Hwy | Nannup Augusta - Margaret River | 0.00 | Brockman Hwy & Vasse Hwy | 73.18 | Bussell Hwy | <ul style="list-style-type: none"> Intersection Clive Rd : No Left Turn Into Clive Rd From Brockman Hwy |
| 2030363 | Brockman Hwy | Brockman Hwy | Bridgetown - Greenbushes | 0.00 | South Western Hwy | 21.30 | Nannup LGA Boundary | |
| 2160109 | Brockman Hwy | Brockman Hwy | Nannup | 0.00 | Bridgetown - Greenbushes LGA Boundary | 23.33 | Dunnet Rd & Kearney St | |
| 4120110 | Brodie Rd | Brodie Rd | Kulin | 0.00 | Cook Rd | 0.48 | Brodie Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1180437 | Brolo Ct | Brolo Ct | Fremantle (C) | 0.00 | Stockdale Rd | 0.11 | Brolo Ct Head | |
| 1180482 | Brolo Ct Head | Brolo Ct Head | Fremantle (C) | 0.00 | Brolo Ct Head - Start Road | 0.13 | Brolo Ct Head - End Road | |
| 2180151 | Broockmann Rd | Broockmann Rd | Boyup Brook | 0.00 | Kulikup South Rd | 3.40 | Broockmann Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|--------------------------|----------|-------------------------|--------|----------------------------------|---|
| 3180049 | Brook Rd | Brook Rd | Jerramungup | 0.00 | South Coast Hwy | 17.90 | From South Coast Hwy For 17.90km | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 3110220 | Brooker Rd | Brooker Rd | Lake Grace | 0.00 | Magenta Rd | 4.29 | Brooker Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3110073 | Brookfield Rd | Brookfield Rd | Lake Grace | 0.00 | Pingrup Lake Grace Rd | 14.41 | Mallee Hill Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2170018 | Brookhampton Rd | Brookhampton Rd | Donnybrook - Balingup | 0.00 | South Western Hwy | 18.22 | Capel St & South Western Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3040178 | Brooking St | Brooking St | Cranbrook | 0.00 | Nunijup Rd & Albany Hwy | 1.10 | Trimmer St & Lomas St | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3040065 | Brooklyn Rd | Brooklyn Rd | Cranbrook | 0.00 | Albany Hwy | 10.72 | Rotherwood Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6052001 | Brookman - Hay St | Brookman - Hay St | Kalgoorlie - Boulder (C) | 0.79 | Cassidy St North | 2.50 | Throssell St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|--------------------------|----------|-------------------------------|--------|------------------------------|---|
| 6053065 | Brookman St | Brookman St | Kalgoorlie - Boulder (C) | 0.00 | Walter Rd | 2.55 | Vivian St | |
| 3022145 | Brooks Garden Bvd | Brooks Garden Bvd | Albany (C) | 0.00 | Chester Pass Rd | 0.20 | 0.196km From Chester Pass Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 2010040 | Brooks Rd | Brooks Rd | Augusta - Margaret River | 0.00 | Warner Glen Rd | 0.31 | 0.31km From Warner Glen Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4110078 | Brooks Rd | Brooks Rd | Koorda | 0.00 | Mollerin Rock South Rd | 1.75 | Brooks Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4150057 | Brooks Rd | Brooks Rd | Mount Marshall | 0.00 | East Boundary Rd | 9.71 | Hiscox Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4180235 | Brooks Rd | Brooks Rd | Narrogin | 0.00 | Birdwhistle Rd & Campbells Rd | 5.30 | Wickepin LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4290081 | Brooks Rd | Brooks Rd | Wickepin | 0.00 | Wickepin - Harrismith Rd | 6.84 | Narrogin LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|------------------------|--------|------------------------------------|---|
| 5130035 | Brooks Rd | Brooks Rd | Northampton | 0.00 | North West Coastal Hwy | 14.24 | Brooks Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 4080025 | Brooksbank Rd | Brooksbank Rd | Goomalling | 0.00 | Patterson Rd | 4.67 | Goomalling - Meckering Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h No Operation between 7:00 AM to 9:00 AM and 2:30 PM to 4:00 PM Curfew applies to school days only. |
| 4020001 | Brookton - Kweda Rd | Brookton - Kweda Rd | Brookton | 0.00 | Yeo Rd | 34.06 | Dangin - Mears Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4020001 | Brookton - Kweda Rd | Brookton - Kweda Rd | Brookton | 34.06 | Dangin - Mears Rd | 40.53 | North Kweda Rd & Bulyee - Kweda Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| H052 | Brookton Hwy | Brookton Hwy | Armadale (C) | 0.00 | Albany Hwy | 12.25 | Canning Rd (Armadale) | <ul style="list-style-type: none"> Loaded ascent only up Roleystone Hill. Loaded descent not permitted down Roleystone Hill. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|---|---|----------|--|--------|-------------------------------------|--|
| H052 | Brookton Hwy | Brookton Hwy Brookton-Corrigin Rd Kunjin St Corrigin Kondinin Rd Graham St Nicholls St Kondinin Hyden Rd Marshall St Hyden-Lake King Rd Varley Rd Newdegate Ravensthorpe Rd | Armadale (C) Beverley Brookton Corrigin Kondinin Kulin Lake Grace Ravensthorpe | 12.25 | Canning Rd (Armadale) | 519.50 | South Coast Hwy | <ul style="list-style-type: none"> Intersection Hewett Rd : No left turn permitted into Hewett Rd from Brookton Hwy Intersection Kunjin South Rd : No right turn permitted into Kunjin South Rd from Brookton Hwy Intersection Willis Rd : No left turn permitted into Brookton Highway from Willis Road. |
| H865 | Brookton Hwy to South Coast Hwy Slip Rd | Brookton Hwy to South Coast Hwy Slip Rd | Ravensthorpe | 0.00 | Newdegate Ravensthorpe Rd | 0.16 | South Coast Hwy | |
| 3110021 | Broombush Flat Rd | Broombush Flat Rd | Lake Grace | 0.00 | Hyden-Lake King Rd | 10.86 | Pickernell Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3110021 | Broombush Flat Rd | Broombush Flat Rd | Lake Grace | 10.91 | Pickernell Rd | 21.25 | Fence Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| M076 | Broome Cape Leveque Rd | Broome Rd & Broome - Cape Leveque Rd | Broome | 0.06 | Broome Rd - Broome - Cape Leveque Rd Rty | 0.31 | | |
| M076 | Broome Cape Leveque Rd | Broome Rd & Broome - Cape Leveque Rd | Broome | 0.31 | | 3.22 | McGuigan Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h |
| M076 | Broome Cape Leveque Rd | Broome - Cape Leveque Rd | Broome | 3.22 | McGuigan Rd | 192.69 | Kooljaman Access Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Dry season use only. |
| H042 | Broome Hwy | Broome Rd | Broome | 0.00 | Great Northern Hwy | 30.40 | 50m Before Tanami Dr | |
| H042 | Broome Hwy | Broome Rd Gubinge Rd | Broome | 30.40 | 50m Before Tanami Dr | 31.65 | 50m After Magabala Rd | <ul style="list-style-type: none"> Maximum speed 40 km/h |
| H042 | Broome Hwy | Gubinge Rd | Broome | 31.65 | 50m After Magabala Rd | 36.50 | 100m After Gantheaume Point Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| H042 | Broome Hwy | Gubinge Rd Port Dr | Broome | 36.50 | 100m After Gantheaume Point Rd | 41.03 | Port Dr (Bpa) | |
| H1002 | Broome Rd - Broome - Cape Leveque Rd Rty | Broome Rd - Broome - Cape Leveque Rd Rty | Broome | 0.00 | Broome Rd | 0.20 | Broome Rd | |
| 0030157 | Broome St | Broome St | Derby - West Kimberley | 0.00 | Knowsley St East | 0.29 | 0.12km South From Wodehouse St | |
| 3030001 | Broomehill - Kojonup Rd | Broomehill - Kojonup Rd | Broomehill - Tambellup | 0.00 | Javelin St & Journal St | 30.83 | Kojonup LGA Boundary | |
| 3100003 | Broomehill - Kojonup Rd | Broomehill - Kojonup Rd | Kojonup | 0.00 | Albany Hwy | 16.85 | Broomehill - Tambellup LGA Boundary | <ul style="list-style-type: none"> A RAV must not be driven on this road in excess of 4.3 metres in height unless written approval is obtained from the cable provider |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|--|--|----------|---------------------------------------|--------|------------------------------|---|
| M005 | Broomehill Jerramungup | Broomehill Gnowangerup Rd Yougenup Rd Gnowangerup Jerramungup Rd | Broomehill - Tambellup Gnowangerup Jerramungup | 0.00 | Great Southern Hwy | 130.21 | Hassell Rd & South Coast Hwy | <ul style="list-style-type: none"> 10 km/h below posted speed limit Speed restriction applies through townsite ONLY Intersection Pallinup Rd : No left turn permitted into Pallinup Rd from Broomehill Jerramungup Intersection Martinup Rd : No left turn permitted into Martinup Rd (B) from Broomehill Jerramungup Intersection Heron Rd : No right turn permitted into Heron Rd from Broomehill Jerramungup Intersection Allardyce St : No left turn permitted into Allardyce St (westbound) from Broomehill Jerramungup Rd Intersection Woodlands Rd : No left turn permitted into Woodlands Rd from Broomehill Jerramungup |
| 5180130 | Brophy Rd | Brophy Rd | Wongan - Ballidu | 0.00 | Cousins Rd & Ballidu - Bindi Bindi Rd | 4.55 | Beilby Rd | |
| 4010144 | Broun St | Broun St | Beverley | 0.00 | Dale Kokeby Rd | 0.57 | Ludgate St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1050157 | Brown Av | Brown Av | Kwinana (C) | 0.00 | Beard St | 0.60 | Link Rd & Burlington St | <ul style="list-style-type: none"> Intersection Link Rd & Burlington St : No right turn permitted into Burlington St from Brown Av. |
| 4090033 | Brown Rd | Brown Rd | Kellerberrin | 0.00 | Kellerberrin - Bencubbin Rd | 12.00 | Angle Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4130040 | Brown Rd | Brown Rd | Trayning | 0.00 | Swamp Well Rd | 3.88 | Fleming Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|---|--------|------------------------------------|--|
| 4170020 | Brown Rd | Brown Rd | Narembreen | 0.00 | Kondinin - Narembreen Rd | 12.38 | Brown Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4240122 | Brown Rd | Brown Rd | Quairading | 0.00 | Hughes Rd | 3.03 | Pantapin South Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4290027 | Brown Rd | Brown Rd | Wickepin | 0.00 | Baker Rd | 16.36 | Canal Rd | |
| 6040096 | Brown Rd | Brown Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 17.15 | Brown Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 2180030 | Brown Seymour Rd | Brown Seymour Rd | Boyup Brook | 0.00 | Bridgetown Boyup Brook Rd & Ridge View Av | 6.60 | Jayes Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4150087 | Brown St | Brown St | Mount Marshall | 0.33 | 0.04km From Padbury St | 0.61 | Yard Access | |
| 4230155 | Brown St | Brown St | Pingelly | 0.98 | Parker St | 1.27 | Wickepin - Pingelly Rd & Harper St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5100127 | Brown St | Brown St | Moora | 0.00 | Bindoon Moora Rd & Padbury St | 0.95 | Long St | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 6090042 | Brown St | Brown St | Menzies | 0.13 | Goldfields Hwy | 0.54 | Onslow St | |
| 3090067 | Browne Rd | Browne Rd | Kent | 0.00 | Katanning Nyabing Rd | 6.95 | North Kwobrup Rd | |
| 1010439 | Browning Rd | Browning Rd | Armadale (C) | 0.00 | Byron Rd | 0.31 | Keates Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|--------------------------|--------|--|---|
| 5030101 | Browning Rd | Browning Rd | Dalwallinu | 0.00 | Hodgson Rd | 2.98 | Pithara East Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 6040014 | Browning Rd | Browning Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 19.26 | Dalyup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 3180041 | Browns North Rd | Browns North Rd | Jerramungup | 0.00 | Nyerilup Rd | 10.21 | Browns South Rd & Gnowangerup Jerramungup Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 3020197 | Browns Rd | Browns Rd | Albany (C) | 0.00 | Lake Saide Rd | 0.45 | Lee Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060070 | Browns Rd | Browns Rd | Dumbleyung | 0.00 | Dumbleyung - Nyabing Rd | 2.18 | Wishbone Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Wishbone Rd : No access permitted into Wishbone Rd from Browns Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------------|----------------------------|------------------|----------|--|--------|-----------------------------|---|
| 4030048 | Browns Rd | Browns Rd | Bruce Rock | 0.00 | Bruce Rock East Rd | 14.70 | Browns Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3180228 | Browns South Rd | Browns South Rd | Jerramungup | 0.00 | Gnowangerup Jerramungup Rd & Browns North Rd | 6.62 | Stock Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4070070 | Bruce Rd | Bruce Rd | Dowerin | 0.00 | Fifty Four Gate West Rd | 5.40 | Booralaming West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5150031 | Bruce Rd | Bruce Rd | Three Springs | 0.00 | Three Springs - Morawa Rd | 1.26 | Bruce Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4030176 | Bruce Rock - Narembreen Rd | Bruce Rock - Narembreen Rd | Bruce Rock | 0.00 | Johnson St & Noonajin Rd | 23.99 | Narembreen LGA Boundary | |
| 4170128 | Bruce Rock - Narembreen Rd | Bruce Rock - Narembreen Rd | Narembreen | 0.00 | Bruce Rock LGA Boundary | 13.62 | Longhurst St & Northmore St | |
| 4030006 | Bruce Rock East Rd | Bruce Rock East Rd | Bruce Rock | 0.00 | Osborne St & Osborne St (One Way South Bnd) | 9.62 | Bedell Rd | <ul style="list-style-type: none"> Intersection Osborne St & Osborne St (One Way South Bnd) : No right turn permitted into York Merredin Road from Bruce Rock East Road |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|--|--------|--------------------------------------|---|
| 4030006 | Bruce Rock East Rd | Bruce Rock East Rd | Bruce Rock | 9.62 | Bedell Rd | 18.70 | Narembreen LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4170103 | Bruce Rock East Rd | Bruce Rock East Rd | Narembreen | 0.00 | Bruce Rock LGA Boundary | 4.86 | Butler Rd & Merredin - Narembreen Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4030003 | Bruce Rock South Rd | Bruce Rock South Rd | Bruce Rock | 0.00 | Negris Rd & Bruce Rock - Narembreen Rd | 20.73 | Old Beverley Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3021004 | Brunswick Rd | Brunswick Rd | Albany (C) | 1.92 | 0.05km From Princess Royal Dr | 1.97 | Princess Royal Dr | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|--------------------------|--------|-------------------------|---|
| 4150047 | Bruse Rd | Bruse Rd | Mount Marshall | 0.00 | Gillett Rd & Faulkner Rd | 5.86 | Bencubbin - Beacon Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4310047 | Bruse Rd | Bruse Rd | Wyalkatchem | 0.00 | Elashgin Rd | 11.99 | Byrne Rd & Remnant Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5030108 | Bryant Rd | Bryant Rd | Dalwallinu | 0.00 | Noble Rd | 11.98 | Perenjori LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5140070 | Bryant Rd | Bryant Rd | Perenjori | 0.00 | Maya South West Rd | 2.26 | Dalwallinu LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2089003 | Brysinda Rd | Brysinda Rd | Dardanup | 0.00 | Martin Pelusey Rd | 1.81 | Discovery Rd | |
| 1101275 | Buckingham Dr | Buckingham Dr | Wanneroo (C) | 0.00 | Wanneroo Rd | 1.69 | Hartman Dr | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|-----------------------------|--------|-------------------------|--|
| 4330086 | Buckingham Rd | Buckingham Rd | York | 0.85 | Northam York Rd | 2.70 | End of Sealed Section | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4130045 | Buckley Rd | Buckley Rd | Trayning | 0.00 | Kellerberrin - Bencubbin Rd | 11.84 | Linden Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1030091 | Buckley St | Buckley St | Cockburn (C) | 0.00 | Hammond Rd | 0.86 | Poletti Rd | |
| 0010081 | Buckleys Rd | Buckleys Rd | Broome | 0.00 | Fairway Dr | 1.65 | Buckleys Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 6100033 | Buegge Rd | Buegge Rd | Ravensthorpe | 0.00 | Hopetoun-Ravensthorpe Rd | 6.76 | Buegge Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 4120076 | Buettners Rd | Buettners Rd | Kulin | 0.00 | Pingaring - Varley Rd | 17.00 | Buettners Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2110146 | Buffalo Rd | Buffalo Rd | Harvey | 0.00 | Forrest Hwy | 2.74 | Buffalo Rd - End Road | <ul style="list-style-type: none"> Maximum speed 70 km/h 'Trucks Entering' signs to be erected and removed when not in use. |
| 5100013 | Bulbarnet Rd | Bulbarnet Rd | Moora | 0.00 | Bindoon Moora Rd | 13.91 | Wirrilda Rd | |
| 1091246 | Bulbey St | Bulbey St | Swan (C) | 0.00 | Irwin St | 0.29 | Military Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---------------------------|--------------------------|----------|--------------------------|--------|-----------------------|--|
| 4060006 | Bulgin Rd | Bulgin Rd | Cunderdin | 0.00 | Vanzetti St & Leeming St | 15.28 | Coleman Rd & Fleay Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4120156 | Bull Rd | Bull Rd | Kulin | 0.00 | Bell Rd | 1.00 | Bull Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5170054 | Bull Rd | Bull Rd | Victoria Plains | 0.00 | Bolgart East Rd | 1.44 | Toodyay LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4120119 | Bull St | Bull St | Kulin | 0.75 | High St | 0.93 | Stewart St | |
| 2010062 | Bullant Dr | Bullant Dr | Augusta - Margaret River | 0.00 | Bussell Hwy | 3.96 | Bullant Dr - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4040004 | Bullaring - Gorge Rock Rd | Bullaring - Gorge Rock Rd | Corrigin | 0.00 | Wickepin - Corrigin Rd | 24.46 | Corrigin Kondinin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------|----------|---------------------------------------|--------|---------------------|---|
| 4040049 | Bullaring Railway Rd | Bullaring Railway Rd | Corrigin | 0.00 | Bullaring Rd & Wickepin - Corrigin Rd | 3.25 | Sixty Eight Gate Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Bullaring Rd & Wickepin - Corrigin Rd : No entry or exit permitted from Wickepin-Corrigin Rd |
| 4040049 | Bullaring Railway Rd | Bullaring Railway Rd | Corrigin | 3.42 | Sixty Eight Gate Rd | 11.10 | Jenkyn Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4040003 | Bullaring Rd | Bullaring Rd | Corrigin | 0.00 | Pingelly LGA Boundary | 1.20 | Barber Rd | |
| 4040003 | Bullaring Rd | Bullaring Rd | Corrigin | 1.20 | Barber Rd | 1.72 | Lomos South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|---|--------|---|--|
| 4040003 | Bullaring Rd | Bullaring Rd | Corrigin | 1.72 | Lomos South Rd | 17.77 | Bullaring Railway Rd & Wickepin - Corrigin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Bullaring Railway Rd & Wickepin - Corrigin Rd : No access permitted into Wickenpin-Corrigin Rd from Bullaring Rd |
| 4230157 | Bullaring Rd | Bullaring Rd | Pingelly | 0.00 | Wickepin - Pingelly Rd | 35.24 | Milton Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4230157 | Bullaring Rd | Bullaring Rd | Pingelly | 35.24 | Milton Rd | 39.69 | Corrigin LGA Boundary | |
| 4300051 | Bulleid Rd | Bulleid Rd | Williams | 0.00 | Albany Hwy | 1.61 | Bullied Rd - End Road | |
| 403Z002 | Buller Link Rd | Buller Link Rd | Bruce Rock | 0.00 | Corrigin - Bruce Rock Rd & Bruce Rock Quairading Rd | 0.34 | Buller Rd | <ul style="list-style-type: none"> Maximum speed 70 km/h Intersection Corrigin - Bruce Rock Rd & Bruce Rock Quairading Rd : No right turn permitted into York Merredin Rd from Buller Link Rd. |
| 2090005 | Buller Rd | Buller Rd | Waroona | 4.55 | Somers Rd | 7.82 | 1.04 Km Past Alexander Rd | <ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Curfew applies on school days only. |
| 2090005 | Buller Rd | Buller Rd | Waroona | 7.82 | 1.04 Km Past Alexander Rd | 8.14 | Richards Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|------------------|----------|---|--------|------------------------------------|--|
| 4030066 | Buller Rd | Buller Rd | Bruce Rock | 0.00 | Bruce Rock Quairading Rd | 5.40 | Doodlakine - Bruce Rock Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Bruce Rock Quairading Rd : No right turn permitted into Bruce Rock Quairading Rd from Buller Rd |
| M040 | Bullfinch | Antares St Bullfinch Rd | Yilgarn | 1.54 | Rigel St | 35.68 | Koorda - Bullfinch Rd & Manxman Rd | |
| 6110016 | Bullfinch - Evanston Rd | Bullfinch - Evanston Rd | Yilgarn | 0.00 | Manxman Rd & Mt Jackson Rd & Durbridge Cr | 30.50 | Mine Access Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6110016 | Bullfinch - Evanston Rd | Bullfinch - Evanston Rd | Yilgarn | 30.50 | 14.7km From Pringle Rd | 101.35 | 1.95km Before Mt Jackson Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6110016 | Bullfinch - Evanston Rd | Bullfinch - Evanston Rd | Yilgarn | 101.35 | 1.95km Before Mt Jackson Rd | 133.70 | Die Hardy Mine Access Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2070273 | Bullfinch Rd | Bullfinch Rd | Collie | 0.00 | Gavan St | 0.67 | Bullfinch Rd - End Road | |
| 4260027 | Bulligan Rd | Bulligan Rd | Toodyay | 0.00 | Bulligan Rd - Start Road | 6.80 | Victoria Plains LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5170032 | Bulligan Rd | Bulligan Rd | Victoria Plains | 0.00 | Bolgart West Rd | 4.77 | Toodyay LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School Bus Route - Contact Operators on UHF CH 11 |
| 3060045 | Bullock Hills Rd | Bullock Hills Rd | Dumbleyung | 0.00 | Katanning - Dumbleyung Rd | 7.38 | Bullock Hills Rd & Dare Dr | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|--------------------------|----------|---------------------------------------|--------|--------------------------------------|---|
| 3150004 | Bullock Hills Rd | Bullock Hills Rd | Wagin | 0.00 | Tudhoe St | 1.32 | Airfield Rd | |
| 3150004 | Bullock Hills Rd | Bullock Hills Rd | Wagin | 1.32 | Airfield Rd | 14.56 | Ballaying West | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3150004 | Bullock Hills Rd | Bullock Hills Rd | Wagin | 14.56 | Ballaying West | 28.75 | Bullock Hills Rd & Dare Dr | |
| 7030004 | Bulloo Downs Rd | Bulloo Downs Rd | Meekatharra | 0.00 | Great Northern Hwy | 22.30 | For 22.30 Km | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h |
| 4140003 | Bulls Head Rd | Bulls Head Rd | Merredin | 0.00 | Merredin - Naremben Rd | 25.35 | Burracoppin South Rd | |
| 4120103 | Bulls Rd | Bulls Rd | Kulin | 0.00 | Kukerin Rd | 2.27 | Bulls Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6055005 | Bulong Rd | Bulong Rd | Kalgoorlie - Boulder (C) | 0.62 | Black St & Williamstown Rd & Yarri Rd | 36.23 | Bulong Access Rd | |
| 4040030 | Bulyee - Kweda Rd | Bulyee - Kweda Rd | Corrigin | 0.00 | Bulyee Rd | 0.60 | Cbh Bin | |
| 4040030 | Bulyee - Kweda Rd | Bulyee - Kweda Rd | Corrigin | 0.60 | 0.6km From Bulyee Rd | 8.45 | North Kweda Rd & Brookton - Kweda Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4040008 | Bulyee - Quairading Rd | Bulyee - Quairading Rd | Corrigin | 0.00 | Quairading LGA Boundary | 14.87 | Brookton-Corrigin Rd | |
| 4240002 | Bulyee - Quairading Rd | Bulyee - Quairading Rd | Quairading | 0.00 | Quairading - Corrigin Rd | 16.67 | Corrigin LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4040026 | Bulyee Rd | Bulyee Rd | Corrigin | 0.00 | Brookton-Corrigin Rd | 11.98 | Pingelly LGA Boundary | |
| 4230025 | Bulyee Rd | Bulyee Rd | Pingelly | 0.00 | Bullaring Rd | 7.11 | Corrigin LGA Boundary | |
| 2030164 | Bunbury St | Bunbury St | Bridgetown - Greenbushes | 0.00 | Hampton St | 0.34 | Roe St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------------|----------|---|--------|-----------------------------------|--|
| 3160043 | Bunce King Rd | Bunce King Rd | West Arthur | 13.31 | 2.93km Before Dardadine South Rd | 16.24 | Dardadine South Rd | |
| 4150114 | Bunce Rd | Bunce Rd | Mount Marshall | 0.00 | Mouroubra Rd | 16.04 | Bimbijy Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3070044 | Buncle St | Buncle St | Gnowangerup | 0.00 | Boxwood Hill - Ongerup Rd | 0.66 | Buncle St - End Road | <ul style="list-style-type: none"> Intersection Boxwood Hill - Ongerup Rd : No left turn permitted from Buncle St into Buncle St Heading West |
| 0030032 | Bungarun Rd | Bungarun Rd | Derby - West Kimberley | 0.00 | Derby Gibb River Rd | 4.19 | Savannah Wy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Maximum speed 60 km/h |
| 4250003 | Bungulla North Rd | Bungulla North Rd | Tammin | 0.00 | Great Eastern Hwy | 28.13 | 28.13km From Great Eastern Hwy | |
| 4250078 | Bungulla Siding Rd | Bungulla Siding Rd | Tammin | 0.00 | Goldfields Rd | 0.74 | Bungulla Siding Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4250023 | Bungulla South Rd | Bungulla South Rd | Tammin | 0.00 | Great Eastern Hwy | 3.52 | Goldfields Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3110015 | Buniche North Rd | Buniche North Rd | Lake Grace | 0.00 | Lake Grace Newdegate Rd | 11.14 | Biddy - Camm Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Biddy - Camm Rd : No access permitted to or from Buniche North Road, via Biddy - Camm Road. |
| 3110015 | Buniche North Rd | Buniche North Rd | Lake Grace | 11.89 | Biddy - Camm Rd | 24.83 | Buniche North Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5010002 | Bunjil - Carnamah Rd | Bunjil - Carnamah Rd | Carnamah | 0.00 | Wheat Rd & Bowman St | 24.35 | Bunjil - Carnamah Rd & Backman Rd | |
| 5140081 | Bunjil - Carnamah Rd | Bunjil - Carnamah Rd | Perenjori | 0.00 | Mullewa Wubin Rd & Bunjil North East Rd | 23.24 | Bunjil - Carnamah Rd & Backman Rd | |
| 5140051 | Bunjil North East Rd | Bunjil North East Rd | Perenjori | 0.00 | Mullewa Wubin Rd & Bunjil - Carnamah Rd | 14.15 | Syson Rd | |
| 3120174 | Bunker Rd | Bunker Rd | Plantagenet | 0.00 | Martagallup Rd | 3.50 | Martagallup - Tenterden Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h Maximum speed of 60 km/h on gravel road. |
| 4110041 | Bunketch - Kulja Rd | Bunketch - Kulja Rd | Koorda | 0.00 | Wongan - Ballidu LGA Boundary | 3.78 | Burakin - Wialki Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 40 km/h below posted speed limit |
| 5180043 | Bunketch - Kulja Rd | Bunketch - Kulja Rd | Wongan - Ballidu | 0.00 | Dowerin - Kalannie Rd | 10.59 | Koorda LGA Boundary | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------|----------|---|--------|------------------------------------|---|
| 4110064 | Bunketch East Rd | Bunketch East Rd | Koorda | 0.00 | Dalwallinu LGA Boundary | 2.28 | Kalannie - Kulja Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 5030046 | Bunketch East Rd | Bunketch East Rd | Dalwallinu | 0.00 | Koorda LGA Boundary | 11.50 | Dowerin - Kalannie Rd | |
| 5030095 | Bunketch West Rd | Bunketch West Rd | Dalwallinu | 0.00 | Rabbit Proof Fence Rd | 6.78 | Dowerin - Kalannie Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4050008 | Bunmulling Rd | Bunmulling Rd | Cuballing | 0.00 | Popanyinning West Rd & Great Southern Hwy | 19.20 | Stratherne Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Popanyinning West Rd & Great Southern Hwy: No left turn permitted into Northam Cranbrook Rd from Bunmulling Rd |
| 5150050 | Bunney Rd | Bunney Rd | Three Springs | 0.00 | Tomkins Rd | 19.43 | First North Rd | |
| 5030008 | Buntine - Marchagee Rd | Buntine - Marchagee Rd | Dalwallinu | 0.00 | Smith St & Dermer St | 20.70 | Buntine - Marchagee Rd & Bryant Rd | |
| 5190002 | Buntine - Marchagee Rd | Buntine - Marchagee Rd | Coorow | 0.00 | Midlands Rd | 28.16 | Buntine - Marchagee Rd & Bryant Rd | |
| 5030009 | Buntine East Rd | Buntine East Rd | Dalwallinu | 0.00 | Wasley Rd | 20.33 | Nelson St & Mullewa Wubin Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5180100 | Bunyip St | Bunyip St | Wongan - Ballidu | 0.00 | Federation St | 0.26 | Ranger Rd & Ballidu East Rd | <ul style="list-style-type: none"> Intersection Federation St: No left turn permitted into Federation St from Bunyip St |
| 4080028 | Burabadji East Rd | Burabadji East Rd | Goomalling | 0.00 | Northam Pithara Rd | 4.48 | Pryor Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h |
| 4080029 | Burabadji Rd | Burabadji Rd | Goomalling | 0.64 | Rail Crossing 630m South West of Northam - Pithara (M032) | 5.00 | Goomalling - Calingiri Rd | <ul style="list-style-type: none"> Maximum speed 70 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|--|--------|--|--|
| 4080029 | Burabadji Rd | Burabadji Rd | Goomalling | 5.00 | Farm Access | 7.08 | Goomalling - Calingiri Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h |
| 4110140 | Burakin - Wialki Rd | Burakin - Wialki Rd | Koorda | 0.00 | Wongan - Ballidu LGA Boundary | 36.63 | East Boundary Rd & Remlap Rd & Burakin - Wialki Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 90 km/h Intersection Commonwealth Rd : No right turn permitted into Commonwealth Rd from Burakin-Wialki Rd |
| 4150150 | Burakin - Wialki Rd | Burakin - Wialki Rd | Mount Marshall | 0.00 | East Boundary Rd & Remlap Rd & Burakin - Wialki Rd | 51.15 | Beckingham St & Mukinbudin - Wialki Rd | |
| 5180192 | Burakin - Wialki Rd | Burakin - Wialki Rd | Wongan - Ballidu | 0.00 | Dowerin - Kalannie Rd | 6.83 | Koorda LGA Boundary | |
| 4110040 | Burakin East Rd | Burakin East Rd | Koorda | 0.00 | Wongan - Ballidu LGA Boundary | 3.37 | Booralaming - Kulja Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5180057 | Burakin East Rd | Burakin East Rd | Wongan - Ballidu | 0.00 | Dowerin - Kalannie Rd | 5.98 | | |
| 5180056 | Burakin North Rd | Burakin North Rd | Wongan - Ballidu | 0.00 | Burakin - Wialki Rd | 4.37 | Bunketch - Kulja Rd | |
| 1130315 | Burchell Wy | Burchell Wy | Belmont (C) | 0.00 | Abernethy Rd on to Leach Hwy (Westbound) | 0.19 | Hodgson Wy | |
| 1130315 | Burchell Wy | Burchell Wy | Belmont (C) | 0.19 | Hodgson Wy | 0.38 | Belmont Av | <ul style="list-style-type: none"> A RAV must not be driven on this road in excess of 4.3 metres in height unless written approval is obtained and must be carried from relevant overhead telecommunication and electrical transmission cable controller. |
| 6040224 | Burdett Rd | Burdett Rd | Esperance | 0.00 | E.L.D. Rd & Backmans Rd | 19.75 | Wittenoom Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4060052 | Burges North Rd | Burges North Rd | Cunderdin | 0.00 | Goomalling - Meckering Rd | 1.50 | Burges North Rd - End Road | |
| 4060044 | Burges Rd | Burges Rd | Cunderdin | 0.00 | Great Eastern Hwy | 11.75 | Moore Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4120106 | Burges Rd | Burges Rd | Kulin | 0.00 | North Lake Grace - Karlgarin Rd | 2.41 | Burges Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|-----------------------|----------|--------------------------|--------|--------------------------|---|
| 4330005 | Burges Siding Rd | Burges Siding Rd | York | 0.00 | Spencers Brook - York Rd | 1.56 | Northam York Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Spencers Brook - York Rd : No access permitted to Spencers Brook - York Rd from Burges Siding Rd |
| 5030091 | Burgess Rd | Burgess Rd | Dalwallinu | 0.00 | Dinnie Rd | 4.02 | Wilder Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5140073 | Burgess Rd | Burgess Rd | Perenjori | 0.00 | Maya East Rd | 3.55 | Wilder Rd | |
| 4170085 | Burgin Rd | Burgin Rd | Narembeen | 0.00 | Cusak Drv | 2.55 | Wadderin Graball Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Wadderin Graball Rd : No access permitted into Wadderin Grabball Rd from Burgin Rd. |
| M007 | Burkett | Burkett Rd | Exmouth | 0.00 | North West Coastal Hwy | 78.51 | Minilya Exmouth Rd | |
| 1050161 | Burlington St | Burlington St | Kwinana (C) | 0.00 | Link Rd & Brown Av | 0.17 | Rockingham Rd | |
| 4100059 | Burma Rd | Burma Rd | Kondinin | 0.00 | Hyden - Mount Walker Rd | 8.64 | Lovering Rd | |
| 5051003 | Burma Rd | Burma Rd | Greater Geraldton (C) | 0.00 | Walkaway - Nangetty Rd | 19.47 | Casuarinas Rd & Burma Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5080005 | Burma Rd | Burma Rd | Irwin | 0.00 | Casuarinas Rd & Burma Rd | 12.80 | Allanooka Springs Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|--|--------|-------------------------|--|
| 5080005 | Burma Rd | Burma Rd | Irwin | 12.90 | Allanooka Springs Rd | 23.99 | Mingenew LGA Boundary | |
| 5090007 | Burma Rd | Burma Rd | Mingenew | 0.00 | Strawberry North East Rd | 1.95 | Irwin LGA Boundary | |
| 5110035 | Burma Rd | Burma Rd | Morawa | 0.00 | Mingenew Morawa Rd | 6.47 | White Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2040575 | Burnell St | Burnell St | Bunbury (C) | 0.06 | The Avenue | 0.14 | Burnell St - End Road | |
| 3160047 | Burnett Rd | Burnett Rd | West Arthur | 0.00 | Noble Rd | 6.74 | Albany Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4150058 | Burnett Rd | Burnett Rd | Mount Marshall | 0.00 | Mouroubra Rd | 5.23 | Ayres Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5170078 | Burnett Rd | Burnett Rd | Victoria Plains | 0.00 | Great Northern Hwy | 4.91 | Burnett Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Great Northern Hwy : No right turn permitted into Great Northern Hwy from Burnett Rd |
| 3110066 | Burngup Rd | Burngup Rd | Lake Grace | 0.00 | Lake Grace Newdegate Rd | 9.46 | Biddy - Camm Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4120092 | Burngup Rd North | Burngup Rd North | Kulin | 0.00 | North Burngup Rd & Pingaring - Varley Rd | 4.00 | Arthur Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 3110014 | Burngup South Rd | Burngup South Rd | Lake Grace | 0.00 | Biddy - Camm Rd | 11.21 | Lake Grace Newdegate Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|--------------------------|------------------------|----------|----------------------------------|--------|---|--|
| 3110014 | Burngup South Rd | Burngup South Rd | Lake Grace | 11.22 | Lake Grace Newdegate Rd | 35.02 | Newdegate - Pingrup Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1010441 | Burns Rd | Burns Rd | Armadale (C) | 0.00 | Eliot Rd | 0.45 | Browning Rd | |
| 3110037 | Burns Rd | Burns Rd | Lake Grace | 0.00 | Burns Rd - Start Road | 19.81 | Robertson Rd & Dunham Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Rail not to be crossed |
| 5010014 | Burns Rd | Burns Rd | Carnamah | 0.00 | Winchester East Rd | 6.28 | Billeroo Rd | |
| 2150003 | Burnside Rd | Burnside Rd | Murray | 0.00 | Pinjarra Williams Rd | 4.98 | Coolup East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times |
| 3120131 | Burnside Rd | Burnside Rd | Plantagenet | 0.00 | Woogenellup Rd | 3.43 | Burnside Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 6040529 | Burnside Rd | Burnside Rd | Esperance | 0.00 | Sunrise Hill Rd | 28.15 | Beete Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4080043 | Burnt Hill Rd | Burnt Hill Rd | Goomalling | 0.00 | Burnt Hill Rd - Start Road | 9.66 | Bain Rd & Bigsprings Rd | <ul style="list-style-type: none"> Maximum speed 70 km/h |
| 4140005 | Burracoppin - Campion Rd | Burracoppin - Campion Rd | Merredin | 0.00 | Great Eastern Hwy & Junk Rd | 32.15 | Rabbit Proof Fence Rd | |
| 4140215 | Burracoppin Siding Rd | Burracoppin Siding Rd | Merredin | 0.00 | Burracoppin - Campion Rd | 2.45 | Rabbit Proof Fence Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 4140015 | Burracoppin South Rd | Burracoppin South Rd | Merredin | 0.00 | Great Eastern Hwy | 49.17 | Hooper Rd | <ul style="list-style-type: none"> Intersection Goldfields Rd : No right turn permitted into Goldfields Rd from Burracoppin South Rd. |
| 3030215 | Burridge Rd | Burridge Rd | Broomehill - Tambellup | 0.00 | Toolbrunup Rd | 5.90 | Gnowangerup - Tambellup Rd | |
| 6110127 | Burro Rd | Burro Rd | Yilgarn | 0.00 | Turkey Hill Rd | 1.28 | Burro Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3160121 | Burrowes St | Burrowes St | West Arthur | 0.00 | Gibbs St & Burrowes St West | 0.85 | Collie - Lake King (M037) | |
| 4240099 | Burrows Rd | Burrows Rd | Quairading | 0.00 | Quairading South Rd & Andrews Rd | 3.14 | Bulyee - Quairading Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| M009 | Burru Peninsula | Burru Peninsula Rd | Karratha (C) | 0.00 | Dampier Rd | 9.25 | Woodside Access Rd (P) & Withnell Bay Access Rd | |
| 1040716 | Burslem Dr | Burslem Dr | Gosnells (C) | 1.05 | Olga Rd | 2.56 | Warton Rd & Corfield St & Spencer Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|--------------------------|----------|--------------------------------|--------|----------------------|--|
| 3170015 | Burt Rd | Burt Rd | Woodanilling | 0.00 | Robinson East Rd | 8.66 | Tie Line Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Tie Line Rd : No left turn permitted into Tieline Rd from Burt Rd |
| 2010390 | Burton Rd | Burton Rd | Augusta - Margaret River | 0.00 | Boodjidup Rd | 0.35 | Kinsella Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 4110029 | Burton Rd | Burton Rd | Koorda | 0.00 | Commonwealth Rd | 6.41 | Koorda - Mollerin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 40 km/h below posted speed limit |
| 4110029 | Burton Rd | Burton Rd | Koorda | 6.41 | Koorda - Mollerin Rd | 14.74 | East Boundary Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 5050692 | Burton Rd | Burton Rd | Greater Geraldton (C) | 0.00 | Peter Rd | 5.03 | Burton Williamson Rd | |
| 5110064 | Burton Rd | Burton Rd | Morawa | 0.00 | Winfield St & Mullewa Wubin Rd | 0.63 | Powell St | |
| 4110038 | Burton South Rd | Burton South Rd | Koorda | 0.00 | Burton Rd | 3.68 | Mulji Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 40 km/h below posted speed limit |
| 5160040 | Burton Williamson Rd | Burton Williamson Rd | Chapman Valley | 0.00 | Valentine Rd | 6.50 | Burton Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Valentine Rd : No right turn permitted into Valentine Rd from Burton Williamson Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|--------------------------|----------|-------------------------------|--------|---|---|
| 3050446 | Bush Rd | Bush Rd | Denmark | 0.00 | Tingledale East Rd | 1.19 | Bush Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2010013 | Bushby Rd | Bushby Rd | Augusta - Margaret River | 0.00 | Bussell Hwy | 2.42 | Caves Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h Intersection Caves Rd : No Left Turn Into Caves Rd |
| 4120085 | Bushby Rd | Bushby Rd | Kulin | 0.00 | Haese Rd | 9.32 | Rhodes Rd & West Kuender Rd & Kuender West Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1091146 | Bushby St | Bushby St | Swan (C) | 0.00 | Elgee Rd | 0.25 | Great Eastern Hwy | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 2080066 | Busher Rd | Busher Rd | Dardanup | 0.00 | Moore Rd | 0.90 | Busher Rd - End Road | |
| 4100086 | Bushfire Rock Rd | Bushfire Rock Rd | Kondinin | 0.00 | Hyden - Norseman Rd | 9.33 | Lake Carmody Rd | |
| 1031924 | Bushland Rdge | Bushland Rdge | Cockburn (C) | 0.43 | | 0.77 | 0.432kms From Efficiency Wy | |
| 1090978 | Bushmead Rd | Bushmead Rd | Swan (C) | 0.00 | Helena Valley Rd & Midland Rd | 1.71 | Central Av | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 3080135 | Bushy Lane Rd | Bushy Lane Rd | Katanning | 0.00 | Fairfield Rd | 5.64 | Greenhills Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Fairfield Rd : No access permitted into Fairfield Rd from Bushy Lane Rd |
| 2011000 | Bussell Hwy | Bussell Hwy | Augusta - Margaret River | 0.00 | Margaret River North Rty | 1.71 | Augonette Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|---|---|----------|--|--------|----------------------------|--|
| 2011000 | Bussell Hwy | Bussell Hwy | Augusta - Margaret River | 3.15 | | 5.65 | Margaret River South Rty | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 2051104 | Bussell Hwy | Bussell Hwy | Busselton (C) | 5.37 | Bell Dr | 7.71 | Monaghans Rty | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| H043 | Bussell Hwy | Robertson Dr Bussell Hwy Busselton Bypa Busselton Bypass Perimeter Rd | Bunbury (C) Capel Busselton (C) Augusta - Margaret River | 0.00 | South Western Hwy & Brittain Rd & Robertson Dr | 139.83 | Allnutt Tce | <ul style="list-style-type: none"> Intersection Roberts Rd : No left turn permitted into Roberts Rd from Bussell Hwy Intersection Harmans Mill Rd : No left turn permitted into Harmans Mill Rd from Bussell Hwy Intersection Stockdill Rd : No left turn permitted into Stockdill Rd from Bussell Hwy Intersection Poole Rd : No left turn permitted into Poole Rd from Bussell Hwy |
| H043 | Bussell Hwy | Blackwood Av Bussell Hwy | Augusta - Margaret River | 139.83 | Allnutt Tce | 140.73 | Ellis St & Blackwood Av | <ul style="list-style-type: none"> 10 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| H1024 | Bussell Hwy (Southbound) off to Lillydale Rd | Bussell Hwy(Southbound) off to Lillydale Rd | Capel | 0.00 | Bussell Hwy | 0.08 | Lillydale Rd | |
| H390 | Bussell Hwy (Southbound) to Perimeter Rd | Bussell Hwy (Southbound) to Perimeter Rd | Augusta - Margaret River | 0.00 | Bussell Hwy | 0.25 | Perimeter Rd | |
| H1023 | Bussell Hwy - Lillydale Rd Rty | Bussell Hwy - Lillydale Rd Rty | Capel | 0.00 | Bussell Hwy & Lillydale Rd | 0.25 | Bussell Hwy & Lillydale Rd | |
| H1037 | Bussell Hwy - Sues Rd Rty | Bussell Hwy - Sues Rd Rty | Busselton (C) | 0.00 | Bussell Hwy | 0.20 | Bussell Hwy | |
| H406 | Busselton Bypass West Rty | Busselton Bypass West Rty | Busselton (C) | 0.00 | Northerly St | 0.21 | Northerly St | |
| 1050261 | Butcher St | Butcher St | Kwinana (C) | 0.00 | Mandurah Rd | 0.95 | Mandurah Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|-------------------------|--------|--|---|
| 4010020 | Butchers Rd | Butchers Rd | Beverley | 0.00 | Westdale Rd | 6.79 | Bartram Rd & Craig Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4030062 | Butler Boundary Rd | Butler Boundary Rd | Bruce Rock | 0.00 | Cramphorne Rd | 5.69 | Narembeen LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4170110 | Butler Boundary Rd | Butler Boundary Rd | Narembeen | 0.00 | Bruce Rock LGA Boundary | 2.24 | Bruce Rock East Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4030061 | Butler Rd | Butler Rd | Bruce Rock | 0.00 | Bruce Rock East Rd | 4.10 | Fuchsbichler Rd | |
| 4170028 | Butler Rd | Butler Rd | Narembeen | 0.00 | Wogarl - Muntadgin Rd | 15.38 | Merredin - Narembeen Rd & Bruce Rock East Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|------------------------------|--------|--------------------------------|--|
| 4290089 | Butler Rd | Butler Rd | Wickepin | 0.00 | Malyalling Rd | 3.37 | Coad Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3160126 | Butler St | Butler St | West Arthur | 0.00 | Burrowes St | 0.25 | Arthur St | |
| 4310025 | Butlin St | Butlin St | Wyalkatchem | 0.00 | Butlin St - Start Road | 0.18 | Grace St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 7030039 | Buttah Rd | Buttah Rd | Meekatharra | 0.00 | Meekatharra - Mount Clere Rd | 17.06 | | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h |
| 1090076 | Butternab Rd | Butternab Rd | Swan (C) | 0.00 | Great Northern Hwy | 0.22 | 0.22km From Great Northern Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3080113 | Butterworth Rd | Butterworth Rd | Katanning | 0.00 | Katanning Nyabing Rd | 6.60 | Warren Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit Intersection Ranford Rd : No Left Turn From Southbound Butterworth Road Into Eastbound Ranford Road Permitted |
| 4080020 | Byberding Rd | Byberding Rd | Goomalling | 0.00 | Northam Pithara Rd | 12.87 | Northam - Pithara (M032) | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|-----------------------|----------|----------------------------|--------|---------------------------|---|
| 4310018 | Byrne Rd | Byrne Rd | Wyalkatchem | 0.00 | Cunderdin - Wyalkatchem Rd | 2.39 | Bruse Rd & Remnant Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Cunderdin - Wyalkatchem Rd : No access permitted into Cunderdin Wyalkatchem Rd from Byrne Rd |
| 5090063 | Byro Rd | Byro Rd | Mingenew | 0.00 | Scroops Rd | 3.75 | Byro Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5050633 | Byron North Rd | Byron North Rd | Greater Geraldton (C) | 0.00 | Yuna - Tenindewa Rd | 15.28 | Erarany Rd | |
| 1010443 | Byron Rd | Byron Rd | Armadale (C) | 0.00 | Eliot Rd | 0.42 | Byron Rd - End Road | |
| 5030239 | Bywaters Rd | Bywaters Rd | Dalwallinu | 0.00 | Leeson Rd | 3.37 | Bywaters Rd - End Road | |
| H415 | Cable Beach Rd East Rty | Cable Beach Rd East Rty | Broome | 0.00 | Cable Beach Rd East | 0.20 | Cable Beach Rd East | |
| H414 | Cable Beach Rd West Rty | Cable Beach Rd West Rty | Broome | 0.00 | Gubinge Rd | 0.20 | Gubinge Rd | |
| 2051064 | Cable Sands Rd | Cable Sands Rd | Busselton (C) | 0.00 | Bussell Hwy | 0.45 | Cable Sands Rd - End Road | |
| 1105809 | Cache Bend | Cache Bend | Wanneroo (C) | 0.00 | Opportunity St | 0.03 | Cache Bend - Db Start | |
| 4080118 | Cacti Rd | Cacti Rd | Goomalling | 0.00 | Coulthard Rd | 2.50 | Cacti Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5040009 | Cadda Rd | Cadda Rd | Dandaragan | 0.00 | Brand Hwy | 26.37 | Munbinea Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|------------------|----------|--------------------------------|--------|---------------------------------------|--|
| 4110002 | Cadoux - Koorda Rd | Cadoux - Koorda Rd | Koorda | 0.00 | Koorda - Wongan Hills Rd | 21.73 | Railway St & Scott St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5180198 | Cadoux - Koorda Rd | Cadoux - Koorda Rd | Wongan - Ballidu | 0.00 | Dowerin - Kalannie Rd | 7.20 | Koorda - Wongan Hills Rd | |
| 5180016 | Cadoux North Rd | Cadoux North Rd | Wongan - Ballidu | 0.00 | Wongan Hills-Cadoux Rd | 14.08 | Degrussa Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180119 | Cadoux Rifle Range Rd | Cadoux Rifle Range Rd | Wongan - Ballidu | 0.00 | Dowerin - Kalannie Rd | 1.78 | Lego Rd | |
| 5180117 | Cadoux South Rd | Cadoux South Rd | Wongan - Ballidu | 0.00 | Wongan Hills-Cadoux Rd | 4.85 | Koorda - Wongan Hills Rd & Railway Rd | |
| 5140067 | Caffens Rd | Caffens Rd | Perenjori | 0.00 | Mullewa Wubin Rd | 10.58 | Coorow - Maya Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4140086 | Cahill Rd | Cahill Rd | Merredin | 0.00 | Great Eastern Hwy & Neening Rd | 5.37 | Cahill Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030013 | Cail Rd | Cail Rd | Dalwallinu | 0.00 | Rabbit Proof Fence Rd | 12.60 | Cail Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|-------------------|--------|-------------------|---|
| 5030225 | Cailbro Rd | Cailbro Rd | Dalwallinu | 0.00 | Cail Rd | 4.10 | Carter Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3150036 | Cailles Rd | Cailles Rd | Wagin | 0.00 | Beaufort Rd | 5.94 | Wilcox Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6110124 | Cairns Rd | Cairns Rd | Yilgarn | 0.00 | Narla Loop Rd | 10.61 | Corinthia West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 8130099 | Cajarina Rd | Cajarina Rd | Port Hedland (T) | 0.00 | Pinga St | 1.03 | Kangan Wy | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---------------------------|--------------------------|----------|--------------------------|--------|---------------------------------------|--|
| 5170011 | Calcarra East Rd | Calcarra East Rd | Victoria Plains | 0.00 | Toodyay - Bindi Bindi Rd | 3.63 | Corondeen Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5170057 | Calcarra West Rd | Calcarra West Rd | Victoria Plains | 0.00 | Toodyay - Bindi Bindi Rd | 6.96 | Old Telegraph South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4150105 | Calderwood Dr | Calderwood Dr | Mount Marshall | 0.00 | Medlin St & Lindsay St | 1.16 | Ingleton Rd & Beacon Grain Bin Rd (P) | |
| 0040358 | Caldesia Loop | Caldesia Loop | Wyndham - East Kimberley | 0.00 | Weaber Plain Rd | 0.86 | Caldesia Loop & Caldesia Loop | |
| 4040027 | Caley Nornakin | Caley Nornakin | Corrigin | 0.00 | Walton Rd (B) | 2.79 | Corrigin - Wogerlin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5170008 | Calingiri - New Norcia Rd | Calingiri - New Norcia Rd | Victoria Plains | 0.00 | Toodyay - Bindi Bindi Rd | 27.55 | Great Northern Hwy | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|-------------------------|--------|------------------------|--|
| 2060264 | Calinup Rd | Calinup Rd | Capel | 0.00 | Grevillia Rd | 1.40 | Calinup Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1101626 | Callaway St | Callaway St | Wanneroo (C) | 0.00 | Gnangara Rd | 1.12 | Competition Wy | |
| 5110055 | Calver Rd | Calver Rd | Morawa | 0.00 | Morawa South Rd | 10.70 | Perenjori LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5140146 | Calver Rd | Calver Rd | Perenjori | 0.00 | Mullewa Wubin Rd | 0.98 | Morawa LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4170038 | Calzoni Rd | Calzoni Rd | Narembeen | 0.00 | Yilgarn LGA Boundary | 34.15 | Mt Walker - Hyden Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 6110080 | Calzoni Rd | Calzoni Rd | Yilgarn | 0.00 | Emu Fence Rd | 2.01 | Narembeen LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 5010022 | Camac Rd | Camac Rd | Carnamah | 0.00 | Carnamah - Perenjori Rd | 4.64 | Perenjori LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5010022 | Camac Rd | Camac Rd | Carnamah | 4.64 | Perenjori LGA Boundary | 9.66 | Back Inering Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|----------------------------|--------|---------------------------------------|---|
| 5140037 | Camac Rd | Camac Rd | Perenjori | 0.00 | Metcalfe Rd | 4.52 | Carnamah LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2180022 | Camballan Rd | Camballan Rd | Boyup Brook | 0.00 | Donnybrook Kojonup Rd | 10.94 | Boyup Brook North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3070087 | Camballup Rd | Camballup Rd | Gnowangerup | 0.00 | Gnowangerup - Tambellup Rd | 9.18 | Gnowangerup - Tambellup Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1090699 | Camboon Rd | Camboon Rd | Swan (C) | 0.00 | Camboon Rd Cul-De-Sac | 1.43 | Beach Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 1130110 | Camden St | Camden St | Belmont (C) | 0.00 | Abernethy Rd | 0.22 | Robinson Av | |
| 4100060 | Camel Peaks East Rd | Camel Peaks East Rd | Kondinin | 0.00 | Burma Rd | 1.22 | Camel Peaks East Rd - End Road | |
| 4100067 | Camel Peaks West Rd | Camel Peaks West Rd | Kondinin | 0.00 | Hyden - Mount Walker Rd | 7.08 | Karlgarin Lake Rd | |
| 2130198 | Camelarup Rd | Camelarup Rd | Manjimup | 0.00 | Junction Rd & Lake View Rd | 6.30 | 0.2km Northeast of Turdigurtup Rd (F) | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|-----------------------------------|--------|------------------------------------|---|
| 3180046 | Cameron Rd | Cameron Rd | Jerramungup | 0.00 | South Coast Hwy & Monkey Rock Rd | 12.48 | From South Coast Hwy For 12.48km | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4330043 | Cameron Rd | Cameron Rd | York | 0.00 | York - Tammin Rd | 11.98 | Doodenanning Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Chester Rd : No left turn permitted into Chester Rd from Cameron Rd |
| 6110154 | Cameron Rd | Cameron Rd | Yilgarn | 0.00 | Koolyanobbing - Southern Cross Rd | 2.16 | Bullfinch Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 1031464 | Camomile Wy | Camomile Wy | Cockburn (C) | 0.00 | Cocos Dr | 0.18 | Cascara Cnr | |
| 8110217 | Camp Rd | Camp Rd | Ashburton | 0.00 | Camp Rd & Paraburdoo Rd | 0.38 | For 380m From Paraburdoo Tom Price | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Beasley Rd : Left turn only permitted into Beasley Rd From Camp Rd |
| 2110120 | Campbell Rd | Campbell Rd | Harvey | 0.00 | Marriott Rd | 5.73 | 1.4km From Mitchell Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|---------------------------------------|--------|--|--|
| 5030077 | Campbell Rd | Campbell Rd | Dalwallinu | 0.00 | Rabbit Proof Fence Rd | 11.98 | Goodlands Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5150025 | Campbell Rd | Campbell Rd | Three Springs | 0.00 | Dudawa Rd & Three Springs - Morawa Rd | 2.74 | Sheppard Rd | |
| 6040082 | Campbell Rd | Campbell Rd | Esperance | 0.00 | Fleming Grove Rd | 9.94 | Gibson Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040082 | Campbell Rd | Campbell Rd | Esperance | 9.95 | Gibson Rd | 13.44 | Blumann Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 1130463 | Campbell St | Campbell St | Belmont (C) | 0.44 | Belmont Av | 0.89 | Abernethy Rd | |
| 4050140 | Campbell St | Campbell St | Cuballing | 0.00 | Cuballing West Rd & Dungog St | 1.23 | Great Southern Hwy & Cuballing East Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|---------------------------|--------|------------------------------|---|
| 4070120 | Campbell St | Campbell St | Dowerin | 0.00 | Amery - Benjaberring Rd | 0.30 | Hesford Rd & Borgward St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4290107 | Campbell St | Campbell St | Wickepin | 0.00 | Wogolin Rd | 0.58 | Whyte Rd | <ul style="list-style-type: none"> Maximum speed 50 km/h |
| 5170132 | Campbell St | Campbell St | Victoria Plains | 0.00 | Calingari-Wongan Hills Rd | 0.10 | Campbell Rd - End of Road | |
| 5190052 | Campbell White Rd | Campbell White Rd | Coorow | 0.00 | Erindoon Rd | 4.20 | Campbell White Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2040771 | Campbell Wy | Campbell Wy | Bunbury (C) | 0.00 | Smokebush Dr | 0.20 | Wallis Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|--------------------------|--------|-------------------------|--|
| 5160042 | Campbells Rd | Campbells Rd | Chapman Valley | 0.00 | Bindoo Rd | 5.54 | Campbells - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4290077 | Canal Rd | Canal Rd | Wickepin | 0.00 | Wickepin - Harrismith Rd | 9.27 | Wogolin South Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5029005 | Canaveral Wy | Canaveral Wy | Chittering | 0.00 | Verlort Dr | 0.58 | Canaveral Wy - End Road | |
| 3060020 | Candlelight Rd | Candlelight Rd | Dumbleyung | 0.00 | Treloars Rd | 19.40 | Rabbit Proof Fence Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. No Operation between the hours of sunset and sunrise School buses use this road. Approval to use the road could be withdrawn unless drivers show courtesy to local traffic and take extra care on school days. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---------------------------|-------------------------------------|----------|---------------------------|--------|---------------------------------|---|
| 3060024 | Candlelight South East Rd | Candlelight South East Rd | Dumbleyung | 4.43 | Adams Rd | 16.69 | Edwards Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5110007 | Canna North East Rd | Canna North East Rd | Morawa | 0.00 | Fabling Rd & Offszanka Rd | 19.57 | Gerber Rd & Jenkins Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4180336 | Cannell Rd | Cannell Rd | Narrogin | 0.00 | Taylor Rd | 6.66 | Narrogin - Harrismith Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| H013 | Canning Hwy | Canning Hwy | East Fremantle (T) Fremantle (C) | 15.40 | Stirling Hwy | 16.06 | Queen Victoria St | |
| 1010011 | Canning Rd | Canning Rd | Armadale (C) | 0.00 | Brookton Hwy | 2.29 | Kalamunda LGA Boundary | |
| 1020003 | Canning Rd | Canning Rd | Kalamunda | 6.02 | Welshpool Rd East | 15.62 | Armadale (C) LGA Boundary | |
| 5160050 | Cannon - Whelarra Rd | Cannon - Whelarra Rd | Chapman Valley | 0.00 | Nolba Stock Route Rd | 1.20 | 1.2km From Nolba Stock Route Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|-----------------------|----------|---------------------------------|--------|----------------------------|---|
| 5160050 | Cannon - Whelarra Rd | Cannon - Whelarra Rd | Chapman Valley | 1.20 | 1.2km From Nolba Stock Route Rd | 10.59 | Balla - Whelarra Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5140096 | Cannon Rd | Cannon Rd | Perenjori | 0.00 | Metcalfe Rd | 11.32 | Old Perth Rd | |
| 5050693 | Cant Rd | Cant Rd | Greater Geraldton (C) | 0.00 | Eradu North Rd | 3.39 | Cant Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5040047 | Cantabilling Rd | Cantabilling Rd | Dandaragan | 0.00 | Brand Hwy | 8.02 | Cantabilling Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5040050 | Cantabilling Rd | Cantabilling Rd | Dandaragan | 0.00 | Brand Hwy | 30.10 | Munbinea Rd & Canover Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3060071 | Cantwells Rd | Cantwells Rd | Dumblebung | 0.00 | Wishbone Rd | 5.90 | Datatine North Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1141158 | Canvale Rd | Canvale Rd | Canning (C) | 0.00 | Bannister Rd | 0.79 | Canvale Rd - End Road | |
| 814Z042 | Cape Lambert Rd | Cape Lambert Rd | Karratha (C) | 0.00 | Point Samson Roebourne Rd | 3.20 | Cape Lambert Rd - End Road | |
| 6040069 | Cape Le Grand Rd | Cape Le Grand Rd | Esperance | 0.00 | Merivale Rd | 7.80 | Locke Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|-------------------|--------|---|--|
| 2050776 | Cape Naturaliste Rd | Cape Naturaliste Rd | Busselton (C) | 0.00 | Caves Rd | 0.16 | Dunn Bay Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3020041 | Cape Riche Rd | Cape Riche Rd | Albany (C) | 0.00 | Mettler Rd | 7.30 | Basil Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3020041 | Cape Riche Rd | Cape Riche Rd | Albany (C) | 7.30 | Basil Rd | 9.53 | 2.231km From Basil Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3160012 | Capercup North Rd | Capercup North Rd | West Arthur | 0.00 | Darkan Rd | 15.00 | Bowelling - Duranillin Rd & Capercup South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|---|--------|----------------------------|--|
| 3160014 | Capercup South Rd | Capercup South Rd | West Arthur | 0.00 | Bowelling - Duranillin Rd & Capercup North Rd | 10.24 | Arthur River - Dinninup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3160046 | Capercup South West | Capercup South West | West Arthur | 0.00 | Moodiarrup West Rd | 5.99 | Bowelling - Duranillin Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 1091463 | Capital Rd | Capital Rd | Swan (C) | 0.00 | Alexander Dr | 0.26 | Enterprise Cr | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 5040046 | Capitela Rd | Capitela Rd | Dandaragan | 0.00 | Barberton West Rd | 9.24 | Koodjee Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4280040 | Capito Rd | Capito Rd | Westonia | 0.00 | Fourteen Mile Gate Rd & Rabbit Proof Fence Rd | 9.00 | Warralakin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1100254 | Caporn St | Caporn St | Wanneroo (C) | 0.02 | | 2.37 | Rousset Rd & Franklin Rd | <ul style="list-style-type: none"> Intersection Rousset Rd & Franklin Rd : No left turn permitted into Rousset Rd from Caporn St |
| 5070060 | Caraban Rd | Caraban Rd | Gingin | 0.00 | Indian Ocean Dr | 6.24 | Barragoon Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4270008 | Carabin Rd | Carabin Rd | Wandering | 0.00 | Noombling - Norrine Rd | 10.73 | York - Williams Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Mooterdine Loop : No right turn permitted into Mooterdine Loop from Carabin Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------|----------|---|--------|---|---|
| 1100465 | Carabooda Rd | Carabooda Rd | Wanneroo (C) | 0.00 | Karoborup Rd | 3.26 | Cutler Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 5170037 | Carani East Rd | Carani East Rd | Victoria Plains | 0.00 | Toodyay - Bindi Bindi Rd & Carani West Rd | 14.03 | Calingari-Wongan Hills Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School Bus Route - Contact Operators on UHF CH 11 |
| 5170013 | Carani West Rd | Carani West Rd | Victoria Plains | 0.00 | Carani East Rd & Toodyay - Bindi Bindi Rd | 11.72 | Calingiri - New Norcia Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School Bus Route - Contact Operators on UHF CH 11 |
| 5030250 | Caravan Park Access Rd | Caravan Park Access Rd | Dalwallinu | 0.00 | Great Northern Hwy | 0.04 | Dowie St | |
| 3120032 | Carbarup Rd | Carbarup Rd | Plantagenet | 0.00 | Hassell Av & Beverley Rd | 5.82 | To Farm Access Gate 50m West of Moorilup Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h Maximum speed on gravel 60km/h. Rail Crossing at the intersection of Moorilup and Carbarup Rd not to be crossed. |
| 3120032 | Carbarup Rd | Carbarup Rd | Plantagenet | 5.87 | Moorilup Rd & Collins Rd | 14.00 | Woogenellup Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h Maximum speed on gravel 60km/h. Rail Crossing at the intersection of Moorilup and Carbarup Rd not to be crossed. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|--------------------------|----------|--------------------------------|--------|--------------------------------------|---|
| 3150061 | Carberdine Pool Rd | Carberdine Pool Rd | Wagin | 0.00 | Spriggs Fraser Rd | 2.57 | Carberdine Pool Rd & Carberdine Pool | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6020006 | Carbine - Ora Banda Rd | Carbine - Ora Banda Rd | Coolgardie | 0.00 | Coolgardie North Rd | 11.03 | Ora Banda - Carbine Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 1109796 | Carbonate Rd | Carbonate Rd | Wanneroo (C) | 0.00 | Wisdom Tce | 0.43 | Apex Wy | <ul style="list-style-type: none"> Intersection Apex Wy : No right turn permitted into Apex Wy from Carbonate Rd |
| 2030013 | Carbunup Brook Rd | Carbunup Brook Rd | Bridgetown - Greenbushes | 0.00 | Tweed Rd | 7.59 | Kingston Rd & Old Glentulloch Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2070002 | Cardiff - McAlinden Rd | Cardiff - McAlinden Rd | Collie | 0.00 | Collie Preston Rd & Preston Rd | 20.52 | McAlinden Rd | |
| 3180060 | Cardininup Rd | Cardininup Rd | Jerramungup | 0.00 | Corackerup Rd | 15.99 | Gnowangerup Jerramungup Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|-----------------------------|--------|---------------------------------------|--|
| 4180239 | Cardwell Rd | Cardwell Rd | Narrogin | 0.00 | Wagin - Wickepin Rd | 2.76 | Cardwell Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 8050008 | Carey Downs Rd | Carey Downs Rd | Upper Gascoyne | 0.00 | Pimbee Rd | 36.67 | Carey Downs Access | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 5150059 | Carey Rd | Carey Rd | Three Springs | 0.00 | Arrino West Rd & Tomkins Rd | 14.52 | Natta Rd | |
| 4030086 | Carger Rd | Carger Rd | Bruce Rock | 0.00 | Trehernes Rd | 7.52 | Erikin South Rd & Vans Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Trehernes Rd : No left turn permitted into Trehernes Rd from Carger Rd |
| 5190091 | Carger Rd | Carger Rd | Coorow | 0.00 | Coorow - Green Head Rd | 11.02 | Marchagee Trk | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 5100034 | Carino Rd | Carino Rd | Moora | 0.00 | Old Geraldton Rd | 6.80 | Watheroo Miling Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 6020156 | Carins Rd | Carins Rd | Coolgardie | 0.00 | Great Eastern Hwy | 3.06 | Coolgardie North Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 3180058 | Carlawillup Rd | Carlawillup Rd | Jerramungup | 0.00 | Stock Rd & South Coast Hwy | 8.72 | Carlawillup South Rd & Monkey Rock Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|--------------------------|----------|------------------------------------|--------|--|--|
| 3180227 | Carlawillup South Rd | Carlawillup South Rd | Jerramungup | 0.00 | Carlawillup Rd & Monkey Rock Rd | 11.19 | Marnigarup East Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 3100036 | Carlecatup North Rd | Carlecatup North Rd | Kojonup | 0.00 | Old Broomehill - Kojonup Rd | 15.17 | Cherry Tree Pool Rd & Carolup River Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Old Broomehill - Kojonup Rd : No access permitted into Old Broomehill Road from Carlecatup North Rd Intersection Kojonup Katanning Rd : No left turn permitted into Kojonup-Pingrup Rd from Carlecatup North Rd (northeast bound) Intersection Ladyman Rd : No access permitted into Ladyman Rd from Carlecatup North Rd |
| 3100195 | Carlecatup South Rd | Carlecatup South Rd | Kojonup | 0.00 | Broomehill - Kojonup Rd | 5.66 | Old Broomehill - Kojonup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2121208 | Carleton Pl | Carleton Pl | Mandurah (C) | 0.00 | Rouse Rd & Thornborough Rd | 0.17 | Carleton Rd - End Road | |
| 8130264 | Carlindie Wy | Carlindie Wy | Port Hedland (T) | 0.00 | Harwell Wy | 0.42 | Harwell Wy | |
| 4100046 | Carlson Rd | Carlson Rd | Kondinin | 0.00 | Kondinin Hyden Rd | 2.90 | Reservoir East Rd | |
| 1072166 | Carlston Rd | Carlston Rd | Rockingham (C) | 0.18 | Beale Wy | 0.33 | Ennis Av | |
| 0040006 | Carlton Hill Rd | Carlton Hill Rd | Wyndham - East Kimberley | 0.00 | Weaber Plain Rd | 23.73 | Carlton Hill Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4160012 | Carlton Rd | Carlton Rd | Mukinbudin | 0.00 | Wialki North East Rd & Boundary Rd | 7.37 | Moondon Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5040147 | Carmella St | Carmella St | Dandaragan | 0.00 | Bashford St | 0.64 | 0.64km From Bashford St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|-----------------------|----------|--|--------|--|--|
| 5030226 | Carmichael Rd | Carmichael Rd | Dalwallinu | 0.00 | West Rd | 4.55 | Perenjori LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5140147 | Carmichael Rd | Carmichael Rd | Perenjori | 0.00 | Dalwallinu LGA Boundary | 2.13 | Maya South West Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4120036 | Carmody North Rd | Carmody North Rd | Kulin | 0.00 | Carmody Rd | 2.88 | Carmody North Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4120022 | Carmody Rd | Carmody Rd | Kulin | 0.00 | Paperbark Rd North | 20.15 | Kulin Kondinin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5010123 | Carnamah - Eneabba Rd | Carnamah - Eneabba Rd | Carnamah | 0.00 | Bowman St & Midlands Rd | 66.81 | Three Springs - Eneabba Rd | |
| 5010001 | Carnamah - Perenjori Rd | Carnamah - Perenjori Rd | Carnamah | 0.00 | Wheat Rd | 31.00 | Carnamah - Perenjori Rd & Perenjori - Three Springs Rd | |
| 5140165 | Carnamah - Perenjori Rd | Carnamah - Perenjori Rd | Perenjori | 0.00 | Carnamah - Perenjori Rd & Perenjori - Three Springs Rd | 23.42 | Mullewa Wubin Rd & Oversby Rd & Fowler St | |
| 5050756 | Carnarvon - Mullewa Rd | Carnarvon - Mullewa Rd | Greater Geraldton (C) | 0.00 | Murchison LGA Boundary | 75.66 | | |
| 7050043 | Carnarvon - Mullewa Rd | Carnarvon - Mullewa Rd | Murchison | 0.00 | Upper Gascoyne LGA Boundary | 11.10 | Wooramel Crossing | |
| 7050043 | Carnarvon - Mullewa Rd | Carnarvon - Mullewa Rd | Murchison | 11.10 | Wooramel Crossing | 278.86 | Greater Geraldton (C) LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h No Operation between the hours of sunset and sunrise Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 8030242 | Carnarvon - Mullewa Rd | Carnarvon - Mullewa Rd | Carnarvon | 0.00 | North West Coastal Hwy | 117.42 | Upper Gascoyne LGA Boundary | |
| 8050045 | Carnarvon - Mullewa Rd | Carnarvon - Mullewa Rd | Upper Gascoyne | 0.00 | Carnarvon LGA Boundary | 0.07 | Mooka Rd | |
| 8050045 | Carnarvon - Mullewa Rd | Carnarvon - Mullewa Rd | Upper Gascoyne | 0.07 | Mooka Rd | 187.35 | Murchison LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit No Operation from May to Sep between 6:00 PM and 6:00 AM and from Oct to Apr between 8:00 PM and 5:00 AM |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|--------------------------|----------|------------------------|--------|--|--|
| 8030105 | Carnarvon Rd | Carnarvon Rd | Carnarvon | 0.00 | James St | 5.77 | North West Coastal Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| H044 | Carnarvon Rd | Robinson St | Carnarvon | 0.00 | North West Coastal Hwy | 5.09 | Olivia Tce & Robinson St | |
| 4300121 | Carne Rd | Carne Rd | Williams | 0.00 | Albany Hwy | 6.11 | Narrakine Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Narrakine Rd : No entry or exit permitted into Carne Rd from Narrakine Rd |
| 7060018 | Carnegie - Glenayle Rd | Carnegie - Glenayle Rd | Wiluna | 0.00 | Sydney Heads Rd | 88.89 | Carnegie Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 7060009 | Carnegie Rd | Carnegie Rd | Wiluna | 0.00 | Wongawol Rd | 124.10 | Gunbarrel Hwy & Carnegie - Prenti Downs Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6056046 | Carnegie St | Carnegie St | Kalgoorlie - Boulder (C) | 0.00 | Epis St | 0.96 | Greenhill Rd | |
| 1140790 | Carney Rd | Carney Rd | Canning (C) | 0.00 | Felspar St | 0.24 | Riversdale Rd | |
| 3180086 | Carney Rd | Carney Rd | Jerramungup | 0.00 | Stock Rd | 16.86 | Cowalellup Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 5040122 | Caro Rd | Caro Rd | Dandaragan | 0.00 | Brand Hwy | 4.58 | Caro Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1040562 | Carole Rd | Carole Rd | Gosnells (C) | 0.00 | Austin Av | 0.47 | Alloa Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|---|--------|---------------------------------|---|
| 4240104 | Caroling Rd | Caroling Rd | Quairading | 0.00 | Blake Rd | 1.77 | Caroling South Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4240033 | Caroling South Rd | Caroling South Rd | Quairading | 0.00 | Dangin - Mears Rd | 5.77 | Andrews Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 3100085 | Carolup River Rd | Carolup River Rd | Kojonup | 0.00 | Carlecatup North Rd & Cherry Tree Pool Rd | 10.20 | Carrolup River Rd & Boundary Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1020616 | Carolyn Wy | Carolyn Wy | Kalamunda | 0.00 | Dundas Rd | 0.32 | Carolyn Wy - End Road | |
| 4090019 | Caromin Rd | Caromin Rd | Kellerberrin | 0.00 | Baandee North Rd | 3.70 | Arthur Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5140120 | Caron East Rd | Caron East Rd | Perenjori | 0.00 | Caron Rd & Mullewa Wubin Rd | 14.02 | Syson Rd | |
| 5010004 | Caron Rd | Caron Rd | Carnamah | 0.00 | Carnamah - Perenjori Rd | 1.28 | | |
| 5010004 | Caron Rd | Caron Rd | Carnamah | 2.79 | | 23.34 | Caron Rd & Back Inering Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|--------------------------|----------|----------------------------------|--------|------------------------------------|--|
| 5140035 | Caron Rd | Caron Rd | Perenjori | 0.00 | Mullewa Wubin Rd & Caron East Rd | 20.24 | Caron Rd & Back Inering Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030231 | Carot Well Rd | Carot Well Rd | Dalwallinu | 0.00 | Moora LGA Boundary | 3.02 | Miling North Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5100021 | Carot Well Rd | Carot Well Rd | Moora | 0.00 | Railway Rd | 27.33 | Dalwallinu LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 1050858 | Carpentaria Link | Carpentaria Link | Kwinana (C) | 0.00 | Armstrong Rd | 0.39 | Carpentaria Link & Investigator Dr | |
| 0040215 | Carpentaria St | Carpentaria St | Wyndham - East Kimberley | 0.14 | Poincettia Wy | 0.54 | Kentia Wy | |
| 1190813 | Carr Pl | Carr Pl | Melville (C) | 0.00 | North Lake Rd | 0.17 | Carr Pl - End Road | |
| 3030236 | Carr Rd | Carr Rd | Broomehill - Tambellup | 0.00 | Pallinup South Rd | 6.88 | Kybelup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Anderson Rd : No access permitted into Anderson Rd from Carr Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------|----------|-------------------------------------|--------|----------------------------------|--|
| 4280003 | Carrabin Siding Rd | Carrabin Siding Rd | Westonia | 0.00 | Great Eastern Hwy | 0.40 | Carrabin South Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4280003 | Carrabin Siding Rd | Carrabin Siding Rd | Westonia | 0.40 | Carrabin South Rd | 2.24 | Carrabin South Rd | |
| 4280006 | Carrabin South Rd | Carrabin South Rd | Westonia | 0.00 | Carrabin Siding Rd | 17.43 | Day Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4280085 | Carrabin Westonia Rd | Carrabin Westonia Rd | Westonia | 0.00 | Great Eastern Hwy | 7.56 | Wolfram St | |
| 4280085 | Carrabin Westonia Rd | Carrabin Westonia Rd | Westonia | 7.56 | Wolfram St | 9.26 | Warrachuppin Rd & Boodarockin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 1180004 | Carrington St | Carrington St | Fremantle (C) | 0.38 | Leach Hwy & Carrington St & High St | 1.39 | Clarke St | |
| 3080036 | Carrolup River Rd | Carrolup River Rd | Katanning | 0.00 | Quartermaine Rd | 2.30 | Carolup River Rd & Boundary Rd | <ul style="list-style-type: none"> Intersection Hoggs Head Rd : No right turn permitted into Hoggs Head Rd from Carrolup River Rd |
| 5090065 | Carrs Rd | Carrs Rd | Mingenew | 0.00 | Mingenew Morawa Rd | 2.28 | Carrs Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|--------------------------------------|--------|------------------------------|--|
| 5110040 | Carslake Rd | Carslake Rd | Morawa | 0.00 | Letterbox Rd & Pintharuka West Rd | 6.97 | Pintharuka West Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Letterbox Rd & Pintharuka West Rd : No access permitted into Pintharuka West Rd from Carslake Rd (Western Intersection - Letterbox Rd) Intersection Collins Rd : No access permitted into Collins Rd from Carslake Rd |
| 1091267 | Carson Rd | Carson Rd | Swan (C) | 0.00 | Alexander Dr | 0.29 | Westchester Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 3110019 | Carstairs Rd | Carstairs Rd | Lake Grace | 0.00 | Hyden-Lake King Rd & Varley South Rd | 21.54 | Kondinin LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4100141 | Carstairs Rd | Carstairs Rd | Kondinin | 0.00 | Lake Grace LGA Boundary | 8.70 | Marvel Loch - Forrestania Rd | |
| 6110155 | Carstairs Rd | Carstairs Rd | Yilgarn | 0.00 | Moorine South Rd | 3.60 | Goodhill Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|--------------------------|------------------|----------|---------------------------------------|--------|--|--|
| 4060011 | Carter - Doodenanning Rd | Carter - Doodenanning Rd | Cunderdin | 0.00 | Great Eastern Hwy | 19.78 | Quairading LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Mussared Rd : No left turn permitted into Mussared Rd from Carter-Doodenanning Rd Intersection Coleman Rd & Greens Rd : No left turn permitted into Coleman Rd from Carter-Doodenanning Rd |
| 4240026 | Carter - Doodenanning Rd | Carter - Doodenanning Rd | Quairading | 0.00 | Cunderdin LGA Boundary | 8.11 | Doodenanning - Mawson Rd & Geyer St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4060148 | Carter Dr | Carter Dr | Cunderdin | 0.00 | Great Eastern Hwy & Cubbine St | 0.77 | Olympic Av & Eaton St | |
| 4060168 | Carter Rd | Carter Rd | Cunderdin | 0.00 | Goomalling - Meckering Rd & Dunlop St | 1.11 | Solomon Back Rd & Meckering - Dowerin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4080024 | Carter Rd | Carter Rd | Goomalling | 0.00 | Glatz Rd | 8.61 | Lot 20613 | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|---------------------------|--------|-----------------------|---|
| 4211027 | Carter Rd | Carter Rd | Northam | 0.00 | Northam York Rd | 8.43 | Grass Valley South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Vehicle not to exceed 25m in total length No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h No Operation from 7:00 AM to 8:30 AM and 4:00 PM to 5:00 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4250077 | Carter Rd | Carter Rd | Tammin | 0.00 | Yorakrine Rd | 0.80 | Carter Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4310057 | Carter Rd | Carter Rd | Wyalkatchem | 0.00 | Goomalling Wyalkatchem Rd | 4.23 | Carter Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|--------------------------|----------|------------------------------|--------|-----------------------|---|
| 5030010 | Carter Rd | Carter Rd | Dalwallinu | 0.00 | Wubin East Rd | 24.86 | Mitchell Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. See Low Volume Condition Type A in the Operating Conditions Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Wubin East Rd : No left turn permitted into Wubin East Rd from Carter Rd. |
| 5150071 | Carter St | Carter St | Three Springs | 0.41 | Maley St | 0.61 | Hall St | |
| 5180179 | Carter St | Carter St | Wongan - Ballidu | 0.00 | Manmanning Rd | 0.18 | Jensen St | |
| 2030238 | Carters Rd | Carters Rd | Bridgetown - Greenbushes | 0.00 | Greenbushes - Boyup Brook Rd | 1.80 | Carters Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3170002 | Cartmeticup Rd | Cartmeticup Rd | Woodanilling | 0.00 | Oxley Rd | 13.05 | Robinson East Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 1011381 | Cartwright Dr | Cartwright Dr | Armadale (C) | 0.00 | Da Vinci Wy | 0.73 | Ranford Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit Intersection Edison Cct : No Right Turn Permitted Into Edison Cct From Cartwright Dr |
| 1040848 | Caruso Ct | Caruso Ct | Gosnells (C) | 0.00 | Davison St | 0.06 | Caruso Ct - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|--------------------------|----------|---------------------------------------|--------|-----------------------|--|
| 3060023 | Carwardine Rd | Carwardine Rd | Dumblenyung | 0.00 | Dumblenyung Lake Grace Rd | 6.70 | Candlelight Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3160033 | Carymunna Rd | Carymunna Rd | West Arthur | 0.00 | Howie Rd | 2.60 | Coalfields Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6040103 | Cascade Rd | Cascade Rd | Esperance | 0.00 | South Coast Hwy | 59.90 | Lake Tay Mine Site | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6040103 | Cascade Rd | Cascade Rd | Esperance | 59.90 | From End of Seal to Lake Tay Minesite | 97.48 | Lake Tay Mine Site | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 1031463 | Cascara Cnr | Cascara Cnr | Cockburn (C) | 0.00 | Cocos Dr | 0.61 | Cocos Dr | |
| 1130165 | Casella Pl | Casella Pl | Belmont (C) | 0.00 | Abernethy Rd | 0.83 | Casella Pl - End Road | |
| 4100080 | Cashmore Rd | Cashmore Rd | Kondinin | 0.00 | Wheeler Rock Rd | 10.57 | | |
| 1140099 | Casino St | Casino St | Canning (C) | 0.00 | Casino St - Start Road | 0.63 | Kurnall Rd | |
| 2010031 | Castle Rd | Castle Rd | Augusta - Margaret River | 0.00 | Brockman Hwy | 3.23 | Drovers Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------------------|-----------------|-----------------------|----------|--|--------|------------------------------------|---|
| 2040653 | Casuarina Dr | Casuarina Dr | Bunbury (C) | 0.00 | Clifton St & Blair St & Koombana Dr | 1.41 | Casuarina Dr | |
| 204Z006 | Casuarina Dr (Bunbury Port Authority) | Casuarina Dr | Bunbury (C) | 0.00 | Casuarina Dr | 0.46 | Casuarina Dr - End Road | |
| 1050298 | Casuarina Rd | Casuarina Rd | Kwinana (C) | 0.00 | Coyle Rd & Lydon Rd | 2.60 | Orton Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4100099 | Casuarina Rd | Casuarina Rd | Kondinin | 0.00 | Williamson Rd | 5.00 | King Rocks North Rd | |
| 6020076 | Casuarina Rd | Casuarina Rd | Coolgardie | 0.00 | Goldfields Hwy | 0.84 | Clianthus Rd | |
| 5050605 | Casuarinas Rd | Casuarinas Rd | Greater Geraldton (C) | 0.00 | Geraldton Mt Magnet Rd | 25.44 | Walkaway - Nangetty Rd | |
| 5050605 | Casuarinas Rd | Casuarinas Rd | Greater Geraldton (C) | 25.45 | Walkaway - Nangetty Rd | 32.62 | Irwin LGA Boundary | |
| 5080017 | Casuarinas Rd | Casuarinas Rd | Irwin | 0.00 | Burma Rd | 13.90 | Greater Geraldton (C) LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5170036 | Catabody Rd | Catabody Rd | Victoria Plains | 0.00 | Catabody Rd & Toodyay - Bindi Bindi Rd | 9.62 | Calingari-Wongan Hills Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Calingari-Wongan Hills Rd : No right turn permitted into Wongan Hills - Calingiri Rd from Catabody Rd |
| 5170073 | Catabody Rd | Catabody Rd | Victoria Plains | 0.00 | Catabody Rd & Toodyay - Bindi Bindi Rd | 5.41 | Calingiri - New Norcia Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5040001 | Cataby Rd | Cataby Rd | Dandaragan | 0.00 | Brand Hwy | 16.83 | Dandaragan Rd | |
| 1141154 | Catalano Cct | Catalano Cct | Canning (C) | 0.00 | Hodges Wy | 1.19 | Hodges Wy | |
| 1141026 | Catalano Rd | Catalano Rd | Canning (C) | 0.00 | Catalano Cct | 1.19 | Vulcan Rd | |
| 3020152 | Catalina Rd | Catalina Rd | Albany (C) | 0.00 | Chester Pass Rd | 0.06 | Service Station | |
| 3020152 | Catalina Rd | Catalina Rd | Albany (C) | 0.06 | 0.06km Fro Chester Pass Rd | 1.65 | Dragon Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|--------------------------|----------|------------------------|--------|--|---|
| 1140082 | Catherine St | Catherine St | Canning (C) | 0.00 | Tate St | 0.57 | Ewing St Sth | |
| 5100025 | Cattady Rd | Cattady Rd | Moora | 0.00 | Kiaka Rd | 13.25 | Orton Rd & Moora - Miling Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2030229 | Catterick Rd | Catterick Rd | Bridgetown - Greenbushes | 0.00 | South Western Hwy | 9.16 | McKelvie Rd & Greenbushes - Boyup Brook Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2051103 | Causeway Rd | Causeway Rd | Busselton (C) | 0.00 | Causeway Rd Rty | 0.48 | Molloy St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| H405 | Causeway Rd Rty | Causeway Rd Rty | Busselton (C) | 0.00 | Busselton Bypa | 0.32 | Busselton Bypa | |
| 3170090 | Cavanagh Rd | Cavanagh Rd | Woodanilling | 0.00 | Robinson West Rd | 2.15 | Cavanagh Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4170081 | Cavanagh Rd | Cavanagh Rd | Narembreen | 0.00 | South Kumminin East Rd | 6.12 | Hedges East Rd | |
| 6020164 | Cave Hill North Rd | Cave Hill North Rd | Coolgardie | 62.00 | 0.09km From Deacon St | 78.55 | Kingswood Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|----------------------|--|----------|---|--------|---------------------------------|--|
| 6020164 | Cave Hill North Rd | Cave Hill North Rd | Coolgardie | 78.55 | Kingswood Rd | 78.56 | Kingswood St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| M043 | Caves | Bussell Hwy Caves Rd | Busselton (C) Augusta - Margaret River | 0.00 | Busselton Bypass West Rty | 111.00 | Bussell Hwy | <ul style="list-style-type: none"> Intersection Ellen Brook Rd : No left turn permitted into Ellen Brook Rd from Caves Rd northbound Intersection Redgate Rd : No left or right turn permitted onto Redgate Rd from Caves Rd |
| 4120169 | Cbh Access Rd | Cbh Access Rd | Kulin | 0.00 | Kulin Lake Grace Rd & Kulin Kondinin Rd | 0.44 | Cbh Access Rd - End Road | <ul style="list-style-type: none"> Intersection Kulin Lake Grace Rd & Kulin Kondinin Rd : No Access permitted into Gorge Rock Lake Grace from CBH Access Rd |
| 307Z010 | Cbh Bin Access | Cbh Bin Access | Gnowangerup | 0.00 | Eldridge St | 0.30 | Cbh Bin Access - End Road | |
| 5140195 | Cbh Maya Bin Access | Cbh Maya Bin Access | Perenjori | 0.00 | Maya South West Rd | 1.75 | Mullewa Wubin Rd & Maya East Rd | |
| 6040368 | Cbh Rd | Cbh Rd | Esperance | 0.00 | Brazier St | 0.15 | Brazier St | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 4030106 | Cemetery Rd | Cemetery Rd | Bruce Rock | 0.00 | Bruce Rock East Rd | 2.40 | Bruce Rock Merredin Rd | |
| 4070012 | Cemetery Rd | Cemetery Rd | Dowerin | 0.00 | Goldfields Rd & Goomalling Wyalkatchem Rd | 11.61 | Ucarty South Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4100041 | Cemetery Rd | Cemetery Rd | Kondinin | 0.00 | Notting - Karlgarin Rd | 3.86 | Kondinin Hyden Rd | |
| 4310029 | Cemetery Rd | Cemetery Rd | Wyalkatchem | 0.00 | Mitchell St & Railway Tce | 5.09 | Goomalling Wyalkatchem Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4090095 | Cemetery St | Cemetery St | Kellerberrin | 0.00 | Moore St | 1.57 | Cemetery St - End Road | <ul style="list-style-type: none"> Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 2070010 | Centaur Rd | Centaur Rd | Collie | 0.00 | Coalfields Rd | 7.18 | Centaur Rd - End Road | |
| 4060171 | Centenary Pl | Centenary Pl | Cunderdin | 0.00 | Eaton St | 0.31 | Centenary Wy - Db Start | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------|----------|-------------------------------|--------|-------------------------------|--|
| 2040321 | Centenary Rd | Centenary Rd | Bunbury (C) | 0.00 | South Western Hwy | 0.12 | 0.12km From South Western Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 1090973 | Central Av | Central Av | Swan (C) | 0.00 | Bushmead Rd | 0.35 | Central Av - End Road | |
| 5180159 | Central Rd | Central Rd | Wongan - Ballidu | 0.00 | Manmanning Rd | 1.20 | Melbourne Rd | |
| 6110056 | Central Rd | Central Rd | Yilgarn | 0.00 | Grace Rd | 14.00 | Frog Rock - Marvel Loch Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 5030221 | Centre Rd | Centre Rd | Dalwallinu | 0.00 | Birdwood Rd | 14.96 | Rabbit Proof Fence Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 103Z070 | Centurion Pl | Centurion Pl | Cockburn (C) | 0.00 | Pilatus St | 1.68 | End Road - Centurion Pl | |
| 1091899 | Century Rd | Century Rd | Swan (C) | 0.00 | Trade Rd | 0.36 | Industry St | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 5040332 | Cervantes Rd | Cervantes Rd | Dandaragan | 0.00 | Munbinea Rd | 19.40 | Indian Ocean Dr | |
| 5040333 | Cervantes Rd | Cervantes Rd | Dandaragan | 0.00 | Indian Ocean Dr | 2.09 | Aragon St & Seville St | |
| 2050019 | Chain Av | Chain Av | Busselton (C) | 0.00 | Wildwood Rd | 5.94 | Caves Rd | <ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Curfew applies on school days only. |
| 2140022 | Chalk Brook Rd | Chalk Brook Rd | Boddington | 0.00 | Bannister Marradong Rd | 8.17 | Chalk Brook Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4100023 | Chalk Hill Rd | Chalk Hill Rd | Kondinin | 0.00 | Hyden-Lake King Rd | 11.61 | Aylmore Rd | |
| 4100064 | Chalk Hill West Rd | Chalk Hill West Rd | Kondinin | 0.00 | Kerrigan Rd | 8.75 | Chalk Hill West Rd - End Road | |
| 1103375 | Challenge Bvd | Challenge Bvd | Wanneroo (C) | 0.00 | Excellence Dr & Motivation Dr | 0.78 | Paramount Dr & Achievement Wy | |
| 3090031 | Challis Rd | Challis Rd | Kent | 0.00 | Needilup North Rd | 15.36 | Featherstone Rd | |
| 1180066 | Chamberlain St | Chamberlain St | Fremantle (C) | 0.00 | Peel Rd | 0.33 | South St | |
| 1010869 | Champion Dr | Champion Dr | Armada (C) | 0.00 | Tonkin Hwy | 2.21 | 0.07km From Gillam Dr | |
| 4140001 | Chandler - Merredin Rd | Chandler - Merredin Rd | Merredin | 0.00 | Goldfields Rd | 40.03 | Nungarin LGA Boundary | <ul style="list-style-type: none"> Intersection Goomarin Rd : No right turn permitted into Goomarin Rd from Chandler Merredin Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------|----------|-------------------------------------|--------|---|--|
| 4220005 | Chandler - Merredin Rd | Chandler - Merredin Rd | Nungarin | 0.00 | Chandler - Nungarin Rd & English Rd | 5.17 | Merredin LGA Boundary | |
| 4220003 | Chandler - Nungarin Rd | Chandler - Nungarin Rd | Nungarin | 0.00 | Railway Av & Danberrin Rd | 35.44 | English Rd No 60 | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Intersection Chandler North West Rd : No left turn permitted into Chandler North West Rd from Chandler - Nungarin Rd |
| 4220053 | Chandler North West Rd | Chandler North West Rd | Nungarin | 0.00 | Stock Rd | 7.43 | Chandler - Nungarin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Stock Rd : No left turn permitted into Stock Rd (southbound) from Chandler North West Rd Intersection Chandler - Nungarin Rd : No right turn permitted into Chandler - Nungarin Rd (westbound) from Chandler North West Rd |
| 3100083 | Changerup South Rd | Changerup South Rd | Kojonup | 0.00 | Stirling Rd | 6.61 | Round Pool Rd | |
| 1031494 | Channel Cl | Channel Cl | Cockburn (C) | 0.00 | Quill Wy | 0.22 | Channel Cl - End Road | |
| 4040180 | Channon Cl | Channon Cl | Corrigin | 0.00 | Boyd's St | 0.15 | Channon Cl - End Road | |
| 2050003 | Chapman Hill Rd | Chapman Hill Rd | Busselton (C) | 0.00 | Strelly St Rty | 18.59 | Hopkins Rd & Chapman Hill East Rd | <ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Curfew applies on school days only. |
| 2180081 | Chapman Rd | Chapman Rd | Boyup Brook | 0.00 | McAlinden Rd | 1.00 | For 1.00 Km to Wooding Plantation Access Gate | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4030097 | Chapman Rd | Chapman Rd | Bruce Rock | 0.00 | Eujiny South Rd | 3.75 | Chapman Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|-----------------------|----------|--|--------|------------------------|--|
| 4110026 | Chapman Rd | Chapman Rd | Koorda | 0.00 | Commonwealth Rd | 6.47 | Chapman Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4300035 | Chapman Rd | Chapman Rd | Williams | 0.00 | Pinjarra Williams Rd | 2.13 | Chapman Rd - End Road | |
| 5050008 | Chapman Rd | Chapman Rd | Greater Geraldton (C) | 1.32 | Phelps St | 1.33 | Phelps St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 5050008 | Chapman Rd | Chapman Rd | Greater Geraldton (C) | 11.92 | 0.23km From North West Coastal Hwy to Service Station Access | 12.15 | North West Coastal Hwy | |
| 5140057 | Chapman Rd | Chapman Rd | Perenjori | 0.00 | Avery Rd | 2.22 | Hirsch Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5140057 | Chapman Rd | Chapman Rd | Perenjori | 2.22 | Hirsch Rd | 6.28 | Liebe Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5190020 | Chapman Rd | Chapman Rd | Coorow | 0.00 | Coorow - Latham Rd & Gronow Rd | 8.10 | McPartland Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|-----------------------|----------|------------------------------------|--------|--------------------------------|---|
| 5190020 | Chapman Rd | Chapman Rd | Coorow | 8.10 | McPartland Rd | 9.04 | Chapman Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5010119 | Chapman St | Chapman St | Carnamah | 0.00 | Forrester Av | 0.27 | Chapman St - End Road | |
| 5160130 | Chapman Valley Rd | Chapman Valley Rd | Chapman Valley | 0.00 | Greater Geraldton (C) LGA Boundary | 9.64 | Chapman Valley Rd & Morrell Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| H407 | Chapman Valley Rd Rty | Chapman Valley Rd Rty | Greater Geraldton (C) | 0.00 | Chapman Valley Rd | 0.13 | Chapman Valley Rd | |
| 5140042 | Chappel Rd | Chappel Rd | Perenjori | 0.00 | Barrett Rd | 4.58 | Metcalfe Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|-----------------------|----------|---------------------------------|--------|-----------------------------|--|
| 5010031 | Chappell Rd | Chappell Rd | Carnamah | 0.00 | Lake Rd & Carnamah - Eneabba Rd | 4.01 | Midlands Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4250019 | Chappell Wheeldon Rd | Chappell Wheeldon Rd | Tammin | 0.00 | Youering Rd | 10.12 | Tammin - Wyalkatchem Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 1070035 | Charles St | Charles St | Rockingham (C) | 0.01 | Claymore St | 0.49 | Patterson Rd & Alloy Av | |
| 1140080 | Charles St | Charles St | Canning (C) | 0.00 | Tate St & Tennant St | 0.57 | Ewing St Sth | |
| 3020133 | Charles St | Charles St | Albany (C) | 0.00 | Newbey St | 0.33 | Richard St | |
| 4212012 | Charles St | Charles St | Northam | 0.21 | Fitzgerald St | 0.35 | Wellington St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 2170014 | Charley Creek Rd | Charley Creek Rd | Donnybrook - Balingup | 0.00 | Donnybrook Kojonup Rd | 10.32 | Charley Creek Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6040458 | Chartwell L | Chartwell L | Esperance | 0.00 | South Coast Hwy | 2.58 | Murray Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|--|--------|----------------------------------|---|
| 4260019 | Chatcup Rd | Chatcup Rd | Toodyay | 0.00 | Toodyay - Bindi Bindi Rd | 5.70 | Hall Rd & Leeming Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5010037 | Chatfield Clarke Rd | Chatfield Clarke Rd | Carnamah | 0.00 | Carnamah - Eneabba Rd | 11.95 | Coorow LGA Boundary | |
| 5190032 | Chatfield Clarke Rd | Chatfield Clarke Rd | Coorow | 0.00 | Coorow - Green Head Rd | 19.51 | Carnamah LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2130217 | Chatley Rd | Chatley Rd | Manjimup | 0.00 | North Walpole Rd | 1.51 | Chatley Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 7040065 | Checker Plant Rd | Checker Plant Rd | Mount Magnet | 0.00 | Hill 50 Access Rd & Mt.Magnet - Hill 50 Rd | 1.48 | Mount Rd | |
| 4170068 | Cheethams Rd | Cheethams Rd | Naremben | 0.00 | Corrigin - Naremben Rd | 7.54 | Healey Rd & Naremben Boundary Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5040123 | Chelsea Rd | Chelsea Rd | Dandaragan | 0.00 | Dandaragan Rd | 3.40 | | <ul style="list-style-type: none"> Headlights to be switched on at all times See Low Volume Condition Type B in the Operating Conditions Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|--|--------|--|---|
| 8140006 | Cherratta Rd | Cherratta Rd | Karratha (C) | 0.00 | North West Coastal Hwy & Carnarvon Tce | 0.59 | Woodbrook Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3100002 | Cherry Tree Pool Rd | Cherry Tree Pool Rd | Kojonup | 0.00 | Albany Hwy | 13.95 | Carlecatup North Rd & Carolup River Rd | |
| H401 | Chester Pass Rty | Chester Pass Rty | Albany (C) | 0.00 | Chester Pass Rd | 0.29 | Chester Pass Rd | |
| 3120334 | Chester Rd | Chester Rd | Plantagenet | 0.00 | Muir Hwy | 0.38 | Chester Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4330083 | Chester Rd | Chester Rd | York | 0.00 | Cameron Rd | 0.73 | Chester Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1070312 | Chesterfield Rd | Chesterfield Rd | Rockingham (C) | 0.00 | Mandurah Rd | 0.49 | Chesterfield Rd - End Road | |
| 3080017 | Cheviot Hills Rd | Cheviot Hills Rd | Katanning | 0.00 | Kojonup Katanning Rd | 4.11 | Hettner Rd & Kowald Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|------------------------------------|------------------------------|----------|--------------------------|--------|--------------------------|---|
| 3020024 | Cheyne Rd | Cheyne Rd | Albany (C) | 0.00 | South Coast Hwy | 18.47 | Cheyne Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4170059 | Chick Rd | Chick Rd | Narembeen | 0.00 | Coker Rd | 3.61 | The Humps Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| M010 | Chidlow York | Great Southern Hwy Henrietta St | Mundaring Northam York | 0.00 | Great Eastern Hwy | 46.02 | Avon Tce & Balladong St | <ul style="list-style-type: none"> Intersection Ashworth Rd : No left turn permitted into Ashworth Rd from Chidlow York Rd Intersection Morris Edwards Dr : No access permitted into Morris Edwards Dr from Chidlow York Intersection Forrest St : No left turn permitted into Forrest St (Southbound) from Chidlow York Rd (Westbound) |
| 3030006 | Chilicup Rd | Chilicup Rd | Broomehill - Tambellup | 0.00 | Janus St & Javelin St | 8.41 | Chilicup Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5130006 | Chilimony Rd | Chilimony Rd | Northampton | 0.00 | North West Coastal Hwy | 28.59 | Binnu West Rd | <ul style="list-style-type: none"> 30 km/h below posted speed limit Intersection Burges Rd & Well Siding Rd : No left turn permitted into Well Siding Road from Chillmony Road |
| 3020008 | Chillinup Rd | Chillinup Rd | Albany (C) | 0.00 | Plantagenet LGA Boundary | 46.90 | Gnowangerup LGA Boundary | |
| 3070007 | Chillinup Rd | Chillinup Rd | Gnowangerup | 0.00 | Borden Boxwood Hill Rd | 2.85 | Albany (C) LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3120016 | Chillinup Rd | Chillinup Rd | Plantagenet | 0.00 | Chester Pass Rd | 17.75 | Albany (C) LGA Boundary | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|-----------------------|--------|--------------------------|---|
| 4310036 | Chilman Rd | Chilman Rd | Wyalkatchem | 0.00 | Wallambin Rd | 6.22 | Wyalkatchem North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1130278 | Chilver St | Chilver St | Belmont (C) | 0.00 | Abernethy Rd | 0.54 | Valentine St | |
| 3040051 | Chinninup Rd | Chinninup Rd | Cranbrook | 6.55 | Pearce Rd | 13.88 | Un - Named & Albany Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h No Operation between the hours of sunset and sunrise Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3090061 | Chinocup Rd | Chinocup Rd | Kent | 0.00 | Rasmussen Rd | 21.41 | Kojonup - Pingrup (M021) | |
| 4010126 | Chipper St | Chipper St | Beverley | 0.00 | Bremner Rd & Lukin St | 0.57 | Langsford St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Bremner Rd & Lukin St : No left turn permitted into Bremner Rd from Chipper St |
| 1020891 | Chisholm Cr | Chisholm Cr | Kalamunda | 0.00 | Chisholm Cr | 1.66 | Chisholm Cr | |
| 5140064 | Chisholm Rd | Chisholm Rd | Perenjori | 0.00 | Maya East Rd | 15.87 | Rabbit Proof Fence Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 5070064 | Chitna Rd | Chitna Rd | Gingin | 0.00 | Military Rd | 10.30 | Gingin Brook Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Military Rd : No left turn permitted into Military Rd from Chitna Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|-------------------------|--------|-----------------------------------|--|
| 4020046 | Chittleborough Rd | Chittleborough Rd | Brookton | 0.00 | Corberding Rd | 4.11 | Chittleborough Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 1102413 | Chitty Rd | Chitty Rd | Wanneroo (C) | 0.00 | Perry Rd | 0.26 | Chitty Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4211051 | Chitty Rd | Chitty Rd | Northam | 0.00 | Great Eastern Hwy | 1.08 | Tamma Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Tamma Rd : No right turn permitted into Tamma Rd from Chitty Rd |
| 4211051 | Chitty Rd | Chitty Rd | Northam | 1.08 | Tamma Rd | 4.82 | Toodyay LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4260016 | Chitty Rd | Chitty Rd | Toodyay | 0.00 | Salt Valley Rd | 6.75 | Northam LGA Boundary | |
| 1101277 | Chokolich St | Chokolich St | Wanneroo (C) | 0.00 | Prindiville Dr | 0.22 | Dellamarta Rd | |
| 4180213 | Chomley Rd | Chomley Rd | Narrogin | 0.00 | Tarwonga Rd | 16.82 | Highbury West Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Oneill Rd : No right turn permitted into O'Neill Rd from Chomley Rd |
| 3120018 | Chorkerup Rd | Chorkerup Rd | Plantagenet | 0.00 | Albany Hwy | 4.79 | Siding Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3120018 | Chorkerup Rd | Chorkerup Rd | Plantagenet | 4.99 | Narrikup Rd & Siding Rd | 11.98 | The Pass Rd & Healy Rd & Creek Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|---|--------|---------------------------|--|
| 4110122 | Chown Rd | Chown Rd | Koorda | 0.00 | Koorda - Kulja Rd | 8.82 | Koorda North West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 40 km/h |
| 4110034 | Chown Tank Rd | Chown Tank Rd | Koorda | 0.00 | Kirwan East Rd | 10.14 | Moningarín East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4110034 | Chown Tank Rd | Chown Tank Rd | Koorda | 10.15 | Moningarín East Rd | 14.43 | Koorda North West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1106059 | Christable Wy | Christable Wy | Wanneroo (C) | 0.00 | Furniss Rd | 1.20 | Bally St | |
| 1120584 | Christian Ct | Christian Ct | Bayswater (C) | 0.00 | Raymond Av | 0.10 | Christian Ct - End Road | |
| 4250074 | Christison Rd | Christison Rd | Tammin | 0.00 | Chappell Wheeldon Rd | 1.30 | Christison Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4260046 | Church Gully Rd | Church Gully Rd | Toodyay | 0.00 | Dewars Pool - Bindoon Rd & Toodyay - Bindi Bindi Rd | 4.48 | Balgaling Rd & Leeming Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 1040343 | Church Rd | Church Rd | Gosnells (C) | 0.00 | Austin Av | 0.47 | Alloa Rd | |
| 3170021 | Church Rd | Church Rd | Woodanilling | 0.00 | Cartmetcup Rd | 2.61 | Cronin Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h Intersection Cartmetcup Rd : No right turn permitted into Cartmetcup Rd from Church Rd |
| 3170021 | Church Rd | Church Rd | Woodanilling | 2.61 | Cronin Rd | 4.99 | Tie Line Rd & Darby Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|-----------------------------------|--------|---|---|
| 4100017 | Church Rd | Church Rd | Kondinin | 0.00 | Foundation St | 7.40 | Pederah East Rd | |
| 4170037 | Church Rd | Church Rd | Narembeen | 0.00 | Calzoni Rd | 6.63 | Soldiers Rd | |
| 4170037 | Church Rd | Church Rd | Narembeen | 6.64 | Soldiers Rd | 11.36 | Church Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4240101 | Church Rd | Church Rd | Quairading | 0.00 | Quairading South Rd | 3.49 | Blake Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 3020013 | Churchlane Rd | Churchlane Rd | Albany (C) | 5.85 | 5.85 Km From Albany Lake Grace Rd | 6.95 | South Coast Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 8140181 | Cinders Rd | Cinders Rd | Karratha (C) | 0.00 | Dampier Dr & Dampier Rd | 2.21 | Cinders Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 6040555 | Circle Valley Rd | Circle Valley Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 35.41 | Circle Valley Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 3020045 | Circuit Rd | Circuit Rd | Albany (C) | 0.00 | South Coast Hwy | 2.00 | 2.0km From South Coast Hwy to Plantation Gate | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------------|--------------------------------|------------------|----------|--|--------|--|--|
| 4211209 | Clackline - Toodyay Rd | Clackline - Toodyay Rd | Northam | 0.00 | Eadine Rd | 3.05 | Toodyay LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Vehicle not to exceed 25m in total length No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h No Operation from 7:00 AM to 8:30 AM and 4:00 PM to 5:00 PM |
| 4260193 | Clackline - Toodyay Rd | Clackline - Toodyay Rd | Toodyay | 0.00 | Northam LGA Boundary | 10.56 | Toodyay Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times |
| 4160015 | Clamp Rd | Clamp Rd | Mukinbudin | 0.00 | Whyte Rd & Mukinbudin - Wialki Rd | 14.55 | Harry Rd | |
| 4160069 | Clamp St | Clamp St | Mukinbudin | 0.00 | Strugnell St | 0.14 | Clamp St - End Road | |
| 6040243 | Clare Rd | Clare Rd | Esperance | 0.00 | River Rd | 10.15 | Cascade Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 1030931 | Clarence Beach Rd | Clarence Beach Rd | Cockburn (C) | 0.00 | Clarence Beach Rd - Start Road | 0.53 | Clarence Beach Rd Access (Sth) & Clarence Beach Rd | |
| 103Z069 | Clarence Beach Rd | Clarence Beach Rd | Cockburn (C) | 0.00 | Clarence Beach Rd Access (Sth) & Clarence Beach Rd | 0.21 | 0.70 Km Past Clarence Beach Rd (Nth) | |
| 1031495 | Clarence Beach Rd Access | Clarence Beach Rd Access | Cockburn (C) | 0.00 | Quill Wy | 0.21 | Clarence Beach Rd | |
| 1039000 | Clarence Beach Rd Access (Sth) | Clarence Beach Rd Access (Sth) | Cockburn (C) | 0.00 | Quill Wy | 0.05 | Clarence Beach Rd | |
| 1031504 | Clark Ct | Clark Ct | Cockburn (C) | 0.00 | Broadmeadows St | 0.30 | Clark Ct - End Road | |
| 4030123 | Clark Rd | Clark Rd | Bruce Rock | 0.00 | Naremben Boundary Rd | 1.70 | Clark Rd - End Road | |
| 4150012 | Clark Rd | Clark Rd | Mount Marshall | 0.00 | Burakin - Wialki Rd | 25.37 | Emu Proof Fence Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4250067 | Clark Rd | Clark Rd | Tammin | 0.00 | Tammin South Rd | 3.53 | Clark Rd - End Road | |
| 3110169 | Clarke Rd | Clarke Rd | Lake Grace | 0.00 | Jarring South Rd | 1.63 | Clarke Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). |
| 3160049 | Clarke Rd | Clarke Rd | West Arthur | 0.00 | Arthur River - Dinninup Rd | 6.34 | Coalfields Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|---------------------------|--------|----------------------|--|
| 4080081 | Clarke Rd | Clarke Rd | Goomalling | 0.00 | Goomalling - Calingiri Rd | 1.26 | Clarke Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4140123 | Clarke Rd | Clarke Rd | Merredin | 0.00 | Hooper Rd | 5.10 | Hendrick Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5100043 | Clarke Rd | Clarke Rd | Moora | 0.00 | Urquhart Rd | 7.81 | Gabalong West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5170052 | Clarke Rd | Clarke Rd | Victoria Plains | 0.00 | Bolgart East Rd | 3.17 | Clarke Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|--------------------------------------|--------|--------------------------------|---|
| 5180061 | Clarke Rd | Clarke Rd | Wongan - Ballidu | 0.00 | Hospital Rd | 12.98 | Cadoux North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Hospital Rd : No access permitted into Hospital Rd from Clarke Rd |
| 6100110 | Clarke Rd | Clarke Rd | Ravensthorpe | 0.00 | Hayes Rd | 11.13 | Beatty Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 5100117 | Clarke St | Clarke St | Moora | 0.00 | Tootra St | 0.18 | | |
| 3060053 | Clarkes Rd | Clarkes Rd | Dumbleyung | 0.00 | Gooding Rd | 3.38 | Candlelight Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Gooding Rd : No access permitted into Gooding Rd from Clarkes Rd |
| 1120118 | Clavering Rd | Clavering Rd | Bayswater (C) | 0.00 | Railway Pde | 1.29 | Beechboro Rd South & Drynan St | |
| 4120049 | Clayton Rd | Clayton Rd | Kulin | 0.00 | Yealering - Kulin Rd | 4.63 | Sparks Rd & Kulin West Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4180047 | Clayton Rd | Clayton Rd | Narrogin | 0.00 | Earl St North & Clayton Rd & Earl St | 2.67 | Wiese Rd | <ul style="list-style-type: none"> Maximum speed 40 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------------------|---------------------------------------|------------------|----------|--|--------|---------------------------------------|--|
| 4180047 | Clayton Rd | Clayton Rd | Narrogin | 2.67 | Wiese Rd | 20.16 | Williams LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4300007 | Clayton Rd | Clayton Rd | Williams | 0.00 | Narrogin Rd | 11.83 | Narrogin LGA Boundary | |
| 1091232 | Clayton St | Clayton St | Swan (C) | 0.61 | Lloyd St | 1.82 | Clayton St on to Roe Hwy (Southbound) | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 1091232 | Clayton St | Clayton St | Swan (C) | 1.82 | Clayton St on to Roe Hwy (Southbound) | 1.83 | Roe Hwy (H018) | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. 10 km/h below posted speed limit |
| 1091232 | Clayton St | Clayton St | Swan (C) | 1.83 | Roe Hwy (H018) | 2.75 | 0.51km From Clayton St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4100126 | Clayton St | Clayton St | Kondinin | 0.19 | Hyden - Mount Walker Rd & McPherson St | 0.43 | Lynch St | |
| H579 | Clayton St on to Roe Hwy (Southbound) | Clayton St on to Roe Hwy (Southbound) | Swan (C) | 0.00 | Clayton St | 0.38 | Roe Hwy | |
| 3070079 | Clear Hills Rd | Clear Hills Rd | Gnowangerup | 0.00 | Soldiers Rd | 8.10 | Martinup Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3120109 | Clear Hills Rd | Clear Hills Rd | Plantagenet | 0.00 | Muir Hwy | 11.52 | Clear Hills Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|------------------------------------|--------|------------------------|---|
| 312Z020 | Clear Hills Rd | Clear Hills Rd | Plantagenet | 0.00 | Clear Hills Rd | 2.70 | Mannos Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5030111 | Clearview Rd | Clearview Rd | Dalwallinu | 0.00 | Thompson Rd | 3.57 | Flynn Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. See Low Volume Condition Type A in the Operating Conditions Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4150008 | Cleary - Gabbin Rd | Cleary - Gabbin Rd | Mount Marshall | 0.00 | Gabbin - Trayning Rd | 44.77 | Burakin - Wialki Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 4150133 | Cleary Bin Rd | Cleary Bin Rd | Mount Marshall | 0.00 | Burakin - Wialki Rd & Mouroubra Rd | 1.02 | Burakin - Wialki Rd | |
| 1130075 | Cleaver Tce | Cleaver Tce | Belmont (C) | 0.00 | Cleaver Tce (B) - Start Road | 0.13 | Belmont Av | |
| 1130486 | Cleaver Tce | Cleaver Tce | Belmont (C) | 0.00 | Abernethy Rd | 0.22 | Robinson Av | |
| 8140170 | Cleaverville Rd | Cleaverville Rd | Karratha (C) | 0.00 | North West Coastal Hwy | 13.13 | Mine Access Rd | |
| 2040374 | Clements St | Clements St | Bunbury (C) | 0.00 | Halifax Dr | 0.06 | 0.06km From Halifax Dr | <ul style="list-style-type: none"> Intersection Halifax Dr : No left turn permitted into Halifax Dr from Clements St |
| 0010114 | Clementson St | Clementson St | Broome | 0.43 | Pembroke Rd | 1.37 | Port Dr | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|---|--------|----------------------------|---|
| 8030194 | Cleveland St | Cleveland St | Carnarvon | 0.00 | Cornish St | 0.35 | Boundary Rd | |
| 6020075 | Clianthus Rd | Clianthus Rd | Coolgardie | 0.00 | Melaleuca Rd | 1.07 | Casuarina Rd | |
| 4310065 | Clifford Rd | Clifford Rd | Wyalkatchem | 0.00 | Wyalkatchem - Koorda Rd | 6.43 | Wallambin Rd & Lackman Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1040074 | Clifford St | Clifford St | Gosnells (C) | 0.00 | Kenwick Rd | 0.65 | Clifford St - End Road | |
| 2040662 | Clifford St | Clifford St | Bunbury (C) | 0.00 | Gibbons Rd | 0.81 | Halifax Dr | |
| 3160056 | Clifton Rd | Clifton Rd | West Arthur | 0.58 | Bokal - East Arthur Rd | 3.95 | Clifton Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| H228 | Clifton Rd Link | Clifton Rd Link | Harvey | 0.08 | Slip From Forrest Hwy Off Ramp to Clifton Rd Link | 0.25 | Forrest Hwy - Paris Rd Rty | |
| 3040105 | Climie Rd | Climie Rd | Cranbrook | 0.00 | Cranbrook - Frankland East Rd | 9.20 | Climie Rd - End Road | |
| 5030249 | Clinch Rd | Clinch Rd | Dalwallinu | 0.00 | Johnston St | 0.21 | Great Northern Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5100089 | Clinch St | Clinch St | Moora | 0.00 | Roberts St & Clinch St & Roberts Rd | 0.58 | Long St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|--------------------------|----------|-------------------------|--------|--------------------------|--|
| 3030042 | Clinic Rd | Clinic Rd | Broomehill - Tambellup | 0.00 | Broomehill - Kojonup Rd | 7.58 | Great Southern Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Rae Rd : No right turn permitted into Rae Rd from Clinic Rd Intersection Great Southern Hwy : No right turn permitted into Clinic Rd from Northam Cranbrook Rd |
| 4070082 | Clinic Rd | Clinic Rd | Dowerin | 0.00 | Ejanding West Rd | 17.48 | Manmanning Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 4260063 | Clinton St | Clinton St | Toodyay | 0.33 | Fiennes St | 0.42 | Anzac Av | <ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 2010392 | Clive Rd | Clive Rd | Augusta - Margaret River | 0.00 | Brockman Hwy | 0.43 | Clive Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Brockman Hwy : No right turn permitted into Brockman Hwy from Clive Rd |
| 3080290 | Clive St | Clive St | Katanning | 0.00 | Clive St Rty | 0.83 | 0.83lm From Clive St Rty | |
| M406 | Clive St Rty | Clive St Rty | Katanning | 0.00 | Moojebing Rd | 0.19 | Moojebing Rd | |
| 5130251 | Clotworthy St | Clotworthy St | Northampton | 0.00 | Kalbarri Rd & Balaam St | 0.11 | Smith St | |
| 4010016 | Clulow Rd | Clulow Rd | Beverley | 0.00 | Morbinning Rd | 13.04 | Jacobs Well Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|--------------------------|--------|--|--|
| 4160045 | Clune Rd | Clune Rd | Mukinbudin | 0.00 | Doig Rd | 9.68 | Bonnie Rock - Lake Brown Rd & Beringbooding Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1110159 | Clune St | Clune St | Bassendean (T) | 0.00 | Wicks St | 0.37 | Bayswater (C) LGA Boundary | |
| 1120341 | Clune St | Clune St | Bayswater (C) | 0.00 | Clune St - Start Road | 0.18 | Duffy St | |
| 1120552 | Clune St | Clune St | Bayswater (C) | 0.00 | Clune St & Duffy St | 0.18 | Bassendean (T) LGA Boundary | |
| 6040279 | Coach Rd | Coach Rd | Esperance | 0.00 | Bates North Rd | 2.18 | Coach Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4290104 | Coad Rd | Coad Rd | Wickepin | 0.00 | Gillimanning Rd | 4.20 | Butler Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5110044 | Coaker Rd | Coaker Rd | Morawa | 0.00 | Ryan Rd & Dregghorn Rd | 3.73 | White Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4030125 | Coakley Rd | Coakley Rd | Bruce Rock | 0.00 | Bruce Rock Quairading Rd | 1.30 | Coakley Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|----------------------------|--------------------------|----------|-----------------------------|--------|-----------------------------|---|
| 5040019 | Coalara Rd | Coalara Rd | Dandaragan | 0.00 | North West Rd | 18.47 | Watheroo Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5040019 | Coalara Rd | Coalara Rd | Dandaragan | 18.48 | Watheroo Rd | 37.12 | Willcocks Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Boothendarra Rd : No right turn permitted into Boothendarra Rd from Coalara Rd southbound |
| H045 | Coalfields Hwy | Coalfields Rd | Harvey Collie | 0.00 | South Western Hwy | 4.26 | 3.34km After Seven Hills Rd | <ul style="list-style-type: none"> RAVs must travel in the left-hand lane at all times, unless; <ul style="list-style-type: none"> avoiding an obstruction; obeying a traffic-control signal; or intending to turn off the carriageway, and in order to do so safely it is necessary to position the vehicle in another lane before starting the turn. Prior to descending Roelands Hill, RAVs must pull into the bay at the top of the hill (SLK 4.26), stop & conduct a brake system check. When descending Roelands Hill, drivers must ensure they engage low gear, use their auxiliary brakes and must not exceed a maximum speed of 40 km/h. |
| H045 | Coalfields Hwy | Coalfields Rd Throssell St | Collie Harvey | 4.26 | 3.34km After Seven Hills Rd | 36.25 | Throssell St & Paterson St | |
| 5040241 | Coalseam Dr | Coalseam Dr | Dandaragan | 0.00 | Bashford St | 0.48 | Gypsum St | |
| 5050726 | Coalseam Rd | Coalseam Rd | Greater Geraldton (C) | 0.00 | Mingenew - Mullewa Rd | 1.89 | Mingenew LGA Boundary | |
| 5090003 | Coalseam Rd | Coalseam Rd | Mingenew | 0.00 | Mingenew Morawa Rd | 28.88 | Coalseam Reserve North Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 6055035 | Coath Rd | Coath Rd | Kalgoorlie - Boulder (C) | 0.00 | West Kalgoorlie Rd | 0.61 | Craig Rd | |
| 1041136 | Cobalt Wy | Cobalt Wy | Gosnells (C) | 0.00 | Jade St | 0.13 | Cobalt Wy - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---------------------------|------------------|----------|---------------------------|--------|---------------------------|---|
| 3160051 | Coben Soak Rd | Coben Soak Rd | West Arthur | 0.00 | Woodanilling LGA Boundary | 4.22 | Ballock Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3160051 | Coben Soak Rd | Coben Soak Rd | West Arthur | 4.29 | Ballock Rd | 7.51 | Bokal South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3170023 | Coben Soak Rd | Coben Soak Rd | Woodanilling | 0.00 | Albany Hwy | 9.89 | West Arthur LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 8050001 | Cobra - Dairy Creek Rd | Cobra - Dairy Creek Rd | Upper Gascoyne | 0.00 | Carnarvon - Mullewa Rd | 161.08 | Cobra - Mount Augustus Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 8050007 | Cobra - Gifford Creek Rd | Cobra - Gifford Creek Rd | Upper Gascoyne | 0.00 | Edmund - Gifford Creek Rd | 31.77 | Cobra - Dairy Creek Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 8050020 | Cobra - Mount Augustus Rd | Cobra - Mount Augustus Rd | Upper Gascoyne | 0.00 | Dooley Downs Rd | 46.82 | Cobra - Dairy Creek Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------------------|--------------------------|----------|---------------------------------|--------|---------------------------------|--|
| 3020322 | Cochrane Rd | Cochrane Rd | Albany (C) | 0.00 | Hunwick Rd | 2.95 | Marbelup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3160100 | Cochrane Rd | Cochrane Rd | West Arthur | 0.00 | Capercup North Rd | 0.98 | Cochrane Rd - End Road | |
| 5180068 | Cochrane Rd | Cochrane Rd | Wongan - Ballidu | 0.00 | Wongan Hills-Cadoux Rd | 0.70 | Dowerin - Kalannie Rd | |
| 6110185 | Cockatoo Tank Rd | Cockatoo Tank Rd | Yilgarn | 0.00 | Southern Cross Marvel Loch Rd | 14.19 | Parker Range Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1031744 | Cockburn Rd | Cockburn Rd | Cockburn (C) | 0.00 | Cockburn Rd & Russell Rd (West) | 4.82 | Sutton Rd & Cockburn Rd | <ul style="list-style-type: none"> Intersection Jessie Lee St : No left turn permitted into Jessie Lee St from Cockburn Rd |
| 1050619 | Cockburn Rd | Cockburn Rd | Kwinana (C) | 0.00 | Sutton Rd & Cockburn Rd | 1.57 | Rockingham Rd | |
| H025 | Cockburn Rd | Cockburn Rd Russell Rd (West) | Cockburn (C) | 0.00 | Rockingham Rd & Hampton Rd | 9.80 | Rockingham Rd | |
| 5170003 | Cocking Rd | Cocking Rd | Victoria Plains | 0.00 | Mogumber - Yarawindah Rd | 6.77 | West Point Rd & Murphy Gully Rd | |
| 5040051 | Cockleshell Gully Rd | Cockleshell Gully Rd | Dandaragan | 0.00 | Jurien Rd | 18.85 | Coorow LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5190010 | Cockleshell Gully Rd | Cockleshell Gully Rd | Coorow | 0.00 | Dandaragan LGA Boundary | 13.93 | Woolmulla Rd & Gould Simpson Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1040036 | Cockram Rd | Cockram Rd | Gosnells (C) | 0.77 | Mills Rd East | 1.25 | Cockram Rd - End Road | |
| 5070213 | Cockram Rd | Cockram Rd | Gingin | 0.00 | Brand Hwy | 0.46 | Creighton Rd | |
| 1030903 | Cocos Dr | Cocos Dr | Cockburn (C) | 0.00 | 1030007/40-S & Spearwood Av | 1.41 | Cascara Cnr | |
| 0040269 | Cocus Wy | Cocus Wy | Wyndham - East Kimberley | 0.00 | Weaber Plain Rd | 0.27 | Salacca Loop | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------------|-----------------------------|-------------------|----------|----------------------------|--------|--|--|
| 4270006 | Codjatotine - Hastings Rd | Codjatotine - Hastings Rd | Wandering | 0.00 | North Wandering Rd | 11.87 | Wandering - Pingelly Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4270017 | Codjatotine - Mooterdine Rd | Codjatotine - Mooterdine Rd | Wandering | 0.00 | Wandering - Pingelly Rd | 7.72 | Carabin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Carabin Rd : No access permitted to or from Carabin Rd |
| 4140291 | Coghill St | Coghill St | Merredin | 0.00 | Doyle St | 0.12 | Coghill St - End Road | |
| 0010047 | Coghlan St | Coghlan St | Broome | 0.00 | Frederick St | 0.20 | Macpherson St | |
| 7030025 | Cogla Downs Rd | Cogla Downs Rd | Meekatharra | 0.00 | Meekatharra - Sandstone Rd | 14.46 | Cogla Downs - Taincrow Rd & Cogla Downs Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h |
| 1091841 | Cogla St | Cogla St | Swan (C) | 0.00 | Victoria Rd | 0.22 | Mulgul Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 1290237 | Cohn St | Cohn St | Victoria Park (T) | 0.00 | Rutland Av (Sth) | 1.43 | Orrong Rd | |
| 4140193 | Cohn St | Cohn St | Merredin | 0.00 | Dobson Av & Muscat St | 0.77 | O'Connor St | |
| 4170060 | Coker Rd | Coker Rd | Narembreen | 0.00 | Calzoni Rd | 6.96 | Anderson Rocks Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|--------------------------------|--------|---------------------------|--|
| 4120044 | Colbourne Rd | Colbourne Rd | Kulin | 0.00 | Commonwealth Rd | 15.46 | Haese Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 1020056 | Coldwell Rd | Coldwell Rd | Kalamunda | 0.13 | 0.13km After Welshpool Rd East | 0.52 | Gosnells (C) LGA Boundary | |
| 1040033 | Coldwell Rd | Coldwell Rd | Gosnells (C) | 0.00 | Grove Rd & Logistics Bvd | 0.68 | Kalamunda LGA Boundary | |
| 4030043 | Cole Rd | Cole Rd | Bruce Rock | 0.00 | Wogarl West Rd | 7.02 | Bruce Rock - Naremben Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Bruce Rock - Naremben Rd : No left turn permitted into Cole Rd from Bruce Rock Naremben Rd. No right turn permitted into Bruce Rock Naremben Rd from Cole Rd. |
| 4090032 | Cole Rd | Cole Rd | Kellerberrin | 0.00 | Kwolyin West Rd. | 4.68 | Cole Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1130314 | Cole St | Cole St | Belmont (C) | 0.00 | Belmont Av | 0.11 | Burchell Wy & Skinner L | |
| 4212113 | Colebatch St | Colebatch St | Northam | 0.00 | Newcastle Rd | 0.12 | 0.12km From Newcastle Rd | <ul style="list-style-type: none"> Intersection Newcastle Rd : No left turn permitted into Newcastle Rd from Colebatch St |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|--------------------------|--------|--------------------------------------|---|
| 4060010 | Coleman Rd | Coleman Rd | Cunderdin | 0.00 | Carter - Doodenanning Rd | 11.39 | Greens Rd & Carter - Doodenanning Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6100248 | Coleman St | Coleman St | Ravensthorpe | 0.00 | Jamieson St & Morgans St | 0.68 | Coleman St - End Road | |
| 2080374 | Coleman Turn | Coleman Turn | Dardanup | 0.00 | Kerr Rd | 0.92 | Kerr Rd | |
| 4030107 | Coles Boundary Rd | Coles Boundary Rd | Bruce Rock | 0.00 | Bruce Rock - Naremben Rd | 2.58 | Roach Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030134 | Coles Rd | Coles Rd | Dalwallinu | 0.00 | Sutcliffe Rd | 3.40 | Northam Pithara Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5090034 | Colgate Rd | Colgate Rd | Mingenew | 0.00 | Yongarloo Rd | 17.54 | Sheppard Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Neates Rd : No access permitted to Neates Rd from Colgate Rd |
| 1141428 | Colin Jamieson Dr | Colin Jamieson Dr | Canning (C) | 0.00 | Pilbara St | 0.23 | 0.23km From Pilbara St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|---|--|----------|----------------------------|--------|---|---|
| 4060051 | Coline Rd | Coline Rd | Cunderdin | 0.00 | Goomalling - Meckering Rd | 8.10 | Coline Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3150008 | Collanilling Rd | Collanilling Rd | Wagin | 0.00 | Wagin Dumbleyung Rd | 18.27 | Quicks Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Dongolocking Rd : No right turn permitted into Dongolocking Rd from Collanilling Rd (travelling south). No left turn permitted into Dongolocking Rd from Collanilling Rd (travelling north). |
| 4140034 | Collgar South Rd | Collgar South Rd | Merredin | 0.00 | Merredin - Naremben Rd | 9.18 | Briant Rd | |
| 4140068 | Collgar West Rd | Collgar West Rd | Merredin | 0.00 | Totadgin Hall Rd | 6.63 | Collgar South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| M037 | Collie Lake King | Throssell St Cameron Rd Gibbs Rd Coalfields Rd Arthur Rd Tudhoe St Wagin Dumbleyung Rd Absolon St Ebsary St Dumbleyung Lake Grace Rd Stubbs St Lake Grace Newdegate Rd Mitchell St Maler St Newdegate Ravensthorpe Rd | Collie West Arthur Wagin Dumbleyung Lake Grace | 36.35 | Throssell St & Paterson St | 390.44 | Newdegate Ravensthorpe Rd & Varley Rd & Lake King-Norseman Rd | <ul style="list-style-type: none"> Intersection De Lyanine North Rd : No access permitted into De Lyanine North Rd from Collie Lake King Rd Intersection Nelson Rd : No access permitted into Nelson Rd from Collie Lake King Intersection Ranford St : No right turn permitted into Ranford Street from Collie Lake King (Tudhoe Street). Right turn only permitted into Ranford Street from Collie Lake King (Tudhoe Street). Intersection Behn Ord Rd : No right turn permitted into Behn Ord Rd from Collie Lake King Rd Intersection White Well Rd : No left turn permitted into White Well Rd from Collie Lake King Rd |
| M046 | Collie Mumballup | Paterson St Preston St Preston Rd Collie Preston Rd | Collie Donnybrook - Balingup | 0.00 | Throssell St | 21.28 | Donnybrook Kojonup Rd | |
| 1141271 | Collie St | Collie St | Canning (C) | 0.00 | Kewdale Rd | 0.32 | Treasure Rd North | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|------------------|----------|---|--------|--|--|
| M066 | Collie Williams | Paul St Palmer Rd Williams Rd Collie Williams Rd | Collie Williams | 0.00 | Gibbs Rd | 64.93 | Pinjarra Williams Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Quindanning - Darkan Rd : Left turn only permitted into Quindanning - Darkan Rd from Collie Williams Rd Intersection Marling Rd : No right turn permitted into Marling Rd from Collie Williams Rd Intersection Pig Gully Rd : No access permitted to Pig Gully Rd from Collie Williams |
| 1120878 | Collier Link | Collier Link | Bayswater (C) | 0.00 | Collier Rd & Grey St & Jackson St | 0.72 | Collier Rd & Wright St | |
| H280 | Collier Link (Eastbound) on to Tonkin Hwy (Northbound) Ramp | Collier Link (Eastbound) on to Tonkin Hwy (Northbound) Ramp | Bayswater (C) | 0.00 | Collier Link | 0.06 | Collier Link (Westbound) on to Tonkin Hwy (Northbound) | |
| H283 | Collier Link (Eastbound) on to Tonkin Hwy (Southbound) | Collier Link (Eastbound) on to Tonkin Hwy (Southbound) | Bayswater (C) | 0.00 | Tonkin Hwy (Southbound) off to Collier Link (Westbound) & Collier Link (Westbound) on to Tonkin Hwy (Northbound) & Collier Link & Tonkin Hwy (Northbound) off to Collier Link (Eastbound) | 0.55 | Tonkin Hwy | |
| H282 | Collier Link (Westbound) on to Tonkin Hwy (Northbound) | Collier Link (Westbound) on to Tonkin Hwy (Northbound) | Bayswater (C) | 0.00 | Tonkin Hwy (Southbound) off to Collier Link (Westbound) & Collier Link (Eastbound) on to Tonkin Hwy (Southbound) & Collier Link & Tonkin Hwy (Northbound) off to Collier Link (Eastbound) | 0.54 | Tonkin Hwy | |
| H285 | Collier Link (Westbound) on to Tonkin Hwy (Southbound) Ramp | Collier Link (Westbound) on to Tonkin Hwy (Southbound) Ramp | Bayswater (C) | 0.00 | Collier Link | 0.08 | Collier Link (Eastbound) on to Tonkin Hwy (Southbound) | |
| 1110123 | Collier Rd | Collier Rd | Bassendean (T) | 0.06 | Railway Pde | 1.67 | Collier Link & Grey St & Jackson St | |
| 1120007 | Collier Rd | Collier Rd | Bayswater (C) | 0.00 | Grey St | 0.27 | Collier Rd - Db Start | |
| 1120007 | Collier Rd | Collier Rd | Bayswater (C) | 0.46 | Collier Rd - Db End | 1.11 | Beechboro Rd South | |
| 112Z008 | Collier Road Service Rd Access | Collier Road Service Rd Access | Bayswater (C) | 0.00 | Collier Link | 0.03 | Collier Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------------|----------|-----------------------|--------|-----------------------|--|
| 4150053 | Collins Back Rd | Collins Back Rd | Mount Marshall | 0.00 | Koorda - Bullfinch Rd | 6.12 | Waddouring Back Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2150364 | Collins Rd | Collins Rd | Murray | 0.00 | Old Bunbury Rd | 2.36 | Collins Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3030066 | Collins Rd | Collins Rd | Broomehill - Tambellup | 0.00 | Eureka Rd | 8.19 | Great Southern Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3090073 | Collins Rd | Collins Rd | Kent | 0.00 | Warren Rd | 5.63 | North Moornaming Rd | |
| 4010066 | Collins Rd | Collins Rd | Beverley | 0.00 | Brookton Hwy | 3.75 | Collins Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4060046 | Collins Rd | Collins Rd | Cunderdin | 0.00 | Great Eastern Hwy | 2.40 | Burges Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|-----------------------|--------|---|---|
| 4150030 | Collins Rd | Collins Rd | Mount Marshall | 0.00 | Bencubbin - Beacon Rd | 10.24 | Mandiga - Marindo Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Bencubbin - Beacon Rd : No access permitted into Beacon-Bencubbin Rd from Collins Rd. |
| 5030051 | Collins Rd | Collins Rd | Dalwallinu | 0.00 | Wubin East Rd | 6.74 | Great Northern Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5110030 | Collins Rd | Collins Rd | Morawa | 0.00 | Carslake Rd | 7.79 | Gutha West Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Carslake Rd : No access permitted into Carslake Rd from Collins Rd |
| 2070204 | Collins St | Collins St | Collie | 0.00 | Harris River Rd | 0.60 | Morrison Wy | |
| 4290156 | Collins St | Collins St | Wickepin | 0.00 | Wogolin Rd | 0.58 | Wickepin - Harrismith Rd & Whyte Rd & Dumbleyung Rd | |
| 8030212 | Collins St | Collins St | Carnarvon | 0.00 | Hudson St | 0.17 | Harbour Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------|----------|--|--------|---|--|
| 3050148 | Collis Rd | Collis Rd | Denmark | 0.00 | Collis Rd & Kangaroo Rd | 2.68 | Hazlevale North Rd & Loop Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 102Z010 | Collopy Rd | Collopy Rd | Kalamunda | 0.04 | 0.15km From Adelaide St. | 0.19 | Unknown Rd & Collopy Rd | |
| 109Z033 | Collopy Rd | Collopy Rd | Swan (C) | 0.00 | Unknown Rd & Collopy Rd | 0.36 | Ulm Pl | |
| 113Z012 | Colquhoun Rd (Federal) | Colquhoun Rd (Federal) | Belmont (C) | 0.00 | Whitham Rd (Federal) & Hugh Edwards Dr (Federal) | 0.53 | Colquhoun Rd (Federal) - End Road | |
| 3160093 | Coltart Rd | Coltart Rd | West Arthur | 0.00 | Capercup North Rd | 5.17 | Darkan Rd & Schinzig Buller Rd | |
| 5100058 | Colvin Rd | Colvin Rd | Moora | 0.00 | Moora - Miling Rd | 9.78 | Great Northern Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Cranmore Rd : No access permitted into Cranmore Rd from Colvin Rd |
| 4140234 | Combes Dr | Combes Dr | Merredin | 0.00 | Great Eastern Hwy | 0.32 | 0.317kms From Great Eastern Highway. | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4160032 | Comerford Rd | Comerford Rd | Mukinbudin | 0.00 | Harry Rd | 8.01 | Walton Rd & Bonnie Rock - Lake Brown Rd | |
| 1091829 | Commerce St | Commerce St | Swan (C) | 0.00 | Mulgul Rd | 0.33 | Malaga Dr | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 5180093 | Commercial Rd | Commercial Rd | Wongan - Ballidu | 0.00 | Ninan St | 1.52 | Wongan Hills - Waddington Rd | |
| 2050041 | Commonage Rd | Commonage Rd | Busselton (C) | 0.66 | 0.66km From Wildwood Rd | 9.56 | Commonage Rd Rty | <ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Curfew applies on school days only. |
| M401 | Commonage Rd Rty | Commonage Rd Rty | Busselton (C) | 0.00 | Commonage Rd | 0.13 | Commonage Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|---------------------------------|--------|---|---|
| 4110008 | Commonwealth Rd | Commonwealth Rd | Koorda | 0.00 | Koorda - Kulja Rd | 28.90 | Burakin - Wialki Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4110008 | Commonwealth Rd | Commonwealth Rd | Koorda | 28.90 | Burakin - Wialki Rd | 33.78 | Commonwealth Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Burakin - Wialki Rd : No left turn permitted into Burakin - Wialki Rd from Commonwealth Rd |
| 4120006 | Commonwealth Rd | Commonwealth Rd | Kulin | 0.43 | Kulin - Dudinin Rd | 12.77 | Colbourne Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4120006 | Commonwealth Rd | Commonwealth Rd | Kulin | 12.77 | Colbourne Rd | 48.46 | North Lake Grace - Karlgarin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4120006 | Commonwealth Rd | Commonwealth Rd | Kulin | 48.46 | North Lake Grace - Karlgarin Rd | 48.62 | North Lake Grace - Karlgarin Rd & Pingaring - Varley Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3040073 | Como Rd | Como Rd | Cranbrook | 0.00 | Yeriminup Rd | 3.60 | Cranbrook - Frankland Rd | <ul style="list-style-type: none"> Intersection Yeriminup Rd : No access permitted into Yeriminup Rd from Como Rd |
| 103Z059 | Compass Rd | Compass Rd | Cockburn (C) | 0.00 | Karel Av & Eagle Dr | 0.15 | | |
| 1104418 | Competition Wy | Competition Wy | Wanneroo (C) | 0.00 | Prosperity Av | 0.98 | Opportunity St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------|----------|--------------------------------|--------|--|---|
| 3150054 | Condining Rd | Condining Rd | Wagin | 0.00 | Piesse Rd | 1.37 | Great Southern Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Great Southern Hwy : No left turn permitted into Great Southern Hwy from Condining Rd |
| 2180050 | Condinup Crossing Rd | Condinup Crossing Rd | Boyup Brook | 0.00 | Boyup Brook - Arthur River Rd | 2.41 | Gibbs Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2180043 | Condinup Rd | Condinup Rd | Boyup Brook | 0.00 | Gibbs Rd | 11.81 | Boyup Brook North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4180262 | Condon Rd | Condon Rd | Narrogin | 0.00 | Great Southern Hwy & Graham Rd | 0.53 | 0.45km From Narrogin Valley Rd & Graham Rd | |
| 4130037 | Condor Rd | Condor Rd | Trayning | 0.00 | Sherzinger Rd | 2.58 | Elsegood Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------|----------|--|--------|--|---|
| 4050029 | Congelin - Narrogin Rd | Congelin - Narrogin Rd | Cuballing | 0.00 | Nebrikinning Rd & Congelin - Narrogin Rd | 11.27 | Neika Rd (F) & Congelin - Narrogin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4180202 | Congelin - Narrogin Rd | Congelin - Narrogin Rd | Narrogin | 0.00 | White Rd & Fleay Rd | 9.61 | Congelin - Narrogin Rd & Nebrikinning Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4300004 | Congelin - Narrogin Rd | Congelin - Narrogin Rd | Williams | 0.00 | York - Williams Rd | 6.14 | Neika Rd (F) & Congelin - Narrogin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 7030057 | Connaughton St | Connaughton St | Meekatharra | 0.00 | Main St | 0.84 | Donovan St & Marmont St | |
| 4140054 | Connell Rd | Connell Rd | Merredin | 0.00 | Nangeenan North Rd | 5.09 | Hubeck Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4160082 | Connell Rd | Connell Rd | Mukinbudin | 0.00 | Beringbooding Rd | 8.34 | Mt Jackson Rd | <ul style="list-style-type: none"> Maximum speed 70 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|--------------------------|----------|--------------------------|--------|------------------------|--|
| 4100115 | Connell St | Connell St | Kondinin | 0.00 | Kondinin Hyden Rd | 0.89 | Howlett St | <ul style="list-style-type: none"> Headlights to be switched on at all times See Low Volume Condition Type A in the Operating Conditions Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Kondinin Hyden Rd : No left turn permitted into Connell St from Brookton Hwy. No right turn permitted into Brookton Hwy from Connell St. |
| 4040083 | Connelly Rd | Connelly Rd | Corrigin | 0.00 | Corrigin South Rd | 3.32 | Corrigin Kondinin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Corrigin Kondinin Rd : No left turn permitted into Brookton Hwy from Connelly Rd. |
| 3080083 | Conning Rd | Conning Rd | Katanning | 0.00 | Kojonup Katanning Rd | 5.63 | Hutton Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 5051005 | Connolly Rd | Connolly Rd | Greater Geraldton (C) | 0.00 | Burma Rd | 7.38 | For 7.38 Km | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5051005 | Connolly Rd | Connolly Rd | Greater Geraldton (C) | 7.38 | 7.38 Km From Burma Rd | 10.24 | Allanooka Springs Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Allanooka Springs Rd : No left turn permitted into Allanooka Springs Rd from Connolly Rd |
| 5050304 | Connolly St | Connolly St | Greater Geraldton (C) | 0.00 | Box St | 0.27 | Connolly St Cul-De-Sac | |
| 6052021 | Connolly St | Connolly St | Kalgoorlie - Boulder (C) | 0.00 | Boulder Rd | 0.25 | Rhodes St | |
| 4260032 | Connor Rd | Connor Rd | Toodyay | 0.00 | Toodyay - Bindi Bindi Rd | 2.58 | Bull Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|-------------------------|----------|-----------------------|--------|-------------------------------------|---|
| 4290118 | Connor St | Connor St | Wickepin | 0.00 | King St | 0.05 | Cbh Access Road 0.05km From King St | |
| 1104893 | Conquest Wy | Conquest Wy | Wanneroo (C) | 0.00 | Excellence Dr | 0.83 | Motivation Dr | |
| 4180220 | Contine Rd | Contine Rd | Narrogin | 0.00 | Great Southern Hwy | 7.77 | Cooraminning Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Narrakine Rd South : No access permitted to or from Narrakine Road South |
| 1050172 | Conway Rd | Conway Rd | Kwinana (C) | 0.66 | Investigator Dr | 0.77 | Hoyle Rd | |
| 5180140 | Conway Rd | Conway Rd | Wongan - Ballidu | 0.00 | Elphin - Korraling Rd | 1.25 | Conway Rd - End Road | |
| 4060024 | Cooalling Rd | Cooalling Rd | Cunderdin | 0.00 | Woonwooring Rd | 9.18 | Cunderdin - Minnivale Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Woonwooring Rd : No access permitted into Woonwooring Rd from Cooalling Rd. Intersection Mt Anne Rd : No access permitted into Mt Anne Rd from Cooalling Rd. |
| 1080040 | Coogly Rd | Coogly Rd | Serpentine - Jarrahdale | 0.00 | South Western Hwy | 0.47 | 0.47km After South Western Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|------------------------|--------|--------------------------|---|
| 3040037 | Cook Rd | Cook Rd | Cranbrook | 0.00 | Kybellup Rd | 5.54 | Cranbrook - Frankland Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3100042 | Cook Rd | Cook Rd | Kojonup | 0.00 | Lowden Rd | 7.33 | Potts Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h on gravel road. Intersection Lowden Rd : No access permitted into Lowden Rd from Cook Rd |
| 4030083 | Cook Rd | Cook Rd | Bruce Rock | 0.00 | Shepherd Rd | 4.62 | Kwolyin South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Shepherd Rd : No left turn permitted into Shepherd Rd from Cook Rd. |
| 4070033 | Cook Rd | Cook Rd | Dowerin | 0.00 | Dowerin - Meckering Rd | 5.57 | Windsor Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Intersection Dowerin - Meckering Rd : No Access To Or From 4070183 Meckering - Dowerin Rd |
| 4120095 | Cook Rd | Cook Rd | Kulin | 0.00 | Jitarning Rd South | 4.65 | Price Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 6040291 | Cook Rd | Cook Rd | Esperance | 0.00 | Myrup Rd | 2.62 | Cook Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 1140884 | Cook St | Cook St | Canning (C) | 0.00 | Bannister Rd | 0.10 | Cook St - End Road | |
| 2050476 | Cook St | Cook St | Busselton (C) | 0.00 | Fairlawn Rd | 1.32 | Strelly St | <ul style="list-style-type: none"> Intersection Neville St : No left turn permitted into Neville St from Cook St |
| 4150106 | Cook St | Cook St | Mount Marshall | 0.00 | Ingleton Rd | 0.90 | Calderwood Dr | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|---|-----------------------------------|----------|---------------------------------------|--------|--|--|
| 5040075 | Cook St | Cook St | Dandaragan | 0.00 | Bashford St | 0.06 | 0.06km From Indian Ocean Dr | <ul style="list-style-type: none"> Intersection Bashford St : No right turn permitted into Indian Ocean Dr from Cook St |
| 2051035 | Cook St Link | Cook St Link | Busselton (C) | 0.00 | Cook St | 0.06 | Busselton Bypa | |
| 4110081 | Cooke East Rd | Cooke East Rd | Koorda | 0.00 | Wyalkatchem - Koorda Rd | 3.69 | Cooke East Rd - End Road | |
| 4010061 | Cooke Rd | Cooke Rd | Beverley | 0.00 | Springhill Rd | 1.41 | Cookes Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4160021 | Cookinbin Rd | Cookinbin Rd | Mukinbudin | 0.00 | Dandanning Rd | 9.03 | Andrews East Rd & Lake Brown South Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 8140079 | Coolawanyah Rd | Coolawanyah Rd | Karratha (C) | 0.00 | De Witt Rd | 5.16 | Nickol River Access Rd & Millstream Rd | |
| 5130032 | Coolcalalaya Rd | Coolcalalaya Rd | Northampton | 0.00 | North West Coastal Hwy | 14.73 | Yandi Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. No operation between April and September. |
| 5130032 | Coolcalalaya Rd | Coolcalalaya Rd | Northampton | 14.73 | Yandi Rd | 73.53 | Murchison LGA Boundary | |
| H010 | Coolgardie Esperance Hwy | Coolgardie Esperance Hwy Prinsep St Norseman Rd Harbour Rd | Coolgardie Dundas Esperance | 0.00 | Great Eastern Hwy | 370.82 | Smith St & Upper Port Access Rd | <ul style="list-style-type: none"> Intersection Swan Lagoon Rd & Hawkey Rd : No access permitted to Hawkey Rd from Coolgardie-Esperance Hwy. |
| 6020002 | Coolgardie North Rd | Coolgardie North Rd | Coolgardie | 0.41 | Toorak St & Jaurdi Hills Rd | 110.17 | Menzies LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 6020138 | Coolgardie Tip Rd | Coolgardie Tip Rd | Coolgardie | 0.00 | Great Eastern Hwy | 0.75 | Coolgardie Tip Rd - End Road | |
| 0040094 | Coolibah Dr | Coolibah Dr | Wyndham - East Kimberley | 1.92 | Rain Tree St | 2.23 | Ivanhoe Rd | |
| 1030921 | Coolibah Wy | Coolibah Wy | Cockburn (C) | 0.00 | Cocos Dr | 0.46 | Kalmia Rd | |
| 5010086 | Coolimba - Eneabba Rd | Coolimba - Eneabba Rd | Carnamah | 0.00 | Indian Ocean Dr & Eneabba Coolimba Rd | 1.15 | 1.15km From Indian Ocean Dr | |
| 6040024 | Coolinup Rd | Coolinup Rd | Esperance | 0.00 | Fisheries Rd | 10.00 | Lane Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|--------------------------|----------|---|--------|---------------------------|--|
| 6040024 | Coolinup Rd | Coolinup Rd | Esperance | 10.00 | Lane Rd | 43.47 | Heywood Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 5040048 | Cooljarloo Rd | Cooljarloo Rd | Dandaragan | 0.00 | Brand Hwy | 5.45 | Woolka Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2150002 | Coolup East Rd | Coolup East Rd | Murray | 0.00 | South Western Hwy | 5.80 | Burnside Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times |
| 2150017 | Coolup Rd South | Coolup Rd South | Murray | 3.59 | Gibbings Rd | 5.06 | Valli Rd & Leach Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 6040039 | Coomalbidgup Rd | Coomalbidgup Rd | Esperance | 0.00 | Griffiths Rd | 9.96 | Cascade Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040039 | Coomalbidgup Rd | Coomalbidgup Rd | Esperance | 9.97 | Cascade Rd | 25.82 | Well Rd & South Coast Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6053083 | Coombe St | Coombe St | Kalgoorlie - Boulder (C) | 0.00 | Boulder Rd | 0.13 | Coombe St - End Road | |
| 5100027 | Coomberdale East Rd | Coomberdale East Rd | Moora | 0.00 | Kiaka St & Pryre St & Coomberdale Wheatbin Access | 8.68 | Old Geraldton Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 5040032 | Coomberdale West Rd | Coomberdale West Rd | Dandaragan | 0.00 | Coalara Rd | 18.24 | Moora LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5100011 | Coomberdale West Rd | Coomberdale West Rd | Moora | 0.00 | Dandaragan LGA Boundary | 12.56 | Midlands Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|---|--------|--------------------------------|---|
| 3080018 | Coomelberrup Rd | Coomelberrup Rd | Katanning | 0.00 | Warren Rd | 11.96 | Dumbleyung LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 5160047 | Coonawa Rd | Coonawa Rd | Chapman Valley | 0.00 | Wandana Rd | 18.79 | Badgedong Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit. |
| 1090103 | Coondaree Pde | Coondaree Pde | Swan (C) | 0.00 | Great Northern Hwy - Apple St - Coondaree Pde Rty | 0.71 | 0.71km From Great Northern Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4260025 | Coondle West Rd | Coondle West Rd | Toodyay | 0.00 | Toodyay - Bindi Bindi Rd | 10.42 | Julimar Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180165 | Cooney Rd | Cooney Rd | Wongan - Ballidu | 0.00 | Rabbit Proof Fence Rd | 2.19 | Dowerin - Kalannie Rd | |
| 1030094 | Cooper Rd | Cooper Rd | Cockburn (C) | 0.00 | Poletti Rd | 0.96 | Yangebup Rd & Hammond Rd | |
| 4080038 | Cooper Rd | Cooper Rd | Goomalling | 0.00 | Griffith - Whaley Rd | 3.18 | Kalguddering West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------|----------|--------------------------------|--------|--------------------------------|--|
| 4110027 | Cooper Rd | Cooper Rd | Koorda | 0.00 | Wyalkatchem - Koorda Rd | 9.10 | Cooper Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 6040323 | Cooper Rd | Cooper Rd | Esperance | 0.00 | Dundas Rd | 7.68 | Cooper Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4180217 | Cooraminning Rd | Cooraminning Rd | Narrogin | 0.00 | Williams Kondinin Rd | 2.69 | Wanerie Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 5190161 | Coorow - Green Head Rd | Coorow - Green Head Rd | Coorow | 0.00 | Midlands Rd | 77.49 | Brand Hwy | <ul style="list-style-type: none"> Bridge 4150 Salt Creek : Bridge not to be crossed. Bridge 4034 Eganu Crossing : Bridge not to be crossed. |
| 5190162 | Coorow - Green Head Rd | Coorow - Green Head Rd | Coorow | 0.00 | Brand Hwy | 36.81 | Indian Ocean Dr | |
| 5140166 | Coorow - Latham Rd | Coorow - Latham Rd | Perenjori | 0.00 | Coorow - Latham Rd & Waites Rd | 18.18 | Mullewa Wubin Rd & Taylor Rd | <ul style="list-style-type: none"> HVS Update 7-2022 |
| 5190164 | Coorow - Latham Rd | Coorow - Latham Rd | Coorow | 0.00 | Reservoir Rd & Main St | 9.20 | Raffan Rd | |
| 5190164 | Coorow - Latham Rd | Coorow - Latham Rd | Coorow | 9.20 | Raffan Rd | 26.75 | Coorow - Latham Rd & Waites Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5140060 | Coorow - Maya Rd | Coorow - Maya Rd | Perenjori | 0.00 | Mullewa Wubin Rd | 9.54 | Caffens Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 5140060 | Coorow - Maya Rd | Coorow - Maya Rd | Perenjori | 9.54 | Caffens Rd | 19.53 | Coorow - Maya Rd & Teasdale Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|--------------------------|----------|--------------------|--------|--------------------------------|---|
| 5190021 | Coorow - Maya Rd | Coorow - Maya Rd | Coorow | 0.00 | Coorow - Latham Rd | 4.20 | Coorow - Maya Rd & Teasdale Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2010582 | Coostien Rd | Coostien Rd | Augusta - Margaret River | 0.00 | Governor Broome Rd | 1.45 | Coostien Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2180070 | Cootayerup Rd | Cootayerup Rd | Boyup Brook | 0.00 | Tuckett Rd | 6.28 | Terrace Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Trucks Entering' signs to be erected and removed when not in use. |
| 2180070 | Cootayerup Rd | Cootayerup Rd | Boyup Brook | 6.28 | Terrace Rd | 10.70 | Cootayerup - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 8140008 | Cooya Pooya Rd | Cooya Pooya Rd | Karratha (C) | 0.00 | Woodbrook Rd | 12.83 | Mine Access Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|---|--------|---|--|
| 3022027 | Copal Rd | Copal Rd | Albany (C) | 0.00 | Menang Dr | 0.92 | Copal Rd - End Road | |
| 4160048 | Copeland North Rd | Copeland North Rd | Mukinbudin | 0.00 | Copeland South Rd & Copeland Rd | 4.03 | Clamp Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4160016 | Copeland Rd | Copeland Rd | Mukinbudin | 0.00 | Albert Rd & Mukinbudin - Wialki Rd | 12.96 | Wymond Rd & Mukinbudin North East Rd | |
| 4030080 | Copestakes Rd | Copestakes Rd | Bruce Rock | 0.00 | Old Beverley Rd | 11.38 | Corrigin LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Old Beverley Rd : No left turn permitted into Old Beverley Rd from Copestakes Rd. Intersection Williams Rd : No left turn permitted into Williams Rd from Copestakes Rd. |
| 4040058 | Copestakes Rd | Copestakes Rd | Corrigin | 0.00 | Bilbarin - Quairading Rd | 3.40 | Bruce Rock LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6040381 | Coppin St | Coppin St | Esperance | 0.00 | Shelden Rd | 0.36 | Simpson St | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 4020051 | Copping Rd | Copping Rd | Brookton | 0.00 | Great Southern Hwy | 0.66 | Balco Hay Shed 0.66km From Great Southern Hwy | <ul style="list-style-type: none"> Maximum speed 40 km/h |
| 4020051 | Copping Rd | Copping Rd | Brookton | 0.66 | Balco Hay Shed 0.66km From Great Southern Hwy | 8.70 | Copping Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2080026 | Copplestone Rd | Copplestone Rd | Dardanup | 0.00 | Martin Pelusey Rd | 0.66 | Copplestone Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|--------------------------|----------|---|--------|-------------------------------|--|
| 3070040 | Corackerup Rd | Corackerup Rd | Gnowangerup | 0.00 | Gnowangerup Jerramungup Rd | 16.49 | Cowalellup Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 3180092 | Corackerup Rd | Corackerup Rd | Jerramungup | 0.00 | Boxwood Hill - Ongerup Rd | 11.80 | Cowalellup Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| M047 | Coral Bay | Coral Bay Rd | Carnarvon | 0.00 | Minilya Exmouth Rd & Unknown Rd | 12.03 | | |
| 6040066 | Coramup Rd | Coramup Rd | Esperance | 0.00 | Myrup Rd | 7.30 | Blumann Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 2030032 | Corbalup Rd | Corbalup Rd | Bridgetown - Greenbushes | 0.00 | Telephone Trk & Telephone Trk (F) & Corbalup Rd | 16.96 | Thru Rd Lga 218 - Corbalup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|--|--------|--|--|
| 2180134 | Corbalup Rd | Corbalup Rd | Boyup Brook | 0.00 | Boyup Brook - Cranbrook Rd | 0.78 | Bridgetown - Greenbushes LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4010043 | Corberding Rd | Corberding Rd | Beverley | 0.00 | Brookton LGA Boundary | 4.42 | York - Williams Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4020003 | Corberding Rd | Corberding Rd | Brookton | 0.32 | McGrath St | 5.00 | Farm Entrance 5 Kms West of Brookton Town Site | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4020003 | Corberding Rd | Corberding Rd | Brookton | 5.00 | Farm Entrance Gate 5.0km West of Brookton Townsite | 20.35 | Beverley LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 5180058 | Corbett Rd | Corbett Rd | Wongan - Ballidu | 0.00 | Dowerin - Kalannie Rd | 6.04 | Corbett Rd - End Road | |
| 3070019 | Corbett St | Corbett St | Gnowangerup | 0.19 | Searle St | 1.06 | Richardson St | <ul style="list-style-type: none"> Maximum speed 40 km/h |
| 1251586 | Corbusier Pl | Corbusier Pl | Stirling (C) | 0.00 | Balcatta Rd | 0.21 | Corbusier Pl - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|-------------------|--------|--------------------------------|--|
| 3160008 | Cordering Rd North | Cordering Rd North | West Arthur | 0.00 | Coalfields Rd | 18.41 | Bowelling - Duranillin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3160018 | Cordering Rd South | Cordering Rd South | West Arthur | 0.00 | Gibbs Rd | 7.85 | Bowelling - Duranillin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3020074 | Corimup East Rd | Corimup East Rd | Albany (C) | 0.00 | Pfeiffer Rd | 3.72 | 3.716km West From Pfeiffer Rd. | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|-------------------------------|--------|-----------------------------------|--|
| 3020073 | Corimup Rd | Corimup Rd | Albany (C) | 0.00 | Palmdale Rd | 4.06 | Cumming Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6110009 | Corinthia East Rd | Corinthia East Rd | Yilgarn | 6.80 | Turkey Hill Rd | 16.38 | Koolyanobbing - Southern Cross Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 6110159 | Corinthia West Rd | Corinthia West Rd | Yilgarn | 0.00 | Bullfinch Rd | 35.48 | Bodallin North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 2150214 | Corio Rd | Corio Rd | Murray | 0.93 | 8.36km South From Lakes Road. | 9.29 | Lakes Rd & Hopeland Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3020084 | Corio Rd | Corio Rd | Albany (C) | 0.00 | South Coast Hwy | 4.02 | Hunwick Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|-------------------------|--------|------------------------|---|
| 4330078 | Corner Well Rd | Corner Well Rd | York | 0.00 | Doodenanning Rd | 5.55 | Quairading York Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4110049 | Cornish Rd | Cornish Rd | Koorda | 0.00 | Larkman Rd | 5.10 | Cornish Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4220011 | Cornish Rd | Cornish Rd | Nungarin | 0.00 | Nungarin North Rd | 16.47 | Chandler - Nungarin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 8030052 | Cornish St | Cornish St | Carnarvon | 0.00 | Angelo St & Robinson St | 1.81 | Harbour Rd | |
| 3170031 | Cornwall Rd | Cornwall Rd | Woodanilling | 0.00 | Onslow Rd | 9.42 | Robinson West Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Robinson West Rd : No left turn permitted Into Robinson West Rd from Cornwall Rd |
| 4180287 | Cornwall Rd | Cornwall Rd | Narrogin | 0.00 | Williams Kondinin Rd | 5.36 | Cornwall Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|----------------------------|--------|---------------------|---|
| 3080198 | Cornwall St | Cornwall St | Katanning | 0.38 | Drove St & Bay St | 1.19 | Great Southern Hwy | |
| 1031057 | Corokia Wy | Corokia Wy | Cockburn (C) | 0.00 | Kalmia Rd | 0.27 | Barberry Wy | |
| 3070063 | Coromup Rd | Coromup Rd | Gnowangerup | 0.00 | Gnowangerup Jerramungup Rd | 11.21 | Old Ongerup Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5160034 | Coronation Beach Rd | Coronation Beach Rd | Chapman Valley | 0.00 | North West Coastal Hwy | 5.95 | | |
| 2090001 | Coronation Rd | Coronation Rd | Waroona | 0.00 | South Western Hwy | 6.41 | Somers Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Curfew applies on school days only. |
| 2090001 | Coronation Rd | Coronation Rd | Waroona | 6.41 | Somers Rd | 16.20 | Peppermint Grove Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. No Operation between the hours of sunset and sunrise Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 2160063 | Coronation Rd | Coronation Rd | Nannup | 0.00 | Vasse Hwy | 17.51 | Graphite Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4140140 | Coronation St | Coronation St | Merredin | 0.00 | King St | 0.95 | Mary St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---------------------------|------------------|----------|--|--------|---|--|
| 5170025 | Corondeen Rd | Corondeen Rd | Victoria Plains | 0.00 | Goomalling - Calingiri Rd | 12.19 | Goomalling - Calingiri Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5080124 | Correy Rd | Correy Rd | Irwin | 0.00 | Brand Hwy | 9.30 | Correy Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4030174 | Corrigin - Bruce Rock Rd | Corrigin - Bruce Rock Rd | Bruce Rock | 0.00 | Corrigin LGA Boundary | 39.29 | Buller Link Rd & Bruce Rock Quairading Rd | |
| 4040168 | Corrigin - Bruce Rock Rd | Corrigin - Bruce Rock Rd | Corrigin | 0.00 | Corrigin Kondinin Rd & Kunjin St | 23.23 | Bruce Rock LGA Boundary | |
| 4040172 | Corrigin - Narembreen Rd | Corrigin - Narembreen Rd | Corrigin | 0.00 | Corrigin - Bruce Rock Rd | 13.36 | Corrigin - Narembreen Rd & Boundary Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4170135 | Corrigin - Narembreen Rd | Corrigin - Narembreen Rd | Narembreen | 0.00 | Corrigin - Narembreen Rd & Boundary Rd | 17.03 | Kondinin - Narembreen Rd & South Kumminin East Rd | |
| 4040017 | Corrigin - Wogerlin Rd | Corrigin - Wogerlin Rd | Corrigin | 0.00 | Babakin - Corrigin Rd | 12.71 | Bilbarin - Quairading Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Babakin - Corrigin Rd : No access permitted into Babakin Corrigin Rd from Corrigin Wogerlin Rd |
| M405 | Corrigin Kulin Rd Slip Rd | Corrigin Kulin Rd Slip Rd | Kulin | 0.00 | Corrigin Kulin Rd & Davies Rd | 0.22 | Corrigin Kulin Rd | |
| 4129001 | Corrigin Kullin Rd | Corrigin Kullin Rd | Kulin | 0.00 | Davies Rd | 2.03 | Price St & High St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|--|--------|---------------------------------|---|
| 4040014 | Corrigin South Rd | Corrigin South Rd | Corrigin | 0.00 | Walton St & Kunjin St | 0.65 | Cbh Access Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4040014 | Corrigin South Rd | Corrigin South Rd | Corrigin | 0.65 | 0.290km From Suburban St | 0.75 | Cbh Access Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times |
| 4040014 | Corrigin South Rd | Corrigin South Rd | Corrigin | 0.75 | Cbh Access Rd | 10.38 | Schultz Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Intersection Dilling Rd : No left turn permitted into Dilling Rd from Corrigin South Rd |
| 4040014 | Corrigin South Rd | Corrigin South Rd | Corrigin | 10.38 | Schultz Rd | 26.60 | Doyle Rd | |
| 8140685 | Corringer Av | Corringer Av | Karratha (C) | 0.00 | Melford Rd | 0.42 | Corringer Av - End Road | |
| 2122073 | Corsican Pl | Corsican Pl | Mandurah (C) | 0.00 | Gordon Rd & Education Dr | 1.24 | Corsican Pl - End Road | |
| 6110053 | Corsini Rd | Corsini Rd | Yilgarn | 0.00 | Ivey Rd | 6.60 | Corsini Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1070614 | Cort Wy | Cort Wy | Rockingham (C) | 0.00 | Nasmyth Rd | 0.38 | Nasmyth Rd | |
| 8120145 | Corunna Downs Rd | Corunna Downs Rd | East Pilbara | 0.00 | Ironclad Battery Access Rd & Limestone - Marble Bar Rd | 39.19 | Corunna Downs Access - End Road | |
| 3050572 | Corymbia Cr | Corymbia Cr | Denmark | 0.00 | East River Rd | 0.57 | Mycena St | <ul style="list-style-type: none"> Intersection East River Rd : No right turn permitted into East River Rd from Corymbia Cr |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|--------------------|--------|------------------------|---|
| 4030116 | Cosgrove Rd | Cosgrove Rd | Bruce Rock | 0.00 | Kwolyin South Rd | 2.03 | Cosgrove Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4170067 | Coshes Rd | Coshes Rd | Naremben | 0.00 | Billericay East Rd | 7.64 | South Kumminin East Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1120343 | Cossom Pl | Cossom Pl | Bayswater (C) | 0.00 | Bassendean Rd | 0.17 | Muriel St | |
| 3120084 | Costello Rd | Costello Rd | Plantagenet | 0.00 | Lake Matilda Rd | 6.07 | Costello Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3150161 | Costelloe St | Costelloe St | Wagin | 0.00 | Tudhoe St | 0.61 | Omdurman St | |
| 4070094 | Cottrell St | Cottrell St | Dowerin | 0.00 | Goldfields Rd | 1.06 | Stewart St | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 6100075 | Coujinup Rd | Coujinup Rd | Ravensthorpe | 0.00 | South Coast Hwy | 9.32 | Bandalup Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 6100075 | Coujinup Rd | Coujinup Rd | Ravensthorpe | 9.44 | Bandalup Rd | 14.50 | Coujinup Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|----------------------------|--------|----------------------------|--|
| 4140095 | Coulahan Rd | Coulahan Rd | Merredin | 0.00 | Baandee South Rd | 5.50 | Doodlakine - Bruce Rock Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1140776 | Coulson Wy | Coulson Wy | Canning (C) | 0.00 | Vulcan Rd | 0.90 | Vulcan Rd | |
| 4080070 | Coulthard Rd | Coulthard Rd | Goomalling | 0.00 | Donald Rd | 4.17 | Goomalling - Calingiri Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h |
| 5030089 | Council Rd | Council Rd | Dalwallinu | 0.00 | Jackson Rd | 9.60 | Mullewa Wubin Rd | |
| 4060092 | Council St | Council St | Cunderdin | 0.18 | 0.18km After Yilgarn St | 0.40 | Watts St | |
| 4140065 | Coupar Rd | Coupar Rd | Merredin | 0.00 | Nangeenan North Rd | 3.50 | Neening Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4130052 | Couper Rd | Couper Rd | Trayning | 0.00 | Doodlakine - Kununoppin Rd | 4.16 | McNeil Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Doodlakine - Kununoppin Rd : No access permitted to or from Doodlakine-Kununoppin Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|--------------------------|----------|--------------------------------------|--------|--|--|
| 4130052 | Couper Rd | Couper Rd | Trayning | 4.16 | McNeil Rd | 6.23 | Purdy Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4130075 | Couper St | Couper St | Trayning | 0.00 | Adam St | 0.27 | Walker St | <ul style="list-style-type: none"> Maximum speed 40 km/h |
| 4130084 | Couper St | Couper St | Trayning | 0.00 | Wilson St | 0.55 | Thompson Rd | |
| 5030025 | Courtlea Rd | Courtlea Rd | Dalwallinu | 0.00 | Dalwallinu North Rd | 13.31 | Locke Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Intersection Great Northern Hwy : No access permitted to or from Great Northern Hwy on the eastern side of the intersection. |
| 1020822 | Courtney Pl | Courtney Pl | Kalamunda | 0.00 | Coldwell Rd | 0.57 | Logistics Bvd | |
| 2010023 | Courtney Rd | Courtney Rd | Augusta - Margaret River | 0.00 | Brockman Hwy | 2.93 | Sunshine Av | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h Intersection Brockman Hwy : No left turn permitted into Brockman Hwy from Courtney Rd |
| 5180131 | Cousins Rd | Cousins Rd | Wongan - Ballidu | 0.00 | Brophy Rd & Ballidu - Bindi Bindi Rd | 4.50 | Cousins Rd - End Road | |
| 6052032 | Coventry St | Coventry St | Kalgoorlie - Boulder (C) | 0.00 | Shea St | 0.22 | Boulder Rd | |
| 4170040 | Coverley Rd | Coverley Rd | Narembeen | 0.00 | Soldiers Rd | 15.48 | Wogarl West Rd & Wogarl - Muntadgin Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h |
| 3070105 | Cowalellup Rd | Cowalellup Rd | Gnowangerup | 0.00 | Cowalellup Rd & Corackerup Rd | 9.10 | Boxwood Hill - Ongerup Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3180064 | Cowalellup Rd | Cowalellup Rd | Jerramungup | 0.00 | South Coast Hwy | 26.13 | Cowalellup Rd & Corackerup Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|--------------------------|----------|--------------------------|--------|----------------------------|--|
| 5040121 | Cowalla Peak Rd | Cowalla Peak Rd | Dandaragan | 0.00 | Yerramullah Rd | 2.18 | Cowalla Peak Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5040035 | Cowalla Rd | Cowalla Rd | Dandaragan | 0.00 | Brand Hwy | 15.00 | Yerramullah Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5070003 | Cowalla Rd | Cowalla Rd | Gingin | 0.00 | Gingin Brook Rd | 29.99 | Orange Springs Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5070003 | Cowalla Rd | Cowalla Rd | Gingin | 29.99 | Orange Springs Rd | 36.49 | Mimegarra Rd & Sappers Rd | |
| 1091184 | Cowan Gdns | Cowan Gdns | Swan (C) | 0.00 | Elgee Rd | 0.18 | Lennard Gdns | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 4170054 | Cowan Rd | Cowan Rd | Naremben | 0.00 | Wogarl East Rd | 12.91 | Soldiers Rd | |
| 2010003 | Cowaramup Bay Rd | Cowaramup Bay Rd | Augusta - Margaret River | 0.00 | Bussell Hwy | 7.10 | Caves Rd | |
| 1130489 | Cowcher Pl | Cowcher Pl | Belmont (C) | 0.00 | Abernethy Rd | 0.25 | Cowcher Pl - End Road | |
| 3070073 | Cowcher Rd | Cowcher Rd | Gnowangerup | 0.00 | Rabbit Proof Fence Rd | 3.16 | Kent LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3090019 | Cowcher Rd | Cowcher Rd | Kent | 0.00 | Gnowangerup LGA Boundary | 19.78 | Range Rd | |
| 3150198 | Cowcher Rd | Cowcher Rd | Wagin | 0.00 | Tudor St | 0.08 | Vine St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|------------------|----------|-------------------------|--------|-----------------------|--|
| 4180286 | Cowcher Rd | Cowcher Rd | Narrogin | 0.00 | Williams Kondinin Rd | 7.47 | Clayton Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4300025 | Cowcher Rd | Cowcher Rd | Williams | 0.00 | Pinjarra Williams Rd | 4.04 | Cowcher Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4310121 | Cowcowing - Siding Rd | Cowcowing - Siding Rd | Wyalkatchem | 0.00 | Wyalkatchem - Koorda Rd | 0.54 | Cowcowing West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|----------------------|--------|-------------------------|--|
| 4310028 | Cowcowing West Rd | Cowcowing West Rd | Wyalkatchem | 0.00 | Wyalkatchem North Rd | 5.80 | Wyalkatchem - Koorda Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6100045 | Cowell Rd | Cowell Rd | Ravensthorpe | 0.00 | Doyle Rd | 8.79 | Coxall Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 3040185 | Cowerup Rd | Cowerup Rd | Cranbrook | 0.00 | Muir Hwy | 2.42 | Cowerup Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 8140303 | Cowle Rd | Cowle Rd | Karratha (C) | 0.00 | Augustus Dr | 0.54 | Coolawanyah Rd | |
| 1102256 | Cowle St | Cowle St | Wanneroo (C) | 0.00 | Gnangara Rd | 0.13 | Hoskins Rd | |
| 4310122 | Cox Rd | Cox Rd | Wyalkatchem | 0.00 | Maitland Rd | 6.88 | Tammin - Wyalkatchem Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|-------------------------|----------|---|--------|----------------------|---|
| 4310122 | Cox Rd | Cox Rd | Wyalkatchem | 6.88 | Tammin - Wyalkatchem Rd | 12.70 | Yorkrakine Rock Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6040077 | Cox Rd | Cox Rd | Esperance | 0.00 | Truslove Rd | 14.96 | Cox Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6110131 | Cox Rd | Cox Rd | Yilgarn | 0.00 | Cramphorne Rd | 6.05 | Cox Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6070068 | Cox St | Cox St | Laverton | 0.00 | Leonora Laverton Rd & Beria Rd | 0.68 | Weld Dr | |
| 6100016 | Coxall Rd | Coxall Rd | Ravensthorpe | 0.00 | South Coast Hwy | 20.14 | Springdale Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 4290122 | Coxon St | Coxon St | Wickepin | 0.00 | Lomos Rd South & Wickepin - Corrigin Rd | 0.05 | King St | |
| 1080170 | Coyle Rd | Coyle Rd | Serpentine - Jarrahdale | 0.00 | Casuarina Rd & Lydon Rd | 1.98 | King Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3080035 | Coyrecup North Rd | Coyrecup North Rd | Katanning | 0.00 | Ranford Rd | 4.80 | Katanning Nyabing Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h Intersection Simper Rd : No left turn permitted into Simper Rd from Coyrecup North Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|----------------------|--------|-----------------------------------|---|
| 3080039 | Coyrecup South Rd | Coyrecup South Rd | Katanning | 0.00 | Katanning Nyabing Rd | 7.44 | Lake Coyrecup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Lake Coyrecup Rd : No access permitted into Lake Coyrecup Rd from Coyrecup Rd |
| 3080039 | Coyrecup South Rd | Coyrecup South Rd | Katanning | 7.45 | Lake Coyrecup Rd | 12.20 | Scotchman Rd | <ul style="list-style-type: none"> Intersection Lake Coyrecup Rd : No access permitted into Lake Coyrecup Rd from Coyrecup Rd |
| 0010012 | Crab Creek Rd | Crab Creek Rd | Broome | 0.00 | Broome Rd | 9.35 | Crab Creek Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4150081 | Crabb Rd | Crabb Rd | Mount Marshall | 0.00 | Mandiga - Marindo Rd | 12.90 | Bencubbin - Beacon Rd S6 | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 5160061 | Crabbe Rd | Crabbe Rd | Chapman Valley | 0.00 | Indialla Rd | 6.00 | Durawah Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3120178 | Craddock Rd | Craddock Rd | Plantagenet | 1.84 | Wilson Rd | 3.00 | Farm Gate 1.16km From Wilson Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h |
| 4140160 | Craddock Rd | Craddock Rd | Merredin | 0.00 | South Av | 0.30 | French Av | |
| 1141493 | Craft St | Craft St | Canning (C) | 0.00 | Baile Rd | 0.42 | Brewer Rd & Barley Pl | |
| 5180033 | Craig Rd | Craig Rd | Wongan - Ballidu | 0.00 | Northam Pithara Rd | 18.24 | Kondut West Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------------|-------------------------------|--------------------------|----------|----------------------------------|--------|--------------------------|--|
| 6055034 | Craig Rd | Craig Rd | Kalgoorlie - Boulder (C) | 0.00 | West Kalgoorlie Rd | 0.99 | Great Eastern Hwy | |
| 2180037 | Craigie Rd | Craigie Rd | Boyup Brook | 0.00 | Area Rd & Sherry Rd | 9.35 | Eulin Crossing Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3160101 | Craigie Rd | Craigie Rd | West Arthur | 0.00 | Sandalwood Rd | 3.50 | Craigie Rd - End Road | |
| 4170036 | Cramphorne North Rd | Cramphorne North Rd | Naremben | 0.00 | Cramphorne North Rd - Start Road | 7.21 | Hooper Rd | |
| 4030011 | Cramphorne Rd | Cramphorne Rd | Bruce Rock | 0.00 | Bruce Rock Merredin Rd | 17.98 | Naremben LGA Boundary | |
| 4170013 | Cramphorne Rd | Cramphorne Rd | Naremben | 0.00 | Bruce Rock LGA Boundary | 42.29 | Cox Rd & Cramphorne Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6110041 | Cramphorne Rd | Cramphorne Rd | Yilgarn | 0.00 | Cox Rd & Cramphorne Rd | 55.17 | Emu Fence Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5051033 | Crampton Rd | Crampton Rd | Greater Geraldton (C) | 0.00 | Brand Hwy | 1.60 | 1.6km From Brand Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Railway crossing #2465 at SLK 1.68 not to be crossed |
| 2070048 | Crampton St | Crampton St | Collie | 0.36 | Mungalup Rd | 0.76 | Paterson St & Preston St | |
| 3040530 | Cranbrook - Frankland East Rd | Cranbrook - Frankland East Rd | Cranbrook | 0.00 | Climie St & Salt River Rd | 4.13 | Albany Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Intersection Climie St & Salt River Rd : No left turn permitted into Northam Cranbrook from Cranbrook-Frankland East Rd. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|--------------------------|-----------------------|----------|-------------------------------|--------|--|--|
| 3040531 | Cranbrook - Frankland Rd | Cranbrook - Frankland Rd | Cranbrook | 0.00 | Albany Hwy | 41.70 | Wingebellup Rd & Frankland - Rocky Gully Rd & Marlock St | |
| 1031005 | Crane St | Crane St | Cockburn (C) | 0.00 | Sparks Rd | 0.20 | Crane St - End Road | |
| 5100061 | Cranmore Rd | Cranmore Rd | Moora | 0.00 | Great Northern Hwy | 10.90 | Colvin Rd | <ul style="list-style-type: none"> Intersection Colvin Rd : No access permitted into Colvin Rd from Cranmore Rd |
| 3100184 | Crapella Rd | Crapella Rd | Kojonup | 0.00 | Albany Hwy | 3.89 | Crapella Rd - End Road | <ul style="list-style-type: none"> Maximum speed 60 km/h No Operation between the hours of sunset and sunrise |
| 5030148 | Craske Rd | Craske Rd | Dalwallinu | 0.00 | Wongan - Ballidu LGA Boundary | 1.80 | Damboring East Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5180039 | Craske Rd | Craske Rd | Wongan - Ballidu | 0.00 | Ballidu East Rd | 10.57 | Dalwallinu LGA Boundary | |
| 6040293 | Crawford Rd | Crawford Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 4.00 | Crawford Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 5050127 | Crawford St | Crawford St | Greater Geraldton (C) | 0.00 | Box St | 0.48 | Bedford St | |
| 6070073 | Crawford St | Crawford St | Laverton | 0.00 | Beria Rd | 0.21 | Cox St | |
| 4220028 | Creagh Rd | Creagh Rd | Nungarin | 0.00 | Nungarin Wyalkatchem Rd | 5.05 | Moodiljing-Watson Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 5050697 | Cream Rd | Cream Rd | Greater Geraldton (C) | 0.00 | Peter Rd | 3.41 | Cream Rd - End Road | |
| 1105529 | Creative St | Creative St | Wanneroo (C) | 0.00 | Inspiration Dr | 0.36 | Excellence Dr | |
| 3110177 | Creek Rd | Creek Rd | Lake Grace | 0.00 | Old Ravensthorpe Rd | 10.67 | Tarco Rd & Old Newdegate Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3080138 | Creek St | Creek St | Katanning | 0.00 | Cornwall St | 0.59 | Daping St & Police Pools Rd | |
| 4140066 | Crees Rd | Crees Rd | Merredin | 0.00 | Burracoppin South Rd | 3.75 | Ogden Rd | |
| 5070017 | Creighton Rd | Creighton Rd | Gingin | 0.00 | Cockram Rd | 1.00 | 1km From Cockram Rd (Rocla Pit Entrance) | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Cockram Rd to Rocla Pit entrance only. Ensure road is clear before turning from Cockram Rd. Utilise stopping bay to pass |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|-----------------------|----------|------------------------|--------|--------------------------|--|
| 5100030 | Creslow Rd | Creslow Rd | Moora | 0.00 | Moora - Miling Rd | 9.31 | Miling West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1251551 | Cressall Rd | Cressall Rd | Stirling (C) | 0.00 | Balcatta Rd | 0.46 | Gibberd Rd | |
| 5051044 | Criddle Rd | Criddle Rd | Greater Geraldton (C) | 0.00 | Walkaway - Nangetty Rd | 6.60 | Criddle Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h |
| 7040010 | Criddle St | Criddle St | Mount Magnet | 0.00 | Welcome St | 1.14 | Laurie St | |
| 6040083 | Cridge Rd | Cridge Rd | Esperance | 0.00 | Norwood Rd | 2.66 | Cox Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4240013 | Crimp Rd | Crimp Rd | Quairading | 0.00 | Maynard Rd | 6.69 | Doodenanning - Mawson Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 6040086 | Crisps Rd | Crisps Rd | Esperance | 0.00 | South Coast Hwy | 7.40 | | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 1090693 | Crocker Dr | Crocker Dr | Swan (C) | 0.00 | Beach Rd | 1.02 | Victoria Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 1070420 | Crocker St | Crocker St | Rockingham (C) | 0.00 | Dixon Rd | 0.31 | Crocker St - End Road | |
| 3120082 | Crockerup Rd | Crockerup Rd | Plantagenet | 0.00 | Albany Hwy | 2.45 | Riches Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|------------------------------------|--------|---------------------------|---|
| 3120082 | Crockerup Rd | Crockerup Rd | Plantagenet | 2.45 | Riches Rd | 4.79 | 4.79km From Albany Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3110047 | Croghan Rd | Croghan Rd | Lake Grace | 0.00 | Edwards Rd | 4.21 | Croghan Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4030103 | Crombie Rd | Crombie Rd | Bruce Rock | 0.00 | Babakin - Corrigin Rd & Hancock Rd | 5.80 | Shackleton - Bilbarin Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 1070615 | Crompton Rd | Crompton Rd | Rockingham (C) | 0.00 | Nasmyth Rd | 1.10 | Day Rd | |
| 3170041 | Cronin Rd | Cronin Rd | Woodanilling | 0.00 | Church Rd | 3.01 | Harvey Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3170041 | Cronin Rd | Cronin Rd | Woodanilling | 3.01 | Harvey Rd | 8.48 | Oxley Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 4180260 | Crooked Pool Rd | Crooked Pool Rd | Narrogin | 0.00 | Boundain North Rd & Cannell Rd | 3.84 | Birdwhistle Rd | |
| 4030087 | Crooks Rd | Crooks Rd | Bruce Rock | 0.00 | Babakin North West Rd | 3.14 | Old Beverley Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h |
| 4140072 | Crooks Rd | Crooks Rd | Merredin | 0.00 | Great Eastern Hwy | 1.50 | Hubeck Rd & Goldfields Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|--------------------------|----------|-------------------------------|--------|-----------------|--|
| 5110139 | Croot Rd | Croot Rd | Morawa | 0.00 | Canna North East Rd | 5.66 | | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3030207 | Crosby Rd | Crosby Rd | Broomehill - Tambellup | 0.00 | Greenhills South Rd | 14.25 | Birt Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3040062 | Crosby Rd | Crosby Rd | Cranbrook | 0.00 | Muir Hwy | 3.43 | Quindinup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Muir Hwy : No access permitted into Muirs Hwy from Crosby Rd. |
| 3090056 | Crosby Rd | Crosby Rd | Kent | 0.00 | Kukerin Rd | 3.54 | McLaren Rd | |
| 0040195 | Crossing Falls Rd | Crossing Falls Rd | Wyndham - East Kimberley | 0.00 | Victoria Hwy | 8.06 | Cherubin Rd | |
| 5140123 | Crossing Rd | Crossing Rd | Perenjori | 0.00 | Mullewa Wubin Rd & Loading St | 0.13 | Russell St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|--------------------------|----------|---------------------------------------|--------|------------------------------|---|
| 4040056 | Crossland Rd | Crossland Rd | Corrigin | 0.00 | Nambadilling Rd | 6.12 | Gnerkadilling Rd | |
| 2140002 | Crossman - Dwarda Rd | Crossman - Dwarda Rd | Boddington | 0.00 | Albany Hwy | 6.15 | Wandering LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4270003 | Crossman - Dwarda Rd | Crossman - Dwarda Rd | Wandering | 0.00 | Fourteen Mile Brook Rd | 8.12 | Boddington LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 2140001 | Crossman Rd | Crossman Rd | Boddington | 0.00 | Bannister Marradong Rd & Bannister Rd | 11.85 | Albany Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 2130538 | Crouch St | Crouch St | Manjimup | 0.00 | Franklin St | 0.34 | Gandy St | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 2030024 | Crowd Wheatley Rd | Crowd Wheatley Rd | Bridgetown - Greenbushes | 0.00 | Peninsula Rd | 5.48 | Crowd Wheatley Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 8140081 | Croydon Rd | Croydon Rd | Karratha (C) | 0.00 | Cherratta Rd | 0.45 | Coolawanyah Rd | |
| 2010084 | Crozier Rd | Crozier Rd | Augusta - Margaret River | 0.00 | Bessell Rd | 2.11 | Jindong - Treeton Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2010084 | Crozier Rd | Crozier Rd | Augusta - Margaret River | 2.11 | Jindong - Treeton Rd | 3.60 | 0.5km From Rosa Brook Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5050711 | Crudelli Rd | Crudelli Rd | Greater Geraldton (C) | 0.00 | Mullewa Wubin Rd | 5.13 | Crudelli Rd - End Road | |
| 1020042 | Crystal Brook Rd | Crystal Brook Rd | Kalamunda | 0.00 | Welshpool Rd East | 0.05 | Brentwood Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|----------------------------------|--------|----------------------------------|---|
| 3120311 | Crystal Brook Rd | Crystal Brook Rd | Plantagenet | 0.00 | Spencer Rd | 4.25 | Crystal Brook Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4050006 | Cuballing East Rd | Cuballing East Rd | Cuballing | 0.00 | Great Southern Hwy & Campbell St | 18.11 | Cuballing East Rd & Wardering Rd | <ul style="list-style-type: none"> No Operation between the hours of sunset and sunrise Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Parsons Rd : No access permitted into Parsons Rd from Cuballing East Rd |
| 4290024 | Cuballing East Rd | Cuballing East Rd | Wickepin | 0.00 | Williams Kondinin Rd | 2.93 | Cuballing East Rd & Wardering Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h |
| 4050003 | Cuballing West Rd | Cuballing West Rd | Cuballing | 0.00 | Campbell St & Dungog St | 9.46 | Wandering - Narrogin Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4240005 | Cubbine Rd | Cubbine Rd | Quairading | 0.00 | York LGA Boundary | 32.92 | Badjalng North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Cubbine Rd : No access permitted into Taylors North West Rd from Cubbine Rd Intersection Hayes Rd : No right turn permitted into Hayes Rd from Cubbine Rd |
| 4240005 | Cubbine Rd | Cubbine Rd | Quairading | 32.92 | Badjalng North Rd | 40.16 | Tammin LGA Boundary | <ul style="list-style-type: none"> Intersection Taylors North West Rd : No access permitted into Taylors North West Rd from Cubbine Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------|----------|--------------------------------------|--------|----------------------------|--|
| 4250011 | Cubbine Rd | Cubbine Rd | Tammin | 0.00 | Quairading LGA Boundary | 15.12 | Kellerberrin - Yoting Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4330038 | Cubbine Rd | Cubbine Rd | York | 0.00 | Quairading York Rd | 7.42 | Quairading LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4060163 | Cubbine St | Cubbine St | Cunderdin | 0.00 | Carter Dr & Great Eastern Hwy | 1.38 | Fiebert Rd & Quairading Rd | |
| 7020002 | Cue - Wondinong Rd | Cue - Wondinong Rd | Cue | 0.00 | Wittenoom St & Patterson St | 69.03 | Mt Magnet Lga Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3180121 | Cuiss Rd | Cuiss Rd | Jerramungup | 0.00 | South Coast Hwy | 12.66 | Cuiss Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4030092 | Cukela Rd | Cukela Rd | Bruce Rock | 0.00 | Jakovich Rd | 2.30 | Yarding North Rd | |
| 4300017 | Culbin - Boraning Rd | Culbin - Boraning Rd | Williams | 0.00 | Williams-Darkan Rd & Culbin South Rd | 17.70 | Pinjarra Williams Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|--------------------------|----------|---------------------------|--------|---------------------------|---|
| 5020045 | Cullalla Rd | Cullalla Rd | Chittering | 0.00 | Mooliabeenee Rd | 0.18 | Cullalla Rd & Ashworth Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h |
| 5070039 | Cullalla Rd | Cullalla Rd | Gingin | 0.00 | Cullalla Rd & Ashworth Rd | 15.50 | Wannamal Rd South | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h |
| 7020021 | Cullculli Rd | Cullculli Rd | Cue | 0.00 | Great Northern Hwy | 15.67 | | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 7020021 | Cullculli Rd | Cullculli Rd | Cue | 15.67 | | 17.05 | Reedy Rd | |
| 2010184 | Cullen Rd | Cullen Rd | Augusta - Margaret River | 0.00 | Caves Rd | 2.20 | 0.43km From Judd Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4170062 | Cullen Rd | Cullen Rd | Narembeen | 0.00 | Wogarl East Rd | 9.98 | Yeomans Rd | |
| 1120113 | Cullen St | Cullen St | Bayswater (C) | 0.00 | Rio St & Bassendean Rd | 0.32 | Wright St & Pickett St | |
| 3020447 | Cumming Rd | Cumming Rd | Albany (C) | 0.00 | Corimup Rd | 2.80 | Lake Warburton Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3110053 | Cummings Rd | Cummings Rd | Lake Grace | 0.00 | Willcocks Rd | 9.74 | Mallee Hill Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4140176 | Cummings St | Cummings St | Merredin | 0.00 | Great Eastern Hwy | 0.57 | Dobson Av & Jackson Wy | |
| 4030045 | Cumminin Rd | Cumminin Rd | Bruce Rock | 0.00 | Bruce Rock - Narembeen Rd | 11.50 | Narembeen LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Allen Rd : No access permitted into Allen Rd from Cumminin Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------------|----------------------------|------------------|----------|---|--------|---|--|
| 4170047 | Cumminin Rd | Cumminin Rd | Narembeen | 0.00 | Koolberrin Rd | 8.58 | Bruce Rock LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4060003 | Cunderdin - Minnivale Rd | Cunderdin - Minnivale Rd | Cunderdin | 0.00 | Cunderdin - Wyalkatchem Rd | 18.71 | Dowerin LGA Boundary | |
| 4070001 | Cunderdin - Minnivale Rd | Cunderdin - Minnivale Rd | Dowerin | 0.00 | Amery - Benjaberring Rd | 5.17 | Goomalling Wyalkatchem Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 4070001 | Cunderdin - Minnivale Rd | Cunderdin - Minnivale Rd | Dowerin | 5.17 | Goomalling Wyalkatchem Rd | 27.23 | Cunderdin LGA Boundary | <ul style="list-style-type: none"> 30 km/h below posted speed limit |
| 4060166 | Cunderdin - Wyalkatchem Rd | Cunderdin - Wyalkatchem Rd | Cunderdin | 0.00 | Baxter Rd | 30.68 | Seventeen Mile Gate Rd & Cunderdin - Wyalkatchem Rd | |
| 4310131 | Cunderdin - Wyalkatchem Rd | Cunderdin - Wyalkatchem Rd | Wyalkatchem | 0.00 | Seventeen Mile Gate Rd & Cunderdin - Wyalkatchem Rd | 31.23 | Hands Dr | |
| 4160047 | Cunderin Rd | Cunderin Rd | Mukinbudin | 0.00 | Beringbooding Rd | 15.85 | Walton Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2160014 | Cundinup - Dudinyillup Rd | Cundinup - Dudinyillup Rd | Nannup | 0.00 | Cundinup South Rd | 6.71 | Balingup - Nannup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2160002 | Cundinup - Kirup Rd | Cundinup - Kirup Rd | Nannup | 0.00 | Cundinup Rd & Cundinup South Rd | 4.86 | Donnybrook - Balingup LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|--------------------------|----------|-----------------------------------|--------|---|--|
| 2170154 | Cundinup - Kirup Rd | Cundinup - Kirup Rd | Donnybrook - Balingup | 0.00 | South Western Hwy | 11.51 | Meagher Rd | |
| 2160001 | Cundinup Rd | Cundinup Rd | Nannup | 0.00 | White Rd & Cundinup West Rd | 0.57 | Cundinup - Kirup Rd & Cundinup South Rd | <ul style="list-style-type: none"> Intersection White Rd & Cundinup West Rd : No right turn permitted into White Rd from Cundinup Rd. |
| 2160094 | Cundinup South Rd | Cundinup South Rd | Nannup | 0.00 | Cundinup Rd & Cundinup - Kirup Rd | 3.14 | Cundinup - Dudinyillup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 2160094 | Cundinup South Rd | Cundinup South Rd | Nannup | 3.14 | Cundinup - Dudinyillup Rd | 13.03 | Vasse Hwy | |
| 2160093 | Cundinup West Rd | Cundinup West Rd | Nannup | 0.00 | Vasse Hwy | 1.47 | 1.47km East From Vasse (M008) | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 2160093 | Cundinup West Rd | Cundinup West Rd | Nannup | 1.47 | 1.47km East From Vasse (M008) | 9.41 | White Rd & Cundinup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6055081 | Cunningham Dr | Cunningham Dr | Kalgoorlie - Boulder (C) | 0.00 | Great Eastern Hwy | 0.62 | Broadwood St | |
| 5140006 | Cunningham Rd | Cunningham Rd | Perenjori | 0.00 | Fallon Rd & Tait Rd | 4.23 | Bowgada East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5050630 | Curara Swamp Rd | Curara Swamp Rd | Greater Geraldton (C) | 0.00 | Fegan Rd | 6.19 | Williams Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------------|----------|-----------------------------------|--------|------------------------|---|
| 3030038 | Curnow Rd | Curnow Rd | Broomehill - Tambellup | 0.00 | Tie Line Rd & Norrish Rd | 4.66 | Katanning LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4170132 | Curral St | Curral St | Naremben | 0.00 | Merredin - Naremben Rd & Brown St | 0.70 | Latham Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Maximum speed 50 km/h |
| 4030059 | Currie Rd | Currie Rd | Bruce Rock | 0.00 | Bruce Rock East Rd | 7.56 | Bedell Rd | <ul style="list-style-type: none"> Intersection Bedell Rd : No left turn permitted into Bedell Rd from Currie Rd |
| 4140046 | Currie Rd | Currie Rd | Merredin | 0.00 | Burracoppin - Campion Rd | 5.01 | Downsborough Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6040693 | Currong St | Currong St | Esperance | 0.00 | Hill St | 0.44 | Currong St - End Road | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 4300088 | Curteis Rd | Curteis Rd | Williams | 0.00 | Pinjarra Williams Rd | 2.91 | | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|----------------------------|--------|--|---|
| 4090135 | Curtis Rd | Curtis Rd | Kellerberrin | 0.00 | Benderine North Rd | 1.70 | Gardner Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1091270 | Cusack Rd | Cusack Rd | Swan (C) | 0.00 | Truganina Rd | 0.49 | Agett Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 3090080 | Cusack Rd | Cusack Rd | Kent | 0.00 | Needilup North Rd | 3.02 | Cusack Rd - End Road | |
| 3160135 | Cusack Rd | Cusack Rd | West Arthur | 0.00 | Moodiarrup South | 4.31 | Moodiarrup - Changerup Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4170073 | Cusak Drv | Cusak Drv | Naremben | 0.00 | Dixon Rd | 8.72 | Wadderin Graball Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4330020 | Cut Hill Rd | Cut Hill Rd | York | 0.00 | Great Southern Hwy | 2.18 | Talbot Rd & Knotts Rd & Arnold Park Rd | |
| 3160111 | Cuthbert Rd | Cuthbert Rd | West Arthur | 0.00 | Bokal North Rd | 4.67 | Arthur River - Dinninup Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 1030060 | Cutler Rd | Cutler Rd | Cockburn (C) | 0.00 | Prinsep Rd | 1.73 | Solomon Rd | <ul style="list-style-type: none"> Intersection Prinsep Rd : No access permitted into Prinsep Rd from Cutler Rd |
| 1011383 | Da Vinci Wy | Da Vinci Wy | Armada (C) | 0.00 | Alex Wood Dr & Holloway Rd | 0.72 | Edison Cct | <ul style="list-style-type: none"> 10 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|-------------------------------------|--------|-----------------------------------|---|
| 4090076 | Daadenning Creek Rd | Daadenning Creek Rd | Kellerberrin | 0.00 | Kwoiyin West Rd. | 8.44 | Kellerberrin - Shackleton Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4090076 | Daadenning Creek Rd | Daadenning Creek Rd | Kellerberrin | 8.44 | Kellerberrin - Shackleton Rd | 11.31 | Daadenning Creek Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1020945 | Daddow Rd | Daddow Rd | Kalamunda | 0.00 | Belmont (C) LGA Boundary | 0.56 | Chisholm Cr | |
| 1130344 | Daddow Rd | Daddow Rd | Belmont (C) | 0.00 | Daddow Rd - Start Road | 0.23 | Kalamunda LGA Boundary | |
| 4280012 | Daddow Rd | Daddow Rd | Westonia | 0.00 | Begley Rd | 27.13 | McDowall Rd | |
| 6110024 | Dairy Rd | Dairy Rd | Yilgarn | 0.00 | Koolyanobbing - Southern Cross Rd | 9.98 | Koolyanobbing - Southern Cross Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030020 | Dal North Rd | Dal North Rd | Dalwallinu | 0.00 | Tomsett Rd | 10.39 | Lehmann Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4010010 | Dale Kokeby Rd | Dale Kokeby Rd | Beverley | 0.00 | Kokeby East Rd & Great Southern Hwy | 0.26 | Broun St | <ul style="list-style-type: none"> Intersection Kokeby East Rd & Great Southern Hwy : No left turn permitted into Northam Cranbrook Rd from Dale Kokeby Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------------|------------------------------|-----------------------|----------|------------------------------|--------|---|---|
| 4010010 | Dale Kokeby Rd | Dale Kokeby Rd | Beverley | 0.26 | Broun St | 9.95 | Brookton LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4020037 | Dale Kokeby Rd | Dale Kokeby Rd | Brookton | 0.00 | Beverley LGA Boundary | 5.65 | Corberding Rd & Hillcroft Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1090361 | Dale Rd | Dale Rd | Swan (C) | 0.00 | Great Northern Hwy | 0.31 | | |
| 4010024 | Dalebin North Rd | Dalebin North Rd | Beverley | 0.00 | Westdale Rd | 7.95 | Edison Mill Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 7070051 | Dalgaranga - Mount Magnet Rd | Dalgaranga - Mount Magnet Rd | Yalgoo | 17.40 | Uanna Hill Rd | 22.25 | Mount Farmer Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 8050013 | Dalgety Downs - Glenburgh Rd | Dalgety Downs - Glenburgh Rd | Upper Gascoyne | 0.00 | Dalgety Downs - Landor Rd | 21.85 | Carnarvon - Mullewa Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 8050005 | Dalgety Downs - Landor Rd | Dalgety Downs - Landor Rd | Upper Gascoyne | 0.00 | Dalgety Downs - Glenburgh Rd | 76.64 | Landor - Meekatharra Rd & Landor - Mt Augustus Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 5050672 | Dalgety St | Dalgety St | Greater Geraldton (C) | 0.00 | Maitland Rd | 0.18 | Molster St | <ul style="list-style-type: none"> Operation permitted in a clockwise direction only. |
| 4150028 | Dalgouring - Snake Soak Rd | Dalgouring - Snake Soak Rd | Mount Marshall | 0.00 | Welbungin - Wialki Rd | 13.99 | Burakin - Wialki Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4150028 | Dalgouring - Snake Soak Rd | Dalgouring - Snake Soak Rd | Mount Marshall | 13.99 | Burakin - Wialki Rd | 14.11 | Burakin - Wialki Rd | |
| 4150013 | Dalgouring Rd | Dalgouring Rd | Mount Marshall | 0.00 | Burakin - Wialki Rd | 27.17 | Dalgouring Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|--------------------------|--------------------------|----------|---|--------|-------------------------------|---|
| 4240113 | Dall Rd | Dall Rd | Quairading | 0.00 | Badjaling South Rd | 2.75 | Dall Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 2030015 | Dalmore Rd | Dalmore Rd | Bridgetown - Greenbushes | 0.00 | Winnejup Rd | 9.19 | Flax Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h SLK 0.00 to 3.40 One truck movement at a time. Not to be used during school bus curfew (07:00 - 08:30 & 14:00 - 16:30 Monday to Friday. WAPRES Traffic Management Plan to be fully implemented. |
| 3100031 | Dalton Rd | Dalton Rd | Kojonup | 0.00 | Kojonup - Frankland Rd | 9.16 | Fulcher Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4290044 | Dalton Rd | Dalton Rd | Wickepin | 0.00 | Wickepin - Corrigin Rd | 9.01 | Kirk Rock Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030241 | Dalwallinu - Kalannie Rd | Dalwallinu - Kalannie Rd | Dalwallinu | 0.00 | Great Northern Hwy & Dalwallinu West Rd | 51.70 | Bussell St & Roche St | |
| 5030050 | Dalwallinu North Rd | Dalwallinu North Rd | Dalwallinu | 0.00 | Wilgie Hill Rd | 29.07 | Carter Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5030005 | Dalwallinu West Rd | Dalwallinu West Rd | Dalwallinu | 0.00 | Dalwallinu - Kalannie Rd & Great Northern Hwy | 14.84 | Stone Rd & Dalwallinu West Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|---|--------|------------------------------------|--|
| 5100015 | Dalwallinu West Rd | Dalwallinu West Rd | Moora | 0.00 | Miling North Rd | 16.59 | Stone Rd & Dalwallinu West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 1130449 | Daly St | Daly St | Belmont (C) | 0.45 | Frederick St | 0.79 | Daly St (E) - End Road | |
| 1130450 | Daly St | Daly St | Belmont (C) | 0.00 | Elmsfield St | 0.62 | Great Eastern Hwy | |
| 6040041 | Dalyup Rd | Dalyup Rd | Esperance | 0.00 | South Coast Hwy | 21.24 | Speddingup Rd West | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040041 | Dalyup Rd | Dalyup Rd | Esperance | 21.25 | Speddingup Rd West | 31.43 | Grigg Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040041 | Dalyup Rd | Dalyup Rd | Esperance | 31.44 | Grigg Rd | 37.25 | Hawkey Rd & Loffler Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4170111 | Dam Rd | Dam Rd | Narembeen | 0.00 | Yeomans Rd | 3.62 | Soldiers Rd & Mt Walker - Hyden Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6100046 | Dam Rd | Dam Rd | Ravensthorpe | 0.00 | Mt Short Rd & Newdegate Ravensthorpe Rd | 4.94 | Dam Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|-------------------------|--------|-------------------------------|--|
| 5040011 | Dambadgie Rd | Dambadgie Rd | Dandaragan | 0.00 | Dandaragan Rd | 14.79 | Bidgerabbie Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030097 | Damboring East Rd | Damboring East Rd | Dalwallinu | 0.00 | Northam Pithara Rd | 36.46 | Ray Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5030167 | Damboring West Rd | Damboring West Rd | Dalwallinu | 0.00 | Northam Pithara Rd | 0.80 | Wongan - Ballidu LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5180021 | Damboring West Rd | Damboring West Rd | Wongan - Ballidu | 0.00 | Dalwallinu LGA Boundary | 10.04 | Newton Rd & Latham Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|--------------------------|------------------|----------|-------------------------------------|--------|---------------------------------------|--|
| 3060042 | Damper Flat Rd | Damper Flat Rd | Dumbleyung | 0.00 | Mutters Rd & Coomelberrup Rd | 7.22 | Dumbleyung - Nyabing Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1140596 | Dampier Rd | Dampier Rd | Canning (C) | 0.00 | McDowell St | 0.49 | Sheffield Rd West | |
| 8040037 | Dampier Rd | Dampier Rd | Shark Bay | 0.00 | Monkey Mia Rd | 1.85 | Bates Rd | |
| H046 | Dampier Rd | Dampier Rd Dampier Dr | Karratha (C) | 0.00 | Madigan Rd & Dampier Rd | 12.94 | Central Av & Parker Point Rd | |
| 4030138 | Dampier St | Dampier St | Bruce Rock | 0.73 | Swan St | 1.07 | Noonajin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Empty Travel Only Intersection Swan St : No left turn permitted into York Merredin from Dampier St |
| 4220002 | Danberrin Rd | Danberrin Rd | Nungarin | 0.00 | Chandler - Nungarin Rd & Railway Av | 17.40 | Nukarni West Rd & Hines Hill North Rd | |
| 6100139 | Dance St | Dance St | Ravensthorpe | 0.00 | Morgans St | 0.28 | Martin St & Webster Dr | <ul style="list-style-type: none"> Intersection Martin St & Webster Dr : NO access permitted into Martin St from Dance St. |
| 4120043 | Dandagin Rd | Dandagin Rd | Kulin | 0.00 | Magee Rd | 17.03 | Kulin - Holt Rock Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4160020 | Dandanning Rd | Dandanning Rd | Mukinbudin | 0.00 | Kununoppin - Mukinbudin Rd | 10.94 | Nungarin North Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5040002 | Dandaragan Rd | Dandaragan Rd | Dandaragan | 0.00 | Moora - Caro Rd | 58.96 | Brand Hwy | |
| 5100192 | Dandaragan St | Dandaragan St | Moora | 0.00 | Dandaragan Rd & Roberts Rd | 1.63 | Moora - Caro Rd & Ferguson Rd | |
| 5180151 | Danes Rd | Danes Rd | Wongan - Ballidu | 0.00 | Reid Rd | 0.78 | Dowerin - Kalannie Rd | |
| 5180151 | Danes Rd | Danes Rd | Wongan - Ballidu | 0.86 | Dowerin - Kalannie Rd | 3.09 | Burakin North Rd | |
| 4020008 | Dangin - Mears Rd | Dangin - Mears Rd | Brookton | 0.00 | Quairading LGA Boundary | 12.93 | Brookton-Corrigin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4240010 | Dangin - Mears Rd | Dangin - Mears Rd | Quairading | 0.00 | Quairading York Rd | 22.20 | Brookton LGA Boundary | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|--------------------------|----------|---------------------------|--------|----------------------------|--|
| 4240029 | Dangin North Rd | Dangin North Rd | Quairading | 0.00 | Quairading York Rd | 9.78 | Dulbellington North Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4240023 | Dangin South Rd | Dangin South Rd | Quairading | 0.00 | Homebush Rd | 15.46 | Quairading York Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 2030048 | Daniels Rd | Daniels Rd | Bridgetown - Greenbushes | 0.00 | Perry Rd & Forest Park Av | 3.49 | Daniels Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6040070 | Daniels Rd | Daniels Rd | Esperance | 0.00 | Fisheries Rd | 15.92 | 15.92km From Fisheries Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6100100 | Daniels Rd | Daniels Rd | Ravensthorpe | 0.00 | Springdale Rd | 1.55 | Daniels Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 5050655 | Dank Rd | Dank Rd | Greater Geraldton (C) | 0.00 | Wongoondy - Tardun Rd | 1.40 | Dank Rd - End Road | |
| 3080009 | Daping St | Daping St | Katanning | 0.88 | Drove St | 1.66 | Creek St & Police Pools Rd | <ul style="list-style-type: none"> Intersection Creek St & Police Pools Rd : No left turn permitted into Police Pools Rd from Daping St |
| 3170012 | Darby Rd | Darby Rd | Woodanilling | 0.00 | Harvey Rd | 5.73 | Church Rd & Tie Line Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------------|----------|-------------------------------|--------|---|---|
| 5040089 | Darch St | Darch St | Dandaragan | 0.00 | Harris St | 0.05 | Darch St - End Road | |
| 3039001 | Darcy St | Darcy St | Broomehill - Tambellup | 0.00 | Nardlah Rd | 0.36 | Old Nardlah Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4050139 | Darcy St | Darcy St | Cuballing | 0.00 | Springhill Rd & Bow St | 0.46 | Great Southern Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4300009 | Dardadine Rd | Dardadine Rd | Williams | 0.00 | Albany Hwy | 21.05 | Williams-Darkan Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3160015 | Dardadine South Rd | Dardadine South Rd | West Arthur | 0.00 | Albany Hwy | 15.74 | Williams LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4300039 | Dardadine South Rd | Dardadine South Rd | Williams | 0.00 | Dardadine Rd | 0.48 | West Arthur LGA Boundary | |
| 4120098 | Dare Rd | Dare Rd | Kulin | 0.00 | Rabbit Proof Fence Rd Sth | 3.50 | Dare Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3100001 | Darkan - Kojonup Rd | Darkan - Kojonup Rd | Kojonup | 0.00 | Moodiarrup - Changerup Rd | 30.41 | Albany Hwy | <ul style="list-style-type: none"> Intersection Anderson Rd : No access permitted into Anderson Rd from Darkan Kojonup Rd |
| 1031203 | Darkan Av | Darkan Av | Cockburn (C) | 0.00 | Rollinson Rd | 0.17 | Rollinson Rd | |
| 3160201 | Darkan Rd | Darkan Rd | West Arthur | 0.00 | Darkan South Rd & Johnston Dr | 33.29 | Arthur River - Dinninup Rd & Moodiarrup South | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|--------------------------|----------|--|--------|--|---|
| 3160206 | Darkan South Rd | Darkan South Rd | West Arthur | 0.00 | Coalfields Rd & Williams Darkan Rd | 0.77 | | |
| 3160110 | Darling Rd | Darling Rd | West Arthur | 0.00 | Cuthbert Rd | 3.57 | Darling Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4030079 | Darling Rd | Darling Rd | Bruce Rock | 0.00 | Bruce Rock Quairading Rd & Ingham Rd | 4.10 | Darling Rd - End Road | |
| 5010112 | Darling St | Darling St | Carnamah | 0.00 | Eneabba Dr | 0.64 | Morgan St | <ul style="list-style-type: none"> Maximum speed 40 km/h |
| 6080013 | Darlot - Weebo Rd | Darlot - Weebo Rd | Leonora | 0.00 | Little Mill Rd & Darlot Rd & Wonganoo Rd | 24.56 | Weebo - Wildarra Rd | |
| 1106060 | Darlot Rd | Darlot Rd | Wanneroo (C) | 0.00 | Furniss Rd | 0.41 | Christable Wy | |
| 6080062 | Darlot Rd | Darlot Rd | Leonora | 0.00 | Goldfields Hwy | 47.71 | Little Mill Rd & Wonganoo Rd & Darlot - Weebo Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 7030049 | Darlot St | Darlot St | Meekatharra | 0.15 | Connaughton St | 0.91 | High St | |
| 2030212 | Daronchs Rd | Daronchs Rd | Bridgetown - Greenbushes | 0.00 | South Western Hwy | 0.80 | 0.8km North East From South Western Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060078 | Dart Rd | Dart Rd | Dumbleyung | 0.00 | Dumbleyung Lake Grace Rd | 3.40 | Dart Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------------|------------------------------|------------------|----------|--|--------|---|--|
| 5160021 | Dartmoor - Lake Nerramyne Rd | Dartmoor - Lake Nerramyne Rd | Chapman Valley | 0.00 | Dartmoor Harris Rd & Dartmoor Rd & Binnu Rd East | 24.64 | Dartmoor - Lake Nerramyne Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit. |
| 516Z005 | Dartmoor - Lake Nerramyne Rd | Dartmoor - Lake Nerramyne Rd | Chapman Valley | 0.00 | Dartmoor - Lake Nerramyne Rd | 8.00 | Lake Nerramyne Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit. |
| 5160046 | Dartmoor Harris Rd | Dartmoor Harris Rd | Chapman Valley | 0.00 | Dartmoor - Lake Nerramyne Rd & Dartmoor Rd & Binnu Rd East | 6.44 | Dartmoor-Harris - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5160008 | Dartmoor Rd | Dartmoor Rd | Chapman Valley | 0.00 | Yuna Tenindewa Rd & Yuna - Tenindewa Rd | 0.80 | For 800m From Moonyoonooka Yuna Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit. |
| 5160008 | Dartmoor Rd | Dartmoor Rd | Chapman Valley | 0.80 | For 800m From Moonyoonooka Yuna Rd | 33.25 | Dartmoor - Lake Nerramyne Rd & Dartmoor Harris Rd & Binnu Rd East | <ul style="list-style-type: none"> Headlights to be switched on at all times Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|---|--------|------------------------------------|--|
| 3060072 | Datatine North Rd | Datatine North Rd | Dumbleyung | 0.00 | Dumbleyung - Nyabing Rd | 9.76 | Peterson Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. No Operation between the hours of sunset and sunrise |
| 3080025 | Datatine Rd | Datatine Rd | Katanning | 0.00 | Warren Rd & Badgebup North Rd | 8.15 | Fairclough Rd & Sturges Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 4100043 | Davey Rd | Davey Rd | Kondinin | 0.00 | Llewellyn Rd | 4.99 | Thompson Rd | |
| 5180045 | Davey Rd | Davey Rd | Wongan - Ballidu | 0.00 | Ballidu East Rd | 5.90 | Degrussa Rd | |
| 1140957 | Davies L | Davies L | Canning (C) | 0.00 | Ewing St Sth | 0.24 | Alexandra Pl | |
| 3090076 | Davies Rd | Davies Rd | Kent | 0.00 | Kuringup Rd | 5.95 | Johnstons Rd | |
| 4110118 | Davies Rd | Davies Rd | Koorda | 0.00 | Koorda - Bullfinch Rd | 0.64 | Davies Rd - End Road | |
| 4310011 | Davies Rd | Davies Rd | Wyalkatchem | 0.00 | Korrelocking North Rd & Nungarin Wyalkatchem Rd | 21.36 | O'Loughlin Rd & Yorkrakine West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 5010045 | Davies Rd | Davies Rd | Carnamah | 0.00 | Winchester East Rd | 0.70 | Coorow LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|--------------------------|----------|----------------------------------|--------|---|--|
| 5190015 | Davies Rd | Davies Rd | Coorow | 0.00 | Carnamah LGA Boundary | 6.70 | Read Rd & Green Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6040552 | Davies Rd | Davies Rd | Esperance | 16.85 | 2.6 Km North of Eldred Rd (East) | 19.45 | Eldred Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 6040552 | Davies Rd | Davies Rd | Esperance | 19.45 | Eldred Rd | 25.53 | Circle Valley Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4310006 | Davies South Rd | Davies South Rd | Wyalkatchem | 0.00 | Cunderdin - Wyalkatchem Rd | 13.25 | Benjaberring South Rd & Goomalling Wyalkatchem Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Benjaberring South Rd & Goomalling Wyalkatchem Rd : No access permitted into Goomalling Merredin Rd from Davies South Rd |
| 2010042 | Davis Rd | Davis Rd | Augusta - Margaret River | 0.00 | Bussell Hwy | 5.52 | Noakes Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4020011 | Davis Rd | Davis Rd | Brookton | 0.00 | Great Southern Hwy | 5.85 | Moorumbine Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------|----------|---|--------|---|---|
| 4020011 | Davis Rd | Davis Rd | Brookton | 6.28 | Moorumbine Rd | 9.00 | Farm Entrance 1.0km East of Ashfield Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Ashfield Rd : No access to Ashfield Rd from Davis Rd |
| 4020011 | Davis Rd | Davis Rd | Brookton | 9.00 | Farm Entrance 1.0km East of Ashfield Rd | 18.13 | Brookton - Kweda Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4160029 | Davis Rd | Davis Rd | Mukinbudin | 0.00 | Koorda - Bullfinch Rd | 6.24 | Virgin Rd & Quanta Cutting - Weira Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 1031048 | Davison Rd | Davison Rd | Cockburn (C) | 0.00 | Cooper Rd | 0.24 | Poletti Rd & Veterans Pde | |
| 1040075 | Davison St | Davison St | Gosnells (C) | 0.00 | Austin Av & Belmont Rd | 0.94 | Kelvin Rd | |
| 6090012 | Davyhurst - Mulline Rd | Davyhurst - Mulline Rd | Menzies | 0.00 | Davyhurst Rd & Coolgardie North Rd | 33.91 | Mulline - Lady Jane Access Rd & Evanston - Menzies Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6090010 | Davyhurst Rd | Davyhurst Rd | Menzies | 0.00 | Evanston - Menzies Rd | 37.55 | Davyhurst - Mulline Rd & Coolgardie North Rd | |
| 0010178 | Dawn Wy | Dawn Wy | Broome | 0.00 | Minilya Rd | 0.18 | Harriet Rd | |
| 3070089 | Dawson Rd | Dawson Rd | Gnowangerup | 0.00 | Formby Rd South & Highdenup Rd | 1.19 | Dawson Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3110125 | Dawson Rd | Dawson Rd | Lake Grace | 0.00 | Beynon Rd | 10.17 | Newdegate - Pingrup Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3160094 | Dawson Rd | Dawson Rd | West Arthur | 0.00 | Horley Rd | 0.99 | Dawson Rd - End Road | |
| 1070016 | Day Rd | Day Rd | Rockingham (C) | 0.00 | Mandurah Rd | 1.12 | Dixon Rd | |
| 3070075 | Day Rd | Day Rd | Gnowangerup | 0.00 | Park Rd | 4.33 | Rabbit Proof Fence Rd & Douglas Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3090064 | Day Rd | Day Rd | Kent | 0.00 | Hollands Tank Rd | 9.70 | Newdegate - Pingrup Rd | |
| 4140100 | Day Rd | Day Rd | Merredin | 0.00 | Burracoppin South Rd | 3.22 | McPharlin Rd & Day Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|------------------|----------|--------------------------|--------|---------------------------|---|
| 4280014 | Day Rd | Day Rd | Westonia | 0.00 | Carrabin South Rd | 3.70 | McPharlin Rd & Day Rd | |
| 1060014 | Dayana Cl | Dayana Cl | Mundaring | 0.00 | Elliott St | 0.08 | Dayana Cl - End Road | |
| 4170083 | Dayman Rd | Dayman Rd | Narembeen | 0.00 | Kondinin - Narembeen Rd | 4.83 | Bruce Rock - Narembeen Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h |
| 2140012 | Days Rd | Days Rd | Boddington | 0.00 | Bannister Marradong Rd | 5.35 | 0.610km From Fraser Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 0010118 | De Castilla | De Castilla | Broome | 0.00 | McDaniel Rd | 0.43 | Port Dr | |
| 4100149 | De Gruchy Rd | De Gruchy Rd | Kondinin | 0.00 | Koorikin Rd | 4.75 | Bendering Rd | |
| 6040013 | De Grussa Rd | De Grussa Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 9.50 | Campbell Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 1050258 | De Haer Rd | De Haer Rd | Kwinana (C) | 0.00 | Lyon Rd | 4.53 | Rowley Rd | |
| 3150027 | De Lyanine North Rd | De Lyanine North Rd | Wagin | 0.00 | Norring Dellyanine Rd | 7.11 | Arthur Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Arthur Rd : No access permitted into Collie Lake King Rd from De Lyannie North Rd |
| 8140654 | De Witt Rd | De Witt Rd | Karratha (C) | 0.00 | North West Coastal Hwy | 5.00 | Robins Rd | |
| 5030191 | Deacon St | Deacon St | Dalwallinu | 0.00 | Roberts Rd | 0.56 | Railway Pde | |
| 4160106 | Dead Horse Hill West Rd | Dead Horse Hill West Rd | Mukinbudin | 0.00 | English Rd | 7.72 | Stockton Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|-----------------------|----------|------------------------------|--------|------------------------|--|
| 2130019 | Deadmans Gully Rd | Deadmans Gully Rd | Manjimup | 0.00 | Mitchelldean Rd | 3.59 | Dixvale Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4080051 | Dean Rd | Dean Rd | Goomalling | 0.00 | Gabbyquoiquoi Rd | 4.98 | Mountjoy Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5050625 | Dean Rd | Dean Rd | Greater Geraldton (C) | 0.00 | Gibaud Rd & Mullewa Wubin Rd | 15.28 | Kelly Rd | |
| 4270054 | Deans Rd | Deans Rd | Wandering | 0.00 | Wandering - Pingelly Rd | 4.59 | | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4120064 | Dearlove Rd | Dearlove Rd | Kulin | 0.00 | Tom Gray Rd | 7.09 | Dearlove Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4120064 | Dearlove Rd | Dearlove Rd | Kulin | 7.09 | Dearlove Rd | 10.70 | Dearlove Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4120090 | Dearlove Rd | Dearlove Rd | Kulin | 0.00 | 101 Gate East Rd | 2.70 | Dearlove Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|------------------------|--------|--------------------------|---|
| 4150003 | Dease Rd | Dease Rd | Mount Marshall | 0.00 | Boundary Rd & Dease Rd | 3.24 | Oneil Rd & Beckingham St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4160081 | Dease Rd | Dease Rd | Mukinbudin | 0.00 | Boundary Rd & Dease Rd | 6.82 | Moondon Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3020029 | Deep Creek Rd | Deep Creek Rd | Albany (C) | 0.00 | South Coast Hwy | 7.15 | Jordan Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3020029 | Deep Creek Rd | Deep Creek Rd | Albany (C) | 7.15 | Jordan Rd | 11.17 | Penn Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|-----------------------|----------|-----------------------------|--------|--|--|
| 3020029 | Deep Creek Rd | Deep Creek Rd | Albany (C) | 11.17 | Penn Rd | 14.83 | Mindijup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4300019 | Deep Dene Rd | Deep Dene Rd | Williams | 0.00 | Albany Hwy | 5.76 | Wangeling Gully Rd | |
| 4010082 | Deep Pool Rd | Deep Pool Rd | Beverley | 0.00 | Westdale Rd | 2.60 | | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4090040 | Deep Well Rd | Deep Well Rd | Kellerberrin | 0.00 | Kellerberrin - Bencubbin Rd | 14.60 | Kellerberrin - Yelbeni Rd & Nanyanine Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 811Z085 | Deepdale Dr | Deepdale Dr | Ashburton | 0.57 | Pannawonica Dr | 1.04 | Pannawonica Rd | |
| 5051026 | Deepdale Rd | Deepdale Rd | Greater Geraldton (C) | 0.00 | Geraldton Mt Magnet Rd | 2.66 | Edward Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|---------------------------------------|--------|------------------------|--|
| 5180047 | Degrussa Rd | Degrussa Rd | Wongan - Ballidu | 0.00 | Ballermina Rd | 14.24 | Hospital Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180047 | Degrussa Rd | Degrussa Rd | Wongan - Ballidu | 14.26 | Hospital Rd | 27.88 | Kirwan West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3070095 | Dejagers Rd | Dejagers Rd | Gnowangerup | 0.00 | North Stirling Rd | 8.84 | Salt River Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2150533 | Del Park Rd | Del Park Rd | Murray | 0.00 | South Western Hwy | 25.35 | Newton St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 6030125 | Delamotte Dr | Delamotte Dr | Dundas | 0.00 | Prinsep St & Coolgardie Esperance Hwy | 0.30 | Old Coach Rd | <ul style="list-style-type: none"> Intersection Old Coach Rd : No Access Into Okay Rd From Delamotte Dr |
| 5100048 | Delane Rd | Delane Rd | Moora | 0.00 | Delanes Rd - Start Road | 5.88 | Miling West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3100064 | Delaney St | Delaney St | Kojonup | 0.00 | Benn Pde | 1.07 | Delaney St - End Road | |
| 1250140 | Delawney St | Delawney St | Stirling (C) | 0.00 | Ledgar Rd & Erindale Rd | 1.55 | Delawney St - End Road | |
| 4010120 | Delisle St | Delisle St | Beverley | 0.00 | Great Southern Hwy | 0.41 | Forrest St | |
| 4280080 | Della Bosca Rd | Della Bosca Rd | Westonia | 0.00 | Jasper St & Kaolin St | 3.80 | | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|----------------------|---------------------|----------|-------------------------------------|--------|-----------------------------|--|
| 4280080 | Della Bosca Rd | Della Bosca Rd | Westonia | 3.80 | | 4.60 | Della Bosca Rd - End Road | |
| 4140209 | Della Rd | Della Rd | Merredin | 0.00 | Hackling Rd | 3.54 | Yilgarn LGA Boundary | |
| 6110085 | Della Rd | Della Rd | Yilgarn | 0.00 | Lowe Rd | 8.13 | Merredin LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 1101280 | Dellamarta Rd | Dellamarta Rd | Wanneroo (C) | 0.00 | Prindiville Dr | 1.48 | Lumsden Rd | |
| 3150045 | Dellyanine Rd | Dellyanine Rd | Wagin | 0.00 | Norring Dellyanine Rd & Prossers Rd | 1.61 | West Arthur LGA Boundary | <ul style="list-style-type: none"> Maximum speed 70 km/h |
| 3160036 | Dellyanine Rd | Dellyanine Rd | West Arthur | 0.00 | Albany Hwy | 3.58 | Wagin LGA Boundary | |
| 2080195 | Delmarco Dr | Delmarco Dr | Dardanup | 0.00 | Golding Cr | 0.15 | Hardisty Ct | |
| 1032798 | Delta St | Delta St | Cockburn (C) | 0.00 | Scorpius Rd | 0.32 | Artemis Loop | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3020027 | Dempster Rd | Dempster Rd | Albany (C) | 0.00 | Nanarup Rd | 13.68 | South Coast Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6040002 | Dempster Rd | Dempster Rd | Esperance | 0.00 | Fisheries Rd | 28.37 | Scaddan Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6040002 | Dempster Rd | Dempster Rd | Esperance | 28.38 | Scaddan Rd | 55.01 | Ridley Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040118 | Dempster St | Dempster St | Esperance | 2.09 | Gladstone St | 2.22 | The Esplanade & Norseman Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit A RAV must not be driven on this road in excess of 4.3 metres in height unless written approval is obtained from Horizon Power |
| 3110018 | Demster Rock Rd | Demster Rock Rd | Lake Grace | 0.00 | Winchcombe Rd | 3.40 | Varley South Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| M014 | Denmark Mt Barker | Denmark Mt Barker Rd | Denmark Plantagenet | 0.00 | South Coast Hwy | 39.66 | Muir Hwy | <ul style="list-style-type: none"> Intersection Blue Lake Rd : No left turn permitted into Blue Lake Rd from Denmark Mt Barker Rd Intersection Harvey Rd : Left turn only to Harvey Rd from Denmark Mount Barker Rd. No right turn permitted west into Harvey Rd from Denmark Mt Barker Rd Intersection Wragg Rd : No left turn permitted into Denmark Mount Barker Rd from Wragg Rdd. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|--------------------------|----------|-----------------------|--------|-----------------------------------|--|
| 3100235 | Denney Rd | Denney Rd | Kojonup | 0.00 | Donnybrook Kojonup Rd | 0.50 | 0.5km After Donnybrook Kojonup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1091263 | Denninup Wy | Denninup Wy | Swan (C) | 0.00 | Oxleigh Dr | 0.90 | Townsend St | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 2010091 | Dennis Rd | Dennis Rd | Augusta - Margaret River | 0.00 | Brockman Hwy | 9.56 | Governor Broome Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4060023 | Dennis Rd | Dennis Rd | Cunderdin | 0.00 | Woonwooring Rd | 5.95 | Dennis Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5100052 | Dennis Rd | Dennis Rd | Moora | 0.00 | Miling North Rd | 11.50 | Pithara West Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|-----------------------|----------|-------------------------------------|--------|----------------------------|--|
| 4050042 | Dents Rd | Dents Rd | Cuballing | 0.00 | Great Southern Hwy | 11.09 | Yornaning East Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2080233 | Depiazzi Rd | Depiazzi Rd | Dardanup | 0.00 | Banksia Rd & Panizza Rd | 2.15 | Ferguson Rd | |
| 4310022 | Depierres Rd | Depierres Rd | Wyalkatchem | 0.00 | Divers Rd & Tammin - Wyalkatchem Rd | 8.53 | Hobden Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4310022 | Depierres Rd | Depierres Rd | Wyalkatchem | 8.53 | Hobden Rd | 13.32 | Cunderdin - Wyalkatchem Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4140061 | Depot Dam Rd | Depot Dam Rd | Merredin | 0.00 | Flockart Rd & Totadgin Hall Rd | 10.09 | Merredin - Naremben Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4140061 | Depot Dam Rd | Depot Dam Rd | Merredin | 10.09 | Merredin - Naremben Rd | 14.75 | Allsop Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5050713 | Depot Hill Rd | Depot Hill Rd | Greater Geraldton (C) | 0.00 | Walkaway - Nangetty Rd | 2.94 | Mingenew LGA Boundary | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|------------------------|----------|--------------------------------------|--------|--------------------------------------|--|
| 5090006 | Depot Hill Rd | Depot Hill Rd | Mingenew | 0.00 | Mingenew - Mullewa Rd | 15.60 | Depot Hill Rd & Allanooka Springs Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 5090088 | Depot Hill Rd | Depot Hill Rd | Mingenew | 0.00 | Depot Hill Rd & Allanooka Springs Rd | 17.01 | Greater Geraldton (C) LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4030063 | Depot Rd | Depot Rd | Bruce Rock | 0.00 | Bruce Rock - Naremben Rd | 3.11 | Lewtas Rd | |
| H047 | Derby Hwy | Derby Hwy Loch St | Derby - West Kimberley | 0.00 | Great Northern Hwy | 42.86 | Elder St & Jetty Rd | |
| 5030227 | Dermer St | Dermer St | Dalwallinu | 0.00 | Buntine - Marchagee Rd & Smith St | 1.57 | Nelson St | |
| 5050620 | Desmond Rd | Desmond Rd | Greater Geraldton (C) | 0.00 | Geraldton Mt Magnet Rd | 7.88 | Yuna - Tenindewa Rd | |
| 1106287 | Destiny Wy | Destiny Wy | Wanneroo (C) | 0.70 | For 300m From Niche Parade. | 1.00 | Niche Pde | |
| 3180065 | Devils Creek Rd | Devils Creek Rd | Jerramungup | 0.00 | South Coast Hwy | 45.51 | Roberts Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 5050602 | Devils Creek Rd | Devils Creek Rd | Greater Geraldton (C) | 0.00 | Ardingly South Rd | 7.26 | Mingenew - Mullewa Rd | |
| 3180067 | Devils Creek South Rd | Devils Creek South Rd | Jerramungup | 0.00 | Devils Creek Rd | 11.77 | Swamp Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|------------------|----------|----------------------|--------|--------------------------------|--|
| 3180067 | Devils Creek South Rd | Devils Creek South Rd | Jerramungup | 11.81 | Swamp Rd | 23.63 | Borden Bremer Bay Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 2110058 | Devlin Rd | Devlin Rd | Harvey | 0.00 | Marriott Rd | 0.61 | .610km From Marriott Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4220037 | Devlin Rd | Devlin Rd | Nungarin | 0.00 | Lake Brown South Rd | 7.54 | Stock Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1090077 | Dewar Rd | Dewar Rd | Swan (C) | 0.00 | Great Northern Hwy | 0.45 | Dewars Rd - End Road | |
| 5040042 | Dewar Rd | Dewar Rd | Dandaragan | 0.00 | Watheroo Rd | 14.22 | Marchagee Trk | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Marchagee Trk : No access permitted into Marchagee Trk from Dewar Rd |
| 3110150 | Dewar St | Dewar St | Lake Grace | 0.00 | Clark Av & Mather St | 1.06 | Kulin Lake Grace Rd & South Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|--------------------------|--------------------------|----------|--|--------|------------------------------------|---|
| 4260194 | Dewars Pool - Bindoon Rd | Dewars Pool - Bindoon Rd | Toodyay | 0.00 | Church Gully Rd & Toodyay - Bindi Bindi Rd | 24.60 | 0.05km From Dewars Pool Bindoon Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5020003 | Dewars Pool - Bindoon Rd | Dewars Pool - Bindoon Rd | Chittering | 0.00 | Toodyay LGA Boundary | 9.40 | Great Northern Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Includes intersection to extraction pit at the Agricultural College. |
| 4050039 | Dews Rd | Dews Rd | Cuballing | 0.00 | Bunmulling Rd | 3.47 | Stratherne Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2030246 | Dezotti Rd | Dezotti Rd | Bridgetown - Greenbushes | 0.00 | Longs Rd | 1.81 | Boyup Brook LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------------|-----------------------------|------------------|----------|---------------------------|--------|---------------------------------------|--|
| 2180145 | Dezotti Rd | Dezotti Rd | Boyup Brook | 0.00 | Longs Rd | 2.37 | Bridgetown - Greenbushes LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4120038 | Di Franco Rd | Di Franco Rd | Kulin | 0.00 | Commonwealth Rd | 9.05 | Kulin - Holt Rock Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4120053 | Di Russo Rd | Di Russo Rd | Kulin | 0.00 | Allen Rocks Rd | 26.89 | Hyden-Lake King Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1030899 | Diamantina Wy | Diamantina Wy | Cockburn (C) | 0.00 | Stuart Dr | 0.17 | Alacrity Pl | |
| 4040034 | Diamond Block Rd | Diamond Block Rd | Corrigin | 0.00 | Carruthers Rd & Hovell Rd | 8.29 | Bullaring - Gorge Rock Rd | |
| 5010050 | Diamond Rd | Diamond Rd | Carnamah | 0.00 | Chappell Rd | 2.41 | Winchester West Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 703Z035 | Diamond Well - Doolgunna Rd | Diamond Well - Doolgunna Rd | Meekatharra | 0.00 | Goldfields Hwy | 34.58 | Diamond Well Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|--------------------------|----------|-------------------|--------|--------------------|---|
| 5140158 | Diamonds Rd | Diamonds Rd | Perenjori | 0.00 | Coorow - Maya Rd | 2.30 | Maya South West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 0040188 | Dianella Wy | Dianella Wy | Wyndham - East Kimberley | 0.00 | Bandicoot Dr | 0.30 | Poinciana St | |
| 5030034 | Dickins Rd | Dickins Rd | Dalwallinu | 0.00 | Pithara West Rd | 8.57 | Great Northern Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4040089 | Dickinson Rd | Dickinson Rd | Corrigin | 0.00 | Nambadilling Rd | 4.10 | Bendering Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3090039 | Dicks Rd | Dicks Rd | Kent | 0.00 | Steele Rd | 5.80 | Neve Rd | |
| 5130060 | Diepeveen Rd | Diepeveen Rd | Northampton | 0.00 | Binnu East Rd | 9.70 | Ajana East Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|--------------------------|----------|------------------------------|--------|-------------------------------|--|
| 2030242 | Dilkes Rd | Dilkes Rd | Bridgetown - Greenbushes | 0.00 | Greenbushes - Boyup Brook Rd | 1.45 | Dilkes Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4040123 | Dilling Railway Rd | Dilling Railway Rd | Corrigin | 0.00 | Woglin St | 1.09 | Dilling Railway Rd - End Road | |
| 4040081 | Dilling Rd | Dilling Rd | Corrigin | 0.00 | Corrigin South Rd | 7.08 | Rabbit Proof Fence Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Corrigin South Rd : No right turn permitted into Corrigin South Rd from Dilling Rd |
| 1106061 | Dillington Pass | Dillington Pass | Wanneroo (C) | 0.00 | Fallon Rd | 0.26 | Christable Wy | |
| 5160140 | Dillistone Rd | Dillistone Rd | Chapman Valley | 0.00 | Nanson - Howatharra Rd | 1.65 | Dillistone Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5160027 | Dindiloa Rd | Dindiloa Rd | Chapman Valley | 0.00 | Chapman Valley Rd | 7.00 | Hayward Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 60 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|-------------------------|----------|-------------------------------|--------|---------------------------|--|
| 5160027 | Dindiloa Rd | Dindiloa Rd | Chapman Valley | 7.00 | Hayward Rd | 11.34 | East Bowes Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection East Bowes Rd : No access permitted into East Bowes Rd from Dindiloa Rd |
| 4110057 | Dingo Rd | Dingo Rd | Koorda | 0.00 | Kulja Central Rd | 6.15 | Black Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 40 km/h below posted speed limit |
| 5040126 | Dinner Hill Rd | Dinner Hill Rd | Dandaragan | 0.00 | Watheroo Rd | 9.60 | Dinner Hill Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5030063 | Dinnie Rd | Dinnie Rd | Dalwallinu | 0.00 | Mullewa Wubin Rd | 22.73 | Wasley Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 2180014 | Dinninup East Rd | Dinninup East Rd | Boyup Brook | 0.00 | Boyup Brook - Arthur River Rd | 14.16 | Kulikup South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 1080061 | Dirk Rd | Dirk Rd | Serpentine - Jarrahdale | 0.00 | South Western Hwy | 0.60 | Hall Rd & Baden Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Only one truck movement at a time. |
| 1031846 | Discovery Dr | Discovery Dr | Cockburn (C) | 1.11 | Efficiency Wy | 1.53 | Spearwood Av | |
| 2089002 | Discovery Dr | Discovery Dr | Dardanup | 0.00 | South Western Hwy Rty | 1.64 | | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 2089002 | Discovery Dr | Discovery Dr | Dardanup | 1.64 | | 7.22 | Waterloo Rd | |
| 1105810 | Distinction Rd | Distinction Rd | Wanneroo (C) | 0.00 | Conquest Wy | 1.05 | Prestige Pde & Wisdom Tce | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|--|--------|----------------------------|--|
| 103Z075 | Distribution Dr | Distribution Dr | Cockburn (C) | 0.00 | Pilatus St | 0.68 | Jandakot Rd | |
| 2180133 | Distributor Rd | Distributor Rd | Boyup Brook | 0.00 | Boyup Brook - Cranbrook Rd | 16.00 | Scotts Brook Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3090060 | Ditchburn Rd | Ditchburn Rd | Kent | 0.00 | McLaren Rd | 8.85 | Brays Rd | |
| 2110451 | Ditchingham Pl | Ditchingham Pl | Harvey | 0.00 | Grand Ent | 0.99 | Ditchingham Pl - End Road | |
| 4310001 | Divers Rd | Divers Rd | Wyalkatchem | 0.00 | Depierres Rd & Tammin - Wyalkatchem Rd | 6.09 | Yorkrakine Rock Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1140018 | Division St Sth | Division St Sth | Canning (C) | 0.00 | Orrong Rd & Bell St | 0.94 | Division St Sth - End Road | |
| 2110118 | Dixon Av | Dixon Av | Harvey | 0.00 | South Western Hwy | 1.80 | Collins Rd | |
| 1073227 | Dixon Rd | Dixon Rd | Rockingham (C) | 0.00 | Louise St | 4.17 | Gilmore Av & Mandurah Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Intersection Evinrude Bend : No access permitted into Evinrude Bnd from Dixon Rd |
| 3090043 | Dixon Rd | Dixon Rd | Kent | 0.00 | Pingrup Lake Grace Rd | 9.47 | Rock Dam Rd | |
| 4170018 | Dixon Rd | Dixon Rd | Naremben | 0.00 | Merredin - Naremben Rd & Yawerlin Creek Rd | 40.22 | Dixon Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|-------------------|--------|---------------------|--|
| 4250016 | Dixon Rd | Dixon Rd | Tammin | 0.00 | Ralston Rd | 5.65 | Tammin South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4250016 | Dixon Rd | Dixon Rd | Tammin | 5.65 | Tammin South Rd | 7.28 | Dixon Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4050043 | Dixons Rd | Dixons Rd | Cuballing | 0.00 | Stratherne Rd | 3.65 | Nottles Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Nottles Rd : No access permitted into Nottles Rd from Dixons Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|-----------------------|----------|--|--------|------------------------------|---|
| 2130018 | Dixvale Rd | Dixvale Rd | Manjimup | 0.00 | Graphite Rd | 1.53 | Deadmans Gully Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4010102 | Dobaderry Rd | Dobaderry Rd | Beverley | 0.00 | Kokendin Rd | 13.67 | Edison Mill Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 1101281 | Dobbins St | Dobbins St | Wanneroo (C) | 0.00 | Buckingham Dr | 0.17 | Dellamarta Rd | |
| 1030879 | Dobra Rd | Dobra Rd | Cockburn (C) | 0.00 | Barrington St & Salpietro St | 0.41 | Shallcross St | |
| 4140113 | Dobson Av | Dobson Av | Merredin | 0.00 | Cohn St & Muscat St | 0.31 | Dobson Av - End Road | |
| 5050709 | Docherty Rd | Docherty Rd | Greater Geraldton (C) | 0.00 | Unknown Rd & Old Pindar Rd | 9.71 | Docherty Rd - End Road | |
| 5030137 | Dodd Prior Rd | Dodd Prior Rd | Dalwallinu | 0.00 | Pithara East Rd | 3.97 | Centre Rd | |
| 5030258 | Dodd St | Dodd St | Dalwallinu | 0.00 | Dowerin - Kalannie Rd & Kalannie - Kulja Rd & Roche St | 0.60 | Pithara East Rd & Hathway Dr | |
| 2040369 | Dodson Rd | Dodson Rd | Bunbury (C) | 0.00 | South Western Hwy | 1.01 | South Western Hwy | |
| 5150015 | Dog Hole Rd | Dog Hole Rd | Three Springs | 0.00 | Kangaroo Rd | 10.92 | Nebru Rd | |
| 3180200 | Dog Proof Fence Rd | Dog Proof Fence Rd | Jerramungup | 0.00 | Devils Creek Rd | 4.41 | Meechi Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|-----------------------------|--------|--------------------------|---|
| 4130057 | Doherty Rd | Doherty Rd | Trayning | 0.00 | Ryans Rd | 4.84 | Purdy Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4160056 | Doig Rd | Doig Rd | Mukinbudin | 0.00 | Mukinbudin - Bonnie Rock Rd | 10.95 | Graham Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1030615 | Dollier St | Dollier St | Cockburn (C) | 0.00 | Solomon Rd | 0.56 | Dollier St - End Road | |
| 2150823 | Dollyup St | Dollyup St | Murray | 0.00 | Lakes Rd | 0.71 | Mervyn St | |
| 2070016 | Don Rd | Don Rd | Collie | 0.00 | Shotts River Rd North | 6.45 | West Arthur LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------------|----------|---------------------------|--------|---------------------------|--|
| 3160134 | Don Rd | Don Rd | West Arthur | 0.00 | Collie LGA Boundary | 4.93 | Don Rd (F) | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4080041 | Donald Rd | Donald Rd | Goomalling | 0.00 | Donald Rd - Start Road | 2.40 | Goomalling - Calingiri Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h |
| 4080041 | Donald Rd | Donald Rd | Goomalling | 2.50 | Goomalling - Calingiri Rd | 13.81 | Burnt Hill Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h |
| 3030265 | Donald St | Donald St | Broomehill - Tambellup | 0.00 | Tambellup West Rd | 0.16 | Bridge St | <ul style="list-style-type: none"> Intersection Tambellup West Rd : No left turn permitted into Tambellup West Rd from Donald St |
| 5090076 | Donald St | Donald St | Mingenew | 0.00 | Melville St | 0.15 | Donald St - End Road | |
| 1050513 | Donaldson Rd | Donaldson Rd | Kwinana (C) | 0.34 | 2.05km From Leath Rd | 2.39 | Leath Rd | |
| 6040546 | Doney Rd | Doney Rd | Esperance | 0.00 | Old Kens Rd | 8.55 | Salmon Gums West Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4010018 | Dongadilling Rd | Dongadilling Rd | Beverley | 0.00 | Morbinning Rd | 9.01 | Barrington Rd & Mawson Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|--------------------------|----------|--------------------------|--------|---------------------------------------|---|
| 3060085 | Dongolocking Rd | Dongolocking Rd | Dumbleyung | 0.00 | Wagin LGA Boundary | 8.31 | Tincurrin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3150001 | Dongolocking Rd | Dongolocking Rd | Wagin | 0.00 | Wagin Dumbleyung Rd | 33.27 | Dumbleyung LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Gundaring Nth Rd : No access permitted into Gundaring North Rd from Dongolocking Rd |
| 4180209 | Dongolocking Rd | Dongolocking Rd | Narrogin | 0.00 | Narrogin - Harrismith Rd | 10.99 | Wagin - Wickepin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2030014 | Donnelly Mill Rd | Donnelly Mill Rd | Bridgetown - Greenbushes | 0.00 | South Western Hwy | 17.65 | Nannup LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No Operation Weekdays from 7:30 AM to 9:00 AM and 3:00 PM to 4:30 PM Curfew applies to school days only. |
| 2160011 | Donnelly Mill Rd | Donnelly Mill Rd | Nannup | 0.00 | Sears Rd | 1.68 | Bridgetown - Greenbushes LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------------|---|---|----------|--|--------|--|---|
| M013 | Donnybrook Kojonup | Donnybrook Kojonup Rd Abel St Bridge St Blackwood Rd | Donnybrook - Balingup Boyup Brook Kojonup | 0.00 | South Western Hwy | 157.45 | Albany Hwy | <ul style="list-style-type: none"> Intersection Orchid Valley Rd : No access permitted into Orchid Valley Rd from Donnybrook - Kojonup Rd Intersection White Elephant Rd : No access permitted into White Elephant Rd from Donnybrook - Kojonup Rd Intersection Narlingup Rd : No access permitted into Narlingup Rd from Donnybrook Kojonup Rd. |
| 4060140 | Donovan Rd | Donovan Rd | Cunderdin | 0.00 | Cunderdin - Wyalkatchem Rd | 2.70 | Woonwooring Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 7030060 | Donovan St | Donovan St | Meekatharra | 0.00 | Marmont St & Connaughton St | 0.35 | McCleary St | |
| 4240027 | Doodenanning - Mawson Rd | Doodenanning - Mawson Rd | Quairading | 0.00 | Geyer St & Carter - Doodenanning Rd | 18.35 | Mawson Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4330008 | Doodenanning Rd | Doodenanning Rd | York | 0.00 | Penny Dr & Greenhills Rd | 19.09 | Geyer St | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Quonamining Rd : No right turn permitted into Quonamining Rd from Doodenanning Rd Intersection Gaults Rd : No left turn permitted into Gaults Rd from Doodenanning Rd |
| 4030173 | Doodlakine - Bruce Rock Rd | Doodlakine - Bruce Rock Rd | Bruce Rock | 0.00 | Merredin LGA Boundary | 23.51 | Mitchell St & Dunstal St & Noonajin Rd | |
| 4090149 | Doodlakine - Bruce Rock Rd | Doodlakine - Bruce Rock Rd | Kellerberrin | 0.00 | Great Eastern Hwy | 9.68 | Coulahan Rd & Doodlakine - Bruce Rock Rd | |
| 4140238 | Doodlakine - Bruce Rock Rd | Doodlakine - Bruce Rock Rd | Merredin | 0.00 | Coulahan Rd & Doodlakine - Bruce Rock Rd | 8.64 | Bruce Rock LGA Boundary | |
| 4090005 | Doodlakine - Kununoppin Rd | Doodlakine - Kununoppin Rd | Kellerberrin | 0.00 | Harrison St & Spring St | 30.21 | Doodlakine - Kununoppin Rd & Laird Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h |
| 4130007 | Doodlakine - Kununoppin Rd | Doodlakine - Kununoppin Rd | Trayning | 0.00 | Nungarin Wyalkatchem Rd & Moujakine Rd | 27.48 | Doodlakine - Kununoppin Rd & Laird Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|-----------------------|----------|--|--------|-------------------------------|--|
| 4090007 | Doodlakine South Rd | Doodlakine South Rd | Kellerberrin | 0.00 | Great Eastern Hwy | 18.47 | Fire Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Stone Giles Rd : No right turn permitted into Stone Giles Rd from Doodlakine South Rd (southern approach). |
| 5050723 | Doogue Rd | Doogue Rd | Greater Geraldton (C) | 0.00 | Tenindewa North Rd | 8.22 | Byron North Rd | |
| 5150035 | Dookoonooka Rd | Dookoonooka Rd | Three Springs | 0.00 | Wilton Well Rd | 6.86 | Turkey Flat Rd | |
| 1050151 | Dooley St | Dooley St | Kwinana (C) | 0.00 | Rockingham Rd | 0.06 | 0.06km From Rockingham Rd | |
| 3070123 | Dooleys Rd | Dooleys Rd | Gnowangerup | 0.00 | Jackitup Rd North | 5.47 | Moore's Dam Rd & Freegards Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 703Z032 | Doolgunna Rd | Doolgunna Rd | Meekatharra | 0.00 | Great Northern Hwy | 6.10 | Doolgunna Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h |
| 4250029 | Doongin Peak Rd | Doongin Peak Rd | Tammin | 0.00 | Youering Rd | 8.91 | Golf Links Rd | |
| 3110077 | Doornock Rd | Doornock Rd | Lake Grace | 0.00 | North Lake Grace - Karlgarin Rd | 7.72 | North Burngup Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4160046 | Dootaning Rd | Dootaning Rd | Mukinbudin | 7.00 | 7.0km From Mukinbudin - Bonnie Rock Rd | 10.76 | Bonnie Rock - Lake Brown Rd | |
| 8110205 | Doradeen Rd | Doradeen Rd | Ashburton | 0.00 | Manuwarra Red Dog Hwy & Haulpak Access (P) | 1.12 | Boonderoo Rd | |
| 3060126 | Doradine Rd | Doradine Rd | Dumbleyung | 0.00 | Behn Ord Rd & Nippering North Rd | 5.75 | 114 Gate Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4240051 | Dorakin Rd | Dorakin Rd | Quairading | 0.00 | Quairading - Cunderdin Rd & Livingstone Rd | 6.77 | Hayes Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Intersection Weir Rd : No access permitted into Weir Rd from Dorakin Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|-------------------------|----------|---|--------|-----------------------|---|
| 4290028 | Dorakin Rd | Dorakin Rd | Wickepin | 0.00 | Wogolin South Rd | 7.26 | Williams Kondinin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5040173 | Dorcas St | Dorcas St | Dandaragan | 0.00 | Seaward Dr | 0.22 | Carmella St | |
| 3080001 | Dore St | Dore St | Katanning | 0.91 | Drove St | 1.12 | Anderson St & Dore St | <ul style="list-style-type: none"> Maximum speed 50 km/h |
| 4120067 | Dornock Rd | Dornock Rd | Kulin | 0.00 | Dornock East Rd & North Lake Grace - Karlgarin Rd | 8.74 | Commonwealth Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Rail not to be crossed. |
| 3100186 | Dorrington Rd | Dorrington Rd | Kojonup | 0.00 | Donnybrook Kojonup Rd | 4.59 | Anderson Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Muradup Rd : No access permitted into Muradup Rd from Dorrington Rd |
| 1080236 | Dougall St | Dougall St | Serpentine - Jarrahdale | 0.00 | Nettleton Rd | 0.13 | Michael St | |
| 3040096 | Douglas Rd | Douglas Rd | Cranbrook | 0.00 | Shamrock Rd | 2.82 | Kojonup LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3070132 | Douglas Rd | Douglas Rd | Gnowangerup | 0.00 | Rabbit Proof Fence Rd & Day Rd | 3.00 | Douglas Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3100113 | Douglas Rd | Douglas Rd | Kojonup | 0.00 | Cranbrook LGA Boundary | 3.42 | Fulcher Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|--------------------------|----------|--------------------------------|--------|--|--|
| 3170017 | Douglas Rd | Douglas Rd | Woodanilling | 0.00 | Robinson West Rd & Westwood Rd | 16.69 | Maders Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5070241 | Douglas Rd | Douglas Rd | Gingin | 0.00 | Brand Hwy | 1.23 | For 1.23km From Brand Hwy to Farm Access | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. A RAV must not be driven on this road in excess of 4.3 metres in height unless written approval is obtained and must be carried from the relevant cable provider. |
| 5180073 | Douglas Rd | Douglas Rd | Wongan - Ballidu | 0.00 | Ballidu - Bindi Bindi Rd | 6.22 | Latham Rd | |
| 7030054 | Douglas St | Douglas St | Meekatharra | 0.00 | Railway St | 0.33 | Queen Rd | |
| 8030012 | Douglas St | Douglas St | Carnarvon | 0.00 | Carnarvon Rd | 0.83 | Boat Harbour Rd & West St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No Operation between 7:00 AM and 9:00 AM and between 2:00 PM and 4:00 PM |
| 7030143 | Douglas St Slip Rd | Douglas St Slip Rd | Meekatharra | 0.00 | Queen Rd & Murchison Downs Rd | 0.07 | Douglas St | |
| 2030051 | Doust Rd | Doust Rd | Bridgetown - Greenbushes | 0.00 | Winnejup Rd | 2.01 | South Bndry Loc 689 | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5040093 | Doust St | Doust St | Dandaragan | 0.00 | Bashford St | 0.29 | Doust St & Sandpiper St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------------|----------------------------|------------------|----------|---|--------|--|--|
| 4100075 | Douthie Rd | Douthie Rd | Kondinin | 0.00 | King Rocks Rd | 1.87 | Mulcahy Rd | |
| 6110103 | Dowd Rd | Dowd Rd | Yilgarn | 0.00 | Robinson Dr & Koolyanobbing - Southern Cross Rd | 1.40 | Aurora Access Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h |
| 1140037 | Dowd St | Dowd St | Canning (C) | 0.00 | Kurnall Rd & Dowd St East | 1.22 | Pilbara St | |
| 1140036 | Dowd St East | Dowd St East | Canning (C) | 0.00 | Banksia Rd | 0.54 | Dowd St & Kurnall Rd | |
| 2080009 | Dowdells Line | Dowdells Line | Dardanup | 6.27 | O'Connor Rd | 9.21 | South Western Hwy | |
| 4090119 | Dowding St | Dowding St | Kellerberrin | 0.00 | Mather Rd | 2.88 | Moore St & Kellerberrin - Bencubbin Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4070182 | Dowerin - Kalannie Rd | Dowerin - Kalannie Rd | Dowerin | 0.00 | Metcalf St & Stewart St | 48.77 | Wongan - Ballidu LGA Boundary | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Goddard Siding Rd : No left turn permitted into Goddard Siding Rd from Dowerin-Kalannie Rd Intersection Harris East Rd : No access permitted into Harris East Rd from Dowerin-Kalannie Rd |
| 5030242 | Dowerin - Kalannie Rd | Dowerin - Kalannie Rd | Dalwallinu | 0.00 | Wongan - Ballidu LGA Boundary | 10.07 | Dodd St & Kalannie - Kulja Rd & Roche St | |
| 5180193 | Dowerin - Kalannie Rd | Dowerin - Kalannie Rd | Wongan - Ballidu | 0.00 | Dowerin LGA Boundary | 43.45 | Dalwallinu LGA Boundary | |
| 4070064 | Dowerin - Konnongorring Rd | Dowerin - Konnongorring Rd | Dowerin | 0.00 | Uberin Rd | 4.35 | Dowerin - Konnongorring Rd & Fairlie Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4080006 | Dowerin - Konnongorring Rd | Dowerin - Konnongorring Rd | Goomalling | 0.00 | Northam Pithara Rd | 16.21 | Dowerin - Konnongorring Rd & Fairlie Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h |
| 4070025 | Dowerin - Koorda Rd | Dowerin - Koorda Rd | Dowerin | 0.00 | Koorda - Dowerin Rd | 15.51 | Old Koorda Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 4070025 | Dowerin - Koorda Rd | Dowerin - Koorda Rd | Dowerin | 15.51 | Old Koorda Rd | 22.17 | Dowerin - Kalannie Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4070183 | Dowerin - Meckering Rd | Dowerin - Meckering Rd | Dowerin | 0.00 | Meckering - Dowerin Rd | 25.64 | Jones St & Meckering Rd | |
| 5030202 | Dowie St | Dowie St | Dalwallinu | 0.00 | Dowie St - Start Road | 0.49 | Roberts Rd | |
| 3020079 | Down Rd | Down Rd | Albany (C) | 0.00 | Albany Hwy | 3.76 | Down West Rd | |
| 3020080 | Down West Rd | Down West Rd | Albany (C) | 0.00 | Down Rd | 1.85 | Down West Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|-------------------|----------|----------------------------|--------|----------------------------|--|
| 4110046 | Downie Rd | Downie Rd | Koorda | 0.00 | Koorda North West Rd | 3.60 | Booralaming - Kulja Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1290235 | Downing St | Downing St | Victoria Park (T) | 0.00 | Cohn St | 0.21 | Briggs St | |
| 2050031 | Downs Rd | Downs Rd | Busselton (C) | 1.00 | Glendon Rd | 2.12 | Williams Rd & Coolilup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4140032 | Downsborough Rd | Downsborough Rd | Merredin | 0.00 | Bicks Rd | 9.49 | Burracoppin - Champion Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3160072 | Doyle Rd | Doyle Rd | West Arthur | 0.00 | Bokal South Rd | 8.67 | Morrell Rd & Ways Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4040038 | Doyle Rd | Doyle Rd | Corrigin | 0.00 | Doyle Rd & Doyles North Rd | 14.80 | Rabbit Proof Fence Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4120070 | Doyle Rd | Doyle Rd | Kulin | 0.00 | Corrigin Kulin Rd | 5.51 | Doyle Rd & Doyles North Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|-----------------------------|--------|------------------------|--|
| 6040075 | Doyle Rd | Doyle Rd | Esperance | 0.00 | Ravensthorpe LGA Boundary | 4.81 | Springdale Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6100017 | Doyle Rd | Doyle Rd | Ravensthorpe | 0.00 | South Coast Hwy | 12.92 | Esperance LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 4140290 | Doyle St | Doyle St | Merredin | 0.00 | East Barrack St | 0.16 | Coghill St | |
| 4040037 | Doyles North Rd | Doyles North Rd | Corrigin | 0.00 | Old Kulin Rd & Middleton Rd | 5.47 | Doyle Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4010079 | Draper Rd | Draper Rd | Beverley | 0.00 | Balkuling Rd | 1.36 | Quairading York Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Balkuling Rd : No access permitted into Balkuling Rd from Draper Rd |
| 4050054 | Drapers Rd | Drapers Rd | Cuballing | 0.00 | Popanyinning East Rd | 1.62 | Drapers Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|---|--------|----------------------|---|
| 3020038 | Drawbin Rd | Drawbin Rd | Albany (C) | 0.00 | South Coast Hwy | 11.91 | Pfeiffer Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection South Coast Hwy : No access permitted into South Coast Hwy from Drawbin Rd |
| 3150059 | Drayton Rd | Drayton Rd | Wagin | 0.00 | Lucas Rd | 1.88 | Warup North Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5110043 | Dreghorn Rd | Dreghorn Rd | Morawa | 0.00 | Old Three Springs Rd & Mingenew Morawa Rd | 3.70 | Ryan Rd & Coaker Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Boss Rd : No access permitted into Boss Rd from Dreghorn Rd |
| 5110101 | Dreghorn St | Dreghorn St | Morawa | 0.51 | Prater St | 0.68 | White Av | |
| 5140115 | Dring Rd | Dring Rd | Perenjori | 0.00 | Caron Rd | 8.17 | Bunjil - Carnamah Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|--------------------------|----------|--------------------------|--------|----------------------------------|---|
| 5140115 | Dring Rd | Dring Rd | Perenjori | 8.17 | Bunjil - Carnamah Rd | 18.89 | Waddy Forest Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4160111 | Driscoll Rd | Driscoll Rd | Mukinbudin | 0.00 | Boundary Rd | 7.60 | Adams Rd & Angle Rd & Moondon Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 0040189 | Drovers Rd | Drovers Rd | Wyndham - East Kimberley | 0.00 | Victoria Hwy | 1.75 | Old Darwin Rd South | |
| 3110088 | Drust Rd | Drust Rd | Lake Grace | 0.00 | Holt Rock South Rd | 21.02 | Biddy - Camm Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4040024 | Dry Well Rd | Dry Well Rd | Corrigin | 0.00 | Bilbarin - Quairading Rd | 21.10 | Woglin St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4040024 | Dry Well Rd | Dry Well Rd | Corrigin | 21.10 | Woglin St | 21.82 | Walton St | |
| 2040587 | Dryandra Ct | Dryandra Ct | Bunbury (C) | 0.00 | Wimbridge Rd | 0.33 | Dryandra Ct - End Road | |
| 3060082 | Dualling Rd | Dualling Rd | Dumbleyung | 0.00 | One Twenty Nine Rd | 4.99 | Kent LGA Boundary | |
| 3090011 | Dualling Rd | Dualling Rd | Kent | 0.00 | Kukerin Rd | 21.63 | Dumbleyung LGA Boundary | |
| 3120086 | Duck Rd | Duck Rd | Plantagenet | 0.00 | Woogenellup Rd | 6.15 | Barrow Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4100096 | Duck Rock Rd | Duck Rock Rd | Kondinin | 0.00 | Hyden-Lake King Rd | 5.85 | Kulin LGA Boundary | |
| 4120111 | Duck Rock Rd | Duck Rock Rd | Kulin | 0.00 | Hills Rd & Holland Trk | 2.90 | Kondinin LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|--------------------------|----------|--|--------|---|---|
| 3110013 | Duckworth Rd | Duckworth Rd | Lake Grace | 0.00 | Lake Grace Newdegate Rd | 26.06 | North Lake Grace - Karlgarin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5150002 | Dudawa Rd | Dudawa Rd | Three Springs | 0.00 | Midlands Rd | 14.70 | Campbell Rd & Three Springs - Morawa Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4120162 | Dudinin - Jitarning Rd | Dudinin - Jitarning Rd | Kulin | 0.00 | Williams Kondinin Rd | 12.77 | Dudinin Rd & Rabbit Proof Fence Rd Sth | |
| 4120139 | Dudinin Rd | Dudinin Rd | Kulin | 0.00 | Rabbit Proof Fence Rd Sth & Dudinin - Jitarning Rd | 0.73 | Kealley Rd & Rabbit Proof Fence Rd | |
| 4140141 | Duff St | Duff St | Merredin | 0.00 | Railway Av | 1.57 | East Barrack St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Maximum speed 50 km/h |
| 5070161 | Duffy Rd | Duffy Rd | Gingin | 0.00 | Airfield Rd | 2.00 | 1.7km From Itchy Swamp Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 1120444 | Duffy St | Duffy St | Bayswater (C) | 0.00 | Clune St | 0.25 | Jackson St | |
| 6052007 | Dugan St | Dugan St | Kalgoorlie - Boulder (C) | 0.48 | Cassidy St North | 2.19 | Throssell St | |
| 5170039 | Duggan Rd | Duggan Rd | Victoria Plains | 0.00 | Skilling Rd | 9.56 | Sandplain Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 5170039 | Duggan Rd | Duggan Rd | Victoria Plains | 16.75 | Motoning Rd | 19.63 | Bailey Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 3040070 | Dujemerrup Rd | Dujemerrup Rd | Cranbrook | 0.00 | Shamrock Rd | 14.04 | Gaunt Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3040070 | Dujemerrup Rd | Dujemerrup Rd | Cranbrook | 14.04 | Gaunt Rd | 17.91 | Albany Hwy (H001) | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|------------------|----------|---|--------|--|--|
| 4110011 | Dukin West Rd | Dukin West Rd | Koorda | 0.00 | Boyne Rd | 17.30 | Dowerin - Koorda Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 40 km/h below posted speed limit |
| 4240028 | Dulbellling North Rd | Dulbellling North Rd | Quairading | 0.00 | Doodenanning - Mawson Rd | 12.32 | Quairading York Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4240028 | Dulbellling North Rd | Dulbellling North Rd | Quairading | 12.46 | Quairading York Rd | 15.52 | Dulbellling West Rd & Dulbellling South Rd & Ellen Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4240022 | Dulbellling South Rd | Dulbellling South Rd | Quairading | 0.00 | Dulbellling North Rd & Dulbellling West Rd & Ellen Rd | 17.63 | Dulbellling South Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4240089 | Dulbellling West Rd | Dulbellling West Rd | Quairading | 0.00 | Dulbellling West Rd - Start Road | 1.81 | Dulbellling North Rd & Dulbellling South Rd & Ellen Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 6110083 | Dulyalbin Rd | Dulyalbin Rd | Yilgarn | 0.00 | Hackling Rd | 48.52 | Southern Cross South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3060123 | Dumbleyung - Nyabing Rd | Dumbleyung - Nyabing Rd | Dumbleyung | 0.00 | Bahr Rd | 24.67 | Kent LGA Boundary | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Wishbone Rd : No left turn permitted into Wishbone Rd from Dumbleyung-Nyabing Rd Intersection Sturges Rd : No access permitted into Sturges Rd from Dumbleyung Nyabing Rd |
| 3090001 | Dumbleyung - Nyabing Rd | Dumbleyung - Nyabing Rd | Kent | 0.00 | Dumbleyung LGA Boundary | 23.71 | Kojonup - Pingrup (M021) | |
| 0020062 | Duncan Rd | Duncan Rd | Halls Creek | 0.00 | Great Northern Hwy | 339.30 | Wyndham - East Kimberley LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h No Operation between Dec to Mar between the hours of sunset and sunrise |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|--------------------------|----------|---|--------|--------------------------|---|
| 0040138 | Duncan Rd | Duncan Rd | Wyndham - East Kimberley | 0.00 | Duncan Rd - Northern Territory | 58.34 | Halls Creek LGA Boundary | |
| 3110194 | Duncan Rd | Duncan Rd | Lake Grace | 0.00 | Maler St & Newdegate - Pingrup Rd & Newdegate Ravensthorpe Rd | 0.07 | Duncan Rd - End Road | <ul style="list-style-type: none"> Intersection Shalders Rd : No left turn permitted into Shalders Rd from Duncan Rd |
| 4280073 | Duncan Rd | Duncan Rd | Westonia | 0.00 | Hunter Rd | 4.67 | Duncan Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5100054 | Duncan Rd | Duncan Rd | Moora | 0.00 | Lyons East Rd | 5.44 | Bindi - Ballidu Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3090055 | Duncombe Rd | Duncombe Rd | Kent | 0.00 | Thomas Rd | 13.34 | Range Rd | |
| 2130166 | Dunclon Rd | Dunclon Rd | Manjimup | 0.00 | Perup Rd | 5.42 | Dunclon Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1020811 | Dundas Rd | Dundas Rd | Kalamunda | 1.21 | Sorensen Rd | 1.53 | Dundas Rd Spur A | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|-----------------------|----------|-----------------------------------|--------|---------------------------|---|
| 1020811 | Dundas Rd | Dundas Rd | Kalamunda | 1.53 | Dundas Rd Spur A | 5.85 | Daddow Rd | |
| 6040579 | Dundas Rd | Dundas Rd | Esperance | 0.00 | Rollond Rd | 7.10 | Poverty L | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040579 | Dundas Rd | Dundas Rd | Esperance | 7.16 | Poverty L | 10.76 | Old Kens Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 1021297 | Dundas Rd Spur A | Dundas Rd Spur A | Kalamunda | 0.00 | Dundas Rd & Dundas Rd Link | 0.16 | Maida Vale Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3110062 | Dunham Rd | Dunham Rd | Lake Grace | 0.00 | Kulin Lake Grace Rd | 5.69 | Robertson Rd & Burns Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5050708 | Dunkin Rd | Dunkin Rd | Greater Geraldton (C) | 0.00 | Tenindewa North Rd | 4.32 | Beaumont Rd | |
| 4130025 | Dunkley Rd | Dunkley Rd | Trayning | 0.00 | Yelbeni South East Rd & Barnes Rd | 8.20 | Kellerberrin - Yelbeni Rd | |
| 3160148 | Dunleath Rd | Dunleath Rd | West Arthur | 0.00 | Coalfields Rd | 1.93 | Dunleath Rd - End Road | |
| 4140042 | Dunlop Rd | Dunlop Rd | Merredin | 0.00 | Hubeck Rd | 9.48 | Neening Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4060167 | Dunlop St | Dunlop St | Cunderdin | 0.00 | Dreyer St & Throssell St | 0.17 | Loton Rd & Richardson St | <ul style="list-style-type: none"> Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|--|------------------|----------|---|--------|---|---|
| 4060167 | Dunlop St | Dunlop St | Cunderdin | 0.17 | Loton Rd & Richardson St | 0.75 | Goomalling - Meckering Rd & Carter Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 2050036 | Dunn Bay Rd | Dunn Bay Rd | Busselton (C) | 0.00 | Cape Naturaliste Rd | 0.05 | For 0.05km From Cape Naturaliste Road to Shell Service Station Entrance | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4250063 | Dunn Rd | Dunn Rd | Tammin | 0.00 | Yorkrakine Rd | 3.33 | Dunn Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6040073 | Dunn Rock Rd | Dunn Rock Rd | Esperance | 0.00 | Merivale Rd | 6.67 | Lime Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6100053 | Dunn St | Dunn St | Ravensthorpe | 0.00 | Floater Rd | 0.18 | Queen St | <ul style="list-style-type: none"> Intersection Floater Rd : No access permitted into Floater Rd from Dunn St |
| 3090130 | Dunnart Rd | Dunnart Rd | Kent | 0.00 | Needilup North Rd | 8.84 | Cowcher Rd | |
| 2160037 | Dunnet Rd | Dunnet Rd | Nannup | 0.00 | Balingup - Nannup Rd | 0.16 | Folly Rd (F) | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 113Z047 | Dunreath Dr | Dunreath Dr (L Cwy) Dunreath Dr (R Cwy) | Belmont (C) | 0.00 | Dunreath Dr Rty | 0.29 | Dunreath Dr Rty | |
| H259 | Dunreath Dr | Dunreath Dr (L Cwy) Dunreath Dr (R Cwy) | Belmont (C) | 0.00 | Dunreath Dr (L Cwy) | 0.66 | Dunreath Dr (R Cwy) | |
| 113Z032 | Dunreath Dr (Federal) | Dunreath Dr (Federal) | Belmont (C) | 0.67 | Redcliffe Station Busway East & Brearley Av (Federal) | 1.58 | Dunreath Dr Rty | |
| 113Z048 | Dunreath Dr Rty | Dunreath Dr Rty | Belmont (C) | 0.00 | Dunreath Dr (L Cwy) | 0.20 | Dunreath Dr (L Cwy) | |
| H882 | Dunreath Dr on to Tonkin Hwy (Northbound) | Dunreath Dr on to Tonkin Hwy (Northbound) | Belmont (C) | 0.00 | Dunreath Dr (L Cwy) & Dunreath Dr (R Cwy) | 0.38 | Tonkin Hwy | |
| H891 | Dunreath Dr on to Tonkin Hwy (Southbound) | Dunreath Dr on to Tonkin Hwy (Southbound) | Belmont (C) | 0.00 | Dunreath Dr (L Cwy) | 0.48 | Tonkin Hwy | |
| M400 | Dunsborough Access Rty | Dunsborough Access Rty | Busselton (C) | 0.00 | Dunsborough Lakes Dr | 0.13 | Dunsborough Lakes Dr | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|--------------------------|--------------------------|----------|--|--------|------------------------------|---|
| 4030177 | Dunstal St | Dunstal St | Bruce Rock | 0.00 | Mitchell St & Doodlakine - Bruce Rock Rd & Noonajin Rd | 0.54 | Osborne St & Johnson St | |
| 4140092 | Dunwell Rd | Dunwell Rd | Merredin | 0.00 | Muntadgin Rd & Hooper Rd | 1.35 | Brissenden Rd & Crossland St | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 0040146 | Durack Dr | Durack Dr | Wyndham - East Kimberley | 0.00 | Research Station Rd | 2.80 | Durack Dr - End Road | |
| 5160035 | Durawah - Northern Gully | Durawah - Northern Gully | Chapman Valley | 0.00 | Lorimer Rd & Thompson Reidy Rd & Northern Gully Rd | 2.44 | Station Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5160035 | Durawah - Northern Gully | Durawah - Northern Gully | Chapman Valley | 2.44 | Station Rd | 9.75 | Durawah Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 60 km/h |
| 5160001 | Durawah Rd | Durawah Rd | Chapman Valley | 0.00 | Chapman Valley Rd | 18.45 | Station Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1120270 | Durham Rd | Durham Rd | Bayswater (C) | 0.00 | Clavering Rd | 0.38 | Durham Rd - End Road | |
| 6020039 | Durkin Rd | Durkin Rd | Coolgardie | 0.00 | Goldfields Hwy | 1.53 | Airleg Cr | |
| 4090034 | Durokoppin Rd | Durokoppin Rd | Kellerberrin | 0.00 | Kellerberrin - Bencubbin Rd | 6.94 | Kellerberrin - Yelbeni Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|---------------------------|--------|----------------------------|---|
| 3120163 | Duthie Rd | Duthie Rd | Plantagenet | 0.00 | Harvey Rd | 1.86 | 1.86 Km North of Harvey Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2180019 | Dwalganup Rd | Dwalganup Rd | Boyup Brook | 0.00 | Winnejup Rd | 8.81 | Westbourne Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4270012 | Dwarda East Rd | Dwarda East Rd | Wandering | 0.00 | Crossman - Dwarda Rd | 7.57 | Fourteen Mile Brook Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Fourteen Mile Brook Rd : No left turn permitted into Fourteen Mile Brook Rd from Dwarda East Rd |
| 4020057 | Dwarlaking Rd | Dwarlaking Rd | Brookton | 0.00 | Wilson Rd & Dwarlaking Rd | 1.88 | Corrigin LGA Boundary | |
| 4040070 | Dwarlaking Rd | Dwarlaking Rd | Corrigin | 0.00 | Bulyee Rd | 5.47 | Brookton LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|-----------------------|----------|----------------------------|--------|---------------------------|--|
| 4230022 | Dwarlaking Rd | Dwarlaking Rd | Pingelly | 0.00 | Hickmott Rd & Bullaring Rd | 12.90 | Wilson Rd & Dwarlaking Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060039 | Dwelyerdine Rd | Dwelyerdine Rd | Dumbleyung | 0.00 | Dongolocking Rd | 7.60 | Wagin LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3150089 | Dwelyerdine Rd | Dwelyerdine Rd | Wagin | 0.00 | Dumbleyung LGA Boundary | 7.19 | Wickepin LGA Boundary | <ul style="list-style-type: none"> Maximum speed 70 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4180322 | Dwelyerdine Rd | Dwelyerdine Rd | Narrogin | 0.00 | Wagin - Wickepin Rd | 5.87 | Wickepin LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 4290006 | Dwelyerdine Rd | Dwelyerdine Rd | Wickepin | 0.00 | Narrogin LGA Boundary | 5.87 | Wagin LGA Boundary | |
| 6040277 | Dwyer Rd | Dwyer Rd | Esperance | 0.00 | Browning Rd | 5.36 | Boydell Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 5050387 | Dwyer St | Dwyer St | Greater Geraldton (C) | 0.00 | Anderson St | 0.26 | Stow St | |
| 1110181 | Dyer Rd | Dyer Rd | Bassendean (T) | 0.00 | Collier Rd | 0.41 | Yelland Wy | |
| 3110224 | Dyke Rd | Dyke Rd | Lake Grace | 0.00 | Newdegate - Pingrup Rd | 13.49 | Lockhart North Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6040026 | E.L.D. Rd | E.L.D. Rd | Esperance | 0.00 | Ridgeland Rd | 6.43 | Meyer Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|-----------------------|----------|--|--------|-------------------------------|--|
| 6040026 | E.L.D. Rd | E.L.D. Rd | Esperance | 6.44 | Meyer Rd | 24.96 | Burdett Rd & Backmans Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 5100067 | Eagle Hill Rd | Eagle Hill Rd | Moora | 0.00 | Midlands Rd | 5.36 | Eagle Hill Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 7060071 | Earaheedy Rd | Earaheedy Rd | Wiluna | 0.00 | Granite Peak Access Rd & Granite Peak - Lake Violet Rd | 15.98 | Sydney Heads Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4180346 | Earl St North | Earl St North | Narrogin | 0.00 | Clayton Rd & Earl St | 0.86 | Hillside Rd & Golf Course Pde | |
| 4140244 | East Barrack St | East Barrack St | Merredin | 0.00 | Mary St & Mitchell St | 1.60 | Great Eastern Hwy | <ul style="list-style-type: none"> Intersection Mary St & Mitchell St : No access permitted into Mary St from Watson Rd Intersection Watson Rd : No left turn permitted into Watson Rd from East Barrack St |
| 4110015 | East Boundary Rd | East Boundary Rd | Koorda | 0.00 | Breakell Rd & Koorda - Bencubbin Rd | 38.02 | Longmuir Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 5160012 | East Bowes Rd | East Bowes Rd | Chapman Valley | 0.00 | Chapman Valley Rd | 12.06 | Northampton - Nabawa Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit. Intersection Dindiloa Rd : No access permitted into Dindiloa Bowles Rd from East Bowes Rd |
| 5051013 | East Chapman Rd | East Chapman Rd | Greater Geraldton (C) | 0.00 | Angels Rd & East Chapman Rd | 11.33 | Yanget Rd & Newmarracarra Rd | |
| 5160150 | East Chapman Rd | East Chapman Rd | Chapman Valley | 0.00 | Narra Tarra Moonyoonooka Rd & Morrell Rd | 1.53 | Angels Rd & East Chapman Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|---------------------------------------|--------|--|---|
| 5160018 | East Dartmoor Rd | East Dartmoor Rd | Chapman Valley | 0.00 | Wandana Rd | 23.10 | North Dartmoor | <ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 70 km/h |
| 4100140 | East Hyden Bin Rd | East Hyden Bin Rd | Kondinin | 0.00 | Hyden-Lake King Rd | 28.56 | Hyden - Norseman Rd & Lake O'Connor Rd | |
| 5160016 | East Nabawa | East Nabawa | Chapman Valley | 0.00 | Yuna - Tenindewa Rd | 4.60 | Valentine Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit. |
| 5160016 | East Nabawa | East Nabawa | Chapman Valley | 4.60 | Valentine Rd | 7.60 | Wheeldon Hosking Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5160016 | East Nabawa | East Nabawa | Chapman Valley | 7.60 | Wheeldon Hosking Rd | 20.55 | 1.05km From Richardson Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5160016 | East Nabawa | East Nabawa | Chapman Valley | 20.55 | For 14.42km From Moonyoonooka Yuna Rd | 34.97 | Chapman Valley Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit. |
| 2160004 | East Nannup Rd | East Nannup Rd | Nannup | 0.00 | Vasse Hwy | 4.60 | 4.60 Km From Vasse Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|--------------------------|----------|----------------------------|--------|--|---|
| 2160004 | East Nannup Rd | East Nannup Rd | Nannup | 4.60 | 4.60 Km From Vasse Hwy | 12.63 | Gold Gully Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3090012 | East Rd | East Rd | Kent | 0.00 | Newdegate - Pingrup Rd | 44.52 | East Rd - End Road | |
| 3050035 | East River Rd | East River Rd | Denmark | 1.00 | Mycena St | 4.39 | Denmark Mt Barker Rd | <ul style="list-style-type: none"> Intersection Corymbia Cr : No right turn permitted into Corymbia Cres from East River Rd |
| 3050035 | East River Rd | East River Rd | Denmark | 4.39 | Denmark Mt Barker Rd | 5.44 | For 1.01 Km to Apec Plantation Access Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6053002 | East St | East St | Kalgoorlie - Boulder (C) | 0.00 | Boulder Rd | 0.16 | East St - End Road | |
| 3110128 | Easton Rd | Easton Rd | Lake Grace | 0.00 | Webb Rd | 7.78 | Kirwin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5130090 | Eastough Rd | Eastough Rd | Northampton | 0.00 | Kalbarri Rd | 1.80 | Eastough Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5050002 | Eastward Rd | Eastward Rd | Greater Geraldton (C) | 0.22 | North West Coastal Hwy | 0.34 | | <ul style="list-style-type: none"> Intersection North West Coastal Hwy : No right turn permitted from North West Coastal Highway into Eastward Road. No left turn permitted from North West Coastal Highway into Eastward Road. |
| 3070051 | Eastwood North Rd | Eastwood North Rd | Gnowangerup | 0.00 | Mortvale Rd & Scotchman Rd | 5.51 | Tieline Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3070053 | Eastwood Rd | Eastwood Rd | Gnowangerup | 0.00 | Tieline Rd | 6.79 | Jackitup Rd West | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|------------------------|--------|---------------------------------------|---|
| 4070060 | Eaton Rd | Eaton Rd | Dowerin | 0.00 | Dowerin - Meckering Rd | 2.09 | Ucarty South Rd & Ucarty Rock East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. See Low Volume Condition Type A in the Operating Conditions Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4070049 | Eaton Sand Hole Rd | Eaton Sand Hole Rd | Dowerin | 0.00 | Ucarty South Rd | 3.32 | Nambling South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4060151 | Eaton St | Eaton St | Cunderdin | 0.00 | Eaton St | 0.29 | Carter Dr | |
| 406Z004 | Eaton St | Eaton St | Cunderdin | 0.00 | Olympic Av & Carter Dr | 0.38 | Eaton St | |
| 3100229 | Eatt Rd | Eatt Rd | Kojonup | 0.00 | Orchid Valley Rd | 1.50 | Eriswell Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|---|--------|--|--|
| 4280015 | Echo Valley Rd | Echo Valley Rd | Westonia | 0.00 | Koorda - Bullfinch Rd & Begley Rd | 36.23 | Elachbutting Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 5100029 | Edawa Rd | Edawa Rd | Moora | 0.00 | Watheroo Miling Rd | 8.25 | Merewana Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4060159 | Edbrooke Rd | Edbrooke Rd | Cunderdin | 0.00 | Watercarrin Rd & Cunderdin - Minnivale Rd | 2.35 | Rabbit Proof Fence Nth Rd & Watercarrin Bin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4020053 | Edenvale Rd | Edenvale Rd | Brookton | 0.00 | Youraling Rd | 2.36 | Edenvale Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5100076 | Edibegebege Rd | Edibegebege Rd | Moora | 0.00 | Great Northern Hwy | 3.44 | Edibegebege Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1011379 | Edison Cct | Edison Cct | Armadale (C) | 0.00 | Da Vinci Wy | 1.71 | Cartwright Dr | <ul style="list-style-type: none"> 10 km/h below posted speed limit Intersection Cartwright Dr : No Left Turn Permitted Into Cartwright Dr from Edison Cct |
| 1071341 | Edison Cct | Edison Cct | Rockingham (C) | 0.00 | Day Rd | 0.27 | Day Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------------|-------------------------------|-----------------------|----------|------------------------------|--------|---------------------------|---|
| 4010005 | Edison Mill Rd | Edison Mill Rd | Beverley | 0.00 | Westdale Rd | 28.07 | Brookton Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1105210 | Edison Rise | Edison Rise | Wanneroo (C) | 0.00 | Lancaster Rd | 0.27 | Berriman Dr | |
| 5170079 | Edmonds Rd | Edmonds Rd | Victoria Plains | 0.00 | Behanging North Rd | 5.14 | Goomalling - Calingiri Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 8050006 | Edmund - Gifford Creek Rd | Edmund - Gifford Creek Rd | Upper Gascoyne | 0.00 | Ullawarra Rd | 28.65 | Cobra - Gifford Creek Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 5050498 | Edward Rd | Edward Rd | Greater Geraldton (C) | 0.00 | Horwood Rd & Eastward Rd | 3.41 | Edward Rd Rty | |
| H418 | Edward Rd Rty | Edward Rd Rty | Greater Geraldton (C) | 0.00 | Edward Rd | 0.30 | Edward Rd | |
| 1091241 | Edward St | Edward St | Swan (C) | 0.00 | Clayton St | 0.20 | Rason Pde | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 6110062 | Edwards Find - Marvel Loch Rd | Edwards Find - Marvel Loch Rd | Yilgarn | 0.00 | Parker Range Rd & Patroni Rd | 6.17 | Cockatoo Tank Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|-----------------------|----------|-------------------------|--------|--------------------------|--|
| 2110217 | Edwards Rd | Edwards Rd | Harvey | 0.00 | Coalfields Rd | 2.68 | Edwards Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3060117 | Edwards Rd | Edwards Rd | Dumbleyung | 0.00 | One Twenty Nine Rd | 11.68 | Candlelight Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3110046 | Edwards Rd | Edwards Rd | Lake Grace | 0.00 | Aylmore Rd | 17.11 | Newdegate North Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3150080 | Edwards Rd | Edwards Rd | Wagin | 0.00 | Jaloran Rd | 10.28 | Piesseville - Jaloran Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4270023 | Edwards Rd | Edwards Rd | Wandering | 0.00 | Wandering - Pingelly Rd | 4.12 | Edward Rd - End Road | |
| 5050699 | Edwards Rd | Edwards Rd | Greater Geraldton (C) | 0.00 | Casuarinas Rd | 4.70 | Ambania Rd | |
| 6040242 | Edwards Rd | Edwards Rd | Esperance | 0.00 | Cascade Rd | 12.62 | Rollond Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| H402 | Eelup Rty | Eelup Rty | Bunbury (C) | 0.00 | Robertson Dr | 0.60 | Robertson Dr | |
| 1031950 | Efficiency Wy | Efficiency Wy | Cockburn (C) | 0.00 | Bushland Rdge | 0.23 | Discovery Dr | |
| 6040602 | Effie Turner Dr | Effie Turner Dr | Esperance | 0.00 | Simpson St | 0.69 | Simpson St | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 1030757 | Egmont Rd | Egmont Rd | Cockburn (C) | 0.00 | Sparks Rd | 0.66 | Redemptora Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|---------------------------|--------|-----------------------------|---|
| 6110174 | Eifler Rd | Eifler Rd | Yilgarn | 0.00 | Cramphorne Rd | 17.50 | Dulyalbin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4060031 | Eight Mile Gate Rd | Eight Mile Gate Rd | Cunderdin | 0.00 | Pascoe Rd | 2.95 | Rabbit Proof Fence South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3100087 | Eight Mile Rd | Eight Mile Rd | Kojonup | 0.00 | Wattledale Rd | 4.74 | Eight Mile Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4290031 | Eighty Four Gate Rd | Eighty Four Gate Rd | Wickepin | 0.00 | Rabbit Proof Fence Rd Nth | 11.83 | Yealering South East Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|--|--------|--|---|
| 4120012 | Eighty Six Gate Rd | Eighty Six Gate Rd | Kulin | 0.00 | Williams Kondinin Rd | 20.70 | Eighty Six Gate Rd & Rabbit Proof Fence Rd Nth & Rabbit Proof Fence Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4290013 | Eighty Six Gate Rd | Eighty Six Gate Rd | Wickepin | 0.00 | Wickepin - Corrigin Rd | 26.65 | Eighty Six Gate Rd & Rabbit Proof Fence Rd Nth & Rabbit Proof Fence Rd | |
| 1011380 | Einstein Link | Einstein Link | Armada (C) | 0.00 | Edison Cct | 0.26 | Cartwright Dr | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 4070028 | Ejanding East Rd | Ejanding East Rd | Dowerin | 0.00 | Dowerin - Kalannie Rd & Ejanding Siding Rd | 9.70 | Rabbit Proof Fence Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4070148 | Ejanding Siding Rd | Ejanding Siding Rd | Dowerin | 0.00 | Ejanding East Rd & Dowerin - Kalannie Rd | 0.37 | Cbh Access Road 0.37km From Dowerin Kalannie Rd | |
| 4070010 | Ejanding West Rd | Ejanding West Rd | Dowerin | 0.00 | Dowerin - Kalannie Rd | 12.41 | Uberin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School buses use this road. Approval to use the road could be withdrawn unless drivers show courtesy to local traffic and take extra care on school days. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|------------------------|----------|-------------------------|--------|---|---|
| 4220014 | Elabbin East Rd | Elabbin East Rd | Nungarin | 0.00 | Merredin Nungarin Rd | 10.65 | Knungajin - Merredin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Merredin Nungarin Rd : No left turn permitted into Goomalling - Merredin from Elabbin East Rd |
| 4280031 | Elachbutting Rd | Elachbutting Rd | Westonia | 0.00 | Masefield Rd | 24.17 | Rabbit Proof Fence Rd & Forty Six Gate Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4310048 | Elashgin East West Rd | Elashgin East West Rd | Wyalkatchem | 0.00 | Davies Rd | 10.00 | Brennan Rd & Tammin - Wyalkatchem Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4310005 | Elashgin Rd | Elashgin Rd | Wyalkatchem | 0.00 | Nungarin Wyalkatchem Rd | 14.94 | Maitland Rd | <ul style="list-style-type: none"> Intersection Nungarin Wyalkatchem Rd : No Access To Or From Goomalling - Merredin Road |
| 2180085 | Elder Rd | Elder Rd | Boyup Brook | 0.00 | Wilga East Rd | 2.70 | Elder Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 0030043 | Elder St | Elder St | Derby - West Kimberley | 0.00 | Villiers St | 0.67 | Rowan St & Johnston St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Maximum speed 40 km/h Within the Derby town site operation is not permitted on weekdays between the hours of 07:30-08:00 and 14:14-14:45. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|--------------------------|----------|---|--------|---------------------------------------|--|
| 6040551 | Eldred Rd | Eldred Rd | Esperance | 7.62 | Sassella Rd | 25.31 | Davies Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 3070035 | Eldridge St | Eldridge St | Gnowangerup | 0.00 | Gnowangerup Jerramungup Rd | 0.68 | Boxwood Hill - Ongerup Rd & Walker St | |
| 5090056 | Eleanor St | Eleanor St | Mingenew | 0.00 | Mingenew Morawa Rd | 1.01 | Boolinda Rd | |
| 4250020 | Eleven Mile Rd | Eleven Mile Rd | Tammin | 0.00 | Eleven Mile Rd - Start Road | 5.68 | Yorakine Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1010034 | Eleventh Rd | Eleventh Rd | Armadale (C) | 0.51 | Forrest Rd | 5.05 | South Western Hwy | |
| 1091175 | Elgee Rd | Elgee Rd | Swan (C) | 0.10 | From PTA Access Gate Located 75m East of Lloyd Street | 1.23 | Robinson Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 1010463 | Eliot Rd | Eliot Rd | Armadale (C) | 0.00 | Stone St | 0.37 | Byron Rd | |
| 2010007 | Ellen Brook Rd | Ellen Brook Rd | Augusta - Margaret River | 6.93 | Caves Rd | 7.82 | 0.89km From Caves Rd | <ul style="list-style-type: none"> Maximum speed 70 km/h No Operation between the hours of sunset and sunrise No operation on Sunday and Public Holidays |
| 4240042 | Ellen Rd | Ellen Rd | Quairading | 0.00 | Dulbellington North Rd & Dulbellington West Rd & Dulbellington South Rd | 3.37 | Quairading York Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5051004 | Ellendale Rd | Ellendale Rd | Greater Geraldton (C) | 0.00 | Walkaway - Nangetty Rd | 11.54 | Sandsprings Rd & Ramsay Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5080020 | Ellery Rd | Ellery Rd | Irwin | 0.00 | Brand Hwy | 2.00 | Ellery Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|------------------|----------|----------------------------------|--------|-------------------------------|---|
| 5100064 | Elliott Rd | Elliott Rd | Moora | 0.00 | Eagle Hill Rd | 2.79 | Elliott Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Eagle Hill Rd : No right turn permitted into Eagle Hill Rd from Elliott Rd. Beware of narrow section at intersection with Eagle Hill Rd. |
| 3110221 | Elliott Rd | Elliott Rd | Lake Grace | 0.00 | Pingrup Lake Grace Rd | 3.30 | Elliott Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3120187 | Elliott Rd | Elliott Rd | Plantagenet | 0.00 | Settlement Rd | 3.00 | 3km South of Settlement Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4030046 | Elliott Rd | Elliott Rd | Bruce Rock | 0.00 | Bruce Rock South Rd | 6.20 | Cumminin Rd | |
| 5130053 | Elliott Rd | Elliott Rd | Northampton | 0.00 | North West Coastal Hwy | 3.02 | Wibi Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. No Operation from Apr to Sep |
| 1060019 | Elliott St | Elliott St | Mundaring | 0.00 | Stanhope Gdns | 0.37 | Farrall Rd | |
| 4250069 | Ellis Rd | Ellis Rd | Tammin | 0.00 | Waltham Rd | 2.21 | Ellis Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5030237 | Ellis St | Ellis St | Dalwallinu | 0.00 | Railway Pde | 0.14 | Garland St | |
| 5100143 | Ellis St | Ellis St | Moora | 0.00 | Marah St | 0.64 | Ellis Rd - End Road | |
| 1060015 | Elmsfield Rd | Elmsfield Rd | Mundaring | 0.00 | Farrall Rd | 0.66 | Runyon Rd | |
| 6070013 | Elora - Mount Weld Rd | Elora - Mount Weld Rd | Laverton | 0.00 | Burtville - Mt Weld & Mt Weld Rd | 16.00 | For 16.0 Km to Mine Access Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|--------------------------|----------|--------------------------------------|--------|--------------------------------------|--|
| 2030050 | Elphick - Fleeton Rd | Elphick - Fleeton Rd | Bridgetown - Greenbushes | 2.22 | 0.05km From Young Lane | 3.52 | Glentulloch Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. WAPRES Traffic Management Plan to be fully implemented. 'Trucks Entering' signs to be located prior to Cotswold Tree Farm entry and removed when not in use. |
| 5180138 | Elphin - Korraling Rd | Elphin - Korraling Rd | Wongan - Ballidu | 0.00 | Wongan Hills - Waddington Rd | 5.64 | Craig Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4310003 | Elsegood Rd | Elsegood Rd | Wyalkatchem | 0.00 | Wyalkatchem - Koorda Rd & Jackson Rd | 20.56 | Condor Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4160094 | Elsewhere Rd | Elsewhere Rd | Mukinbudin | 0.00 | Cunderin Rd | 2.09 | Elsewhere Rd & Rabbit Proof Fence Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4280064 | Elsewhere Rd | Elsewhere Rd | Westonia | 2.09 | Elachbutting Rd | 9.29 | Elsewhere Rd & Rabbit Proof Fence Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4290033 | Elsinore Rd | Elsinore Rd | Wickepin | 0.00 | Eighty Four Gate Rd | 8.26 | Williams Kondinin Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 4290033 | Elsinore Rd | Elsinore Rd | Wickepin | 8.30 | Williams Kondinin Rd | 15.07 | Rabbit Proof Fence Rd No.150 | <ul style="list-style-type: none"> Maximum speed 60 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|--------------------------|----------|------------------------------|--------|---|--|
| 4290033 | Elsinore Rd | Elsinore Rd | Wickepin | 15.07 | Rabbit Proof Fence Rd No.150 | 15.11 | Rabbit Proof Fence Rd | |
| 4290047 | Elson Rd | Elson Rd | Wickepin | 0.00 | Yealering South East Rd | 11.18 | Rabbit Proof Fence Rd Nth | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 5030081 | Elston Rd | Elston Rd | Dalwallinu | 0.00 | Pithara East Rd | 4.19 | Wilgie Hill Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 6100060 | Elston St | Elston St | Ravensthorpe | 0.00 | Jamieson St | 0.03 | For 0.03km From South Coast Hwy to Service Station Access | |
| 2030042 | Elwins Rd | Elwins Rd | Bridgetown - Greenbushes | 0.57 | Henderson Rd | 6.69 | Winneup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 0030136 | Emanuel Wy | Emanuel Wy | Derby - West Kimberley | 0.00 | Forrest Rd | 0.69 | Emanuel Wy & Emanuel Wy (Loop) | |
| 1140098 | Embden St | Embden St | Canning (C) | 0.00 | Casino St | 0.24 | Dowd St | |
| 1041133 | Emerald Rd | Emerald Rd | Gosnells (C) | 0.00 | Eva St | 0.44 | Bickley Rd | |
| 6052055 | Emin St | Emin St | Kalgoorlie - Boulder (C) | 0.00 | Great Eastern Hwy | 0.37 | Wortley St | |
| 5170093 | Emmanuel St | Emmanuel St | Victoria Plains | 0.00 | Poincaire St | 0.24 | Smith St | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 5170093 | Emmanuel St | Emmanuel St | Victoria Plains | 0.24 | Smith St | 0.26 | Smith St | |
| 1031090 | Emplacement Cr | Emplacement Cr | Cockburn (C) | 0.00 | Cockburn Rd | 0.55 | Cockburn Rd (South) | |
| 2110792 | Emu Dr | Emu Dr | Harvey | 0.00 | Myalup Rd | 0.05 | 0.05km From Myalup Rd | <ul style="list-style-type: none"> All operators must carry written approval from the Water Corporation Authority permitting use of Bridge Structure 4758A (Harvey River Diversion Drain) |
| 6110046 | Emu Fence Rd | Emu Fence Rd | Yilgarn | 39.21 | Great Eastern Hwy | 147.55 | Woolocutty Soak Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|--|--------|--|---|
| 4170007 | Emu Hill East Rd | Emu Hill East Rd | Naremben | 0.00 | Mt Walker - Hyden Rd | 43.10 | Rail Crossing 70 Metres South East of Kondinin - Naremben Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Naremben South Rd : No right turn permitted into Naremben South Rd from Emu Hill East Rd |
| 4170007 | Emu Hill East Rd | Emu Hill East Rd | Naremben | 43.10 | Rail Crossing 70 Metres South East of Kondinin - Naremben Rd | 43.17 | Kondinin - Naremben Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4170101 | Emu Hill Rd | Emu Hill Rd | Naremben | 0.00 | Fawcett Rd | 3.87 | Cumminin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Fawcett Rd : No access permitted into Fawcett Rd from Emu Hill Rd |
| 1104827 | Endeavour Wy | Endeavour Wy | Wanneroo (C) | 0.00 | Success Wy | 0.19 | Innovation Cct | |
| 4140026 | Endersbee Rd | Endersbee Rd | Merredin | 0.00 | Osborne Rd & Hines Hill Rd | 5.06 | Korbelka Rd & McGellin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Railway not to be crossed. |
| 4110109 | Endomoore Rd | Endomoore Rd | Koorda | 0.00 | Scotsman Rd | 6.51 | Endomoore Rd - End Road | |
| 5010132 | Eneabba Coolimba Rd | Eneabba Coolimba Rd | Carnamah | 0.00 | Brand Hwy | 27.38 | Indian Ocean Dr & Coolimba - Eneabba Rd | |
| 5010111 | Eneabba Dr | Eneabba Dr | Carnamah | 0.00 | Brand Hwy | 2.55 | Brand Hwy | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|--------------------------|----------|--|--------|---|--|
| 5020133 | Energy Pl | Energy Pl | Chittering | 0.00 | Granary Dr on to Brand Hwy (Northbound) & Brand Hwy (Southbound) off to Granary Dr | 0.97 | Energy Pl - End Road | |
| 1091831 | Energy St | Energy St | Swan (C) | 0.00 | Mulgul Rd | 0.28 | Marshall Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 5140163 | England Cr | England Cr | Perenjori | 0.00 | Loading St | 0.34 | England Cr - End Road | <ul style="list-style-type: none"> No turn permitted into or out of England Cres intersection, approximately 150m west of Loading St |
| 4220060 | English Rd | English Rd | Nungarin | 0.00 | Koorda - Bullfinch Rd | 8.90 | Chandler - Nungarin Rd & Chandler - Merredin Rd | |
| 4290092 | English Rd | English Rd | Wickepin | 0.00 | Wogolin South Rd | 6.15 | Halliday Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4300028 | English Rd | English Rd | Williams | 0.00 | Williams-Darkan Rd | 6.56 | English Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| H787 | Ennis Av (Northbound) off to Port Kennedy Dr | Ennis Av (Northbound) off to Port Kennedy Dr | Rockingham (C) | 0.00 | Ennis Av | 0.10 | Port Kennedy Dr | |
| 5090013 | Enokurra Rd | Enokurra Rd | Mingenew | 0.00 | Mount Scratch Rd | 5.98 | Yandanooka North East Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1091464 | Enterprise Cr | Enterprise Cr | Swan (C) | 0.00 | Bonner Dr | 0.48 | Action Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 1141494 | Enterprise Ct | Enterprise Ct | Canning (C) | 0.00 | Baile Rd | 0.37 | 0.37km From Baile Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 1141494 | Enterprise Ct | Enterprise Ct | Canning (C) | 0.37 | 0.37km From Baile Rd | 0.41 | Brewer Rd | |
| 1071428 | Enterprise Wy | Enterprise Wy | Rockingham (C) | 0.00 | Merchant Dr | 0.52 | Enterprise Wy - End Road | |
| 6056044 | Epis St | Epis St | Kalgoorlie - Boulder (C) | 0.00 | Percy Rd | 0.69 | O'Byrne Cr | |
| 5051017 | Eradu North Rd | Eradu North Rd | Greater Geraldton (C) | 0.00 | Geraldton Mt Magnet Rd | 22.02 | Eradu North Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|-----------------------|----------|----------------------------------|--------|--------------------------------|---|
| 5051018 | Eradu South Rd | Eradu South Rd | Greater Geraldton (C) | 0.00 | Geraldton Mt Magnet Rd | 12.50 | Shields Rd & Ramsay Rd | |
| 5040056 | Eragilga Rd | Eragilga Rd | Dandaragan | 0.00 | Munbinea Rd | 1.52 | Eragilga Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5050611 | Erangy Spring Rd | Erangy Spring Rd | Greater Geraldton (C) | 0.00 | Geraldton Mt Magnet Rd | 38.00 | Erangy Spring Rd & Boundary Rd | |
| 5090009 | Erangy Spring Rd | Erangy Spring Rd | Mingenew | 0.00 | Allanooka Springs Rd | 10.87 | Erangy Spring Rd & Boundary Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5170050 | Erickson Rd | Erickson Rd | Victoria Plains | 0.00 | Bolgart East Rd | 6.84 | Behanging Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4030038 | Erikin North Rd | Erikin North Rd | Bruce Rock | 0.00 | Erikin South Rd & Erikin West Rd | 1.77 | Bruce Rock Quairading Rd | |
| 4030038 | Erikin North Rd | Erikin North Rd | Bruce Rock | 1.85 | Bruce Rock Quairading Rd | 6.76 | Zis Rd | |
| 4030029 | Erikin South Rd | Erikin South Rd | Bruce Rock | 0.00 | Erikin North Rd & Erikin West Rd | 7.18 | Strachan Rd | |
| 4030029 | Erikin South Rd | Erikin South Rd | Bruce Rock | 7.18 | Strachan Rd | 12.77 | Carger Rd & Vans Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------|----------|--|--------|--|---|
| 4030105 | Erikin West Rd | Erikin West Rd | Bruce Rock | 0.00 | Erikin North Rd & Erikin South Rd | 2.45 | Bruce Rock Quairading Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1250141 | Erindale Rd | Erindale Rd | Stirling (C) | 0.32 | Mitchell Fwy (H016) | 2.26 | Reid Hwy | <ul style="list-style-type: none"> Intersection Reid Hwy : No left turn permitted into Reid Highway from Erindale Road. |
| 5010008 | Erindoon Rd | Erindoon Rd | Carnamah | 0.00 | Eneabba Coolimba Rd | 11.09 | Coorow LGA Boundary | |
| 5019000 | Erindoon Rd | Erindoon Rd | Carnamah | 0.00 | Rocky Spring Rd | 3.36 | Erindoon Rd | |
| 5190012 | Erindoon Rd | Erindoon Rd | Coorow | 0.00 | Pen Rd & Woolmulla Rd & Shaw Rd | 7.90 | Carnamah LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3100082 | Eriswell Rd | Eriswell Rd | Kojonup | 0.00 | Eatt Rd | 9.25 | Flora And Fauna Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6070035 | Erlistoun - Nambi Rd | Erlistoun - Nambi Rd | Laverton | 0.00 | Erlistoun Rd & Erlistoun - Woolshed Rd | 22.34 | Leonora LGA Boundary | |
| 6070008 | Erlistoun Rd | Erlistoun Rd | Laverton | 0.00 | Lancefield Diversion Rd | 36.35 | Erlistoun - Woolshed Rd & Erlistoun - Nambi Rd | |
| 1140044 | Ernest Clarke Rd | Ernest Clarke Rd | Canning (C) | 0.00 | Tacoma Cct | 0.47 | Tacoma Cct | |
| 5090074 | Ernest St | Ernest St | Mingenew | 0.00 | Mingenew Morawa Rd | 0.30 | Melville St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------------|----------|------------------------------|--------|----------------------------|--|
| 5170068 | Essex Rd | Essex Rd | Victoria Plains | 0.00 | Wongan Hills - Waddington Rd | 5.75 | Essex Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1130488 | Esther St (B) | Esther St (B) | Belmont (C) | 0.00 | Belmont Av | 0.22 | Robinson Av | |
| 4180064 | Eston St | Eston St | Narrogin | 0.00 | Exeter St | 0.22 | Clayton Rd | <ul style="list-style-type: none"> Intersection Clayton Rd : No access permitted into Williams Narrogin Hwy from Eston St |
| 2040169 | Estuary Dr | Estuary Dr | Bunbury (C) | 0.00 | Koombana Dr | 0.26 | Leschenault Dr Rty | |
| 2040169 | Estuary Dr | Estuary Dr | Bunbury (C) | 0.98 | Estuary Dr Rty | 3.47 | Old Coast Rd & Hamilton Rd | |
| H420 | Estuary Dr Rty | Estuary Dr Rty | Bunbury (C) | 0.00 | Estuary Dr | 0.16 | Estuary Dr | |
| 3180193 | Estuary Rd | Estuary Rd | Jerramungup | 0.00 | Borden Bremer Bay Rd | 8.77 | Estuary Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 1106919 | Eternity St | Eternity St | Wanneroo (C) | 0.00 | Destiny Wy | 0.26 | Wisdom Tce | |
| 3030018 | Etna Rd | Etna Rd | Broomehill - Tambellup | 0.00 | Warrenup Rd | 20.07 | Brassey Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|-------------------------------|--------|--------------------------------------|---|
| 6040452 | Eucalypt Rd | Eucalypt Rd | Esperance | 0.00 | Ridley Rd | 2.37 | 2.37km From Ridley Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 8050009 | Eudamullah Rd | Eudamullah Rd | Upper Gascoyne | 0.00 | Ullawarra Rd | 21.76 | Eudamullah Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 4030019 | Eujiny North Rd | Eujiny North Rd | Bruce Rock | 0.00 | Sippe Rd | 14.80 | Doodlakine - Bruce Rock Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4030162 | Eujiny Rd | Eujiny Rd | Bruce Rock | 0.00 | Bruce Rock Quairading Rd | 3.26 | Sippe Rd | |
| 4030035 | Eujiny South Rd | Eujiny South Rd | Bruce Rock | 0.00 | Bruce Rock Quairading Rd | 11.76 | Yarding - Ardath Rd | |
| 4030035 | Eujiny South Rd | Eujiny South Rd | Bruce Rock | 11.76 | Yarding - Ardath Rd | 23.36 | Babakin North Rd & Old Beverley Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2180027 | Eulin Crossing Rd | Eulin Crossing Rd | Boyup Brook | 0.00 | Boyup Brook - Arthur River Rd | 8.68 | Eulin Crossing Rd & Kulikup North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3160062 | Eulin Crossing Rd | Eulin Crossing Rd | West Arthur | 0.00 | Arthur River - Dinninup Rd | 4.30 | Eulin Crossing Rd & Kulikup North Rd | <ul style="list-style-type: none"> Eulin Crossing 4.14km South from Arthur River - Dinninup Rd is not permitted to be crossed |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------------|----------|---|--------|--------------------------|---|
| 3120061 | Eulup - Manurup Rd | Eulup - Manurup Rd | Plantagenet | 2.95 | Entrance to Mt Barker Agriculture Research Centre | 16.70 | Boyup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h Intersection Boyup Rd : No Access From 3120045 Boyup Rd |
| 3030021 | Eureka Rd | Eureka Rd | Broomehill - Tambellup | 0.00 | Peringillup East Rd | 6.91 | Jam Creek Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3030021 | Eureka Rd | Eureka Rd | Broomehill - Tambellup | 6.91 | Jam Creek Rd | 11.67 | Eureka Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1040139 | Eva St | Eva St | Gosnells (C) | 0.21 | 0.05km Before Reihill Rd | 0.81 | Kelvin Rd | |
| 2180097 | Evanly Rd | Evanly Rd | Boyup Brook | 0.00 | Boyup Brook North Rd | 1.93 | Evanly Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 2050055 | Evans Rd | Evans Rd | Busselton (C) | 0.00 | Chapman Hill Rd | 4.24 | Jamisons Rd | <ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Curfew applies on school days only. |
| 3150081 | Evans Rd | Evans Rd | Wagin | 0.00 | Edwards Rd | 4.18 | Piesseville - Jaloran Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5051010 | Evans Rd | Evans Rd | Greater Geraldton (C) | 2.27 | Hamersley Rd | 4.09 | Levett Rd & Padbury Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|-----------------------|----------|-------------------|--------|-----------------------------------|---|
| 2180078 | Evans Siding Rd | Evans Siding Rd | Boyup Brook | 0.00 | Meredith Rd | 3.60 | Evans Siding Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5110097 | Evans St | Evans St | Morawa | 0.00 | Solomon Tce | 0.70 | | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6090008 | Evanston - Menzies Rd | Evanston - Menzies Rd | Menzies | 0.00 | Crusoe Rd | 156.44 | Trainers Rock Rd & Lake Barlee Rd | |
| 5110022 | Evaside Rd | Evaside Rd | Morawa | 0.00 | Gutha East Rd | 8.86 | Mullewa Wubin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h Intersection Mullewa Wubin Rd : No Access To Or From Wubin-Mullewa Road Permitted |
| 1020729 | Everitt Pl | Everitt Pl | Kalamunda | 0.00 | Maida Vale Rd | 0.05 | 0.05km From Maida Vale Rd | <ul style="list-style-type: none"> Intersection Maida Vale Rd : Left Turn Into Everitt Pl Only Permitted |
| 5050631 | Eves Rd | Eves Rd | Greater Geraldton (C) | 0.00 | Ardingly South Rd | 13.11 | Eves Rd - End Road | |
| 1072210 | Evinrude Bend | Evinrude Bend | Rockingham (C) | 0.00 | McCamey Av | 0.65 | Dixon Rd | <ul style="list-style-type: none"> No Left turn permitted into Evinrude Bnd from Dixon Rd. No Right turn permitted into Evinrude Bnd from Dixon Rd. No Right turn permitted into Dixon Rd from Evinrude Bnd. Intersection Dixon Rd : No right turn permitted into Dixon Rd from Evinrude Bend. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|-----------------------|----------|----------------------|--------|------------------------------|--|
| 2170162 | Ewerts Rd | Ewerts Rd | Donnybrook - Balingup | 0.00 | Balingup - Nannup Rd | 5.67 | Meagher Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2170162 | Ewerts Rd | Ewerts Rd | Donnybrook - Balingup | 5.67 | Meagher Rd | 5.72 | Meagher Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4010027 | Ewert Rd | Ewert Rd | Beverley | 0.00 | Morbinning Rd | 9.85 | Bally Bally - County Peak Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3160131 | Ewing St | Ewing St | West Arthur | 0.00 | Darkan Rd | 0.12 | Horley St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|------------------------------------|--------|--|--|
| 1140038 | Ewing St Nth | Ewing St Nth | Canning (C) | 0.00 | Welshpool Rd | 0.53 | Railway Pde | |
| 1140039 | Ewing St Sth | Ewing St Sth | Canning (C) | 0.00 | Sevenoaks St | 0.86 | Bedford St & Albany Hwy | |
| 1104828 | Excellence Dr | Excellence Dr | Wanneroo (C) | 0.00 | Challenge Bvd & Motivation Dr | 1.30 | Excellence Dr - End Road | |
| 1079013 | Exchange Pl | Exchange Pl | Rockingham (C) | 0.00 | Lodge Dr | 0.18 | Exchange Pl - End Road | |
| 1091462 | Exchange Rd | Exchange Rd | Swan (C) | 0.00 | Enterprise Cr | 0.32 | Illawarra Cr | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 3180048 | Exchange Rd | Exchange Rd | Jerramungup | 0.00 | Rabbit Proof Fence Rd | 12.43 | From Rabbit Proof Fence Rd For 12.43km | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 6040072 | Exchange Rd | Exchange Rd | Esperance | 0.00 | Fisheries Rd | 5.87 | Merivale Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4180123 | Exeter St | Exeter St | Narrogin | 0.00 | Earl St North | 0.09 | Eston St | |
| 1091466 | Exhibition Dr | Exhibition Dr | Swan (C) | 0.00 | Bonner Dr | 0.42 | Beach Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 8140567 | Exploration Dr | Exploration Dr | Karratha (C) | 0.00 | Dampier Rd | 3.33 | Pindan Rd | |
| 4270044 | Extracts Rd | Extracts Rd | Wandering | 0.00 | Andersons Rd | 2.69 | Williams LGA Boundary | |
| 4300031 | Extracts Rd | Extracts Rd | Williams | 0.00 | Albany Hwy | 11.90 | Wandering LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| H003 | Eyre Hwy | Eyre Hwy | Dundas | 0.00 | Coolgardie Esperance Hwy | 721.18 | Eyre Hwy - Wa-Sa Border | |
| 5110015 | Fabling Rd | Fabling Rd | Morawa | 0.00 | Canna North East Rd & Offszanka Rd | 12.76 | Swanson Rd & Williamson Rd | |
| 6040530 | Fagan Rd | Fagan Rd | Esperance | 6.47 | Holt Rd | 17.23 | Kumarl Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------------|------------------------------|------------------------|----------|----------------------------------|--------|-------------------------------------|--|
| 4140231 | Fagans Folly Rd | Fagans Folly Rd | Merredin | 0.00 | Booran North Rd | 3.93 | Fagans Folly Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h |
| 5180102 | Fairbanks St | Fairbanks St | Wongan - Ballidu | 0.35 | Bunyip St | 0.52 | Alpha St | |
| 1130066 | Fairbrother St | Fairbrother St | Belmont (C) | 0.00 | Abernethy Rd | 0.58 | Belgravia St & Frederick St | |
| 3060043 | Fairclough Rd | Fairclough Rd | Dumbleyung | 0.00 | Dumbleyung - Nyabing Rd | 5.71 | Kelly Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Dumbleyung - Nyabing Rd : No left turn permitted into Dumbleyung-Nyabing Rd from Fairclough Rd |
| 0030025 | Fairfield - Leopold Downs Rd | Fairfield - Leopold Downs Rd | Derby - West Kimberley | 0.00 | Derby Gibb River Rd | 95.33 | Leopold Downs Rd | |
| 3030027 | Fairfield Rd | Fairfield Rd | Broomehill - Tambellup | 0.00 | Broomehill - Kojonup Rd | 4.60 | Katanning LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3080006 | Fairfield Rd | Fairfield Rd | Katanning | 0.00 | Kojonup Katanning Rd & Hutton Rd | 9.11 | Broomehill - Tambellup LGA Boundary | <ul style="list-style-type: none"> 30 km/h below posted speed limit |
| 6040376 | Fairfield St | Fairfield St | Esperance | 0.00 | Norseman Rd | 0.22 | Fairfield St - End Road | |
| 1110166 | Fairford St | Fairford St | Bassendean (T) | 0.00 | Collier Rd | 0.30 | Hanwell Wy | |
| 4230070 | Fairhead Rd | Fairhead Rd | Pingelly | 0.00 | Bullaring Rd | 1.75 | Fairhead Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2050326 | Fairlawn Rd | Fairlawn Rd | Busselton (C) | 0.00 | College Av & Frederick St | 0.54 | Strelly St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|--------------------------|----------|-------------------------|--------|---------------------------------------|---|
| 0010219 | Fairway Dr | Fairway Dr | Broome | 0.00 | Broome Rd | 1.23 | Buckleys Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| H443 | Fairway Dr Rty | Fairway Dr Rty | Busselton (C) | 0.00 | Busselton Bypa | 0.17 | Busselton Bypa | |
| 1106062 | Fallon Rd | Fallon Rd | Wanneroo (C) | 0.00 | Christable Wy | 0.42 | Darlot Rd | |
| 5110014 | Fallon Rd | Fallon Rd | Morawa | 0.00 | Tait Rd & Cunningham Rd | 16.51 | Krummel Rd & Moore Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2030017 | Falnash Rd | Falnash Rd | Bridgetown - Greenbushes | 0.00 | Dalmore Rd | 4.04 | Boyup Brook LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. One truck movement at a time. WAPRES Traffic Management Plan to be implemented. |
| 2180153 | Falnash Rd | Falnash Rd | Boyup Brook | 0.00 | Flax Rd | 1.85 | Bridgetown - Greenbushes LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|--------------------------|----------|----------------------|--------|-------------------------|--|
| 4020031 | Fancote Rd | Fancote Rd | Brookton | 0.00 | Brookton-Corrigin Rd | 2.78 | Fancote Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5080153 | Fane Rd | Fane Rd | Irwin | 0.00 | Brand Hwy | 2.11 | Fane Rd - End Road | |
| 1140002 | Fargo Wy | Fargo Wy | Canning (C) | 0.00 | Felspar St | 0.81 | Felspar St | <ul style="list-style-type: none"> Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). No operation permitted from 5:00am to 6:00pm on weekdays. Two RAVs must not travel on the road in opposing directions. The road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction |
| 4280034 | Farina Rd | Farina Rd | Westonia | 0.00 | Echo Valley Rd | 16.21 | Hunter Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2150133 | Farley Rd | Farley Rd | Murray | 0.00 | Pinjarra Williams Rd | 2.26 | Farley Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 0040023 | Farm Hill Rd | Farm Hill Rd | Wyndham - East Kimberley | 0.00 | Research Station Rd | 2.94 | Farm Hill Rd - End Road | |
| 4310067 | Farmer Rd | Farmer Rd | Wyalkatchem | 0.00 | Elsegood Rd | 5.33 | Turner Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|--------------------------|----------|-------------------------------|--------|--|---|
| 2140015 | Farmers Av | Farmers Av | Boddington | 0.00 | Marradong Rd & Bannister Rd | 4.02 | 0.04km From End of Road | |
| 6040089 | Farmers Rd | Farmers Rd | Esperance | 0.00 | South Coast Hwy | 15.81 | Mills Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 3090042 | Farr Rd | Farr Rd | Kent | 0.00 | Steele Rd | 5.89 | Neve Rd | |
| 1060016 | Farrall Rd | Farrall Rd | Mundaring | 0.00 | Great Eastern Hwy & Horace St | 1.00 | Farrall Rd & Morrison Rd | <ul style="list-style-type: none"> Intersection Artello Bay Rd : No access permitted into Artello Bay Rd from Farrall Rd |
| 3160058 | Farrell Rd | Farrell Rd | West Arthur | 0.00 | Coalfields Rd | 9.24 | Farrell Rd - End | |
| 0010112 | Farrell St | Farrell St | Broome | 0.00 | Hunter St | 0.45 | Blackman St | |
| 3150075 | Farrow Rd | Farrow Rd | Wagin | 0.00 | Collanilling Rd | 4.67 | Rowells Rd | |
| 5140046 | Farrs Rd | Farrs Rd | Perenjori | 0.00 | Farrs Rd - Start Road | 13.04 | Waugh Rd | |
| 1130108 | Faulkner Av | Faulkner Av | Belmont (C) | 0.00 | Robinson Av | 0.22 | Abernethy Rd | |
| 4150062 | Faulkner Rd | Faulkner Rd | Mount Marshall | 0.00 | Bencubbin - Beacon Rd | 8.75 | Bruse Rd & Gillett Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 1130044 | Fauntleroy Av | Fauntleroy Av | Belmont (C) | 0.90 | 0.60km From Great Eastern Hwy | 1.17 | Redcliffe Rd & Fauntleroy Av (Federal) | |
| 113Z039 | Fawcett Cr (Federal) | Fawcett Cr (Federal) | Belmont (C) | 0.00 | Reid Rd (Federal) | 1.04 | Reid Rd (Federal) | |
| 4170086 | Fawcett Rd | Fawcett Rd | Narembeen | 0.00 | Bows Rd | 8.92 | Bruce Rock - Narembeen Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3090113 | Featherstone Rd | Featherstone Rd | Kent | 0.00 | Newdegate - Pingrup Rd | 8.47 | Needilup North Rd | |
| 3090113 | Featherstone Rd | Featherstone Rd | Kent | 8.49 | Needilup North Rd | 12.87 | Featherstone Rd - End Road | |
| 6055087 | Federal Rd | Federal Rd | Kalgoorlie - Boulder (C) | 0.00 | Boulder Rd | 1.14 | Lane St & Holmes St | |
| 4100118 | Federal St | Federal St | Kondinin | 0.00 | Fortune St | 0.36 | Unity St | |
| 4180101 | Federal St | Federal St | Narrogin | 0.00 | Sale St | 0.35 | Williams - Narrogin Hwy & Federal St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|-----------------------|----------|---|--------|--------------------------------|--|
| 4180101 | Federal St | Federal St | Narrogin | 1.32 | Forrest St | 2.44 | Narrogin South Rty | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5180096 | Federation St | Federation St | Wongan - Ballidu | 0.00 | Northam Pithara Rd & Ballidu - Bindi Bindi Rd & Carter Rd | 1.16 | Northam Pithara Rd & Carter Rd | |
| 5050629 | Fegan Rd | Fegan Rd | Greater Geraldton (C) | 0.00 | Geraldton Mt Magnet Rd | 13.78 | Fegan Rd - End Road | |
| 4150038 | Felbar Rd | Felbar Rd | Mount Marshall | 0.00 | Welbungin - Wialki Rd | 11.98 | Felbar Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 8130345 | Feldspar St | Feldspar St | Port Hedland (T) | 0.00 | Harwell Wy | 0.13 | Manganese St | |
| 4110141 | Felgate Rd | Felgate Rd | Koorda | 0.00 | Koorda - Dowerin Rd | 1.50 | Cadoux - Koorda Rd | |
| 1106943 | Fellowship Rd | Fellowship Rd | Wanneroo (C) | 0.00 | Fortitude Bvd | 0.66 | Boom St | |
| 1140096 | Felspar St | Felspar St | Canning (C) | 0.00 | Sheffield Rd East | 0.84 | Orrong Rd | |
| 3110020 | Fence Rd | Fence Rd | Lake Grace | 10.90 | Broombush Flat Rd | 35.75 | 2.45km From Biddy - Camm Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). |
| 6100036 | Fence Rd | Fence Rd | Ravensthorpe | 0.00 | South Coast Hwy | 25.21 | Springdale Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|-------------------|--------|------------------------|--|
| 5190025 | Fennell Rd | Fennell Rd | Coorow | 0.00 | Midlands Rd | 8.50 | Fennell Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1130076 | Fenton St | Fenton St | Belmont (C) | 0.00 | Kewdale Rd | 0.18 | Fenton St - End Road | |
| 2080001 | Ferguson Rd | Ferguson Rd | Dardanup | 2.25 | Waterloo Rd | 3.56 | Depiazzi Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 5070047 | Ferguson Rd | Ferguson Rd | Gingin | 0.00 | Gingin Brook Rd | 1.80 | 1.67km From Jocks Av | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1091143 | Ferguson St | Ferguson St | Swan (C) | 0.00 | Elgee Rd | 0.26 | Great Eastern Hwy | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 1130281 | Ferguson St | Ferguson St | Belmont (C) | 0.00 | Abernethy Rd | 0.52 | Kewdale Rd | |
| 5100156 | Ferguson St | Ferguson St | Moora | 0.00 | Nardy St | 0.58 | Ferguson St - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|--------------------------|--------|---------------------------|---|
| 3100094 | Fergusson Rd | Fergusson Rd | Kojonup | 0.00 | Boscabel - Chittinup Rd | 3.30 | Coben Soak Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3040058 | Ferngrove Rd | Ferngrove Rd | Cranbrook | 0.00 | Scrubup Rd | 3.98 | Wingebellup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4260013 | Fernie Rd | Fernie Rd | Toodyay | 0.00 | Toodyay Rd | 2.89 | Salt Valley Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h |
| 3050046 | Fernley Rd | Fernley Rd | Denmark | 0.00 | Scotsdale Rd | 2.74 | 2.74km From Scotsdale Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3050046 | Fernley Rd | Fernley Rd | Denmark | 2.74 | 2.74km From Scotsdale Rd | 3.40 | 2.07km Past Styx River Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|----------------------------|--------|------------------------------|--|
| 3160050 | Ferrari Rd | Ferrari Rd | West Arthur | 0.00 | Rajander Rd | 1.03 | Gibbs Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4310114 | Ferries St | Ferries St | Wyalkatchem | 0.00 | Hands Dr | 0.21 | Grace St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3090037 | Fewson Rd | Fewson Rd | Kent | 0.00 | Nyabing Pingrup Rd | 6.71 | Kuringup South Rd | |
| 4140017 | Fewster Rd | Fewster Rd | Merredin | 0.00 | Baandee South Rd | 3.25 | Goodier Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180156 | Ffoulkes Rd | Ffoulkes Rd | Wongan - Ballidu | 0.00 | Calingari-Wongan Hills Rd | 1.31 | Serio Rd | <ul style="list-style-type: none"> Intersection Serio Rd : No access permitted into Serio Rd from Ffoulkes Rd |
| 2150098 | Fiegert Rd | Fiegert Rd | Murray | 0.00 | Pinjarra Rd | 5.71 | Lakelands Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Empty Travel Only |
| 4060062 | Fiegert Rd | Fiegert Rd | Cunderdin | 0.00 | Quairading Rd & Cubbine St | 6.00 | 1.6km From Five Mile Gate Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4170065 | Fiegert Rd | Fiegert Rd | Naremben | 0.00 | South Kumminin East Rd | 3.76 | Fiegert Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|------------------|----------|-------------------------|--------|-------------------------|--|
| 3170044 | Fiegerts Rd | Fiegerts Rd | Woodanilling | 0.00 | Robinson West Rd | 5.42 | Fiegerts Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. |
| 6040230 | Field Rd | Field Rd | Esperance | 0.00 | Cascade Rd | 9.89 | Griffiths Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040230 | Field Rd | Field Rd | Esperance | 9.90 | Griffiths Rd | 27.57 | Grass Patch Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040230 | Field Rd | Field Rd | Esperance | 27.58 | Grass Patch Rd | 51.05 | 12.30km From Rollond Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4260064 | Fiennes St | Fiennes St | Toodyay | 0.17 | Clinton St | 0.36 | Duke St & Hamersley St | <ul style="list-style-type: none"> Headlights to be switched on at all times |
| 4070011 | Fifty Four Gate West Rd | Fifty Four Gate West Rd | Dowerin | 0.00 | Hale Rd & Manmanning Rd | 2.65 | Dowerin - Kalannie Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4070011 | Fifty Four Gate West Rd | Fifty Four Gate West Rd | Dowerin | 2.65 | Dowerin - Kalannie Rd | 11.22 | Rabbit Proof Fence Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|--------------------------|----------|---------------------------|--------|-------------------------|--|
| 4070011 | Fifty Four Gate West Rd | Fifty Four Gate West Rd | Dowerin | 11.22 | Rabbit Proof Fence Rd | 14.19 | Stout Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4070011 | Fifty Four Gate West Rd | Fifty Four Gate West Rd | Dowerin | 14.19 | Stout Rd | 17.26 | Booralaming - Kulja Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2010004 | Fifty One Rd | Fifty One Rd | Augusta - Margaret River | 3.13 | 0.01km From Brockman Rd | 4.48 | Caves Rd & Juniper Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 50 km/h |
| 3080144 | Filmer Rd | Filmer Rd | Katanning | 0.00 | Katanning - Dumbleyung Rd | 2.41 | Filmer Rd - End of Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 40 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5180186 | Finck Rd | Finck Rd | Wongan - Ballidu | 0.00 | Kokardine West Rd | 1.69 | Finck Rd - End Road | |
| 4250072 | Finney Rd | Finney Rd | Tammin | 0.00 | Cubbine Rd | 3.53 | Tammin South Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1101575 | Finlay Pl | Finlay Pl | Wanneroo (C) | 0.00 | Buckingham Dr | 0.30 | Uppill Pl | |
| 3110199 | Finlay Rd | Finlay Rd | Lake Grace | 0.00 | Ace Rd & Hogan Rd | 10.52 | Fence Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2110349 | Finn Rd | Finn Rd | Harvey | 0.00 | Forrest Hwy | 2.54 | 0.47km From Scott Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|--------------------------|----------|----------------------------|--------|----------------------------|---|
| 2110349 | Finn Rd | Finn Rd | Harvey | 2.54 | 0.47km From Scott Rd | 3.74 | Finn Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4090071 | Fire Rd | Fire Rd | Kellerberrin | 0.00 | Langdon Rd | 8.64 | Morison Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Yerapin Rd : No left turn permitted into Yerapin Rd from Fire Rd |
| 5010017 | First North Rd | First North Rd | Carnamah | 0.00 | Three Springs - Eneabba Rd | 1.87 | Three Springs LGA Boundary | |
| 5150010 | First North Rd | First North Rd | Three Springs | 0.00 | Skipper Rd & Bunney Rd | 13.55 | Carnamah LGA Boundary | |
| 004Z039 | Fish Farm Rd | Fish Farm Rd | Wyndham - East Kimberley | 0.00 | Crossing Falls Rd | 6.94 | Fish Farm Rd - End Road | |
| 3020025 | Fish Track Rd | Fish Track Rd | Albany (C) | 0.00 | Palmdale Rd | 6.30 | South Coast Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|--------------------------|----------|-------------------|--------|------------------------------|---|
| 4140105 | Fisher East Rd | Fisher East Rd | Merredin | 0.00 | Pustkuchen Rd | 2.88 | Un Named Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2010019 | Fisher Rd | Fisher Rd | Augusta - Margaret River | 0.19 | Kudardup Rd | 6.79 | 0.93km From Molloy Island Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. "Trucks on road/Entering" warning signs to be used in accordance with Australian Standards. No operation on Sunday and Public Holidays. |
| 3100018 | Fisher Rd | Fisher Rd | Kojonup | 0.00 | Shamrock Rd | 20.85 | Kojonup - Frankland Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3110039 | Fisher Rd | Fisher Rd | Lake Grace | 0.00 | Duckworth Rd | 14.61 | McGlenn Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|------------------------------|--------|----------------------------|--|
| 4010075 | Fisher Rd | Fisher Rd | Beverley | 0.00 | Bally Bally - County Peak Rd | 2.31 | Ewert Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4090023 | Fisher Rd | Fisher Rd | Kellerberrin | 0.00 | Pustkuchen Rd & Beresford Rd | 7.88 | Baandee North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4310086 | Fisher Rd | Fisher Rd | Wyalkatchem | 0.00 | Tammin - Wyalkatchem Rd | 3.51 | Cunderdin - Wyalkatchem Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1130479 | Fisher St | Fisher St | Belmont (C) | 0.00 | Fisher St (D) - Start Road | 0.24 | Fairbrother St | |
| 4330214 | Fisher St | Fisher St | York | 0.00 | Forrest St | 0.24 | Horley Rd & Main Camp Rd | |
| 4090024 | Fisher West Rd | Fisher West Rd | Kellerberrin | 0.00 | Arthur Rd | 3.68 | Baandee North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|---------------------------------|--------|-------------------------------|--|
| 8140307 | Fisher Wy | Fisher Wy | Karratha (C) | 0.00 | Coolawanyah Rd | 0.25 | Pemberton Wy | |
| 6040608 | Fisheries Rd | Fisheries Rd | Esperance | 0.00 | Harbour Rd & Norseman Rd | 115.81 | (1.27km Before Balladonia Rd | |
| 6040608 | Fisheries Rd | Fisheries Rd | Esperance | 115.81 | (1.27km Before Balladonia Rd | 127.30 | Baring Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040608 | Fisheries Rd | Fisheries Rd | Esperance | 127.30 | Baring Rd | 130.75 | 3.45km From Baring Rd | |
| 3110110 | Fitzgerald Rd | Fitzgerald Rd | Lake Grace | 0.00 | Newdegate Ravensthorpe Rd | 9.76 | Fitzgerald Rd & Long Creek Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3180007 | Fitzgerald Rd | Fitzgerald Rd | Jerramungup | 0.00 | Ravensthorpe LGA Boundary | 16.12 | Ravensthorpe LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 5110069 | Fitzgerald Rd | Fitzgerald Rd | Morawa | 0.00 | Johnson Rd & Morawa - Yalgoo Rd | 10.31 | Ludlow Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6100083 | Fitzgerald Rd | Fitzgerald Rd | Ravensthorpe | 0.00 | Old Ongerup Rd | 7.17 | South Coast Hwy | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 6100083 | Fitzgerald Rd | Fitzgerald Rd | Ravensthorpe | 7.19 | South Coast Hwy | 8.50 | Jerramungup LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 6100083 | Fitzgerald Rd | Fitzgerald Rd | Ravensthorpe | 24.40 | Jerramungup LGA Boundary | 43.38 | Koorngong Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 6100083 | Fitzgerald Rd | Fitzgerald Rd | Ravensthorpe | 43.60 | Koorngong Rd | 59.87 | Fitzgerald Rd & Long Creek Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------------------|-------------------------------------|------------------------|----------|----------------------------------|--------|---------------------------------|--|
| 4212003 | Fitzgerald St | Fitzgerald St | Northam | 1.18 | 240m East of Charles St | 1.42 | Charles St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4140087 | Fitzpatrick Rd | Fitzpatrick Rd | Merredin | 0.00 | Nangeenan North Rd | 4.15 | Neening Rd | <ul style="list-style-type: none"> Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Intersection Neening Rd : No left turn permitted into Neening Rd from Fitzpatrick Rd |
| 4150050 | Fitzpatrick Rd | Fitzpatrick Rd | Mount Marshall | 0.00 | East Boundary Rd & Margarette Rd | 9.69 | Hiscox Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 003Z025 | Fitzroy Crossing - Jubilee Downs Rd | Fitzroy Crossing - Jubilee Downs Rd | Derby - West Kimberley | 0.00 | Great Northern Hwy | 0.32 | 0.315km From Great Northern Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 0030113 | Fitzroy St | Fitzroy St | Derby - West Kimberley | 0.75 | Steel St | 1.78 | Derby Hwy | |
| 5030106 | Fitzsimons Rd | Fitzsimons Rd | Dalwallinu | 0.00 | Buntine East Rd | 8.07 | Wilder Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|--------------------------|----------|-------------------|--------|-----------------------------|---|
| 2030353 | Five Gates Rd | Five Gates Rd | Bridgetown - Greenbushes | 0.00 | Maranup Ford Rd | 5.10 | Southampton Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4060027 | Five Mile Gate Rd | Five Mile Gate Rd | Cunderdin | 0.00 | Quairading Rd | 7.24 | Rabbit Proof Fence South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3150048 | Flagstaff Rd | Flagstaff Rd | Wagin | 0.00 | Pederick Rd | 7.89 | Woodanilling LGA Boundary | <ul style="list-style-type: none"> Maximum speed 70 km/h |
| 3170056 | Flagstaff Rd | Flagstaff Rd | Woodanilling | 0.00 | Douglas Rd | 1.75 | Ashwell Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 3170056 | Flagstaff Rd | Flagstaff Rd | Woodanilling | 1.75 | Ashwell Rd | 5.15 | Wagin LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Ashwell Rd : No left turn permitted into Ashwell Rd from Flagstaff Rd. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|--------------------------|----------|---|--------|--------------------------|---|
| 3030003 | Flat Rocks Rd | Flat Rocks Rd | Broomehill - Tambellup | 0.00 | Ngopitchup Rd & Palomar Rd & O'Neill Rd | 22.35 | Broomehill - Kojonup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180120 | Flat Rocks Rd | Flat Rocks Rd | Wongan - Ballidu | 0.00 | Dowerin - Kalannie Rd | 5.88 | Kalajic Rd | |
| 4180247 | Flavel Rd | Flavel Rd | Narrogin | 0.00 | Manaring Rd | 3.54 | Woods Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5170042 | Flavell Rd | Flavell Rd | Victoria Plains | 0.00 | Wongan Hills - Waddington Rd | 8.08 | Wilson Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2030016 | Flax Rd | Flax Rd | Bridgetown - Greenbushes | 0.00 | Waters Ford Rd & Winnejup Rd | 4.07 | Boyup Brook LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h Trucks On Road/Entering' signs to be erected and removed when not in use. WAPRES Traffic Management Plan to be fully implemented. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|------------------------|--------|---------------------------------------|---|
| 2180032 | Flax Rd | Flax Rd | Boyup Brook | 0.00 | Jayes Rd | 4.80 | Bridgetown - Greenbushes LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4330061 | Flea Pool Rd | Flea Pool Rd | York | 0.00 | Mannavale Rd | 5.79 | Wallaby Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4330061 | Flea Pool Rd | Flea Pool Rd | York | 5.79 | Wallaby Rd | 12.34 | Flea Pool Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4060157 | Fleay Rd | Fleay Rd | Cunderdin | 0.00 | Coleman Rd & Bulgin Rd | 9.04 | Moore Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|---------------------------------------|--------|------------------------|---|
| 4290055 | Fleay Rd | Fleay Rd | Wickepin | 0.00 | Yarling Brook Rd | 4.89 | Wickepin - Corrigin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4290055 | Fleay Rd | Fleay Rd | Wickepin | 4.89 | Wickepin - Corrigin Rd | 12.89 | Ten Mile Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Wickepin - Corrigin Rd : No Left Turn Into Wickepin-Corrigin Road Permitted |
| 3160059 | Fleays Rd | Fleays Rd | West Arthur | 0.00 | Coalfields Rd | 4.22 | | |
| 6040018 | Fleming Grove Rd | Fleming Grove Rd | Esperance | 0.00 | Boydell Rd & Coolgardie Esperance Hwy | 22.24 | Dempster Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4130041 | Fleming Rd | Fleming Rd | Trayning | 0.00 | McAndrew Rd | 10.37 | Gabbin - Trayning Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4130041 | Fleming Rd | Fleming Rd | Trayning | 10.37 | Gabbin - Trayning Rd | 11.57 | Gabbin - Trayning Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------------|----------|---------------------------|--------|------------------------|--|
| 3030048 | Fletcher Rd | Fletcher Rd | Broomehill - Tambellup | 0.00 | Broomehill Gnowangerup Rd | 2.21 | 0.46km From Graham Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1180119 | Flindell St | Flindell St | Fremantle (C) | 0.00 | Ladner St | 0.34 | Keegan St | |
| 6040763 | Flinders Cct | Flinders Cct | Esperance | 0.00 | Beckwith Rd | 0.55 | McDonald Rd | |
| 1120629 | Flinders St | Flinders St | Bayswater (C) | 0.00 | Raymond Av | 0.12 | Irvine St & Pickett St | |
| 6100117 | Floater Rd | Floater Rd | Ravensthorpe | 0.00 | Newdegate Ravensthorpe Rd | 2.41 | | |
| 6100117 | Floater Rd | Floater Rd | Ravensthorpe | 2.41 | | 25.91 | Hayes Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. See Low Volume Condition Type A in the Operating Conditions Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|-----------------------|----------|---------------------------------|--------|--------------------------------------|---|
| 4140049 | Flockart Rd | Flockart Rd | Merredin | 0.00 | Depot Dam Rd & Totadgin Hall Rd | 5.45 | McGellin Rd & Bruce Rock Merredin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection McGellin Rd & Bruce Rock Merredin Rd : No left turn permitted into York Merredin Rd from Flockart Rd |
| 3100049 | Flora And Fauna Rd | Flora And Fauna Rd | Kojonup | 0.00 | Tone Rd | 8.22 | Tenner Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Tone Rd : No access permitted to or from Tone Rd |
| 0010176 | Florence Wy | Florence Wy | Broome | 0.00 | Tanami Dr | 0.28 | Mavis Rd | |
| 5050058 | Flores Rd | Flores Rd | Greater Geraldton (C) | 0.00 | Eastward Rd | 4.41 | Strickland St | |
| 4060020 | Flowery Patch Rd | Flowery Patch Rd | Cunderdin | 0.00 | Scaddan Rd | 9.00 | Wyalkatchem LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4310059 | Flowery Patch Rd | Flowery Patch Rd | Wyalkatchem | 0.00 | Depierres Rd | 1.41 | Cunderdin LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|---------------------------|--------|--------------------|---|
| 3080047 | Flugge Rd | Flugge Rd | Katanning | 0.00 | Tee Rd | 5.73 | Warren Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Rockwell Rd : No right turn permitted into Rockwell Rd from Flugge Rd |
| 1100474 | Flynn Dr | Flynn Dr | Wanneroo (C) | 0.00 | Wanneroo Rd & Neerabup Rd | 5.83 | Old Yanchep Rd | |
| 5030110 | Flynn Rd | Flynn Rd | Dalwallinu | 0.00 | Mullewa Wubin Rd | 6.41 | Kenny Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5030110 | Flynn Rd | Flynn Rd | Dalwallinu | 6.41 | Kenny Rd | 10.16 | Stewart Rd | |
| 5030110 | Flynn Rd | Flynn Rd | Dalwallinu | 10.16 | Stewart Rd | 17.22 | Wubin - Gunyidi Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. See Low Volume Condition Type A in the Operating Conditions Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Wubin - Gunyidi Rd : No access permitted to or from Wubin - Guyidi Rd. |
| 4030041 | Foales Rd | Foales Rd | Bruce Rock | 0.00 | Shackleton - Bilbarin Rd | 8.00 | Vans Rd | |
| 1120882 | Focal Wy | Focal Wy | Bayswater (C) | 0.00 | Railway Pde | 0.36 | Wicks St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|-------------------------------------|--------|--------------------------|---|
| 2180069 | Foley Rd | Foley Rd | Boyup Brook | 0.00 | Scotts Brook Rd | 6.23 | Kojonup LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3100121 | Foley Rd | Foley Rd | Kojonup | 0.00 | Donnybrook Kojonup Rd & Wahkinup Rd | 14.60 | Boyup Brook LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1251878 | Foley St | Foley St | Stirling (C) | 0.00 | Balcatta Rd | 0.19 | Halley Rd | |
| 4300060 | Folland Rd | Folland Rd | Williams | 0.00 | York - Williams Rd | 2.09 | Folland Rd - End Road | |
| 216Z092 | Folly Rd (F) | Folly Rd (F) | Nannup | 0.00 | Dunnet Rd | 2.65 | Asplin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|--------------------------|----------|-------------------------------|--------|---------------------------|--|
| 2010248 | Fontana Rd | Fontana Rd | Augusta - Margaret River | 0.00 | Rosa Glen Rd | 0.95 | Earnshaw Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4130031 | Foord Rd | Foord Rd | Trayning | 0.00 | Swamp Well Rd | 5.71 | Gabbin - Trayning Rd | |
| 3060057 | Forbes Rd | Forbes Rd | Dumbleyung | 0.00 | Bullock Hills Rd | 2.25 | Woodanilling LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3170037 | Forbes Rd | Forbes Rd | Woodanilling | 0.00 | Oxley Rd | 2.70 | Dumbleyung LGA Boundary | <ul style="list-style-type: none"> Maximum speed 70 km/h Intersection Oxley Rd : No Right Turn Into Oxley Road Permitted |
| 4100021 | Forbes Rd | Forbes Rd | Kondinin | 0.00 | Hyden - Norseman Rd | 7.52 | Cashmore Rd | |
| 2180162 | Forbes St | Forbes St | Boyup Brook | 0.00 | Boyup Brook - Arthur River Rd | 0.45 | Forbes St - End Road | |
| 3100101 | Ford L | Ford L | Kojonup | 0.00 | Carlecatup North Rd | 1.61 | Marron Pool Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3120156 | Ford Rd | Ford Rd | Plantagenet | 0.00 | Woogenellup Rd | 1.23 | Ford Rd - End Road | |
| 4230030 | Ford Rd | Ford Rd | Pingelly | 0.00 | Great Southern Hwy | 4.23 | Bennier Rd & Davis Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|--------------------------|----------|-------------------|--------|-------------------------------------|---|
| 6020034 | Ford St | Ford St | Coolgardie | 0.13 | Bayley St (South) | 1.33 | Toorak St | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 5170035 | Fordham Rd | Fordham Rd | Victoria Plains | 0.00 | Corondeen Rd | 6.22 | Wyening East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4160096 | Forest Av | Forest Av | Mukinbudin | 0.00 | Koonkoobing Rd | 5.29 | Borlase Rd & Mukinbudin - Wialki Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2010037 | Forest Grove Rd | Forest Grove Rd | Augusta - Margaret River | 0.00 | Bussell Hwy | 6.67 | Caves Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 50 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2030313 | Forest Park Av | Forest Park Av | Bridgetown - Greenbushes | 0.00 | South Western Hwy | 2.24 | Daniels Rd & Perry Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|----------------------------|--------|---------------------|---|
| 4260024 | Forest Rd | Forest Rd | Toodyay | 0.00 | Goomalling Toodyay Rd | 3.83 | Red Gully Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4050035 | Forestry Rd | Forestry Rd | Cuballing | 0.00 | Forestry Rd - Start Road | 0.52 | Yornaning West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4050035 | Forestry Rd | Forestry Rd | Cuballing | 0.55 | Yornaning West Rd | 6.19 | Pennys Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Pennys Rd : No access permitted into Pennys Rd from Forestry Rd |
| 1140582 | Forge St | Forge St | Canning (C) | 0.00 | Division St Sth | 0.46 | Forge St - End Road | |
| M015 | Formby South | Formby Rd South | Gnowangerup | 0.00 | Gnowangerup Jerramungup Rd | 48.78 | Chester Pass Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|--|----------|-----------------------------------|--------|--|--|
| H057 | Forrest Hwy | Forrest Hwy Robertson Dr | Murray Waroona Harvey Dardanup Bunbury (C) | 0.00 | Kwinana Fwy | 95.67 | South Western Hwy & Robertson Dr & Picton Rd | <ul style="list-style-type: none"> Intersection Riverdale Rd & Harris Rd : No right turn permitted into Riverdale Rd from Forrest Hwy |
| H387 | Forrest Hwy (Northbound) off to West Pinjarra Service Centre | Forrest Hwy (Northbound) off to West Pinjarra Service Centre | Murray | 0.00 | Forrest Hwy | 0.15 | West Pinjarra Service Centre (Nth Bnd) | |
| H200 | Forrest Hwy (Southbound) off to Forrest Hwy (Southbound) | Forrest Hwy (Southbound) off to Forrest Hwy (Southbound) | Harvey | 0.00 | Forrest Hwy & Wilman Wadandi Hwy | 0.74 | Forrest Hwy | |
| H385 | Forrest Hwy (Southbound) off to West Pinjarra Service Centre | Forrest Hwy (Southbound) off to West Pinjarra Service Centre | Murray | 0.00 | Forrest Hwy | 0.15 | West Pinjarra Service Centre (Sth Bnd) | |
| H201 | Forrest Hwy - Paris Rd Rty on to Forrest Hwy (Northbound) | Forrest Hwy - Paris Rd Rty on to Forrest Hwy (Northbound) | Harvey | 0.00 | Forrest Hwy - Paris Rd Rty | 0.40 | Forrest Hwy & Wilman Wadandi Hwy | |
| H862 | Forrest Hwy Southbound) Slip At Eelup Rty | Forrest Hwy (Southbound) Slip At Eelup Rty | Bunbury (C) | 0.00 | Forrest Hwy | 0.19 | Robertson Dr | |
| 0030119 | Forrest Rd | Forrest Rd | Derby - West Kimberley | 0.00 | Great Northern Hwy | 3.49 | Forrest Rd - End Road | |
| 1011153 | Forrest Rd | Forrest Rd | Armadale (C) | 1.99 | Tonkin Hwy | 4.11 | Eleventh Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4100127 | Forrest Rd | Forrest Rd | Kondinin | 0.00 | McDonald Rd | 6.21 | Roe Rd | |
| H444 | Forrest Rd - Paris Rd Rty | Forrest Hwy - Paris Rd Rty | Harvey | 0.00 | Forrest Hwy | 0.21 | Forrest Hwy | |
| 4010103 | Forrest St | Forrest St | Beverley | 1.25 | Vincent St | 2.04 | Delisle St | |
| 4180003 | Forrest St | Forrest St | Narrogin | 0.10 | Francis St | 0.30 | Federal St | |
| 4330123 | Forrest St | Forrest St | York | 0.00 | Fisher St | 0.46 | Henrietta St & Great Southern Hwy | |
| 4330123 | Forrest St | Forrest St | York | 0.46 | Henrietta St & Great Southern Hwy | 0.80 | South St & Ulster Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 40 km/h No Operation Weekdays between 8:00 AM to 9:00 AM and No Operation Monday Tuesday Thursday7 Friday between 2:30 PM to 3:30 PM and No Operation Wednesday between 1:30 PM to 2:30 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 6052003 | Forrest St | Forrest St | Kalgoorlie - Boulder (C) | 0.48 | Wilson St | 1.97 | Throssell St | |
| 6080068 | Forrest St | Forrest St | Leonora | 0.31 | Tower St | 0.72 | Kurrajong St | |
| 5010118 | Forrester Av | Forrester Av | Carnamah | 0.00 | Bowman St | 0.38 | Forrester Av - End Road | |
| 5160024 | Forrester Brooks Rd | Forrester Brooks Rd | Chapman Valley | 0.00 | Chapman Valley Rd & Warr Rd | 5.00 | Kerr Dartmoor Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|-------------------|--------|--------------------------|---|
| 5160024 | Forrester Brooks Rd | Forrester Brooks Rd | Chapman Valley | 5.00 | Kerr Dartmoor Rd | 13.57 | Dartmoor Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3100051 | Forrester Rd | Forrester Rd | Kojonup | 0.00 | Tone Rd | 8.15 | Mobrup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). 'Trucks Entering' signs to be erected and removed when not in use on all approaches at Mobrup Rd & Forrester Rd and Mobrup Rd & Tone Rd intersections. |
| 5160032 | Forrester Rd | Forrester Rd | Chapman Valley | 0.00 | Newmarracarra Rd | 5.73 | Durawah - Northern Gully | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|------------------|----------|---------------------------|--------|--------------------------------|---|
| 4090077 | Forsyth Braysher Rd | Forsyth Braysher Rd | Kellerberrin | 0.00 | Woolundra South Rd | 6.17 | Stone Giles Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4090077 | Forsyth Braysher Rd | Forsyth Braysher Rd | Kellerberrin | 6.17 | Stone Giles Rd | 7.16 | Forsyth-Braysher Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4250066 | Forsyth Rd | Forsyth Rd | Tammin | 0.00 | Moore Rd | 2.00 | Forsyth Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1180060 | Forsyth St | Forsyth St | Fremantle (C) | 0.00 | Sainsbury Rd | 1.32 | Carrington St | |
| 5140080 | Forte Rd | Forte Rd | Perenjori | 0.00 | Mullewa Wubin Rd | 19.34 | Watson Rd | |
| 8120077 | Fortescue Av | Fortescue Av | East Pilbara | 1.16 | 0.04km From Welsh Dr | 1.20 | Welsh Dr | |
| 8110315 | Fortescue Crossing Rd | Fortescue Crossing Rd | Ashburton | 0.00 | Nanutarra Munjina Rd | 2.67 | Fortescue Cross Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1106944 | Fortitude Bvd | Fortitude Bvd | Wanneroo (C) | 0.00 | Niche Pde & Ocean Reef Rd | 0.78 | Forward St | |
| 4100121 | Fortune St | Fortune St | Kondinin | 0.00 | Melba St | 0.11 | Federal St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|-----------------------|----------|--|--------|---|--|
| 4160030 | Forty Six Gate Rd | Forty Six Gate Rd | Mukinbudin | 0.00 | Quanta Cutting North Rd | 10.61 | Elachbutting Rd & Rabbit Proof Fence Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 1141376 | Forum Av | Forum Av | Canning (C) | 0.00 | Catalano Cct | 0.11 | Market City Ent & Bannister Rd | |
| 1109790 | Forward St | Forward St | Wanneroo (C) | 0.00 | Fortitude Bvd | 0.29 | Boom St | |
| 1290112 | Forward St | Forward St | Victoria Park (T) | 0.11 | Swansea St East | 0.39 | Bank St | |
| 5051182 | Foskew Wy | Foskew Wy | Greater Geraldton (C) | 0.65 | 0.18km (Foskew Wy North) From Goulds Rd | 0.83 | Goulds Rd | |
| 4030022 | Foss Rd | Foss Rd | Bruce Rock | 0.00 | Corrigin - Bruce Rock Rd | 7.27 | Bruce Rock South Rd | |
| 3070068 | Foster Rd | Foster Rd | Gnowangerup | 0.00 | Tieline Rd | 19.36 | Ongerup - Pingrup Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4100019 | Fotheringhame Rd | Fotheringhame Rd | Kondinin | 0.00 | Thompson Rd & Kondinin Hyden Rd | 6.12 | Kulin LGA Boundary | |
| 4120027 | Fotheringhame Rd | Fotheringhame Rd | Kulin | 0.00 | Kondinin LGA Boundary | 5.11 | Mallee Valley Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4100120 | Foundation St | Foundation St | Kondinin | 0.00 | Melba St | 0.40 | Church Rd | |
| 2180057 | Four Forty Rd | Four Forty Rd | Boyup Brook | 0.00 | Greenfields Rd | 4.67 | Four Forty Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2160069 | Fouracres Rd | Fouracres Rd | Nannup | 0.00 | Governor Broome Rd & Milyeannup Coast Rd | 20.75 | Black Point Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4270004 | Fourteen Mile Brook Rd | Fourteen Mile Brook Rd | Wandering | 0.00 | Wandering - Pingelly Rd | 13.78 | Williams LGA Boundary | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4300005 | Fourteen Mile Brook Rd | Fourteen Mile Brook Rd | Williams | 0.00 | York - Williams Rd | 12.13 | Wandering LGA Boundary | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|------------------|----------|---------------------------------------|--------|--|--|
| 4140073 | Fourteen Mile Gate Rd | Fourteen Mile Gate Rd | Merredin | 0.00 | Pitt Rd & Burracoppin - Campion Rd | 4.39 | Capito Rd & Rabbit Proof Fence Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3110005 | Fourteen Mile Rd | Fourteen Mile Rd | Lake Grace | 0.00 | Lake Grace Newdegate Rd | 28.40 | Newdegate - Pingrup Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5190024 | Fowler Patton Rd | Fowler Patton Rd | Coorow | 0.00 | South Waddy Rd | 4.76 | Coorow - Latham Rd | |
| 4300087 | Fowler Rd | Fowler Rd | Williams | 0.00 | York - Williams Rd | 0.32 | Fowler Rd - End Road | |
| 5010025 | Fowler Rd | Fowler Rd | Carnamah | 0.00 | Winchester East Rd | 6.12 | Billeroo Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180137 | Fowler Rd | Fowler Rd | Wongan - Ballidu | 0.00 | Smith Rd | 2.27 | Mail Route Rd | |
| 3110192 | Fox Rd | Fox Rd | Lake Grace | 0.00 | Hyden-Lake King Rd | 7.21 | Drust Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4290070 | Fox Rd | Fox Rd | Wickepin | 0.00 | Wedin South Rd | 8.85 | Tincurrin Rd | |
| 4280082 | Fox St | Fox St | Westonia | 0.00 | Warralakin Rd | 0.69 | Cbh Access Rd 0.69km From Warralakin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030048 | Foyle Rd | Foyle Rd | Dalwallinu | 0.00 | Foyle Rd - Start Road | 3.72 | Kalannie - Kulja Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------------|----------------------------|--------------------------|----------|--|--------|---------------------------|--|
| 4050055 | Francis Rd | Francis Rd | Cuballing | 0.00 | Popanyinning East Rd | 0.36 | Francis Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 8120230 | Francis St | Francis St | East Pilbara | 0.00 | General St | 0.38 | Limestone - Marble Bar Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 1130016 | Francisco St | Francisco St | Belmont (C) | 0.00 | Abernethy Rd | 0.44 | Belmont Av | |
| 5110078 | Franco Rd | Franco Rd | Morawa | 0.00 | Pintharuka West Rd | 9.97 | Mingenew Morawa Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6053011 | Frank St | Frank St | Kalgoorlie - Boulder (C) | 0.00 | Federal Rd | 0.49 | Lionel St | |
| 3040532 | Frankland - Rocky Gully Rd | Frankland - Rocky Gully Rd | Cranbrook | 0.00 | Wingebellup Rd & Cranbrook - Frankland Rd & Marlock St | 11.53 | Plantagenet LGA Boundary | |
| 3120260 | Frankland - Rocky Gully Rd | Frankland - Rocky Gully Rd | Plantagenet | 0.00 | Cranbrook LGA Boundary | 7.00 | Muir Hwy | |
| 1100266 | Franklin Rd | Franklin Rd | Wanneroo (C) | 0.00 | Rousset Rd & Caporn St | 2.76 | Lenore Rd & High Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4250034 | Franklin Rd | Franklin Rd | Tammin | 0.00 | Great Eastern Hwy | 4.65 | Wyola South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|-----------------------|----------|-------------------------|--------|----------------------|---|
| 5150033 | Franklin Rd | Franklin Rd | Three Springs | 0.00 | Midlands Rd | 6.19 | Bastian Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Midlands Rd : No right turn permitted into Midlands Rd from Franklin Rd |
| 2130381 | Franklin St | Franklin St | Manjimup | 0.00 | Brain St & Muir Hwy | 2.01 | Mottram St | |
| 4070136 | Fraser Rd | Fraser Rd | Dowerin | 0.00 | Hindmarsh Back Rd | 4.08 | Norris Rd & Cook Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5051061 | Fraser Rd | Fraser Rd | Greater Geraldton (C) | 3.15 | Hillview Farm | 5.30 | Allanooka Springs Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4070092 | Fraser St | Fraser St | Dowerin | 0.00 | Stewart St & Redding Rd | 0.13 | Cottrell St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|-----------------------|----------|----------------------------------|--------|--|--|
| 1050277 | Frederic St | Frederic St | Kwinana (C) | 0.00 | Link Rd & Rockingham Rd | 0.08 | 0.08km From Rockingham Rd | |
| 0010037 | Frederick St | Frederick St | Broome | 0.00 | Port Dr & Cable Beach Rd East | 1.48 | Coghlan St | |
| 1130026 | Frederick St | Frederick St | Belmont (C) | 0.00 | Fairbrother St & Belgravia St | 0.29 | Daly St | |
| 2050328 | Frederick St | Frederick St | Busselton (C) | 0.00 | College Av & Fairlawn Rd | 0.32 | Barlee St & West St | |
| 4120074 | Freebairin Rd | Freebairin Rd | Kulin | 0.00 | Gnarming West Rd | 3.79 | Freebairn Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 6040219 | Freebairn Rd | Freebairn Rd | Esperance | 0.00 | Campbell Rd | 8.66 | Dempster Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 3020109 | Freeborough Rd | Freeborough Rd | Albany (C) | 0.00 | Station St | 0.48 | 0.48km South - West From Station St/Lower Denmark Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3070058 | Freeguards Rd | Freeguards Rd | Gnowangerup | 0.00 | Dooleys Rd & Moores Dam Rd | 0.97 | Freeguards Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5050637 | Freeman Rd | Freeman Rd | Greater Geraldton (C) | 0.00 | Jacob Rd & Mingenew - Mullewa Rd | 17.58 | Mullewa Wubin Rd | |
| 5180106 | Freestone Rd | Freestone Rd | Wongan - Ballidu | 0.00 | Ballidu - South East Rd | 14.93 | Degrussa Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1042697 | Freight Rd | Freight Rd | Gosnells (C) | 0.00 | Logistics Bvd | 0.40 | Coldwell Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------------|----------------------------|------------------|----------|--------------------------|--------|-------------------------------|---|
| 5100065 | French Rd | French Rd | Moora | 0.00 | Midlands Rd | 0.80 | 800 Metres West From Midlands | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4211054 | Frenches Rd | Frenches Rd | Northam | 0.20 | 0.2km From Haddrill Rd | 4.21 | Northam Pithara Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h No Operation from 7:00 AM to 8:30 AM and 4:00 PM to 5:00 PM The rail crossing is not to be crossed |
| 3020608 | Frenchman Bay Rd | Frenchman Bay Rd | Albany (C) | 0.00 | Frenchman Bay Rd Rty | 6.40 | Bay View Dr | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. 10 km/h below posted speed limit |
| H081 | Frenchman Bay Rd | Frenchman Bay Rd | Albany (C) | 0.00 | Hanrahan Rd Rty | 0.69 | Frenchman Bay Rd Rty | |
| H1022 | Frenchman Bay Rd Rty | Frenchman Bay Rd Rty | Albany (C) | 0.00 | Frenchman Bay Rd | 0.18 | Frenchman Bay Rd | |
| 3110049 | Frenchs Rd | Frenchs Rd | Lake Grace | 0.00 | Hyden-Lake King Rd | 3.05 | Carstairs Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4170174 | Fricker Rd | Fricker Rd | Narembreen | 0.00 | Merredin - Narembreen Rd | 0.96 | Soldiers Rd & Latham Rd | |
| 6110059 | Frog Rock - Marvel Loch Rd | Frog Rock - Marvel Loch Rd | Yilgarn | 0.00 | Moorine South Rd | 31.17 | Southern Cross Marvel Loch Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4030104 | Frost Rd | Frost Rd | Bruce Rock | 0.00 | Kwoylin West Rd | 2.60 | Frost Rd - End Road | |
| 5190088 | Frost Rd | Frost Rd | Coorow | 0.00 | Midlands Rd | 0.13 | Frost Rd - End Lg Resp | |
| 3150106 | Frosts Rd | Frosts Rd | Wagin | 0.00 | Ballaying West | 2.13 | Bullock Hills Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|----------------------------|--------|-------------------------|---|
| 5130044 | Frosty Gully Rd | Frosty Gully Rd | Northampton | 3.48 | East Bowes Rd | 12.89 | Blue Well Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection East Bowes Rd : No access permitted into East Bowes Rd from Frosty Gully Rd |
| 4030033 | Fuchsbichler Rd | Fuchsbichler Rd | Bruce Rock | 0.00 | Bruce Rock Merredin Rd | 19.14 | Butler Boundary Rd | |
| 3040090 | Fulcher Rd | Fulcher Rd | Cranbrook | 0.00 | Boyup Brook - Cranbrook Rd | 4.71 | Douglas Rd & Fulcher Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3100187 | Fulcher Rd | Fulcher Rd | Kojonup | 0.00 | Fisher Rd | 7.52 | Fulcher Rd & Douglas Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 103Z076 | Fulfilment Loop | Fulfilment Loop | Cockburn (C) | 0.00 | Distribution Dr | 0.80 | Distribution Dr | |
| 4060153 | Fuller Rd | Fuller Rd | Cunderdin | 0.00 | Harris Rd | 4.20 | Scaddan Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3150060 | Fullers Rd | Fullers Rd | Wagin | 0.00 | Lucas Rd | 3.67 | Ballagin Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|--|--------|------------------|---|
| 4020070 | Fulwood Rd | Fulwood Rd | Brookton | 0.00 | Brookton-Corrigin Rd | 2.97 | North Nalya Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4040050 | Fulwood Rd | Fulwood Rd | Corrigin | 0.00 | Corrigin Kondinin Rd | 7.89 | Gnerkadilling Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1140580 | Furnace Rd | Furnace Rd | Canning (C) | 0.00 | Treasure Rd | 0.88 | Welshpool Rd | |
| 8130450 | Furnace Rd | Furnace Rd | Port Hedland (T) | 0.00 | Hematite Dr | 0.37 | Tailings Elb | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3100193 | Furniss Loop | Furniss Loop | Kojonup | 5.50 | Tree Farm Access Gate 0.60km From Mobrup Rd | 6.10 | Mobrup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1101671 | Furniss Rd | Furniss Rd | Wanneroo (C) | 0.00 | Mosey St & Mullingar Wy | 1.50 | Mirrabooka Av | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|-------------------|--------|--------------------------|---|
| 2089010 | Fusion Rd | Fusion Rd | Dardanup | 0.00 | Discovery Dr | 1.46 | Fusion Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6040009 | Fuss Rd | Fuss Rd | Esperance | 0.00 | South Coast Hwy | 10.72 | Springdale Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 5070035 | Fynes Rd | Fynes Rd | Gingin | 0.00 | Red Gully Rd | 3.70 | 3.70km From Red Gully Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5070035 | Fynes Rd | Fynes Rd | Gingin | 8.96 | | 10.86 | Mogumber Rd West | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|------------------|----------|---|--------|---|---|
| 6110145 | G Kent Rd | G Kent Rd | Yilgarn | 0.00 | Bodallin South Rd | 2.50 | G Kent Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| H853 | GEH (Eastbound) on to Roe Hwy (Southbound) | GEH (Eastbound) on to Roe Hwy (Southbound) | Swan (C) | 0.00 | Great Eastern Hwy & Roe Hwy (Southbound) off to GEH | 0.08 | GEH (Westbound) on to Roe Hwy (Southbound) | |
| H837 | GEH (Westbound) on to Roe Hwy (Southbound) | GEH (Westbound) on to Roe Hwy (Southbound) | Swan (C) | 0.00 | Great Eastern Hwy | 0.39 | Roe Hwy | |
| H838 | GEH on to Roe Hwy (Northbound) | GEH on to Roe Hwy (Northbound) | Mundaring | 0.00 | Roe Hwy (Northbound) off to GEH (Westbound) & Great Eastern Hwy | 0.37 | Roe Hwy | |
| H854 | GNH (Northbound) off to Port Hedland Rd | GNH (Northbound) off to Port Hedland Rd | Port Hedland (T) | 0.00 | Great Northern Hwy | 1.22 | Wilson St | |
| H855 | GNH (Southbound) off to Port Hedland Rd | GNH (Southbound) off to Port Hedland Rd | Port Hedland (T) | 0.00 | Great Northern Hwy | 0.22 | GNH (Northbound) off to Port Hedland Rd | |
| 502Z008 | GNH Access Road Brand Hwy Muchea | GNH Access Road Brand Hwy Muchea | Chittering | 0.00 | Brand Hwy | 1.28 | Old Great Northern Hwy (Muchea) & Old Gingin Rd | |
| 502Z009 | GNH Access Road GNH On Ramp Muchea | GNH Access Road GNH On Ramp Muchea | Chittering | 0.00 | Brand Hwy Rty on to Great Northern Hwy (Northbound) | 0.20 | GNH Access Road Brand Hwy Muchea | |
| 5100032 | Gabalong East Rd | Gabalong East Rd | Moora | 0.00 | Toodyay - Bindi Bindi Rd | 6.30 | Wongan - Ballidu LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------|----------|---------------------------------|--------|--------------------------------|---|
| 5180027 | Gabalong East Rd | Gabalong East Rd | Wongan - Ballidu | 0.00 | Lake Hinds North Rd | 14.99 | Moora LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5100004 | Gabalong West Rd | Gabalong West Rd | Moora | 0.00 | Toodyay - Bindi Bindi Rd | 5.48 | Gabalong West Rd & Skilling Rd | |
| 5170026 | Gabalong West Rd | Gabalong West Rd | Victoria Plains | 0.00 | Great Northern Hwy | 9.57 | Gabalong West Rd & Skilling Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Great Northern Hwy : No Access To Or From Great Northern Highway |
| 4150116 | Gabbabin Rd | Gabbabin Rd | Mount Marshall | 0.00 | Waddouring Back Rd & Beagley Rd | 3.92 | Mandiga - Trayning Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4150056 | Gabbin - Narkal Rd | Gabbin - Narkal Rd | Mount Marshall | 0.00 | Gabbin - Trayning Rd | 4.87 | East Boundary Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4130015 | Gabbin - Trayning Rd | Gabbin - Trayning Rd | Trayning | 0.00 | Mandiga - Trayning Rd | 15.50 | Fleming Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------|----------|-------------------------------------|--------|----------------------------------|--|
| 4150075 | Gabbin - Trayning Rd | Gabbin - Trayning Rd | Mount Marshall | 0.00 | Scarlett St & Bencubbin - Gabbin Rd | 6.27 | Koorda - Bullfinch Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4150075 | Gabbin - Trayning Rd | Gabbin - Trayning Rd | Mount Marshall | 6.27 | Koorda - Bullfinch Rd | 20.76 | Fleming Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4150123 | Gabbin Bin Rd | Gabbin Bin Rd | Mount Marshall | 0.00 | Cleary - Gabbin Rd | 0.82 | Bencubbin - Gabbin Rd | |
| 4080019 | Gabbyquoiquoi Rd | Gabbyquoiquoi Rd | Goomalling | 0.00 | Byberding Rd | 9.96 | Dowerin - Konnongorring Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4140102 | Gabo Av | Gabo Av | Merredin | 0.00 | Crooks Rd | 1.71 | Gamenya Av | |
| 3180001 | Gairdner South Rd | Gairdner South Rd | Jerramungup | 0.00 | Borden Bremer Bay Rd | 22.49 | 0.08km From Gairdner Hall Access | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 3180001 | Gairdner South Rd | Gairdner South Rd | Jerramungup | 22.49 | 0.08km From Gairdner Hall Access | 22.76 | South Coast Hwy | |
| 4212004 | Gairdner St | Gairdner St | Northam | 0.00 | Newcastle Rd & Fitzgerald St | 0.14 | Wellington St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|--|--------|--------------------------------------|--|
| 3080117 | Gairen Rd | Gairen Rd | Katanning | 0.00 | Tabenup Rd | 3.75 | Langaweira Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3080117 | Gairen Rd | Gairen Rd | Katanning | 3.75 | Langaweira Rd | 4.78 | Tieline North Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 2050002 | Gale Rd | Gale Rd | Busselton (C) | 0.00 | Bussell Hwy | 5.48 | 1.32km From Caribunup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2050002 | Gale Rd | Gale Rd | Busselton (C) | 5.48 | 1.32km From Caribunup Rd South & Gibb Rd | 8.07 | Jindong - Treeton Rd | |
| 2050002 | Gale Rd | Gale Rd | Busselton (C) | 8.07 | Jindong - Treeton Rd | 10.85 | Kaloorup Rd & Kolhagen Rd & Price Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2180168 | Gale Rd | Gale Rd | Boyup Brook | 0.00 | Bridgetown Boyup Brook Rd | 0.60 | Abels Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Abels Rd : No Entry Or Exit To Or From Abels Rd |
| 4130014 | Gale Rd | Gale Rd | Trayning | 0.00 | Mulcahy Rd & Nungarin Wyalkatchem Rd | 12.06 | McAndrew Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1060185 | Gallant Ct | Gallant Ct | Mundaring | 0.00 | Orchard Av | 0.08 | Gallant Ct - End Road | <ul style="list-style-type: none"> No Operation Saturday and Sunday |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|-------------------------|--------|-------------------------------------|---|
| 4310037 | Gamble Rd | Gamble Rd | Wyalkatchem | 0.00 | Martin Rd | 2.74 | Wallambin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4310104 | Gamble St | Gamble St | Wyalkatchem | 0.00 | Railway Tce | 1.86 | White Dam Rd & Wyalkatchem North Rd | |
| 4310066 | Gambrell Rd | Gambrell Rd | Wyalkatchem | 0.00 | Nungarin Wyalkatchem Rd | 3.61 | Goldfields Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4140213 | Gamenya Av | Gamenya Av | Merredin | 0.00 | Gabo Av | 1.63 | 0.24km From Alfred St | |
| 2130461 | Gandy St | Gandy St | Manjimup | 0.00 | Franklin St | 0.41 | Crouch St | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 4060155 | Gangell Rd | Gangell Rd | Cunderdin | 0.00 | Watercarrin Rd | 1.77 | Dowerin LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4130032 | Gangell Rd | Gangell Rd | Trayning | 0.00 | Nalkain Rd | 5.65 | Wallambin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|---------------------|--------|------------------------|---|
| 4310079 | Gangell Rd | Gangell Rd | Wyalkatchem | 0.00 | Wallambin Rd | 2.80 | Nalkain Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5010035 | Gangway Rd | Gangway Rd | Carnamah | 0.00 | Midlands Rd | 7.72 | North Boundary Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3150058 | Ganzer Rd | Ganzer Rd | Wagin | 0.00 | Arthur Rd | 5.22 | Lucas Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Badgarning Rd : No access permitted into Badgarning Rd from Ganzer Rd |
| 5190033 | Garabaldi Willis Rd | Garabaldi Willis Rd | Coorow | 0.00 | Garibaldi Willis Rd | 17.15 | Coorow - Green Head Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4030095 | Garbin Rd | Garbin Rd | Bruce Rock | 0.00 | Yarding North Rd | 3.90 | Jakovich Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|--------------------------------|--------|--------------------------|--|
| 4090079 | Garbin Rd | Garbin Rd | Kellerberrin | 0.00 | Spillman Rd & Baandee North Rd | 5.12 | Goldfields Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6110066 | Garbin Rd | Garbin Rd | Yilgarn | 0.00 | Cramphorne Rd | 20.44 | Cramphorne Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h |
| 1101661 | Garden Park Dr | Garden Park Dr | Wanneroo (C) | 0.00 | Caporn St | 0.69 | Vincent Rd | |
| 4150083 | Gardiner Rd | Gardiner Rd | Mount Marshall | 0.00 | Burakin - Wialki Rd | 10.38 | Barney Bore Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5100085 | Gardiner St | Gardiner St | Moora | 0.00 | Clinch St & Gardiner St | 0.64 | Tootra St & Cameron St | |
| 4090057 | Gardner Rd | Gardner Rd | Kellerberrin | 0.00 | Glenluce Rd | 6.22 | Kellerberrin - Yoting Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4250068 | Gardner Rd | Gardner Rd | Tammin | 0.00 | Gardner Rd - Start Road | 4.39 | Curtis Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4250058 | Gardner Reserve Rd | Gardner Reserve Rd | Tammin | 0.00 | Ralston Rd | 6.22 | Cubbine Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4040071 | Gardners Rd | Gardners Rd | Corrigin | 0.00 | Bulyee Rd | 4.45 | Gardners Rd - End Road | |
| 5010036 | Garibaldi Willis Rd | Garibaldi Willis Rd | Carnamah | 0.00 | Carnamah - Eneabba Rd | 13.20 | Garibaldi Willis Rd | |
| 1105513 | Garino Rise | Garino Rise | Wanneroo (C) | 0.00 | Lancaster Rd | 0.27 | Berriman Dr | |
| 5030190 | Garland St | Garland St | Dalwallinu | 0.00 | Huggett Dr | 0.58 | Dowie St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------|----------|--|--------|---------------------------------|--|
| 3090102 | Garlick Rd | Garlick Rd | Kent | 0.00 | North Kwobrup Rd | 1.68 | | |
| 1190033 | Garling St | Garling St | Melville (C) | 0.00 | Stockdale Rd & Stock Rd & Garling St Sthn Cway | 0.92 | Garling St Sthn Cway & Bowen St | |
| 1180059 | Garling St Sthn Cway | Garling St Sthn Cway | Fremantle (C) | 0.00 | Stockdale Rd & Garling St & Stock Rd | 0.91 | Garling St & Bowen St | <ul style="list-style-type: none"> Intersection Stockdale Rd & Garling St & Stock Rd : No left turn permitted into Melville Mandurah Hwy (Stock Rd) from Garling St |
| 4170048 | Garmony Rd | Garmony Rd | Narembeen | 0.00 | Fawcett Rd | 6.77 | | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4310038 | Garn Rd | Garn Rd | Wyalkatchem | 0.00 | Mitchell St & Goomalling Wyalkatchem Rd & Hands Dr | 6.24 | Garn Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Mitchell St & Goomalling Wyalkatchem Rd & Hands Dr : No access permitted into Goomalling Merredin Rd from Garn Rd |
| 3070008 | Garnett Rd | Garnett Rd | Gnowangerup | 0.00 | Allardyce St & Whitehead Rd | 1.20 | Walsh St & Soldiers Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6110010 | Garrett Rd | Garrett Rd | Yilgarn | 0.00 | Posa Rd | 14.09 | Great Eastern Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Nicholson Rd : No left turn permitted into Nicholson Rd from Garrett Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|--------------------------|----------|-------------------------|--------|---------------------------|---|
| 6110010 | Garrett Rd | Garrett Rd | Yilgarn | 14.24 | Great Eastern Hwy | 26.95 | Pearce Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1031202 | Garston Wy | Garston Wy | Cockburn (C) | 0.00 | Cockburn Rd | 0.49 | Bennett Av & Kaleep Cl | |
| 2010585 | Garthowen Rd | Garthowen Rd | Augusta - Margaret River | 0.00 | Caves Rd | 0.26 | Sheridan Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4020023 | Gartrell Rd | Gartrell Rd | Brookton | 0.00 | Strange Rd | 3.26 | Luptons Rd & Brookton Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 1040307 | Gary Rd | Gary Rd | Gosnells (C) | 0.00 | Stebbing Rd | 0.20 | Ryelane St | |
| 4070029 | Gaskin Rd | Gaskin Rd | Dowerin | 0.00 | Amery - Benjaberring Rd | 7.12 | Old Koorda Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|--------------------------|----------|---|--------|---------------------------|--|
| 2070218 | Gastaldo Rd | Gastaldo Rd | Collie | 0.00 | Coalfields Rd | 13.51 | Worsley Alumina Access Rd | |
| 5110052 | Gaston Rd | Gaston Rd | Morawa | 0.00 | Calver Rd | 4.06 | Mullewa Wubin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180167 | Gaston Rd | Gaston Rd | Wongan - Ballidu | 0.00 | Dowerin - Kalannie Rd | 2.94 | Rabbit Proof Fence Rd | |
| 6052057 | Gatacre Dr | Gatacre Dr | Kalgoorlie - Boulder (C) | 0.00 | Burt St | 3.16 | Western Rd | <ul style="list-style-type: none"> Intersection Broadwood St : No left turn permitted into Broadwood St from Gatacre Dr |
| 4050020 | Gaths Rd | Gaths Rd | Cuballing | 0.00 | Stratherne Rd | 8.31 | Murbys Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6110216 | Gatley Rd | Gatley Rd | Yilgarn | 0.00 | Southern Cross Marvel Loch Rd & Ghooli South Rd | 9.50 | Southern Cross South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5030035 | Gatti Rd | Gatti Rd | Dalwallinu | 0.00 | Great Northern Hwy | 13.44 | Thaxter Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1141377 | Gauge Cct | Gauge Cct | Canning (C) | 0.00 | Baile Rd | 1.12 | Baile Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|--------------------|--------|-------------------------|---|
| 4330075 | Gaults Rd | Gaults Rd | York | 0.00 | Doodenanning Rd | 0.21 | Gaults Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Doodenanning Rd : No right turn permitted into Doodenanning Rd from Gaults Rd |
| 3040050 | Gaunt Rd | Gaunt Rd | Cranbrook | 4.31 | Brooklyn Rd | 9.58 | Dujemerrup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2070131 | Gavan St | Gavan St | Collie | 0.00 | Gibbs Rd | 0.16 | Bullfinch Rd | |
| 1108186 | Gavranich Wy | Gavranich Wy | Wanneroo (C) | 0.00 | Windsor Rd | 0.65 | Gavranich Wy - End Road | |
| 1251792 | Geddes St | Geddes St | Stirling (C) | 0.00 | Balcatta Rd | 0.41 | Kirke St | |
| 3040124 | Geekabee Rd | Geekabee Rd | Cranbrook | 0.00 | Yeriminup Rd | 2.48 | Geekabee Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1030413 | Geelong Ct | Geelong Ct | Cockburn (C) | 0.00 | Port Kembla Dr | 0.18 | Geelong Ct - End Road | |
| 4120135 | Geetabin North Rd | Geetabin North Rd | Kulin | 0.00 | Gnarmining West Rd | 5.24 | Doyle Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|--------------------------|--------|--|---|
| 3110205 | Geliard Rd | Geliard Rd | Lake Grace | 0.00 | Burngup South Rd | 15.66 | Biddy - Camm Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5140025 | Gellatly Rd | Gellatly Rd | Perenjori | 0.00 | Gellatly Rd - Start Road | 2.71 | Perenjori - Rothsay Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h No Operation between the hours of sunset and sunrise |
| 5140151 | Gellatly West Rd | Gellatly West Rd | Perenjori | 0.00 | Gellatly Rd | 2.01 | Baxter Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 8120024 | General St | General St | East Pilbara | 0.41 | Francis St | 1.03 | Hillside - Marble Bar Rd & Marble Bar Rubbish Tip Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4130010 | Gents Rd | Gents Rd | Trayning | 0.00 | Keene Rd | 7.30 | Nungarin Wyalkatchem Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4130010 | Gents Rd | Gents Rd | Trayning | 7.30 | Nungarin Wyalkatchem Rd | 11.70 | Lee Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|--------------------------|----------|---------------------------|--------|-------------------------|---|
| 4130010 | Gents Rd | Gents Rd | Trayning | 11.70 | Lee Rd | 15.99 | Stapleton Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4130010 | Gents Rd | Gents Rd | Trayning | 15.99 | Stapleton Rd | 24.89 | Riley Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4040093 | George Rd | George Rd | Corrigin | 0.00 | Corrigin - Narembreen Rd | 8.90 | Nambadilling Rd | |
| 4270024 | George Rd | George Rd | Wandering | 0.00 | Codjatotine - Hastings Rd | 7.55 | Wandering - Pingelly Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4280018 | George Rd | George Rd | Westonia | 0.00 | Warralakin Rd | 22.48 | Capito Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6052011 | George St | George St | Kalgoorlie - Boulder (C) | 0.00 | Boulder Rd | 0.43 | Wilson St | |
| 6052011 | George St | George St | Kalgoorlie - Boulder (C) | 0.46 | Wilson St | 0.71 | Lane St | |
| 4170076 | Georgeff Rd | Georgeff Rd | Narembreen | 0.00 | Cramphorne Rd | 7.13 | Georgeff Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---|--|----------|---|--------|--|--|
| 5051024 | Georgina Rd | Georgina Rd | Greater Geraldton (C) | 5.93 | Edward Rd | 9.33 | Georgina Rd - End Road | |
| H050 | Geraldton Mt Magnet Rd | Geraldton Mt Magnet Rd Gray St Maitland Rd Piesse St | Greater Geraldton (C) Yalgoo Mount Magnet | 0.00 | North West Coastal Hwy | 335.00 | Great Northern Hwy | |
| M054 | Geraldton Walkaway | Edward Rd | Greater Geraldton (C) | 3.49 | Edward Rd Rty | 23.62 | Levett Rd & Walkaway - Nangetty Rd | |
| 5110086 | Gerber Rd | Gerber Rd | Morawa | 0.00 | Jenkins Rd & Canna North East Rd | 5.54 | Pulbrook Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6110055 | Gethin Rd | Gethin Rd | Yilgarn | 0.00 | Nulla Nulla South Rd | 4.30 | Dowdalls Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4240052 | Geyer St | Geyer St | Quairading | 0.00 | Doodenanning - Mawson Rd & Carter - Doodenanning Rd | 1.28 | Unnamed Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4240052 | Geyer St | Geyer St | Quairading | 1.28 | Unnamed Rd | 2.21 | Doodenanning Rd | |
| 6110026 | Ghooli - Koolyanobbing Rd | Ghooli - Koolyanobbing Rd | Yilgarn | 0.00 | Great Eastern Hwy | 17.23 | Koolyanobbing - Southern Cross Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 6110061 | Ghooli South Rd | Ghooli South Rd | Yilgarn | 15.90 | Ben Rd | 23.54 | Southern Cross Marvel Loch Rd & Gatley Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 5050670 | Gibaud Rd | Gibaud Rd | Greater Geraldton (C) | 0.00 | Dean Rd & Mullewa Wubin Rd | 3.84 | Gibaud Rd - End Road | |
| M012 | Gibb River | Derby Gibb River Rd Gibb River Wyndham Rd | Derby - West Kimberley Wyndham - East Kimberley | 0.00 | Derby Hwy | 646.87 | Great Northern Hwy | |
| 0040014 | Gibb River - Kalumburu Rd | Gibb River - Kalumburu Rd | Wyndham - East Kimberley | 0.00 | Gibb River Wyndham Rd & Derby Gibb River Rd | 248.29 | Gibb River - Kalumburu Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------------|---------------------------|--------------------------|----------|-------------------------------|--------|------------------------------------|--|
| 004Z022 | Gibb River - Kalumburu Rd (P) | Gibb River - Kalumburu Rd | Wyndham - East Kimberley | 0.00 | Gibb River - Kalumburu Rd | 13.97 | | |
| 1251585 | Gibberd Rd | Gibberd Rd | Stirling (C) | 0.00 | Erindale Rd | 0.51 | Gibberd Rd - End Road | |
| 2150018 | Gibbings Rd | Gibbings Rd | Murray | 0.00 | Coolup Rd South | 3.48 | Mayfield Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 2040663 | Gibbons Rd | Gibbons Rd | Bunbury (C) | 0.00 | McCombe Rd | 0.57 | Shanahan Rd | |
| 7070001 | Gibbons St | Gibbons St | Yalgoo | 0.00 | Piesse St | 0.68 | Henty St & Selwyn St & Shamrock Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 1100468 | Gibbs Rd | Gibbs Rd | Wanneroo (C) | 2.30 | Wesco Rd & Nowergup Rd | 3.65 | Godel Rd | |
| 2180012 | Gibbs Rd | Gibbs Rd | Boyup Brook | 0.00 | Boyup Brook - Arthur River Rd | 17.14 | West Arthur LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3160029 | Gibbs Rd | Gibbs Rd | West Arthur | 0.00 | Cordering Rd North | 13.96 | Bowelling - Duranillin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3160029 | Gibbs Rd | Gibbs Rd | West Arthur | 21.21 | Cordering Rd South | 37.70 | Boyup Brook LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------------|--------------------------------|--------------------------|----------|-------------------------------|--------|------------------------------|--|
| 3160107 | Gibbs Rd North | Gibbs Rd North | West Arthur | 0.00 | Quindanning - Darkan Rd | 3.58 | Gibbs Rd North - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3160060 | Gibbs Siding Rd | Gibbs Siding Rd | West Arthur | 0.00 | Coalfields Rd | 4.78 | Gibbs Siding - End Road | |
| 2030067 | Giblett Bolton Rd | Giblett Bolton Rd | Bridgetown - Greenbushes | 0.00 | Carbunup Brook Rd | 2.19 | Giblett Bolton Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3060121 | Giblett Rd | Giblett Rd | Dumbleyung | 0.00 | One Twenty Nine Rd & Adams Rd | 2.00 | Adams Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| H439 | Giblett St - Blechynden St Rty | Giblett St - Blechynden St Rty | Manjimup | 0.00 | South Western Hwy | 0.12 | South Western Hwy | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|------------------|----------|--------------------------|--------|--------------------------|---|
| 3080096 | Gibney Rd | Gibney Rd | Katanning | 0.00 | Withers Rd | 4.05 | Newton Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6020135 | Gibraltar Rd | Gibraltar Rd | Coolgardie | 0.00 | Great Eastern Hwy | 6.99 | Gibralta Access Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 6040003 | Gibson - Dalyup Rd | Gibson - Dalyup Rd | Esperance | 0.00 | South Coast Hwy | 19.86 | Coolgardie Esperance Hwy | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 4100036 | Gibson Rd | Gibson Rd | Kondinin | 0.00 | Kondinin - Narembeen Rd | 8.65 | Narembeen Rd South | |
| 6040004 | Gibson Rd | Gibson Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 16.25 | Dempster Rd | |
| 7010016 | Gidgee Mine Access Rd | Gidgee Mine Access Rd | Sandstone | 0.00 | Sandstone - Wiluna Rd | 9.40 | Gidgee Access Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3120199 | Gidley L | Gidley L | Plantagenet | 0.00 | Settlement Rd | 1.20 | Gidley L - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3110119 | Giles Rd | Giles Rd | Lake Grace | 0.00 | Magenta Rd | 6.63 | Nield Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|--|--------|--|---|
| 4140128 | Giles Rd | Giles Rd | Merredin | 0.00 | Pustkuchen Rd | 2.90 | Hines Hill North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4290093 | Giles Rd | Giles Rd | Wickepin | 0.00 | Wickepin - Harrismith Rd | 1.86 | 1.86km North of Wickepin - Harrismith Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4290093 | Giles Rd | Giles Rd | Wickepin | 1.86 | 1.86km North of Wickepin - Harrismith Rd | 3.41 | Giles Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4150033 | Gilham Cooper Rd | Gilham Cooper Rd | Mount Marshall | 0.00 | Waddouring Back Rd & Kellerberrin - Bencubbin Rd & Grylls Rd | 5.60 | Bencubbin - Kununoppin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|---------------------------|--------|----------------------------|---|
| 4150033 | Gilham Cooper Rd | Gilham Cooper Rd | Mount Marshall | 5.60 | Bencubbin - Kununoppin Rd | 13.25 | Welbungin South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5130051 | Gill Rd | Gill Rd | Northampton | 0.00 | Mitchell Rd | 4.67 | Sandy Gully Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation Only from Oct to Mar Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6110040 | Gill Rd | Gill Rd | Yilgarn | 0.00 | Bennett Rd | 6.76 | Moorine South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 1010860 | Gillam Dr | Gillam Dr | Armadale (C) | 0.00 | Railway Av | 1.31 | Champion Dr | <ul style="list-style-type: none"> Intersection Champion Dr : No left turn permitted into Champion Drive from Gillam Drive. |
| 3040022 | Gillam St | Gillam St | Cranbrook | 0.00 | Albany Hwy | 0.84 | Trimmer St & Ronaldshaw Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------------|----------|-------------------------------------|--------|-----------------------|--|
| 3030029 | Gillespie Rd | Gillespie Rd | Broomehill - Tambellup | 0.00 | Martinup Rd | 4.32 | Pallinup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4150019 | Gillett Rd | Gillett Rd | Mount Marshall | 0.00 | Padbury St & Collins St | 0.80 | Burakin - Wialki Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4150019 | Gillett Rd | Gillett Rd | Mount Marshall | 0.80 | 0.8kms From Padbury St & Collins St | 5.08 | Hogan Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4150019 | Gillett Rd | Gillett Rd | Mount Marshall | 5.08 | Hogan Rd | 25.76 | Grant Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4150019 | Gillett Rd | Gillett Rd | Mount Marshall | 25.76 | Grant Rd | 44.04 | Burakin - Wialki Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4150019 | Gillett Rd | Gillett Rd | Mount Marshall | 44.04 | Burakin - Wialki Rd | 44.15 | Burakin - Wialki Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4230047 | Gillett Rd | Gillett Rd | Pingelly | 0.00 | Moorumbine Rd | 1.95 | Gillett Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------------|-----------------------------|------------------|----------|-----------------------------|--------|------------------------------|---|
| 4290035 | Gillimanning Rd | Gillimanning Rd | Wickepin | 0.00 | Wickepin - Pingelly Rd | 18.97 | Wickepin - Corrigin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Wickepin - Pingelly Rd : No left turn permitted into Pingelly-Wickepin Rd from Gillimanning Rd |
| 5170019 | Gillingarra - Glentromie Rd | Gillingarra - Glentromie Rd | Victoria Plains | 0.00 | Gillingarra - New Norcia Rd | 19.59 | Great Northern Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School Bus Route - Contact Operators on UHF CH 11 |
| 5170009 | Gillingarra - New Norcia Rd | Gillingarra - New Norcia Rd | Victoria Plains | 0.00 | Bindoon Moora Rd | 18.01 | New Norcia Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 5040010 | Gillingarra Rd | Gillingarra Rd | Dandaragan | 0.00 | Brand Hwy | 26.80 | Gillingarra Rd & Boundary Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5170016 | Gillingarra Rd | Gillingarra Rd | Victoria Plains | 0.00 | Bindoon Moora Rd | 11.17 | Gillingarra Rd & Boundary Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 3090069 | Gillis Rd | Gillis Rd | Kent | 0.00 | Titicup Rd | 2.05 | South Fence Rd | |
| 3090069 | Gillis Rd | Gillis Rd | Kent | 2.07 | South Fence Rd | 11.20 | Albany - Lake Grace (M001) | |
| 4040020 | Gills Rd | Gills Rd | Corrigin | 0.00 | Lomos North Rd | 14.57 | Quairading - Corrigin Rd | |
| 6040380 | Gilpin St | Gilpin St | Esperance | 0.00 | Rogers St | 0.58 | Shelden Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 3110081 | Gimbel Rd | Gimbel Rd | Lake Grace | 0.00 | Kulin Lake Grace Rd | 4.10 | Kulin LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|-----------------------|--------|-------------------------|---|
| 4120113 | Gimbel Rd | Gimbel Rd | Kulin | 0.00 | Magee Rd | 4.36 | Lake Grace LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 6040535 | Gimlet Rd | Gimlet Rd | Esperance | 0.00 | Magagnotti Rd | 4.05 | Ainsworth Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040535 | Gimlet Rd | Gimlet Rd | Esperance | 4.10 | Ainsworth Rd | 8.10 | Hanson Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040535 | Gimlet Rd | Gimlet Rd | Esperance | 8.16 | Hanson Rd | 16.76 | Salmon Gums West Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040535 | Gimlet Rd | Gimlet Rd | Esperance | 16.84 | Salmon Gums West Rd | 20.25 | Machen Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 5070002 | Gingin Brook Rd | Gingin Brook Rd | Gingin | 0.00 | Brand Hwy | 29.15 | Indian Ocean Dr | |
| 2080197 | Giorgi Rd | Giorgi Rd | Dardanup | 0.00 | South Western Hwy | 0.84 | Temple Rd | |
| 6040507 | Gladstone St | Gladstone St | Esperance | 0.00 | Dempster St | 0.12 | 0.12 Km Past Windich St | |
| 5030116 | Glamoff Rd | Glamoff Rd | Dalwallinu | 0.00 | Rabbit Proof Fence Rd | 20.66 | Sanderson Rd | |
| 5030116 | Glamoff Rd | Glamoff Rd | Dalwallinu | 20.66 | Sanderson Rd | 27.28 | Goodlands Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|--------------------------|----------|---------------------------|--------|----------------------------|--|
| 5030116 | Glamoff Rd | Glamoff Rd | Dalwallinu | 27.28 | Goodlands Rd | 44.17 | Kulja Central Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 5030116 | Glamoff Rd | Glamoff Rd | Dalwallinu | 44.17 | Kulja Central Rd | 51.54 | Glamoff Rd - End Road | |
| 1130289 | Glassford Rd | Glassford Rd | Belmont (C) | 0.00 | Abernethy Rd | 1.62 | Norlin St | |
| 4080016 | Glatz Rd | Glatz Rd | Goomalling | 0.00 | Goomalling - Calingiri Rd | 13.84 | Carter Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h No Operation between 7:00 AM to 9:00 AM and 2:30 PM to 4:00 PM Curfew applies to school days only. |
| 3070072 | Gleeson Rd | Gleeson Rd | Gnowangerup | 0.00 | Rabbit Proof Fence Rd | 15.48 | Gnowangerup Jerramungup Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1090106 | Glen Rd | Glen Rd | Swan (C) | 0.00 | Great Northern Hwy | 0.05 | Hallatt Gdns | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 2010020 | Glenarty Rd | Glenarty Rd | Augusta - Margaret River | 0.00 | Brockman Hwy | 7.29 | Kudardup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Brockman Hwy : No left turn permitted into Brockman Hwy from Glenarty Rd Intersection Wilson Rd : No right turn permitted into Wilson Rd (eastbound) from Glenarty Rd (northbound) |
| 4010033 | Glencoe Rd | Glencoe Rd | Beverley | 0.00 | Barrington Rd | 6.74 | Balkuling Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|-------------------------|--------|---|--|
| 2050064 | Glendon Rd | Glendon Rd | Busselton (C) | 0.00 | Ludlow - Hithergreen Rd | 3.77 | Downs Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6110219 | Glendower Rd | Glendower Rd | Yilgarn | 0.00 | Ghooli South Rd | 9.80 | Southern Cross Marvel Loch Rd & Unkovich Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3070112 | Glenelg Rd | Glenelg Rd | Gnowangerup | 0.00 | Sandalwood Rd | 1.35 | Glenelg Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4020040 | Glenester Rd | Glenester Rd | Brookton | 0.00 | Walwalling Rd | 1.90 | Severin Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 1141463 | Glenferrie Rd | Glenferrie Rd | Canning (C) | 0.00 | Felspar St | 0.23 | | <ul style="list-style-type: none"> Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. No operation permitted from 5:00am to 6:00pm on weekdays. Two RAVs must not travel on the road in opposing directions. The road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction |
| 4300015 | Glenfield Rd | Glenfield Rd | Williams | 0.00 | Narrogin Rd | 13.63 | Williams Kondinin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3070086 | Glengarry Rd | Glengarry Rd | Gnowangerup | 0.00 | Camballup Rd | 0.80 | Glengarry Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|-----------------------|----------|-------------------------------------|--------|---------------------------------------|--|
| 3070125 | Glengarry Rd | Glengarry Rd | Gnowangerup | 0.00 | Hughes St | 0.81 | Walsh St & Gnowangerup - Tambellup Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 5051022 | Glengarry Rd | Glengarry Rd | Greater Geraldton (C) | 0.00 | Geraldton Mt Magnet Rd | 11.10 | Glengarry Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4090056 | Glenluce Rd | Glenluce Rd | Kellerberrin | 0.00 | Glenluce Rd - Start Road | 17.39 | Quairading LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4240080 | Glenluce Rd | Glenluce Rd | Quairading | 0.00 | Munyard Rd & Pantapin North West Rd | 5.06 | Kellerberrin LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4040065 | Glenmore Rd | Glenmore Rd | Corrigin | 0.00 | Quairading - Corrigin Rd | 3.50 | Bilbarin - Quairading Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|--------------------------|--------------------------|----------|---------------------------------------|--------|---|---|
| 3160027 | Glenorchy South Rd | Glenorchy South Rd | West Arthur | 0.00 | Qualeup North Rd & Wongerup Rd | 8.93 | Arthur River - Dinninup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Bridge 4020 Arthur River : Bridge not to be crossed. |
| 6080007 | Glenorn - Yundamindra Rd | Glenorn - Yundamindra Rd | Leonora | 0.00 | Old Laverton Rd | 55.21 | Yundamindra - Woolshed Rd | |
| 3050013 | Glenrowan Rd | Glenrowan Rd | Denmark | 0.00 | Turner Rd & Redman Rd & Walter Rd | 5.61 | Roberts Rd | |
| 5070370 | Glenrowan Rd | Glenrowan Rd | Gingin | 0.00 | Indian Ocean Dr | 1.33 | 1.33km From Indian Ocean Dr | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 5170004 | Glentromie - Yerecoin Rd | Glentromie - Yerecoin Rd | Victoria Plains | 0.00 | Great Northern Hwy | 0.95 | For 0.95 Km to Mackie Hay Access Gate | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5170004 | Glentromie - Yerecoin Rd | Glentromie - Yerecoin Rd | Victoria Plains | 0.95 | For 0.95 Km to Mackie Hay Access Gate | 15.61 | Toodyay - Bindi Bindi Rd | |
| 2030009 | Glentulloch Rd | Glentulloch Rd | Bridgetown - Greenbushes | 0.00 | South Western Hwy | 10.15 | Carbunup Brook Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No Operation Weekdays from 7:30 AM to 9:00 AM and 3:00 PM to 4:30 PM Curfew applies on school days only. |
| 5180071 | Glenvar Rd | Glenvar Rd | Wongan - Ballidu | 0.00 | Old Ballidu Rd | 3.06 | Glenvar Rd - End Road | |
| 1106004 | Global Rd | Global Rd | Wanneroo (C) | 0.00 | Hemisphere St | 0.15 | | |
| 1106946 | Glory Rd | Glory Rd | Wanneroo (C) | 0.00 | Supreme Loop | 0.29 | Supreme Loop | |
| 1101282 | Glossop St | Glossop St | Wanneroo (C) | 0.00 | Buckingham Dr | 0.20 | Dellamarta Rd | |
| 1102401 | Glover St | Glover St | Wanneroo (C) | 0.00 | Attwell St | 0.21 | Christable Wy | |
| 5030157 | Glowery St | Glowery St | Dalwallinu | 0.00 | Great Northern Hwy | 0.36 | Glowery St - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Great Northern Hwy : No Left Turn Into Great Northern Hwy From Glowery St |
| 1092104 | Glyde Ct | Glyde Ct | Swan (C) | 0.00 | Boulder Rd | 0.22 | Glyde Ct - End Road | |
| 4030025 | Gmeiner Rd | Gmeiner Rd | Bruce Rock | 0.00 | Kwolyin South Rd | 7.74 | Hughes Rd | |
| 1090549 | Gnangara Rd | Gnangara Rd | Swan (C) | 5.10 | Gaskell Rd (Restricted Access) | 6.59 | Gnangara Rd & Gnangara Rd (Westbound) on to Tonkin Hwy (Southbound) | |
| 1100004 | Gnangara Rd | Gnangara Rd | Wanneroo (C) | 1.13 | Rigali Wy | 4.21 | Gnangara Rd & Ocean Reef Rd & Sydney Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|--------------------------|----------|--------------------------------------|--------|---|--|
| H317 | Gnangara Rd (Eastbound) on to Tonkin Hwy (Northbound) | Gnangara Rd (Eastbound) on to Tonkin Hwy (Northbound) | Swan (C) | 0.00 | Gnangara Rd | 0.69 | Tonkin Hwy | |
| H321 | Gnangara Rd (Eastbound) on to Tonkin Hwy (Southbound) | Gnangara Rd (Eastbound) on to Tonkin Hwy (Southbound) | Swan (C) | 0.00 | Gnangara Rd | 0.24 | Gnangara Rd (Westbound) on to Tonkin Hwy (Southbound) | |
| H318 | Gnangara Rd (Westbound) on to Tonkin Hwy (Northbound) | Gnangara Rd (Westbound) on to Tonkin Hwy (Northbound) | Swan (C) | 0.00 | Gnangara Rd | 0.15 | Gnangara Rd (Eastbound) on to Tonkin Hwy (Northbound) | |
| H320 | Gnangara Rd (Westbound) on to Tonkin Hwy (Southbound) | Gnangara Rd (Westbound) on to Tonkin Hwy (Southbound) | Swan (C) | 0.00 | Gnangara Rd | 0.94 | Tonkin Hwy | |
| 2010377 | Gnarawary Rd | Gnarawary Rd | Augusta - Margaret River | 0.00 | Bussell Hwy & Darch Rd | 3.89 | Boodjidup Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 6020038 | Gnarlbine Rd | Gnarlbine Rd | Coolgardie | 0.00 | Nepean Rd | 0.73 | Victoria Rock Rd & Jobson St | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 4120108 | Gnarming Railway Rd | Gnarming Railway Rd | Kulin | 0.00 | Kulin Kondinin Rd | 1.03 | Southall Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4120017 | Gnarming Rd East | Gnarming Rd East | Kulin | 0.00 | Kulin Kondinin Rd & Gnarming West Rd | 11.46 | Jilakin Rock Rd North | |
| 4120013 | Gnarming West Rd | Gnarming West Rd | Kulin | 0.00 | Gnarming Rd East & Kulin Kondinin Rd | 27.12 | Yealering - Kulin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4040015 | Gnerkadilling Rd | Gnerkadilling Rd | Corrigin | 0.00 | Bendering Rd | 18.00 | Willis Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3090004 | Gnowangerup - Kwobrup Rd | Gnowangerup - Kwobrup Rd | Kent | 0.00 | Katanning Nyabing Rd | 20.92 | Kwobrup Rd & North Boundary Rd | |
| 3030294 | Gnowangerup - Tambellup Rd | Gnowangerup - Tambellup Rd | Broomehill - Tambellup | 0.00 | Gnowangerup LGA Boundary | 26.27 | Great Southern Hwy & Garrity St | <ul style="list-style-type: none"> Headlights to be switched on at all times |
| 3070145 | Gnowangerup - Tambellup Rd | Gnowangerup - Tambellup Rd | Gnowangerup | 0.00 | Walsh St & Glengarry Rd | 12.76 | Broomehill - Tambellup LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|-------------------------|--------|--------------------------|--|
| 3020019 | Gnowellen Rd | Gnowellen Rd | Albany (C) | 0.00 | South Coast Hwy | 12.42 | Chillinup Rd | |
| 3020019 | Gnowellen Rd | Gnowellen Rd | Albany (C) | 12.65 | Chillinup Rd | 26.10 | Gnowangerup LGA Boundary | |
| 3070006 | Gnowellen Rd | Gnowellen Rd | Gnowangerup | 0.00 | Albany (C) LGA Boundary | 4.58 | | |
| 3070006 | Gnowellen Rd | Gnowellen Rd | Gnowangerup | 4.58 | | 6.94 | Sandalwood Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4310085 | Gnuca - Nalkain Rd | Gnuca - Nalkain Rd | Wyalkatchem | 0.00 | Wyalkatchem - Koorda Rd | 1.29 | Holdsworth Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4310085 | Gnuca - Nalkain Rd | Gnuca - Nalkain Rd | Wyalkatchem | 1.37 | Holdsworth Rd | 4.80 | Martin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4310085 | Gnuca - Nalkain Rd | Gnuca - Nalkain Rd | Wyalkatchem | 4.86 | Martin Rd | 8.37 | Wallambin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030031 | Goatcher Rd | Goatcher Rd | Dalwallinu | 0.00 | Great Northern Hwy | 28.63 | Rabbit Proof Fence Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|-----------------------|--------|-----------------------|--|
| 4150018 | Gobbart Rd | Gobbart Rd | Mount Marshall | 0.00 | Bencubbin - Gabbin Rd | 7.58 | Surtees Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6110158 | Gobetti Rd | Gobetti Rd | Yilgarn | 0.00 | Goodhill Rd | 8.60 | Parker Range Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4070144 | Goddard Siding Rd | Goddard Siding Rd | Dowerin | 0.00 | Underwood Flat Rd | 1.14 | Dowerin - Kalannie Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Dowerin - Kalannie Rd : No right turn permitted into Dowerin-Kalannie Rd from Goodard Siding Rd |
| 1102089 | Godel Rd | Godel Rd | Wanneroo (C) | 0.00 | Gibbs Rd | 0.60 | Quarry Access At 600m | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|---|---|----------|-----------------------------|--------|--|--|
| 2160008 | Gold Gully Rd | Gold Gully Rd | Nannup | 0.00 | Vasse Hwy | 22.52 | Brockman Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 2140095 | Gold Mine Rd | Gold Mine Rd | Boddington | 0.00 | Bannister Marradong Rd | 9.60 | Mine Access Rd (P) | <ul style="list-style-type: none"> Maximum speed 80 km/h |
| 6110003 | Golden Valley Rd | Golden Valley Rd | Yilgarn | 0.00 | Mt Jackson Rd | 14.00 | Mt Jackson Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| H049 | Goldfields Hwy | Goldfields Hwy Tower St Wiluna Bypa | Coolgardie Kalgoorlie - Boulder (C) Menzies Leonora Wiluna Meekatharra | 0.00 | Coolgardie Esperance Hwy | 793.28 | Great Northern Hwy & Main St | |
| 4060170 | Goldfields Rd | Goldfields Rd | Cunderdin | 0.00 | Quairading LGA Boundary | 14.17 | York - Tammin Rd & Rabbit Proof Fence South Rd | |
| 4090010 | Goldfields Rd | Goldfields Rd | Kellerberrin | 0.00 | Tammin LGA Boundary | 9.28 | Kellerberrin - Bencubbin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4090010 | Goldfields Rd | Goldfields Rd | Kellerberrin | 9.37 | Kellerberrin - Bencubbin Rd | 42.23 | Goldfields Rd West | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|------------------------------|--------|---------------------------|---|
| 4130027 | Goldfields Rd | Goldfields Rd | Trayning | 0.00 | Sherzinger Rd | 5.30 | Gale Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4130027 | Goldfields Rd | Goldfields Rd | Trayning | 9.50 | Swamp Well Rd | 15.39 | Trayning North Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4140090 | Goldfields Rd | Goldfields Rd | Merredin | 0.00 | Burracoppin South Rd | 6.54 | Great Eastern Hwy | |
| 4140090 | Goldfields Rd | Goldfields Rd | Merredin | 6.55 | Great Eastern Hwy | 11.32 | Booran North Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Booran North Rd : No left turn permitted into Booran North Rd from Goldfields Rd |
| 4140090 | Goldfields Rd | Goldfields Rd | Merredin | 11.88 | Booran North Rd | 20.57 | Chandler - Merredin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4140090 | Goldfields Rd | Goldfields Rd | Merredin | 20.57 | Chandler - Merredin Rd | 26.50 | Hubeck Rd & Crooks Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4140090 | Goldfields Rd | Goldfields Rd | Merredin | 26.50 | Hubeck Rd & Crooks Rd | 32.69 | Nangeenan North Rd | |
| 4140090 | Goldfields Rd | Goldfields Rd | Merredin | 32.69 | Nangeenan North Rd | 42.65 | Hines Hill North Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4240167 | Goldfields Rd | Goldfields Rd | Quairading | 0.00 | York - Tammin Rd | 9.16 | Cunderdin LGA Boundary | |
| 4250002 | Goldfields Rd | Goldfields Rd | Tammin | 0.00 | Hinsley Rd & Tammin South Rd | 12.08 | Kellerberrin LGA Boundary | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---------------------------|--------------------------|----------|--------------------------|--------|-------------------------------------|--|
| 4280008 | Goldfields Rd | Goldfields Rd | Westonia | 0.00 | Carrabin Siding Rd | 16.93 | Burracoppin South Rd | <ul style="list-style-type: none"> Intersection Burracoppin South Rd : No left turn permitted into Burracoppin South Rd from Goldfields Rd. |
| 4310015 | Goldfields Rd | Goldfields Rd | Wyalkatchem | 0.00 | Wyalkatchem - Koorda Rd | 16.95 | McNee Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2080193 | Golding Cr | Golding Cr | Dardanup | 0.00 | Harris Rd | 1.51 | Boyanup Picton Rd | |
| 2050475 | Goldsmith St | Goldsmith St | Busselton (C) | 0.00 | Strelly St | 0.13 | Wright St | |
| 8120065 | Goldsworthy - Shay Gap Rd | Goldsworthy - Shay Gap Rd | East Pilbara | 0.00 | Goldsworthy Rd | 75.17 | Muccan - Shay Gap Rd & Bore Line Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 5100173 | Golf Club Rd | Golf Club Rd | Moora | 0.00 | Miling East Rd | 2.73 | Great Northern Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5170021 | Golf Course Rd | Golf Course Rd | Victoria Plains | 0.00 | Toodyay - Bindi Bindi Rd | 11.89 | Motoning Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4130064 | Golf Links Rd | Golf Links Rd | Trayning | 0.00 | Sherzinger Rd | 2.80 | Goldfields Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4250030 | Golf Links Rd | Golf Links Rd | Tammin | 0.00 | Yorkrakine Rd | 6.48 | Packham Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 2030004 | Gommes L | Gommes L | Bridgetown - Greenbushes | 0.00 | South Western Hwy | 6.26 | Glentulloch Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No Operation Weekdays from 7:30 AM to 9:00 AM and 3:00 PM to 4:30 PM Curfew applies on school days only. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|---------------------|--------|-----------------------|---|
| 4211138 | Gooch Rd | Gooch Rd | Northam | 0.00 | Spencers Brook Rd | 2.45 | Gooch Rd - End Road | <ul style="list-style-type: none"> Empty Travel Only |
| 5010103 | Gooch St | Gooch St | Carnamah | 0.11 | 0.11km From King St | 0.26 | Mineral Sands Rd | |
| 3090027 | Goodchild Rd | Goodchild Rd | Kent | 0.00 | Nyabing South Rd | 6.92 | Moornaming South Rd | |
| 4150125 | Gooder Rd | Gooder Rd | Mount Marshall | 0.00 | Hiscox Rd | 2.53 | Cleary - Gabbin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6110029 | Goodhill Rd | Goodhill Rd | Yilgarn | 0.00 | Parker Range Rd | 8.80 | Gobetti Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Parker Range Rd : No access permitted into Parkers Range Rd from Goodhill Rd |
| 5180078 | Goodie Rd | Goodie Rd | Wongan - Ballidu | 0.00 | Danubin St | 3.37 | Kalguddering North Rd | |
| 3060052 | Gooding Rd | Gooding Rd | Dumbleyung | 0.00 | Edwards Rd | 4.76 | Moulyinning South Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|--|--------------------------------|----------|------------------------------------|--------|------------------------------|--|
| 3060052 | Gooding Rd | Gooding Rd | Dumbleyung | 4.95 | Moulyinning South Rd | 8.53 | Rabbit Proof Fence Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Clarkes Rd : No access permitted into Clarkes Rd from Gooding Rd |
| 5030003 | Goodlands Rd | Goodlands Rd | Dalwallinu | 0.00 | Dalwallinu - Kalannie Rd | 70.92 | Perenjori LGA Boundary | |
| 5140167 | Goodlands Rd | Goodlands Rd | Perenjori | 0.00 | Great Northern Hwy | 5.00 | Dalwallinu LGA Boundary | |
| 6040100 | Goodwin Rd | Goodwin Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 3.85 | Andrews Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| M042 | Goodwood | Capel Dr Forrest Rd Hutton Rd Goodwood Rd Emerald St Marmion St | Capel Donnybrook - Balingup | 0.00 | Gavins Rd & Capel Dr & Widdeson Rd | 37.68 | South Western Hwy | |
| 4030117 | Gooleys Lake Rd | Gooleys Lake Rd | Bruce Rock | 0.00 | Foales Rd | 2.30 | Gooley Lake Rd - End Road | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4080107 | Goomalling - Calingiri Rd | Goomalling - Calingiri Rd | Goomalling | 0.00 | Main St | 30.04 | Victoria Plains LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 5170123 | Goomalling - Calingiri Rd | Goomalling - Calingiri Rd | Victoria Plains | 0.00 | Goomalling LGA Boundary | 21.02 | Toodyay - Bindri Bindri Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---|--|----------|----------------------------------|--------|--------------------------------------|--|
| 4060002 | Goomalling - Meckering Rd | Goomalling - Meckering Rd | Cunderdin | 0.00 | Dunlop St & Carter Rd | 20.09 | Goomalling - Meckering Rd & Dwyer Rd | <ul style="list-style-type: none"> Intersection North Rd : No left turn permitted into North Rd from Goomalling-Meckering Rd Intersection Antonio Rd : No left turn permitted into Antonio Rd from Goomalling-Meckering Rd |
| 4080001 | Goomalling - Meckering Rd | Goomalling - Meckering Rd | Goomalling | 0.00 | Northam Pithara Rd | 21.90 | Goomalling - Meckering Rd & Dwyer Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| M016 | Goomalling Merredin | Goomalling Wyalkatchem Rd Goldfields Rd Hands Dr Nungarin Wyalkatchem Rd Railway St Railway Av Merredin Nungarin Rd Gamenya Av Barrack St | Goomalling Dowerin Wyalkatchem Trayning Nungarin Merredin | 0.00 | Unknown Rd & Northam Pithara Rd | 171.93 | Great Eastern Hwy | <ul style="list-style-type: none"> Intersection Benjaberring South Rd & Davies South Rd : No access permitted into Davies South Rd from Goomalling Merredin Rd Intersection Allan Rd : No access permitted into Allan Rd from Goomalling Merredin Rd |
| M060 | Goomalling Toodyay | Railway Tce Lockyer St Goomalling Toodyay Rd | Goomalling Toodyay | 0.00 | Throssell St & Main St | 48.02 | Stirling Tce & Toodyay Rd | <ul style="list-style-type: none"> Intersection Hughes Rd : No left turn permitted into Hughes Rd from Goomalling Toodyay Rd |
| 4140019 | Goomarin - Nukarni Rd | Goomarin - Nukarni Rd | Merredin | 0.00 | Talgomine Reserve Rd | 8.48 | Nungarin LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4220019 | Goomarin - Nukarni Rd | Goomarin - Nukarni Rd | Nungarin | 0.00 | Payne Rd & Goomarin - Nukarni Rd | 6.04 | Merredin LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|-----------------------|----------|-------------------------|--------|------------------------------------|--|
| 4140037 | Goomarin Rd | Goomarin Rd | Merredin | 0.00 | Chandler - Merredin Rd | 11.41 | Woodward Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Chandler - Merredin Rd : No access permitted into Chandler Merredin Rd from Goomarin Rd |
| 4080113 | Goon Gooning Rd | Goon Gooning Rd | Goomalling | 0.00 | Beecroft Rd | 0.94 | Long Forrest Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5040049 | Goonderdoo Rd | Goonderdoo Rd | Dandaragan | 0.00 | Winjardie Rd | 5.18 | Dinner Hill Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 0020011 | Gordon Downs Rd | Gordon Downs Rd | Halls Creek | 0.00 | Duncan Rd | 52.47 | Gordon Downs Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 5051464 | Gordon Garratt Dr | Gordon Garratt Dr | Greater Geraldton (C) | 0.00 | Geraldton Mt Magnet Rd | 0.62 | 0.62km From Geraldton Mt Magnet Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No Operation between the hours of sunset and sunrise |
| 2120397 | Gordon Rd | Gordon Rd | Mandurah (C) | 0.00 | Mandurah Rd & Gordon Rd | 2.78 | Lakes Rd & Lakes Rd East | |
| 3110040 | Gordon Rd | Gordon Rd | Lake Grace | 0.00 | Lake Grace Newdegate Rd | 4.35 | Gordon Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6100025 | Gordon Rd | Gordon Rd | Ravensthorpe | 0.00 | South Coast Hwy | 5.83 | Thomas Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|--|--------------------------|----------|--|--------|--------------------------|--|
| 3040019 | Gordon St | Gordon St | Cranbrook | 0.01 | Northwest of The Powerlines At The Intersection of Gathorne St & Gordon St | 0.38 | Bridge St & King St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Height not to exceed 4.3 metres |
| 4180005 | Gordon St | Gordon St | Narrogin | 0.00 | Hartoge St & Former Station Access - Was Doney St & Doney St | 0.56 | Gordon St Cul-De-Sac | |
| 6055055 | Gordons Rd | Gordons Rd | Kalgoorlie - Boulder (C) | 0.00 | Yarri Rd | 10.76 | Gordons Rd - End Road | |
| M017 | Gorge Rock Lake Grace | Corrigin Kulin Rd Davies Rd | Corrigin Kulin | 0.00 | Corrigin Kondinin Rd | 29.07 | Kulin West Rd | |
| M017 | Gorge Rock Lake Grace | Davies Rd | Kulin | 29.07 | Kulin West Rd | 30.11 | Williams Kondinin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| M017 | Gorge Rock Lake Grace | Johnston St Kulin Lake Grace Rd South Rd | Kulin Lake Grace | 30.46 | Johnston St & High St | 101.68 | South Rd & Stubbs St | <ul style="list-style-type: none"> Intersection Stewart St & Johnston St : No left turn permitted into Stewart St from Gorge Rock Lake Grace Intersection Cbh Access Rd & Kulin Kondinin Rd : No access permitted into CBH Access Rd from Gorge Rock Lake Grace |
| 3160048 | Gorn Rd | Gorn Rd | West Arthur | 0.00 | Woodanilling LGA Boundary | 7.23 | Bokal South Rd | |
| 3170051 | Gorn Rd | Gorn Rd | Woodanilling | 0.00 | Leggoe Rd | 0.58 | West Arthur LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|-------------------|--------|-----------------------------|---|
| 4010030 | Gors Rd | Gors Rd | Beverley | 0.00 | Mawson Rd | 4.45 | Greenhills South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3120173 | Gorton Rd | Gorton Rd | Plantagenet | 0.00 | Mallawillup Rd | 3.60 | Gorton Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h Maximum speed of 60km/h on gravel roads. |
| 1040982 | Gosnells Rd East | Gosnells Rd East | Gosnells (C) | 0.00 | Tonkin Hwy | 1.21 | Gosnells Rd East - End Road | |
| 2110419 | Goss Rd | Goss Rd | Harvey | 0.00 | Forrest Hwy | 1.60 | 1.6km From Forrest Hwy | |
| 5170030 | Goudge Rd | Goudge Rd | Victoria Plains | 0.00 | Calingiri Rd | 8.80 | Newdale Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School Bus Route - Contact Operators on UHF CH 11 |
| 5170030 | Goudge Rd | Goudge Rd | Victoria Plains | 8.80 | Newdale Rd | 11.44 | Newdale Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5160105 | Gould Rd | Gould Rd | Chapman Valley | 0.00 | Chapman Valley Rd | 0.93 | Gould Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|--------------------------|----------|-------------------------------------|--------|---------------------------------------|--|
| 5010051 | Gould Simpson Rd | Gould Simpson Rd | Carnamah | 0.00 | Erindoon Rd & Rocky Spring Rd | 4.43 | Gould-Simpson Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5190055 | Gould Simpson Rd | Gould Simpson Rd | Coorow | 0.00 | Woolmulla Rd & Cockleshell Gully Rd | 0.80 | Farm 0.8km From Woolmulla Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5051180 | Goulds Rd | Goulds Rd | Greater Geraldton (C) | 0.00 | Rudds Gully Rd | 3.52 | Geraldton Mt Magnet Rd | |
| 4100039 | Government Dam Rd | Government Dam Rd | Kondinin | 0.00 | Notting - Karlgarin Rd | 3.99 | Bendering East Rd | |
| 2010033 | Governor Broome Rd | Governor Broome Rd | Augusta - Margaret River | 0.00 | Scott River Rd | 1.35 | Coostien Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Scott River Rd : No left turn permitted into Scott River Rd from Governor Broome Rd |
| 2010033 | Governor Broome Rd | Governor Broome Rd | Augusta - Margaret River | 5.09 | Dennis Rd | 6.34 | Nannup LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2160007 | Governor Broome Rd | Governor Broome Rd | Nannup | 0.00 | Fouracres Rd & Milyeannup Coast Rd | 10.97 | Augusta - Margaret River LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|--------------------------|----------|----------------------------|--------|--|---|
| 5030070 | Gowrie Rd | Gowrie Rd | Dalwallinu | 0.00 | Nugadong East Rd | 18.63 | Pithara East Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 6110051 | Grace Rd | Grace Rd | Yilgarn | 0.00 | Parker Range Rd | 35.45 | Dulyalbin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4310109 | Grace St | Grace St | Wyalkatchem | 0.00 | Mitchell St | 0.61 | Aquatic Access Rd & Railway Tce & Town Access Rd | |
| 6051001 | Graeme St | Graeme St | Kalgoorlie - Boulder (C) | 0.00 | Maritana St | 1.11 | Eureka St West & Graeme St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 6051094 | Graeme St | Graeme St | Kalgoorlie - Boulder (C) | 0.00 | Eureka St West & Graeme St | 0.30 | Keogh Lane | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3030045 | Graham Rd | Graham Rd | Broomehill - Tambellup | 0.00 | Heron Rd | 3.72 | Fletcher Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4040084 | Graham Rd | Graham Rd | Corrigin | 0.00 | Corrigin Kondinin Rd | 2.09 | Graham Rd - End Road | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------------|----------|--|--------|-----------------------------|---|
| 4120099 | Graham Rd | Graham Rd | Kulin | 0.00 | Southall Rd | 3.06 | Kulin Kondinin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4160011 | Graham Rd | Graham Rd | Mukinbudin | 0.00 | Borlase Rd & Mukinbudin - Bonnie Rock Rd | 14.09 | Bonnie Rock - Lake Brown Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4180077 | Graham Rd | Graham Rd | Narrogin | 0.00 | Condon Rd & Great Southern Hwy | 0.82 | Mokine Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 4180303 | Graham Rd | Graham Rd | Narrogin | 0.00 | Tarwonga Rd | 10.71 | Williams LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4300024 | Graham Rd | Graham Rd | Williams | 0.00 | Glenfield Rd | 1.95 | Narrogin LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4100070 | Graham Rock Rd | Graham Rock Rd | Kondinin | 0.00 | Sharps Rd | 7.89 | Hyden-Lake King Rd | |
| 4270027 | Grahams Rd | Grahams Rd | Wandering | 0.00 | Mooterdine Loop | 2.21 | Noombling - Norrine Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3030090 | Grahams Well Rd | Grahams Well Rd | Broomehill - Tambellup | 0.00 | Warrenup Rd | 2.88 | Kojonup LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|--------------------------|----------|---|--------|--|--|
| 3100088 | Grahams Well Rd | Grahams Well Rd | Kojonup | 0.00 | Potts Rd | 8.21 | Broomehill - Tambellup LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| M077 | Granary Dr | Granary Dr | Chittering | 0.00 | Muclea East Rd & Great Northern Hwy | 3.25 | Granary Dr on to Brand Hwy (Northbound) & Brand Hwy (Southbound) off to Granary Dr | |
| H372 | Granary Dr on to Brand Hwy (Northbound) | Granary Dr on to Brand Hwy (Northbound) | Chittering | 0.00 | Granary Dr & Brand Hwy (Southbound) off to Granary Dr | 0.75 | Brand Hwy | |
| 6020161 | Granby Rd | Granby Rd | Coolgardie | 0.00 | Airleg Cr | 0.68 | Granby Rd Cul-De-Sac | |
| 2110720 | Grand Ent | Grand Ent | Harvey | 0.00 | Paris Rd | 0.94 | Ditchingham Pl & Grand Ent | |
| 2110742 | Grand Ent | Grand Ent | Harvey | 0.29 | | 1.26 | Forrest Hwy & Grand Entrance Acceleration Lane on to Forrest Hwy (Southbound) | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 2030035 | Grange Rd | Grange Rd | Bridgetown - Greenbushes | 0.00 | Mokerdillup Rd | 5.47 | | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------------|-------------------------------|--------------------------|----------|-----------------------|--------|--------------------------------------|---|
| 2030035 | Grange Rd | Grange Rd | Bridgetown - Greenbushes | 5.47 | | 9.02 | Mokerdillup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2160032 | Grange Rd | Grange Rd | Nannup | 0.61 | Balingup - Nannup Rd | 0.73 | Warren Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 6110150 | Granich Rd | Granich Rd | Yilgarn | 0.00 | Great Eastern Hwy | 13.40 | Nullanulla North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 7060004 | Granite Peak - Lake Violet Rd | Granite Peak - Lake Violet Rd | Wiluna | 0.00 | Wongawol Rd | 142.73 | Granite Peak Access Rd & Earahedy Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1140963 | Granite Pl | Granite Pl | Canning (C) | 0.00 | Felspar St | 0.25 | Granite Pl - End Road | |
| 3080109 | Grant Rd | Grant Rd | Katanning | 0.00 | Kojonup Katanning Rd | 1.83 | Grant Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3110116 | Grant Rd | Grant Rd | Lake Grace | 0.00 | Magenta Rd | 5.64 | Grant Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4150046 | Grant Rd | Grant Rd | Mount Marshall | 0.00 | Welbungin - Wialki Rd | 8.24 | Bencubbin - Beacon Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 5140014 | Grant Rd | Grant Rd | Perenjori | 0.00 | Mullewa Wubin Rd | 9.00 | Odea Rd | |
| 5140014 | Grant Rd | Grant Rd | Perenjori | 9.00 | Odea Rd | 13.90 | Koolanooka Rd | <ul style="list-style-type: none"> Note: Low Volume (LV) Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5140014 | Grant Rd | Grant Rd | Perenjori | 13.90 | Koolanooka Rd | 19.51 | Boundary Rd | |
| 2040706 | Grant Smith Ent | Grant Smith Ent | Bunbury (C) | 0.00 | South Western Hwy | 0.10 | McCombe Rd | |
| 3090077 | Grant Williams Rd | Grant Williams Rd | Kent | 0.00 | Dyke Rd | 10.68 | Ryans Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|------------------|----------|--------------------------|--------|-----------------------------|---|
| 3110206 | Granville Rd | Granville Rd | Lake Grace | 0.00 | Edwards Rd | 5.69 | Granville Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2130543 | Graphite Rd | Graphite Rd | Manjimup | 0.00 | South Western Hwy | 25.88 | Coronation Rd & Graphite Rd | <ul style="list-style-type: none"> 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 6040008 | Grass Patch Rd | Grass Patch Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 56.21 | Neds Corner Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4211028 | Grass Valley North Rd | Grass Valley North Rd | Northam | 0.00 | Jennapullin Rd | 10.52 | Southern Brook Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4211024 | Grass Valley South Rd | Grass Valley South Rd | Northam | 0.00 | Muluckine Rd & Keane St | 7.28 | Carter Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h No Operation from 7:00 AM to 8:30 AM and 4:00 PM to 5:00 PM When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Tank Rd : No left turn permitted into Tank Rd from Grass Valley South Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|------------------|----------|--------------------------------|--------|--------------------------------|---|
| 4211024 | Grass Valley South Rd | Grass Valley South Rd | Northam | 7.28 | Carter Rd | 14.63 | York LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4330024 | Grass Valley South Rd | Grass Valley South Rd | York | 0.00 | Sees Rd & Quellington Rd | 2.13 | Northam LGA Boundary | <ul style="list-style-type: none"> Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4100097 | Gravel Pit North Rd | Gravel Pit North Rd | Kondinin | 0.00 | East Hyden Bin Rd & Nicholl Rd | 4.10 | Gravel Pit North Rd - End Road | |
| 4110030 | Graves Rd | Graves Rd | Koorda | 0.00 | Kalannie - Kulja Rd | 7.37 | Kulja Central Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 5160073 | Gray Dindiloa Rd | Gray Dindiloa Rd | Chapman Valley | 0.00 | Chapman Valley Rd | 2.63 | Dindiloa Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 70 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4150073 | Gray Rd | Gray Rd | Mount Marshall | 0.00 | Surtees Rd | 3.46 | Koorda - Bullfinch Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|----------------------|----------|---|--------|---|---|
| 4150073 | Gray Rd | Gray Rd | Mount Marshall | 3.46 | Koorda - Bullfinch Rd | 6.74 | Gabbin - Narkal Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4290063 | Gray Rd | Gray Rd | Wickepin | 0.00 | Ward Rd & Harrismith South Rd | 4.01 | Kulin - Dumbleyung Rd & Boundary Rd & Rabbit Proof Fence Rd Sth | |
| 5020016 | Gray Rd | Gray Rd | Chittering | 0.00 | Great Northern Hwy | 6.90 | Gray Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4170051 | Grays Rd | Grays Rd | Narembreen | 0.00 | Soldiers Rd | 3.44 | Sloss Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6070087 | Great Central Rd | Great Central Rd | Laverton | 0.00 | Augusta St & Spence St | 435.91 | Ngaanyatjarraku LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. All operators must obtain an Aboriginal Affairs Planning Authority (AAPA) Lands Permit prior to travelling on the road. Permits can be obtained through the Department of Planning, Lands and Heritage website. |
| 6120015 | Great Central Rd | Great Central Rd | Ngaanyatjarraku | 0.00 | Laverton LGA Boundary | 437.09 | Great Central Rd - Lg & State Bdry | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. All operators must obtain an Aboriginal Affairs Planning Authority (AAPA) Lands Permit prior to travelling on the road. Permits can be obtained through the Department of Planning, Lands and Heritage website. |
| H005 | Great Eastern Hwy | Great Eastern Hwy | Belmont (C) Swan (C) | 6.25 | Great Eastern Hwy on to Tonkin Hwy (Northbound) | 10.02 | Kalamunda Rd | |
| H005 | Great Eastern Hwy | Great Eastern Hwy | Swan (C) Mundaring | 15.97 | Lloyd St | 17.76 | Farrall Rd & Horace St | <ul style="list-style-type: none"> Intersection Lloyd St : No left turn permitted into Lloyd St from Great Eastern Hwy |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|---|--|----------|------------------------|--------|---|---|
| H005 | Great Eastern Hwy | Great Eastern Hwy | Mundaring | 17.76 | Farrall Rd & Horace St | 23.54 | Bilgoman Rd | <ul style="list-style-type: none"> RAVs must travel in the left-hand lane at all times, unless; <ul style="list-style-type: none"> avoiding an obstruction; obeying a traffic-control signal; or intending to turn off the carriageway, and in order to do so safely it is necessary to position the vehicle in another lane before starting the turn. RAVs must not park in the stopping bay. RAVs must only stop long enough to conduct a brake check, select low gear, select the appropriate auxiliary brake setting and commence descent. Prior to descending Greenmount Hill, RAVs must pull into the bay at the top of the hill (SLK 23.48), stop & conduct a brake system check. When descending Greenmount Hill, drivers must ensure they engage low gear, use their auxiliary brakes and must not exceed a maximum speed of 40 km/h. |
| H005 | Great Eastern Hwy | Great Eastern Hwy Dreyer St Throssell St Johnston St Donnan St Massingham St Orion St Bayley St Hannan St | Mundaring Northam Cunderdin Tammin Kellerberrin Merredin Westonia Yilgarn Coolgardie Kalgoorlie - Boulder (C) | 23.54 | Bilgoman Rd | 591.54 | Lane St | <ul style="list-style-type: none"> Intersection Ochiltree St : No Access To Ochiltree St From Great Eastern Hwy |
| H723 | Great Eastern Hwy (Eastbound) Slip At Start Great Eastern Hwy Bypa | Great Eastern Hwy (Eastbound) Slip At Start Great Eastern Hwy Bypa | Swan (C) | 0.00 | Great Eastern Hwy | 0.05 | Great Eastern Hwy | |
| H606 | Great Eastern Hwy (Eastbound) on to Tonkin Hwy (Southbound) | Great Eastern Hwy (Eastbound) on to Tonkin Hwy (Southbound) | Belmont (C) | 0.00 | Great Eastern Hwy | 0.90 | Tonkin Hwy | |
| H396 | Great Eastern Hwy (Westbound) on to Tonkin Hwy (Northbound) | Great Eastern Hwy (Westbound) on to Tonkin Hwy (Northbound) | Belmont (C) | 0.00 | Great Eastern Hwy | 0.33 | Great Eastern Hwy to Guildford Rd Cd Rd | |
| H595 | Great Eastern Hwy (Westbound) on to Tonkin Hwy (Southbound) | Great Eastern Hwy (Westbound) on to Tonkin Hwy (Southbound) | Belmont (C) | 0.00 | Great Eastern Hwy | 0.23 | Great Eastern Hwy (Eastbound) on to Tonkin Hwy (Southbound) | |
| H019 | Great Eastern Hwy Bypa | Great Eastern Hwy Bypa | Swan (C) | 8.53 | Great Eastern Hwy | 14.11 | Roe Hwy | |
| H395 | Great Eastern Hwy to Guildford Rd Cd Rd | Great Eastern Hwy to Guildford Rd Cd Rd | Belmont (C) Bayswater (C) | 0.00 | Tonkin Hwy | 1.80 | Tonkin Hwy | |
| 1091579 | Great Northern Hwy | Great Northern Hwy | Swan (C) | 1.45 | Richardson Rd | 1.80 | Bassett Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. 10 km/h below posted speed limit |
| 1091579 | Great Northern Hwy | Great Northern Hwy | Swan (C) | 1.80 | Bassett Rd | 2.64 | Roe Hwy & Reid Hwy & Great Northern Hwy | <ul style="list-style-type: none"> 10 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|--|----------|--|---------|-----------------------------|--|
| H006 | Great Northern Hwy | Great Northern Hwy | Swan (C) Chittering | 3.17 | Roe Hwy & Reid Hwy & Great Northern Hwy | 36.86 | Muchea East Rd & Granary Dr | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| H006 | Great Northern Hwy | Great Northern Hwy Leahy St | Chittering Victoria Plains Moora Dalwallinu Perenjori Yalgoo Mount Magnet | 36.86 | Muchea East Rd & Granary Dr | 549.83 | 0.19km Before Carroll St | <ul style="list-style-type: none"> Intersection Bell Rd : No access permitted into Bell Rd from Great Northern Hwy. Intersection Glowery St : No left turn permitted into Glowery St from Great Northern Hwy. |
| H006 | Great Northern Hwy | Great Northern Hwy Hepburn St | Mount Magnet | 549.83 | 0.19km Before Carroll St | 551.72 | 0.66km After Welcome St | <ul style="list-style-type: none"> Maximum speed 50 km/h |
| H006 | Great Northern Hwy | Great Northern Hwy Austin St Main St O'Donnell St McPhee St Harbour Rd | Mount Magnet Cue Meekatharra East Pilbara Ashburton Port Hedland (T) Broome Derby - West Kimberley Halls Creek Wyndham - East Kimberley | 551.72 | 0.66km After Welcome St | 3194.66 | Gully Rd & Meat Works Rd | <ul style="list-style-type: none"> Intersection Wandarrie - Merroe Access Rd : No right turn permitted into Wandarrie Merroe Rd from Great Northern Hwy |
| H370 | Great Northern Hwy (Southbound) off to Brand Hwy Rty | Great Northern Hwy (Southbound) off to Brand Hwy Rty | Chittering | 0.00 | Tonkin Hwy & Great Northern Hwy | 0.59 | Brand Hwy Rty | |
| H1001 | Great Northern Hwy - Apple St - Coondaree Pde Rty | Great Northern Hwy - Apple St - Coondaree Pde Rty | Swan (C) | 0.00 | Great Northern Hwy | 0.22 | Great Northern Hwy | |
| H1008 | Great Northern Hwy - Stock Rd Rty | Great Northern Hwy - Stock Rd Rty | Swan (C) | 0.00 | Great Northern Hwy | 0.23 | Great Northern Hwy | |
| 813Z026 | Great Northern Hwy off to Utah Pt Rd | Great Northern Hwy off to Utah Pt Rd | | 0.00 | Great Northern Hwy | 0.42 | Utah Point Rd (P) | |
| 3070113 | Greaves Hill Rd | Greaves Hill Rd | Gnowangerup | 0.00 | Borden - Bremer Bay Rd | 2.85 | Greaves Hill Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4110075 | Greaves Rd | Greaves Rd | Koorda | 0.00 | Booralaming - Kulja Rd | 1.64 | Moningarín Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 40 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|---------------------|--------|-----------------------|--|
| 4310023 | Greaves Rd | Greaves Rd | Wyalkatchem | 0.00 | Yorakine East Rd | 3.44 | Trayning LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4100038 | Greay Rd | Greay Rd | Kondinin | 0.00 | Bendering East Rd | 14.50 | Billericay East Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4120026 | Greay Rd | Greay Rd | Kulin | 0.00 | Kukerin Rd | 4.90 | Tarin Rock North Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5190104 | Green Head Rd | Green Head Rd | Coorow | 0.00 | Indian Ocean Dr | 3.92 | Ocean View Dr | |
| 3110082 | Green Rd | Green Rd | Lake Grace | 0.00 | Kulin Lake Grace Rd | 7.01 | Haese Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3110082 | Green Rd | Green Rd | Lake Grace | 7.01 | Haese Rd | 7.40 | Haese Rd | |
| 4110052 | Green Rd | Green Rd | Koorda | 0.00 | Maher Rd | 2.24 | Cooper Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 4150137 | Green Rd | Green Rd | Mount Marshall | 0.00 | Grylls Rd | 6.33 | Gabbin - Trayning Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------------|------------------------------|--------------------------|----------|---|--------|---|--|
| 4240059 | Green Rd | Green Rd | Quairading | 0.00 | Dulbellling North Rd | 1.94 | Green Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5190051 | Green Rd | Green Rd | Coorow | 0.00 | Davies Rd & Read Rd | 6.23 | Billeroo - Coorow Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6040216 | Green Rd | Green Rd | Esperance | 0.00 | Plowman Rd | 10.89 | Scaddan Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040216 | Green Rd | Green Rd | Esperance | 10.90 | Scaddan Rd | 25.10 | Wittenoom Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6110047 | Green Rd | Green Rd | Yilgarn | 0.00 | Eifler Rd | 7.64 | Southern Cross South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2030227 | Greenbushes - Boyup Brook Rd | Greenbushes - Boyup Brook Rd | Bridgetown - Greenbushes | 0.00 | South Western Hwy | 15.59 | Howards Rd & Greenbushes - Boyup Brook Rd | |
| 2030227 | Greenbushes - Boyup Brook Rd | Greenbushes - Boyup Brook Rd | Bridgetown - Greenbushes | 17.92 | Vlamov Rd & Greenbushes - Boyup Brook Rd | 18.72 | Bridgetown Boyup Brook Rd | |
| 2180033 | Greenbushes - Boyup Brook Rd | Greenbushes - Boyup Brook Rd | Boyup Brook | 0.00 | Howards Rd & Greenbushes - Boyup Brook Rd | 2.33 | Vlamov Rd & Greenbushes - Boyup Brook Rd | |
| 2030215 | Greenbushes - Grimwade Rd | Greenbushes - Grimwade Rd | Bridgetown - Greenbushes | 0.00 | South Western Hwy | 4.05 | Donnybrook - Balingup LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 2030080 | Greenfields Rd | Greenfields Rd | Bridgetown - Greenbushes | 0.00 | Bridgetown Boyup Brook Rd | 1.61 | Boyup Brook LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|--------------------------|----------|---------------------------|--------|------------------------|---|
| 2180034 | Greenfields Rd | Greenfields Rd | Boyup Brook | 0.00 | Donnybrook Kojonup Rd | 12.37 | Asplins Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4110077 | Greenham Rd | Greenham Rd | Koorda | 0.00 | Koorda - Mollerin Rd | 1.91 | Greenham Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4150127 | Greenham Rd | Greenham Rd | Mount Marshall | 0.00 | Koorda - Bullfinch Rd | 10.43 | Grylls Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 6055027 | Greenhill Rd | Greenhill Rd | Kalgoorlie - Boulder (C) | 0.00 | Greenhill Rd - Start Road | 0.44 | Melrose St | |
| 3080011 | Greenhills Rd | Greenhills Rd | Katanning | 0.00 | Great Southern Hwy | 5.20 | North Greenhills Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------------|----------|----------------------------|--------|------------------------------|---|
| 3120121 | Greenhills Rd | Greenhills Rd | Plantagenet | 0.00 | Yellakup Rd | 0.90 | Lionetti Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4330150 | Greenhills Rd | Greenhills Rd | York | 0.00 | Quairading York Rd | 4.86 | Penny Dr & Doodenanning Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h Intersection Quairading York Rd : No Left Turn Into York Merredin Rd From Greenhills Rd |
| 3030011 | Greenhills South Rd | Greenhills South Rd | Broomehill - Tambellup | 0.00 | Flat Rocks Rd & Brassey Rd | 11.95 | 1.65km From Poonawariup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3030011 | Greenhills South Rd | Greenhills South Rd | Broomehill - Tambellup | 11.95 | 1.65 Km Past Poonawarup Rd | 18.00 | Crosby Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 3030011 | Greenhills South Rd | Greenhills South Rd | Broomehill - Tambellup | 18.00 | Crosby Rd | 22.25 | Brown St & Tambellup West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|-----------------------|----------|---------------------------------------|--------|---------------------------------|--|
| 4010036 | Greenhills South Rd | Greenhills South Rd | Beverley | 0.00 | Mawson Rd | 8.45 | York LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Intersection Northbourne Rd : No right turn permitted into Northbourne Rd from Greenhills South Rd |
| 4330016 | Greenhills South Rd | Greenhills South Rd | York | 0.00 | Penny Dr & Quairading York Rd | 4.34 | Beverley LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2150004 | Greenlands Rd | Greenlands Rd | Murray | 0.00 | Forrest Hwy | 6.43 | Carrabungup Rd & Lake Mealup Rd | |
| M073 | Greenlands Rd | Greenlands Rd | Murray | 0.00 | Forrest Hwy | 5.81 | Greenlands Rd Rty | |
| H421 | Greenlands Rd Rty | Greenlands Rd Rty | Murray | 0.00 | H421 & Future M53 Connection | 0.23 | H421 & Future M53 Connection | |
| H833 | Greenlands Rd on to Forrest Hwy (Northbound) | Greenlands Rd on to Forrest Hwy (Northbound) | Murray | 0.00 | Forrest Hwy & Greenlands Rd | 0.31 | Forrest Hwy | |
| 5051007 | Greenough Rd | Greenough Rd | Greater Geraldton (C) | 0.00 | Walter Rd | 4.70 | Allanooka Springs Rd | |
| 4060124 | Greens Rd | Greens Rd | Cunderdin | 0.00 | Coleman Rd & Carter - Doodenanning Rd | 5.40 | Carter - Doodenanning Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1106005 | Greenwich Pde | Greenwich Pde | Wanneroo (C) | 0.00 | Flynn Dr | 0.63 | | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|--------------------|--------|--|---|
| 3110091 | Greg Rd | Greg Rd | Lake Grace | 0.00 | Pelham Rd | 4.62 | Fourteen Mile Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 0010086 | Gregory St | Gregory St | Broome | 0.00 | Hunter St | 0.27 | Pembroke Rd | |
| 4120023 | Gregson Rd | Gregson Rd | Kulin | 0.00 | Holt Rock North Rd | 15.42 | Holt Rock Rd East | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4020042 | Greig Rd | Greig Rd | Brookton | 0.00 | Dangin - Mears Rd | 2.00 | 2km East of Dangin Mears Rd to Farm Gate | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Dangin - Mears Rd : No right turn permitted into Dangin Mears Rd from Greig Rd. No left turn permitted into Greig Rd from Dangin Mears Rd. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|--------------------------|----------|--|--------|-----------------------------|---|
| 4020042 | Greig Rd | Greig Rd | Brookton | 2.00 | 2km East of Dangin Mears Rd to Farm Gate | 5.85 | North Kweda Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 203Z020 | Greville Rd | Greville Rd | Bridgetown - Greenbushes | 0.00 | Seaton Ross Rd | 6.20 | Greville Rd (F) - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2069001 | Grevillia Rd | Grevillia Rd | Capel | 0.00 | Bussell Hwy | 1.32 | Calinup Rd | |
| 6040225 | Grewar Rd | Grewar Rd | Esperance | 0.00 | Fisheries Rd | 7.71 | Merivale Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 1110127 | Grey St | Grey St | Bassendean (T) | 0.00 | Collier Rd & Collier Link & Jackson St | 0.23 | Bayswater (C) LGA Boundary | |
| 1120079 | Grey St | Grey St | Bayswater (C) | 0.86 | Shalford St | 1.01 | Bassendean (T) LGA Boundary | |
| 2140023 | Greys Rd | Greys Rd | Boddington | 0.00 | Crossman Rd | 1.10 | Greys Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 8140655 | Griffin Rd | Griffin Rd | Karratha (C) | 0.00 | King Bay Rd | 0.32 | Griffin Rd - End Road | |
| 3110031 | Griffins Reward Rd | Griffins Reward Rd | Lake Grace | 0.00 | Dumbleyung Lake Grace Rd | 8.49 | Burns Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------|----------|-------------------------------------|--------|--------------------------------|--|
| 4080037 | Griffith - Whaley Rd | Griffith - Whaley Rd | Goomalling | 0.00 | Dowerin - Konnongorring Rd | 10.06 | Dowerin LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4110053 | Griffith Rd | Griffith Rd | Koorda | 0.00 | Cadoux - Koorda Rd | 2.38 | Koorda - Dowerin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 5140084 | Griffith Rd | Griffith Rd | Perenjori | 0.00 | Old Perth Rd & Bunjil - Carnamah Rd | 25.74 | Farrs Rd | |
| 7010030 | Griffith St | Griffith St | Sandstone | 0.00 | Griffith St - Start Road | 0.50 | Irvine St | <ul style="list-style-type: none"> Intersection Oroya St : No Right Turn Permitted Into Oroya St (Westbound) |
| 3020167 | Griffiths Rd | Griffiths Rd | Albany (C) | 0.00 | Chester Pass Rd | 2.14 | 2.135km From Chester Pass Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3170033 | Griffiths Rd | Griffiths Rd | Woodanilling | 0.00 | Leggoe Rd | 4.76 | Ways Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180115 | Griffiths Rd | Griffiths Rd | Wongan - Ballidu | 0.00 | Manmanning Rd | 3.30 | Griffiths Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|-----------------------|----------|---------------------------|--------|------------------------|--|
| 6040034 | Griffiths Rd | Griffiths Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 59.29 | Neds Corner Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040034 | Griffiths Rd | Griffiths Rd | Esperance | 59.34 | Neds Corner Rd | 71.17 | Edwards Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040007 | Grigg Rd | Grigg Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 17.31 | | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6040007 | Grigg Rd | Grigg Rd | Esperance | 17.31 | | 39.38 | Field Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 5050634 | Grima Rd | Grima Rd | Greater Geraldton (C) | 0.00 | Pallotine Rd | 16.31 | Howe Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3070069 | Grimster Rd | Grimster Rd | Gnowangerup | 0.00 | Ongerup - Pingrup Rd | 3.86 | Grimster Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2180196 | Grimwade - Wilga Rd | Grimwade - Wilga Rd | Boyup Brook | 0.00 | Wilga East Rd & Walker Rd | 0.05 | Offer Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|------------------------------|--------|-----------------------------|---|
| 1021148 | Grogan Rd | Grogan Rd | Kalamunda | 0.00 | Abernethy Rd & Port Pl | 0.14 | Grogan Dr (Federal) | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. 10 km/h below posted speed limit Intersection Abernethy Rd & Port Pl : No right turn permitted into Abernethy Rd from Grogan Rd |
| 113Z003 | Grogan Rd (Federal) | Grogan Dr (Federal) | Belmont (C) | 0.37 | Kingsford Smith Av (Federal) | 1.55 | Grogan Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 4050028 | Grout Rd | Grout Rd | Cuballing | 0.00 | Springhill Rd | 5.06 | Cuballing West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1040165 | Grove Rd | Grove Rd | Gosnells (C) | 0.28 | 0.28km From Brook Rd | 0.58 | Coldwell Rd & Logistics Bvd | |
| 4020038 | Grover Rd | Grover Rd | Brookton | 0.00 | Hillcroft Rd | 4.90 | York - Williams Rd | |
| 4030076 | Groves Rd | Groves Rd | Bruce Rock | 0.00 | Shepherd Rd | 6.42 | Hughes Rd | |
| 3160120 | Growden Pl | Growden Pl | West Arthur | 0.68 | | 1.02 | Growden Pl - End Road | |
| 3160151 | Growden Pl | Growden Pl | West Arthur | 0.00 | Growden Pl | 0.23 | Coalfields Rd | |
| 4140058 | Growden Rd | Growden Rd | Merredin | 0.00 | Great Eastern Hwy & Snell Rd | 8.70 | Ulva Siding Rd | |
| 4040029 | Grylls Rd | Grylls Rd | Corrigin | 0.00 | Wickepin - Corrigin Rd | 7.70 | Jubuk South Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|------------------------------|----------|--------------------------|--------|---|---|
| 4150037 | Grylls Rd | Grylls Rd | Mount Marshall | 0.00 | Gabbin - Trayning Rd | 16.97 | Waddouring Back Rd & Kellerberrin - Bencubbin Rd & Gilham Cooper Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3090071 | Guelfi Rd | Guelfi Rd | Kent | 0.00 | Shields Rd & Kuringup Rd | 6.89 | Nyabing Pingrup Rd | |
| 6110068 | Guerini Rd | Guerini Rd | Yilgarn | 0.00 | Corinthia East Rd | 7.24 | Guerini Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 6040079 | Guests Rd | Guests Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 3.30 | 3.3 Km East of Coolgardie - Esperance Hwy | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 1071572 | Guild Wy | Guild Wy | Rockingham (C) | 0.00 | Pedlar Cct | 0.12 | Guild Wy - End Road | |
| 5070009 | Guilderton Rd | Guilderton Rd | Gingin | 0.00 | Indian Ocean Dr | 1.60 | 1.6km From Indian Ocean Dr | |
| H394 | Guildford Rd to Great Eastern Hwy Cd Rd | Guildford Rd to Great Eastern Hwy Cd Rd | Bayswater (C) Belmont (C) | 0.00 | Tonkin Hwy | 1.34 | Tonkin Hwy | |
| 0030112 | Guildford St | Guildford St | Derby - West Kimberley | 0.00 | Ashley St | 3.24 | Guildford St - End Road | |
| 2150130 | Gull Rd | Gull Rd | Murray | 0.00 | Lakes Rd & Paterson Rd | 2.95 | 0.27km From End of Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3070099 | Gully Rd | Gully Rd | Gnowangerup | 0.00 | Salt River Rd | 0.75 | Gully Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3150039 | Gundaring Nth Rd | Gundaring Nth Rd | Wagin | 0.00 | Dongolocking Rd | 7.56 | Wagin Dumbleyung Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Dongolocking Rd : No access permitted into Dongolocking Rd from Gundaring North Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|----------------------------------|--------|---|--|
| 3150029 | Gundaring South | Gundaring South | Wagin | 0.00 | Bullock Hills Rd | 3.54 | Wagin Dumbleyung Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3020078 | Gunn Rd | Gunn Rd | Albany (C) | 0.00 | Albany Hwy | 2.56 | Gunn Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4250075 | Gunn Rd | Gunn Rd | Tammin | 0.00 | Moore Rd | 1.82 | Gunn Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5110004 | Gutha East Rd | Gutha East Rd | Morawa | 0.00 | Ludlow Rd | 29.29 | Mullewa Wubin Rd & Gutha West Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times See Low Volume Condition Type A in the Operating Conditions Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5110010 | Gutha West Rd | Gutha West Rd | Morawa | 0.00 | Mullewa Wubin Rd & Gutha East Rd | 15.45 | End of Road 400 Metres West of Tropicano Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Yandanoo Springs Rd : No access permitted into Yandanoo Springs Rd from Gutha West Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|------------------------|--------|-------------------------|--|
| 4330007 | Gwambygine East Rd | Gwambygine East Rd | York | 0.00 | Great Southern Hwy | 2.54 | Top Beverley - York Rd | <ul style="list-style-type: none"> Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4330007 | Gwambygine East Rd | Gwambygine East Rd | York | 2.54 | Top Beverley - York Rd | 12.70 | Quairading York Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5030049 | Gypsum Rd | Gypsum Rd | Dalwallinu | 0.00 | Kalannie - Kulja Rd | 2.21 | Gypsum Rd & End of Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5040242 | Gypsum St | Gypsum St | Dandaragan | 0.00 | Coalseam Dr | 0.45 | Limestone Wy | |
| 3070111 | H Smith Rd | H Smith Rd | Gnowangerup | 0.00 | Smith Rd | 2.75 | H Smith Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4211047 | Habgood Rd | Habgood Rd | Northam | 0.00 | Southern Brook Rd | 5.48 | Northam Pithara Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 7010019 | Hack St | Hack St | Sandstone | 0.18 | Oroya St | 0.38 | Rowe St | <ul style="list-style-type: none"> Intersection Oroya St : No Right Turn Permitted Into Oroya St |
| 4140052 | Hackling Rd | Hackling Rd | Merredin | 0.00 | Burracoppin South Rd | 10.37 | Dulyalbin Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|----------------------------------|--------|--|--|
| 2180064 | Hacks Rd | Hacks Rd | Boyup Brook | 0.00 | Dinninup East Rd | 1.61 | Hacks Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3110042 | Hadden Rd | Hadden Rd | Lake Grace | 0.00 | North Burngup Rd & Fleay Rd | 6.39 | Haddens Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1090311 | Hadrill Rd | Hadrill Rd | Swan (C) | 0.00 | Great Northern Hwy | 0.12 | For Approximately 0.12 Km to Service Station Access Rd | <ul style="list-style-type: none"> Intersection Great Northern Hwy : No Access To Great Northern Hwy Permitted From Hadrill Rd |
| 4080009 | Hadrill Rd | Hadrill Rd | Goomalling | 0.00 | Northam LGA Boundary | 3.33 | Sheen Rd & Goomalling Toodyay Rd | |
| 4211033 | Hadrill Rd | Hadrill Rd | Northam | 9.23 | 5.2km From Goomalling Toodyay Rd | 11.10 | Goomalling LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) 40 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4030077 | Hadlow Rd | Hadlow Rd | Bruce Rock | 0.00 | Kwoylin West Rd | 5.70 | Pantapin North Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|---------------------|--------|-------------------------|---|
| 4120079 | Haese Rd | Haese Rd | Kulin | 0.00 | Tarin Rock North Rd | 13.79 | Green Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4060057 | Hagboom Rd | Hagboom Rd | Cunderdin | 0.00 | Wilding Rd | 4.57 | Nambling South Rd | |
| 4070048 | Hagboom Rd | Hagboom Rd | Dowerin | 0.00 | Ucarty South Rd | 2.98 | Dowerin - Meckering Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4070127 | Hagboom South Rd | Hagboom South Rd | Dowerin | 0.00 | Hagboom West Rd | 2.12 | Goomalling LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. See Low Volume Condition Type A in the Operating Conditions Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|-----------------------|----------|---------------------------|--------|-----------------------|---|
| 4080093 | Hagboom South Rd | Hagboom South Rd | Goomalling | 0.00 | Dowerin LGA Boundary | 3.22 | Sadler Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4070174 | Hagboom West Rd | Hagboom West Rd | Dowerin | 0.00 | Nambling South Rd | 1.80 | Hagboom South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. See Low Volume Condition Type A in the Operating Conditions Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3110084 | Haig Rd | Haig Rd | Lake Grace | 0.00 | Newdegate Ravensthorpe Rd | 10.36 | Biddy - Camm Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4110138 | Haig St | Haig St | Koorda | 0.00 | Railway St | 0.96 | Koorda - Bullfinch Rd | |
| 5050243 | Haigh St | Haigh St | Greater Geraldton (C) | 0.00 | Ocean St | 0.53 | Portway | <ul style="list-style-type: none"> Intersection Point St : No access permitted into Point St from Haigh St |
| 2050035 | Hairpin Rd | Hairpin Rd | Busselton (C) | 9.79 | 0.62km From Bussell Hwy | 10.41 | Bussell Hwy | |
| 4330080 | Halbert Rd | Halbert Rd | York | 0.00 | Cubbine Rd | 1.12 | Quairading York Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|---|--------|----------------------------|---|
| 3060067 | Halden East Rd | Halden East Rd | Dumblenyung | 0.00 | Tarin Rock North Rd | 10.75 | Pearce Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3100117 | Halden Rd | Halden Rd | Kojonup | 0.00 | Mobrup Rd | 7.22 | Mobrup South Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3170100 | Hale Rd | Hale Rd | Woodanilling | 0.00 | Albany Hwy | 4.60 | Hale Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4070020 | Hale Rd | Hale Rd | Dowerin | 0.00 | Fifty Four Gate West Rd & Manmanning Rd | 2.15 | Manmanning Town Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 2040372 | Halifax Dr | Halifax Dr | Bunbury (C) | 0.00 | South Western Hwy | 2.37 | South Western Hwy | <ul style="list-style-type: none"> Intersection Clements St : No left turn permitted into Clements St from Halifax Dr |
| 3160022 | Hall Rd | Hall Rd | West Arthur | 0.00 | Bokal South Rd | 6.72 | Arthur River - Dinninup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|--------------------------|----------|---------------------------|--------|-----------------------|--|
| 4020020 | Hall Rd | Hall Rd | Brookton | 0.00 | Bodey St | 2.55 | Copping Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) No Operation between the hours of sunset and sunrise Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4260168 | Hall Rd | Hall Rd | Toodyay | 0.00 | Chatcup Rd & Leeming Rd | 5.75 | Nunile Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Woodlands Rd : No access permitted into Woodlands Rd from Hall Rd Intersection Woodendale Rd : No access permitted into Woodendale Rd from Hall Rd |
| 605Z069 | Hall Rd | Hall Rd | Kalgoorlie - Boulder (C) | 0.00 | Johns Rd | 1.02 | 1.02km After Johns Rd | |
| 5150074 | Hall St | Hall St | Three Springs | 0.00 | Railway Rd | 0.12 | Carter St | |
| 105Z011 | Hallett Ct | Hallett Ct | Kwinana (C) | 0.00 | Hope Valley Rd | 0.30 | Hallet Ct - End Road | |
| 1250662 | Halley Rd | Halley Rd | Stirling (C) | 0.00 | Wanneroo Rd & Victoria Rd | 0.52 | Geddes St | |
| 4290021 | Halliday Rd | Halliday Rd | Wickepin | 0.00 | Wogolin South Rd | 6.86 | Williams Kondinin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|--------------------------|----------|---------------------|--------|-----------------------|--|
| 2030084 | Halls Rd | Halls Rd | Bridgetown - Greenbushes | 0.00 | Forest Park Av | 2.27 | Hester Hall Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3150084 | Halls Rd | Halls Rd | Wagin | 0.00 | Wagin - Wickepin Rd | 2.03 | Narrogin LGA Boundary | |
| 4050045 | Halls Rd | Halls Rd | Cuballing | 0.00 | Wardering Rd | 5.60 | Williams Kondinin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Wardering Rd : No access permitted into Wardering Rd from Halls Rd |
| 4180240 | Halls Rd | Halls Rd | Narrogin | 0.00 | Whinbin Rock Rd | 3.80 | Wagin LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------------|----------------------------|-----------------------|----------|----------------------|--------|---|--|
| 3120072 | Halsey Rd | Halsey Rd | Plantagenet | 0.00 | Fisher Rd | 5.39 | Albany Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 8110045 | Hamersley - Mount Bruce Rd | Hamersley - Mount Bruce Rd | Ashburton | 20.54 | Karijini Dr | 30.74 | Karijini Dr | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 2180166 | Hamersley Rd | Hamersley Rd | Boyup Brook | 0.00 | Area Rd | 1.85 | Hamersley Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5051045 | Hamersley Rd | Hamersley Rd | Greater Geraldton (C) | 0.00 | Brand Hwy | 3.28 | Evans Rd | |
| 8110038 | Hamersley Rd | Hamersley Rd | Ashburton | 0.00 | Nanutarra Munjina Rd | 16.00 | 16km From Nanutarra Munjina Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4330046 | Hamersley Siding Rd | Hamersley Siding Rd | York | 0.00 | Mokine Rd | 9.50 | Spencers Brook - York Rd & Wilberforce Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|--------------------------|----------|-------------------------------------|--------|------------------------|---|
| 4260126 | Hamersley St | Hamersley St | Toodyay | 0.00 | Stirling Tce | 0.68 | Duke St & Fiennes St | <ul style="list-style-type: none"> Headlights to be switched on at all times |
| 3030270 | Hamilla Rd | Hamilla Rd | Broomehill - Tambellup | 0.00 | Stirling Access Rd & Beejenup Rd | 1.61 | Cranbrook LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3040099 | Hamilla Rd | Hamilla Rd | Cranbrook | 0.00 | Broomehill - Tambellup LGA Boundary | 19.74 | Solomons Rd | |
| 2030030 | Hamilton Rd | Hamilton Rd | Bridgetown - Greenbushes | 0.00 | Tweed Rd | 8.83 | North Boundary Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1030012 | Hammond Rd | Hammond Rd | Cockburn (C) | 0.00 | North Lake Rd | 5.03 | Russell Rd | |
| 4150130 | Hammond Rd | Hammond Rd | Mount Marshall | 0.00 | Scotsman Rd | 6.70 | End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h No Operation between the hours of sunset and sunrise Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4310035 | Hammond Rd | Hammond Rd | Wyalkatchem | 0.00 | Davies Rd | 7.68 | Nembudding South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|--------------------------|--------|--------------------------------------|---|
| 4310035 | Hammond Rd | Hammond Rd | Wyalkatchem | 7.76 | Nembudding South Rd | 9.41 | Trayning LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4090087 | Hammond St | Hammond St | Kellerberrin | 0.26 | Mitchell St | 0.49 | Ripper St | |
| 4090087 | Hammond St | Hammond St | Kellerberrin | 1.00 | Scott St | 1.61 | 0.31km Past Restdown St to Farm Gate | |
| 4300048 | Hamon Rd | Hamon Rd | Williams | 0.00 | Fourteen Mile Brook Rd | 0.85 | Hamon Rd - End Road | |
| 4030102 | Hancock Rd | Hancock Rd | Bruce Rock | 0.00 | Babakin South East Rd | 5.88 | Crombie Rd & Babakin - Corrigin Rd | |
| 4240039 | Handscombe Rd | Handscombe Rd | Quairading | 0.00 | Pantapin South Rd | 5.29 | Yoting South Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4090049 | Hanlon Rd | Hanlon Rd | Kellerberrin | 0.00 | Great Eastern Hwy | 6.20 | McWhirter Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3120227 | Hannan Wy | Hannan Wy | Plantagenet | 0.00 | Jackson Rd & Albany Hwy | 0.78 | Narrikup Rd | |
| H1017 | Hanrahan Rd Rty | Hanrahan Rd Rty | Albany (C) | 0.00 | Hahrahan Rd | 0.25 | Hahrahan Rd | |
| 6040534 | Hanson Rd | Hanson Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 17.22 | Hanson Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 1141007 | Hantke Pl | Hantke Pl | Canning (C) | 0.00 | Radium St Nth | 0.12 | Hantke Pl - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|------------------------|--------|----------------------------|--|
| 1110157 | Hanwell Wy | Hanwell Wy | Bassendean (T) | 0.00 | Broadway | 0.59 | Hanwell Wy - End Road | |
| 3050011 | Happy Valley Rd | Happy Valley Rd | Denmark | 0.00 | Scotsdale Rd | 9.40 | South Coast Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3120175 | Happy Valley Rd | Happy Valley Rd | Plantagenet | 0.00 | Martagallup Rd | 1.20 | Happy Valley Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 504Z015 | Harbour Dr | Harbour Dr | Dandaragan | 0.00 | Seaward Dr | 0.75 | Breakwater Dr | |
| 8030209 | Harbour Rd | Harbour Rd | Carnarvon | 0.00 | North West Coastal Hwy | 2.44 | Cornish St | |
| 4180122 | Harbour St | Harbour St | Narrogin | 0.00 | Havelock St | 0.12 | Harbour St - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). A Restricted Access Vehicle must not be driven on this road in excess of 4.30 m in height unless written approval is obtained from Western Power |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|----------------------|--------|------------------------|--|
| 3100197 | Hardingham Rd | Hardingham Rd | Kojonup | 0.00 | Foley Rd | 3.53 | Tenner Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2080395 | Hardisty Ct | Hardisty Ct | Dardanup | 0.00 | Pedretti Rd | 0.50 | Hardisty Ct - End Road | |
| 4150044 | Hardwick Rd | Hardwick Rd | Mount Marshall | 0.00 | Mandiga - Marindo Rd | 5.07 | Beacon Back Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4310034 | Hardwick Rd | Hardwick Rd | Wyalkatchem | 0.00 | Davies Rd | 7.52 | Rifle Range Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4060039 | Hardy Rd | Hardy Rd | Cunderdin | 0.00 | York LGA Boundary | 4.20 | Warding Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4060039 | Hardy Rd | Hardy Rd | Cunderdin | 4.20 | Warding Rd | 7.00 | Moore Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Warding Rd : No left turn permitted into Warding Rd from Hardy Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|-----------------------------|--------|---------------------------|--|
| 4330060 | Hardy Rd | Hardy Rd | York | 0.00 | Mannavale Rd | 3.01 | Cunderdin LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1070951 | Hargreaves Rd | Hargreaves Rd | Rockingham (C) | 0.00 | Dixon Rd | 0.12 | Savery Wy | |
| 1130047 | Hargreaves St | Hargreaves St | Belmont (C) | 0.00 | Greaves Row & Barker St | 0.25 | Great Eastern Hwy | |
| 5030092 | Harle Rd | Harle Rd | Dalwallinu | 0.00 | Dinnie Rd | 4.56 | Wilder Rd | |
| 4030108 | Harling Rd | Harling Rd | Bruce Rock | 0.00 | Hines Hill Rd | 5.95 | Harling Rd - End Road | |
| 1091747 | Harlond Av | Harlond Av | Swan (C) | 0.00 | Camboon Rd | 0.46 | Beach Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 2050017 | Harmans Mill Rd | Harmans Mill Rd | Busselton (C) | 0.00 | Metricup Rd & Puzey Rd | 6.64 | Bussell Hwy | |
| 3100109 | Harold Rd | Harold Rd | Kojonup | 0.00 | Albany Hwy | 2.91 | Harold Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3100053 | Harper Rd | Harper Rd | Kojonup | 0.00 | Kojonup - Frankland Rd | 6.69 | Balgarup Rd & Phillips Rd | |
| 4260058 | Harper Rd | Harper Rd | Toodyay | 0.00 | Stirling Tce & Telegraph Rd | 0.24 | Harper St & Anzac Ave | <ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4260058 | Harper Rd | Harper Rd | Toodyay | 0.24 | Harper St & Anzac Ave | 0.25 | Anzac Av | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 1090567 | Harper St | Harper St | Swan (C) | 0.00 | West Swan Rd | 0.39 | Harper St - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|--------------------------|--------|-----------------------------------|--|
| 4230111 | Harper St | Harper St | Pingelly | 0.00 | Yenellin Rd & Pitt St | 0.58 | Wickepin - Pingelly Rd & Brown St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 0010179 | Harriet Rd | Harriet Rd | Broome | 0.00 | Tanami Dr | 0.29 | Minilya Rd | |
| 4070052 | Harris East Rd | Harris East Rd | Dowerin | 0.00 | Clinic Rd | 6.16 | Dowerin - Kalannie Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Dowerin - Kalannie Rd : No access permitted into Dowerin Kalannie Rd from Harris East Rd |
| 1090686 | Harris Rd | Harris Rd | Swan (C) | 0.00 | Agett Rd | 0.16 | | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 2040431 | Harris Rd | Harris Rd | Bunbury (C) | 0.00 | Dardanup LGA Boundary | 1.39 | Boyanup Picton Rd | |
| 2080002 | Harris Rd | Harris Rd | Dardanup | 0.00 | Bunbury (C) LGA Boundary | 1.60 | Martin Pelusey Rd | |
| 2080002 | Harris Rd | Harris Rd | Dardanup | 1.60 | Martin Pelusey Rd | 2.45 | Harris Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3090082 | Harris Rd | Harris Rd | Kent | 0.00 | Dualling Rd | 5.12 | Stephens Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|----------------------------|--------|-----------------------|---|
| 3150041 | Harris Rd | Harris Rd | Wagin | 0.00 | Warup South Rd | 6.70 | Norring Dellyanane Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Warup South Rd : No right turn permitted into Warup South Rd from Harris Rd Intersection Norring Dellyanane Rd : No left turn permitted into Norring Dellyanane Rd from Harris Rd |
| 4040114 | Harris Rd | Harris Rd | Corrigin | 0.00 | Lomos North Rd | 6.76 | Jubuk Back Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4060077 | Harris Rd | Harris Rd | Cunderdin | 0.00 | Cunderdin - Wyalkatchem Rd | 9.50 | Wyola Rd North | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4070039 | Harris Rd | Harris Rd | Dowerin | 0.00 | Bailey Rd | 4.70 | Rabbit Proof Fence Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit Intersection Bailey Rd : No access permitted into Bailey Rd from Harris Rd |
| 4250062 | Harris Rd | Harris Rd | Tammin | 0.00 | York - Tammin Rd | 2.48 | Harris Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|--------------------------|----------|-------------------|--------|--------------------------|--|
| 5030068 | Harris Rd | Harris Rd | Dalwallinu | 0.00 | Nugadong West Rd | 7.62 | Bell Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2070003 | Harris River Rd | Harris River Rd | Collie | 0.00 | Patstone Rd | 1.05 | Collins St | |
| 1290223 | Harris St | Harris St | Victoria Park (T) | 0.00 | Kew St | 0.63 | Cohn St | |
| 5030204 | Harris St | Harris St | Dalwallinu | 0.00 | Dowie St | 0.34 | Deacon St | |
| 5040088 | Harris St | Harris St | Dandaragan | 0.00 | Brand Hwy | 0.13 | Darch St | |
| 5040088 | Harris St | Harris St | Dandaragan | 0.13 | Darch St | 1.78 | Harris St - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4290051 | Harrismith Nth Rd | Harrismith Nth Rd | Wickepin | 0.00 | Elsinore Rd | 14.20 | Wickepin - Harrismith Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 3110033 | Harrismith Rd | Harrismith Rd | Lake Grace | 0.00 | O'Neill Rd | 3.29 | Naisbitt Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4290026 | Harrismith South Rd | Harrismith South Rd | Wickepin | 0.00 | South St | 10.46 | Ward Rd & Gray Rd | |
| 1020986 | Harrison Rd | Harrison Rd | Kalamunda | 0.00 | Berkshire Rd | 1.04 | Dundas Rd | <ul style="list-style-type: none"> Intersection Berkshire Rd : No left turn permitted into Berkshire Rd from Harrison Rd |
| 2010212 | Harrison Rd | Harrison Rd | Augusta - Margaret River | 0.00 | West Calgardup Rd | 1.75 | Hadley Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2180053 | Harrison Rd | Harrison Rd | Boyup Brook | 0.00 | Six Mile Rd | 4.11 | Dinninup East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|--|--------|-----------------------------|--|
| 3060049 | Harrison Rd | Harrison Rd | Dumbleyung | 0.00 | Springhurst Rd | 4.30 | Kukerin North Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3100046 | Harrison Rd | Harrison Rd | Kojonup | 0.00 | Boscabel - Chittinup Rd | 4.07 | Harrison Rd & Coben Soak Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3170042 | Harrison Rd | Harrison Rd | Woodanilling | 0.00 | Harrison Rd & Coben Soak Rd | 2.62 | Youngs Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4310033 | Harrison Rd | Harrison Rd | Wyalkatchem | 0.00 | McKay Rd & Benjaberring South Rd & Amery - Benjaberring Rd | 8.95 | Martin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4130090 | Harrod Rd | Harrod Rd | Trayning | 0.00 | Kellerberrin - Bencubbin Rd | 10.69 | Kununoppin - Mukinbudin Rd | <ul style="list-style-type: none"> Intersection Kununoppin - Mukinbudin Rd : No access permitted into Kununoppin - Mukinbudin Rd from Harrod Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|--------------------------|----------|----------------------------|--------|-----------------------------|--|
| 4160031 | Harry Rd | Harry Rd | Mukinbudin | 0.00 | Mukinbudin - Wialki Rd | 16.53 | Bonnie Rock - Lake Brown Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6056013 | Hart Kerspian Dr | Hart Kerspian Dr | Kalgoorlie - Boulder (C) | 0.00 | Gatacre Dr | 0.81 | Hart Kerspian Dr - End Road | |
| 2010421 | Hart Rd | Hart Rd | Augusta - Margaret River | 0.00 | Hillview Rd | 0.24 | Millar Wy | |
| 2070292 | Hart Rd | Hart Rd | Collie | 0.00 | Cardiff - McAlinden Rd | 2.30 | Hart Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2180065 | Hart Rd | Hart Rd | Boyup Brook | 0.00 | Eulin Siding Rd | 1.41 | Kojonup LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3070065 | Hart Rd | Hart Rd | Gnowangerup | 0.00 | Gnowangerup Jerramungup Rd | 10.85 | Oneill Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|-----------------------------------|--------|---------------------------|--|
| 3100050 | Hart Rd | Hart Rd | Kojonup | 0.00 | Qualeup North Rd | 3.28 | Boyup Brook LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4140051 | Hart Rd | Hart Rd | Merredin | 0.00 | Chandler - Merredin Rd & Bicks Rd | 10.23 | Knungajin - Merredin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4040057 | Hartley Rd | Hartley Rd | Corrigin | 0.00 | Bullaring - Gorge Rock Rd | 5.52 | Schultz Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1101268 | Hartman Dr | Hartman Dr | Wanneroo (C) | 2.09 | Gnangara Rd | 4.00 | Ocean Reef Rd & Lenore Rd | <ul style="list-style-type: none"> Intersection Advantage Wy : No left turn permitted into Advantage Wy from Hartman Dr |
| 1141159 | Harvard Wy | Harvard Wy | Canning (C) | 0.00 | Ilda Rd | 0.25 | Bannick Ct | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|------------------|----------|--|--------|-------------------------|---|
| 2110002 | Harvey - Quindanning Rd | Harvey - Quindanning Rd | Harvey | 0.00 | South Western Hwy & Uduc Rd | 37.63 | Boddington LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Maximum Speed of 40 km/h on gravel road |
| 3020108 | Harvey Rd | Harvey Rd | Albany (C) | 0.00 | Chester Pass Rd | 1.66 | Harvey Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3110036 | Harvey Rd | Harvey Rd | Lake Grace | 0.00 | Burns Rd | 8.93 | West Kuender Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3120060 | Harvey Rd | Harvey Rd | Plantagenet | 0.00 | Denmark Mt Barker Rd | 5.80 | 4.60 Km Past Duthie Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Denmark Mt Barker Rd : Left turn only permitted into Denmark - Mt Barker Rd from Harvey Rd. |
| 3120060 | Harvey Rd | Harvey Rd | Plantagenet | 10.20 | From Muir Hwy For 1.1km to Plantation Access | 11.30 | Muir Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Muir Hwy : No right turn permitted into Muir Hwy from Harvey Rd |
| 3170004 | Harvey Rd | Harvey Rd | Woodanilling | 0.00 | Lime Lake Rd | 2.84 | Darby Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|--|--------|--|--|
| 3170004 | Harvey Rd | Harvey Rd | Woodanilling | 2.84 | Darby Rd | 14.07 | Cartmeticup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Cronin Rd : No left turn permitted into Cronin Rd from Harvey Rd (in either direction) |
| 4090037 | Harvey Rd | Harvey Rd | Kellerberrin | 0.00 | Harvey Rd - Start of Road | 3.30 | Mission Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4120062 | Harvey Rd | Harvey Rd | Kulin | 0.00 | Lake O Connor Rd West & Holt Rock North Rd | 3.49 | Modesty Rock East Rd & Lamont Rd & Tapper Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4240109 | Harvey Rd | Harvey Rd | Quairading | 0.00 | Bulyee - Quairading Rd | 6.48 | Wamenusking Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5130008 | Harvey Rd | Harvey Rd | Northampton | 0.00 | Stephen St | 6.09 | Bowes Spring Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|--------------------------|----------|---------------------------|--------|-----------------------|---|
| 6110035 | Harvey Rd | Harvey Rd | Yilgarn | 0.00 | Moorine South Rd | 19.47 | Bodallin South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 6053010 | Harvey St | Harvey St | Kalgoorlie - Boulder (C) | 0.00 | Federal Rd | 0.56 | Lionel St | |
| 8130105 | Harwell Wy | Harwell Wy | Port Hedland (T) | 0.00 | Cajarina Rd | 1.65 | Kangan Wy | <ul style="list-style-type: none"> A RAV must not be driven on this road in excess of 4.3 metres in height unless written approval is obtained from Horizon Power |
| 4050063 | Haslams Rd | Haslams Rd | Cuballing | 0.00 | Williams Rd | 2.18 | Haslams Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3030204 | Hassell Rd | Hassell Rd | Broomehill - Tambellup | 0.00 | Great Southern Hwy | 24.69 | Hassell Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3080151 | Hassell Rd | Hassell Rd | Katanning | 0.00 | Katanning - Dumbleyung Rd | 4.02 | Trimmer Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|------------------------|--------|------------------------|--|
| 4230055 | Hassell Rd | Hassell Rd | Pingelly | 0.00 | Yenellin Rd | 3.56 | Hassell Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3090091 | Hassett Rd | Hassett Rd | Kent | 0.00 | Neve Rd | 1.73 | Newdegate - Pingrup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Newdegate - Pingrup Rd : No left turn permitted into Newdegate - Pingrup Rd from Hassett Rd |
| 2060024 | Hasties Rd | Hasties Rd | Capel | 1.60 | Jules Rd North | 2.46 | Allenville Rd | |
| 4230038 | Hastings Rd | Hastings Rd | Pingelly | 0.00 | Shaddick Rd | 4.75 | | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5130023 | Hatch Rd | Hatch Rd | Northampton | 0.00 | North West Coastal Hwy | 2.55 | Jackson Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4120097 | Hatcher Rd | Hatcher Rd | Kulin | 0.00 | Commonwealth Rd | 2.94 | Hatcher Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 6100074 | Hatfield Rd | Hatfield Rd | Ravensthorpe | 0.00 | South Coast Hwy | 3.91 | Hatfield Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|---------------------------|--------|---|---|
| 3110023 | Hatter Hill Rd | Hatter Hill Rd | Lake Grace | 0.00 | Lake King-Norseman Rd | 27.12 | Newdegate Ravensthorpe Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6030126 | Hatto Wy | Hatto Wy | Dundas | 0.00 | Delamotte Dr | 0.25 | Old Coach Rd | <ul style="list-style-type: none"> Intersection Old Coach Rd : Right Turn Only Into Okay Rd Permitted From Hatto Wy |
| 3090104 | Hattwell Rd | Hattwell Rd | Kent | 0.00 | Range Rd | 6.60 | Challis Rd | |
| 4180025 | Havelock St | Havelock St | Narrogin | 0.93 | Harbour St | 1.01 | Herald St | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Herald St : No left turn permitted into Havelock St from Herald St |
| 6040236 | Hawkey Rd | Hawkey Rd | Esperance | 0.00 | Dalyup Rd & Loffler Rd | 9.82 | Swan Lagoon Rd & Coolgardie Esperance Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser Intersection Swan Lagoon Rd & Coolgardie Esperance Hwy : No access permitted to Coolgardie-Esperance Hwy or Swann Lagoon Rd from Hawkey Rd. |
| 1100267 | Hawkins Rd | Hawkins Rd | Wanneroo (C) | 0.00 | Badgerup Rd & Ross St | 4.13 | Townsend Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Badgerup Rd & Ross St : No Left Turn Into 1100209 Ross St |
| 4110031 | Hawkins Rd | Hawkins Rd | Koorda | 0.00 | Rabbit Proof Fence Rd | 4.82 | Sharman Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5170058 | Hawkins Rd | Hawkins Rd | Victoria Plains | 0.00 | Calingiri - New Norcia Rd | 2.42 | For 2.42km From Calingiri - New Norcia Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 5020008 | Hay Flat Rd | Hay Flat Rd | Chittering | 0.00 | Bindoon Moora Rd | 13.08 | Great Northern Hwy | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|--------------------------|----------|-------------------|--------|---------------------------------------|--|
| 2030209 | Hay Rd | Hay Rd | Bridgetown - Greenbushes | 0.00 | South Western Hwy | 2.72 | Donnybrook - Balingup LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2170144 | Hay Rd | Hay Rd | Donnybrook - Balingup | 3.57 | Southampton Rd | 5.80 | Bridgetown - Greenbushes LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4030056 | Hay Rd | Hay Rd | Bruce Rock | 0.00 | Healey Rd | 2.74 | Hayes Rd | |
| 3120113 | Hay River Rd | Hay River Rd | Plantagenet | 0.00 | St Werburghs Rd | 4.07 | For 4.07 Km | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|-----------------------------|--------|--------------------------|--|
| 3120113 | Hay River Rd | Hay River Rd | Plantagenet | 4.07 | 2.23km Before Wyuna Hts | 6.30 | Wyuna Hts | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Empty Travel Only Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3120113 | Hay River Rd | Hay River Rd | Plantagenet | 6.30 | Wyuna Hts | 8.48 | Spencer Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1191163 | Hayden Ct | Hayden Ct | Melville (C) | 0.00 | McCoy St | 0.26 | Hayden Ct - End Road | |
| 1015385 | Haydock St | Haydock St | Armadale (C) | 0.00 | Allen Rd | 0.05 | 0.05km From Allen Rd | |
| 4240047 | Hayes East Rd | Hayes East Rd | Quairading | 0.00 | Bland Rd | 5.45 | Kellerberrin - Yoting Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 2050291 | Hayes Rd | Hayes Rd | Busselton (C) | 0.00 | Vasse - Yallingup Siding Rd | 3.35 | Commonage Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|---------------------------|--------|-----------------|--|
| 4240015 | Hayes Rd | Hayes Rd | Quairading | 0.00 | Quairading York Rd | 6.49 | Dorakin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4240015 | Hayes Rd | Hayes Rd | Quairading | 6.49 | Dorakin Rd | 14.24 | Cubbine Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Cubbine Rd : No access permitted into Cubbine Rd from Hayes Rd |
| 6100005 | Hayes Rd | Hayes Rd | Ravensthorpe | 0.00 | Newdegate Ravensthorpe Rd | 30.19 | Clarke Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 1040308 | Hayley St | Hayley St | Gosnells (C) | 0.00 | Davison St | 0.20 | Ryelane St | |
| 0010066 | Haynes St | Haynes St | Broome | 0.00 | Blackman St | 0.31 | Hunter St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---------------------------|------------------|----------|--|--------|--------------------------|--|
| 3040071 | Haynesdale Rd | Haynesdale Rd | Cranbrook | 0.00 | Shamrock Rd | 16.18 | Yeriminup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Yeriminup Rd : No left turn permitted into Yeriminup Road from Haynesdale Rd. |
| 4240095 | Haythornthwaites North Rd | Haythornthwaites North Rd | Quairading | 0.00 | Haythornthwaites North Rd - Start Road | 3.70 | Quairading - Corrigin Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4240100 | Haythornthwaites Rd | Haythornthwaites Rd | Quairading | 0.00 | Bulyee - Quairading Rd | 2.66 | Quairading South Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5160036 | Hayward Rd | Hayward Rd | Chapman Valley | 0.00 | Northampton - Nabawa Rd & Fairview Farm Rd | 4.82 | Dindiloa Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 50kph below posted speed limit. Sealed section - 20 kph below posted speed limit. |
| 3090096 | Haywood Rd | Haywood Rd | Kent | 0.00 | Moornaming South Rd | 4.84 | Haywood Rd - End Road | |
| 4080044 | Haywood Rd | Haywood Rd | Goomalling | 0.00 | Donald Rd | 5.30 | Glatz Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h |
| 4070021 | Haywood West Rd | Haywood West Rd | Dowerin | 0.00 | Hale Rd | 7.72 | Jones Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 1130282 | Hazelhurst St | Hazelhurst St | Belmont (C) | 0.00 | Abernethy Rd | 0.76 | Glassford Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|------------------------|--------|-------------------------------|---|
| 3050031 | Hazelvale Rd | Hazelvale Rd | Denmark | 0.00 | Nunn Rd & Bridge Rd | 12.24 | Valley of The Giants Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3050343 | Hazlevale North Rd | Hazlevale North Rd | Denmark | 0.00 | Hazelvale Rd | 4.38 | Collis Rd & Loop Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3020030 | Hazzard Rd | Hazzard Rd | Albany (C) | 0.00 | Millbrook Rd | 0.15 | 0.15km West From Millbrook Rd | |
| 3020030 | Hazzard Rd | Hazzard Rd | Albany (C) | 4.50 | 3.98km From Albany Hwy | 8.48 | Albany Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|--------------------------|--------|---------------------------------------|---|
| 4040100 | Heal Rd | Heal Rd | Corrigin | 0.00 | Corrigin - Bruce Rock Rd | 3.31 | Babakin - Corrigin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Babakin - Corrigin Rd : No access permitted into Babakin Corrigin Rd from Heal Rd |
| 4090114 | Heal Rd | Heal Rd | Kellerberrin | 0.00 | Goldfields Rd | 5.52 | Heal Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4240056 | Heal Rd | Heal Rd | Quairading | 0.00 | Quairading - Corrigin Rd | 2.47 | Stacey Bus Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4030047 | Healey Rd | Healey Rd | Bruce Rock | 0.00 | Corrigin - Bruce Rock Rd | 14.05 | Cheethams Rd & Narembreen Boundary Rd | |
| 4290073 | Healey Rd | Healey Rd | Wickepin | 0.00 | Harrismith Nth Rd | 4.69 | Rabbit Proof Fence Rd | |
| 4100108 | Healey St | Healey St | Kondinin | 0.00 | Graham St | 0.29 | Jones St | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. "Trucks Entering" signs to be erected and removed when not in use. Intersection Rankin St : No access permitted into Rankin St from Healey St Intersection Jones St : No access permitted into Jones St from Healey St. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|-------------------|--------|---------------------------------------|--|
| 4010095 | Heals Rd | Heals Rd | Beverley | 0.00 | Rifle Range Rd | 1.32 | Dongadilling Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3120057 | Healy Rd | Healy Rd | Plantagenet | 0.00 | Spencer Rd | 5.91 | Chorkerup Rd & The Pass Rd & Creek Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5110041 | Healy Rd | Healy Rd | Morawa | 0.00 | Wooltana Rd | 4.16 | Mingenew Morawa Rd & Moffet Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4090052 | Hearle Rd | Hearle Rd | Kellerberrin | 0.00 | Baandee North Rd | 4.76 | Hearles Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|-----------------------|----------|---|--------|-----------------------|---|
| 4140227 | Hearles Rd | Hearles Rd | Merredin | 0.00 | Hines Hill North Rd | 2.50 | Hearle Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3160096 | Hebb Rd | Hebb Rd | West Arthur | 0.00 | Bowelling - Duranillin Rd | 0.03 | Hebb Rd - End Road | |
| 2070008 | Hebbs Rd | Hebbs Rd | Collie | 0.00 | Coalfields Rd | 6.46 | Hebbs Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). 'Trucks Entering' signs to be erected & removed when not in use. |
| 5050639 | Hebiton Rd | Hebiton Rd | Greater Geraldton (C) | 0.00 | Wongoondy - Tardun Rd & Mingenew - Mullewa Rd | 7.32 | Ardingly South Rd | |
| 4170023 | Hedges East Rd | Hedges East Rd | Narembeen | 0.00 | Kondinin - Narembeen Rd & Hedges West Rd | 32.86 | Hyden North Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4170070 | Hedges Homestead Rd | Hedges Homestead Rd | Narembeen | 0.00 | Cumminin Rd | 4.32 | Narembeen Boundary Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|--|--------|---|---|
| 4170104 | Hedges West Rd | Hedges West Rd | Narembreen | 0.00 | Babakin South East Rd & Narembreen Boundary Rd | 12.04 | Kondinin - Narembreen Rd & Hedges East Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4290032 | Heffernan Rd | Heffernan Rd | Wickepin | 0.00 | Eighty Six Gate Rd | 5.53 | Williams Kondinin Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 1130078 | Hehir St | Hehir St | Belmont (C) | 0.00 | Great Eastern Hwy | 0.46 | Hehir St - End Road | |
| 3150019 | Height Rd | Height Rd | Wagin | 0.00 | Behn Ord Rd | 5.40 | Jeffris Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3150071 | Heights Tie Rd | Heights Tie Rd | Wagin | 0.00 | Behn Ord Rd | 1.61 | Height Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1091240 | Helen St | Helen St | Swan (C) | 0.00 | Edward St | 0.26 | Robinson Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 4290140 | Helm Rd | Helm Rd | Wickepin | 0.00 | Williams Kondinin Rd | 8.09 | Tincurrin North Rd & Wogolin South Rd | |
| 1071264 | Helmshore Wy | Helmshore Wy | Rockingham (C) | 0.00 | Blackburn Dr | 0.54 | Bessemer Rd | |
| 8130446 | Hematite Dr | Hematite Dr | Port Hedland (T) | 0.00 | Pinga St | 0.97 | Quarry Rd | |
| 1106006 | Hemisphere St | Hemisphere St | Wanneroo (C) | 0.21 | | 0.63 | Global Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|----------------------|--------|---|---|
| 4290056 | Hemley Rd | Hemley Rd | Wickepin | 0.00 | Wickepin North Rd | 2.70 | Yarling Brook Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4100028 | Henderer Rd | Henderer Rd | Kondinin | 0.00 | Kondinin Hyden Rd | 8.61 | Pederah West Rd & Karlgarin Hill South Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3110094 | Henderson Rd | Henderson Rd | Lake Grace | 0.00 | Carstairs Rd | 3.88 | Kulin LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). |
| 4060129 | Henderson Rd | Henderson Rd | Cunderdin | 0.00 | Watercarrin Rd | 2.66 | Meckering - Dowerin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Watercarrin Rd : No right turn permitted into Watercarrin Rd from Henderson Rd |
| 4120078 | Henderson Rd | Henderson Rd | Kulin | 0.00 | Holt Rock Rd East | 7.28 | Lake Grace LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2180127 | Henderson St | Henderson St | Boyup Brook | 0.00 | Abel St | 0.15 | Forbes St | <ul style="list-style-type: none"> A RAV must not be driven on this road in excess of 4.3 metres in height unless written approval is obtained from the cable provider Intersection Abel St : No left turn permitted into Donnybrook Kojonup from Henderson St |
| 1010858 | Hendon Wy | Hendon Wy | Armada (C) | 0.00 | Williams Rd | 0.26 | Brant Rd | |
| 4140083 | Hendrick Rd | Hendrick Rd | Merredin | 0.00 | Burracoppin South Rd | 18.99 | Brissenden Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|-------------------|--------|-----------------------------|---|
| 2180060 | Hendry Rd | Hendry Rd | Boyup Brook | 0.00 | Walshaws Rd | 4.28 | Lower Blackwood Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6040029 | Henkes Rd | Henkes Rd | Esperance | 0.00 | Fisheries Rd | 27.47 | Henke Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4070125 | Hennessey Rd | Hennessey Rd | Dowerin | 0.00 | Metcalf Rd | 1.77 | Twenty Six Gate Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4310031 | Hennessey Rd | Hennessey Rd | Wyalkatchem | 0.00 | Davies South Rd | 2.10 | Benjaberring - Hindmarsh Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|----------------------|--------|-------------------------|---|
| 4070154 | Henning North Rd | Henning North Rd | Dowerin | 0.00 | McKay Rd | 2.80 | Fifty Four Gate West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4070073 | Henning Rd | Henning Rd | Dowerin | 0.00 | Ejanding West Rd | 7.99 | Jones Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4110054 | Henning Rd | Henning Rd | Koorda | 0.00 | Koorda North West Rd | 4.09 | Cadoux - Koorda Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|--------------------------|--------|---------------------------------|---|
| 3020082 | Hennings Rd | Hennings Rd | Albany (C) | 0.00 | South Coast Hwy | 4.40 | Hunwick Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Hunwick Rd : Hennings Road Is The Terminating Road At The Intersection With Hunwick Road Heading North West And North East |
| 4160071 | Henry Rd | Henry Rd | Mukinbudin | 0.00 | Scotsman Rd & Moondon Rd | 4.86 | Henry Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1011385 | Hensbrook Loop | Hensbrook Loop | Armadale (C) | 0.00 | Armadale Rd | 1.70 | Hensbrook Loop & Hensbrook Loop | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 3080103 | Hensman Rd | Hensman Rd | Katanning | 0.00 | Trimmer Rd | 3.40 | Woodanilling LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|------------------------------------|--------|--------------------------|---|
| 3170034 | Hensman Rd | Hensman Rd | Woodanilling | 0.00 | Great Southern Hwy | 4.40 | Katanning LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Great Southern Hwy : No left turn permitted into Northam-Cranbrook Rd from Hensman Rd. |
| 2040780 | Henson St | Henson St | Bunbury (C) | 0.00 | Gibbons Rd | 0.46 | Shanahan Rd | |
| 1101900 | Hepburn Av | Hepburn Av | Wanneroo (C) | 0.00 | Hepburn Av & Alexander Dr | 5.34 | Wanneroo Rd & Hepburn Av | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 2110048 | Heppingstone Rd | Heppingstone Rd | Harvey | 0.65 | Rose Rd | 1.71 | South Western Hwy | <ul style="list-style-type: none"> Maximum speed 20 km/h Intersection South Western Hwy : No Right Turn Into South Western Hwy Permitted |
| 4180126 | Herald St | Herald St | Narrogin | 0.00 | Pioneer Dr & Forrest St | 1.17 | Narrogin - Harrismith Rd | |
| 2110019 | Herbert Rd | Herbert Rd | Harvey | 1.93 | Hocart Rd | 2.88 | Seventh St | |
| 4220016 | Herbert Rd | Herbert Rd | Nungarin | 0.00 | Nungarin Wyalkatchem Rd & Baker Rd | 17.61 | Merredin Nungarin Rd | |
| 4270015 | Herdigan Rd | Herdigan Rd | Wandering | 0.00 | Ricks Rd | 7.82 | Young Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Ricks Rd : No Right Turn Into Ricks Road Permitted |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|--------------------------|----------|---------------------------|--------|---------------------------|---|
| 2010603 | Heron Dr | Heron Dr | Augusta - Margaret River | 0.00 | Caves Rd | 1.81 | Mapstone Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3030016 | Heron Rd | Heron Rd | Broomehill - Tambellup | 0.00 | Tie Line Rd | 8.01 | Broomehill Gnowangerup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Broomehill Gnowangerup Rd : No access permitted into Broomehill-Jerramungup Road Permitted from Heron Rd |
| 4070027 | Hesford Rd | Hesford Rd | Dowerin | 0.00 | Campbell St & Borgward St | 5.43 | Goomalling Wyalkatchem Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4110073 | Hesford Rd | Hesford Rd | Koorda | 0.00 | Narkal Rd | 3.71 | Hesford Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5180074 | Hesford Rd | Hesford Rd | Wongan - Ballidu | 0.00 | Kirwan West Rd | 6.90 | Barrow Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|--------------------------|----------|------------------------------|--------|---------------------------|---|
| 5140125 | Hesford St | Hesford St | Perenjori | 0.00 | Fowler St | 0.12 | Russell St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 1103098 | Hester Av | Hester Av | Wanneroo (C) | 0.00 | Marmion Av - Hester Av Rty | 2.95 | Wanneroo Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 1107121 | Hester Av Slip South | Hester Av Slip South | Wanneroo (C) | 0.00 | Hester Av | 0.15 | Marmion Av | |
| 2030002 | Hester Rd | Hester Rd | Bridgetown - Greenbushes | 0.00 | South Western Hwy | 7.05 | Bridgetown Boyup Brook Rd | |
| 3080157 | Hettner Rd | Hettner Rd | Katanning | 0.00 | Cheviot Hills Rd & Kowald Rd | 2.91 | Kojonup LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 4040067 | Hewett Rd | Hewett Rd | Corrigin | 0.00 | Brookton-Corrigin Rd | 8.50 | Gills Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4090080 | Hewitt Rd | Hewitt Rd | Kellerberrin | 0.00 | Goldfields Rd | 4.37 | Great Eastern Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4130023 | Hewitt Rd | Hewitt Rd | Trayning | 0.00 | Kununoppin - Mukinbudin Rd | 6.13 | Baker Rd | |
| 3110029 | Hewson Rd | Hewson Rd | Lake Grace | 0.00 | Newdegate Ravensthorpe Rd | 12.67 | Biddy - Camm Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|------------------------|--------|--------------------------|---|
| 5190070 | Hewson Rd | Hewson Rd | Coorow | 0.00 | Mason Rd | 2.90 | Hewson Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6040244 | Heywood Rd | Heywood Rd | Esperance | 0.00 | Parmango Rd | 24.02 | 4.54km From Coolinup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 5140030 | Hibbles Rd | Hibbles Rd | Perenjori | 0.00 | Perenjori - Rothsay Rd | 6.10 | Hibbles Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 5160067 | Hickety Rd | Hickety Rd | Chapman Valley | 0.00 | Nanson - Howatharra Rd | 4.80 | Ahern Pl | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4100092 | Higgins Rd | Higgins Rd | Kondinin | 0.00 | Roe Rd | 11.00 | Karlgarin Hills North Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|------------------------------|--------|--------------------|--|
| 4090041 | Higginson Rd | Higginson Rd | Kellerberrin | 0.00 | Kellerberrin - Bencubbin Rd | 3.10 | Deep Well Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4129000 | High St | High St | Kulin | 0.00 | Corrigin Kulin Rd & Price St | 0.37 | Johnston St | |
| 7030043 | High St | High St | Meekatharra | 0.00 | Spencer St | 0.81 | Queen Rd | |
| 4180215 | Highbury East Rd | Highbury East Rd | Narrogin | 0.00 | Rushy Pool Rd | 5.90 | Borgas Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Rushy Pool Rd : No access permitted to or from Rushy Pool Rd |
| 4180215 | Highbury East Rd | Highbury East Rd | Narrogin | 5.90 | Borgas Rd | 14.80 | Great Southern Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|--------------------|--------|-----------------|---|
| 4180223 | Highbury South Rd | Highbury South Rd | Narrogin | 0.00 | Great Southern Hwy | 6.21 | Yarranabee Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4180216 | Highbury West Rd | Highbury West Rd | Narrogin | 0.00 | Great Southern Hwy | 0.98 | | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4180216 | Highbury West Rd | Highbury West Rd | Narrogin | 0.98 | | 12.42 | Tarwonga Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4180216 | Highbury West Rd | Highbury West Rd | Narrogin | 12.42 | Tarwonga Rd | 16.99 | Manaring Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|--------------------------|----------|-------------------------------------|--------|-------------------------------------|---|
| 3070091 | Highdenup Rd | Highdenup Rd | Gnowangerup | 0.00 | Formby Rd South & Dawson Rd | 11.00 | 11km South - East From Formby South | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3070091 | Highdenup Rd | Highdenup Rd | Gnowangerup | 11.00 | 11km South - East From Formby South | 16.40 | New Country Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3070091 | Highdenup Rd | Highdenup Rd | Gnowangerup | 16.40 | New Country Rd | 17.55 | Magitup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2030404 | Highland Av | Highland Av | Bridgetown - Greenbushes | 0.00 | Crowd Wheatley Rd | 0.90 | Gleneagles Dr | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|--|--------|--|--|
| 3120189 | Hiker Rd | Hiker Rd | Plantagenet | 0.00 | Turpin Rd & Nornalup Rd | 5.92 | Hiker Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 312Z023 | Hiker Rd | Hiker Rd | Plantagenet | 0.00 | Hiker Rd | 23.28 | Durham Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4180253 | Hilders Rd | Hilders Rd | Narrogin | 0.00 | Williams Kondinin Rd | 7.56 | Taylor Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4230054 | Hill Rd | Hill Rd | Pingelly | 0.00 | Yenellin Rd & Nyamutin Rd | 1.95 | Hill Rd - End Road | |
| 4290096 | Hill Rd | Hill Rd | Wickepin | 0.00 | McDougalls Rd & Line Rd | 8.49 | Hill Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection McDougalls Rd & Line Rd : No access permitted into Line Rd from Hill Rd. No access permitted into Hill Rd from Line Rd. |
| 5140009 | Hill Rd | Hill Rd | Perenjori | 0.00 | Payne Rd & Back Bowgada Rd | 1.37 | 1.37km From Payne Rd & Back Bowgada Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 5140009 | Hill Rd | Hill Rd | Perenjori | 1.37 | 1.37km From Payne Rd & Back Bowgada Rd | 14.45 | Koolanooka Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5140009 | Hill Rd | Hill Rd | Perenjori | 14.45 | Koolanooka Rd | 20.10 | Boundary Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 5140009 | Hill Rd | Hill Rd | Perenjori | 20.10 | Boundary Rd | 20.86 | Morawa South Rd | |
| 5140009 | Hill Rd | Hill Rd | Perenjori | 20.86 | Morawa South Rd | 26.17 | Young Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------|----------|----------------------------|--------|--|---|
| 6040446 | Hill St | Hill St | Esperance | 0.00 | Simpson St | 0.65 | Harbour Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit A RAV must not be driven on this road in excess of 4.3m in height unless written approval is obtained from Horizon Power. |
| 7030048 | Hill St | Hill St | Meekatharra | 0.14 | Connaughton St | 1.09 | Meehan St | |
| 4060073 | Hillam Rd | Hillam Rd | Cunderdin | 0.00 | Quelagetting Rd | 4.58 | Cooalling Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1021112 | Hillary Pl | Hillary Pl | Kalamunda | 0.00 | Harrison Rd | 0.15 | Hillary Wy - End Road | <ul style="list-style-type: none"> Intersection Harrison Rd : No right turn permitted into Harrison Rd from Hillary Pl. No left turn permitted into Hillary Pl from Harrison Rd |
| 4020039 | Hillcroft Rd | Hillcroft Rd | Brookton | 0.00 | South Dale Rd | 13.29 | Corberding Rd & Dale Kokeby Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6040257 | Hillermans Rd | Hillermans Rd | Esperance | 0.00 | Boydell Rd | 6.03 | Speddingup Rd West | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 3100024 | Hillier Rd | Hillier Rd | Kojonup | 0.00 | Tone Rd | 16.56 | Kojonup - Frankland Rd | |
| 3160011 | Hillman - Dardadine Rd | Hillman - Dardadine Rd | West Arthur | 0.00 | Hillman Rd & Bunce King Rd | 6.92 | Williams LGA Boundary | |
| 4300040 | Hillman - Dardadine Rd | Hillman - Dardadine Rd | Williams | 0.00 | Dardadine Rd | 1.78 | West Arthur LGA Boundary | |
| 3160013 | Hillman Rd | Hillman Rd | West Arthur | 0.00 | Coalfields Rd | 4.48 | Hillman - Dardadine Rd & Bunce King Rd | |
| 3160122 | Hillman St | Hillman St | West Arthur | 0.00 | Gibbs St | 0.74 | Horwood St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|--------------------------|--------------------------|----------|--|--------|--|---|
| 3060083 | Hills Rd | Hills Rd | Dumbleyung | 0.00 | Dumbleyung Lake Grace Rd & Oliver Rd | 4.38 | Tarin Rock Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3060083 | Hills Rd | Hills Rd | Dumbleyung | 4.58 | Tarin Rock Rd | 11.25 | Halden East Rd | |
| 4040082 | Hills Rd | Hills Rd | Corrigin | 0.00 | Connelly Rd | 4.97 | Schultz Rd | <ul style="list-style-type: none"> Intersection Schultz Rd : No access permitted into Schultz Rd from Hills Rd |
| 4060042 | Hills Rd | Hills Rd | Cunderdin | 0.00 | Warding Rd | 2.80 | Hills Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4120153 | Hills Rd | Hills Rd | Kulin | 0.00 | Hyden-Lake King Rd | 10.93 | Duck Rock Rd & Holland Trk | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 6040116 | Hills Rd | Hills Rd | Esperance | 0.00 | Quarry Rd | 5.47 | Lake Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 8120001 | Hillside - Marble Bar Rd | Hillside - Marble Bar Rd | East Pilbara | 0.00 | General St & Marble Bar Rubbish Tip Rd | 90.44 | Hillside - Woodstock Rd & Bonney Downs - Hillside Rd | |
| 4040064 | Hillside Rd | Hillside Rd | Corrigin | 0.00 | Corrigin - Wogerlin Rd | 5.06 | Dry Well Rd & Turnbull Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 8130396 | Hillside-Woodstock Rd | Hillside-Woodstock Rd | Port Hedland (T) | 0.00 | Great Northern Hwy | 17.54 | Marble Bar-Woodstock Rd | |
| 2010060 | Hillview Rd | Hillview Rd | Augusta - Margaret River | 0.00 | Allnut Tce & Ellis St | 1.09 | Hart Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit No Operation between the hours of sunset and sunrise |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|------------------|----------|---|--------|--------------------------------|--|
| 3110054 | Hilton Rd | Hilton Rd | Lake Grace | 0.00 | Lake Grace Newdegate Rd | 7.13 | Willcocks Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4070015 | Hindmarsh Back Rd | Hindmarsh Back Rd | Dowerin | 0.00 | Dowerin - Meckering Rd | 15.11 | Twenty Six Gate Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4070004 | Hindmarsh Rd | Hindmarsh Rd | Dowerin | 0.00 | Twenty Six Gate Rd & Cunderdin - Minnivale Rd | 13.15 | Dowerin - Meckering Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 4140021 | Hines Hill - Korbel Rd | Hines Hill - Korbel Rd | Merredin | 0.00 | Great Eastern Hwy | 17.00 | Korbel East Rd & Korbelka Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4140009 | Hines Hill North Rd | Hines Hill North Rd | Merredin | 0.00 | Great Eastern Hwy | 23.09 | Nukarni West Rd & Danberrin Rd | |
| 4030015 | Hines Hill Rd | Hines Hill Rd | Bruce Rock | 0.00 | Bruce Rock Merredin Rd | 15.13 | Merredin LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Bruce Rock Merredin Rd : No left turn permitted into Bruce Rock Merredin Rd from Hines Hill Rd. No right turn permitted into Hines Hill Rd from Bruce Rock Merredin Rd |
| 4140002 | Hines Hill Rd | Hines Hill Rd | Merredin | 0.00 | Great Eastern Hwy | 19.86 | Bruce Rock LGA Boundary | |
| 4140097 | Hines Hill Wheat Bin St | Hines Hill Wheat Bin St | Merredin | 0.00 | Great Eastern Hwy | 1.45 | Hines Hill North Rd | |
| 1180065 | Hines Rd | Hines Rd | Fremantle (C) | 0.42 | South St | 1.35 | Sainsbury Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|-------------------------|--------|---------------------------------|---|
| 2150055 | Hines Rd | Hines Rd | Murray | 0.00 | South Western Hwy | 4.60 | Scarp Rd (Nth) | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3070012 | Hinkley Rd | Hinkley Rd | Gnowangerup | 0.00 | Allardyce St | 27.48 | Mindarabin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4120048 | Hinkley Rd | Hinkley Rd | Kulin | 0.00 | Hinkley Rd - Start Road | 4.66 | Tarin Rock North Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4250065 | Hinsley Rd | Hinsley Rd | Tammin | 0.00 | Ralston Rd | 1.67 | Goldfields Rd & Tammin South Rd | |
| 5160063 | Hipper Rd | Hipper Rd | Chapman Valley | 0.00 | Indialla Rd | 2.45 | East Nabawa | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5140059 | Hirsch Rd | Hirsch Rd | Perenjori | 0.00 | Dring Rd | 19.66 | Mullewa Wubin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Mullewa Wubin Rd : No Exit Or Entry From Or To Wubin-Mullewa Road Permitted |
| 4150021 | Hiscox Rd | Hiscox Rd | Mount Marshall | 0.00 | Bencubbin - Gabbin Rd | 17.32 | Andrews Tank Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------|----------|-------------------------------|--------|----------------------|---|
| 4150021 | Hiscox Rd | Hiscox Rd | Mount Marshall | 17.32 | Andrews Tank Rd | 33.31 | Red Dam Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 113Z038 | Hitchcock Pl (Federal) | Hitchcock Pl (Federal) | Belmont (C) | 0.00 | Reid Rd (Federal) | 0.52 | Searle Rd (Federal) | |
| 4060055 | Hitchcock Rd | Hitchcock Rd | Cunderdin | 0.00 | Goomalling - Meckering Rd | 7.82 | Antonio Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6110138 | Hitching Rd | Hitching Rd | Yilgarn | 0.00 | Ivey Rd | 2.41 | Bodallin South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3090066 | Hobart Rd | Hobart Rd | Kent | 0.00 | Moornaming South Rd | 3.06 | Katanning Nyabing Rd | |
| 1011058 | Hobbs Dr | Hobbs Dr | Armadale (C) | 0.91 | 0.25km From South Western Hwy | 1.16 | South Western Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3070096 | Hobbs Rd | Hobbs Rd | Gnowangerup | 0.00 | Salt River Rd | 4.09 | Hobbs Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|----------------------------|--------|-------------------------------|--|
| 3120176 | Hobbs Rd | Hobbs Rd | Plantagenet | 0.00 | Albany Hwy | 2.80 | Jutland Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4020045 | Hobbs Rd | Hobbs Rd | Brookton | 0.00 | Roses Rd | 1.45 | Hobbs Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 6040531 | Hobby Rd | Hobby Rd | Esperance | 0.00 | Beete Rd | 10.17 | Quast Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040531 | Hobby Rd | Hobby Rd | Esperance | 10.23 | Quast Rd | 17.34 | Holt Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040531 | Hobby Rd | Hobby Rd | Esperance | 17.39 | Holt Rd | 44.99 | 1.56 Km Past Circle Valley Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4310082 | Hobden Rd | Hobden Rd | Wyalkatchem | 0.00 | Cunderdin - Wyalkatchem Rd | 4.00 | Depierres Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------------|----------|---------------------------------|--------|-------------------------|--|
| 2110076 | Hocart Rd | Hocart Rd | Harvey | 0.00 | Herbert Rd | 2.55 | Dixon Av | |
| 6040062 | Hockeys Rd | Hockeys Rd | Esperance | 0.00 | Browning Rd | 6.69 | Gibson - Dalyup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4250056 | Hocking Rd | Hocking Rd | Tammin | 0.00 | Yorkrakine Rd | 3.04 | Tammin - Wyalkatchem Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1091734 | Hod Wy | Hod Wy | Swan (C) | 0.00 | Pavers Cir | 0.20 | Pavers Cir | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 4130056 | Hodges Rd | Hodges Rd | Trayning | 0.00 | Purdy Rd | 1.42 | Nungarin LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4220008 | Hodges Rd | Hodges Rd | Nungarin | 0.00 | Nangeenan North Rd | 16.90 | Trayning LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Intersection McGlinn Rd : No access permitted into McGlinn Rd (northbound) from Hodges Rd |
| 4280053 | Hodgeson Rd | Hodgeson Rd | Westonia | 0.00 | Clothier Rd & Carrabin South Rd | 5.15 | Lowe Rd & Smith Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3030269 | Hodgson Rd | Hodgson Rd | Broomehill - Tambellup | 0.00 | Great Southern Hwy | 1.77 | Hodgson Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4310032 | Hodgson Rd | Hodgson Rd | Wyalkatchem | 0.00 | Elsegood Rd | 3.41 | Goldfields Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|--------------------------|--------|-------------------------|--|
| 5030100 | Hodgson Rd | Hodgson Rd | Dalwallinu | 0.00 | Sutcliffe Rd | 17.64 | Petrudor Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Sutcliffe Rd : No right turn permitted into Sutcliffe Rd from Hodgson Rd |
| 1130297 | Hodgson Wy | Hodgson Wy | Belmont (C) | 0.00 | Burchell Wy | 0.51 | Noble St | |
| 5110075 | Hoey Rd | Hoey Rd | Morawa | 0.00 | Jones Lake Rd & Judge Rd | 4.65 | Munckton Rd & Murray Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3110113 | Hogan Rd | Hogan Rd | Lake Grace | 0.00 | Lake King-Norseman Rd | 15.70 | Finlay Rd & Ace Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4150066 | Hogan Rd | Hogan Rd | Mount Marshall | 0.00 | Gillett Rd | 2.99 | Bencubbin - Beacon Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|---------------------------|--------|--------------------------|--|
| 5190060 | Hogbin Rd | Hogbin Rd | Coorow | 0.00 | Buntine - Marchagee Rd | 0.40 | Residence | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3080284 | Hoggs Head Rd | Hoggs Head Rd | Katanning | 0.00 | Kowald Rd & Hutton Rd | 4.55 | Carrolup River Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 4170024 | Hogstrome Rd | Hogstrome Rd | Narembeen | 0.00 | Soldiers Rd | 8.06 | Emu Hill East Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5180122 | Holben Rd | Holben Rd | Wongan - Ballidu | 0.00 | Cadoux North Rd | 5.22 | | |
| 3070104 | Holden Rd | Holden Rd | Gnowangerup | 0.00 | Boxwood Hill - Ongerup Rd | 12.11 | Jerramungup LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5110062 | Holder Rd | Holder Rd | Morawa | 0.00 | Madden Rd & Toohey Rd | 5.22 | Gutha East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1091689 | Holder Wy | Holder Wy | Swan (C) | 0.00 | Harlond Av | 0.74 | Harlond Av | <ul style="list-style-type: none"> 10 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------------|----------|--|--------|-------------------------|---|
| 3030072 | Holding Rd | Holding Rd | Broomehill - Tambellup | 0.00 | North Nookanellup Rd | 1.17 | Holding Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4310020 | Holdsworth Rd | Holdsworth Rd | Wyalkatchem | 0.00 | Harrison Rd | 17.49 | Lackman Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3110071 | Holland Trk | Holland Trk | Lake Grace | 0.00 | Mallee Hill Rd | 8.06 | Lake Grace Newdegate Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). |
| 4100089 | Holland Trk | Holland Trk | Kondinin | 0.00 | Kulin LGA Boundary | 1.44 | Hyden-Lake King Rd | |
| 4100089 | Holland Trk | Holland Trk | Kondinin | 1.44 | Hyden-Lake King Rd | 18.27 | Holland Trk - End Road | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Modesty Rock East Rd : No left turn permitted into Modesty Rock Rd East from Holland Trk |
| 4120042 | Holland Trk | Holland Trk | Kulin | 0.00 | Newdegate North Rd & Pingaring - Varley Rd | 28.55 | Kondinin LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3090094 | Hollands Tank Rd | Hollands Tank Rd | Kent | 0.00 | Newdegate - Pingrup Rd | 18.27 | Zwecks Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------------|----------|------------------------|--------|-----------------------|---|
| 3050159 | Hollings Rd | Hollings Rd | Denmark | 0.00 | Horsley Rd & North St | 0.33 | 80m From Walker St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h |
| 3050159 | Hollings Rd | Hollings Rd | Denmark | 0.33 | 80m From Walker St | 1.56 | Inlet Dr & Crellin St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4070140 | Hollins Rd | Hollins Rd | Dowerin | 0.00 | Thornett Rd | 3.57 | Twine Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4110112 | Hollins Rd | Hollins Rd | Koorda | 0.00 | Booralaming - Kulja Rd | 6.94 | Kirwan East Rd | |
| 3030044 | Holly East Rd | Holly East Rd | Broomehill - Tambellup | 0.00 | Holly Siding Rd | 2.09 | Fairfield Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Holly Siding Rd : No turning movement permitted at the intersection of Holly East Rd and Holly Siding Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------------|----------|-----------------------------------|--------|-----------------------|--|
| 3030043 | Holly Siding Rd | Holly Siding Rd | Broomehill - Tambellup | 0.00 | Broomehill - Kojonup Rd | 5.30 | Moore Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Holly East Rd : No turning movement permitted at the intersection of Holly Siding Rd and Holly East Rd |
| 3110176 | Holme Rd | Holme Rd | Lake Grace | 0.00 | Kent Rd | 8.73 | Holmes Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3090089 | Holmes Rd | Holmes Rd | Kent | 0.00 | Pingrup Lake Grace Rd | 3.02 | Holmes Rd - End Road | |
| 4120112 | Holmes Rd | Holmes Rd | Kulin | 0.00 | Pederah East Rd & Medcalf Rock Rd | 11.32 | Aylmore Rd & Lanes Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5050701 | Holmes Rd | Holmes Rd | Greater Geraldton (C) | 0.00 | Moore Rd | 6.48 | Erangy Spring Rd | |
| 6040536 | Holt Rd | Holt Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 16.57 | Fagan Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4100128 | Holt Rock North Rd | Holt Rock North Rd | Kondinin | 0.00 | Modesty Rock East Rd | 6.55 | Lake O Connor Rd West | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|---|--------|---|---|
| 4120032 | Holt Rock North Rd | Holt Rock North Rd | Kulin | 0.00 | Harvey Rd & Lake O Connor Rd West | 8.99 | Holt Rock South Rd & Hyden-Lake King Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4120002 | Holt Rock Rd East | Holt Rock Rd East | Kulin | 0.00 | Hyden-Lake King Rd | 17.80 | Holt Rock Rd East - Lg Bdry | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Hyden-Lake King Rd : No left turnpermitted into Brookton Hwy from Holt Rock Rd East |
| 3110219 | Holt Rock South Rd | Holt Rock South Rd | Lake Grace | 0.00 | Winchcombe Rd & Holt Rock South Rd | 39.66 | Newdegate Ravensthorpe Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4120149 | Holt Rock South Rd | Holt Rock South Rd | Kulin | 0.00 | Hyden-Lake King Rd & Holt Rock North Rd | 10.37 | Winchcombe Rd & Holt Rock South Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4240044 | Homebush Rd | Homebush Rd | Quairading | 0.00 | Lake Mears Rd | 8.10 | Dangin - Mears Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 3020026 | Homestead Rd | Homestead Rd | Albany (C) | 0.00 | South Coast Hwy | 9.06 | Bettys Beach Rd & Normans Beach Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h |
| 3040112 | Homestead Rd | Homestead Rd | Cranbrook | 0.00 | Sturry Rd | 4.11 | Homestead Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|-------------------------------|--------|--|--|
| 5100042 | Honey Rd | Honey Rd | Moora | 0.00 | Bindi East Rd | 3.90 | Taylor Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5070214 | Honeycomb Rd | Honeycomb Rd | Gingin | 0.00 | Mooliabeenee Rd & Cockram Rd | 2.12 | Brand Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 2110150 | Honeymoon Rd | Honeymoon Rd | Harvey | 0.00 | South Western Hwy | 5.03 | 5.03km From South Western Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2110150 | Honeymoon Rd | Honeymoon Rd | Harvey | 5.03 | 5.03km From South Western Hwy | 16.39 | Harvey - Quindanning Rd & Lancaster Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4310129 | Honour Av | Honour Av | Wyalkatchem | 0.00 | Railway Tce | 0.75 | Wyalkatchem - Koorda Rd & Slocum St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|---|--------|--------------------------------|---|
| 4140020 | Hooper Rd | Hooper Rd | Merredin | 0.00 | Dunwell Rd & Muntadgin Rd | 22.07 | Garbin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180127 | Hooper Rd | Hooper Rd | Wongan - Ballidu | 0.00 | Hospital Rd | 8.66 | Freestone Rd | |
| 3170039 | Hope Farm Rd | Hope Farm Rd | Woodanilling | 0.00 | Church Rd | 2.59 | Trimmer Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3170057 | Hope Rd | Hope Rd | Woodanilling | 0.00 | Johnston Rd | 1.96 | Westwood Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1031337 | Hope Rd East of Fwy | Hope Rd East of Fwy | Cockburn (C) | 0.00 | Training Pl & Rail Access (Was Hope Rd) | 0.50 | Hope Rd East of Fwy - End Road | |
| 1050168 | Hope Valley Rd | Hope Valley Rd | Kwinana (C) | 0.00 | Rockingham Rd | 2.38 | Abercrombie Rd | <ul style="list-style-type: none"> Intersection Rockingham Rd : No right turn permitted into Melville Mandurah Hwy (Rockingham Rd) from Hope Valley Rd. |
| 2150012 | Hopeland Rd | Hopeland Rd | Murray | 1.99 | 1.99km From Hopeland Rd | 6.15 | Lakes Rd & Corio Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 1141337 | Hopetoun Pl | Hopetoun Pl | Canning (C) | 0.00 | Casino St | 0.17 | Hopetoun Pl - End Road | |
| 1140885 | Hopewell St | Hopewell St | Canning (C) | 0.00 | Vulcan Rd | 0.32 | Bannister Rd | |
| 4060066 | Hopkins Rd | Hopkins Rd | Cunderdin | 0.00 | Great Eastern Hwy | 4.76 | Hopkins Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|--------------------------|----------|-------------------------------|--------|------------------------------|---|
| 4120029 | Hopkins Rd | Hopkins Rd | Kulin | 0.00 | Kulin - Dudinin Rd | 23.85 | Hopkins Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 6054009 | Hopkins St | Hopkins St | Kalgoorlie - Boulder (C) | 0.00 | Waverley St | 3.01 | Hopkins St - End Road | <ul style="list-style-type: none"> Intersection Waverley St : No left turn permitted into Waverley St from Hopkins St |
| 5130074 | Horan Rd | Horan Rd | Northampton | 0.00 | Ogilvie East Rd | 8.44 | Mongeragarry Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h No Operation from Apr to Sep Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1106007 | Horizon Tce | Horizon Tce | Wanneroo (C) | 0.00 | Axis Pde | 0.13 | | |
| 3160052 | Horley Rd | Horley Rd | West Arthur | 0.00 | Darkan Rd | 7.60 | O'Connell Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3160130 | Horley St | Horley St | West Arthur | 0.00 | Williams St | 0.36 | Thompson St | |
| H065 | Horrie Miller Dr | Horrie Miller Dr | Belmont (C) | 0.00 | Kewdale Rd | 0.22 | Horrie Miller Dr (Federal) | |
| 113Z001 | Horrie Miller Dr (Federal) | Horrie Miller Dr (Federal) | Belmont (C) | 0.00 | Horrie Miller Dr | 1.89 | Paltridge Rd (Federal) | <ul style="list-style-type: none"> Intersection Tarlton Cr (Federal) : No right turn permitted from Horrie Miller Dr into Tarlton Cr |
| H251 | Horrie Miller Dr on to Tonkin Hwy (Eastbound) | Horrie Miller Dr on to Tonkin Hwy (Eastbound) | Belmont (C) | 0.00 | Horrie Miller Dr | 0.40 | Tonkin Hwy | |
| 5130218 | Horrocks Rd | Horrocks Rd | Northampton | 0.00 | Horrocks Rd & Port Gregory Rd | 5.76 | Suckling Rd | |
| 5130218 | Horrocks Rd | Horrocks Rd | Northampton | 5.76 | Suckling Rd | 11.68 | 1.89km Before Bowes River Rd | <ul style="list-style-type: none"> Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). |
| 5130042 | Horry Rd | Horry Rd | Northampton | 0.00 | Harvey Rd | 12.86 | Blue Well Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------------|----------------------------|-----------------------|----------|---------------------------------|--------|-------------------------------|--|
| 7030083 | Horseshoe Lights Access Rd | Horseshoe Lights Access Rd | Meekatharra | 0.00 | Ashburton Dwns - Meekatharra Rd | 19.37 | Horseshoe Access Rd | |
| 4240110 | Horsley Rd | Horsley Rd | Quairading | 0.00 | Wamenusking Rd | 5.78 | Quairading - Corrigin Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4030072 | Hortin Rd | Hortin Rd | Bruce Rock | 0.00 | Kwolyin East Rd | 8.36 | Langdon Rd | |
| 5050497 | Horwood Rd | Horwood Rd | Greater Geraldton (C) | 0.48 | Flores Rd | 5.06 | Masters Rd | |
| 3160124 | Horwood St | Horwood St | West Arthur | 0.00 | Burrowes St | 0.59 | Horwood St - End Road | |
| 5130245 | Hose Rd | Hose Rd | Northampton | 0.00 | George Grey Dr | 1.32 | 0.19km From Ogilvie West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| H440 | Hosken St Rty | Hosken St Rty | Greater Geraldton (C) | 0.00 | North West Coastal Hwy | 0.15 | North West Coastal Hwy | |
| 1101668 | Hoskins Rd | Hoskins Rd | Wanneroo (C) | 0.00 | Mosey St | 0.38 | Cowle St | |
| 5180195 | Hospital Rd | Hospital Rd | Wongan - Ballidu | 0.00 | Quinlan St & Pioneer Rd | 67.47 | Dowerin - Kalannie Rd | <ul style="list-style-type: none"> Intersection Clarke Rd : No access permitted into Clarke Rd from Hospital Rd |
| 5160086 | Hotel Rd | Hotel Rd | Chapman Valley | 0.00 | Northampton - Nabawa Rd | 0.64 | Chapman Valley Rd | <ul style="list-style-type: none"> Intersection Northampton - Nabawa Rd : No right turn permitted into Northampton - Nabawa Rd from Hotel Road |
| 3080121 | Hotker Rd | Hotker Rd | Katanning | 0.00 | Katanning Nyabing Rd | 3.22 | Coyrecup South Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030024 | Hourigan Rd | Hourigan Rd | Dalwallinu | 0.00 | Pithara East Rd | 12.72 | Wongan - Ballidu LGA Boundary | |
| 5180038 | Hourigan Rd | Hourigan Rd | Wongan - Ballidu | 0.00 | Ballidu East Rd | 9.82 | Dalwallinu LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|-----------------------|----------|---------------------------|--------|---------------------------|---|
| 3080147 | House Rd | House Rd | Katanning | 0.00 | Great Southern Hwy | 3.34 | Hutton Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5050469 | Howard Rd | Howard Rd | Greater Geraldton (C) | 0.00 | Rudds Gully Rd | 0.17 | Howard Rd - End Road | <ul style="list-style-type: none"> Intersection Rudds Gully Rd : Left turn only permitted into Howard Rd from Rudds Gully Rd |
| 5170111 | Howard Rd | Howard Rd | Victoria Plains | 0.00 | Calingiri - New Norcia Rd | 4.91 | Carani West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5190058 | Howard Rd | Howard Rd | Coorow | 0.00 | Midlands Rd | 2.28 | Marchagee South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4050145 | Howard St | Howard St | Cuballing | 0.00 | Great Southern Hwy | 1.08 | Williams Rd & Boundary Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|-----------------------|----------|---|--------|--|--|
| 2180035 | Howards Rd | Howards Rd | Boyup Brook | 0.00 | Bridgetown Boyup Brook Rd | 0.30 | For 0.3km From Bridgetown Boyup Brook Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 50 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5050722 | Howe Rd | Howe Rd | Greater Geraldton (C) | 0.00 | Barrabarra Rd | 14.21 | Howe Rd - End Road | |
| 6040031 | Howick Rd | Howick Rd | Esperance | 0.00 | Henkes Rd | 14.61 | Parmango Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040031 | Howick Rd | Howick Rd | Esperance | 14.62 | Parmango Rd | 32.89 | Coolinup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040031 | Howick Rd | Howick Rd | Esperance | 32.94 | Coolinup Rd | 45.46 | Mount Ney Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 3160044 | Howie Rd | Howie Rd | West Arthur | 0.00 | Hillman - Dardadine Rd | 24.47 | Albany Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4100105 | Howlett St | Howlett St | Kondinin | 0.00 | Graham St & Young Av & Corrigin Kondinin Rd | 1.15 | Cook St | |
| 1030026 | Howson Wy | Howson Wy | Cockburn (C) | 0.00 | Stock Rd | 1.73 | 1030007/40-S & Spearwood Av | |
| 1030026 | Howson Wy | Howson Wy | Cockburn (C) | 1.76 | Howson Wy - End Db | 1.88 | Miguel Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|------------------------------|--------|---------------------|--|
| 1050175 | Hoyle Rd | Hoyle Rd | Kwinana (C) | 0.00 | Conway Rd | 0.59 | Armstrong Rd | |
| 4090063 | Hoyle Rd | Hoyle Rd | Kellerberrin | 0.39 | Kellerberrin - Shackleton Rd | 3.12 | Hoyle Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4130009 | Huandanning Rd | Huandanning Rd | Trayning | 0.00 | Nungarin Wyalkatchem Rd | 23.08 | Pullen Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4130009 | Huandanning Rd | Huandanning Rd | Trayning | 23.08 | Pullen Rd | 28.92 | Durokoppin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3100203 | Hubbe Rd | Hubbe Rd | Kojonup | 0.00 | Hillier Rd | 0.22 | Jefferds Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|------------------------|--------|------------------------------------|--|
| 3100203 | Hubbe Rd | Hubbe Rd | Kojonup | 0.22 | Jeffs Rd | 6.36 | Hubbe Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Jeffs Rd : No left turn permitted into Jeffs Rd from Hubbe Rd |
| 4140035 | Hubeck Rd | Hubeck Rd | Merredin | 0.00 | Merredin Nungarin Rd | 13.69 | Goldfields Rd & Crooks Rd | |
| 1130190 | Hubert St | Hubert St | Belmont (C) | 0.00 | Hubert St - Start Road | 0.50 | Hubert St - End Road | |
| 4150161 | Huckstep Rd | Huckstep Rd | Mount Marshall | 0.00 | White Rd & Ingleton Rd | 5.46 | 5.46km From White Rd & Ingleton Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---------------------------|------------------|----------|------------------------|--------|---|---|
| 4060137 | Hudson Rd | Hudson Rd | Cunderdin | 0.00 | Gangell Rd | 1.22 | Dowerin LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4070124 | Hudson Rd | Hudson Rd | Dowerin | 0.00 | Cunderdin LGA Boundary | 5.63 | Thornett Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 8030211 | Hudson St | Hudson St | Carnarvon | 0.00 | Woodman St | 0.41 | Collins St | |
| 5030259 | Huggett Dr | Huggett Dr | Dalwallinu | 0.00 | Great Northern Hwy | 0.58 | Roberts Rd | |
| 113Z036 | Hugh Edwards Dr (Federal) | Hugh Edwards Dr (Federal) | Belmont (C) | 0.00 | Tarlton Cr (Federal) | 0.33 | Whitham Rd (Federal) & Colquhoun Rd (Federal) | <ul style="list-style-type: none"> Intersection Tarlton Cr (Federal) : No left turn permitted into Hugh Edwards Rd from Tarlton Cr |
| 3100037 | Hughenden Rd | Hughenden Rd | Kojonup | 0.00 | Anderson Rd | 2.15 | Hughenden Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|--------------------------|----------|----------------------------------|--------|-------------------------|--|
| 4030075 | Hughes Rd | Hughes Rd | Bruce Rock | 0.00 | Bruce Rock Quairading Rd | 13.19 | Quairading LGA Boundary | |
| 4080022 | Hughes Rd | Hughes Rd | Goomalling | 0.00 | Goomalling Toodyay Rd | 2.71 | Bejoording Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h Intersection Goomalling Toodyay Rd : No right turn permitted into Goomalling Toodyay Rd from Hughes Rd |
| 4240120 | Hughes Rd | Hughes Rd | Quairading | 0.00 | Old Beverley East Rd | 2.86 | Bruce Rock LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4290091 | Hughes Rd | Hughes Rd | Wickepin | 0.00 | Sparks Rd & Williams Kondinin Rd | 3.85 | Hughes Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5190092 | Hughes Rd | Hughes Rd | Coorow | 0.00 | Chatfield Clarke Rd | 10.64 | Brand Mudge Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3070076 | Hughes St | Hughes St | Gnowangerup | 0.00 | Aylmore St | 0.34 | Glengarry Rd | <ul style="list-style-type: none"> Maximum speed 50 km/h |
| 2030221 | Huitson Rd | Huitson Rd | Bridgetown - Greenbushes | 0.00 | Maranup Ford Rd | 3.10 | Russell Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|--------------------------|----------|---------------------------|--------|---------------------------|---|
| 2030221 | Huitson Rd | Huitson Rd | Bridgetown - Greenbushes | 3.10 | Russell Rd | 5.62 | | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Russell Rd : No left turn permitted into Russell Rd from Huitson Rd |
| 3160125 | Hull St | Hull St | West Arthur | 0.00 | Burrowes St | 0.25 | Arthur St | |
| 4080035 | Hulongine Rd | Hulongine Rd | Goomalling | 0.00 | Goomalling - Meckering Rd | 6.61 | Hulongine Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h No Operation between 7:00 AM to 9:00 AM and 2:30 PM to 4:00 PM Curfew applies to school days only. |
| 3160088 | Hulse Rd | Hulse Rd | West Arthur | 0.00 | Hillman - Dardadine Rd | 0.48 | Hulse Rd - End Road | |
| 3090062 | Humphries Rd | Humphries Rd | Kent | 0.00 | Whyatt Rd | 8.76 | Parker Rd | |
| 4020147 | Humphry St | Humphry St | Brookton | 0.00 | Corberding Rd | 0.48 | Brookton Hwy | <ul style="list-style-type: none"> Intersection Corberding Rd : No Right Turn Into Corberding Rd Permitted. No Left Turn Into Humphry Rd From Corberding Rd Permitted |
| 4100069 | Humps South Rd | Humps South Rd | Kondinin | 0.00 | Lovering Rd | 3.54 | Humps South Rd - End Road | |
| 5080030 | Hunt Farm Rd | Hunt Farm Rd | Irwin | 0.00 | Milo Rd | 7.30 | Hunt Farm Rd - End Road | |
| 5180141 | Hunt Rd | Hunt Rd | Wongan - Ballidu | 0.00 | Craske Rd | 7.33 | Hunt Rd - End of Road | |
| 1090690 | Hunt St | Hunt St | Swan (C) | 0.00 | Crocker Dr | 0.35 | Irvine Dr | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 4170043 | Hunter Rd | Hunter Rd | Narembeen | 0.00 | Mt Arrowsmith Rd | 14.38 | Hyden North Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|------------------------------------|--------|-----------------|--|
| 4280033 | Hunter Rd | Hunter Rd | Westonia | 3.78 | Duncan Rd | 11.37 | Farina Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 0010067 | Hunter St | Hunter St | Broome | 0.06 | Blackman St | 0.92 | Clementson St | |
| 3020086 | Hunwick North Rd | Hunwick North Rd | Albany (C) | 0.00 | Hunwick South Rd & South Coast Hwy | 4.30 | Hunwick Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3020032 | Hunwick Rd | Hunwick Rd | Albany (C) | 0.00 | Keith Rd | 12.61 | Hennings Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3020032 | Hunwick Rd | Hunwick Rd | Albany (C) | 12.61 | Hennings Rd | 20.15 | Corio Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|-------------------------------------|--------|---------------------------|--|
| 3020032 | Hunwick Rd | Hunwick Rd | Albany (C) | 20.15 | Corio Rd | 21.72 | Boccomazzo Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4300013 | Hurley Rd | Hurley Rd | Williams | 0.00 | Albany Hwy | 13.84 | Williams-Darkan Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1140883 | Hurley St | Hurley St | Canning (C) | 0.00 | Bannister Rd | 0.36 | Vulcan Rd | |
| 1070419 | Hurrell Wy | Hurrell Wy | Rockingham (C) | 0.00 | Morgan St | 1.15 | Morgan St | |
| 1030078 | Hurst Rd | Hurst Rd | Cockburn (C) | 0.00 | Zeta Rd | 0.37 | Hurst Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3080043 | Hutton Rd | Hutton Rd | Katanning | 0.00 | Kojonup Katanning Rd & Fairfield Rd | 13.50 | Kowald Rd & Hoggs Head Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|------------------|----------|--------------------------------------|--------|-----------------------|---|
| 4150078 | Huxley Rd | Huxley Rd | Mount Marshall | 0.00 | Gabbin - Trayning Rd | 3.42 | Gabbin - Trayning Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| H782 | Hv Weigh Site (Tonkin Hwy Northbound At Ranford Rd) | Hv Weigh Site (Tonkin Hwy Northbound At Ranford Rd) | Gosnells (C) | 0.00 | Tonkin Hwy | 0.20 | Ranford Rd | |
| 3150101 | Hyde Rd | Hyde Rd | Wagin | 0.00 | Piesseville - Tarwonga Rd | 1.61 | Narrogin LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4180278 | Hyde Rd | Hyde Rd | Narrogin | 0.00 | Chomley Rd | 6.96 | Wagin LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4100002 | Hyden - Mount Walker Rd | Hyden - Mount Walker Rd | Kondinin | 0.00 | McPherson St & Clayton St | 25.91 | Mt Walker - Hyden Rd | |
| 4100032 | Hyden - Norseman Rd | Hyden - Norseman Rd | Kondinin | 0.00 | East Hyden Bin Rd & Lake O'Connor Rd | 79.61 | Dundas LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|-----------------------|----------|---------------------------------|--------|---------------------------|---|
| 6030034 | Hyden - Norseman Rd | Hyden - Norseman Rd | Dundas | 0.00 | Coolgardie Esperance Hwy | 182.41 | Kondinin LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 90 km/h |
| 4170011 | Hyden North Rd | Hyden North Rd | Narembeen | 0.00 | Emu Hill East Rd | 25.44 | Mt Walker - Hyden Rd | <ul style="list-style-type: none"> Intersection Anderson Rocks Rd : No right turn permitted into Anderson Rock Rd from Hyden North Rd |
| 4100101 | Hyden South Rd | Hyden South Rd | Kondinin | 0.00 | Marshall St | 0.64 | Hyden South Rd - End Road | |
| 5150028 | Hydraulic Rd | Hydraulic Rd | Three Springs | 0.00 | Arrino South Rd | 19.94 | Bunney Rd | |
| 1090953 | Hyne Rd | Hyne Rd | Swan (C) | 0.00 | Great Eastern Hwy | 0.57 | Hyne Rd - End Road | |
| 5140045 | I Just Rd | I Just Rd | Perenjori | 0.00 | Taylor Rd | 3.01 | I Just Rd - End Road | |
| 505Z018 | Ian Bogle Rd | Ian Bogle Rd | Greater Geraldton (C) | 0.00 | Connell Rd & John Willcock Link | 0.16 | Reg Clarke Rd | |
| 1105808 | Icon Link | Icon Link | Wanneroo (C) | 0.00 | Opportunity St | 0.15 | Prosperity Av | |
| 1141156 | Ilda Rd | Ilda Rd | Canning (C) | 0.00 | Baile Rd | 0.52 | Canvale Rd | |
| 8030139 | Iles Rd | Iles Rd | Carnarvon | 0.00 | Robinson St | 0.20 | For 0.20 Km | |
| 7030016 | Ilgarari Rd | Ilgarari Rd | Meekatharra | 0.00 | Great Northern Hwy | 17.33 | Tangadee Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h |
| 3080092 | Illareen Rd | Illareen Rd | Katanning | 0.00 | Kojonup Katanning Rd | 3.54 | Bushy Lane Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2180076 | Imrie Rd | Imrie Rd | Boyup Brook | 0.00 | Donnybrook Kojonup Rd | 3.88 | Imrie Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|--------------------------------------|----------|--------------------------------|--------|-------------------------------|--|
| 5110025 | Indar Rd | Indar Rd | Morawa | 0.00 | Nanekine Rd | 14.84 | Gutha West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5100040 | Indarrie Rd | Indarrie Rd | Moora | 0.00 | Great Northern Hwy | 5.23 | Indarrie Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5160011 | Indialla Rd | Indialla Rd | Chapman Valley | 0.00 | Durawah Rd | 13.80 | Chapman Valley Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 60 km/h |
| M045 | Indian Ocean Dr | Indian Ocean Dr | Wanneroo (C) Gingin Dandaragan | 0.00 | Wanneroo Rd & Yanchep Beach Rd | 86.17 | 3.83km Past Nilgen Lookout Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Maximum speed 80 km/h Intersection Tuart Rise : No left turn permitted into Tuart Rise from Indian Ocean Dr Intersection Lancelin Rd : No right turn permitted into Lancelin Rd from Indian Ocean Dr |
| M045 | Indian Ocean Dr | Indian Ocean Dr | Dandaragan | 89.73 | Meadows Rd | 100.61 | 10.88km North of Meadows Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|--------------------------------|---|----------|---------------------------------------|--------|--|---|
| M045 | Indian Ocean Dr | Indian Ocean Dr Bashford St | Dandaragan Coorow Carnamah Irwin | 144.19 | Cervantes Rd | 267.29 | Brand Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Maximum speed 80 km/h |
| 105Z014 | Industrial Area Access Rd | Industrial Area Access Rd | Kwinana (C) | 0.00 | Mandogalup Rd | 0.70 | Industrial Area Access Rd - End Road | |
| 1091830 | Industry St | Industry St | Swan (C) | 0.00 | Energy St | 0.36 | Trade Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 5010007 | Inering Rd | Inering Rd | Carnamah | 0.00 | Carnamah - Perenjori Rd | 3.55 | Three Springs LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 5150024 | Inering Rd | Inering Rd | Three Springs | 0.00 | Perenjori - Three Springs Rd | 2.02 | Carnamah LGA Boundary | |
| 4030090 | Ingham Rd | Ingham Rd | Bruce Rock | 0.00 | Bruce Rock Quairading Rd & Darling Rd | 2.25 | Ingham Rd - End Road | |
| 4150006 | Ingleton Rd | Ingleton Rd | Mount Marshall | 0.00 | Lindsay St & Kirby St | 30.77 | White Rd & Huckstep Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 8060154 | Ingram St | Ingram St | Exmouth | 0.00 | Minilya Exmouth Rd | 0.24 | For 0.24km From Minilya Exmouth Rd to No. 23 Ingram St | |
| 4290160 | Inkiepinkie Rd | Inkiepinkie Rd | Wickepin | 0.00 | Kerruish Rd & Pauley Rd | 5.30 | Rose Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4290160 | Inkiepinkie Rd | Inkiepinkie Rd | Wickepin | 5.30 | Rose Rd | 8.32 | Wickepin - Pingelly Rd & Green Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------|----------|-------------------|--------|---------------------------------|--|
| 4211017 | Inkpen Rd | Inkpen Rd | Northam | 0.00 | Great Eastern Hwy | 15.09 | Great Southern Hwy & Yarra Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4110021 | Inman Rd | Inman Rd | Koorda | 8.10 | Remnant Rd | 10.47 | Koorda - Dowerin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 1120887 | Inner Ct | Inner Ct | Bayswater (C) | 0.00 | Radius Loop | 0.11 | Inner Ct - End Road | |
| 2040603 | Inner Harbour Access | Inner Harbour Access | Bunbury (C) | 0.00 | Leschenault Dr | 0.40 | Inner Harbour Access - End Road | |
| 4090069 | Innes Rd | Innes Rd | Kellerberrin | 4.98 | Stone Giles Rd | 12.38 | Smith Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1104829 | Innovation Cct | Innovation Cct | Wanneroo (C) | 0.00 | Rigali Wy | 1.14 | Rigali Wy | |
| 4140104 | Insignia Wy | Insignia Wy | Merredin | 0.00 | Crooks Rd | 0.91 | Gabo Av | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1104894 | Inspiration Dr | Inspiration Dr | Wanneroo (C) | 0.00 | Hartman Dr | 1.26 | Prestige Pde | |
| 1105813 | Integrity Wy | Integrity Wy | Wanneroo (C) | 0.00 | Prestige Pde | 0.32 | Callaway St | |
| 1042698 | Intermodal Pl | Intermodal Pl | Gosnells (C) | 0.00 | Logistics Bvd | 0.29 | Intermodal Pl - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|------------------------------|--------|--------------------------|--|
| 4090014 | Inverarity Rd | Inverarity Rd | Kellerberrin | 0.00 | Kellerberrin - Yoting Rd | 10.50 | Victoria Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Maximum speed 60 km/h on gravel road. Intersection Kellerberrin - Yoting Rd : No left turn permitted into Kellerberrin - Yoting Rd from Inverarity Rd |
| 3040116 | Inverdon Rd | Inverdon Rd | Cranbrook | 0.00 | Yeriminup Rd | 5.03 | Inverdon Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4060142 | Inverness Rd | Inverness Rd | Cunderdin | 0.00 | Great Eastern Hwy | 4.50 | Nornadeen Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1091268 | Inverness St | Inverness St | Swan (C) | 0.00 | Crocker Dr | 0.27 | Irvine Dr | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 1050859 | Investigator Dr | Investigator Dr | Kwinana (C) | 0.00 | Conway Rd | 1.84 | McLaren Av | |
| 1105530 | Investment Rd | Investment Rd | Wanneroo (C) | 0.00 | Inspiration Dr | 0.07 | Investment Rd - End Road | |
| 5140196 | Iona Rd | Iona Rd | Perenjori | 0.00 | Mullewa Wubin Rd | 3.95 | Bunjil - Carnamah Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3070107 | Ireland Rd | Ireland Rd | Gnowangerup | 0.00 | Unknown Rd & Chester Pass Rd | 2.00 | Ireland Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1180141 | Irene St | Irene St | Fremantle (C) | 0.00 | Bracks St | 0.11 | Irene St - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|--------------------------|----------|--------------------------|--------|---------------------------------------|---|
| 4211025 | Irishtown Rd | Irishtown Rd | Northam | 1.04 | Irishtown Rd Link Rd | 17.08 | Goomalling Toodyay Rd & Bejoording Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h No Operation from 7:00 AM to 8:30 AM and 4:00 PM to 5:00 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4211232 | Irishtown Rd Link Rd | Irishtown Rd Link Rd | Northam | 0.00 | Irishtown Rd | 0.32 | Great Eastern Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h No Operation from 7:00 AM to 8:30 AM and 4:00 PM to 5:00 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 8130340 | Iron Ore St | Iron Ore St | Port Hedland (T) | 0.00 | Pinnacles St | 0.26 | Harwell Wy | |
| 1091928 | Iron St | Iron St | Swan (C) | 0.00 | Mulgul Rd | 0.26 | Marshall Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 6120002 | Irrunytju Rd | Irrunytju Rd | Ngaanyatjarraku | 107.74 | Papulankutja Rd | 127.72 | 5.5km From Wingellina Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. All operators must obtain an Aboriginal Affairs Planning Authority (AAPA) Lands Permit prior to travelling on the road. Permits can be obtained through the Department of Planning, Lands and Heritage website. |
| 6120002 | Irrunytju Rd | Irrunytju Rd | Ngaanyatjarraku | 127.72 | 5.5km From Wingellina Rd | 133.22 | Wingellina Rd | |
| 1090691 | Irvine Dr | Irvine Dr | Swan (C) | 0.00 | Crocker Dr | 1.04 | Victoria Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 1120095 | Irvine St | Irvine St | Bayswater (C) | 0.00 | Clavering Rd | 0.76 | Flinders St & Pickett St | |
| 1101279 | Irwin Rd | Irwin Rd | Wanneroo (C) | 0.00 | Prindiville Dr | 0.22 | Dellamarta Rd | |
| 1091249 | Irwin St | Irwin St | Swan (C) | 0.00 | Clayton St | 0.40 | Bulbey St | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 1070421 | Islip St | Islip St | Rockingham (C) | 0.00 | Hurrell Wy | 0.12 | Morgan St | |
| 1101278 | Ismail St | Ismail St | Wanneroo (C) | 0.00 | Prindiville Dr | 0.22 | Dellamarta Rd | |
| 0040183 | Ivanhoe Rd | Ivanhoe Rd | Wyndham - East Kimberley | 0.00 | Victoria Hwy | 9.43 | Research Station Rd | |
| 4230037 | Ivanhoe Rd | Ivanhoe Rd | Pingelly | 0.00 | North Wandering Rd | 4.28 | Ivanhoe Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|--------------------------|----------|------------------------------|--------|----------------------|---|
| 6110064 | Ivey Rd | Ivey Rd | Yilgarn | 0.00 | Great Eastern Hwy | 28.76 | Dulyalbin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 1130259 | Ivy St | Ivy St | Belmont (C) | 0.00 | Redcliffe Rd | 0.34 | Ivy St - End Road | |
| 4120142 | J Bowey | J Bowey | Kulin | 0.00 | Hopkins Rd & Commonwealth Rd | 2.77 | J Bowey - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 0040194 | Jabiru Rd | Jabiru Rd | Wyndham - East Kimberley | 0.00 | Packsaddle Rd | 1.53 | Jabiru Rd - End Road | |
| 4110113 | Jack Rd | Jack Rd | Koorda | 0.00 | Booralaming - Kulja Rd | 1.17 | Jack Rd - End Road | |
| 4150080 | Jack Rd | Jack Rd | Mount Marshall | 0.00 | Koorda - Bullfinch Rd | 10.43 | Grylls Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3070011 | Jackitup Rd | Jackitup Rd | Gnowangerup | 0.00 | Kwobrup Rd | 16.20 | Hinkley Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3070009 | Jackitup Rd North | Jackitup Rd North | Gnowangerup | 0.00 | Jackitup Rd West | 8.00 | Tieline Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3070054 | Jackitup Rd West | Jackitup Rd West | Gnowangerup | 0.00 | Broomehill Gnowangerup Rd | 9.48 | Jackitup Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1080279 | Jackson Rd | Jackson Rd | Serpentine - Jarrahdale | 0.37 | King Rd | 1.87 | Bird Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|-------------------------|--------|------------------------|--|
| 3120024 | Jackson Rd | Jackson Rd | Plantagenet | 0.00 | Hannan Wy & Albany Hwy | 9.66 | Settlement Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h Intersection Settlement Rd : No access permitted into Settlement Rd from Jackson Rd |
| 3160039 | Jackson Rd | Jackson Rd | West Arthur | 0.00 | McAlinden Rd | 2.69 | Jackson Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4010057 | Jackson Rd | Jackson Rd | Beverley | 0.00 | Manuel Rd | 1.15 | Jacksons Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4299000 | Jackson Rd | Jackson Rd | Wickepin | 0.00 | Yealering South East Rd | 1.19 | Kirk Rock Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Kirk Rock Rd : No left turn permitted into Jackson Rd from Kirk Rock Rd (Northbound) |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|------------------------|--------|---------------------------------------|---|
| 4310071 | Jackson Rd | Jackson Rd | Wyalkatchem | 0.00 | Wyalkatchem North Rd | 3.38 | Wyalkatchem - Koorda Rd & Elsegood Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5010047 | Jackson Rd | Jackson Rd | Carnamah | 0.00 | Back Inering Rd | 2.90 | Carnamah - Perenjori Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030088 | Jackson Rd | Jackson Rd | Dalwallinu | 0.00 | Perenjori LGA Boundary | 9.88 | Jackson Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5140071 | Jackson Rd | Jackson Rd | Perenjori | 0.00 | Maya South West Rd | 1.84 | Dalwallinu LGA Boundary | |
| 1110020 | Jackson St | Jackson St | Bassendean (T) | 0.00 | Railway Pde | 1.16 | Collier Rd & Collier Link & Grey St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|-----------------------|----------|------------------------------------|--------|----------------------------|--|
| 5160064 | Jacky Jupp Rd | Jacky Jupp Rd | Chapman Valley | 0.00 | Chapman Valley Rd | 2.14 | Indialla Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5050628 | Jacob Rd | Jacob Rd | Greater Geraldton (C) | 0.00 | Freeman Rd & Mingenew - Mullewa Rd | 7.65 | Ardingly South Rd | |
| 4030101 | Jacobs North Rd | Jacobs North Rd | Bruce Rock | 0.00 | Bees Rd | 1.02 | Jacobs North Rd - End Road | |
| 4030165 | Jacobs Rd | Jacobs Rd | Bruce Rock | 0.00 | Bees Rd | 4.51 | Crombie Rd | |
| 6040110 | Jacobs Rd | Jacobs Rd | Esperance | 0.00 | South Coast Hwy | 2.65 | Jacobs Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4010015 | Jacobs Well Rd | Jacobs Well Rd | Beverley | 0.00 | Jacobs Well Rd - Start Road | 14.41 | Quairading York Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|--------------------------|--------|---------------------------------------|--|
| 3180050 | Jacup North Rd | Jacup North Rd | Jerramungup | 0.00 | South Coast Hwy | 34.40 | North of Jerramungup North Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 3180056 | Jacup South Rd | Jacup South Rd | Jerramungup | 0.00 | South Coast Hwy | 7.30 | Jacup South Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 1041135 | Jade St | Jade St | Gosnells (C) | 0.00 | Kelvin Rd | 0.58 | Eva St | |
| 4020025 | Jaensch Rd | Jaensch Rd | Brookton | 0.00 | Brookton-Corrigin Rd | 6.00 | 0.24km North of Boyagarra Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3040067 | Jaffa Rd | Jaffa Rd | Cranbrook | 0.00 | Pinjalup Rd | 2.27 | Ronaldshaw Rd | |
| 4030037 | Jakovich Rd | Jakovich Rd | Bruce Rock | 0.00 | Bruce Rock Quairading Rd | 10.00 | Yerapin Boundary Rd | |
| 2050004 | Jalbarragup Rd | Jalbarragup Rd | Busselton (C) | 0.00 | Chapman Hill Rd | 10.75 | Augusta - Margaret River LGA Boundary | <ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Curfew applies on school days only. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------------|----------|------------------------------|--------|--|--|
| 2160045 | Jalbarragup Rd | Jalbarragup Rd | Nannup | 0.00 | Brockman Hwy | 4.35 | Johnston Rd & Jalbarragup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 216Z102 | Jalbarragup Rd | Jalbarragup Rd | Nannup | 0.00 | Jalbarragup Rd & Johnston Rd | 17.25 | Jalbarragup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3150005 | Jaloran Rd | Jaloran Rd | Wagin | 0.00 | Tudhoe St | 19.48 | Piesseville - Jaloran Rd & Wagin - Wickepin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Tudhoe St : No left turn permitted into Collie-Lake King Rd from Jaloran Rd |
| 3030028 | Jam Creek Rd | Jam Creek Rd | Broomehill - Tambellup | 0.00 | Gnowangerup - Tambellup Rd | 15.54 | Peringillup East Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Gnowangerup - Tambellup Rd : No left turn permitted into Gnowangerup-Tambellup Road from Jam Creek Rd Intersection Peringillup East Rd : No left turn permitted into Peringillup East Rd from Jam Creek Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|-------------------|--------|-------------------------|--|
| 5040255 | Jam Hill Rd | Jam Hill Rd | Dandaragan | 0.00 | Kayanaba Rd | 0.92 | Jam Hill Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3080094 | Jam Hills Rd | Jam Hills Rd | Katanning | 0.00 | Bibiking South Rd | 3.88 | 1.12km From End of Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3070061 | Jam Rd | Jam Rd | Gnowangerup | 0.00 | Old Ongerup Rd | 2.64 | Jam Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3020072 | James Rd | James Rd | Albany (C) | 0.00 | Palmdale Rd | 2.66 | James Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4100026 | James Rd | James Rd | Kondinin | 0.00 | Kondinin Lake Rd | 5.51 | Kulin Rock Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|-----------------------|----------|--------------------------------------|--------|--|---|
| 5110049 | James Rd | James Rd | Morawa | 0.00 | Winterbourne Rd & Mingenew Morawa Rd | 4.10 | Valentine Rd & Three Springs - Morawa Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5140117 | James Rd | James Rd | Perenjori | 0.00 | Bunjil - Carnamah Rd | 8.14 | Caron Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1091186 | James St | James St | Swan (C) | 0.00 | Robinson Rd | 0.10 | James St - End Road | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 1120447 | James St | James St | Bayswater (C) | 0.00 | Raymond Av | 0.17 | John St | |
| 5051260 | James St | James St | Greater Geraldton (C) | 0.00 | Kemp St | 0.68 | Rudds Gully Rd | |
| 8030030 | James St | James St | Carnarvon | 0.00 | Robinson St | 0.46 | James St - End Road | |
| 4110068 | Jameson Rd | Jameson Rd | Koorda | 0.00 | Koorda - Kulja Rd | 4.00 | Anderson Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6100249 | Jamieson St | Jamieson St | Ravensthorpe | 0.01 | Shell Service Station Driveway | 0.48 | Ravensthorpe Bypass Rty | |
| 2050135 | Jamisons Rd | Jamisons Rd | Busselton (C) | 0.00 | Payne Rd & Edwards Rd | 4.40 | Jamisons Rd - End Road | |
| 3070114 | Jamvale Rd | Jamvale Rd | Gnowangerup | 0.00 | Greaves Hill Rd | 2.04 | Borden - Bremer Bay Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1030025 | Jandakot Rd | Jandakot Rd | Cockburn (C) | 0.00 | Dean Rd & Berrigan Dr | 4.82 | Warton Rd & Mason Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|-------------------------|----------|----------------------------------|--------|--------------------------|--|
| 2160067 | Jangardup Rd | Jangardup Rd | Nannup | 0.00 | Black Point Rd | 3.56 | Pneumonia Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. |
| 2160067 | Jangardup Rd | Jangardup Rd | Nannup | 3.56 | Pneumonia Rd | 11.23 | Jangardup Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Pneumonia Rd : No left turn permitted into Jangardup Road from Pneumonia Road. |
| 3030025 | Janus St | Janus St | Broomehill - Tambellup | 0.00 | Great Southern Hwy & Tie Line Rd | 0.34 | Javelin St & Chilicup Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3040060 | Jarrah Rd | Jarrah Rd | Cranbrook | 0.00 | Quindinup Rd | 6.35 | Scrubiup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1080002 | Jarrahdale Rd | Jarrahdale Rd | Serpentine - Jarrahdale | 14.92 | 2.56km After Blue Rock Rd | 21.46 | Albany Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|---|--------|------------------------------|--|
| 3060030 | Jarring South Rd | Jarring South Rd | Dumpleyung | 0.00 | One Twenty Nine Rd & Rasmussen Rd | 5.81 | Walkers Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060030 | Jarring South Rd | Jarring South Rd | Dumpleyung | 5.81 | Walkers Rd | 10.47 | Jarring South Rd & Clarke Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3110006 | Jarring South Rd | Jarring South Rd | Lake Grace | 0.00 | Dumpleyung Lake Grace Rd | 16.01 | Jarring South Rd & Clarke Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4140118 | Jarvis Rd | Jarvis Rd | Merredin | 0.00 | Goldfields Rd | 1.61 | Jarvis Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4310097 | Jarvis Rd | Jarvis Rd | Wyalkatchem | 0.00 | Nungarin Wyalkatchem Rd & Nembudding South Rd | 8.99 | Esegood Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Nungarin Wyalkatchem Rd & Nembudding South Rd : No Left Turn From Jarvis Road Into Nungarin Wyalkatchem Road |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|--------------------------------------|--------|----------------------------------|---|
| 4060029 | Jasper Rd | Jasper Rd | Cunderdin | 0.00 | Quairading Rd | 5.30 | Pascoe Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4060145 | Jasper River Rd | Jasper River Rd | Cunderdin | 0.00 | Mussared Rd & Great Eastern Hwy | 1.90 | Jasper River Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6020052 | Jaurdi Hills Rd | Jaurdi Hills Rd | Coolgardie | 0.00 | Coolgardie North Rd & Toorak St | 24.73 | 24.73km From Coolgardie North Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 6020052 | Jaurdi Hills Rd | Jaurdi Hills Rd | Coolgardie | 24.73 | 2.8km From Mt Burges - Bhp Access Rd | 48.21 | Dunnsville Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060087 | Jay Rd | Jay Rd | Dumbleyung | 3.70 | 1.16km From One Twenty Five Rd | 10.62 | One Twenty Nine Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|--------------------------|----------|---------------------------------|--------|---------------------------------------|--|
| 2030007 | Jayes Rd | Jayes Rd | Bridgetown - Greenbushes | 0.00 | Bridgetown Boyup Brook Rd | 4.16 | Boyup Brook LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No Operation Weekdays from 7:30 AM to 9:00 AM and 3:00 PM to 4:30 PM Curfew applies on school days only. |
| 2170130 | Jayes Rd | Jayes Rd | Donnybrook - Balingup | 2.39 | 1.11km East of Maugher Road | 7.13 | 1.16km West of Greenbushes Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2170130 | Jayes Rd | Jayes Rd | Donnybrook - Balingup | 7.13 | 1.16km West of Greenbushes Road | 8.29 | Greenbushes - Grimwade Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2180008 | Jayes Rd | Jayes Rd | Boyup Brook | 0.00 | Donnybrook Kojonup Rd | 4.64 | Aegers Bridge Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 2180008 | Jayes Rd | Jayes Rd | Boyup Brook | 6.03 | | 20.69 | Bridgetown - Greenbushes LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3150070 | Jeffris Rd | Jeffris Rd | Wagin | 0.00 | Wagin Dumbleyung Rd | 3.38 | Height Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|--------------------|--------|-----------------|---|
| 3100040 | Jeffs Rd | Jeffs Rd | Kojonup | 0.00 | Parker Rd | 5.79 | Hubbe Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Parker Rd : No access permitted into Parker Rd from Jeffs Rd Intersection Hubbe Rd : No right turn permitted into Hubbe Rd from Jeffs Rd |
| 4020017 | Jelcobine Rd | Jelcobine Rd | Brookton | 0.00 | York - Williams Rd | 8.46 | Brookton Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5180013 | Jenkin Rd | Jenkin Rd | Wongan - Ballidu | 0.00 | Northam Pithara Rd | 3.60 | Kondut West Rd | |
| 5100077 | Jenkins Rd | Jenkins Rd | Moora | 0.00 | Honey Rd | 6.52 | Bindi East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------|----------|------------------------------------|--------|--------------------------|---|
| 5110117 | Jenkins Rd | Jenkins Rd | Morawa | 0.00 | Gerber Rd & Canna North East Rd | 8.57 | Jenkins Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3110173 | Jenks Rd | Jenks Rd | Lake Grace | 0.00 | North Lake Grace - Karlgarin Rd | 4.03 | Duckworth Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5180066 | Jenks Rd | Jenks Rd | Wongan - Ballidu | 0.00 | East Boundary Rd & Tootra Fence Rd | 9.05 | Ballidu - Bindi Bindi Rd | |
| 4040098 | Jenkyn Rd | Jenkyn Rd | Corrigin | 0.00 | Rabbit Proof Fence Rd | 3.65 | Kunjin South Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4080011 | Jennacubbine East Rd | Jennacubbine East Rd | Goomalling | 0.00 | Northam Pithara Rd | 8.36 | Herridge Rd & Tyndall Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h No Operation between 7:00 AM to 9:00 AM and 2:30 PM to 4:00 PM Curfew applies on school days only. |
| 4211026 | Jennapullin Rd | Jennapullin Rd | Northam | 0.00 | Carter St & Keane St | 15.77 | Northam Pithara Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Vehicle not to exceed 25m in total length Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h No Operation from 7:00 AM to 8:30 AM and 4:00 PM to 5:00 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------|----------|----------------------------|--------|---|---|
| 4090025 | Jennings Rd | Jennings Rd | Kellerberrin | 0.00 | Angle Rd | 2.54 | Jennings Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4310087 | Jennings Rd | Jennings Rd | Wyalkatchem | 0.00 | Cowcowing West Rd | 3.85 | Wyalkatchem - Koorda Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Rail not to be crossed Intersection Wyalkatchem - Koorda Rd : No left turn permitted from Jennings Rd into Wyalkatchem Koorda Rd |
| 3110215 | Jensen Rd | Jensen Rd | Lake Grace | 0.00 | Stone Rd | 6.95 | Aylmore Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5180180 | Jensen St | Jensen St | Wongan - Ballidu | 0.00 | Manmanning Rd | 0.68 | Cemetery Rd | <ul style="list-style-type: none"> Intersection Manmanning Rd : No right turn permitted into Manmanning Rd from Jensen St. |
| 6100002 | Jerdacuttup Rd | Jerdacuttup Rd | Ravensthorpe | 0.00 | Hopetoun-Ravensthorpe Rd | 28.13 | Fence Rd | <ul style="list-style-type: none"> 20 km/h below posted speed limit |
| 6100002 | Jerdacuttup Rd | Jerdacuttup Rd | Ravensthorpe | 28.18 | Fence Rd | 43.78 | South Coast Hwy | <ul style="list-style-type: none"> 20 km/h below posted speed limit |
| 4030127 | Jermyn Rd | Jermyn Rd | Bruce Rock | 0.00 | Bruce Rock Quairading Rd | 0.71 | Kellerberrin - Shackleton Rd | |
| 3180044 | Jerramungup North Rd | Jerramungup North Rd | Jerramungup | 0.00 | Gnowangerup Jerramungup Rd | 18.77 | From Broome Hill Jerramungup Rd For 18.77km | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 1031453 | Jessie Lee St | Jessie Lee St | Cockburn (C) | 0.00 | Cockburn Rd | 0.14 | Roscoe St | <ul style="list-style-type: none"> Intersection Cockburn Rd : No left turn permitted into Cockburn Rd from Jessie Lee St |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|------------------------|----------|------------------------------------|--------|------------------------------|--|
| 3150044 | Jessup Rd | Jessup Rd | Wagin | 0.00 | Arthur Rd | 6.91 | Warup West Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 0030073 | Jetty Rd | Jetty Rd | Derby - West Kimberley | 0.00 | Elder St & Loch St | 2.05 | 2.05km From Loch St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Maximum speed 40 km/h Within the Derby town site operation is not permitted on weekdays between the hours of 07:30-08:00 and 14:14-14:45. |
| 5030011 | Jibberding Hall Rd | Jibberding Hall Rd | Dalwallinu | 0.00 | Wubin East Rd | 11.69 | Great Northern Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| H413 | Jigal Dr Rty | Jigal Dr Rty | Broome | 0.00 | Jigal Dr | 0.20 | Jigal Dr | |
| 7030065 | Jigalong Mission Rd | Jigalong Mission Rd | Meekatharra | 0.00 | Great Northern Hwy | 136.23 | Jigalong Community Access Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h |
| 8120036 | Jigalong Rd | Jigalong Rd | East Pilbara | 0.00 | Marble Bar Rd | 76.41 | Balfour Downs Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h |
| 4120037 | Jilakin Rock Rd North | Jilakin Rock Rd North | Kulin | 0.00 | Kulin Lake Grace Rd | 10.37 | Gnarining Rd East | |
| 4120117 | Jilakin St | Jilakin St | Kulin | 0.00 | Williams Kondinin Rd & Johnston St | 1.58 | Kulin Lake Grace Rd | |
| 412Z004 | Jilakin St Link | Jilakin St Link | Kulin | 0.00 | Jilakin St | 0.07 | Kulin Lake Grace Rd | |
| 2060045 | Jilley Rd | Jilley Rd | Capel | 9.73 | 140m From Lillydale Road. | 9.87 | Lillydale Rd | |
| 6040021 | Jims Oven Rd | Jims Oven Rd | Esperance | 0.00 | Merivale Rd | 7.10 | Fisheries Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|--------------------------|----------|------------------------------------|--------|---|--|
| 2010083 | Jindong - Treeton Rd | Jindong - Treeton Rd | Augusta - Margaret River | 0.00 | Rosa Brook Rd | 15.39 | Boundary Rd & Jindong - Treeton Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 2050051 | Jindong - Treeton Rd | Jindong - Treeton Rd | Busselton (C) | 0.00 | Boundary Rd & Jindong - Treeton Rd | 7.33 | McDonald Rd & Payne Rd | <ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Curfew applies on school days only. |
| 3100009 | Jingalup Rd | Jingalup Rd | Kojonup | 0.00 | Kojonup - Frankland Rd | 15.87 | Shamrock Rd | |
| 3100009 | Jingalup Rd | Jingalup Rd | Kojonup | 15.94 | Shamrock Rd | 18.22 | Albany Hwy | |
| 4230008 | Jingaring Rd | Jingaring Rd | Pingelly | 0.00 | Aldersyde - Pingelly Rd | 16.52 | Dwarlaking Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060081 | Jipsons Rd | Jipsons Rd | Dumbleyung | 0.00 | Dumbleyung Lake Grace Rd | 3.62 | Tarin Rock Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4120137 | Jitarning Bin Rd | Jitarning Bin Rd | Kulin | 0.00 | Williams Kondinin Rd | 1.31 | Jitarning Rd North & Williams Kondinin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4120018 | Jitarning Rd North | Jitarning Rd North | Kulin | 0.00 | Kulin West Rd | 11.91 | Williams Kondinin Rd & Jitarning Bin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4120071 | Jitarning Rd South | Jitarning Rd South | Kulin | 0.00 | Jitarning Bin Rd | 8.82 | Kulin - Dudinin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|--------------------------|----------|---------------------------------|--------|----------------------------------|---|
| 4150041 | Job Rd | Job Rd | Mount Marshall | 0.00 | Mandiga - Marindo Rd | 11.80 | Bencubbin - Beacon Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6020036 | Jobson St | Jobson St | Coolgardie | 0.00 | Victoria Rock Rd & Gnarlbine Rd | 0.33 | Bayley St (North) | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 6020036 | Jobson St | Jobson St | Coolgardie | 0.33 | Bayley St (North) | 1.17 | Macdonald St | <ul style="list-style-type: none"> Intersection Bayley St (North) : No access permitted into Great Eastern Hwy from Jobson St |
| 2010174 | John Archibald Dr | John Archibald Dr | Augusta - Margaret River | 0.00 | Boodjidup Rd Rty | 2.23 | John Archibald Dr Rty | |
| H442 | John Archibald Dr Rty | John Archibald Dr Rty | Augusta - Margaret River | 0.00 | Perimeter Rd | 0.19 | Perimeter Rd | |
| 6100032 | John Forrest Rd | John Forrest Rd | Ravensthorpe | 0.00 | Hopetoun-Ravensthorpe Rd | 12.11 | 6km North From Phillips River Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 6110173 | John Rd | John Rd | Yilgarn | 0.00 | John Rd - Start Road | 4.50 | Moorine South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 1120116 | John St | John St | Bayswater (C) | 0.00 | Munt St | 0.34 | King St | |
| 3020141 | John St | John St | Albany (C) | 0.88 | Christine Rd | 1.21 | Chester Pass Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 50 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|--------------------------|----------|----------------------------|--------|--|--|
| 3180021 | John St | John St | Jerramungup | 0.00 | Bremer Bay Rd | 0.60 | Mary St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1141000 | John St Nth | John St Nth | Canning (C) | 0.00 | Welshpool Rd | 0.30 | Railway Pde | |
| 1141001 | John St Sth | John St Sth | Canning (C) | 0.00 | Ashburton St & Albany Hwy | 0.80 | Sevenoaks St | |
| H062 | John Willcock Link | John Willcock Link | Greater Geraldton (C) | 0.00 | Connell Rd & Ian Bogle Rd | 4.17 | North West Coastal Hwy & Brand Hwy on to North West Coastal Hwy (Northbound) | |
| H778 | John Willcock Link (Eastbound) off to Brand Hwy | John Willcock Link (Eastbound) off to Brand Hwy | Greater Geraldton (C) | 0.00 | John Willcock Link | 0.27 | Brand Hwy & Brand Hwy on to North West Coastal Hwy (Northbound) | |
| 4090068 | Johns Rd | Johns Rd | Kellerberrin | 0.00 | Doodlakine - Bruce Rock Rd | 7.06 | Simms Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6055074 | Johns Rd | Johns Rd | Kalgoorlie - Boulder (C) | 0.00 | Great Eastern Hwy | 1.02 | Hall Rd | |
| 1050208 | Johnson Rd | Johnson Rd | Kwinana (C) | 3.13 | Holden Cl & Sulphur Rd | 3.75 | Thomas Rd | |
| 3020068 | Johnson Rd | Johnson Rd | Albany (C) | 0.00 | Pfeiffer Rd | 10.73 | Palmdale Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|-----------------------|----------|--------------------|--------|------------------------|--|
| 3159000 | Johnson Rd | Johnson Rd | Wagin | 0.00 | Ballagin Rd | 1.34 | Johnson Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4010073 | Johnson Rd | Johnson Rd | Beverley | 0.00 | Yenyening Lakes Rd | 1.80 | Johnsons Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4220035 | Johnson Rd | Johnson Rd | Nungarin | 0.00 | Nungarin North Rd | 5.85 | Lake Brown South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030136 | Johnson Rd | Johnson Rd | Dalwallinu | 0.00 | Pithara East Rd | 7.92 | End of Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5050695 | Johnson Rd | Johnson Rd | Greater Geraldton (C) | 0.00 | Byron North Rd | 5.02 | Yuna - Tenindewa Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|----------------------------------|--------|--|--|
| 5110033 | Johnson Rd | Johnson Rd | Morawa | 0.00 | Bell Rd | 11.43 | Fitzgerald Rd & Morawa - Yalgoo Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180054 | Johnson Rd | Johnson Rd | Wongan - Ballidu | 0.00 | Cadoux - Koorda Rd | 5.30 | Rabbit Proof Fence Rd | |
| 3040200 | Johnson St | Johnson St | Cranbrook | 0.00 | Salt River Rd | 0.44 | For 0.44km From Salt River Road to Cbh Access Road | |
| 4030175 | Johnson St | Johnson St | Bruce Rock | 0.00 | Swan St & Johnson St & Latham St | 0.65 | Bruce Rock - Naremben Rd & Noonajin Rd | |
| 5010108 | Johnson St | Johnson St | Carnamah | 0.00 | Eneabba Dr | 0.59 | Three Springs - Eneabba Rd | <ul style="list-style-type: none"> Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3160141 | Johnston Dr | Johnston Dr | West Arthur | 0.00 | Darkan Rd & Darkan South Rd | 0.69 | Hillman Arthur Back L & Gibbs St | |
| 2090004 | Johnston Rd | Johnston Rd | Waroona | 0.00 | Forrest Hwy | 8.90 | Harvey LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2110006 | Johnston Rd | Johnston Rd | Harvey | 0.00 | South Western Hwy | 0.50 | 0.33km From Anderson St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------------|----------|------------------------------------|--------|-----------------------|---|
| 3030217 | Johnston Rd | Johnston Rd | Broomehill - Tambellup | 0.00 | Paul Valley Rd | 15.35 | Wansbrough West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3170038 | Johnston Rd | Johnston Rd | Woodanilling | 0.00 | Hope Rd | 2.44 | Robinson West Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3170038 | Johnston Rd | Johnston Rd | Woodanilling | 2.44 | Robinson West Rd | 2.52 | Robinson Rd West | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 4140057 | Johnston Rd | Johnston Rd | Merredin | 0.00 | Ogden Rd | 2.53 | Springwell Valley Rd | |
| 4240090 | Johnston Rd | Johnston Rd | Quairading | 0.00 | Dangin South Rd | 4.27 | Johnson Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 0030042 | Johnston St | Johnston St | Derby - West Kimberley | 0.00 | Villiers St | 0.50 | Elder St & Rowan St | <ul style="list-style-type: none"> A RAV must not be driven on this road in excess of 4.3 metres in height unless written approval is obtained from Horizon Power |
| 2070043 | Johnston St | Johnston St | Collie | 0.51 | 0.29km East From Atkinson St North | 0.80 | Atkinson St North | |
| 4060108 | Johnston St | Johnston St | Cunderdin | 0.00 | Throssell St & Johnston St | 0.67 | Vanzetti St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|--|--------|-------------------------|--|
| 4120114 | Johnston St | Johnston St | Kulin | 0.00 | Kulin Lake Grace Rd & Stewart St & Johnston St | 0.36 | Truebody St & Parker St | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Kulin Lake Grace Rd & Stewart St & Johnston St : No right turn permitted into Stewart St from Johnston St |
| 4120131 | Johnston St | Johnston St | Kulin | 0.00 | Johnston St - Start Road | 0.35 | Mullan St | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5030185 | Johnston St | Johnston St | Dalwallinu | 0.66 | Clinch Rd | 1.53 | Great Northern Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Rayner St : No Right turn Permitted into Rayner St from Johnston St Intersection Leahy St : No Left turn permitted into Leahy St from Johnston St |
| 4300055 | Johnstone Rd | Johnstone Rd | Williams | 0.00 | Narrakine Rd | 1.29 | Johnstone Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3090029 | Johnstons Rd | Johnstons Rd | Kent | 0.00 | Stephens Rd | 6.26 | North Kuringup Rd | |
| 3090127 | Jolley Rd | Jolley Rd | Kent | 0.00 | Newdegate - Pingrup Rd | 1.57 | Nyabing Pingrup Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|------------------------------------|--------|--------------------------------|--|
| 3120133 | Jolly Rd | Jolly Rd | Plantagenet | 0.00 | Narrikup Rd | 0.86 | Access to Plantation Access Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). 'Trucks Entering' signs to be erected and removed when not in use. |
| 4220015 | Jolly Rd | Jolly Rd | Nungarin | 0.00 | Young Rd | 9.09 | Cornish Rd & Masters Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6040044 | Jonegatup Rd | Jonegatup Rd | Esperance | 0.00 | Farmers Rd | 13.20 | Neds Corner Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4160023 | Jones East Rd | Jones East Rd | Mukinbudin | 0.00 | Manuel Rd & Mukinbudin - Wialki Rd | 4.04 | McGregor Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|-------------------|--------|---------------------|---|
| 5110012 | Jones Lake Rd | Jones Lake Rd | Morawa | 0.05 | Rubbish Tip Rd | 12.06 | Hoey Rd & Judge Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Combinations exceeding 22 metres in length, no access to or from Wubin-Mullewa Rd. |
| 3070060 | Jones Rd | Jones Rd | Gnowangerup | 0.00 | Hinkley Rd | 4.51 | Moores Dam Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4010048 | Jones Rd | Jones Rd | Beverley | 0.00 | Brookton Hwy | 3.16 | Jones Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4030052 | Jones Rd | Jones Rd | Bruce Rock | 0.00 | Old Beverley Rd | 4.75 | Yarding South Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|---------------------------------|--------|---|---|
| 4070022 | Jones Rd | Jones Rd | Dowerin | 0.00 | Manmanning Rd | 7.23 | Wongan - Koorda Rd & Koorda - Wongan Hills Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4070072 | Jones Rd | Jones Rd | Dowerin | 0.00 | Koombekine North Rd | 5.67 | Uberin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4080068 | Jones Rd | Jones Rd | Goomalling | 0.00 | Burnt Hill Rd | 5.80 | Konnongorring West Rd | <ul style="list-style-type: none"> Maximum speed 70 km/h |
| 4120034 | Jones Rd | Jones Rd | Kulin | 0.00 | North Lake Grace - Karlgarin Rd | 3.50 | Di Franco Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4120034 | Jones Rd | Jones Rd | Kulin | 3.51 | Di Franco Rd | 13.16 | Kulin - Holt Rock Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|--------------------------|--------|--------------------------------------|---|
| 4150032 | Jones Rd | Jones Rd | Mount Marshall | 0.00 | Welbungin South Rd | 8.43 | Jones Rd & Barbalin - Koonkoobing Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4160076 | Jones Rd | Jones Rd | Mukinbudin | 0.00 | Barbalin South Rd | 2.88 | Jones Rd & Barbalin - Koonkoobing Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4180342 | Jones Rd | Jones Rd | Narrogin | 0.00 | Manaring Rd | 1.14 | Saunders Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030135 | Jones Rd | Jones Rd | Dalwallinu | 0.00 | Pithara East Rd | 29.89 | Hourigan Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5090023 | Jones Rd | Jones Rd | Mingenew | 0.00 | Yandanooka North East Rd | 4.90 | Yandanooka Melara Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5170074 | Jones Rd | Jones Rd | Victoria Plains | 0.00 | Calingiri Rd | 3.23 | Lydock Rd | |
| 5190046 | Jones Rd | Jones Rd | Coorow | 0.00 | South Waddy Rd | 2.23 | Jones Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|-----------------|------------------------|----------|---|--------|---|--|
| 6100034 | Jones Rd | Jones Rd | Ravensthorpe | 0.00 | Hopetoun-Ravensthorpe Rd | 2.94 | Jones Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 1180099 | Jones St | Jones St | Fremantle (C) | 0.00 | Peel Rd & Stockdale Rd | 0.46 | Forsyth St | |
| 4070112 | Jones St | Jones St | Dowerin | 0.00 | Metcalf St & Golf Course Rd | 1.05 | Goldfields Rd & Goomalling Wyalkatchem Rd | |
| 4070112 | Jones St | Jones St | Dowerin | 1.05 | Goldfields Rd & Goomalling Wyalkatchem Rd | 1.48 | Dowerin - Meckering Rd & Meckering Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4100104 | Jones St | Jones St | Kondinin | 0.00 | Nicholls St | 1.13 | Howlett St | <ul style="list-style-type: none"> Intersection Healey St : No access permitted into Healey St from Jones St. |
| 5051336 | Jordan Rd | Jordan Rd | Greater Geraldton (C) | 0.00 | East Chapman Rd | 0.70 | Jordan Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2040676 | Jordan Wy | Jordan Wy | Bunbury (C) | 0.00 | McCombe Rd | 0.15 | Clifford St | |
| 4300094 | Josbury Rd | Josbury Rd | Williams | 0.00 | Williams-Darkan Rd | 0.17 | Josbury Rd | |
| 430Z007 | Josbury Rd (Private) | Josbury Rd | Williams | 0.00 | Josbury Rd | 0.32 | | |
| 3030014 | Journal St | Journal St | Broomehill - Tambellup | 0.00 | Great Southern Hwy | 0.34 | Broomehill - Kojonup Rd & Javelin St | |
| 5180185 | Joynes Rd | Joynes Rd | Wongan - Ballidu | 0.00 | Clarke Rd | 1.81 | Kokardine West Rd | |
| 4040039 | Jubuk Back Rd | Jubuk Back Rd | Corrigin | 0.00 | Jubuk North Rd | 8.39 | Gills Rd | |
| 4040028 | Jubuk North Rd | Jubuk North Rd | Corrigin | 0.00 | Brookton-Corrigin Rd | 17.70 | Jubuk North Rd - End Road | |
| 4040023 | Jubuk South Rd | Jubuk South Rd | Corrigin | 0.00 | Brookton-Corrigin Rd | 14.60 | Bullaring Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|-------------------------|--------|--|---|
| 5110013 | Judge Rd | Judge Rd | Morawa | 0.00 | Hoey Rd & Jones Lake Rd | 5.27 | Fallon Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3110179 | Jugos West Rd | Jugos West Rd | Lake Grace | 0.00 | Slarke Rd | 2.89 | 2.89km From Slarke Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2060134 | Jules Rd North | Jules Rd North | Capel | 0.00 | Hasties Rd | 0.79 | Frances Rd | |
| 1091843 | Juna Dr | Juna Dr | Swan (C) | 0.00 | Millrose Dr | 0.56 | Boulder Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 2130196 | Junction Rd | Junction Rd | Manjimup | 0.00 | Perup Rd | 13.14 | Lake View Rd & Camelarup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4240133 | Junction Rd | Junction Rd | Quairading | 0.00 | Quairading York Rd | 0.74 | Quairading - Cunderdin Rd & Coraling St & Cubbine Rd | <ul style="list-style-type: none"> Intersection Quairading York Rd : No left turn permitted into York Merredin Rd from Junction Rd |
| 7060014 | Jundee Rd | Jundee Rd | Wiluna | 0.00 | Wongawol Rd | 5.04 | Research Station Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 7060014 | Jundee Rd | Jundee Rd | Wiluna | 5.18 | Research Station Rd | 42.16 | Jundee Access Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2040793 | Juniper Wy | Juniper Wy | Bunbury (C) | 0.00 | Halifax Dr | 0.22 | Munro Loop | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|-----------------------|----------|------------------------|--------|-------------------------------|--|
| 4150108 | Junk Rd | Junk Rd | Mount Marshall | 0.00 | Welbungin - Wialki Rd | 11.12 | Mukinbudin - Wialki Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4030034 | Jura West Rd | Jura West Rd | Bruce Rock | 0.00 | Bruce Rock Merredin Rd | 14.80 | Eujiny North Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5040331 | Jurien Rd | Jurien Rd | Dandaragan | 0.00 | Brand Hwy | 35.52 | Bashford St & Indian Ocean Dr | |
| 5050646 | K Giles Rd | K Giles Rd | Greater Geraldton (C) | 0.00 | Pindar Town St | 7.70 | K Giles Rd - End Road | |
| 4010085 | K.1 Rd | K.1 Rd | Beverley | 0.00 | Kokeby East Rd | 6.77 | Kilpatrick Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5070008 | K.W. Rd | K.W. Rd | Gingin | 0.00 | Sappers Rd | 6.75 | Indian Ocean Dr | |
| 5110072 | Kadji Lake Rd | Kadji Lake Rd | Morawa | 0.00 | Morawa - Yalgoo Rd | 11.47 | Kadji Rd & Ludlow Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h Intersection Morawa - Yalgoo Rd : No Access To Or From Yalgoo Road Permitted |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|--------------------------|----------|--|--------|-------------------------------|--|
| 4130063 | Kahl Rd | Kahl Rd | Trayning | 0.00 | Nungarin Wyalkatchem Rd | 1.52 | Kahl Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5080154 | Kailis Dr | Kailis Dr | Irwin | 0.00 | Brand Hwy | 10.60 | George St | |
| 6056078 | Kakarra Rd | Kakarra Rd | Kalgoorlie - Boulder (C) | 0.00 | Broadwood St | 0.55 | Kayili Rd | |
| 5180123 | Kalajzic Rd | Kalajzic Rd | Wongan - Ballidu | 0.00 | Dowerin - Kalannie Rd | 5.88 | Cadoux North Rd | |
| 1090955 | Kalamunda Rd | Kalamunda Rd | Swan (C) | 0.00 | Great Eastern Hwy | 0.97 | Great Eastern Hwy Bypa | |
| 1090955 | Kalamunda Rd | Kalamunda Rd | Swan (C) | 0.97 | Great Eastern Hwy Bypa | 2.83 | King Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4110006 | Kalannie - Kulja Rd | Kalannie - Kulja Rd | Koorda | 0.00 | Dalwallinu LGA Boundary | 14.33 | Burakin - Wialki Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 5030045 | Kalannie - Kulja Rd | Kalannie - Kulja Rd | Dalwallinu | 0.00 | Dodd St & Dowerin - Kalannie Rd & Roche St | 12.68 | Koorda LGA Boundary | |
| 5130250 | Kalbarri Rd | Kalbarri Rd | Northampton | 0.00 | North West Coastal Hwy & Ajana East Rd | 64.36 | Balaam St & Clotworthy St | |
| 8120188 | Kalgan Dr | Kalgan Dr | East Pilbara | 0.00 | Great Northern Hwy | 1.77 | Fortescue Av | |
| 3120157 | Kalgan Plains Rd | Kalgan Plains Rd | Plantagenet | 0.00 | Woogenellup Rd | 3.01 | Kalgan Plains Rd - End Road | |
| 4070159 | Kalguddering East Rd | Kalguddering East Rd | Dowerin | 0.00 | Moonijin West Rd | 1.90 | Wongan - Ballidu LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 5180011 | Kalguddering East Rd | Kalguddering East Rd | Wongan - Ballidu | 0.00 | Northam Pithara Rd | 17.28 | Wilkins Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|------------------|----------|----------------------|--------|---------------------------|--|
| 5180036 | Kalguddering North Rd | Kalguddering North Rd | Wongan - Ballidu | 0.00 | Kalguddering East Rd | 5.75 | Moonijin West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180112 | Kalguddering Rd | Kalguddering Rd | Wongan - Ballidu | 0.00 | Kalguddering East Rd | 3.30 | Kalguddering West Rd | |
| 4080080 | Kalguddering West Rd | Kalguddering West Rd | Goomalling | 0.00 | Kalguddering Rd | 5.18 | Kalguddering Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180014 | Kalguddering West Rd | Kalguddering West Rd | Wongan - Ballidu | 0.00 | Northam Pithara Rd | 10.62 | Calingari-Wongan Hills Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2050026 | Kalgup Rd | Kalgup Rd | Busselton (C) | 0.00 | Chapman Hill Rd | 2.67 | Acton Park Rd | |
| 1106063 | Kalinga Wy | Kalinga Wy | Wanneroo (C) | 0.00 | Fallon Rd | 0.26 | Christable Wy | |
| 4240097 | Kallarra Rd | Kallarra Rd | Quairading | 0.00 | Quairading South Rd | 3.76 | Kallarra Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 1030922 | Kalmia Rd | Kalmia Rd | Cockburn (C) | 0.00 | Cocos Dr | 0.44 | Barberry Wy | |
| 5180124 | Kalsall Rd | Kalsall Rd | Wongan - Ballidu | 0.00 | Burakin - Wialki Rd | 2.67 | Bunketch - Kulja Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|--------------------------|----------|----------------------------|--------|----------------------------|--|
| 2130151 | Kammanns Rd | Kammanns Rd | Manjimup | 0.00 | Sherman Rd | 0.82 | Southwell Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2030225 | Kandalee Rd | Kandalee Rd | Bridgetown - Greenbushes | 0.00 | Maranup Ford Rd | 1.92 | Kandalee Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3110188 | Kane Rd | Kane Rd | Lake Grace | 0.00 | Magenta Rd | 2.50 | Kane Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 8130263 | Kangan Wy | Kangan Wy | Port Hedland (T) | 0.00 | Cajarina Rd | 0.27 | Munda Wy | |
| 5150094 | Kangaroo Rd | Kangaroo Rd | Three Springs | 0.00 | Three Springs - Eneabba Rd | 15.95 | First North Road | |
| 3110105 | Kanny Rd | Kanny Rd | Lake Grace | 0.00 | Stennetts Lake Rd | 9.91 | Kanny Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4280058 | Kaolin St | Kaolin St | Westonia | 0.00 | Carrabin Westonia Rd | 0.99 | Della Bosca Rd & Jasper St | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------------------|------------------------------------|-------------------------|----------|--|--------|--------------------------------------|---|
| 4330048 | Karabine Rd | Karabine Rd | York | 0.00 | Wilberforce Rd & Northam York Rd | 2.91 | Karabine Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. 'Trucks Entering' signs to be erected on Northam Cranbrook Rd and removed when not in use. |
| 5140016 | Karara Rd | Karara Rd | Perenjori | 0.00 | Warriedar Copper Mine Rd | 11.75 | Karara Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 1030834 | Karel Av | Karel Av | Cockburn (C) | 0.00 | Karel Av & Orion Rd & Pilatus St | 1.01 | Roe Hwy (East Bound) off to Karel Av | |
| 103Z035 | Karel Av | Karel Av | Cockburn (C) | 0.00 | Compass Rd & Eagle Dr | 1.07 | Karel Av & Orion Rd & Pilatus St | |
| H770 | Karel Av on to Roe Hwy (Eastbound) | Karel Av on to Roe Hwy (Eastbound) | Cockburn (C) | 0.00 | Roe Hwy (Eastbound) off to Karel Av & Karel Av | 0.34 | Roe Hwy | |
| H768 | Karel Av on to Roe Hwy (Westbound) | Karel Av on to Roe Hwy (Westbound) | Cockburn (C) | 0.00 | Roe Hwy (Westbound) off to Karel Av & Karel Av | 0.30 | Roe Hwy | |
| 1080009 | Kargotich Rd | Kargotich Rd | Serpentine - Jarrahdale | 9.99 | Bishop Rd | 13.01 | Mundijong Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 90 km/h |
| M062 | Karijini Dr | Karijini Dr | Ashburton | 0.00 | Great Northern Hwy | 108.66 | Tom Price Rd | |
| 3040148 | Karinya Rd | Karinya Rd | Cranbrook | 0.00 | Russell Rd | 1.15 | Karinya Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|-------------------------|----------|---|--------|--------------------------------------|---|
| 6040223 | Karl Berg Rd | Karl Berg Rd | Esperance | 0.00 | Heywood Rd | 23.01 | Karl Berg Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4100061 | Karlgarin East Rd | Karlgarin East Rd | Kondinin | 0.00 | Melba St | 16.43 | Aylmore Rd | |
| 4120052 | Karlgarin Hill South Rd | Karlgarin Hill South Rd | Kulin | 0.00 | Pederah West Rd & Henderer Rd | 13.86 | Kulin - Holt Rock Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4100052 | Karlgarin Hills North Rd | Karlgarin Hills North Rd | Kondinin | 0.00 | Kondinin Hyden Rd | 16.17 | Whyte Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4100056 | Karlgarin Lake Rd | Karlgarin Lake Rd | Kondinin | 0.00 | Billericay East Rd | 23.71 | | |
| 4100055 | Karlgarin Lake West Rd | Karlgarin Lake West Rd | Kondinin | 0.00 | Notting - Karlgarin Rd | 6.37 | Karlgarin Lake Rd | |
| 4120075 | Karlgarin Rd South | Karlgarin Rd South | Kulin | 0.00 | Pederah East Rd & Karlgarin South Rd | 22.80 | Pingaring - Varley Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4100029 | Karlgarin South Rd | Karlgarin South Rd | Kondinin | 0.00 | Karlgarin Lake Rd & Kondinin Hyden Rd | 8.02 | Pederah East Rd & Karlgarin Rd South | <ul style="list-style-type: none"> Rail not to be crossed |
| 1070121 | Karnup Rd | Karnup Rd | Rockingham (C) | 0.00 | Baldivis Rd | 2.66 | Serpentine - Jarrahdale LGA Boundary | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 1080007 | Karnup Rd | Karnup Rd | Serpentine - Jarrahdale | 7.30 | Lot 904 Karnup Rd | 13.73 | Rockingham (C) LGA Boundary | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| H816 | Karnup Rd on to Kwinana Fwy (Northbound) | Karnup Rd on to Kwinana Fwy (Northbound) | Rockingham (C) | 0.00 | Kwinana Fwy (Northbound) off to Karnup Rd & Karnup Rd | 0.49 | Kwinana Fwy | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|------------------|----------|---|--------|---------------------------------|--|
| H814 | Karnup Rd on to Kwinana Fwy (Southbound) | Karnup Rd on to Kwinana Fwy (Southbound) | Rockingham (C) | 0.00 | Kwinana Fwy (Southbound) off to Karnup Rd & Karnup Rd | 0.45 | Kwinana Fwy | |
| 1100466 | Karoborup Rd | Karoborup Rd | Wanneroo (C) | 1.35 | Carabooda Rd | 1.37 | Carabooda Rd | |
| 1100466 | Karoborup Rd | Karoborup Rd | Wanneroo (C) | 1.37 | Carabooda Rd | 4.24 | Wanneroo Rd & Romeo Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Wanneroo Rd & Romeo Rd : No right turn permitted into Wanneroo Rd from Karoborup Rd |
| 4160033 | Karomin Rd | Karomin Rd | Mukinbudin | 0.00 | Nungarin North Rd | 3.87 | Nungarin LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4220010 | Karomin Rd | Karomin Rd | Nungarin | 0.00 | Moodiljij-Watson Rd | 12.37 | Mukinbudin LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4240073 | Karrakin Rd | Karrakin Rd | Quairading | 0.00 | Cubbine Rd | 5.01 | Karrakin Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 3060124 | Katanning - Dumbleyung Rd | Katanning - Dumbleyung Rd | Dumbleyung | 0.00 | Oxley Rd & Sunter Rd | 16.08 | Wagin Dumbleyung Rd | |
| 3080221 | Katanning - Dumbleyung Rd | Katanning - Dumbleyung Rd | Katanning | 0.00 | Moojebing Rd | 15.02 | Oxley Rd & Robinson East Rd | |
| 3110198 | Kathleen Rd | Kathleen Rd | Lake Grace | 0.00 | Lake King-Norseman Rd | 7.79 | Biddy - Camm Rd & Pickernell Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 0010486 | Katsuyama Rd | Katsuyama Rd | Broome | 0.00 | Broome Rd | 0.76 | | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|--------------------------|----------|----------------------------|--------|--------------------------------------|---|
| 5190045 | Kau Rd | Kau Rd | Coorow | 0.00 | South Waddy Rd | 5.32 | Kau Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6040253 | Kau Rock Rd | Kau Rock Rd | Esperance | 0.00 | Coolinup Rd | 18.10 | Kau Rock Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4120089 | Kay Rd | Kay Rd | Kulin | 0.00 | Muller Rd | 5.97 | Boundary Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 5040034 | Kayanaba Rd | Kayanaba Rd | Dandaragan | 0.00 | Dandaragan Rd | 18.40 | Rowes Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Dandaragan Rd : No left turn permitted into Dandaragan Rd from Kayanaba Rd |
| 6056081 | Kayili Rd | Kayili Rd | Kalgoorlie - Boulder (C) | 0.00 | Broadwood St | 0.85 | Kakarra Rd | |
| 4211078 | Keane St | Keane St | Northam | 0.00 | Carter St & Jennapullin Rd | 1.00 | Grass Valley South Rd & Muluckine Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|--------------------------|----------|-----------------------------|--------|-----------------------------------|---|
| 2160033 | Kearney St | Kearney St | Nannup | 0.00 | Dunnet Rd & Brockman Hwy | 0.26 | Warren Rd | |
| 1010478 | Keates Rd | Keates Rd | Armadale (C) | 0.00 | Stone St | 0.48 | 100 Metres After Browning Rd | |
| 4330079 | Keebles Rd | Keebles Rd | York | 0.00 | Cubbine Rd | 2.10 | Keebles Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5140190 | Keegan Rd | Keegan Rd | Perenjori | 0.00 | Old Perth Rd | 3.93 | Mullewa Wubin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h No Operation between the hours of sunset and sunrise Combinations exceeding 19 metres in length must not cross railway. |
| 1180096 | Keegan St | Keegan St | Fremantle (C) | 0.00 | Roper St | 0.61 | Garling St & Garling St Sthn Cway | <ul style="list-style-type: none"> Intersection Garling St & Garling St Sthn Cway : No right turn permitted ino Garling St from Keegan St |
| 6054015 | Keegan St | Keegan St | Kalgoorlie - Boulder (C) | 0.00 | Moran St West | 1.10 | Vivian St | |
| 1031489 | Keel Wy | Keel Wy | Cockburn (C) | 0.00 | Stuart Dr | 0.22 | Alacrity Pl | <ul style="list-style-type: none"> Intersection Stuart Dr : No right turn permitted into Stuart Dr from Keely Way |
| 6040247 | Keenan Rd | Keenan Rd | Esperance | 0.00 | Collier Rd | 3.54 | 2.00 Km Past Proudfoot Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4130017 | Keene Rd | Keene Rd | Trayning | 0.00 | Kellerberrin - Bencubbin Rd | 6.00 | Moujakine Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------------|----------|-------------------------------|--------|--------------------------|--|
| 5190041 | Keighley Rd | Keighley Rd | Coorow | 0.00 | Buntine - Marchagee Rd | 11.95 | Wubin - Gonyidi Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3030034 | Keith St | Keith St | Broomehill - Tambellup | 0.00 | Old Nardlah Rd & Kimberley St | 0.22 | Tie Line Rd | |
| 4060021 | Kelkering Rd | Kelkering Rd | Cunderdin | 0.00 | Taylors Rd & Goldfields Rd | 5.37 | Quairading Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Taylors Rd & Goldfields Rd : No access permitted into Goldfields Rd from Kelkering Rd |
| 4060021 | Kelkering Rd | Kelkering Rd | Cunderdin | 5.38 | Quairading Rd | 14.77 | Carter - Doodenanning Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Carter - Doodenanning Rd : No access permitted into Carter-Doodenanning Rd from Kelkering Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------------|------------------------------|-----------------------|----------|---|--------|---|--|
| 4090152 | Kellerberrin - Bencubbin Rd | Kellerberrin - Bencubbin Rd | Kellerberrin | 0.00 | Dowding St & Moore St | 27.38 | Trayning LGA Boundary | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4130099 | Kellerberrin - Bencubbin Rd | Kellerberrin - Bencubbin Rd | Trayning | 0.00 | Kellerberrin LGA Boundary | 31.34 | Felgate Pde & Twine St | |
| 4130101 | Kellerberrin - Bencubbin Rd | Kellerberrin - Bencubbin Rd | Trayning | 0.00 | Sutherland St & Twine St | 20.29 | Mount Marshall LGA Boundary | |
| 4150151 | Kellerberrin - Bencubbin Rd | Kellerberrin - Bencubbin Rd | Mount Marshall | 0.00 | Trayning LGA Boundary | 14.35 | Koorda - Bullfinch Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4030002 | Kellerberrin - Shackleton Rd | Kellerberrin - Shackleton Rd | Bruce Rock | 0.00 | Shackleton - Bilbarin Rd & Bruce Rock Quairading Rd | 14.00 | McDonnell Rd & Kellerberrin - Shackleton Rd | |
| 4090001 | Kellerberrin - Shackleton Rd | Kellerberrin - Shackleton Rd | Kellerberrin | 0.00 | Great Eastern Hwy | 24.44 | McDonnell Rd & Kellerberrin - Shackleton Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h |
| 4090004 | Kellerberrin - Yelbeni Rd | Kellerberrin - Yelbeni Rd | Kellerberrin | 0.00 | Kellerberrin - Bencubbin Rd | 22.45 | Trayning LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4130008 | Kellerberrin - Yelbeni Rd | Kellerberrin - Yelbeni Rd | Trayning | 0.00 | Nungarin Wyalkatchem Rd | 25.07 | Kellerberrin LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4090154 | Kellerberrin - Yoting Rd | Kellerberrin - Yoting Rd | Kellerberrin | 0.00 | Scott St & Rason St | 25.08 | Quairading LGA Boundary | |
| 4240164 | Kellerberrin - Yoting Rd | Kellerberrin - Yoting Rd | Quairading | 0.00 | Kellerberrin LGA Boundary | 16.10 | Bruce Rock Quairading Rd & Yoting Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5050732 | Kelly North Rd | Kelly North Rd | Greater Geraldton (C) | 0.00 | Fegan Rd | 4.23 | Kelly North Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|-----------------------|----------|--------------------------|--------|---------------------------|--|
| 3060096 | Kelly Rd | Kelly Rd | Dumbleyung | 0.00 | Fairclough Rd | 5.90 | Dumbleyung - Nyabing Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3070090 | Kelly Rd | Kelly Rd | Gnowangerup | 0.00 | Formby Rd South | 4.67 | Kelly Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3080100 | Kelly Rd | Kelly Rd | Katanning | 0.00 | McKenzie Rd | 10.02 | Woodanilling LGA Boundary | <ul style="list-style-type: none"> Maximum speed 80 km/h |
| 3170027 | Kelly Rd | Kelly Rd | Woodanilling | 0.00 | Oxley Rd | 2.00 | Katanning LGA Boundary | |
| 4240083 | Kelly Rd | Kelly Rd | Quairading | 0.00 | Bruce Rock Quairading Rd | 0.60 | Kelly Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5050607 | Kelly Rd | Kelly Rd | Greater Geraldton (C) | 0.00 | Pallotine Rd | 25.46 | Williams Rd | |
| 5080126 | Kelly Rd | Kelly Rd | Irwin | 0.00 | Midlands Rd | 1.05 | Kelly Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3021068 | Kelly St | Kelly St | Albany (C) | 0.00 | Chester Pass Rd | 0.59 | Kelly St - End Road | <ul style="list-style-type: none"> Intersection Chester Pass Rd : No left turn permitted into South Coast Hwy from Kelly St |
| 1040077 | Kelvin Rd | Kelvin Rd | Gosnells (C) | 0.00 | Olga Rd & Albany Hwy | 4.19 | White Rd | <ul style="list-style-type: none"> Intersection Bickley Rd : No left turn permitted into Bickley Rd (westbound) from Kelvin Rd (northbound) |
| 2110872 | Kemerton Rd | Kemerton Rd | Harvey | 0.00 | Marriott Rd | 1.70 | Wellesley Rd North | |
| 3100027 | Kemminup Rd | Kemminup Rd | Kojonup | 0.00 | Kojonup Katanning Rd | 9.21 | Ladyman Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|--------------------------|----------|---------------------------------|--------|------------------------------|---|
| 4180319 | Kemp Rd | Kemp Rd | Narrogin | 0.00 | Lock Rd | 7.48 | Lock Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Lock Rd : No access permitted into Kemp Rd (SLK 0.00) from Lock Rd |
| 5050666 | Kemp Rd | Kemp Rd | Greater Geraldton (C) | 0.00 | Desmond Rd | 3.75 | Weir Rd | |
| 2030037 | Kendall Rd | Kendall Rd | Bridgetown - Greenbushes | 0.00 | Bridgetown Boyup Brook Rd | 5.51 | Greenbushes - Boyup Brook Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No Operation Weekdays from 7:30 AM to 9:00 AM and 3:00 PM to 4:30 PM Curfew applies on school days only. |
| 5070249 | Kendall Rd | Kendall Rd | Gingin | 0.00 | Walker Av & Lancelin Rd | 0.52 | Mullins Wy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 6040255 | Kendall Rd | Kendall Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 15.40 | Kendall Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 1251915 | Kenhelm St | Kenhelm St | Stirling (C) | 0.00 | Balcatta Rd | 0.23 | Kenhelm St - End Road | |
| 3110076 | Kennedy Rd | Kennedy Rd | Lake Grace | 0.00 | North Lake Grace - Karlgarin Rd | 14.10 | Kennedy Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4030071 | Kennedy Rd | Kennedy Rd | Bruce Rock | 0.00 | Kellerberrin - Shackleton Rd | 4.84 | Langdon Rd | |
| 4300054 | Kennedy Rd | Kennedy Rd | Williams | 0.00 | Narrakine Rd | 2.74 | Kennedy Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|-------------------------|--------|--------------------|--|
| 4330073 | Kennedy Rd | Kennedy Rd | York | 0.00 | Mills Rd | 4.67 | Kennedys Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4010092 | Kennedys Rd | Kennedys Rd | Beverley | 0.00 | Northbourne Rd | 0.83 | Kennedy Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3150052 | Kennetts Rd | Kennetts Rd | Wagin | 0.00 | Beaufort Rd & Becker Rd | 1.02 | Norring Rd | <ul style="list-style-type: none"> Intersection Beaufort Rd & Becker Rd : No right turn permitted into Beaufort Rd from Kennetts Rd |
| 5030022 | Kenny Rd | Kenny Rd | Dalwallinu | 0.00 | Flynn Rd | 14.59 | Pearse Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 3110041 | Kent Rd | Kent Rd | Lake Grace | 0.00 | North Burngup Rd | 19.14 | North Burngup Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6040053 | Kent Rd | Kent Rd | Esperance | 0.00 | Tom Starcevich V.C. Rd | 10.85 | Styles Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040053 | Kent Rd | Kent Rd | Esperance | 10.86 | Styles Rd | 12.68 | Kent Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|------------------|----------|---|--------|------------------------|---|
| 6110033 | Kent Rd | Kent Rd | Yilgarn | 6.23 | Nulla Nulla South Rd | 20.58 | Bodallin South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 3120106 | Kent River Rd | Kent River Rd | Plantagenet | 0.00 | Nornalup Rd | 10.24 | Turpin Rd & Mill Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 1090696 | Kent Wy | Kent Wy | Swan (C) | 0.00 | Westchester Rd | 0.95 | Crocker Dr | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 6040580 | Kentmont Rd | Kentmont Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 1.08 | Kentmont Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| H022 | Kenwick Link | Kenwick Link | Gosnells (C) | 10.16 | William St & Albany Hwy | 13.45 | Austin Av & Albany Hwy | |
| H732 | Kenwick Link on to Roe Hwy (Northbound) | Kenwick Link on to Roe Hwy (Northbound) | Gosnells (C) | 0.00 | Kenwick Link & Roe Hwy (Northbound) off to Kenwick Link | 0.28 | Roe Hwy | |
| H734 | Kenwick Link on to Roe Hwy (Southbound) | Kenwick Link on to Roe Hwy (Southbound) | Gosnells (C) | 0.00 | Kenwick Link & Roe Hwy (Southbound) off to Kenwick Link | 0.25 | Roe Hwy | |
| 1040006 | Kenwick Rd | Kenwick Rd | Gosnells (C) | 2.56 | Bickley Rd & Hanson St | 3.12 | Clifford St | <ul style="list-style-type: none"> A RAV must not be driven on this road in excess of 4.5 metres in height unless written approval is obtained from the cable provider |
| 1040006 | Kenwick Rd | Kenwick Rd | Gosnells (C) | 3.12 | Clifford St | 3.40 | Kelvin Rd | |
| 1040006 | Kenwick Rd | Kenwick Rd | Gosnells (C) | 3.55 | Kelvin Rd | 3.65 | 0.1km From Kelvin Rd | |
| 5140028 | Keogh Rd | Keogh Rd | Perenjori | 0.00 | Mullewa Wubin Rd | 17.43 | Keogh Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection North Rd : No left turn permitted into North Road from Keogh Road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|-------------------------|--------|---------------------------------|--|
| 3050039 | Kernutts Rd | Kernutts Rd | Denmark | 0.00 | Denmark Mt Barker Rd | 5.50 | 5.5km From Denmark Mt Barker Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1070009 | Kerosene L | Kerosene L | Rockingham (C) | 0.00 | Mandurah Rd | 2.88 | Baldivis Rd | |
| 5160094 | Kerr Dartmoor Rd | Kerr Dartmoor Rd | Chapman Valley | 0.00 | Balla - Whelarra Rd | 6.40 | Dartmoor Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit. |
| 2080373 | Kerr Rd | Kerr Rd | Dardanup | 0.00 | Columbas Dr & Harris Rd | 0.61 | Warrego Rd | |
| 3110161 | Kerr Rd | Kerr Rd | Lake Grace | 0.00 | Mt Vernon Rd | 6.73 | Tonkin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3170058 | Kerr Rd | Kerr Rd | Woodanilling | 0.00 | Lime Lake Rd | 1.90 | Bockaring Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4230028 | Kerr Rd | Kerr Rd | Pingelly | 0.00 | Walwalling Rd | 5.68 | Kerr Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4290062 | Kerr Rd | Kerr Rd | Wickepin | 0.00 | Williams Kondinin Rd | 4.28 | Halliday Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|----------------------------|--------|---------------------------|---|
| 4100065 | Kerrigan Rd | Kerrigan Rd | Kondinin | 0.00 | Chalk Hill Rd | 10.17 | Pederah East Rd | |
| 4050064 | Kerruish Rd | Kerruish Rd | Cuballing | 0.00 | Stratherne Rd | 7.03 | Townsend Rd & Kerruish Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Townsend Rd & Kerruish Rd : No access permitted into Townsend Rd from Kerruish Rd |
| 4290030 | Kerruish Rd | Kerruish Rd | Wickepin | 0.00 | Inkiepinkie Rd & Pauley Rd | 4.00 | Townsend Rd & Kerruish Rd | <ul style="list-style-type: none"> Intersection Townsend Rd & Kerruish Rd : No access permitted into Townsend Rd from Kerruish Rd |
| 4170078 | Kerses Rd | Kerses Rd | Narembeen | 0.00 | Cramphorne Rd | 4.77 | Starceвич Chapman Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3150047 | Kershaws Rd | Kershaws Rd | Wagin | 0.00 | Norring Dellyanine Rd | 2.08 | Beaufort Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6040030 | Kettles Rd | Kettles Rd | Esperance | 0.00 | Coolinup Rd | 12.23 | Ridgeland Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040030 | Kettles Rd | Kettles Rd | Esperance | 12.24 | Ridgeland Rd | 25.51 | Muntz Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|-------------------|----------|--|--------|--|---|
| 4240064 | Kevill Rd | Kevill Rd | Quairading | 0.00 | Doodenanning - Mawson Rd | 4.45 | Dulbellling North Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Dulbellling North Rd : No left turn permitted into Dulbellling North Rd from Kevill Rd |
| 1140017 | Kew St | Kew St | Canning (C) | 0.00 | Planet St | 0.39 | Victoria Park (T) LGA Boundary | |
| 1290215 | Kew St | Kew St | Victoria Park (T) | 0.00 | Canning (C) LGA Boundary | 0.40 | Kew St & Orrong Rd | |
| 1130048 | Kewdale Rd | Kewdale Rd | Belmont (C) | 0.00 | Horrie Miller Dr | 1.78 | Canning (C) LGA Boundary | |
| 1140014 | Kewdale Rd | Kewdale Rd | Canning (C) | 0.00 | Welshpool Rd | 1.52 | Belmont (C) LGA Boundary | |
| H899 | Kewdale Rd on to Tonkin Hwy (Northbound) | Kewdale Rd on to Tonkin Hwy (Northbound) | Belmont (C) | 0.00 | Kewdale Rd | 0.30 | Tonkin Hwy (Northbound) off to Leach Hwy (Eastbound) | |
| 4230039 | Key West Rd | Key West Rd | Pingelly | 0.00 | North Bannister - Pingelly Rd | 3.06 | Key West Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5100022 | Kiaka Rd | Kiaka Rd | Moora | 0.00 | Old Geraldton Rd | 12.24 | Midlands Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5100188 | Kiaka St | Kiaka St | Moora | 0.00 | Pryre St & Coomberdale East Rd & Coomberdale Wheatbin Access | 0.27 | Coomberdale Wheatbin Access | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5100053 | Kialla Rd | Kialla Rd | Moora | 0.00 | Miling East Rd | 3.85 | Kialla Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|----------------------------|--------|------------------------|---|
| 3080067 | Kibbleup Rd | Kibbleup Rd | Katanning | 0.00 | Lake Coyrecup Rd | 2.10 | Kibbleup Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4130044 | Kidd Rd | Kidd Rd | Trayning | 0.00 | Kununoppin - Mukinbudin Rd | 5.82 | 1.51 Km Past Sutton Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3080091 | Kiddie Rd | Kiddie Rd | Katanning | 0.00 | Lake Coyrecup Rd | 2.10 | Kiddie Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4010055 | Kieara Rd | Kieara Rd | Beverley | 0.00 | Kokendin Rd | 2.02 | Shaw Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|--------------------------|-------------------------|----------|--------------------------------|--------|-------------------------------|--|
| 3100118 | Kilcreggan - Palligup Rd | Kilcreggan - Palligup Rd | Kojonup | 0.00 | Forrester Rd | 10.44 | Mobrup North Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 7030008 | Killara Rd | Killara Rd | Meekatharra | 0.00 | Goldfields Hwy | 16.35 | Killara Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h |
| 8050044 | Killili Rd | Killili Rd | Upper Gascoyne | 0.00 | Carnarvon - Mullewa Rd | 2.31 | Ullawarra Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 1080130 | Kiln Rd | Kiln Rd | Serpentine - Jarrahdale | 0.00 | South Western Hwy | 1.28 | 1.28km From South Western Hwy | |
| 1100677 | Kiln Rd | Kiln Rd | Wanneroo (C) | 0.00 | Karoborup Rd | 1.16 | Kiln Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h |
| 1091265 | Kiln St | Kiln St | Swan (C) | 0.00 | Vale St | 0.26 | Cassowary Dr | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 4010074 | Kilpatrick Rd | Kilpatrick Rd | Beverley | 0.00 | Kokeby East Rd | 3.16 | Bally - Bally Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4180320 | Kilpatrick Rd | Kilpatrick Rd | Narrogin | 0.00 | Lakes Rd & Wagin - Wickepin Rd | 6.96 | Dongolocking Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Lakes Rd & Wagin - Wickepin Rd : No access permitted into Wagin Wickepin Rd from Kilpatrick Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|--------------------------|----------|---------------------------|--------|--------------------------------|--|
| 0040044 | Kimberley St | Kimberley St | Wyndham - East Kimberley | 0.00 | Great Northern Hwy | 0.49 | Kimberley St - End Road | |
| 3030086 | Kimberley St | Kimberley St | Broomehill - Tambellup | 0.00 | Kimberley St - Start Road | 0.46 | Tie Line Rd & Complex Driveway | |
| 0030002 | Kimbolton Rd | Kimbolton Rd | Derby - West Kimberley | 0.00 | Derby Gibb River Rd | 2.43 | Meda Access Rd & Kimbolton Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6056064 | Kinclaven Wy | Kinclaven Wy | Kalgoorlie - Boulder (C) | 0.00 | Percy Rd | 0.33 | Carnegie St | |
| 8140400 | King Bay Rd | King Bay Rd | Karratha (C) | 0.00 | Burru Peninsula Rd | 1.67 | King Bay Rd - End Road | |
| 1080026 | King Rd | King Rd | Serpentine - Jarrahdale | 0.00 | Mundijong Rd | 8.44 | Thomas Rd | |
| 2160099 | King Rd | King Rd | Nannup | 0.00 | Stacey Rd | 0.95 | King Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4070031 | King Rd | King Rd | Dowerin | 0.00 | Parker Rd | 6.71 | Minnivale North East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4110059 | King Rd | King Rd | Koorda | 0.00 | Scotsman Rd | 2.82 | King Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------------|----------|-------------------------------|--------|--------------------------------|--|
| 6100116 | King Rd | King Rd | Ravensthorpe | 0.00 | King Rd - Start Road | 5.65 | Mt Short Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 4100074 | King Rocks North Rd | King Rocks North Rd | Kondinin | 0.00 | Lovering Rd | 8.97 | King Rocks North Rd - End Road | |
| 4100018 | King Rocks Rd | King Rocks Rd | Kondinin | 0.00 | East Hyden Bin Rd & Sharps Rd | 13.13 | | |
| 4100100 | King Rocks West Rd | King Rocks West Rd | Kondinin | 0.00 | Lovering Rd | 13.60 | King Rocks Rd | |
| 1120084 | King St | King St | Bayswater (C) | 0.00 | Beechboro Rd South | 0.56 | John St | |
| 4290106 | King St | King St | Wickepin | 0.00 | Coxon St | 0.68 | Connor St | |
| 5010102 | King St | King St | Carnamah | 0.00 | Mineral Sands Rd | 0.43 | Morgan St | <ul style="list-style-type: none"> Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5070109 | King St | King St | Gingin | 0.00 | Walker Av & Lancelin Rd | 0.13 | Cockram St | |
| 3030232 | Kings Cross Rd | Kings Cross Rd | Broomehill - Tambellup | 0.00 | Paul Valley Rd | 3.60 | Nymbup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1020375 | Kings Mill Rd | Kings Mill Rd | Kalamunda | 0.00 | Pickering Brook Rd | 1.21 | For 1.21 Km | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------------|------------------------------|--------------------------|----------|---|--------|-------------------------|--|
| 2030235 | Kings Rd | Kings Rd | Bridgetown - Greenbushes | 0.00 | Wilga Rd | 0.70 | 0.7km From Wilga Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3060048 | Kings Rd | Kings Rd | Dumbleyung | 0.00 | Springhurst Rd | 7.75 | Kukerin North Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3160034 | Kings Rd | Kings Rd | West Arthur | 0.00 | Bunce King Rd | 3.97 | Howie Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5140050 | Kings Rd | Kings Rd | Perenjori | 0.00 | Syson Rd | 1.03 | Kings Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1130312 | Kingscote St | Kingscote St | Belmont (C) | 0.00 | Reggio Rd | 0.21 | Kingscote St - End Road | |
| 113Z045 | Kingsford Smith Av (Federal) | Kingsford Smith Av (Federal) | Belmont (C) | 0.00 | Paltridge Rd (Federal) | 0.72 | Grogan Dr (Federal) | |
| 2030005 | Kingston Rd | Kingston Rd | Bridgetown - Greenbushes | 0.00 | Gommes L | 26.13 | Corbalup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No Operation Weekdays from 7:30 AM to 9:00 AM and 3:00 PM to 4:30 PM Curfew applies to school days only. |
| 6020136 | Kingswood St | Kingswood St | Coolgardie | 0.00 | Widgiemooltha Tip Rd & Coolgardie Esperance Hwy | 0.54 | Cave Hill North Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|--------------------------|----------|------------------------------------|--------|---|---|
| 6020136 | Kingswood St | Kingswood St | Coolgardie | 0.54 | Cave Hill North Rd | 1.52 | Coolgardie Esperance Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2010389 | Kinsella Rd | Kinsella Rd | Augusta - Margaret River | 0.00 | Boodjidup Rd | 0.26 | Burton Rd | <ul style="list-style-type: none"> 20 km/h below posted speed limit |
| 4120061 | Kirby Rd | Kirby Rd | Kulin | 0.00 | Eighty Six Gate Rd | 5.71 | Williams Kondinin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4150157 | Kirby St | Kirby St | Mount Marshall | 0.00 | Ingleton Rd & Lindsay St | 0.26 | Bencubbin - Beacon Rd & Burakin - Wialki Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4290014 | Kirk Rock Rd | Kirk Rock Rd | Wickepin | 0.00 | Yealering - Kulin Rd & Elsegood Rd | 23.46 | Malyalling East Rd & Wickepin - Corrigin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Yealering South East Rd : No access permitted into Yealering South East Rd from Kirk Rock Rd. Intersection Turner Rd : No left turn permitted into Turner Rd from Kirk Rock Rd |
| 1250139 | Kirke St | Kirke St | Stirling (C) | 0.00 | Halley Rd | 0.35 | Geddes St | |
| 2150216 | Kirkham Rd | Kirkham Rd | Murray | 0.00 | Coolup East Rd | 0.41 | Kirkham Rd - End Road | |
| 3120234 | Kirkwood Rd | Kirkwood Rd | Plantagenet | 0.00 | Sanders Rd & Red Gum Pass Rd | 2.80 | Kirkwood Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|--------------------------------|--------|--------------------------------|--|
| 4110028 | Kirwan East Rd | Kirwan East Rd | Koorda | 0.00 | Broadhurst Rd & Kirwan East Rd | 2.16 | Booralaming - Kulja Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 4110028 | Kirwan East Rd | Kirwan East Rd | Koorda | 2.17 | Booralaming - Kulja Rd | 10.56 | Koorda - Kulja Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 5180024 | Kirwan East Rd | Kirwan East Rd | Wongan - Ballidu | 0.00 | Dowerin - Kalannie Rd | 6.90 | Broadhurst Rd & Kirwan East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180022 | Kirwan Rd | Kirwan Rd | Wongan - Ballidu | 0.00 | Hospital Rd | 14.10 | Rabbit Proof Fence Rd | |
| 6040092 | Kirwan Rd | Kirwan Rd | Esperance | 0.00 | Merivale Rd | 3.49 | 3.49km From Merivale Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 5180023 | Kirwan West Rd | Kirwan West Rd | Wongan - Ballidu | 0.00 | Dowerin - Kalannie Rd | 16.36 | Hospital Rd | |
| 3110017 | Kirwin Rd | Kirwin Rd | Lake Grace | 0.00 | Biddy - Camm Rd | 4.97 | Easton Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5139000 | Kitson Ct | Kitson Ct | Northampton | 0.00 | Seventh Av | 0.26 | Seventh Av | |
| 1040615 | Kitson Pl | Kitson Pl | Gosnells (C) | 0.00 | Alloa Rd | 0.19 | Kitson Pl - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|------------------------|----------|----------------------------------|--------|---|--|
| 4250018 | Kitto Rodgers Rd | Kitto Rodgers Rd | Tammin | 0.00 | York - Tammin Rd | 9.03 | Ralston Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3160112 | Knapp Rd | Knapp Rd | West Arthur | 0.00 | Bokal North Rd | 2.40 | Knapp Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 2180118 | Knapp St | Knapp St | Boyup Brook | 0.00 | Bridgetown Boyup Brook Rd | 0.40 | Bridge St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Terry Rd : No left turn permitted into Terry Rd from Knapp St Intersection Bridge St : No left turn permitted into Bridge St from Knapp St |
| 3120054 | Knight Rd | Knight Rd | Plantagenet | 0.00 | Porongurup Rd | 14.69 | Woogenellup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3160105 | Knight Rd | Knight Rd | West Arthur | 0.00 | Farrell Rd | 1.45 | Knight Rd - End Road | |
| 4330028 | Knotts Rd | Knotts Rd | York | 0.00 | Avon Tce & Great Southern Hwy | 4.68 | Cut Hill Rd & Talbot Rd & Arnold Park Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 0030053 | Knowsley St East | Knowsley St East | Derby - West Kimberley | 0.64 | Carnarvon St | 0.84 | Derby Hwy | |
| 2180090 | Knudsen Rd | Knudsen Rd | Boyup Brook | 0.00 | Abels Rd | 4.92 | Asplins Rd | |
| 4140008 | Knungajin - Merredin Rd | Knungajin - Merredin Rd | Merredin | 0.00 | Merredin Nungarin Rd | 14.08 | Goomarin - Nukarni Rd & Knungajin - Merredin Rd | |
| 4220013 | Knungajin - Merredin Rd | Knungajin - Merredin Rd | Nungarin | 0.00 | Chandler - Nungarin Rd & Lees Rd | 8.91 | Goomarin - Nukarni Rd & Knungajin - Merredin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Maximum speed 70 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|-----------------------|----------|------------------------|--------|------------------------|--|
| 4220004 | Knungajin Rd | Knungajin Rd | Nungarin | 0.00 | Chandler - Nungarin Rd | 15.34 | Cornish Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5050640 | Kockatea Rd | Kockatea Rd | Greater Geraldton (C) | 0.00 | Wilroy Kockatea Rd | 5.60 | Kockatea Rd - End Road | |
| 4130030 | Kodj Kodjin Rd | Kodj Kodjin Rd | Trayning | 0.00 | Riley Rd | 3.13 | Letchford Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3020020 | Kojaneerup Spring Rd | Kojaneerup Spring Rd | Albany (C) | 0.00 | South Coast Hwy | 15.01 | Chillinup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3020021 | Kojaneerup West Rd | Kojaneerup West Rd | Albany (C) | 0.00 | South Coast Hwy | 13.44 | Chillinup Rd | |
| 3170028 | Kojonolokan Rd | Kojonolokan Rd | Woodanilling | 0.00 | Ashwell Rd | 2.12 | Watson Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3040560 | Kojonup - Frankland Rd | Kojonup - Frankland Rd | Cranbrook | 0.00 | Kojonup LGA Boundary | 22.42 | Wingebellup Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|--|------------------------|----------|-----------------------|--------|--------------------------------------|--|
| 3100004 | Kojonup - Frankland Rd | Kojonup - Frankland Rd | Kojonup | 0.00 | Donnybrook Kojonup Rd | 44.02 | Cranbrook LGA Boundary | <ul style="list-style-type: none"> Intersection Parker Rd & Vanzuilecom Rd : No access permitted into Parker Rd from Kojonup-Frankland Rd Intersection Ashe Rd : No access permitted into Ashe Rd from Kojonup Frankland Rd |
| M021 | Kojonup Pingrup | Kojonup Katanning Rd Bay St Drove St Katanning Nyabing Rd Nyabing Pingrup Rd | Kojonup Katanning Kent | 0.00 | Albany Hwy | 123.33 | Nyabing Pingrup Rd & Chester Pass Rd | |
| 5180018 | Kokardine East Rd | Kokardine East Rd | Wongan - Ballidu | 0.00 | Dowerin - Kalannie Rd | 6.10 | Montague Rd & Rabbit Proof Fence Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180017 | Kokardine West Rd | Kokardine West Rd | Wongan - Ballidu | 0.00 | Dowerin - Kalannie Rd | 5.10 | Cadoux North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180017 | Kokardine West Rd | Kokardine West Rd | Wongan - Ballidu | 5.18 | Cadoux North Rd | 16.69 | Hospital Rd & Kondut East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------|----------|---|--------|-----------------------------------|--|
| 4010004 | Kokeby East Rd | Kokeby East Rd | Beverley | 0.00 | Great Southern Hwy & Dale Kokeby Rd | 13.50 | Bally - Bally Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4010011 | Kokendin Rd | Kokendin Rd | Beverley | 0.00 | Waterhatch Rd & Talbot West Rd | 16.65 | Kokendin Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4030078 | Kokerbin Hill Rd | Kokerbin Hill Rd | Bruce Rock | 0.00 | Kwolyin West Rd | 5.00 | Ogrady Rd | |
| 4100146 | Kondinin - Naremben Rd | Kondinin - Naremben Rd | Kondinin | 0.00 | Corrigin Kondinin Rd | 23.54 | Naremben LGA Boundary | |
| 4170130 | Kondinin - Naremben Rd | Kondinin - Naremben Rd | Naremben | 0.00 | Kondinin LGA Boundary | 26.80 | Longhurst St & Latham Rd | |
| 4100034 | Kondinin Lake North Rd | Kondinin Lake North Rd | Kondinin | 0.00 | Corrigin Kondinin Rd | 3.76 | Koorikin Rd | |
| 4100003 | Kondinin Lake Rd | Kondinin Lake Rd | Kondinin | 0.00 | Graham St & Kulin Kondinin Rd & Nicholls St | 20.40 | Kulin LGA Boundary | |
| 4120147 | Kondinin Lake Rd | Kondinin Lake Rd | Kulin | 0.00 | Corrigin Kulin Rd & Middleton Rd | 1.79 | Kondinin LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4100091 | Kondinin Lake South Rd | Kondinin Lake South Rd | Kondinin | 0.00 | James Rd | 0.80 | Kondinin Lake South Rd - End Road | |
| 5180009 | Kondut East Rd | Kondut East Rd | Wongan - Ballidu | 0.00 | Northam Pithara Rd | 23.69 | Kokardine West Rd & Hospital Rd | |
| 5180031 | Kondut South East Rd | Kondut South East Rd | Wongan - Ballidu | 0.00 | Northam Pithara Rd | 15.71 | Hospital Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|--------------------------|----------|---------------------------|--------|------------------------------|--|
| 5180010 | Kondut West Rd | Kondut West Rd | Wongan - Ballidu | 0.00 | Northam Pithara Rd | 17.54 | Lake Hinds North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 0040095 | Konkerberry Dr | Konkerberry Dr | Wyndham - East Kimberley | 1.16 | Bloodwood Dr | 1.62 | Poinciana St | |
| 4080005 | Konnongorring West Rd | Konnongorring West Rd | Goomalling | 0.00 | Northam Pithara Rd | 17.80 | Victoria Plains LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h |
| 5170014 | Konnongorring West Rd | Konnongorring West Rd | Victoria Plains | 0.00 | Calingari-Wongan Hills Rd | 7.60 | Goomalling LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5040120 | Koodjee Rd | Koodjee Rd | Dandaragan | 0.00 | Rowes Rd | 8.75 | Capitela Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5040018 | Koojan Pool Rd | Koojan Pool Rd | Dandaragan | 0.00 | Capitela Rd | 7.57 | Boundary Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5100012 | Koojan West Rd | Koojan West Rd | Moora | 0.00 | Bindoon Moora Rd | 9.09 | Boundary Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 2050557 | Kookaburra Wy | Kookaburra Wy | Busselton (C) | 0.00 | Redgum Wy | 0.40 | Paperbark Wy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Empty Travel Only Operation Only between 7:00 AM and 6:00 PM Monday to Saturday No Operation Public Holidays |
| 0040042 | Koolama St | Koolama St | Wyndham - East Kimberley | 0.00 | Koolama St - Start Road | 1.26 | Minderoo St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------------------|-----------------------------------|--------------------------|----------|--|--------|--|--|
| 5110031 | Koolanooka Dam Rd | Koolanooka Dam Rd | Morawa | 0.00 | Koolanooka South Rd | 5.47 | Jones Lake Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5140031 | Koolanooka Rd | Koolanooka Rd | Perenjori | 0.00 | Sutherland Rd | 13.94 | Koolanooka South Rd | |
| 5110053 | Koolanooka South Rd | Koolanooka South Rd | Morawa | 0.00 | Norton Rd | 7.16 | Koolanooka Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Mullewa Wubin Rd : No left turn permitted into Wubin Mullewa Rd from Koolanook South Rd |
| 5110051 | Koolanooka Spring Rd | Koolanooka Spring Rd | Morawa | 0.00 | Fallon Rd | 9.46 | Koolanooka Springs Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4170113 | Koolberrin Rd | Koolberrin Rd | Naremben | 0.00 | Kondinin - Naremben Rd | 7.94 | Cumminin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 0040036 | Koolinda St | Koolinda St | Wyndham - East Kimberley | 0.00 | Great Northern Hwy & GNH Service Rd No 2 | 0.23 | Bonaparte St | |
| 6110225 | Koolyanobbing - Southern Cross Rd | Koolyanobbing - Southern Cross Rd | Yilgarn | 0.00 | Polaris St & Koolyanobbing Rd | 52.28 | Robinson Dr & Dowd Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 6110224 | Koolyanobbing Rd | Koolyanobbing Rd | Yilgarn | 0.00 | Phoenix St & Sirius St | 0.64 | Koolyanobbing - Southern Cross Rd & Polaris St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|------------------|----------|---|--------|---|--|
| 2040031 | Koombana Dr | Koombana Dr | Bunbury (C) | 0.00 | Eelup Rty | 3.36 | Clifton St & Blair St & Casuarina Dr | |
| 4070003 | Koombekine North Rd | Koombekine North Rd | Dowerin | 0.00 | Dowerin - Kalannie Rd | 18.85 | Ejanding West Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4140044 | Koonadgin Rd | Koonadgin Rd | Merredin | 0.00 | Koonadgin South Rd & Scott Rd | 12.85 | Burracoppin South Rd | |
| 4140116 | Koonadgin South Rd | Koonadgin South Rd | Merredin | 0.00 | Scott Rd & Koonadgin Rd | 3.50 | Old Muntadgin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5040026 | Koonah Rd | Koonah Rd | Dandaragan | 0.00 | Badgingarra Rd | 14.60 | Brand Hwy | |
| 3040039 | Koonje Rd | Koonje Rd | Cranbrook | 0.00 | Yeriminup Rd | 10.21 | Stockyard Rd | |
| 4160088 | Koonkoobing Rd | Koonkoobing Rd | Mukinbudin | 0.00 | Forest Av | 3.44 | Aitken Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4150122 | Koorda - Bencubbin Rd | Koorda - Bencubbin Rd | Mount Marshall | 0.00 | East Boundary Rd & Breakell Rd | 6.09 | Mahe Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4110139 | Koorda - Bullfinch Rd | Koorda - Bullfinch Rd | Koorda | 0.00 | Haig St | 10.47 | Koorda - Bullfinch Rd & East Boundary Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 90 km/h |
| 4150145 | Koorda - Bullfinch Rd | Koorda - Bullfinch Rd | Mount Marshall | 0.00 | Koorda - Bullfinch Rd & East Boundary Rd | 47.98 | Mukinbudin LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4160107 | Koorda - Bullfinch Rd | Koorda - Bullfinch Rd | Mukinbudin | 0.00 | Mount Marshall LGA Boundary | 41.31 | Nungarin LGA Boundary | |
| 4220064 | Koorda - Bullfinch Rd | Koorda - Bullfinch Rd | Nungarin | 0.00 | Mukinbudin LGA Boundary | 9.90 | Koorda - Bullfinch Rd & Rabbit Proof Fence Rd | |
| 4280083 | Koorda - Bullfinch Rd | Koorda - Bullfinch Rd | Westonia | 0.00 | Koorda - Bullfinch Rd & Rabbit Proof Fence Rd | 35.24 | Yilgarn LGA Boundary | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|--------------------------|------------------|----------|-------------------------------|--------|---|---|
| 6110226 | Koorda - Bullfinch Rd | Koorda - Bullfinch Rd | Yilgarn | 0.00 | Westonia LGA Boundary | 24.35 | Manxman Rd & Bullfinch Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4110003 | Koorda - Dowerin Rd | Koorda - Dowerin Rd | Koorda | 0.00 | Wyalkatchem - Koorda Rd | 15.00 | Inman Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4110003 | Koorda - Dowerin Rd | Koorda - Dowerin Rd | Koorda | 15.00 | Inman Rd | 24.78 | Dowerin - Koorda Rd | <ul style="list-style-type: none"> Intersection Best Bypass Rd & Smith Rd : No left turn permitted into Smith Rd from Koorda Dowerin Rd |
| 4110004 | Koorda - Kulja Rd | Koorda - Kulja Rd | Koorda | 0.00 | Cadoux - Koorda Rd | 48.46 | Kulja Central Rd & Burakin - Wialki Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4110001 | Koorda - Mollerin Rd | Koorda - Mollerin Rd | Koorda | 0.00 | Koorda - Kulja Rd | 36.25 | Burakin - Wialki Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4070023 | Koorda - Wongan Hills Rd | Koorda - Wongan Hills Rd | Dowerin | 0.00 | Jones Rd & Wongan - Koorda Rd | 13.92 | Cadoux - Koorda Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4070023 | Koorda - Wongan Hills Rd | Koorda - Wongan Hills Rd | Dowerin | 13.92 | Cadoux - Koorda Rd | 23.43 | Cadoux - Koorda Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 4110009 | Koorda North West Rd | Koorda North West Rd | Koorda | 0.00 | May Rd & Cadoux - Koorda Rd | 25.54 | Booralaming - Kulja Rd & Moningarín East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4100013 | Koorikin Rd | Koorikin Rd | Kondinin | 0.00 | Kondinin - Narembeen Rd | 14.45 | Kulin Rock Rd & Corrigin Kondinin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 118Z038 | Kooringa Pl | Kooringa Pl | Fremantle (C) | 0.00 | Port Beach Rd (Fpa) | 0.18 | Unnamed Rd | |
| 6100112 | Koorong Rd | Koorong Rd | Ravensthorpe | 0.00 | Koorong Rd - Start Road | 3.66 | Old Ongerup Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|--------------------------------------|--------|------------------------------|--|
| 6100112 | Koornong Rd | Koornong Rd | Ravensthorpe | 3.70 | Old Ongerup Rd | 6.12 | South Coast Hwy | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 6100112 | Koornong Rd | Koornong Rd | Ravensthorpe | 6.13 | South Coast Hwy | 38.46 | Mallee Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 4140036 | Korbel East Rd | Korbel East Rd | Merredin | 0.00 | Hines Hill - Korbel Rd & Korbelka Rd | 13.12 | Briant Rd & Totadgin Hall Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4140010 | Korbel West Rd | Korbel West Rd | Merredin | 0.00 | Hines Hill Rd & Barr Rd | 4.97 | Hines Hill - Korbel Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4030164 | Korbelka Rd | Korbelka Rd | Bruce Rock | 0.00 | Belka East Rd | 2.43 | Merredin LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---------------------------|------------------|----------|--|--------|-------------------------|---|
| 4140063 | Korbelka Rd | Korbelka Rd | Merredin | 0.00 | Korbel East Rd & Hines Hill - Korbel Rd | 6.58 | Bruce Rock LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4140007 | Korbrelkulling Rd | Korbrelkulling Rd | Merredin | 0.00 | Bruce Rock Merredin Rd | 17.41 | Goodier Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3050018 | Kordabup Rd | Kordabup Rd | Denmark | 0.00 | South Western Hwy | 10.85 | Scotsdale Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6070023 | Korong - Mount Morgans Rd | Korong - Mount Morgans Rd | Laverton | 0.00 | Korong Station Access Rd & Leonora Laverton Rd | 7.73 | Old Laverton Rd | |
| 5180034 | Korraling Rd | Korraling Rd | Wongan - Ballidu | 0.00 | Old Ballidu Rd | 11.82 | Korraling Rd- End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------|----------|-------------------------------------|--------|----------------------|---|
| 4310016 | Korrellocking North Rd | Korrellocking North Rd | Wyalkatchem | 0.00 | Nungarin Wyalkatchem Rd & Davies Rd | 3.31 | Goldfields Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4080048 | Kroe Hut Rd | Kroe Hut Rd | Goomalling | 0.00 | Long Forrest Rd | 4.99 | Rowles Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5110050 | Krummel Rd | Krummel Rd | Morawa | 0.00 | Fallon Rd & Moore Rd | 5.61 | Kadji Lake Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4120084 | Krupa Rd | Krupa Rd | Kulin | 0.00 | Pingaring - Varley Rd | 6.53 | Kulin - Holt Rock Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4270011 | Kubbine Rd | Kubbine Rd | Wandering | 0.00 | North Wandering Rd | 6.66 | York - Williams Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h |
| 3020345 | Kuch Rd | Kuch Rd | Albany (C) | 0.00 | Gnowellen Rd | 19.31 | Chillinup Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|--------------------------|----------|--|--------|---|---|
| 2010853 | Kudardup Rd | Kudardup Rd | Augusta - Margaret River | 0.00 | Kudardup Rd - Start Road | 0.23 | Fisher Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2010853 | Kudardup Rd | Kudardup Rd | Augusta - Margaret River | 0.25 | Fisher Rd | 4.25 | Glenarty Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3110098 | Kuender South Rd | Kuender South Rd | Lake Grace | 0.00 | North Lake Grace - Karlgarin Rd | 8.81 | Duckworth Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4120148 | Kuender West Rd | Kuender West Rd | Kulin | 0.00 | 101 Gate East Rd & Tarin Rock North Rd | 5.56 | Rhodes Rd & West Kuender Rd & Bushby Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4150110 | Kuhl Rd | Kuhl Rd | Mount Marshall | 0.00 | Bimbijy Rd | 8.89 | White Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3060016 | Kukerin North East Rd | Kukerin North East Rd | Dumbleyung | 0.00 | Scadden St & Troupe St | 5.80 | Old Lake Grace Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060004 | Kukerin North Rd | Kukerin North Rd | Dumbleyung | 0.00 | Tarin Rock Rd | 16.81 | Bennett St & Dumbleyung Lake Grace Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|-------------------------------|--------|-------------------------|---|
| 3060021 | Kukerin Rd | Kukerin Rd | Dumbleyung | 0.00 | Scadden St & Kukerin South Rd | 4.52 | Candlelight Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3090005 | Kukerin Rd | Kukerin Rd | Kent | 0.00 | Bin Rd | 17.98 | Adams Rd & Peterson Rd | |
| 4120015 | Kukerin Rd | Kukerin Rd | Kulin | 0.00 | Kulin - Dudinin Rd | 28.14 | Pearce Rd & Boundary Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060003 | Kukerin South Rd | Kukerin South Rd | Dumbleyung | 0.00 | Scadden St & Kukerin Rd | 18.82 | One Twenty Nine Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2090233 | Kularda Rd | Kularda Rd | Waroona | 0.00 | Old Bunbury Rd Svc Rd (West) | 1.51 | Lake Clifton Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Maximum speed 60 km/h |
| 1072660 | Kulija Rd | Kulija Rd | Rockingham (C) | 0.00 | Mundijong Rd | 4.28 | Mandurah Rd | |
| 2180005 | Kulikup North Rd | Kulikup North Rd | Boyup Brook | 0.00 | Stewart St & Kulikup South Rd | 14.54 | Eulin Crossing Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|------------------|----------|---|--------|--------------------------|--|
| 2180146 | Kulikup Rd | Kulikup Rd | Boyup Brook | 0.00 | Balgarup Rd & Eulin Siding Rd | 2.07 | Kojonup LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3100128 | Kulikup Rd | Kulikup Rd | Kojonup | 0.00 | Boyup Brook LGA Boundary | 0.97 | Kulikup Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2180007 | Kulikup South Rd | Kulikup South Rd | Boyup Brook | 0.00 | Stewart St & Kulikup North Rd | 13.17 | Donnybrook Kojonup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2180007 | Kulikup South Rd | Kulikup South Rd | Boyup Brook | 13.22 | Donnybrook Kojonup Rd | 23.28 | Scotts Brook Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4120008 | Kulin - Dudinin Rd | Kulin - Dudinin Rd | Kulin | 0.00 | Williams Kondinin Rd | 32.53 | Mullan St | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3060119 | Kulin - Dumbleyung Rd | Kulin - Dumbleyung Rd | Dumbleyung | 0.00 | Boundary Rd & Gray Rd & Rabbit Proof Fence Rd Sth | 16.10 | Dumbleyung Lake Grace Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|--------------------------|------------------|----------|---|--------|--------------------------------------|---|
| 4120163 | Kulin - Holt Rock Rd | Kulin - Holt Rock Rd | Kulin | 0.00 | Kulin Lake Grace Rd | 41.62 | Karlgarin Rd South | |
| 4120163 | Kulin - Holt Rock Rd | Kulin - Holt Rock Rd | Kulin | 41.62 | Karlgarin Rd South | 54.75 | Aylmore Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4120163 | Kulin - Holt Rock Rd | Kulin - Holt Rock Rd | Kulin | 54.75 | Aylmore Rd | 108.31 | Hyden-Lake King Rd | |
| 4100016 | Kulin Rock Rd | Kulin Rock Rd | Kondinin | 0.00 | Koorikin Rd & Corrigin Kondinin Rd | 9.24 | Kulin LGA Boundary | |
| 4120010 | Kulin Rock Rd | Kulin Rock Rd | Kulin | 0.00 | Beard St | 16.16 | James Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4120011 | Kulin West Rd | Kulin West Rd | Kulin | 0.00 | Davies Rd | 17.96 | Sparks Rd & Clayton Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4110020 | Kulja - Mollerin Rock Rd | Kulja - Mollerin Rock Rd | Koorda | 0.00 | Booralaming - Kulja Rd | 27.16 | Mollerin Rock South Rd & Longmuir Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 4110088 | Kulja Central Rd | Kulja Central Rd | Koorda | 0.00 | Koorda - Kulja Rd & Burakin - Wialki Rd | 26.79 | Warren Rd & Kulja Central Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------------|----------------------------|------------------|----------|------------------------------------|--------|--|---|
| 5030120 | Kulja Central Rd | Kulja Central Rd | Dalwallinu | 0.00 | Kulja Central Rd - Start Road | 2.44 | Glamoff Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030120 | Kulja Central Rd | Kulja Central Rd | Dalwallinu | 2.44 | Glamoff Rd | 16.73 | Warren Rd & Kulja Central Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4230141 | Kulyaling Rd West | Kulyaling Rd West | Pingelly | 0.00 | Great Southern Hwy | 5.46 | Walwalling Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6040526 | Kumarl Rd | Kumarl Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 6.39 | Burnside Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4040046 | Kunjin South Rd | Kunjin South Rd | Corrigin | 0.00 | Talbot Clark Rd | 9.80 | Brookton-Corrigin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Brookton-Corrigin Rd : No right turn permitted into Brookton Hwy from Kunjin South Rd |
| 4130102 | Kununoppin - Mukinbudin Rd | Kununoppin - Mukinbudin Rd | Trayning | 0.00 | Purdy Rd & Nungarin Wyalkatchem Rd | 23.83 | Mukinbudin LGA Boundary | <ul style="list-style-type: none"> Intersection Harrod Rd : No access permitted into Harrod Rd from Kununoppin Mukinbudin Rd |
| 4160108 | Kununoppin - Mukinbudin Rd | Kununoppin - Mukinbudin Rd | Mukinbudin | 0.00 | Trayning LGA Boundary | 19.12 | Koorda - Bullfinch Rd & Mukinbudin - Wialki Rd | <ul style="list-style-type: none"> Intersection Maddock St : No left turn permitted into Maddock St from Kununoppin-Mukinbudin Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|---|----------|---|--------|--|--|
| 3060074 | Kuringup North Rd | Kuringup North Rd | Dumbleyung | 0.00 | Walkers Rd | 3.70 | North Kuringup Rd & Big Lake Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3090013 | Kuringup Rd | Kuringup Rd | Kent | 0.00 | Katanning Nyabing Rd & Nyabing Pingrup Rd | 16.32 | North Kuringup Rd | |
| 3090052 | Kuringup South Rd | Kuringup South Rd | Kent | 0.00 | North Kuringup Rd & Sutherland Trk | 14.80 | South Fence Rd | |
| 1140998 | Kurnall Rd | Kurnall Rd | Canning (C) | 0.00 | Sheffield Rd Svc Rd & Sheffield Rd West | 1.67 | Furnace Rd | <ul style="list-style-type: none"> Intersection Dowd St & Dowd St East : Right turn permitted only into Dowd St from Kurnall Rd |
| 6055058 | Kurnalpi - Pinjin Rd | Kurnalpi - Pinjin Rd | Kalgoorlie - Boulder (C) | 0.00 | Yarri Rd | 134.00 | Menzies LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6090040 | Kurnalpi - Pinjin Rd | Kurnalpi - Pinjin Rd | Menzies | 8.05 | 2km From Kurnalpi - Pinjin Rd | 10.05 | Kalgoorlie - Boulder (C) LGA Boundary | |
| 4160055 | Kuser Rd | Kuser Rd | Mukinbudin | 0.00 | Mukinbudin - Bonnie Rock Rd | 1.93 | Spencers Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| H068 | Kwinana Beach Rd | Kwinana Beach Rd Rockingham Beach Rd | Kwinana (C) Rockingham (C) | 0.00 | Patterson Rd | 3.69 | Rockingham Beach Rd | |
| H015 | Kwinana Fwy | Kwinana Fwy | Melville (C) Cockburn (C) Kwinana (C) Rockingham (C) Mandurah (C) Murray | 9.83 | Leach Hwy (Melville) | 71.55 | Forrest Hwy | <ul style="list-style-type: none"> Intersection Kwinana Fwy (Southbound) off to Leach Hwy : No access permitted to Leach Hwy eastbound |
| H700 | Kwinana Fwy (Northbound) off to Anketell Rd | Kwinana Fwy (Northbound) off to Anketell Rd | Kwinana (C) | 0.00 | Kwinana Fwy | 0.31 | Anketell Rd & Anketell Rd on to Kwinana Fwy (Northbound) | |
| H332 | Kwinana Fwy (Northbound) off to Baldivis Services | Kwinana Fwy (Northbound) off to Baldivis Services | Rockingham (C) | 0.00 | Kwinana Fwy | 0.17 | Baldivis Services | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|------------------|----------|---|--------|---|------------|
| H688 | Kwinana Fwy (Northbound) off to Beeliar Dr | Kwinana Fwy (Northbound) off to Beeliar Dr | Cockburn (C) | 0.00 | Kwinana Fwy | 0.31 | Beeliar Dr on to Kwinana Fwy (Northbound) & Beeliar Dr | |
| H684 | Kwinana Fwy (Northbound) off to Berrigan Dr | Kwinana Fwy (Northbound) off to Berrigan Dr | Cockburn (C) | 0.00 | North Lake Rd to Berrigan Dr Cd Rd | 0.48 | Berrigan Dr on to Kwinana Fwy (Northbound) & Berrigan Dr | |
| H815 | Kwinana Fwy (Northbound) off to Karnup Rd | Kwinana Fwy (Northbound) off to Karnup Rd | Rockingham (C) | 0.00 | Kwinana Fwy | 0.36 | Karnup Rd on to Kwinana Fwy (Northbound) & Karnup Rd | |
| H827 | Kwinana Fwy (Northbound) off to Lakes Rd | Kwinana Fwy (Northbound) off to Lakes Rd | Murray | 0.00 | Kwinana Fwy | 0.39 | Lakes Rd & Lakes Rd on to Kwinana Fwy (Northbound) | |
| H559 | Kwinana Fwy (Northbound) off to Leach Hwy | Kwinana Fwy (Northbound) off to Leach Hwy | Melville (C) | 0.00 | Kwinana Fwy | 0.56 | Leach Hwy & Bullcreek Station Bus Access | |
| H789 | Kwinana Fwy (Northbound) off to Leach Hwy (Westbound) | Kwinana Fwy (Northbound) off to Leach Hwy (Westbound) | Melville (C) | 0.00 | Kwinana Fwy (Northbound) off to Leach Hwy | 0.31 | Leach Hwy | |
| H823 | Kwinana Fwy (Northbound) off to Mandjoogoordap Dr/Lymon Rd | Kwinana Fwy (Northbound) off to Mandjoogoordap Dr/Lymon Rd | Mandurah (C) | 0.00 | Kwinana Fwy | 0.48 | Mandjoogoordap Dr | |
| H712 | Kwinana Fwy (Northbound) off to Mundijong Rd | Kwinana Fwy (Northbound) off to Mundijong Rd | Rockingham (C) | 0.00 | Kwinana Fwy | 0.38 | Mundijong Rd on to Kwinana Fwy (Northbound) & Kulija Rd | |
| H696 | Kwinana Fwy (Northbound) off to Rowley Rd | Kwinana Fwy (Northbound) off to Rowley Rd | Kwinana (C) | 0.00 | Kwinana Fwy | 0.34 | Rowley Rd & Rowley Rd on to Kwinana Fwy (Northbound) | |
| H692 | Kwinana Fwy (Northbound) off to Russell Rd | Kwinana Fwy (Northbound) off to Russell Rd | Cockburn (C) | 0.00 | Kwinana Fwy | 0.41 | Russell Rd & Russell Rd on to Kwinana Fwy (Northbound) | |
| H811 | Kwinana Fwy (Northbound) off to Safety Bay Rd | Kwinana Fwy (Northbound) off to Safety Bay Rd | Rockingham (C) | 0.00 | Kwinana Fwy | 0.41 | Safety Bay Rd on to Kwinana Fwy (Northbound) & Safety Bay Rd | |
| H618 | Kwinana Fwy (Northbound) off to South St | Kwinana Fwy (Northbound) off to South St | Melville (C) | 0.00 | Kwinana Fwy | 0.75 | South St & South St on to Kwinana Fwy (Northbound) & Murdoch Station Bus Access | |
| H704 | Kwinana Fwy (Northbound) off to Thomas Rd | Kwinana Fwy (Northbound) off to Thomas Rd | Kwinana (C) | 0.00 | Kwinana Fwy | 0.32 | Thomas Rd on to Kwinana Fwy (Northbound) & Thomas Rd | |
| H775 | Kwinana Fwy (Northbound) to Roe Hwy (Eastbound) | Kwinana Fwy (Northbound) to Roe Hwy (Eastbound) | Cockburn (C) | 0.00 | Kwinana Fwy | 0.82 | Roe Hwy & Link From Murdoch Dr to Roe Hwy | |
| H698 | Kwinana Fwy (Southbound) off to Anketell Rd | Kwinana Fwy (Southbound) off to Anketell Rd | Kwinana (C) | 0.00 | Kwinana Fwy | 0.45 | Anketell Rd on to Kwinana Fwy (Southbound) & Anketell Rd | |
| H330 | Kwinana Fwy (Southbound) off to Baldivis Services | Kwinana Fwy (Southbound) off to Baldivis Services | Rockingham (C) | 0.00 | Kwinana Fwy | 0.17 | Baldivis Services | |
| H686 | Kwinana Fwy (Southbound) off to Beeliar Dr | Kwinana Fwy (Southbound) off to Beeliar Dr | Cockburn (C) | 0.00 | Berrigan Dr to North Lake Rd Cd Rd | 0.51 | Beeliar Dr on to Kwinana Fwy (Southbound) & Beeliar Dr | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|------------------|----------|--------------------------|--------|---|--|
| H682 | Kwinana Fwy (Southbound) off to Berrigan Dr | Kwinana Fwy (Southbound) off to Berrigan Dr | Cockburn (C) | 0.00 | Kwinana Fwy | 0.47 | Berrigan Dr on to Kwinana Fwy (Southbound) & Berrigan Dr | |
| H813 | Kwinana Fwy (Southbound) off to Karnup Rd | Kwinana Fwy (Southbound) off to Karnup Rd | Rockingham (C) | 0.00 | Kwinana Fwy | 0.40 | Karnup Rd on to Kwinana Fwy (Southbound) & Karnup Rd | |
| H825 | Kwinana Fwy (Southbound) off to Lakes Rd | Kwinana Fwy (Southbound) off to Lakes Rd | Murray | 0.00 | Kwinana Fwy | 0.48 | Lakes Rd & Lakes Rd on to Kwinana Fwy (Southbound) | |
| H710 | Kwinana Fwy (Southbound) off to Mundijong Rd | Kwinana Fwy (Southbound) off to Mundijong Rd | Rockingham (C) | 0.00 | Kwinana Fwy | 0.35 | Mundijong Rd & Mundijong Rd on to Kwinana Fwy (Southbound) | |
| H829 | Kwinana Fwy (Southbound) off to Pinjarra Rd | Kwinana Fwy (Southbound) off to Pinjarra Rd | Murray | 0.00 | Kwinana Fwy | 0.86 | Pinjarra Rd & Pinjarra Rd on to Kwinana Fwy/Forrest Hwy (Southbound) | |
| H694 | Kwinana Fwy (Southbound) off to Rowley Rd | Kwinana Fwy (Southbound) off to Rowley Rd | Cockburn (C) | 0.00 | Kwinana Fwy | 0.45 | Rowley Rd on to Kwinana Fwy (Southbound) & Rowley Rd | |
| H690 | Kwinana Fwy (Southbound) off to Russell Rd | Kwinana Fwy (Southbound) off to Russell Rd | Cockburn (C) | 0.00 | Kwinana Fwy | 0.29 | Russell Rd & Gibbs Rd & Russell Rd on to Kwinana Fwy (Southbound) | |
| H809 | Kwinana Fwy (Southbound) off to Safety Bay Rd | Kwinana Fwy (Southbound) off to Safety Bay Rd | Rockingham (C) | 0.00 | Kwinana Fwy | 0.39 | Safety Bay Rd & Safety Bay Rd on to Kwinana Fwy (Southbound) & Folly Rd | |
| H616 | Kwinana Fwy (Southbound) off to South St | Kwinana Fwy (Southbound) off to South St | Melville (C) | 0.00 | Kwinana Fwy | 0.37 | South St | |
| H702 | Kwinana Fwy (Southbound) off to Thomas Rd | Kwinana Fwy (Southbound) off to Thomas Rd | Kwinana (C) | 0.00 | Kwinana Fwy | 0.42 | Thomas Rd on to Kwinana Fwy (Southbound) & Thomas Rd | |
| H772 | Kwinana Fwy (Southbound) to Roe Hwy (Eastbound) | Kwinana Fwy (Southbound) to Roe Hwy (Eastbound) | Cockburn (C) | 0.13 | Kwinana Fwy | 0.79 | Roe Hwy | |
| H821 | Kwinana Fwy (Southbound) off to Lymon Rd/Mandjoogoordap Dr | Kwinana Fwy (Southbound) off to Lymon Rd/Mandjoogoordap Dr | Mandurah (C) | 0.00 | Kwinana Fwy | 0.43 | Mandjoogoordap Dr | |
| H831 | Kwinana Fwy/Forrest Hwy (Northbound) off to Pinjarra Rd | Kwinana Fwy/Forrest Hwy (Northbound) off to Pinjarra Rd | Murray | 0.00 | Kwinana Fwy | 0.81 | Pinjarra Rd & Pinjarra Rd on to Kwinana Fwy (Northbound) | |
| 3070001 | Kwobrup Rd | Kwobrup Rd | Gnowangerup | 0.00 | Yougenup Rd | 12.72 | Tieline Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3070055 | Kwobrup Rd | Kwobrup Rd | Gnowangerup | 0.00 | Tieline Rd | 3.66 | Gnowangerup - Kwobrup Rd & North Boundary Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4030018 | Kwolyin East Rd | Kwolyin East Rd | Bruce Rock | 0.00 | Bruce Rock Quairading Rd | 13.86 | McDonnell Rd & Kwolyin East Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|------------------------------|--------|--------------------------------|---|
| 4090013 | Kwolyin East Rd | Kwolyin East Rd | Kellerberrin | 0.00 | Kellerberrin - Shackleton Rd | 10.70 | McDonnell Rd & Kwolyin East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4030009 | Kwolyin South Rd | Kwolyin South Rd | Bruce Rock | 0.00 | Bruce Rock Quairading Rd | 18.72 | Shackleton - Bilbarin Rd | |
| 4030010 | Kwolyin West Rd | Kwolyin West Rd | Bruce Rock | 0.00 | Kwolyin Town Rd | 15.52 | Kwolyin West Rd. | |
| 4090003 | Kwolyin West Rd. | Kwolyin West Rd. | Kellerberrin | 0.00 | Kellerberrin - Shackleton Rd | 15.87 | Kwolyin West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Maximum speed 60km/h on gravel roads. |
| 3120064 | Kwornicup Rd | Kwornicup Rd | Plantagenet | 0.00 | Mitchell Rd & Boyup Rd | 16.81 | Yallambe Rd & Sidcup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|--------------------------|----------|----------------------------------|--------|----------------------------|---|
| 3040038 | Kybellup Rd | Kybellup Rd | Cranbrook | 0.00 | Poorrarecup Rd | 8.43 | Cook Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3070088 | Kybelup Rd | Kybelup Rd | Gnowangerup | 0.00 | Formby Rd South | 6.44 | Carr Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6056047 | Kybo St | Kybo St | Kalgoorlie - Boulder (C) | 0.00 | Epis St | 0.54 | Carnegie St | <ul style="list-style-type: none"> Intersection Epis St : No right turn permitted into Epis St from Kybo St |
| 4150048 | Lacey Rd | Lacey Rd | Mount Marshall | 0.00 | Breakell Rd | 2.51 | Surtees Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4310125 | Lackman Rd | Lackman Rd | Wyalkatchem | 0.00 | Elsegood Rd | 11.66 | Wallambin Rd & Clifford Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1180081 | Ladner St | Ladner St | Fremantle (C) | 0.00 | Garling St & Garling St Stn Cway | 0.94 | South St | <ul style="list-style-type: none"> Intersection Garling St & Garling St Stn Cway : No right turn permitted into Garling St from Ladner St |
| 6020053 | Ladyloch Rd | Ladyloch Rd | Coolgardie | 0.00 | Great Eastern Hwy & Bayley St | 2.69 | Nepean Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|--------------------------|----------|---|--------|---|---|
| 3100035 | Ladyman Rd | Ladyman Rd | Kojonup | 0.00 | Carlecatur North Rd | 5.91 | Watts Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3110100 | Ladyman Rd | Ladyman Rd | Lake Grace | 0.00 | Lake King-Norseman Rd | 8.32 | Smerdon Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6040256 | Lagoon Rd | Lagoon Rd | Esperance | 0.00 | Kendall Rd | 5.29 | Lagoon Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4100138 | Lahoar Rd | Lahoar Rd | Kondinin | 0.00 | Billericay East Rd | 3.50 | Narembreen LGA Boundary | <ul style="list-style-type: none"> Intersection Billericay East Rd : No access permitted into Billericay East Rd from Lahoar Rd. No access permitted into Lahoar Rd from Billericay East Rd. |
| 4170066 | Lahoar Rd | Lahoar Rd | Narembreen | 0.00 | Kondinin LGA Boundary | 3.56 | Fiebert Rd | |
| 0040139 | Lake Argyle Rd | Lake Argyle Rd | Wyndham - East Kimberley | 0.00 | Victoria Hwy | 34.68 | Lake Argyle Rd (P) & Argyle Lookout Rd | |
| 7010008 | Lake Barlee Access Rd | Lake Barlee Access Rd | Sandstone | 0.00 | Lake Barlee Access Rd & Youanmi Access Rd | 73.10 | 21.199km From Trainers Rock Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 701Z007 | Lake Barlee Access Rd | Lake Barlee Access Rd | Sandstone | 0.00 | Paynes Find - Sandstone Rd | 3.28 | Lake Barlee Access Rd & Youanmi Access Rd | |
| 3120058 | Lake Barnes Rd | Lake Barnes Rd | Plantagenet | 0.00 | Spencer Rd | 5.60 | Lake Barnes Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3110217 | Lake Biddy Rd | Lake Biddy Rd | Lake Grace | 0.00 | Mitchell St & Maler St | 13.74 | Biddy - Camm Rd | <ul style="list-style-type: none"> Intersection Watson Rd : No access permitted into Watson Rd from Lake Biddy Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------------|-------------------------------|------------------|----------|---|--------|---------------------------------|--|
| 4160013 | Lake Brown South Rd | Lake Brown South Rd | Mukinbudin | 0.00 | Koorda - Bullfinch Rd & Bonnie Rock - Lake Brown Rd | 13.28 | Lake Brown South Rd & Devlin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4220012 | Lake Brown South Rd | Lake Brown South Rd | Nungarin | 0.00 | Elabbin - Le Vaux Rd & Le Vaux Rd | 17.75 | Devlin Rd No 37 | |
| 4220012 | Lake Brown South Rd | Lake Brown South Rd | Nungarin | 17.75 | 3.22km Frpm Popes Hill South Rd | 22.63 | Lake Brown South Rd & Devlin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3090047 | Lake Bryde Rd | Lake Bryde Rd | Kent | 0.00 | Newdegate - Pingrup Rd | 13.64 | Grant Williams Rd | |
| 4100084 | Lake Carmody Rd | Lake Carmody Rd | Kondinin | 0.00 | Holland Trk | 31.65 | | |
| 2090234 | Lake Clifton Rd | Lake Clifton Rd | Waroona | 0.00 | Forrest Hwy | 5.72 | Old Coast Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 209Z014 | Lake Clifton Rd West Bnd Slip | Lake Clifton Rd West Bnd Slip | Waroona | 0.00 | Forrest Hwy | 0.06 | Forrest Hwy & Lake Clifton Rd | |
| M404 | Lake Clifton Rty | Lake Clifton Rty | Waroona | 0.00 | Old Coast Rd | 0.16 | Old Coast Rd | |
| 3080069 | Lake Coyrecup Rd | Lake Coyrecup Rd | Katanning | 0.00 | Katanning Nyabing Rd | 1.85 | Kibbleup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3080069 | Lake Coyrecup Rd | Lake Coyrecup Rd | Katanning | 1.85 | Kibbleup Rd | 5.13 | Langaweira Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|--------------------------|----------|------------------------------|--------|------------------------------|---|
| 3080069 | Lake Coyrecup Rd | Lake Coyrecup Rd | Katanning | 5.13 | Langaweira Rd | 23.85 | Shaw Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h Intersection Coyrecup South Rd : No access permitted into Coyrecup Rd from Lake Coyrecup Rd Intersection Coyrecup South Rd : No access permitted into Coyrecup Rd from Lake Coyrecup Rd |
| 3080069 | Lake Coyrecup Rd | Lake Coyrecup Rd | Katanning | 23.85 | Shaw Rd | 24.63 | Kiddie Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6055059 | Lake Douglas Rd | Lake Douglas Rd | Kalgoorlie - Boulder (C) | 0.00 | Great Eastern Hwy | 3.47 | Lake Douglas Rd - End Road | |
| 5180029 | Lake Hinds North Rd | Lake Hinds North Rd | Wongan - Ballidu | 0.00 | Wongan Hills - Waddington Rd | 16.65 | Kondut West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3120081 | Lake Katherine Rd | Lake Katherine Rd | Plantagenet | 0.00 | Mallawillup Rd | 6.28 | Lake Katherine Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|-----------------------|----------|---------------------------------------|--------|--------------------------------------|--|
| 6040517 | Lake King - Norseman Rd | Lake King - Norseman Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 3.55 | 3.55km From Coolgardie Esperance Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3110022 | Lake King-Norseman Rd | Lake King-Norseman Rd | Lake Grace | 0.00 | Varley Rd & Newdegate Ravensthorpe Rd | 31.69 | Fence Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3090116 | Lake Magenta Rd | Lake Magenta Rd | Kent | 0.00 | Reserve Rd & Lake Magenta Rd | 3.79 | Magenta Rd | |
| 3180003 | Lake Magenta Rd | Lake Magenta Rd | Jerramungup | 0.00 | South Coast Hwy | 28.95 | Reserve Rd & Lake Magenta Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 3120047 | Lake Matilda Rd | Lake Matilda Rd | Plantagenet | 0.00 | Red Gum Pass Rd | 10.87 | Shelderton Rd & Archers Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4240011 | Lake Mears Rd | Lake Mears Rd | Quairading | 0.00 | Dangin - Mears Rd | 4.95 | Brookton LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 505Z017 | Lake Nerramyne Rd | Lake Nerramyne Rd | Greater Geraldton (C) | 0.00 | Dartmoor - Lake Nerramyne Rd | 5.00 | Lake Nerramyne Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|------------------|----------|--|--------|--|---|
| 4120144 | Lake O'Connor Rd West | Lake O'Connor Rd West | Kulin | 0.00 | Holt Rock North Rd | 3.99 | Harvey Rd & Holt Rock North Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4100142 | Lake O'Connor Rd | Lake O'Connor Rd | Kondinin | 0.00 | East Hyden Bin Rd & Hyden - Norseman Rd | 0.42 | For 420m From East Hyden Bin Rd to Cbh Entry | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4100142 | Lake O'Connor Rd | Lake O'Connor Rd | Kondinin | 0.42 | For 420m From East Hyden Bin Rd to Cbh Entry | 13.80 | Hyden-Lake King Rd | |
| 1010038 | Lake Rd | Lake Rd | Armadale (C) | 3.33 | Champion Dr | 6.02 | Remisko Dr & Ranford Rd | |
| 3060091 | Lake Rd | Lake Rd | Dumbleyung | 0.00 | Wagin Dumbleyung Rd | 0.02 | Wheatfield Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4030114 | Lake Rd | Lake Rd | Bruce Rock | 0.00 | Corrigin - Bruce Rock Rd | 2.60 | Shields Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|--------------------------|--------|--------------------|---|
| 4080065 | Lake Rd | Lake Rd | Goomalling | 0.00 | Pryor Rd | 3.58 | Oak Park Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6040112 | Lake Rd | Lake Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 3.02 | Lake Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 3180134 | Lake Rd Nth | Lake Rd Nth | Jerramungup | 0.00 | Lake Magenta Rd | 10.91 | Mallee Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 3020033 | Lake Saide Rd | Lake Saide Rd | Albany (C) | 0.00 | Lower Denmark Rd | 5.57 | Browns Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5190130 | Lake St | Lake St | Coorow | 0.00 | Indian Ocean Dr | 0.60 | Barracuda Dr | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|---|-------------------------|----------|--|--------|--|--|
| 3020071 | Lake Warburton Rd | Lake Warburton Rd | Albany (C) | 0.00 | Palmdale Rd | 9.36 | Pfeiffer Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6070027 | Lake Wells Rd | Lake Wells Rd | Laverton | 0.00 | Great Central Rd | 70.80 | Prenti Downs Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| M074 | Lakelands Lake Clifton | Mandjoogoordap Dr Mandurah Rd Old Coast Rd Dawesville Bypa | Mandurah (C) Waroona | 0.00 | Lymon Rd | 54.98 | Forrest Hwy & Old Coast Rd Slip From/To Forrest Hwy (Southbound) | |
| 3040120 | Lakelands Rd | Lakelands Rd | Cranbrook | 0.00 | Nukennullup Rd | 2.52 | Lakelands Rd - End Road | |
| 2120353 | Lakes Rd | Lakes Rd | Mandurah (C) | 0.00 | Wanjeep St & Pinjarra Rd | 3.91 | Lakes Rd East & Gordon Rd | |
| 2150009 | Lakes Rd | Lakes Rd | Murray | 0.00 | Lakes Rd East | 12.50 | Hopeland Rd & Corio Rd | |
| 2150009 | Lakes Rd | Lakes Rd | Murray | 12.50 | Hopeland Rd & Corio Rd | 18.04 | South St & Railway Av | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4180219 | Lakes Rd | Lakes Rd | Narrogin | 0.00 | Wickepin LGA Boundary | 5.70 | Wagin - Wickepin Rd & Kilpatrick Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4290149 | Lakes Rd | Lakes Rd | Wickepin | 0.00 | Narrogin LGA Boundary | 1.42 | Astbury Rd & Robinson Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2121717 | Lakes Rd East | Lakes Rd East | Mandurah (C) | 0.00 | Lakes Rd & Gordon Rd | 1.26 | Lakes Rd | |
| H828 | Lakes Rd on to Kwinana Fwy (Northbound) | Lakes Rd on to Kwinana Fwy (Northbound) | Murray | 0.00 | Kwinana Fwy (Northbound) off to Lakes Rd & Lakes Rd | 0.31 | Kwinana Fwy | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|------------------|----------|---|--------|--|---|
| H826 | Lakes Rd on to Kwinana Fwy (Southbound) | Lakes Rd on to Kwinana Fwy (Southbound) | Murray | 0.00 | Lakes Rd & Kwinana Fwy (Southbound) off to Lakes Rd | 0.35 | Kwinana Fwy | |
| 7020007 | Lakeside Rd | Lakeside Rd | Cue | 0.00 | Austin St | 52.33 | Lakeside Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3150205 | Lalla Rhook Rd | Lalla Rhook Rd | Wagin | 0.00 | Warup South Rd | 1.40 | Lalla Rhook Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4230035 | Lamard Rd | Lamard Rd | Pingelly | 0.00 | Great Southern Hwy | 5.65 | Lamard Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4110025 | Lamb Rd | Lamb Rd | Koorda | 0.00 | Booralaming - Kulja Rd | 10.69 | Anderson Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 8140084 | Lambert Rd | Lambert Rd | Karratha (C) | 0.00 | Anderson Rd | 1.23 | Anderson Rd | |
| 4130048 | Lamond Rd | Lamond Rd | Trayning | 0.00 | Kununoppin - Mukinbudin Rd | 2.41 | Bencubbin - Kununoppin Rd | |
| 4120047 | Lamont Rd | Lamont Rd | Kulin | 0.00 | Gregson Rd | 4.58 | Modesty Rock East Rd & Harvey Rd & Tapper Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4270067 | Lamont Rd | Lamont Rd | Wandering | 0.00 | Young Rd | 0.60 | Lamont Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5010019 | Lampard - Tremlett Rd | Lampard - Tremlett Rd | Carnamah | 0.00 | Billeroo Rd | 3.68 | Coorow LGA Boundary | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|------------------|----------|-----------------------|--------|-------------------------|--|
| 5190007 | Lampard - Tremlett Rd | Lampard - Tremlett Rd | Coorow | 0.00 | Carnamah LGA Boundary | 3.70 | McPartland Rd | |
| 5190007 | Lampard - Tremlett Rd | Lampard - Tremlett Rd | Coorow | 3.70 | McPartland Rd | 12.81 | Coorow - Latham Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h |
| 1100206 | Lancaster Rd | Lancaster Rd | Wanneroo (C) | 0.00 | Wanneroo Rd | 0.74 | Windsor Rd | |
| 2110440 | Lancaster Rd | Lancaster Rd | Harvey | 8.20 | .51km From Hanson Rd | 9.97 | Stirling Dam Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4150029 | Lancaster Rd | Lancaster Rd | Mount Marshall | 0.00 | Mouroubra Rd | 16.09 | Bimbijy Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3020134 | Lance St | Lance St | Albany (C) | 0.00 | Newbey St | 0.21 | 0.149km From Richard St | <ul style="list-style-type: none"> Intersection Newbey St : No left turn permitted into Newby St from Lance St |
| 6070110 | Lancefield Diversion Rd | Lancefield Diversion Rd | Laverton | 0.00 | Leonora Laverton Rd | 7.58 | Great Central Rd | |
| 5070417 | Lancelin Rd | Lancelin Rd | Gingin | 0.00 | Indian Ocean Dr | 4.34 | Walker Av | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|--------------------------|----------|---|--------|---|--|
| 3110181 | Lancing Rd | Lancing Rd | Lake Grace | 0.00 | Rodger Rd | 6.41 | Lake Grace Newdegate Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Rodger Rd : No access permitted into Rodger Rd from Lancing Rd |
| 7030066 | Landor - Meekatharra Rd | Landor - Meekatharra Rd | Meekatharra | 0.00 | Roberts St & Main St | 179.83 | Upper Gascoyne Lga Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 8050032 | Landor - Meekatharra Rd | Landor - Meekatharra Rd | Upper Gascoyne | 0.00 | Landor - Mt Augustus Rd & Dalgety Downs - Landor Rd | 59.92 | Meekatharra LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 8050004 | Landor - Mt Augustus Rd | Landor - Mt Augustus Rd | Upper Gascoyne | 0.00 | Landor - Meekatharra Rd & Dalgety Downs - Landor Rd | 103.26 | Cobra - Mount Augustus Rd & Dooley Downs Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 1091176 | Landor Gdns | Landor Gdns | Swan (C) | 0.00 | Elgee Rd | 0.16 | | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 6040078 | Lane Rd | Lane Rd | Esperance | 0.00 | Meyer Rd | 12.19 | Savage Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040078 | Lane Rd | Lane Rd | Esperance | 12.20 | Savage Rd | 17.76 | Backmans Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6052037 | Lane St | Lane St | Kalgoorlie - Boulder (C) | 0.00 | Oswald St & Balfour St | 1.55 | Forrest St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|--------------------------|----------|----------------------------------|--------|----------------------------------|---|
| 6055086 | Lane St | Lane St | Kalgoorlie - Boulder (C) | 0.00 | Holmes St & Federal Rd | 3.58 | Lane St Rty | |
| H403 | Lane St Rty | Lane St Rty | Kalgoorlie - Boulder (C) | 0.00 | Lane St | 0.31 | Lane St | |
| 4120081 | Lanes Rd | Lanes Rd | Kulin | 0.00 | Aylmore Rd & Holmes Rd | 9.86 | Buettners Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4110060 | Lang Rd | Lang Rd | Koorda | 0.00 | Martin Rd | 3.12 | Rolinson Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5010070 | Lang St | Lang St | Carnamah | 0.00 | Donald St & Midlands Rd | 0.27 | Robertson St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h Entry to Lang St from Midlands Rd only. Intersection Donald St & Midlands Rd : No access permitted into Midlands Rd from Lang St |
| 3080016 | Langaweira Rd | Langaweira Rd | Katanning | 0.00 | Katanning Nyabing Rd & Wallis Rd | 10.75 | Gairen Rd | <ul style="list-style-type: none"> 30 km/h below posted speed limit |
| 4030039 | Langdon Rd | Langdon Rd | Bruce Rock | 0.00 | Bruce Rock Quairading Rd | 9.87 | Yerapin Boundary Rd & Langdon Rd | |
| 4090070 | Langdon Rd | Langdon Rd | Kellerberrin | 0.00 | Smith Rd | 6.48 | Fire Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4090070 | Langdon Rd | Langdon Rd | Kellerberrin | 6.48 | Fire Rd | 13.28 | Langdon Rd & Yerapin Boundary Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|----------------------|--------|-----------------------|--|
| 4120024 | Lange Rd | Lange Rd | Kulin | 0.00 | Kulin West Rd | 13.41 | Corrigin Kulin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4180307 | Lange Rd | Lange Rd | Narrogin | 0.00 | Birdwhistle Rd | 6.08 | Armstrong Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4180307 | Lange Rd | Lange Rd | Narrogin | 6.08 | Armstrong Rd | 10.35 | Wickepin LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4290053 | Lange Rd | Lange Rd | Wickepin | 0.00 | Williams Kondinin Rd | 1.45 | Narrogin LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|-----------------------|----------|--------------------------------|--------|---------------------------------------|---|
| 4050051 | Langes Rd | Langes Rd | Cuballing | 0.00 | Great Southern Hwy | 3.02 | Langes Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5050614 | Langridge Rd | Langridge Rd | Greater Geraldton (C) | 0.00 | Kelly Rd | 18.70 | Mullewa Wubin Rd | |
| 1130084 | Lapage St | Lapage St | Belmont (C) | 0.00 | Great Eastern Hwy | 0.44 | Lapage St - End Road | |
| 6110054 | Lapsley Rd | Lapsley Rd | Yilgarn | 0.00 | Kent Rd | 13.00 | Harvey Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Harvey Rd : No access permitted into Harvey Rd from Lapsley Rd |
| 4110050 | Larkman Rd | Larkman Rd | Koorda | 0.00 | Wyalkatchem - Koorda Rd | 2.11 | Cooper Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 4140050 | Last Rd | Last Rd | Merredin | 0.00 | Totadgin Hall Rd & Teasdale Rd | 5.44 | Gigney Rd & Collgar South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4170133 | Latham Rd | Latham Rd | Naremben | 0.00 | Soldiers Rd & Fricker Rd | 1.60 | Longhurst St & Kondinin - Naremben Rd | |
| 5180147 | Latham Rd | Latham Rd | Wongan - Ballidu | 0.00 | Newton Rd & Damboring West Rd | 10.26 | Nadji Mia Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4030143 | Latham St | Latham St | Bruce Rock | 0.00 | Swan St & Johnson St | 0.43 | Lethlean St | |
| 5190006 | Launer Rd | Launer Rd | Coorow | 0.00 | Coorow - Green Head Rd | 22.58 | Brand Mudge Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 7040009 | Laurie St | Laurie St | Mount Magnet | 0.00 | Welcome St | 0.97 | Criddle St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|--------------------------|--------|---------------------------|---|
| 3070049 | Laurier Rd | Laurier Rd | Gnowangerup | 0.00 | Chester Pass Rd | 8.88 | Laurier Rd South | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3070101 | Laurier Rd South | Laurier Rd South | Gnowangerup | 0.00 | Laurier Rd | 14.95 | Borden - Bremer Bay Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6100119 | Laurina Rd | Laurina Rd | Ravensthorpe | 0.00 | Hopetoun-Ravensthorpe Rd | 4.86 | Laurina Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 1110125 | Lavan St | Lavan St | Bassendean (T) | 0.00 | Clune St | 0.24 | Jackson St | |
| 8120222 | Laver St | Laver St | East Pilbara | 0.00 | Welsh Dr | 0.82 | Woodstock St | |
| 6070074 | Laverton Bypa | Laverton Bypa | Laverton | 0.00 | Beria Rd | 4.35 | Great Central Rd | |
| 4160086 | Lavery Rd | Lavery Rd | Mukinbudin | 0.00 | Mukinbudin North East Rd | 4.61 | Copeland Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4070081 | Lawrence Rd | Lawrence Rd | Dowerin | 0.00 | Dowerin - Koorda Rd | 4.05 | Mitchell Rd & Lawrence Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|-------------------------------|----------|--|--------|--|---|
| 4110125 | Lawrence Rd | Lawrence Rd | Koorda | 0.00 | Mitchell Rd & Lawrence Rd | 6.26 | Dukin West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4310017 | Lawrence Rd | Lawrence Rd | Wyalkatchem | 0.00 | Harrison Rd & Richter Rd | 5.90 | Minnivale North East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4030024 | Lawrie Rd | Lawrie Rd | Bruce Rock | 0.00 | Bruce Rock South Rd | 5.97 | Cumminin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 8030172 | Lawson St | Lawson St | Carnarvon | 0.00 | North West Coastal Hwy | 1.10 | For 1.10km From North West Coastal Hwy to Tremor Earthmoving | |
| 2050401 | Layman Rd | Layman Rd | Busselton (C) | 0.00 | Bussell Hwy | 6.50 | Access Gate 6.5km From Bussell Hwy | <ul style="list-style-type: none"> Traffic Management Plan to be implemented for access to Beachside Access Gate. |
| 2050401 | Layman Rd | Layman Rd | Busselton (C) | 6.50 | 0.0km From Bream Qdrt | 9.76 | 0.08km From Navigation Wy | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Traffic Management Plan to be implemented for access to Beachside Access Gate. |
| 203Z031 | Le Jeune Rd | Le Jeune Rd | Bridgetown - Greenbushes | 0.00 | Greville Rd | 5.17 | Kingston Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| H012 | Leach Hwy | High St Leach Hwy | Fremantle (C) Melville (C) | 0.13 | Stirling Hwy - High St Rty | 2.86 | Stock Rd | <ul style="list-style-type: none"> Unless otherwise approved in writing by Main Roads, the RAV must not be loaded with more than 3 loaded Twenty-foot Equivalent Units (3 TEU's), e.g. 3 twenty-foot intermodal containers or 1 forty-foot and 1 twenty-foot intermodal container. |
| H012 | Leach Hwy | Leach Hwy | Melville (C) | 2.86 | Stock Rd | 8.68 | Leach Hwy (Eastbound) on to Kwinana Fwy (Southbound) | |
| H012 | Leach Hwy | Leach Hwy | Canning (C) Belmont (C) | 17.08 | Leach Hwy(Westbound) off to Albany Hwy | 22.79 | Leach Hwy (Eastbound) on to Tonkin Hwy (Southbound) | |
| H895 | Leach Hwy (Eastbound) off to Abernethy Rd | Leach Hwy (Eastbound) off to Abernethy Rd | Belmont (C) | 0.00 | Leach Hwy | 0.29 | Abernethy Rd on to Leach Hwy (Eastbound) & Abernethy Rd | |
| H790 | Leach Hwy (Eastbound) off to Orrong Rd | Leach Hwy (Eastbound) off to Orrong Rd | Canning (C) | 0.03 | | 0.31 | Orrong Rd on to Leach Hwy (Eastbound) & Orrong Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|------------------|----------|---|--------|---|--|
| H556 | Leach Hwy (Eastbound) on to Kwinana Fwy (Southbound) | Leach Hwy (Eastbound) on to Kwinana Fwy (Southbound) | Melville (C) | 0.00 | Leach Hwy | 0.51 | Kwinana Fwy | |
| H886 | Leach Hwy (Eastbound) on to Tonkin Hwy (Northbound) | Leach Hwy (Eastbound) on to Tonkin Hwy (Northbound) | Belmont (C) | 0.00 | Leach Hwy | 0.75 | Tonkin Hwy | |
| H887 | Leach Hwy (Eastbound) on to Tonkin Hwy (Southbound) | Leach Hwy (Eastbound) on to Tonkin Hwy (Southbound) | Belmont (C) | 0.00 | Leach Hwy | 0.55 | Tonkin Hwy | |
| H150 | Leach Hwy (Northbound) off to Welshpool Rd | Leach Hwy (Northbound) off to Welshpool Rd | Canning (C) | 0.00 | Leach Hwy | 0.26 | Welshpool Rd & Leach Hwy- Welshpool Rd Rty | |
| H153 | Leach Hwy (Southbound) off to Welshpool Rd | Leach Hwy (Southbound) off to Welshpool Rd | Canning (C) | 0.00 | Leach Hwy | 0.30 | Welshpool Rd & Leach Hwy- Welshpool Rd Rty | |
| H893 | Leach Hwy (Westbound) off to Abernethy Rd | Leach Hwy (Westbound) off to Abernethy Rd | Belmont (C) | 0.00 | Leach Hwy | 0.60 | Abernethy Rd & Abernethy Rd on to Leach Hwy (Westbound) | |
| H792 | Leach Hwy (Westbound) off to Orrong Rd | Leach Hwy (Westbound) off to Orrong Rd | Belmont (C) | 0.00 | Leach Hwy | 0.27 | Orrong Rd on to Leach Hwy (Westbound) & Orrong Rd | |
| H583 | Leach Hwy(Westbound) off to Albany Hwy | Leach Hwy(Westbound) off to Albany Hwy | Canning (C) | 0.00 | Leach Hwy | 0.29 | Albany Hwy on to Leach Hwy (Westbound) & Albany Hwy | |
| H450 | Leach Hwy-Welshpool Rd Rty | Leach Hwy-Welshpool Rd Rty | Canning (C) | 0.00 | Welshpool Rd & Leach Hwy (Northbound) off to Welshpool Rd | 0.23 | Welshpool Rd & Leach Hwy (Northbound) off to Welshpool Rd | |
| 4280016 | Leach Rd | Leach Rd | Westonia | 0.00 | Carrabin Westonia Rd | 21.06 | Rabbit Proof Fence Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h |
| 1104416 | Leadership Wy | Leadership Wy | Wanneroo (C) | 0.00 | Paramount Dr | 0.33 | Motivation Dr | |
| 5180129 | Leahy Rd | Leahy Rd | Wongan - Ballidu | 0.00 | Kondut East Rd | 2.23 | Freestone Rd | |
| 5030189 | Leahy St | Leahy St | Dalwallinu | 0.00 | Johnston St | 0.13 | McNeill St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Intersection Johnston St : No Left turn Permitted Into Johnston St from Leahy St |
| 1050145 | Leath Rd | Leath Rd | Kwinana (C) | 0.00 | Weston St | 1.07 | Donaldson Rd | |
| 1251653 | Ledgar Rd | Ledgar Rd | Stirling (C) | 0.00 | Balcatta Rd | 1.04 | Delawney St & Erindale Rd | |
| 1050167 | Lee Rd | Lee Rd | Kwinana (C) | 0.00 | Hope Valley Rd | 1.61 | Rockingham Rd & Beard St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|-------------------------|--------|----------------------------|---|
| 3020516 | Lee Rd | Lee Rd | Albany (C) | 0.00 | Browns Rd | 1.10 | | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060099 | Lee Rd | Lee Rd | Dumbleyung | 0.00 | One Twenty Nine Rd | 1.55 | Kent LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4130036 | Lee Rd | Lee Rd | Trayning | 0.00 | Nungarin Wyalkatchem Rd | 18.06 | Doodlakine - Kununoppin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6110043 | Leeder Rd | Leeder Rd | Yilgarn | 0.00 | Bodallin South Rd | 8.21 | Lapsley Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 8130066 | Leehey St | Leehey St | Port Hedland (T) | 0.00 | Trig St | 0.52 | Moorambine St | |
| 4110086 | Leeke Rd | Leeke Rd | Koorda | 0.00 | Koorda - Dowerin Rd | 3.40 | Leeke Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|----------------------------------|--------|-------------------------|---|
| 4060026 | Leeming Rd | Leeming Rd | Cunderdin | 0.00 | Bulgin Rd | 7.48 | Leeming Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4211128 | Leeming Rd | Leeming Rd | Northam | 2.74 | 0.56km From Whittaker Rd | 4.81 | Great Eastern Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 4260009 | Leeming Rd | Leeming Rd | Toodyay | 0.00 | Church Gully Rd & Balgaling Rd | 6.90 | Nunile Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Church Gully Rd & Balgaling Rd : No access permitted into Church Gully Rd from Leeming Rd |
| 4060115 | Leeming St | Leeming St | Cunderdin | 0.00 | Great Eastern Hwy & Throssell St | 1.02 | Vanzetti St & Bulgin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Great Eastern Hwy & Throssell St : No right turn permitted into Great Eastern Hwy from Leeming St |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|--|--------|-----------------------|--|
| 4220026 | Lees Rd | Lees Rd | Nungarin | 0.00 | Chandler - Nungarin Rd & Knungajin - Merredin Rd | 4.24 | Knungajin East Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4080026 | Leeson Rd | Leeson Rd | Goomalling | 0.00 | Yarramony Rd | 5.37 | Lawler Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4080026 | Leeson Rd | Leeson Rd | Goomalling | 5.38 | Lawler Rd | 7.68 | Goomalling Toodyay Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4290076 | Leeson Rd | Leeson Rd | Wickepin | 0.00 | Williams Kondinin Rd | 11.27 | Modra Rd & Leeson Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Williams Kondinin Rd : No right turn permitted into Narrogin-Kondinin Rd from Leeson Rd |
| 5030015 | Leeson Rd | Leeson Rd | Dalwallinu | 0.00 | Sanderson Rd | 35.28 | Black Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|--------------------------|----------|-----------------------------|--------|------------------------------------|--|
| 4050025 | Leesons Rd | Leesons Rd | Cuballing | 0.00 | Pauley Rd | 3.94 | Modra Rd & Leeson Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Modra Rd & Leeson Rd : No access permitted into Modra Rd from Leesons Rd |
| 4060025 | Leesons Rd | Leesons Rd | Cunderdin | 0.00 | Mt Anne Rd | 9.04 | Meckering - Dowerin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2010010 | Leeuwin Rd | Leeuwin Rd | Augusta - Margaret River | 0.00 | Blackwood Av & Osnauburg St | 3.36 | 0.5km From Skippy Rock Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. 10 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Trucks Entering signs erected/removed when not in use on Leeuwin Rd to the Augusta Boat Harbour Access Rd. |
| 1091177 | Lefroy Av | Lefroy Av | Swan (C) | 0.00 | Great Eastern Hwy | 0.26 | Elgee Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 3150192 | Lefroy St | Lefroy St | Wagin | 0.00 | Tudhoe St | 0.26 | Vernal St | <ul style="list-style-type: none"> Intersection Vernal St : No left turn permitted into Vernal St from Lefroy St |
| 4180035 | Lefroy St | Lefroy St | Narrogin | 0.23 | White Rd & Clayton Rd | 1.27 | Williams Rd & Williams Kondinin Rd | <ul style="list-style-type: none"> Maximum speed 40 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|-------------------|--------|----------------------|---|
| 3170014 | Leggoe Rd | Leggoe Rd | Woodanilling | 0.00 | Albany Hwy | 12.26 | Rees Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180118 | Lego Rd | Lego Rd | Wongan - Ballidu | 0.00 | Vincent Rd | 8.18 | Kokardine East Rd | |
| 3022262 | Lehman Av | Lehman Av | Albany (C) | 0.00 | Steedman St | 0.15 | Lehman Av - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Steedman St : No access permitted into Steedman St from Lehman Av |
| 5030114 | Lehmann Rd | Lehmann Rd | Dalwallinu | 0.00 | Black Rd | 5.46 | Kulja Central Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5030114 | Lehmann Rd | Lehmann Rd | Dalwallinu | 5.46 | Kulja Central Rd | 23.93 | Goodlands Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|--------------------------------|--------|-------------------------|---|
| 5030114 | Lehmann Rd | Lehmann Rd | Dalwallinu | 23.93 | Goodlands Rd | 28.40 | Sanderson Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030114 | Lehmann Rd | Lehmann Rd | Dalwallinu | 28.40 | Sanderson Rd | 30.15 | Lehman Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 608Z075 | Leinster - Mine Rd | Leinster - Mine Rd | Leonora | 0.00 | Agnew - Leinster Rd & Agnew Rd | 13.18 | Rockys Reward Access Rd | |
| 6080001 | Leinster Rd | Leinster Rd | Leonora | 0.00 | Goldfields Hwy | 3.35 | Leinster Downs Rd | |
| 4330025 | Lennard Rd | Lennard Rd | York | 0.00 | Northam York Rd | 7.55 | Sees Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 7040041 | Lennonville Rd | Lennonville Rd | Mount Magnet | 0.00 | Welcome St | 8.13 | Tourist Rd | |
| 1101183 | Lenore Rd | Lenore Rd | Wanneroo (C) | 0.00 | Ocean Reef Rd & Hartman Dr | 3.36 | High Rd & Franklin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|---|---------------------|----------|---------------------------------------|--------|---|--|
| 3060028 | Leo Rd | Leo Rd | Dumbleyung | 0.00 | Kukerin South Rd | 5.35 | Walkers Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060028 | Leo Rd | Leo Rd | Dumbleyung | 5.35 | Walkers Rd | 8.41 | Tarin Rock South Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6080004 | Leonora - Mount Ida Rd | Leonora - Mount Ida Rd | Leonora | 0.00 | Rajah St | 64.34 | Menzies LGA Boundary | |
| 6090015 | Leonora - Mount Ida Rd | Leonora - Mount Ida Rd | Menzies | 0.00 | Mount Ida Rd & Lawlers - Mount Ida Rd | 36.30 | Leonora LGA Boundary | |
| 6080003 | Leonora - Nambi Rd | Leonora - Nambi Rd | Leonora | 0.00 | Tower St & Goldfields Hwy | 57.34 | 26.26km From Mertondale Rd | |
| M022 | Leonora Laverton | Rochester St (Leonora) Leonora Laverton Rd Beria Rd | Leonora Laverton | 0.00 | Tower St & Rochester St | 123.78 | Augusta St Roundabout | |
| 4230075 | Leons Rd | Leons Rd | Pingelly | 0.00 | North Wandering Rd | 1.07 | York - Williams Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4120069 | Les Price Rd | Les Price Rd | Kulin | 0.00 | Kulin West Rd | 5.62 | Eighty Six Gate Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 2040376 | Leschenault Dr | Leschenault Dr | Bunbury (C) | 0.00 | Leschenault Dr Rty | 1.10 | From Inner Harbour Access to Bunbury Fibre Exports Access | |
| H419 | Leschenault Dr Rty | Leschenault Dr Rty | Bunbury (C) | 0.00 | Estuary Dr | 0.12 | Estuary Dr | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|-----------------------|----------|-----------------------------|--------|------------------------------------|--|
| 4250017 | Leslie Rd | Leslie Rd | Tammin | 0.00 | Goldfields Rd | 8.40 | Turon Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Turon Rd : No access permitted into Turon Rd from Leslie Rd |
| 8130297 | Leslie St | Leslie St | Port Hedland (T) | 0.00 | Bell St | 0.25 | Leslie St - End Road | |
| 4130020 | Letchford Rd | Letchford Rd | Trayning | 0.00 | Doodlakine - Kununoppin Rd | 0.04 | Kodj Kodjin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Doodlakine - Kununoppin Rd : No access to or from Doodlakine-Kununoppin Road. |
| 4130020 | Letchford Rd | Letchford Rd | Trayning | 0.04 | Kodj Kodjin Rd | 4.47 | Kellerberrin - Bencubbin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4130020 | Letchford Rd | Letchford Rd | Trayning | 4.47 | Kellerberrin - Bencubbin Rd | 16.48 | Kellerberrin - Yelbeni Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4030141 | Lethlean St | Lethlean St | Bruce Rock | 0.00 | Bruce Rock East Rd | 1.21 | Loller St | |
| 5110039 | Letterbox Rd | Letterbox Rd | Morawa | 0.00 | White Rd | 3.65 | Carslake Rd & Pintharuka West Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Carslake Rd & Pintharuka West Rd : No access permitted into Pintharuka West Rd from Letterbox Rd. |
| 5051177 | Levett Rd | Levett Rd | Greater Geraldton (C) | 0.00 | Evans Rd & Padbury Rd | 0.44 | Edward Rd & Walkaway - Nangetty Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|--------------------------|----------|-------------------------|--------|-------------------------|--|
| 2030208 | Lew Rd | Lew Rd | Bridgetown - Greenbushes | 0.00 | Mokerdillup Rd | 1.84 | Lew Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4310041 | Lewis East West Rd | Lewis East West Rd | Wyalkatchem | 0.00 | Harrison Rd | 3.53 | Lawrence Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 102Z019 | Lewis Rd | Lewis Rd | Kalamunda | 0.00 | Abernethy Rd & Lewis Rd | 0.40 | Collopy Rd | |
| 4310013 | Lewis Rd | Lewis Rd | Wyalkatchem | 0.00 | Lawrence Rd | 7.11 | Old Nalkain Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Lewis East West Rd : No Left Turn From Lewis Road Into Lewis East West Road |
| 4030065 | Lewtas Rd | Lewtas Rd | Bruce Rock | 0.00 | Bruce Rock South Rd | 4.90 | Lewtas Rd - End Road | |
| 1090095 | Lexia Av | Lexia Av | Swan (C) | 0.00 | Almeria Pde | 0.08 | 0.08km From Almeria Pde | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 6110125 | Liddell Rd | Liddell Rd | Yilgarn | 0.00 | Great Eastern Hwy | 6.19 | Moorine South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6040779 | Liddelow Rd | Liddelow Rd | Esperance | 0.00 | McDonald Rd | 0.07 | Liddelow Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|-------------------------|----------|--|--------|--|---|
| 5140083 | Liebe Rd | Liebe Rd | Perenjori | 0.00 | Bunjil - Carnamah Rd | 16.94 | McDonald Rd & Billeroo Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4030020 | Liebeck Rd | Liebeck Rd | Bruce Rock | 0.00 | Bruce Rock Quairading Rd | 15.51 | Liebeck Rd - End Road | |
| 4140098 | Liebeck Rd | Liebeck Rd | Merredin | 0.00 | Burracoppin South Rd & Tandegin East Rd | 9.56 | Yilgarn LGA Boundary | |
| 6040254 | Liebeck Rd | Liebeck Rd | Esperance | 0.00 | Scaddan Rd | 7.67 | Norwood Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6110045 | Liebeck Rd | Liebeck Rd | Yilgarn | 0.00 | Merredin LGA Boundary | 2.00 | Meranda North Rd & Reynolds Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 1080038 | Lightbody Rd | Lightbody Rd | Serpentine - Jarrahdale | 0.00 | Mundijong Rd | 0.40 | Feed Lot | <ul style="list-style-type: none"> Intersection Mundijong Rd : No left turn permitted into Lightbody Rd from Mundijong Rd |
| 4290075 | Lilleystone Rd | Lilleystone Rd | Wickepin | 0.00 | Gillmanning Rd | 3.61 | Albert Walton Rd & Groves Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Albert Walton Rd & Groves Rd : No access permitted to Albert Walton Rd from Lilleystone Rd |
| 2060011 | Lillydale Rd | Lillydale Rd | Capel | 0.00 | South Western Hwy - Willinge Dr Rty & South Western Hwy | 3.23 | Wilman Wadandi Hwy – Lillydale Rd Rty | |
| M083 | Lillydale Rd | Lillydale Rd | Capel | 0.00 | Wilman Wadandi Hwy – Lillydale Rd Rty & Wilman Wadandi Hwy | 2.34 | Bussell Hwy - Lillydale Rd Rty & Bussell Hwy | |
| M410 | Lillydale Rd - Allenville Rd Rty | Lillydale - Allenville Rd Rty | Capel | 0.00 | Lillydale Rd | 0.21 | Lillydale Rd | |
| M411 | Lillydale Rd - Jules Rd North Rty | Lillydale Rd - Jules Rd North Rty | Capel | 0.00 | Lillydale Rd | 0.21 | | |
| H1025 | Lillydale Rd on to Bussell Hwy (Southbound) | Lillydale Rd on to Bussell Hwy (Southbound) | Capel | 0.00 | Lillydale Rd | 0.10 | Bussell Hwy | |
| H223 | Lillydale Rd on to Wilman Wadandi Hwy (Northbound) | Lillydale Rd on to Wilman Wadandi Hwy (Northbound) | Capel | 0.00 | Lillydale Rd | 0.09 | Wilman Wadandi Hwy | |
| 4120083 | Lily McCarthy Rd | Lily McCarthy Rd | Kulin | 0.00 | Kulin - Holt Rock Rd | 6.19 | Di Russo Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1090229 | Lilydale Rd | Lilydale Rd | Swan (C) | 0.00 | Toodyay Rd | 6.62 | Mundaring LGA Boundary | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|--------------------|--------|-----------------|---|
| 3050033 | Limbourne Rd | Limbourne Rd | Denmark | 0.00 | Kordabup Rd | 6.61 | McLeod Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3150032 | Lime Lake East Rd | Lime Lake East Rd | Wagin | 0.00 | Great Southern Hwy | 4.25 | Lime Lake Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3170018 | Lime Lake Rd | Lime Lake Rd | Woodanilling | 0.00 | Lime Lake East Rd | 8.36 | Harvey Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---------------------------|------------------|----------|-------------------------------------|--------|--------------------------|---|
| 3170018 | Lime Lake Rd | Lime Lake Rd | Woodanilling | 8.36 | Harvey Rd | 9.07 | Lime Lake Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3150013 | Lime Lake West | Lime Lake West | Wagin | 0.00 | Norring Rd | 8.52 | Great Southern Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 8120242 | Limestone - Marble Bar Rd | Limestone - Marble Bar Rd | East Pilbara | 0.00 | Marble Bar Rd | 8.05 | Francis St | |
| 5040243 | Limestone Wy | Limestone Wy | Dandaragan | 0.00 | Gypsum St | 0.18 | Limestone Wy - End Road | |
| 5040243 | Limestone Wy | Limestone Wy | Dandaragan | 0.48 | Zircon St | 0.60 | Gypsum St | |
| 4250071 | Lind Rd | Lind Rd | Tammin | 0.00 | Bungulla North Rd | 1.97 | Shaw Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2050043 | Lindberg Rd | Lindberg Rd | Busselton (C) | 5.10 | 0.5km From Vasse Hwy | 5.60 | Vasse Hwy | |
| 4150131 | Linden Rd | Linden Rd | Mount Marshall | 0.00 | Grylls Rd | 2.63 | Buckley Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1101270 | Lindsay Rd | Lindsay Rd | Wanneroo (C) | 0.00 | Berriman Dr | 0.28 | Prindiville Dr | |
| 4290008 | Line Rd | Line Rd | Wickepin | 0.00 | Yilliminning Rd & Toolibin North Rd | 25.27 | Wickepin - Harrismith Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|--------------------------|----------|----------------------------------|--------|-------------------------------|---|
| 1050150 | Link Rd | Link Rd | Kwinana (C) | 0.00 | Frederic St & Rockingham Rd | 0.25 | Burlington St & Brown Av | <ul style="list-style-type: none"> Intersection Frederic St & Rockingham Rd : No right turn permitted into Melville Mandurah Hwy (Rockingham Rd) from Link Rd. Intersection Burlington St & Brown Av : No left turn permitted into Burlington St from Link Rd |
| 3020469 | Link Rd | Link Rd | Albany (C) | 0.00 | South Coast Hwy - Menang Dr Link | 4.07 | Albany Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 410Z002 | Link to Young Rd | Link to Young Rd | Kondinin | 0.00 | Kulin Kondinin Rd | 0.33 | Young Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Kulin Kondinin Rd : No left turn permitted into Narrogin Kondinin Rd from Link to Young Rd Intersection Young Rd : No right turn permitted into Young Rd from Link to Young Rd |
| 4211015 | Linley Valley Rd | Linley Valley Rd | Northam | 0.00 | Great Eastern Hwy | 0.24 | 0.24km From Great Eastern Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Great Eastern Hwy : No left turn permitted onto Great Eastern Hwy from Linley Valley Rd |
| 4100093 | Linto Rd | Linto Rd | Kondinin | 0.00 | Kondinin Hyden Rd | 3.70 | | |
| 6052039 | Lionel St | Lionel St | Kalgoorlie - Boulder (C) | 0.00 | Vivian St | 5.38 | Forrest St | |
| 3120161 | Lionetti Rd | Lionetti Rd | Plantagenet | 0.00 | Greenhills Rd | 1.74 | Lionetti Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3080134 | Lisle St | Lisle St | Katanning | 0.00 | Creek St | 0.45 | Drove St | |
| 5180114 | Litchfield Rd | Litchfield Rd | Wongan - Ballidu | 0.00 | Kalguddering East Rd | 7.76 | Manmanning Rd | |
| 1109798 | Lithic Wy | Lithic Wy | Wanneroo (C) | 0.00 | Carbonate Rd | 0.21 | Volcanic Loop | |
| 4250084 | Little Underwood Rd | Little Underwood Rd | Tammin | 0.00 | York - Tammin Rd & Underwood Rd | 0.16 | Great Eastern Hwy | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|--|--------|---------------------------------------|--|
| 4250031 | Livesey North Rd | Livesey North Rd | Tammin | 0.00 | Livesey North Rd Access | 14.10 | Doongin Peak Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4240070 | Livingstone Rd | Livingstone Rd | Quairading | 0.00 | Dorakin Rd & Quairading - Cunderdin Rd | 4.09 | Mount Stirling Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 0010133 | Livingstone St | Livingstone St | Broome | 0.00 | Hunter St | 0.29 | Pembroke Rd | |
| 4100042 | Llewellyn Rd | Llewellyn Rd | Kondinin | 0.00 | Kondinin Hyden Rd | 6.78 | Notting - Karlgarin Rd | |
| 3160055 | Lloyd Rd | Lloyd Rd | West Arthur | 0.00 | Cordering Rd North | 4.12 | Capercup North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030039 | Lloyd Rd | Lloyd Rd | Dalwallinu | 0.00 | Sheoak Rd | 5.38 | Sutherland Rd & Lloyd Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 5180037 | Lloyd Rd | Lloyd Rd | Wongan - Ballidu | 0.00 | Latham Rd | 7.20 | Sutherland Rd & Lloyd Rd | |
| 5140130 | Loading St | Loading St | Perenjori | 0.00 | Crossing Rd & Mullewa Wubin Rd | 0.69 | Carnamah - Perenjori Rd & Old Well Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|--------------------------|--------|------------------------|--|
| 5110121 | Lochada Rd | Lochada Rd | Morawa | 0.00 | Fallon Rd | 8.31 | Perenjori LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5140005 | Lochada Rd | Lochada Rd | Perenjori | 0.00 | Morawa LGA Boundary | 18.47 | Mungada Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4180257 | Lock Rd | Lock Rd | Narrogen | 0.00 | Narrogen - Harrismith Rd | 6.92 | Narrogen Valley Rd | |
| 5030026 | Locke Rd | Locke Rd | Dalwallinu | 0.00 | Thaxter Rd | 10.03 | Bell Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 3021067 | Locke St | Locke St | Albany (C) | 0.00 | Kelly St | 0.32 | Albany Hwy | |
| 3090138 | Lockhart North Rd | Lockhart North Rd | Kent | 0.00 | Ryans Rd | 10.14 | Lockhart Rd | |
| 1010398 | Lockhart Rd | Lockhart Rd | Armada (C) | 0.00 | Gillam Dr | 0.35 | Owen Rd | |
| 3110126 | Lockhart Rd | Lockhart Rd | Lake Grace | 0.00 | Newdegate - Pingrup Rd | 10.24 | Lockhart North Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4130060 | Lockyer Rd | Lockyer Rd | Trayning | 0.00 | Mandiga - Trayning Rd | 5.49 | Buckley Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Mandiga - Trayning Rd : No access permitted into Mandiga - Trayning Rd from Lockyer Rd |
| 1071776 | Lodge Dr | Lodge Dr | Rockingham (C) | 0.00 | Day Rd | 0.40 | Venture Pl | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|--|--------|-----------------------------|---|
| 2180038 | Lodge Rd | Lodge Rd | Boyup Brook | 0.00 | Jayes Rd | 5.24 | Boyup Brook South Access Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4110071 | Lodge Rd | Lodge Rd | Koorda | 0.00 | Wyalkatchem - Koorda Rd | 5.22 | Lodge Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6040037 | Loffler Rd | Loffler Rd | Esperance | 0.00 | Belgian Rd | 12.75 | Dalyup Rd & Hawkey Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4280041 | Logan Rd | Logan Rd | Westonia | 0.00 | Warralakin Rd | 4.09 | Maxfield Rd | |
| 6040055 | Logan Rd | Logan Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 20.43 | Styles Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040320 | Logan St | Logan St | Esperance | 0.00 | Tom Starcevich V.C. Rd | 0.47 | Cbh Access Rd | |
| 1021289 | Logistics Bvd | Logistics Bvd | Kalamunda | 0.00 | Logistics Bvd & Courtney Pl | 0.18 | Hale Rd & Welshpool Rd East | |
| 1042705 | Logistics Bvd | Logistics Bvd | Gosnells (C) | 0.00 | Coldwell Rd & Grove Rd | 0.93 | Logistics Bvd & Courtney Pl | |
| 4040099 | Lohoar Rd | Lohoar Rd | Corrigin | 0.00 | Szczecinski Rd & Morrell Rd & Quairading - Corrigin Rd | 5.45 | Dry Well Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------------|----------|---------------------------------------|--------|-------------------------------------|---|
| 4030148 | Loller St | Loller St | Bruce Rock | 0.00 | Lethlean St | 0.27 | Barr St | |
| 3040179 | Lomas St | Lomas St | Cranbrook | 0.00 | Brooking St & Trimmer St | 0.45 | Climie St & Lunt Rd | |
| 3030095 | Lombardia Rd | Lombardia Rd | Broomehill - Tambellup | 0.00 | Birt Rd | 0.66 | Lombardia Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4040019 | Lomos North Rd | Lomos North Rd | Corrigin | 0.00 | 49 Gate West Rd | 16.90 | Lomos Sth Rd & Brookton-Corrigin Rd | |
| 4290155 | Lomos Rd South | Lomos Rd South | Wickepin | 0.00 | Lomos South Rd | 6.28 | Coxon St & Wickepin - Corrigin Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 4040169 | Lomos South Rd | Lomos South Rd | Corrigin | 0.00 | Bullaring Rd | 6.97 | Lomos Rd South | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4040018 | Lomos Sth Rd | Lomos Sth Rd | Corrigin | 0.00 | Brookton-Corrigin Rd & Lomos North Rd | 6.60 | Barber Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|---|--------|---|--|
| 4040018 | Lomos Sth Rd | Lomos Sth Rd | Corrigin | 6.60 | Barber Rd | 9.91 | Rafferty Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Barber Rd : No left turn permitted into Barber Rd from Lomos Sth Rd (Northbound). No left turn permitted into Lomos Sth Rd from Barber Rd (Westbound) |
| 3110083 | Long Creek Rd | Long Creek Rd | Lake Grace | 0.00 | Mallee Rd & Milstead Rd | 10.89 | Fitzgerald Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6100082 | Long Creek Rd | Long Creek Rd | Ravensthorpe | 0.00 | Fitzgerald Rd | 14.21 | Aerodrome Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 6100082 | Long Creek Rd | Long Creek Rd | Ravensthorpe | 14.26 | Aerodrome Rd | 27.40 | Koorngong Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 4080013 | Long Forrest Rd | Long Forrest Rd | Goomalling | 0.00 | Toodyay LGA Boundary | 16.58 | Goomalling - Toodyay (M060) & Rossmore Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4260036 | Long Forrest Rd | Long Forrest Rd | Toodyay | 0.00 | Toodyay - Bindi Bindi Rd | 6.73 | Goomalling LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 5100094 | Long St | Long St | Moora | 0.77 | Brown St | 2.81 | Clinch St | <ul style="list-style-type: none"> Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5100094 | Long St | Long St | Moora | 2.81 | Clinch St | 3.06 | Dandaragan St | |
| 4170129 | Longhurst St | Longhurst St | Narembreen | 0.00 | Northmore St & Bruce Rock - Narembreen Rd | 0.46 | Kondinin - Narembreen Rd & Latham Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|--------------------------|----------|--------------------------------|--------|---|--|
| 5100080 | Longman Rd | Longman Rd | Moora | 0.00 | Carot Well Rd | 4.03 | Longman Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5170065 | Longman Rd | Longman Rd | Victoria Plains | 0.00 | Gillingarra - Glentromie Rd | 3.22 | For 3.22km From Gillingarra - Glentromie Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 40 km/h |
| 4110061 | Longmuir Rd | Longmuir Rd | Koorda | 0.00 | Longmuir Rd & East Boundary Rd | 2.40 | Kulja - Mollerin Rock Rd & Mollerin Rock South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4150015 | Longmuir Rd | Longmuir Rd | Mount Marshall | 0.00 | Longmuir Rd & East Boundary Rd | 5.17 | Cleary - Gabbin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2030245 | Longs Rd | Longs Rd | Bridgetown - Greenbushes | 0.00 | Wilga Rd | 4.79 | Dezotti Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2180036 | Longs Rd | Longs Rd | Boyup Brook | 0.00 | Howards Rd | 3.25 | Dezotti Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4280005 | Lookout Dr | Lookout Dr | Westonia | 0.00 | Boodarockin Rd | 0.72 | Lookout Dr - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|--|--------|---------------------------------------|---|
| 6040059 | Loop Rd | Loop Rd | Esperance | 0.00 | Coomalbidgup Rd | 12.10 | Cascade Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4080034 | Lord Rd | Lord Rd | Goomalling | 0.00 | Northam Pithara Rd | 6.53 | Glatz Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h |
| 5160076 | Lorimer Rd | Lorimer Rd | Chapman Valley | 0.00 | Durawah - Northern Gully & Thompson Reidy Rd & Northern Gully Rd | 1.01 | Lorimer Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1091724 | Lorries Ct | Lorries Ct | Swan (C) | 0.00 | Camboon Rd | 0.12 | Lorries Ct - End Road | |
| 4060047 | Loton Rd | Loton Rd | Cunderdin | 0.00 | Richardson St & Dunlop St | 1.75 | 1.75km From Richardson St & Dunlop St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|---------------------------------------|--------|-----------------------|---|
| 4060047 | Loton Rd | Loton Rd | Cunderdin | 1.75 | 1.75km From Richardson St & Dunlop St | 1.85 | 0.37km After North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4060047 | Loton Rd | Loton Rd | Cunderdin | 1.85 | Cbh Bin | 6.28 | Great Eastern Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4090061 | Loton Rd | Loton Rd | Kellerberrin | 0.00 | Kellerberrin - Yoting Rd | 1.86 | Loton Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|-----------------------|----------|--|--------|---------------------------------|---|
| 4240134 | Loudon St | Loudon St | Quairading | 0.39 | Bruce Rock Quairading Rd & Jennaberring Rd | 0.88 | Mount Stirling Rd & Coraling St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 1070490 | Louise St | Louise St | Rockingham (C) | 1.13 | Dixon Rd | 1.42 | Patterson Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4100004 | Lovering Rd | Lovering Rd | Kondinin | 0.00 | Hyden-Lake King Rd | 38.43 | Mulcahy Rd | <ul style="list-style-type: none"> Intersection Billericay East Rd : No left turn permitted into Billericay East Rd from Lovering Rd |
| 6040088 | Lovers L | Lovers L | Esperance | 0.00 | Griffiths Rd | 6.12 | Grigg Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 5050710 | Lovrich Rd | Lovrich Rd | Greater Geraldton (C) | 0.00 | Williams Rd | 4.15 | Barrabarra Rd & Simon Rd | |
| 5100082 | Low Rd | Low Rd | Moora | 0.00 | Railway Rd | 0.76 | Low Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|--|--------|--------------------------|--|
| 3100043 | Lowden Rd | Lowden Rd | Kojonup | 9.37 | Cook Rd | 13.27 | Albany Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times See Low Volume Condition Type A in the Operating Conditions Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Cook Rd : No access permitted into Cook Rd from Lowden Rd |
| 6110065 | Lowe Rd | Lowe Rd | Yilgarn | 0.00 | Ivey Rd | 10.60 | Hodgeson Rd & Smith Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 2180025 | Lower Blackwood Rd | Lower Blackwood Rd | Boyup Brook | 0.00 | Wahkinup Rd | 8.66 | Kojonup LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3100025 | Lower Blackwood Rd | Lower Blackwood Rd | Kojonup | 0.00 | Donnybrook Kojonup Rd | 10.68 | Boyup Brook LGA Boundary | |
| 3020607 | Lower Denmark Rd | Lower Denmark Rd | Albany (C) | 19.79 | Rutherford Rd | 37.15 | South Coast Hwy | |
| 2140004 | Lower Hotham Rd | Lower Hotham Rd | Boddington | 0.00 | Pinjarra Williams Rd | 15.49 | Harvey - Quindanning Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3020605 | Lower King Rd | Lower King Rd | Albany (C) | 5.73 | Norwood Rd | 7.36 | Nanarup Rd | <ul style="list-style-type: none"> Bridge 4630 King River (Lower) : Bridge not to be crossed. |
| 1040227 | Lower Park Rd | Lower Park Rd | Gosnells (C) | 0.00 | Kelvin Rd | 0.34 | Alloa Rd | |
| 4250049 | Lowles Rd | Lowles Rd | Tammin | 0.00 | Yorakine Rd | 5.18 | Doongin Peak Rd | |
| 3120001 | Lowood Rd | Lowood Rd | Plantagenet | 1.33 | For 0.45km From Albany Hwy to Fuel Depot Access Rd (Southern End of Lowood Rd) | 1.78 | Albany Hwy | |
| 2060005 | Lowrie Rd | Lowrie Rd | Capel | 0.00 | South Western Hwy | 0.51 | | |
| 3150020 | Lucas Rd | Lucas Rd | Wagin | 0.00 | Arthur Rd | 8.03 | Noble Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|------------------|----------|--|--------|-----------------------|---|
| 5010041 | Lucas Rokich Rd | Lucas Rokich Rd | Carnamah | 0.00 | Carnamah - Eneabba Rd | 13.62 | Wilton Well Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 0010134 | Lucas St | Lucas St | Broome | 0.00 | Livingstone St | 0.38 | Hunter St | |
| 4150023 | Luckman Rd | Luckman Rd | Mount Marshall | 0.00 | Welbungin - Wialki Rd | 12.80 | Wattoning West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4010143 | Ludgate St | Ludgate St | Beverley | 0.14 | Cbh Access Road 0.06km From Broun Street | 0.20 | Broun St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2050005 | Ludlow - Hithergreen Rd | Ludlow - Hithergreen Rd | Busselton (C) | 1.54 | Bussell Hwy | 15.90 | 0.87km From Vasse Hwy | <ul style="list-style-type: none"> Maximum speed 80 km/h No Operation Weekdays between 7:00 AM and 8:30 AM and between 3:30 PM and 5:00 PM Curfew Condition 1 applies on school days only. No operation permitted on Christmas Day or Easter Sunday. Intersection Sidebottom Rd : No left turn permitted into Sidebottom Road from Ludlow-Hithergreen Road |
| 2050005 | Ludlow - Hithergreen Rd | Ludlow - Hithergreen Rd | Busselton (C) | 15.90 | Iluka Minesite Access Rd | 16.77 | Vasse Hwy | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|-------------------------------|--------|---------------------------------|--|
| 5080023 | Ludlow Rd | Ludlow Rd | Irwin | 0.00 | Milo Rd | 2.96 | Ludlow Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5110115 | Ludlow Rd | Ludlow Rd | Morawa | 0.00 | Kadji Rd & Kadji Lake Rd | 11.71 | Gutha East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1101285 | Luisini Rd | Luisini Rd | Wanneroo (C) | 0.00 | Hartman Dr | 0.63 | Parri Rd | |
| 4120134 | Luke Price St | Luke Price St | Kulin | 0.00 | Pingaring - Varley Rd | 1.13 | North Lake Grace - Karlgarin Rd | |
| 4010104 | Lukin St | Lukin St | Beverley | 0.00 | Lukin St - Start Road | 0.41 | Vincent St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4010104 | Lukin St | Lukin St | Beverley | 0.42 | Vincent St | 2.02 | Chipper St & Bremner Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 1101276 | Lumsden Rd | Lumsden Rd | Wanneroo (C) | 0.00 | Buckingham Dr | 0.39 | Prindiville Dr | |
| 4060081 | Lundy Av | Lundy Av | Cunderdin | 0.00 | Baxter Rd & Lundy Av Spur (B) | 0.93 | Carter Dr | |
| 3040036 | Lunt Rd | Lunt Rd | Cranbrook | 0.00 | Climie St & Lomas St | 8.58 | Lunt Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|--------------------------------|--------|---------------------------|--|
| 4010022 | Luptons Rd | Luptons Rd | Beverley | 0.00 | Westdale Rd | 7.52 | Brookton LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4020119 | Luptons Rd | Luptons Rd | Brookton | 0.00 | Gartrell Rd & Brookton Hwy | 1.04 | Beverley LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 401Z011 | Luptons Rd Link Rd | Luptons Rd Link Rd | Beverley | 0.00 | Westdale Rd | 0.23 | Luptons Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Westdale Rd : No right turn permitted into Westdale Rd from Luptons Link Rd |
| 4030109 | Lutley Rd | Lutley Rd | Bruce Rock | 0.00 | Babakin East Rd | 2.14 | Lutley Rd - End Road | |
| 5010087 | Lutz Rd | Lutz Rd | Carnamah | 0.00 | Winchester East Rd | 1.25 | Lawson Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2070028 | Lyalls Mill Rd | Lyalls Mill Rd | Collie | 0.00 | Collie Preston Rd & Hoddell Rd | 1.17 | Lyalls Mill Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Warnings signs to be installed in accordance with Australian Standards and removed when haulage completed. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|--------------------------|----------|----------------------|--------|---|--|
| 4240094 | Lyalls Rd | Lyalls Rd | Quairading | 0.00 | Old Beverley West Rd | 0.62 | Lyalls Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4180128 | Lydeker Wy | Lydeker Wy | Narrogin | 0.00 | Graham Rd | 0.41 | Mokine Rd | |
| 5170056 | Lydock Rd | Lydock Rd | Victoria Plains | 0.00 | Calingiri Rd | 4.97 | Calcarra West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2050070 | Lyle Rd | Lyle Rd | Busselton (C) | 0.00 | Wonnerup South Rd | 1.19 | 1.19km From Wonnerup South Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| H842 | Lymon Rd on to Kwinana Fwy (Northbound) | Lymon Rd on to Kwinana Fwy (Northbound) | Mandurah (C) | 0.00 | Mandjoogoordap Dr | 0.17 | Mandjoogoordap Dr on to H015 (Northbound) | |
| H822 | Lymon Rd/Mandjoogoordap Dr on to Kwinana Fwy (Southbound) | Lymon Rd/Mandjoogoordap Dr on to Kwinana Fwy (Southbound) | Mandurah (C) | 0.00 | Mandjoogoordap Dr | 0.50 | Kwinana Fwy | |
| 2030285 | Lynam Rd | Lynam Rd | Bridgetown - Greenbushes | 0.00 | South Western Hwy | 0.13 | Lynam Rd - End Road | |
| 5150014 | Lynch Rd | Lynch Rd | Three Springs | 0.00 | Midlands Rd | 12.95 | Lynch Rd - End Road | |
| 4100124 | Lynch St | Lynch St | Kondinin | 0.00 | Marshall St | 0.35 | Clayton St | |
| 8030078 | Lyndon - Minnie Creek Rd | Lyndon - Minnie Creek Rd | Carnarvon | 0.00 | Minilya - Lyndon Rd | 30.61 | Upper Gascoyne LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|--------------------------|--------------------------|----------|---------------------------------------|--------|-----------------------------|---|
| 8050048 | Lyndon - Minnie Creek Rd | Lyndon - Minnie Creek Rd | Upper Gascoyne | 0.00 | Ullawarra Rd | 25.91 | Carnarvon LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 3040147 | Lynlea Rd | Lynlea Rd | Cranbrook | 0.00 | Cranbrook - Frankland Rd | 3.07 | Lynlea Rd - End Road | |
| 2030103 | Lynns Rd | Lynns Rd | Bridgetown - Greenbushes | 0.00 | Glentulloch Rd | 1.36 | Lynns Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2051462 | Lynwood St | Lynwood St | Busselton (C) | 0.00 | Northerly St | 0.83 | 0.12km From Ostler Dr | |
| 5100017 | Lyons East Rd | Lyons East Rd | Moora | 0.00 | Great Northern Hwy | 16.65 | Nadji Mia Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Intersection Nadji Mia Rd : No Access permitted into Nadji Mia Road from Lyons East Rd |
| 4300081 | Lyons Rd | Lyons Rd | Williams | 0.00 | Fourteen Mile Brook Rd | 1.77 | Lyons Rd - End Road | |
| 4120141 | M. Walker Rd | M. Walker Rd | Kulin | 0.00 | Tom Gray Rd | 4.62 | Kukerin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 1251759 | Macadam Pl | Macadam Pl | Stirling (C) | 0.00 | Balcatta Rd | 0.39 | Macadam Pl - End Road | |
| 6052008 | Macdonald St | Macdonald St | Kalgoorlie - Boulder (C) | 0.00 | Brown Av & Porter St | 0.58 | 0.1km From Cassidy St South | |
| 1019007 | Macfarlane Rd | Macfarlane Rd | Armadale (C) | 0.67 | Allen Rd | 1.15 | Armadale Rd | |
| 6040544 | Machen Rd | Machen Rd | Esperance | 0.00 | Osborne Rd & Coolgardie Esperance Hwy | 16.40 | 4.15km From Doney Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 1130277 | Mackay St | Mackay St | Belmont (C) | 0.00 | Hazelhurst St | 0.52 | Chilver St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|-------------------------|--------|------------------------|---|
| 4150128 | Mackenzie Rd | Mackenzie Rd | Mount Marshall | 0.00 | Koorda - Bullfinch Rd | 11.31 | Gilham Cooper Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4330035 | Mackie Rd | Mackie Rd | York | 0.00 | York - Tammin Rd | 8.92 | Quairading York Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1101274 | Mackie St | Mackie St | Wanneroo (C) | 0.00 | Baretta Rd | 0.12 | Prindiville Dr | |
| 4250055 | Mackin Rd | Mackin Rd | Tammin | 0.00 | Tammin - Wyalkatchem Rd | 5.51 | Yorkrakine Rock Rd | |
| 1030096 | Maclaglan St | Maclaglan St | Cockburn (C) | 0.00 | Buckley St | 0.37 | Cooper Rd | |
| 3110204 | Macnamara Rd | Macnamara Rd | Lake Grace | 0.00 | Burngup South Rd | 5.98 | Burngup Rd & Argent Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 0010038 | Macpherson St | Macpherson St | Broome | 0.00 | Herbert St | 0.15 | Coghlan St | |
| 3170088 | Macri Rd | Macri Rd | Woodanilling | 0.00 | Leggoe Rd | 0.55 | Macri Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4110114 | Mactaggart Rd | Mactaggart Rd | Koorda | 0.00 | Cadoux - Koorda Rd | 2.49 | Best Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|-------------------------------------|--------|----------------------------|--|
| 5110076 | Madden Rd | Madden Rd | Morawa | 0.00 | Morawa - Yalgoo Rd | 8.90 | | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1040008 | Maddington Rd | Maddington Rd | Gosnells (C) | 0.00 | Kelvin Rd & Stebbing Rd | 1.87 | Tarling Pl | |
| 1040008 | Maddington Rd | Maddington Rd | Gosnells (C) | 3.33 | Reservoir Rd | 3.43 | White Rd & Hardinge Rd | |
| 4160057 | Maddock St | Maddock St | Mukinbudin | 0.52 | White St | 0.63 | Kununoppin - Mukinbudin Rd | |
| 3170043 | Maders Rd | Maders Rd | Woodanilling | 0.00 | Robinson West Rd | 3.33 | Douglas Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| H055 | Madigan Rd | Madigan Rd | Karratha (C) | 0.00 | North West Coastal Hwy | 5.78 | Dampier Rd | |
| 5100047 | Madingarra Rd | Madingarra Rd | Moora | 0.00 | Watheroo Miling Rd | 6.48 | Miling North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1140350 | Madison St | Madison St | Canning (C) | 0.00 | Magnet Rd | 0.32 | Vulcan Rd | |
| 6040528 | Magagnotti Rd | Magagnotti Rd | Esperance | 0.00 | Quast Rd & Coolgardie Esperance Hwy | 12.20 | Magagnotti Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|-------------------------|--------|-----------------------------|--|
| 4120031 | Magee Rd | Magee Rd | Kulin | 0.00 | Kulin Lake Grace Rd | 9.06 | Gimbel Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4120031 | Magee Rd | Magee Rd | Kulin | 9.06 | Gimbel Rd | 20.66 | Dornock Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5130058 | Magee Rd | Magee Rd | Northampton | 0.00 | Binnu West Rd | 6.14 | Magee Rd - End Road | |
| 3110092 | Magenta Rd | Magenta Rd | Lake Grace | 0.00 | Newdegate - Pingrup Rd | 51.68 | Lake Magenta Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3100017 | Magini Rd | Magini Rd | Kojonup | 0.00 | Darkan - Kojonup Rd | 8.77 | Qualeup North Rd | |
| 3070014 | Magitup Rd | Magitup Rd | Gnowangerup | 0.00 | Chester Pass Rd | 16.36 | Chester Pass Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3040035 | Magiwirup Rd | Magiwirup Rd | Cranbrook | 0.00 | Unanup Rd | 4.18 | Boyup Brook - Cranbrook Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3070119 | Magners Rd | Magners Rd | Gnowangerup | 0.00 | Oneill Rd | 5.53 | Gnowangerup Jerramungup Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1140774 | Magnet Rd | Magnet Rd | Canning (C) | 0.00 | Bannister Rd | 0.99 | Vulcan Rd | |
| 8140692 | Magnetite Wy | Magnetite Wy | Karratha (C) | 0.00 | Exploration Dr | 0.15 | 0.15km After Exploration Dr | |
| 4110014 | Maier Rd | Maier Rd | Koorda | 0.00 | Wyalkatchem - Koorda Rd | 13.60 | Koorda - Bencubbin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 5040129 | Mahomet Rd | Mahomet Rd | Dandaragan | 0.00 | North West Rd | 2.43 | Mahomet Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|-----------------------|----------|---|--------|------------------------------------|---|
| 1020009 | Maida Vale Rd | Maida Vale Rd | Kalamunda | 2.84 | Everitt Pl | 2.93 | Dundas Rd Spur A | <ul style="list-style-type: none"> Intersection Dundas Rd Spur A : No right turn permitted into Dundas Rd from Maida Vale Rd |
| 2170159 | Maidment Rd | Maidment Rd | Donnybrook - Balingup | 0.00 | Meagher Rd | 4.95 | Maidment Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5180070 | Mail Route Rd | Mail Route Rd | Wongan - Ballidu | 0.00 | Bowen Rd | 2.68 | Mail Route Rd - End of Road | |
| 3070092 | Maileep Rd | Maileep Rd | Gnowangerup | 0.00 | Magitup Rd | 11.74 | Gnowangerup Jerramungup Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5180132 | Mailey Rd | Mailey Rd | Wongan - Ballidu | 0.00 | Ballidu - Bindi Bindi Rd | 1.30 | Mailey Rd - End Road | |
| 4030130 | Main Belka Rd | Main Belka Rd | Bruce Rock | 0.00 | Belka West Rd & Belka East Rd | 0.70 | Belka South Rd | |
| 6080118 | Main Reef Rd | Main Reef Rd | Leonora | 0.00 | Goldfields Hwy & Sons of Gwalia Access Rd | 3.13 | Leonora Laverton Rd | |
| 4030129 | Main St | Main St | Bruce Rock | 0.62 | Ardath North West Rd | 2.28 | Corrigin - Bruce Rock Rd | |
| 4060080 | Main St | Main St | Cunderdin | 0.08 | For 0.08km From Stokes Rd | 0.40 | Baxter Rd | |
| 5190163 | Main St | Main St | Coorow | 0.25 | Bristol St | 0.78 | Coorow - Latham Rd & Reservoir Rd | |
| 3110172 | Maiola Rd | Maiola Rd | Lake Grace | 0.00 | White Dam Rd | 4.42 | Harvey Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4070055 | Maisey Rd | Maisey Rd | Dowerin | 0.00 | Couper Rd & Dowerin - Meckering Rd | 4.21 | Quelagetting West Rd & Nambling Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. See Low Volume Condition Type A in the Operating Conditions Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). RAV must not exceed 4.32 metres in height. |
| 4070089 | Maisey St | Maisey St | Dowerin | 0.00 | Goldfields Rd | 1.13 | Metcalf St | <ul style="list-style-type: none"> Access permitted over the duration of the Dowerin Field Days only. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------------------|--------------------------------------|------------------|----------|--|--------|--|---|
| 4010039 | Maitland Rd | Maitland Rd | Beverley | 0.00 | Westdale Rd | 9.20 | Maitland Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4310075 | Maitland Rd | Maitland Rd | Wyalkatchem | 0.00 | Tammin - Wyalkatchem Rd | 6.86 | Parsons Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2040574 | Major St | Major St | Bunbury (C) | 0.00 | Beddingfield St | 0.30 | Smokebush Dr | |
| 1030406 | Malabar Wy | Malabar Wy | Cockburn (C) | 0.00 | Port Kembla Dr | 0.08 | Malabar Wy - End Road | |
| 1090662 | Malaga Dr | Malaga Dr | Swan (C) | 0.00 | Bayswater (C) LGA Boundary | 0.06 | Malaga Dr on to Reid Hwy (Eastbound) & Reid Hwy (Eastbound) off to Malaga Dr | |
| 1090662 | Malaga Dr | Malaga Dr | Swan (C) | 0.06 | Malaga Dr on to Reid Hwy (Eastbound) & Reid Hwy (Eastbound) off to Malaga Dr | 1.41 | Marshall Rd & Beach Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 1120851 | Malaga Dr | Malaga Dr | Bayswater (C) | 1.02 | Malaga Dr on to Reid Hwy (Westbound) & Reid Hwy (Westbound) off to Malaga Dr | 1.08 | Swan (C) LGA Boundary | |
| H293 | Malaga Dr on to Reid Hwy (Eastbound) | Malaga Dr on to Reid Hwy (Eastbound) | Swan (C) | 0.00 | Malaga Dr & Reid Hwy (Eastbound) off to Malaga Dr | 0.59 | Reid Hwy | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------------------|--------------------------------------|------------------|----------|---|--------|---|---|
| H294 | Malaga Dr on to Reid Hwy (Westbound) | Malaga Dr on to Reid Hwy (Westbound) | Bayswater (C) | 0.00 | Malaga Dr & Reid Hwy (Westbound) off to Malaga Dr | 0.52 | Reid Hwy | |
| 6080064 | Malcolm Rail Head Rd | Malcolm Rail Head Rd | Leonora | 0.00 | Leonora Laverton Rd | 1.13 | Old Laverton Rd & Kookynie - Malcolm Rd | |
| 1040229 | Malcolm Rd | Malcolm Rd | Gosnells (C) | 0.00 | Davison St | 0.61 | Carole Rd | |
| 5110056 | Malcolm Rd | Malcolm Rd | Morawa | 0.00 | Mullewa Wubin Rd | 5.06 | Perenjori LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5140032 | Malcolm Rd | Malcolm Rd | Perenjori | 0.00 | Morawa LGA Boundary | 6.10 | Hill Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4090038 | Maley Rd | Maley Rd | Kellerberrin | 0.00 | Kellerberrin - Bencubbin Rd | 3.72 | Mission Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|-----------------------------|--------|---------------------------------------|--|
| 5150073 | Maley St | Maley St | Three Springs | 0.00 | Railway Rd | 0.12 | Carter St | |
| 8060069 | Maley St | Maley St | Exmouth | 0.00 | Reid St | 0.52 | Murat Rd | |
| 1141454 | Mallaig Wy | Mallaig Wy | Canning (C) | 0.00 | Modal Cr | 0.30 | Mordaunt Cct | |
| 1190283 | Malland St | Malland St | Melville (C) | 0.00 | Blaikie St | 0.24 | Marmion St | |
| 3020628 | Mallard Rd | Mallard Rd | Albany (C) | 0.00 | Pendeen Rd | 0.22 | End | |
| 3120014 | Mallawillup Rd | Mallawillup Rd | Plantagenet | 0.00 | Martagallup Rd | 27.54 | Poorarecup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3110004 | Mallee Hill Rd | Mallee Hill Rd | Lake Grace | 0.00 | Pingrup Lake Grace Rd | 56.18 | Newdegate - Pingrup Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3110064 | Mallee Rd | Mallee Rd | Lake Grace | 0.00 | Long Creek Rd & Milstead Rd | 9.33 | Aerodrome Rd & Mallee Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3180054 | Mallee Rd | Mallee Rd | Jerramungup | 0.00 | South Coast Hwy | 34.28 | West River Rd & Mallee Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 6100086 | Mallee Rd | Mallee Rd | Ravensthorpe | 0.00 | West River Rd & Mallee Rd | 21.90 | Mallee Rd & Aerodrome Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 4120046 | Mallee Valley Rd | Mallee Valley Rd | Kulin | 0.00 | Karlgarin Hill South Rd | 12.75 | Paperbark Rd North | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4170026 | Malones Rd | Malones Rd | Narembreen | 0.00 | Corrigin - Narembreen Rd | 2.68 | Billericay West Rd | |
| 5150062 | Malry Rd | Malry Rd | Three Springs | 0.00 | Rothsay Rd | 0.09 | Midlands Rd | |
| 4290020 | Malyalling East Rd | Malyalling East Rd | Wickepin | 0.00 | Yarling Brook Rd | 4.47 | Kirk Rock Rd & Wickepin - Corrigin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4290036 | Malyalling Rd | Malyalling Rd | Wickepin | 0.00 | Wickepin North Rd | 16.37 | Kirk Rock Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5190016 | Mamboobie Rd | Mamboobie Rd | Coorow | 0.00 | Buntine - Marchagee Rd | 11.94 | South Waddy Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|----------------------|--------|------------------------|---|
| 4180211 | Manaring Rd | Manaring Rd | Narrogin | 0.00 | Williams Kondinin Rd | 3.76 | Graham Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4180211 | Manaring Rd | Manaring Rd | Narrogin | 3.76 | Graham Rd | 6.86 | Jones Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4180211 | Manaring Rd | Manaring Rd | Narrogin | 6.86 | Jones Rd | 8.05 | Highbury West Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4180211 | Manaring Rd | Manaring Rd | Narrogin | 8.05 | Highbury West Rd | 13.25 | Manaring Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|------------------|----------|--|--------|--|---|
| 5090020 | Manarra Rd | Manarra Rd | Mingenew | 0.00 | Nanekine Rd | 8.25 | Narandagy - Pintharuka Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 3100132 | Mandalup Rd | Mandalup Rd | Kojonup | 0.00 | Donnybrook Kojonup Rd | 2.12 | Mandalup Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1041083 | Mandarin Rd | Mandarin Rd | Gosnells (C) | 0.00 | Wildfire Rd | 0.46 | Stebbing Rd | |
| 4010087 | Mandiakon Rd | Mandiakon Rd | Beverley | 0.00 | Westdale Rd | 1.95 | Mandiakin Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4150005 | Mandiga - Marindo Rd | Mandiga - Marindo Rd | Mount Marshall | 0.00 | Bencubbin - Gabbin Rd & Mandiga Rd | 39.95 | Burakin - Wialki Rd & Marindo North Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Intersection Mungangabby Rd : No access permitted into Mungangabby Rd from Mandiga - Marindo Rd |
| 4130005 | Mandiga - Trayning Rd | Mandiga - Trayning Rd | Trayning | 0.00 | Kellerberrin - Bencubbin Rd | 13.72 | Mount Marshall LGA Boundary | <ul style="list-style-type: none"> Intersection Lockyer Rd : No access permitted into Lockyer Rd from Mandiga - Trayning Rd |
| 4150119 | Mandiga - Trayning Rd | Mandiga - Trayning Rd | Mount Marshall | 0.00 | Koorda - Bullfinch Rd | 13.31 | Trayning LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4150026 | Mandiga Rd | Mandiga Rd | Mount Marshall | 0.00 | Bencubbin - Gabbin Rd & Mandiga - Marindo Rd | 4.10 | Koorda - Bullfinch Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| H422 | Mandjoogoordap Dr Rty | Mandjoogoordap Dr Rty | Mandurah (C) | 0.00 | Mandjoogoordap Dr | 0.20 | Mandjoogoordap Dr | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|--------------------------|----------|--------------------------------|--------|---|--|
| H824 | Mandjoogoordap Dr on to H015 (Northbound) | Mandjoogoordap Dr on to H015 (Northbound) | Mandurah (C) | 0.00 | Mandjoogoordap Dr | 0.79 | Kwinana Fwy | |
| 1030056 | Mandogalup Rd | Mandogalup Rd | Cockburn (C) | 0.00 | Wattleup Rd | 0.40 | Mandogalup Rd & Industrial Area Access Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 1050186 | Mandogalup Rd | Mandogalup Rd | Kwinana (C) | 3.59 | Sayer Rd | 3.86 | Mandogalup Rd & Industrial Area Access Rd | |
| 1050306 | Mandurah Rd | Mandurah Rd | Kwinana (C) | 0.00 | Patterson Rd & Rockingham Rd | 1.96 | Wellard Rd & Mandurah Rd | |
| 1070437 | Mandurah Rd | Mandurah Rd | Rockingham (C) | 0.00 | Wellard Rd & Mandurah Rd | 16.35 | Ennis Av & Detonator Rd & Mandurah Rd | <ul style="list-style-type: none"> Intersection Wellard Rd & Mandurah Rd : No right turn permitted into Wellard Road From Mandurah Road. No left turn into Wellard Road from Mandurah Road. |
| H843 | Mandurah Rd (Northbound) Slip At Mandjoogoordap Dr Rty | Mandurah Rd (Northbound) Slip At Mandjoogoordap Dr Rty | Mandurah (C) | 0.00 | Mandurah Rd | 0.20 | Mandurah Rd | |
| H844 | Mandurah Rd (Southbound) to Mandjoogoordap Dr (Northbound) | Mandurah Rd (Southbound) to Mandjoogoordap Dr (Northbound) | Mandurah (C) | 0.00 | Mandurah Rd | 0.10 | Mandjoogoordap Dr | |
| 2010086 | Manear Rd | Manear Rd | Augusta - Margaret River | 0.00 | Rosa Glen Rd | 8.93 | Bessell Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 8130344 | Manganese St | Manganese St | Port Hedland (T) | 0.00 | Pinga St | 0.15 | Feldspar St | |
| 8130344 | Manganese St | Manganese St | Port Hedland (T) | 0.15 | Feldspar St | 0.55 | | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 8130344 | Manganese St | Manganese St | Port Hedland (T) | 0.55 | | 0.74 | Iron Ore St | |
| 6110162 | Mangini Rd | Mangini Rd | Yilgarn | 0.00 | Parker Range Rd | 2.90 | Heasman Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 0040119 | Mango St | Mango St | Wyndham - East Kimberley | 0.00 | Konkerberry Dr | 0.45 | Poinciana St | |
| 4070164 | Manmanning Rd | Manmanning Rd | Dowerin | 0.00 | Jones Rd & Manmanning Rd | 5.67 | Hale Rd & Fifty Four Gate West Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 5180006 | Manmanning Rd | Manmanning Rd | Wongan - Ballidu | 0.00 | Northam Pithara Rd & Wongan Rd | 7.59 | Oliver Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit Intersection Jensen St : No left turn permitted into Jensen St from Manmanning Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|-------------------------|----------|-----------------------|--------|--------------------------|--|
| 5180006 | Manmanning Rd | Manmanning Rd | Wongan - Ballidu | 7.59 | Oliver Rd | 32.11 | Jones Rd & Manmanning Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4070036 | Manmanning Town Rd | Manmanning Town Rd | Dowerin | 0.00 | Dowerin - Kalannie Rd | 3.31 | Haywood West Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 4330002 | Mannavale Rd | Mannavale Rd | York | 0.00 | York - Tammin Rd | 1.86 | Flea Pool Rd | |
| 4330002 | Mannavale Rd | Mannavale Rd | York | 1.86 | Flea Pool Rd | 13.35 | Quellington Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1080065 | Manning Rd | Manning Rd | Serpentine - Jarrahdale | 0.00 | Karnup Rd | 0.50 | 0.495km From Karnup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|--------------------------------|--------|-----------------------|---|
| 4180252 | Manning Rd | Manning Rd | Narrogin | 0.00 | Lock Rd | 8.88 | Narrogin Valley Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4240049 | Manning Rd | Manning Rd | Quairading | 0.00 | Quairading York Rd | 2.68 | Jacobs Well Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 118Z036 | Manoora CI | Manoora CI | Fremantle (C) | 0.00 | Noble CI & Port Beach Rd (Fpa) | 0.24 | Manoora CI - End Road | |
| 608Z059 | Mansbridge St | Mansbridge St | Leonora | 0.00 | Mansbridge St - Start Road | 1.08 | 0.1km From Link Rd | |
| 6120014 | Mantamaru Rd | Mantamaru Rd | Ngaanyatjarraku | 0.00 | Papulankutja Rd | 3.02 | Nyinnga Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6120014 | Mantamaru Rd | Mantamaru Rd | Ngaanyatjarraku | 3.02 | Nyinnga Rd | 52.71 | Great Central Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3090109 | Manuel Rd | Manuel Rd | Kent | 0.00 | Nyabing Pingrup Rd | 7.86 | Nyabing South Rd | |
| 4010037 | Manuel Rd | Manuel Rd | Beverley | 0.00 | Morbinning Rd | 3.55 | Jackson Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|--------------------------|----------|--|--------|--|---|
| 4160049 | Manuel Rd | Manuel Rd | Mukinbudin | 0.00 | Jones East Rd & Mukinbudin - Wialki Rd | 4.03 | Copeland South Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 40 km/h Intersection Jones East Rd & Mukinbudin - Wialki Rd : No left turn permitted into Mukinbudin-Wialki Road from Manuel Road. No right turn permitted into Manuel Road from Mukinbudin-Wialki Road. |
| 5030064 | Manuel Rd | Manuel Rd | Dalwallinu | 0.00 | Buntine East Rd | 10.51 | Great Northern Hwy | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| M065 | Manuwarra Red Dog Hwy | Manuwarra Red Dog Hwy | Karratha (C) Ashburton | 0.00 | North West Coastal Hwy | 274.76 | Mine Rd | <ul style="list-style-type: none"> Intersection Nanutarra Munjina Rd : No access permitted into Nanutarra Munjina Rd from Manuwarra Red Dog Hwy |
| M065 | Manuwarra Red Dog Hwy | Manuwarra Red Dog Hwy | Ashburton | 274.76 | Mine Rd | 275.18 | Haulpak Access (P) & Doradeen Rd | <ul style="list-style-type: none"> A RAV must not be driven on this road in excess of 4.5 metres in height |
| M065 | Manuwarra Red Dog Hwy | Manuwarra Red Dog Hwy | Ashburton | 275.18 | Haulpak Access (P) & Doradeen Rd | 275.26 | Tom Price Rd & Bingarn Rd | |
| 6110116 | Manxman Rd | Manxman Rd | Yilgarn | 0.00 | Koorda - Bullfinch Rd & Bullfinch Rd | 0.93 | Bullfinch - Evanston Rd & Mt Jackson Rd & Durbridge Cr | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 2010608 | Mapstone Rd | Mapstone Rd | Augusta - Margaret River | 0.00 | Sheridan Rd | 0.31 | 0.31km From Sheridan Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5100140 | Marah St | Marah St | Moora | 0.38 | Ellis St | 0.63 | Watheroo Milling Rd | |
| 2030010 | Maranup Ford Rd | Maranup Ford Rd | Bridgetown - Greenbushes | 0.00 | Brockman Hwy | 12.83 | Huitson Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h No Operation Weekdays from 7:30 AM to 9:00 AM and 3:00 PM to 4:30 PM Curfew applies on school days only. |
| 2030010 | Maranup Ford Rd | Maranup Ford Rd | Bridgetown - Greenbushes | 12.83 | Huitson Rd | 17.47 | Diorite St & Stanifer St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---------------------------|-------------------------------|----------|--------------------------|--------|---------------------------------|---|
| 3020031 | Marbelup Rd | Marbelup Rd | Albany (C) | 2.85 | South Coast Hwy | 15.28 | Redmond West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Cochrane Rd : No access permitted into Cochrane Rd from Marbelup Rd. No access permitted into Marbelup Rd from Cochrane Rd. Intersection Redmond West Rd : No left turn permitted into Redmond West Rd from Marbelup Rd. |
| M030 | Marble Bar | Marble Bar Rd | East Pilbara Port Hedland (T) | 0.00 | Great Northern Hwy | 433.94 | Great Northern Hwy | |
| 8120266 | Marble Bar - Woodstock Rd | Marble Bar - Woodstock Rd | East Pilbara | 12.38 | Lga Boundary | 33.66 | Marble Bar-Woodstock Rd | |
| 8120334 | Marble Bar Bypass Rd | Marble Bar Bypass Rd | East Pilbara | 0.00 | Hillside - Marble Bar Rd | 2.28 | Corunna Downs Rd | |
| 8130397 | Marble Bar-Woodstock Rd | Marble Bar-Woodstock Rd | Port Hedland (T) | 0.00 | Hillside-Woodstock Rd | 18.35 | Marble Bar - Woodstock Rd | |
| 4100087 | Marble Rocks East Rd | Marble Rocks East Rd | Kondinin | 0.00 | Holland Trk | 6.73 | Marble Rocks East Rd - End Road | |
| 5040014 | Marchagee Trk | Marchagee Trk | Dandaragan | 0.00 | Brand Hwy | 33.05 | Coalara Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Dewar Rd : No access permitted into Dewar Rd from Marchagee Trk |
| 5040014 | Marchagee Trk | Marchagee Trk | Dandaragan | 33.06 | Coalara Rd | 38.56 | Coorow LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|--------------------------|--------------------------|----------|--|--------|----------------------|--|
| 5190004 | Marchagee Trk | Marchagee Trk | Coorow | 0.00 | Midlands Rd | 8.00 | 8km From Midlands Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2040781 | Marchant St | Marchant St | Bunbury (C) | 0.00 | Henson St | 0.26 | Gibbons Rd | |
| 1130280 | Marchesi St | Marchesi St | Belmont (C) | 0.00 | Chilver St | 0.30 | Kewdale Rd | |
| 8140085 | Mardie Rd | Mardie Rd | Karratha (C) | 0.00 | Coolawanyah Rd | 0.43 | Anderson Rd | |
| H441 | Margaret River North Rty | Margaret River North Rty | Augusta - Margaret River | 0.00 | Bussell Hwy | 0.20 | Bussell Hwy | |
| H427 | Margaret River South Rty | Margaret River South Rty | Augusta - Margaret River | 0.00 | Bussell Hwy | 0.19 | Bussell Hwy | |
| 4110013 | Margarette Rd | Margarette Rd | Koorda | 0.00 | Anderson Rd | 5.12 | Commonwealth Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 4110013 | Margarette Rd | Margarette Rd | Koorda | 5.13 | Commonwealth Rd | 9.89 | Koorda - Mollerin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 4110013 | Margarette Rd | Margarette Rd | Koorda | 10.75 | Koorda - Mollerin Rd | 18.80 | Mt Marshall Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 2130404 | Margerison St | Margerison St | Manjimup | 0.00 | Franklin St | 0.76 | Wetherell St | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 4150040 | Marindo North Rd | Marindo North Rd | Mount Marshall | 0.00 | Mandiga - Marindo Rd & Burakin - Wialki Rd | 12.86 | Scotsman Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|---|----------|--|--------|----------------------------|---|
| 4150040 | Marindo North Rd | Marindo North Rd | Mount Marshall | 12.86 | Scotsman Rd | 27.47 | Bunce Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5050001 | Marine Tce | Marine Tce | Greater Geraldton (C) | 1.73 | Cbh Access Road 1.17km From John Willcock Link | 2.90 | John Willcock Link | <ul style="list-style-type: none"> Intersection John Willcock Link : No left turn permitted into John Willcock Link from Marine Tce |
| 3100097 | Marinoni Rd | Marinoni Rd | Kojonup | 0.00 | Darkan - Kojonup Rd | 2.20 | Marinoni Rd - End Road | |
| 1040145 | Marion Rd | Marion Rd | Gosnells (C) | 0.00 | Ryelane St | 0.20 | Stebbing Rd | |
| 6051000 | Maritana St | Maritana St | Kalgoorlie - Boulder (C) | 0.00 | Graeme St & Varden St | 0.43 | Piccadilly St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 1141480 | Market City Ent | Market City Ent | Canning (C) | 0.00 | Forum Av & Bannister Rd | 0.05 | Market Entrance Rd | |
| 5190087 | Market St | Market St | Coorow | 0.00 | Midlands Rd | 0.25 | Bristol St | |
| 4140284 | Marley Cl | Marley Cl | Merredin | 0.00 | Marley Cl - Start Road | 0.50 | Marley Cl - End Road | |
| 4300018 | Marling Rd | Marling Rd | Williams | 0.00 | Pinjarra Williams Rd | 7.14 | Collie Williams Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Collie Williams Rd : No left turn permitted into Collie Williams Rd from Marling Rd |
| H029 | Marmion Av | Marmion Av | Stirling (C) | 0.00 | West Coast Hwy & Karrinyup Rd | 1.84 | Reid Hwy & North Beach Rd | <ul style="list-style-type: none"> Unless otherwise approved in writing by Main Roads, the RAV must not be loaded with more than 3 loaded Twenty-foot Equivalent Units (3 TEU's), e.g. 3 twenty-foot intermodal containers or 1 forty-foot and 1 twenty-foot intermodal container. |
| H029 | Marmion Av | Marmion Av | Stirling (C) Joondalup (C) Wanneroo (C) | 1.84 | Reid Hwy & North Beach Rd | 23.45 | Marmion Av - Hester Av Rty | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------------|-------------------------------|------------------|----------|--------------------------------------|--------|-----------------------------------|--|
| H452 | Marmion Av - Edinburgh Av Rty | Marmion Av - Edinburgh Av Rty | Joondalup (C) | 0.00 | Marmion Av | 0.17 | Marmion Av | |
| H454 | Marmion Av - Hester Av Rty | Marmion Av - Hester Av Rty | Wanneroo (C) | 0.00 | Marmion Av | 0.19 | Marmion Av | |
| H453 | Marmion Av - Neerabup Rd Rty | Marmion Av - Neerabup Rd Rty | Wanneroo (C) | 0.00 | Marmion Av | 0.19 | Marmion Av | |
| H451 | Marmion Av - Shenton Av Rty | Marmion Av - Shenton Av Rty | Joondalup (C) | 0.00 | Marmion Av | 0.19 | Marmion Av | |
| 3080183 | Marmion St West | Marmion St West | Katanning | 0.00 | Katanning - Dumbleyung Rd | 0.75 | Warren Rd | |
| 7030086 | Marmont St | Marmont St | Meekatharra | 0.00 | Donovan St & Connaughton St | 0.37 | Douglas St | |
| 5030041 | Marne West Rd | Marne West Rd | Dalwallinu | 0.00 | Sheoak Rd | 5.99 | McKay Rd & Northam Pithara Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 3180225 | Marnigarup East Rd | Marnigarup East Rd | Jerramungup | 0.00 | South Coast Hwy & Marnigarup West Rd | 18.54 | Bartlett Rd & Marnigarup South Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 3180097 | Marnigarup South Rd | Marnigarup South Rd | Jerramungup | 0.00 | Bartlett Rd & Marnigarup East Rd | 11.19 | Devils Creek Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 3180226 | Marnigarup West Rd | Marnigarup West Rd | Jerramungup | 0.00 | Marnigarup East Rd & South Coast Hwy | 17.60 | Carney Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|--|--------|-----------------------------------|--|
| 3080084 | Marracoonda Rd | Marracoonda Rd | Katanning | 0.00 | Esmond Rd & Marracoonda Rd | 5.47 | | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 2140005 | Marradong Rd | Marradong Rd | Boddington | 0.00 | Marradong Rd & South Crossman Rd | 11.60 | Newmarket Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Maximum speed 60 km/h |
| 4300011 | Marradong Rd | Marradong Rd | Williams | 0.00 | Albany Hwy | 1.49 | For 1.49 Km to Hay Press Facility | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h |
| 4300011 | Marradong Rd | Marradong Rd | Williams | 1.49 | 1.49 Km From Albany Hwy (Hay Press Facility) | 11.45 | Marradong Rd & South Crossman Rd | |
| 5160020 | Marrah Rd | Marrah Rd | Chapman Valley | 0.00 | South Whelarra & Naraling - East Yuna Rd | 6.00 | Richardson Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit. |
| 5160020 | Marrah Rd | Marrah Rd | Chapman Valley | 6.00 | Richardson Rd | 14.77 | Chapman Valley Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 50kph below posted speed limit. Sealed section - 20 kph below posted speed limit. |
| 4180261 | Marramucking Rd | Marramucking Rd | Narrogin | 0.00 | Boundain North Rd | 6.45 | Williams Kondinin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|--------------------------|----------|-----------------------|--------|------------------------|--|
| 5070036 | Marri Heights Rd | Marri Heights Rd | Gingin | 0.00 | Brand Hwy | 3.93 | 3.93km From Brand Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2130382 | Marri Rd | Marri Rd | Manjimup | 0.00 | Wetherell St | 0.18 | Marri St - End Road | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 2050695 | Marrinup Dr | Marrinup Dr | Busselton (C) | 0.00 | Caves Rd | 6.33 | Commonage Rd | |
| 103Z051 | Marriott Rd | Marriott Rd | Cockburn (C) | 0.00 | Pilatus St | 1.40 | Orion Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| M079 | Marriott Rd | Marriott Rd | Harvey | 0.00 | South Western Hwy | 12.47 | Forrest Hwy | |
| 3080169 | Marron Pool Rd | Marron Pool Rd | Katanning | 0.00 | Kojonup Katanning Rd | 1.77 | Kojonup LGA Boundary | |
| 3100045 | Marron Pool Rd | Marron Pool Rd | Kojonup | 0.00 | Carlecatup North Rd | 6.30 | Katanning LGA Boundary | |
| 1140434 | Mars St | Mars St | Canning (C) | 0.00 | Kew St & Mars St East | 0.11 | | |
| 1290217 | Mars St East | Mars St East | Victoria Park (T) | 0.00 | President St | 0.22 | Kew St & Mars St | |
| 2010296 | Marsh Rd | Marsh Rd | Augusta - Margaret River | 0.00 | Warner Glen Rd | 1.62 | Mann Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1090564 | Marshall Rd | Marshall Rd | Swan (C) | 5.17 | Beringarra Av | 7.05 | Beach Rd & Malaga Dr | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 3030036 | Marshall Rd | Marshall Rd | Broomehill - Tambellup | 0.00 | Tie Line Rd | 4.96 | Scotchman Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------|----------|------------------------|--------|------------------------|---|
| 3170053 | Marshall Rd | Marshall Rd | Woodanilling | 0.00 | Orchard Rd | 3.40 | Newstead Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4030112 | Marshall Rd | Marshall Rd | Bruce Rock | 0.00 | Babakin South East Rd | 1.70 | Marshall Rd - End Road | |
| 4230040 | Marshall Rd | Marshall Rd | Pingelly | 0.00 | Wickepin - Pingelly Rd | 3.74 | Marshall Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4150069 | Marshall Rock North Rd | Marshall Rock North Rd | Mount Marshall | 0.00 | Gillett Rd | 5.45 | Koorda - Bullfinch Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------------|----------------------------|------------------|----------|-------------------------------------|--------|--|---|
| 4150070 | Marshall Rock South Rd | Marshall Rock South Rd | Mount Marshall | 0.00 | Koorda - Bullfinch Rd | 4.03 | Bencubbin - Kununoppin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3160152 | Marshs Access Rd | Marshs Access Rd | West Arthur | 0.00 | Glenorchy South Rd | 0.95 | Marshs Access Rd - End Road | |
| 3120046 | Martagallup - Tenterden Rd | Martagallup - Tenterden Rd | Plantagenet | 0.00 | Martagallup Rd | 8.46 | Albany Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h |
| 3040010 | Martagallup Rd | Martagallup Rd | Cranbrook | 0.00 | Nunijup Rd & Stockyard Rd | 4.62 | Plantagenet LGA Boundary | |
| 3120013 | Martagallup Rd | Martagallup Rd | Plantagenet | 0.00 | Albany Hwy | 10.65 | Cranbrook LGA Boundary | <ul style="list-style-type: none"> Maximum speed 80 km/h Maximum speed of 60 km/h on gravel road. |
| 3090044 | Martens Rd | Martens Rd | Kent | 0.00 | Ongerup - Pingrup Rd | 12.42 | 600 Metres South From Bishop Rd (Heading West) | |
| 2080023 | Martin Pelusey Rd | Martin Pelusey Rd | Dardanup | 0.00 | Golding Cr | 3.06 | South Western Hwy | |
| 1141164 | Martin Pl | Martin Pl | Canning (C) | 0.00 | Vinnicombe Dr | 0.11 | Martin Pl - End Road | |
| 113Z066 | Martin Rd | Martin Rd | Belmont (C) | 0.00 | Paltridge Rd (Federal) & Airport Dr | 0.64 | Martin Rd - At Loop | |
| 2110262 | Martin Rd | Martin Rd | Harvey | 2.36 | Oldham Rd | 5.55 | Sandalwood Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4040090 | Martin Rd | Martin Rd | Corrigin | 0.00 | Corrigin - Narembreen Rd | 8.09 | Nambadilling Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|------------------------------------|--------|-------------------------|---|
| 4110017 | Martin Rd | Martin Rd | Koorda | 0.00 | Warren Rd & Martin Rd | 16.39 | Graves Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 4300049 | Martin Rd | Martin Rd | Williams | 0.00 | York - Williams Rd | 3.86 | Martin Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4310014 | Martin Rd | Martin Rd | Wyalkatchem | 0.00 | Minnivale North East Rd & Lewis Rd | 13.99 | Wyalkatchem - Koorda Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030119 | Martin Rd | Martin Rd | Dalwallinu | 0.00 | Warren Rd & Martin Rd | 13.06 | Glamoff Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 5030119 | Martin Rd | Martin Rd | Dalwallinu | 13.06 | Glamoff Rd | 25.91 | Leeson Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5140077 | Martin Rd | Martin Rd | Perenjori | 0.00 | Chisholm Rd | 10.45 | Rabbit Proof Fence Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------------|----------|---|--------|------------------------------|---|
| 5170049 | Martin Rd | Martin Rd | Victoria Plains | 4.41 | Yerecoin South East Rd & Yerecoin South - East Rd | 9.72 | Carani East Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 6100057 | Martin St | Martin St | Ravensthorpe | 0.00 | Dance St & Webster Dr | 0.20 | Neil St | <ul style="list-style-type: none"> Intersection Neil St : No access permitted into Neil St from Martin St. |
| 3030030 | Martinup Rd | Martinup Rd | Broomehill - Tambellup | 0.00 | Pallinup Rd | 0.96 | Clear Hills Rd & Martinup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3030104 | Martinup Rd | Martinup Rd | Broomehill - Tambellup | 0.00 | Broomehill Gnowangerup Rd | 3.04 | Gnowangerup LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Broomehill Gnowangerup Rd : No left turn permitted into Broomehill-Jerramungup Rd from Martinup Rd. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------------|---|------------------|----------|------------------------------|--------|---|--|
| 3070081 | Martinup Rd | Martinup Rd | Gnowangerup | 0.00 | Clear Hills Rd & Martinup Rd | 5.90 | Broomehill - Tambellup LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| M020 | Marvel Loch | Southern Cross Marvel Loch Rd Lenneberg St | Yilgarn | 0.00 | Orion St & Antares St | 32.94 | Marvel Loch - Forresteria Rd & Argent St & Lenneberg St | |
| 4100098 | Marvel Loch - Forresteria Rd | Marvel Loch - Forresteria Rd | Kondinin | 0.00 | Yilgarn LGA Boundary | 23.91 | Hyden - Norseman Rd | |
| 4100098 | Marvel Loch - Forresteria Rd | Marvel Loch - Forresteria Rd | Kondinin | 23.96 | Hyden - Norseman Rd | 65.28 | Ravensthorpe Lga Boundary | |
| 6110004 | Marvel Loch - Forresteria Rd | Marvel Loch - Forresteria Rd | Yilgarn | 0.00 | Argent St & Lenneberg St | 91.90 | Kondinin LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4330069 | Marwick Rd | Marwick Rd | York | 0.00 | Quairading York Rd | 4.04 | York - Tammin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3180030 | Mary St | Mary St | Jerramungup | 0.00 | Bennett St | 0.18 | Mary St & John St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|----------------------------------|--------|---|--|
| 4140154 | Mary St | Mary St | Merredin | 0.00 | Great Eastern Hwy | 0.60 | Duff St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Maximum speed 50 km/h Intersection Mitchell St & East Barrack St : No access permitted into East Barrack St for Mary St |
| 7030033 | Marymia Rd | Marymia Rd | Meekatharra | 0.00 | Great Northern Hwy | 60.22 | For 60.50 Km | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h |
| 4280030 | Masefield Rd | Masefield Rd | Westonia | 0.00 | Rabbit Proof Fence Rd | 8.76 | Elachbutting Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h No Operation between the hours of sunset and sunrise Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6100001 | Mason Bay Rd | Mason Bay Rd | Ravensthorpe | 0.00 | Masons Rd (Nru) & Jerdacuttup Rd | 17.40 | Springdale Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 6100001 | Mason Bay Rd | Mason Bay Rd | Ravensthorpe | 17.45 | Springdale Rd | 24.00 | 4.6km South - Then 2km East After Springdale Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 1050256 | Mason Rd | Mason Rd | Kwinana (C) | 0.00 | Rockingham Rd | 1.73 | Mason Rd (Private) | |
| 5100044 | Mason Rd | Mason Rd | Moora | 0.00 | Carot Well Rd | 11.22 | Hewson Rd & Mason Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|-----------------------|----------|----------------------------------|--------|--------------------------------|--|
| 5140021 | Mason Rd | Mason Rd | Perenjori | 0.00 | Wanarra Rd | 7.77 | Smith Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 5190040 | Mason Rd | Mason Rd | Coorow | 0.00 | Hewson Rd & Mason Rd | 6.25 | Wubin - Gunyidi Rd & Thomas Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2040790 | Mason St | Mason St | Bunbury (C) | 0.00 | Shanahan Rd | 0.23 | Halifax Dr | |
| 3110152 | Mason St | Mason St | Lake Grace | 0.00 | South Rd & Pingrup Lake Grace Rd | 0.44 | Mason St - End Road | <ul style="list-style-type: none"> Intersection South Rd & Pingrup Lake Grace Rd : No right turn permitted into Albany Lake Grace Rd from Mason St |
| 610Z004 | Masons Rd (Nru) | Masons Rd (Nru) | Ravensthorpe | 0.00 | Mason Bay Rd & Jerdacuttup Rd | 3.00 | For 3.00 Km | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 4030069 | Massam Rd | Massam Rd | Bruce Rock | 0.00 | Liebeck Rd | 5.40 | Yarding North Rd | |
| 5050522 | Masters Rd | Masters Rd | Greater Geraldton (C) | 0.00 | Geraldton Mt Magnet Rd | 0.49 | Horwood Rd | |
| 1101704 | Mather Dr | Mather Dr | Wanneroo (C) | 0.00 | Flynn Dr | 1.23 | Pederick Rd | |
| 4090082 | Mather Rd | Mather Rd | Kellerberrin | 0.00 | Great Eastern Hwy | 16.99 | Dowding St | <ul style="list-style-type: none"> Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4090082 | Mather Rd | Mather Rd | Kellerberrin | 17.45 | Rail Track Access Road | 17.95 | Tiller St | <ul style="list-style-type: none"> Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3110149 | Mather St | Mather St | Lake Grace | 0.00 | Stubbs St | 0.08 | Clark Av & Dewar St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|---------------------------|--------|----------------------------|--|
| 4060072 | Matthew Rd | Matthew Rd | Cunderdin | 0.00 | Cunderdin - Minnivale Rd | 2.25 | Rabbit Proof Fence Nth Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4060072 | Matthew Rd | Matthew Rd | Cunderdin | 2.36 | Rabbit Proof Fence Nth Rd | 5.04 | Cunderdin - Wyalkatchem Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4020016 | Matthews Rd | Matthews Rd | Brookton | 0.00 | York - Williams Rd | 4.20 | Ulbrich Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4150065 | Matthews Rd | Matthews Rd | Mount Marshall | 0.00 | Welbungin - Wialki Rd | 7.06 | Barbalin - Koonkoobing Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4020044 | Mattingly Rd | Mattingly Rd | Brookton | 0.00 | Boyagarra Rd | 5.00 | End of Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 0010180 | Mavis Rd | Mavis Rd | Broome | 0.00 | Tanami Dr | 0.22 | Antheous Wy | |
| 4010100 | Mawson Rd | Mawson Rd | Beverley | 0.00 | Quairading York Rd | 0.35 | Doodenanning - Mawson Rd | <ul style="list-style-type: none"> Intersection Quairading York Rd : No left turn permitted into York Merredin Rd from Mawson Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|---|--------|-------------------------|--|
| 4010167 | Mawson Rd | Mawson Rd | Beverley | 0.00 | Morbinning Rd & Vincent St | 24.18 | Quairading York Rd | <ul style="list-style-type: none"> Intersection Barrington Rd & Dongadilling Rd : No Left Turn Into Dongadilling Road Permitted Intersection Murray Rd : No access permitted into Murray Rd from Mawson Rd |
| 4280011 | Maxfield Rd | Maxfield Rd | Westonia | 0.00 | Stoneman Rd | 29.04 | Koorda - Bullfinch Rd | |
| 2040598 | Maxted St | Maxted St | Bunbury (C) | 0.00 | Shanahan Rd | 0.22 | Halifax Dr | |
| 1110178 | May Holman Dr | May Holman Dr | Bassendean (T) | 0.00 | Railway Pde | 0.49 | Dyer Rd | |
| 4110115 | May Rd | May Rd | Koorda | 0.00 | Koorda North West Rd & Cadoux - Koorda Rd | 2.76 | May Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5140061 | Maya East Rd | Maya East Rd | Perenjori | 0.00 | Cbh Maya Bin Access & Mullewa Wubin Rd | 24.63 | Rabbit Proof Fence Rd | |
| 5140069 | Maya South West Rd | Maya South West Rd | Perenjori | 0.00 | Mullewa Wubin Rd | 20.03 | Thomsons Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Bryant Rd : No right turn permitted into Bryant Rd from Maya South Rd |
| 2160098 | Mayall Rd | Mayall Rd | Nannup | 0.00 | Black Point Rd | 2.12 | Mayall Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6100035 | Maydon Rd | Maydon Rd | Ravensthorpe | 0.00 | South Coast Hwy | 3.00 | For 3.00 Km | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 4110108 | Mayes Rd | Mayes Rd | Koorda | 0.00 | Kalannie - Kulja Rd | 4.04 | Mayes Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 40 km/h |
| 2150016 | Mayfield Rd | Mayfield Rd | Murray | 2.74 | Gibbings Rd | 3.10 | 0.36km From Gibbings Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4240053 | Maynard Rd | Maynard Rd | Quairading | 0.00 | Cubbine Rd & Peacock Rd | 10.18 | Goldfields Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|--------------------------|--------|-----------------------------|--|
| 1090225 | Mayo Rd | Mayo Rd | Swan (C) | 0.00 | Toodyay Rd | 4.98 | Needham Rd & Dinsdale Rd | |
| 5040189 | Mazza Rd | Mazza Rd | Dandaragan | 0.00 | Marchagee Trk | 3.51 | Coorow LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5190028 | Mazza Rd | Mazza Rd | Coorow | 0.00 | Tootbardie Rd | 3.60 | Dandaragan LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2180010 | McAlinden Rd | McAlinden Rd | Boyup Brook | 0.00 | Donnybrook Kojonup Rd | 11.95 | Bowelling - McAlinden Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2180010 | McAlinden Rd | McAlinden Rd | Boyup Brook | 11.95 | Bowelling - McAlinden Rd | 14.81 | West Arthur LGA Boundary | |
| 3160001 | McAlinden Rd | McAlinden Rd | West Arthur | 0.00 | Boyup Brook LGA Boundary | 6.02 | Cardiff - McAlinden Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5140112 | McAlpine Rd | McAlpine Rd | Perenjori | 0.00 | Caffens Rd | 6.40 | Railway Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4130021 | McAndrew Rd | McAndrew Rd | Trayning | 0.00 | McAndrew Rd - Start Road | 9.15 | Swamp Well Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 8119001 | McAullay Rd | McAullay Rd | Ashburton | 0.00 | Onslow Rd | 2.77 | Second Av & Beadon Creek Rd | <ul style="list-style-type: none"> Not to exceed the lesser of 90 km/h or thr posted speed limit. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|----------------------------|--------|-------------------------------|--|
| 4090026 | McBolt Rd | McBolt Rd | Kellerberrin | 0.00 | Mission Rd | 9.43 | McBolt Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5160059 | McCagh Rd | McCagh Rd | Chapman Valley | 0.00 | Chapman Valley Rd | 2.40 | Mt Erin - Nabawa Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Chapman Valley Rd : No right turn permitted into Moonyoonooka Yuna Road from McCagh Road |
| 6040246 | McCall Rd | McCall Rd | Esperance | 0.00 | White Rd & South Coast Hwy | 8.52 | McCall Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 1071342 | McCamey Av | McCamey Av | Rockingham (C) | 0.00 | Dixon Rd | 0.33 | Day Rd | |
| 4100048 | McCann Rock | McCann Rock | Kondinin | 0.00 | Spurr Rd | 2.29 | McCann Rock - End Road | |
| 4030067 | McCarthy Rd | McCarthy Rd | Bruce Rock | 0.00 | Doodlakine - Bruce Rock Rd | 8.20 | Liebeck Rd | |
| 5180150 | McCashney Rd | McCashney Rd | Wongan - Ballidu | 0.00 | Hospital Rd | 9.51 | Degrussa Rd | |
| 4090113 | McClelland Rd | McClelland Rd | Kellerberrin | 0.00 | McWhirter Rd | 4.73 | Benderine North Rd & Turon Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2040373 | McCombe Rd | McCombe Rd | Bunbury (C) | 0.00 | Halifax Dr | 1.49 | Halifax Dr | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|-----------------------------|--------|-------------------------|--|
| 1011382 | McCook St | McCook St | Armadale (C) | 0.00 | Da Vinci Wy | 0.58 | Watt Link | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 1190118 | McCoy St | McCoy St | Melville (C) | 0.44 | Rome Rd | 1.97 | Pitt Wy | |
| 6040538 | McCrae Rd | McCrae Rd | Esperance | 0.00 | Hobby Rd | 5.05 | Fagan Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 0010115 | McDaniel Rd | McDaniel Rd | Broome | 0.00 | McDaniel Rd - Start Road | 1.30 | McDaniel Rd - End Road | |
| 1140375 | McDermott St | McDermott St | Canning (C) | 0.00 | Somersby Rd | 0.12 | McDermott St - End Road | |
| 3120004 | McDonald Av | McDonald Av | Plantagenet | 0.43 | 1.2km East From Taylor Road | 0.75 | Marmion St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3120004 | McDonald Av | McDonald Av | Plantagenet | 0.75 | Marmion St | 1.63 | Taylor Rd | |
| 1110179 | McDonald Cr | McDonald Cr | Bassendean (T) | 0.00 | May Holman Dr & Yelland Wy | 0.73 | Dyer Rd | |
| 3070130 | McDonald Rd | McDonald Rd | Gnowangerup | 0.00 | Jackitup Rd | 0.94 | McDonald Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3160078 | McDonald Rd | McDonald Rd | West Arthur | 0.00 | Coalfields Rd | 1.78 | McDonald Rd - End Road | |
| 4010054 | McDonald Rd | McDonald Rd | Beverley | 0.00 | Mawson Rd | 4.44 | 4.44km From Mawson Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4030119 | McDonald Rd | McDonald Rd | Bruce Rock | 0.00 | Old Beverley Rd | 1.77 | McDonald Rd - End Road | |
| 5110088 | McDonald Rd | McDonald Rd | Morawa | 0.00 | Morris Rd | 8.00 | McDonald Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5140116 | McDonald Rd | McDonald Rd | Perenjori | 0.00 | Billeroo Rd & Liebe Rd | 4.19 | Bunjil - Carnamah Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6040764 | McDonald Rd | McDonald Rd | Esperance | 0.00 | Flinders Cct | 0.43 | South Coast Hwy | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|------------------------------|--------|---|---|
| 3070022 | McDonald St | McDonald St | Gnowangerup | 0.75 | Allardyce St | 0.95 | Searle St | |
| 4090075 | McDonnell Rd | McDonnell Rd | Kellerberrin | 0.00 | Kwolyin East Rd | 3.57 | Kellerberrin - Shackleton Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3090030 | McDougalls Rd | McDougalls Rd | Kent | 0.00 | Bairstow Rd | 10.79 | McDougalls Rd - End Road | |
| 4290101 | McDougalls Rd | McDougalls Rd | Wickepin | 0.00 | Line Rd & Hill Rd | 8.42 | Wickepin - Harrismith Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4280052 | McDowall Rd | McDowall Rd | Westonia | 0.00 | Boodarockin Rd & Egg Rock Rd | 14.99 | Koorda - Bullfinch Rd | |
| 1130294 | McDowell St | McDowell St | Belmont (C) | 0.00 | Abernethy Rd | 0.25 | Tonkin Hwy (Northbound) off to McDowell St & Baldwin St | |
| 1140451 | McDowell St | McDowell St | Canning (C) | 0.00 | Welshpool Rd | 1.25 | Sheffield Rd West | |
| 1140451 | McDowell St | McDowell St | Canning (C) | 1.25 | Sheffield Rd West | 1.77 | Tomah Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 2090065 | McDowell St | McDowell St | Waroona | 0.00 | Nanga Brook Rd & Hill St | 1.13 | South Western Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No Operation Weekends Public Holidays |
| 1141340 | McElligott Ct | McElligott Ct | Canning (C) | 0.00 | Baile Rd | 0.11 | McElligott Ct - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|--------------------------------------|--------|---------------------------|---|
| 5160025 | McGauran | McGauran | Chapman Valley | 0.00 | Yuna - Tenindewa Rd | 4.95 | Bindoo Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4030049 | McGellin Rd | McGellin Rd | Bruce Rock | 0.00 | Doodlakine - Bruce Rock Rd | 9.92 | Belka South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Belka South Rd : No Right turn permitted from McGellin Rd into Belka South Rd, No Left turn permitted from McGellin Rd into Belka South Rd |
| 4140064 | McGellin Rd | McGellin Rd | Merredin | 0.00 | Flockart Rd & Bruce Rock Merredin Rd | 6.67 | Endersbee Rd & Korbeka Rd | |
| 1011384 | McGill Pass | McGill Pass | Armadale (C) | 0.00 | Edison Cct | 0.06 | Hensbrook Loop | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 5110129 | McGlew St | McGlew St | Morawa | 0.00 | Rubbish Tip Rd | 0.19 | Valentine St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3110052 | McGlenn Rd | McGlenn Rd | Lake Grace | 0.00 | Biddy - Camm Rd | 11.88 | Fisher Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4220021 | McGlenn Rd | McGlenn Rd | Nungarin | 0.00 | Nukarni West Rd | 15.94 | Herbert Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Hodges Rd : No access permitted into Hodges Rd from McGlenn Rd (southbound) |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|---|--------|---------------------------|---|
| 4020114 | McGrath St | McGrath St | Brookton | 0.00 | Brookton Hwy | 0.61 | Youraling Rd | <ul style="list-style-type: none"> Maximum speed 40 km/h |
| 4160022 | McGregor Rd | McGregor Rd | Mukinbudin | 0.00 | Kununoppin - Mukinbudin Rd & Nungarin North Rd | 2.51 | Koorda - Bullfinch Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Koorda - Bullfinch Rd : No left turn permitted into Koorda-Bullfinch Road from Mcgregory Rd |
| 4160022 | McGregor Rd | McGregor Rd | Mukinbudin | 2.90 | Koorda - Bullfinch Rd | 14.33 | Whyte Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Koorda - Bullfinch Rd : No access into Koorda-Bullfinch Road from McGregor Rd |
| 0010009 | McGuigan Rd | McGuigan Rd | Broome | 0.00 | Broome Rd & Broome - Cape Leveque Rd & Broome - Cape Leveque Rd | 6.66 | Lawrence Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h |
| 3180043 | McHardy Rd | McHardy Rd | Jerramungup | 0.00 | Nyerilup Rd | 2.70 | McHardy Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4070042 | McHugh Rd | McHugh Rd | Dowerin | 0.00 | Koombekine North Rd & Lake Koombekine Rd | 8.59 | Parker Rd & Old Koorda Rd | |
| 3100030 | McIlwraith Rd | McIlwraith Rd | Kojonup | 0.00 | Fulcher Rd | 7.21 | Shamrock Rd | |
| 4160074 | McInnes Rd | McInnes Rd | Mukinbudin | 0.00 | Graham Rd | 3.83 | Molyneux Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4120122 | McInnes St | McInnes St | Kulin | 0.00 | Ellson St & Price St | 0.36 | Johnston St | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|--------------------------|----------|---|--------|---|--|
| 1040703 | McIntyre Wy | McIntyre Wy | Gosnells (C) | 0.00 | Albany Hwy | 0.49 | Austin Av | |
| 4310040 | McKay Rd | McKay Rd | Wyalkatchem | 0.00 | Carter Rd | 3.66 | Harrison Rd & Benjaberring South Rd & Amery - Benjaberring Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 8140308 | McKay St | McKay St | Karratha (C) | 0.00 | Coolawanyah Rd | 0.22 | Pemberton Wy | |
| 5040040 | McKays Rd | McKays Rd | Dandaragan | 0.00 | Watheroo Rd | 12.38 | Marchagee Trk | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4010093 | McKellars Rd | McKellars Rd | Beverley | 0.00 | Vincent St | 0.53 | McKellars Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2030241 | McKelvie Rd | McKelvie Rd | Bridgetown - Greenbushes | 0.00 | Catterick Rd & Greenbushes - Boyup Brook Rd | 3.88 | Blackbutt Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4140226 | McKenzie Cr | McKenzie Cr | Merredin | 0.00 | East Barrack St | 1.04 | East Barrack St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|---------------------------|--------|---------------------------|---|
| 3080041 | McKenzie Rd | McKenzie Rd | Katanning | 1.91 | | 4.40 | Katanning - Dumbleyung Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 3080041 | McKenzie Rd | McKenzie Rd | Katanning | 4.40 | Katanning - Dumbleyung Rd | 10.43 | Kelly Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3080041 | McKenzie Rd | McKenzie Rd | Katanning | 10.43 | Kelly Rd | 17.03 | Badger Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4180341 | McKenzie Rd | McKenzie Rd | Narrogin | 0.00 | Williams Kondinin Rd | 1.85 | Clayton Rd & Higham Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4300033 | McKenzie Rd | McKenzie Rd | Williams | 0.00 | Albany Hwy | 3.01 | McKenzie Rd - End Road | |
| 6110037 | McKenzie Rd | McKenzie Rd | Yilgarn | 0.00 | Moorine South Rd | 20.75 | Bennett Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 1030095 | McKinnon St | McKinnon St | Cockburn (C) | 0.00 | Buckley St | 0.25 | Tichborne St | |
| 1050173 | McLaren Av | McLaren Av | Kwinana (C) | 0.34 | Investigator Dr | 0.92 | Reliance Bend | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|----------------------|--------|----------------------|---|
| 3090036 | McLaren Rd | McLaren Rd | Kent | 0.00 | North Fence Rd | 9.14 | Kukerin Rd | |
| 1050181 | McLaughlan Rd | McLaughlan Rd | Kwinana (C) | 0.00 | Anketell Rd | 1.81 | Thomas Rd | <ul style="list-style-type: none"> Intersection Anketell Rd : No left turn permitted into Anketell Rd from McLaughlan Rd |
| 4010084 | McLean Rd | McLean Rd | Beverley | 0.00 | Yenyening Lakes Rd | 2.09 | McLean Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4080063 | McLean Rd | McLean Rd | Goomalling | 0.00 | Northam Pithara Rd | 2.01 | Rossmore Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h No Operation between 7:00 AM to 9:00 AM and 2:30 PM to 4:00 PM Curfew applies to school days only. |
| 4290144 | McLean Rd | McLean Rd | Wickepin | 0.00 | Williams Kondinin Rd | 3.69 | English Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 4090047 | McLellan North Rd | McLellan North Rd | Kellerberrin | 0.00 | McWhirter Rd | 1.61 | McLellan Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|--------------------------|----------|-------------------|--------|----------------------------|---|
| 4090048 | McLellan Rd | McLellan Rd | Kellerberrin | 0.00 | Old Yelbeni Rd | 6.15 | Hanlon Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4100057 | McLennan Rd | McLennan Rd | Kondinin | 0.00 | Kondinin Hyden Rd | 16.63 | Lovering Rd | |
| 4240123 | McLennan St | McLennan St | Quairading | 0.49 | Avon St | 1.23 | Suburban Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 2010180 | McLeod Creek Rd | McLeod Creek Rd | Augusta - Margaret River | 0.00 | Bussell Hwy | 5.10 | McLeod Creek Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3050012 | McLeod Rd | McLeod Rd | Denmark | 0.00 | South Coast Hwy | 8.23 | Scotsdale Rd & Suttons Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|------------------|----------|-------------------|--------|--------------------------------------|---|
| 3120164 | McMahon Rd | McMahon Rd | Plantagenet | 0.00 | The Springs Rd | 2.19 | McMahon Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection The Springs Rd : No right turn permitted into The Springs Rd from McMahon Rd. |
| 4070058 | McMorran Rd | McMorran Rd | Dowerin | 0.00 | Ucarty South Rd | 2.22 | Thornett Rd & Dowerin - Meckering Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5040012 | McNamara Rd | McNamara Rd | Dandaragan | 0.00 | North West Rd | 8.23 | Brand Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5160026 | McNaught Mazzuchelli Rd | McNaught Mazzuchelli Rd | Chapman Valley | 0.00 | Hayward Rd | 8.60 | East Bowes Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|-------------------|--------|-----------------------|--|
| 4310009 | McNee Rd | McNee Rd | Wyalkatchem | 0.00 | Nembudding Bin Rd | 9.22 | Elsegood Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4310009 | McNee Rd | McNee Rd | Wyalkatchem | 9.36 | Elsegood Rd | 18.91 | Wallambin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1180374 | McNeece Pl | McNeece Pl | Fremantle (C) | 0.00 | Peel Rd | 0.12 | McNeece Pl - End Road | |
| 4090055 | McNeil Rd | McNeil Rd | Kellerberrin | 0.00 | Victoria Rd | 3.72 | Glenluce Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|-------------------------|--------|--------------------------------------|---|
| 4090055 | McNeil Rd | McNeil Rd | Kellerberrin | 3.83 | Glenluce Rd | 10.09 | Kellerberrin - Yoting Rd & Nelson Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4130012 | McNeil Rd | McNeil Rd | Trayning | 0.00 | Nungarin Wyalkatchem Rd | 7.49 | Sachse Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5150017 | McNeil Rd | McNeil Rd | Three Springs | 0.00 | Maley Rd | 3.16 | McNeill Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030188 | McNeill St | McNeill St | Dalwallinu | 0.53 | Myers St | 0.71 | Rayner St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5030188 | McNeill St | McNeill St | Dalwallinu | 0.71 | Rayner St | 0.90 | Leahy St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|-------------------------------------|--------|--------------------------------------|--|
| 5190023 | McPartland Rd | McPartland Rd | Coorow | 0.00 | Waddy Forest Rd | 12.00 | Winchester East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4280013 | McPharlin Rd | McPharlin Rd | Westonia | 0.00 | Burracoppin South Rd & McPharlin Rd | 6.73 | Day Rd | |
| 4070071 | McPherson Rd | McPherson Rd | Dowerin | 0.00 | Williams Rd & Pulford Rd | 2.61 | Wyalkatchem LGA Boundary | |
| 4100123 | McPherson St | McPherson St | Kondinin | 0.00 | Marshall St | 0.36 | Hyden - Mount Walker Rd & Clayton St | |
| 5010124 | McPherson St | McPherson St | Carnamah | 0.26 | Robertson St | 0.30 | For 40 M North Easterly | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Delivery to Landmark Supplies only. |
| 4090161 | McQueen Rd | McQueen Rd | Kellerberrin | 0.00 | Tammin LGA Boundary | 1.67 | Ryan Rd & Nanyanine Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h No Operation between the hours of sunset and sunrise Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4250060 | McQueen Rd | McQueen Rd | Tammin | 0.00 | Bungulla North Rd | 1.76 | Kellerberrin LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1031421 | McTaggart Cove | McTaggart Cove | Cockburn (C) | 0.00 | Cockburn Rd | 0.35 | McTaggart Cove - End Road | |
| 4090046 | McWhirter Rd | McWhirter Rd | Kellerberrin | 0.00 | Old Yelbeni Rd | 6.60 | Hanlon Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|-----------------------------|--------|---------------------------------|---|
| 5110059 | McWhirter Rd | McWhirter Rd | Morawa | 0.00 | Madden Rd | 8.10 | McWhirter Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3120166 | McWilliams Rd | McWilliams Rd | Plantagenet | 0.00 | Nornalup Rd | 3.86 | For 3.86 Km to Plantation Entry | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3020313 | Mead Rd | Mead Rd | Albany (C) | 0.00 | South Coast Hwy | 3.60 | Nanarup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. 'Trucks Entering' signs to be erected and removed when not in use. Intersection South Coast Hwy : No right turn permitted into South Coast Hwy from Mead St. No left turn permitted into Mead Rd from South Coast Hwy. |
| 5030220 | Meadows Rd | Meadows Rd | Dalwallinu | 0.00 | Meadows Rd & Rifle Range Rd | 4.24 | Damboring East Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5040646 | Meadows Rd | Meadows Rd | Dandaragan | 0.00 | Indian Ocean Dr | 13.24 | Mimegarra Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Maximum speed 80 km/h Report all road damage to the Shire of Dandaragan immediately. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|--------------------------|----------|-----------------------------|--------|-----------------------------|--|
| 5180015 | Meadows Rd | Meadows Rd | Wongan - Ballidu | 0.00 | Meadows Rd & Rifle Range Rd | 8.68 | Ranger Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5040117 | Meagher Dr | Meagher Dr | Dandaragan | 0.00 | Brand Hwy | 0.31 | 0.308kms From Brand Hwy | |
| 2170181 | Meagher Rd | Meagher Rd | Donnybrook - Balingup | 0.00 | Cundinup - Kirup Rd | 1.43 | Ewarts Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1141457 | Meares Wy | Meares Wy | Canning (C) | 0.00 | Oban Link | 0.33 | Mordaunt Cct | |
| 4240062 | Mears Rd | Mears Rd | Quairading | 0.00 | Waghorn Rd | 3.08 | Anderson Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 0040086 | Meat Works Rd | Meat Works Rd | Wyndham - East Kimberley | 0.00 | Harbour Rd & Gully Rd | 0.72 | Barytes Rd | |
| 4060169 | Meckering - Dowerin Rd | Meckering - Dowerin Rd | Cunderdin | 0.00 | Solomon Back Rd & Carter Rd | 23.42 | Quelagetting Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Wilding Rd : No right turn permitted into Wilding Rd from Meckerin-Dowerin Rd |
| 4060169 | Meckering - Dowerin Rd | Meckering - Dowerin Rd | Cunderdin | 23.42 | Quelagetting Rd | 30.76 | Dowerin - Meckering Rd | |
| 4100062 | Medcalf Rock Rd | Medcalf Rock Rd | Kondinin | 0.00 | Karlgarin East Rd | 7.32 | Holmes Rd & Pederah East Rd | |
| 4300026 | Medlen Rd | Medlen Rd | Williams | 0.00 | Albany Hwy | 8.26 | Medlen Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4150104 | Medlin St | Medlin St | Mount Marshall | 0.00 | Burakin - Wialki Rd | 0.33 | Lindsay St & Calderwood Dr | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------------|------------------------------|------------------|----------|---|--------|---------------------------------|--|
| 3180087 | Meechi Rd | Meechi Rd | Jerramungup | 0.00 | Devils Creek Rd | 8.00 | 0.28km From Dog Proof Fence Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 7030047 | Meehan St | Meehan St | Meekatharra | 0.00 | Hill St | 0.14 | Main St | |
| 7030001 | Meekatharra - Mount Clere Rd | Meekatharra - Mount Clere Rd | Meekatharra | 0.00 | Great Northern Hwy | 12.90 | Big Bell Operations Access Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h |
| 7030001 | Meekatharra - Mount Clere Rd | Meekatharra - Mount Clere Rd | Meekatharra | 12.90 | Big Bell Operations Access Rd | 181.27 | Upper Gascoyne LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 8050011 | Meekatharra - Mount Clere Rd | Meekatharra - Mount Clere Rd | Upper Gascoyne | 0.00 | Landor - Mount Clere Rd & Mt Clere - Woodlands Rd | 21.65 | Meekatharra LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 7010004 | Meekatharra - Sandstone Rd | Meekatharra - Sandstone Rd | Sandstone | 0.00 | Sandstone - Wiluna Rd | 49.47 | 3.66km From Cogla Downs East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 7010004 | Meekatharra - Sandstone Rd | Meekatharra - Sandstone Rd | Sandstone | 49.47 | 3.66km From Cogla Downs East Rd | 62.59 | Meekatharra LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 7030068 | Meekatharra - Sandstone Rd | Meekatharra - Sandstone Rd | Meekatharra | 0.00 | Murchison Downs Rd | 100.72 | Sandstone LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h |
| 4100132 | Meeking Cr | Meeking Cr | Kondinin | 0.00 | Marshall St & Kondinin Hyden Rd | 0.14 | Munday Loop | |
| 1091838 | Meka St | Meka St | Swan (C) | 0.00 | Beringarra Av | 0.12 | Boulder Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 6020071 | Melaleuca Rd | Melaleuca Rd | Coolgardie | 0.00 | Marianthus Rd | 1.00 | Casuarina Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|--|----------|--------------------------------|--------|--|---|
| 6100023 | Melaleuca Rd | Melaleuca Rd | Ravensthorpe | 0.00 | Mills Rd | 32.47 | West Point Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 4100117 | Melba St | Melba St | Kondinin | 0.00 | Kondinin Hyden Rd | 1.21 | Pederah Rd & Swan St | |
| 4110065 | Melbin Rd | Melbin Rd | Koorda | 0.00 | Kulja Central Rd | 2.87 | Melbin Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5180171 | Melbourne Rd | Melbourne Rd | Wongan - Ballidu | 0.00 | Pioneer Rd | 0.65 | Central Rd | |
| 5100087 | Melbourne St | Melbourne St | Moora | 1.36 | For 0.36km From Woolawa Street | 1.72 | Woolawa St | |
| 4050065 | Melchiorre Rd | Melchiorre Rd | Cuballing | 0.00 | Congelin - Narrogin Rd | 4.35 | Melchiorre Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 8140686 | Melford Rd | Melford Rd | Karratha (C) | 0.00 | Madigan Rd | 0.14 | Corringer Av | |
| 1060017 | Meliador Wy | Meliador Wy | Mundaring | 0.00 | Runyon Rd | 0.55 | Elmsfield Rd | |
| 6056068 | Melrose St | Melrose St | Kalgoorlie - Boulder (C) | 0.00 | Nambi Wy | 0.44 | Greenhill Rd | |
| H002 | Melville Mandurah Hwy | Stock Rd Rockingham Rd Patterson Rd Ennis Av Mandurah Rd | Melville (C) Fremantle (C) Cockburn (C) Kwinana (C) Rockingham (C) Mandurah (C) | 0.00 | Stock Rd & Leach Hwy | 56.04 | Mandjoogoordap Dr Rty | <ul style="list-style-type: none"> Intersection Wattleup Rd : No U-turn permitted in either direction on Melville Mandurah Hwy at the Wattleup Road intersection. Intersection Park Rd : No left turn permitted into Park Rd from Melville Mandurah Hwy |
| H298 | Melville Mandurah Hwy off to Port Kennedy Dr | Melville Mandurah Hwy off to Port Kennedy Dr | Rockingham (C) | 0.00 | Ennis Av | 0.28 | Port Kennedy Dr & Ennis Av & Port Kennedy Dr Acceleration Lane | |
| 5090075 | Melville St | Melville St | Mingenew | 0.00 | Eleanor St | 0.15 | Ernest St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|-----------------------|----------|-------------------|--------|--|---|
| 4070059 | Melvin Rd | Melvin Rd | Dowerin | 0.00 | Thornett Rd | 2.41 | Melvin Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3180008 | Memorial Rd | Memorial Rd | Jerramungup | 0.00 | South Coast Hwy | 0.20 | Bennett St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3180008 | Memorial Rd | Memorial Rd | Jerramungup | 0.92 | Kokoda Rd | 1.10 | Gnowangerup Jerramungup Rd | |
| H054 | Menang Dr | Menang Dr | Albany (C) | 0.00 | Chester Pass Rd | 16.07 | Slip From Hanrahan Rty Link on to Menang Dr (Southbound) & Princess Royal Dr | |
| H1013 | Menang Dr (Northbound) on to Albany Hwy (Northbound) | Menang Dr (Northbound) on to Albany Hwy (Northbound) | Albany (C) | 0.00 | Menang Dr | 0.62 | Albany Hwy | |
| H1018 | Menang Dr - Hanrahan Rd Rty Link | Menang Dr - Hanrahan Rd Rty Link | Albany (C) | 0.00 | Menang Dr | 0.25 | Hanrahan Rd Rty | |
| H1012 | Menang Dr on to Albany Hwy | Menang Dr on to Albany Hwy | Albany (C) | 0.00 | Menang Dr | 0.52 | Albany Hwy | |
| H863 | Menang Dr to South Coast Hwy Slip Rd | Menang Dr to South Coast Hwy Slip Rd | Albany (C) | 0.00 | Menang Dr | 0.08 | Chester Pass Rd | |
| 5050632 | Menang Rd | Menang Rd | Greater Geraldton (C) | 0.00 | Ardingly South Rd | 9.37 | Geraldton Mt Magnet Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------|----------|---|--------|-------------------------------|--|
| 5040130 | Menardie Rd | Menardie Rd | Dandaragan | 0.00 | Dandaragan Rd | 2.77 | Yandin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 7010003 | Menzies - Sandstone Rd | Menzies - Sandstone Rd | Sandstone | 0.00 | Paynes Find - Sandstone Rd | 85.78 | Menzies North West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6090007 | Menzies North West Rd | Menzies North West Rd | Menzies | 0.00 | Onslow St | 191.42 | Menzies - Sandstone Rd | <ul style="list-style-type: none"> Maximum speed not to exceed 80 km/h on any unsealed portion of road. |
| 6110078 | Meranda North Rd | Meranda North Rd | Yilgarn | 0.00 | Reynolds Rd & Liebeck Rd | 17.15 | Cramphorne Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 6110078 | Meranda North Rd | Meranda North Rd | Yilgarn | 17.15 | Cramphorne Rd | 37.49 | Moorine South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6110078 | Meranda North Rd | Meranda North Rd | Yilgarn | 37.49 | Moorine South Rd | 58.20 | Emu Fence Rd & King Ingram Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 1091900 | Mercantile Wy | Mercantile Wy | Swan (C) | 0.00 | Mulgul Rd | 0.66 | Mulgul Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 3020122 | Mercer Rd | Mercer Rd | Albany (C) | 0.00 | Chester Pass Rd | 0.70 | 0.55km After Viastra Dr | |
| 3160069 | Mercer Rd | Mercer Rd | West Arthur | 0.00 | Albany Hwy | 1.17 | Mercer Rd - End Road | |
| 1071413 | Merchant Dr | Merchant Dr | Rockingham (C) | 0.00 | Patterson Rd | 0.64 | Pedlar Cct | |
| 5029001 | Mercury Rise | Mercury Rise | Chittering | 0.00 | Great Northern Hwy & Over-Height Vehicle Bypass | 0.50 | Verlort Dr | |
| 2180077 | Meredith Rd | Meredith Rd | Boyup Brook | 0.00 | Donnybrook Kojonup Rd | 7.36 | Wilga East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 5100023 | Merewana Rd | Merewana Rd | Moora | 0.00 | Miling North Rd | 27.67 | Watheroo Miling Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3060026 | Merilup Rd | Merilup Rd | Dumbleyung | 0.00 | Kent LGA Boundary | 4.77 | One Twenty Nine Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|--------------------------|----------|----------------------------------|--------|--|--|
| 3060026 | Merilup Rd | Merilup Rd | Dumblenyung | 4.88 | One Twenty Nine Rd | 11.50 | Kukerin South Rd | <ul style="list-style-type: none"> Intersection One Twenty Nine Rd : No access permitted into One Twenty Nine Rd from Merilup Rd (west entrance) |
| 3090038 | Merilup Rd | Merilup Rd | Kent | 0.00 | Kukerin Rd | 13.93 | Dumblenyung LGA Boundary | |
| 6040001 | Merivale Rd | Merivale Rd | Esperance | 0.00 | Fisheries Rd | 55.94 | Orleans Bay Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6040001 | Merivale Rd | Merivale Rd | Esperance | 55.96 | Orleans Bay Rd | 95.72 | Tagon Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040001 | Merivale Rd | Merivale Rd | Esperance | 95.72 | Tagon Rd | 108.71 | Grewar Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6070005 | Merolia Rd | Merolia Rd | Laverton | 0.00 | Laverton Bypa | 27.14 | Burtville - Hackwell Rd & Cogia - Merolia Rd | |
| 4140239 | Merredin - Naremben Rd | Merredin - Naremben Rd | Merredin | 0.00 | Great Eastern Hwy | 8.59 | Collgar South Rd | |
| 4140239 | Merredin - Naremben Rd | Merredin - Naremben Rd | Merredin | 8.59 | Collgar South Rd | 10.00 | 0.58km From Bulls Head Rd | <ul style="list-style-type: none"> HVS Update 7-2022 |
| 4140239 | Merredin - Naremben Rd | Merredin - Naremben Rd | Merredin | 10.00 | 0.58km From Bulls Head Rd | 36.48 | Naremben LGA Boundary | |
| 4170131 | Merredin - Naremben Rd | Merredin - Naremben Rd | Naremben | 0.00 | Merredin LGA Boundary | 30.08 | Fricker Rd | |
| 4170131 | Merredin - Naremben Rd | Merredin - Naremben Rd | Naremben | 30.08 | Fricker Rd | 30.92 | Currall St & Brown St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 3022026 | Merrifield St | Merrifield St | Albany (C) | 0.00 | Newbey St | 0.27 | Merrifield St - Dead End | <ul style="list-style-type: none"> Empty Travel Only Intersection Newbey St : No Left Turn Into Newbey St From Merrifield St. No Right Turn Into Merrifield St From Newbey St. |
| 2030195 | Mersea Rd | Mersea Rd | Bridgetown - Greenbushes | 0.00 | Wilgarrup Rd & South Western Hwy | 5.32 | Seaton Ross Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2150858 | Mervyn St | Mervyn St | Murray | 0.00 | Midgegooroo Rd | 0.45 | Mervyn St - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|--------------------------|----------|-------------------------------|--------|----------------------------|---|
| 4050023 | Merwanga Rd | Merwanga Rd | Cuballing | 0.00 | Williams Rd | 2.81 | Pingelly LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4230009 | Merwanga Rd | Merwanga Rd | Pingelly | 0.00 | North Bannister - Pingelly Rd | 6.10 | Cuballing LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 0040097 | Messmate Wy | Messmate Wy | Wyndham - East Kimberley | 0.00 | Victoria Hwy | 0.15 | 0.145km From Victoria Hwy | <ul style="list-style-type: none"> Intersection Victoria Hwy : No right turn permitted into Victoria Hwy from Messmate Wy. |
| 4070079 | Metcalf East Rd | Metcalf East Rd | Dowerin | 0.00 | Cunderdin - Minnivale Rd | 4.84 | Metcalf East Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|------------------------------------|--------|---------------------------|---|
| 4070080 | Metcalf Rd | Metcalf Rd | Dowerin | 0.00 | Metcalf East Rd | 5.28 | Wyalkatchem LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4170034 | Metcalf Rd | Metcalf Rd | Naremben | 0.00 | Soldiers Rd | 4.67 | Yeomans Rd | |
| 4170034 | Metcalf Rd | Metcalf Rd | Naremben | 4.68 | Yeomans Rd | 14.64 | Wogarl East Rd | |
| 4310089 | Metcalf Rd | Metcalf Rd | Wyalkatchem | 0.00 | Benjaberring - Hindmarsh Rd | 0.82 | Dowerin LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4070091 | Metcalf St | Metcalf St | Dowerin | 0.00 | Stewart St & Dowerin - Kalannie Rd | 1.29 | Jones St & Golf Course Rd | <ul style="list-style-type: none"> Access permitted over the duration of the Dowerin Field Days only. |
| 5140033 | Metcalf Rd | Metcalf Rd | Perenjori | 0.00 | Grant Rd | 20.94 | Caron Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|-------------------------|----------|-----------------------------------|--------|--|--|
| 2050013 | Metricup Rd | Metricup Rd | Busselton (C) | 0.00 | Bussell Hwy | 1.37 | Walburra Siding Rd & Metricup - Yelverton Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3020022 | Mettler Rd | Mettler Rd | Albany (C) | 0.00 | South Coast Hwy | 16.14 | Sandalwood Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 6040011 | Meyer Rd | Meyer Rd | Esperance | 0.00 | Fisheries Rd | 27.80 | Howick Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4180230 | Michael Brown Rd | Michael Brown Rd | Narrogin | 0.00 | Williams Kondinin Rd & Sprigg Trk | 5.88 | Narrogin - Harris Smith Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Williams Kondinin Rd & Sprigg Trk : No access permitted to or from Narrogin-Kondinin Rd |
| 5090031 | Michael Rd | Michael Rd | Mingenew | 0.00 | Nanekine Rd | 5.93 | Michael Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 1080237 | Michael St | Michael St | Serpentine - Jarrahdale | 0.00 | Dougall St | 0.12 | Michael St - End Road | |
| 5050700 | Micke Rd | Micke Rd | Greater Geraldton (C) | 0.00 | Erangy Spring Rd | 7.99 | Casuarinas Rd | |
| 5110089 | Mickie Rd | Mickie Rd | Morawa | 0.00 | Mullewa Wubin Rd | 5.47 | Mickie Rd - End Road | |
| 1091269 | Midas Rd | Midas Rd | Swan (C) | 0.00 | Victoria Rd | 0.51 | Camboon Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 3180051 | Middamidjup Rd | Middamidjup Rd | Jerramungup | 0.00 | Jacup North Rd | 20.14 | Mallee Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|--|---|----------|---------------------------------|--------|--------------------------------------|--|
| 6100015 | Middle Rd | Middle Rd | Ravensthorpe | 0.00 | Tamarine Rd | 9.02 | Mason Bay Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 6100015 | Middle Rd | Middle Rd | Ravensthorpe | 9.13 | Mason Bay Rd | 19.60 | Fence Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 6100015 | Middle Rd | Middle Rd | Ravensthorpe | 19.63 | Fence Rd | 31.27 | Bedford Harbour Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 6100015 | Middle Rd | Middle Rd | Ravensthorpe | 31.31 | Bedford Harbour Rd | 41.44 | Coxall Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 4040053 | Middleton Rd | Middleton Rd | Corrigin | 0.00 | Kulin LGA Boundary | 17.94 | Rabbit Proof Fence Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4120050 | Middleton Rd | Middleton Rd | Kulin | 0.00 | Corrigin LGA Boundary | 1.81 | Kondinin Lake Rd & Corrigin Kulin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2150824 | Midgegooroo Rd | Midgegooroo Rd | Murray | 0.00 | Dollyup St | 0.34 | Midgegooroo Rd - End Road | |
| M028 | Midlands | Midlands Rd Gardiner St Clinch St Roberts Rd Poynton Pde Railway Rd | Moora Coorow Carnamah Three Springs Mingenew Irwin | 0.00 | Great Northern Hwy | 262.86 | Brand Hwy | <ul style="list-style-type: none"> Intersection Franklin Rd : No left turn permitted into Franklin Rd from Midlands Rd Intersection Sunset Rd & Rothsay Rd : No left turn permitted into Rothsay Rd from Midlands Rd. Intersection Tabletop Rd : No access permitted into Tabletop Rd from Midlands |
| 4160079 | Miguel East Rd | Miguel East Rd | Mukinbudin | 0.00 | Boundary Rd | 7.59 | Moondon Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1030027 | Miguel Rd | Miguel Rd | Cockburn (C) | 0.00 | Miguel Rd - Start Road | 1.00 | Barrington St | |
| 3060047 | Mild Waters Rd | Mild Waters Rd | Dumbleyung | 0.00 | Doradine Rd | 2.70 | Mild Waters Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1130064 | Miles Rd | Miles Rd | Belmont (C) | 0.00 | Leach Hwy | 1.40 | Kewdale Rd | |
| 1290111 | Milford St | Milford St | Victoria Park (T) | 0.16 | Swansea St East | 0.50 | Bank St | |
| 7030026 | Milgun - Yarlarweelor Rd | Milgun - Yarlarweelor Rd | Meekatharra | 0.00 | Ashburton Dwns - Meekatharra Rd | 48.77 | Meekatharra - Mount Clere Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h |
| 5050731 | Milgy Spring Rd | Milgy Spring Rd | Greater Geraldton (C) | 0.00 | Grima Rd | 5.40 | Milgy Spring Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|---------------------------------|--------|------------------------------|---|
| 5100016 | Miling East Rd | Miling East Rd | Moora | 0.00 | Seymour St & Ferguson St | 0.40 | Miling East Rd (Start Break) | |
| 5100016 | Miling East Rd | Miling East Rd | Moora | 0.68 | Great Northern Hwy | 14.29 | Nadji Mia Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5030085 | Miling North Rd | Miling North Rd | Dalwallinu | 0.00 | Carot Well Rd & Miling North Rd | 10.10 | Coorow LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5100006 | Miling North Rd | Miling North Rd | Moora | 0.00 | Miling North Rd & Carot Well Rd | 22.54 | Great Northern Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5190029 | Miling North Rd | Miling North Rd | Coorow | 0.00 | Wubin - Gunyidi Rd | 4.34 | Dalwallinu LGA Boundary | |
| 5100007 | Miling West Rd | Miling West Rd | Moora | 0.00 | Great Northern Hwy | 23.37 | Old Geraldton Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Old Geraldton Rd : No access permitted into Old Geraldton Road from Miling West Road. |
| 1091251 | Military Rd | Military Rd | Swan (C) | 0.00 | Clayton St | 1.47 | Bushmead Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 5070042 | Military Rd | Military Rd | Gingin | 2.67 | Chitna Rd | 14.79 | Indian Ocean Dr | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Chitna Rd : No access permitted into Chitna Rd from Military Rd |
| 3120100 | Mill Rd | Mill Rd | Plantagenet | 0.00 | Muir Hwy | 7.71 | Turpin Rd & Kent River Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 1070101 | Millar Rd | Millar Rd | Rockingham (C) | 0.37 | Kulija Rd | 3.80 | Baldivis Rd | |
| 4100079 | Millar Rd | Millar Rd | Kondinin | 0.00 | Cashmore Rd | 1.67 | Millar Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|--------------------------|----------|-------------------|--------|------------------------|--|
| 4150109 | Millar Rd | Millar Rd | Mount Marshall | 0.00 | Gillett Rd | 4.39 | | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 2010383 | Millar Wy | Millar Wy | Augusta - Margaret River | 0.00 | Hart Rd | 0.39 | Brindley St | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 3020004 | Millbrook Rd | Millbrook Rd | Albany (C) | 0.00 | Chester Pass Rd | 16.21 | 0.02km From Albany Hwy | |
| 4010049 | Miller Rd | Miller Rd | Beverley | 0.00 | Bremner Rd | 3.28 | Millers Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 8130172 | Miller St | Miller St | Port Hedland (T) | 0.00 | Moorambine St | 0.16 | Miller St - End Road | |
| 3120117 | Millinup Rd | Millinup Rd | Plantagenet | 0.00 | Chester Pass Rd | 4.75 | Sixpenny Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3120117 | Millinup Rd | Millinup Rd | Plantagenet | 4.75 | Sixpenny Rd | 8.41 | Rogers Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|--------------------------|----------|-------------------|--------|------------------------------|---|
| 3120117 | Millinup Rd | Millinup Rd | Plantagenet | 13.01 | Woodlands Rd | 14.20 | Millinup Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Woodlands Rd : No access permitted to or from Woodlands Rd. |
| 5110070 | Milloy Rd | Milloy Rd | Morawa | 0.00 | Gutha West Rd | 12.11 | Milloy Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1091836 | Millrose Dr | Millrose Dr | Swan (C) | 0.00 | Beringarra Av | 0.76 | Beringarra Av | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 4030128 | Mills - Hammond St | Mills - Hammond St | Bruce Rock | 0.00 | Jermyn Rd | 0.56 | Kellerberrin - Shackleton Rd | |
| 0040219 | Mills Rd | Mills Rd | Wyndham - East Kimberley | 0.00 | Ivanhoe Rd | 3.00 | Weaber Plain Rd | |
| 3090083 | Mills Rd | Mills Rd | Kent | 0.00 | Dualling Rd | 3.48 | | |
| 3120153 | Mills Rd | Mills Rd | Plantagenet | 0.00 | Porongurup Rd | 1.94 | Mills Rd - End Road | |
| 4010080 | Mills Rd | Mills Rd | Beverley | 0.00 | Northbourne Rd | 2.40 | York LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|----------------------------|--------|-------------------------|---|
| 4020026 | Mills Rd | Mills Rd | Brookton | 0.00 | Brookton-Corrigin Rd | 9.97 | Lake Mears Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4020026 | Mills Rd | Mills Rd | Brookton | 9.97 | Lake Mears Rd | 16.38 | Greig Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4240086 | Mills Rd | Mills Rd | Quairading | 0.00 | Lake Mears Rd | 1.93 | Mills Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4330074 | Mills Rd | Mills Rd | York | 0.00 | Quairading York Rd | 5.69 | Beverley LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6040045 | Mills Rd | Mills Rd | Esperance | 2.18 | | 10.35 | Farmers Rd | |
| 6040045 | Mills Rd | Mills Rd | Esperance | 10.35 | Farmers Rd | 25.11 | Neds Corner Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040045 | Mills Rd | Mills Rd | Esperance | 25.15 | Neds Corner Rd | 37.40 | Beltana Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6100018 | Mills Rd | Mills Rd | Ravensthorpe | 0.00 | South Coast Hwy | 5.50 | | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 1040007 | Mills Rd East | Mills Rd East | Gosnells (C) | 0.00 | Tonkin Hwy & Mills Rd West | 0.30 | Cockram Rd | |
| 1140057 | Mills St Nth | Mills St Nth | Canning (C) | 0.65 | Mills St Nth - Start Road | 1.41 | Mills St Nth - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|--------------------------|--------|-----------------------------|---|
| 5180046 | Millsteed Rd | Millsteed Rd | Wongan - Ballidu | 0.00 | Old Ballidu Rd | 3.28 | Millsteed Rd - End Road | |
| 3020063 | Millstream Rd | Millstream Rd | Albany (C) | 0.00 | Albany Hwy | 3.06 | Millstream Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1092013 | Milly Ct | Milly Ct | Swan (C) | 0.00 | Beringarra Av | 0.31 | Milly Ct Cul-De-Sac | |
| 4160078 | Milne Rd | Milne Rd | Mukinbudin | 0.00 | Mukinbudin North East Rd | 6.48 | Bonnie Rock - Lake Brown Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5080004 | Milo Rd | Milo Rd | Irwin | 0.00 | Midlands Rd | 23.00 | Mingenew LGA Boundary | |
| 5090024 | Milo Rd | Milo Rd | Mingenew | 0.00 | Midlands Rd | 3.25 | Irwin LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1180431 | Milson Pl | Milson Pl | Fremantle (C) | 0.00 | Jones St & Mooney Pl | 0.31 | Milson Pl - End Road | |
| 3110211 | Milsteed Rd | Milsteed Rd | Lake Grace | 0.00 | Old Newdegate Rd | 6.24 | Long Creek Rd & Mallee Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3110065 | Milton Rd | Milton Rd | Lake Grace | 0.00 | Beenong North Rd | 4.33 | Duckworth Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4230016 | Milton Rd | Milton Rd | Pingelly | 0.00 | Bullaring Rd | 0.32 | 0.32km From Bullaring Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|--------------------------|--------|--------------------------------|---|
| 4230016 | Milton Rd | Milton Rd | Pingelly | 0.32 | 0.32km From Bullaring Rd | 8.44 | Woyerling Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Woyerling Rd : No access permitted to or from Milton Rd From The Bickers Rd / Kew Rd / Mcdonald Rd Intersection |
| 4230016 | Milton Rd | Milton Rd | Pingelly | 8.44 | Woyerling Rd | 12.84 | Yealering - Pingelly Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2160005 | Milyeannup Coast Rd | Milyeannup Coast Rd | Nannup | 0.00 | Stewart Rd | 26.56 | Milyeannup Coast Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5040027 | Mimegarra Rd | Mimegarra Rd | Dandaragan | 0.00 | Brand Hwy & Yandin Rd | 24.85 | Mimegarra Rd & Dingo Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5180062 | Mincherton Rd | Mincherton Rd | Wongan - Ballidu | 0.00 | Clarke Rd | 5.05 | Wongan Hills-Cadoux Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|--------------------------|----------|--|--------|--|---|
| 4240063 | Minchin Rd | Minchin Rd | Quairading | 0.00 | Balkuling North Rd | 0.97 | Minchin South Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4240066 | Minchin South Rd | Minchin South Rd | Quairading | 0.00 | Minchin Rd | 1.51 | Minchin South Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2010701 | Minchin Wy | Minchin Wy | Augusta - Margaret River | 0.00 | Auger Wy | 0.48 | Boodjidup Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 5050626 | Mindage Spring Rd | Mindage Spring Rd | Greater Geraldton (C) | 0.00 | Sullivan Rd | 24.90 | Belinga Spring Rd | |
| 3070013 | Mindarabin Rd | Mindarabin Rd | Gnowangerup | 0.00 | Old Ongerup Rd | 16.77 | Kent LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3090100 | Mindarabin Rd | Mindarabin Rd | Kent | 0.00 | Nyabing South Rd | 3.70 | Gnowangerup LGA Boundary | |
| 3020075 | Mindijup Rd | Mindijup Rd | Albany (C) | 0.00 | Palmdale Rd | 6.95 | For 6.95km From Palmdale Road to Sand Mine Access Road | <ul style="list-style-type: none"> No operation permitted between SLK 6.95 - 8.35 due to excessive grades and unsuitable floodway. |
| 3020075 | Mindijup Rd | Mindijup Rd | Albany (C) | 8.35 | For 3.33km From Takenup Road to Plantation Access Gate | 11.68 | Takenup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). No operation permitted between SLK 6.95 - 8.35 due to excessive grades and unsuitable floodway. |
| 3030100 | Mindora Rd | Mindora Rd | Broomehill - Tambellup | 0.00 | Great Southern Hwy | 1.35 | Mindora Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 8110216 | Mine Rd | Mine Rd | Ashburton | 0.00 | Manuwarra Red Dog Hwy | 3.12 | Hamersley Operations Access Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|-----------------------|----------|---------------------------------|--------|---------------------------------------|---|
| 5010122 | Mineral Sands Rd | Mineral Sands Rd | Carnamah | 0.00 | Three Springs - Eneabba Rd | 6.61 | Mineral Sands Rd - End Road | |
| 702Z010 | Miners Pass | Miners Pass | Cue | 0.00 | Great Northern Hwy | 3.12 | Beringarra - Cue Rd | |
| 7030041 | Mingah Springs Rd | Mingah Springs Rd | Meekatharra | 0.00 | Ashburton Dwns - Meekatharra Rd | 65.94 | Peak Hill - Three Rivers Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h |
| 5050758 | Mingenew - Mullewa Rd | Mingenew - Mullewa Rd | Greater Geraldton (C) | 0.00 | Mingenew LGA Boundary | 49.02 | Geraldton Mt Magnet Rd | |
| 5090080 | Mingenew - Mullewa Rd | Mingenew - Mullewa Rd | Mingenew | 0.00 | Mingenew Morawa Rd | 31.09 | Greater Geraldton (C) LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| M025 | Mingenew Morawa | Mingenew Morawa Rd | Mingenew Morawa | 0.00 | William St & Midlands Rd | 58.75 | Morawa - Yalgoo Rd & Mullewa Wubin Rd | |
| 5090001 | Mingenew South Rd | Mingenew South Rd | Mingenew | 0.00 | Midlands Rd | 16.59 | Yandanooka West Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| H048 | Minilya Exmouth Rd | Minilya Exmouth Rd | Carnarvon Exmouth | 0.00 | North West Coastal Hwy | 211.75 | Murat Rd & Preston St | |
| 0010177 | Minilya Rd | Minilya Rd | Broome | 0.00 | Tanami Dr | 0.57 | Harriet Rd | |
| 4090053 | Minkadine Rd | Minkadine Rd | Kellerberrin | 0.00 | Great Eastern Hwy | 9.37 | Pudlycutting Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5051020 | Minnenooka Rd | Minnenooka Rd | Greater Geraldton (C) | 0.00 | Arthur Rd | 21.28 | Sandsprings Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|------------------|----------|-------------------------|--------|---|--|
| 4130013 | Minniberri Rd | Minniberri Rd | Trayning | 0.00 | Huandanning Rd | 20.30 | Purdy Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Doodlakine - Kununoppin Rd : No access permitted to or from Doodlakine-Kununoppin Rd. No straight through access permitted at Doodlakine-Kununoppin Rd. |
| 2180068 | Minninup Rd | Minninup Rd | Boyup Brook | 0.00 | Kojonup LGA Boundary | 3.10 | Foley Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3100120 | Minninup Rd | Minninup Rd | Kojonup | 0.00 | Tenner Rd | 2.78 | Boyup Brook LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4070026 | Minnivale North East Rd | Minnivale North East Rd | Dowerin | 0.00 | Amery - Benjaberring Rd | 3.68 | Approximately 3.6 Kms East of Amery - Benjaberring Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|------------------|----------|---------------------------------|--------|--------------------------|--|
| 4070026 | Minnivale North East Rd | Minnivale North East Rd | Dowerin | 3.68 | 960m From Rabbit Proof Fence Rd | 6.29 | Wyalkatchem LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4310054 | Minnivale North East Rd | Minnivale North East Rd | Wyalkatchem | 0.00 | Lewis Rd & Martin Rd | 6.73 | Dowerin LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5040033 | Minyulo Rd | Minyulo Rd | Dandaragan | 0.00 | Cataby Rd | 5.74 | Walpying Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1100168 | Mirraboooka Av | Mirraboooka Av | Wanneroo (C) | 4.99 | Furniss Rd | 5.83 | Gnangara Rd | |
| 3100159 | Mission Rd | Mission Rd | Kojonup | 0.00 | Cherry Tree Pool Rd | 6.75 | Onslow Rd | |
| 3110195 | Mission Rd | Mission Rd | Lake Grace | 0.00 | Newdegate Ravensthorpe Rd | 11.13 | Biddy - Camm Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4090008 | Mission Rd | Mission Rd | Kellerberrin | 0.00 | Great Eastern Hwy & Unknown Rd | 27.94 | Brown Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|--------------------------------|--------|-------------------------------------|---|
| 4090008 | Mission Rd | Mission Rd | Kellerberrin | 28.19 | Brown Rd | 31.84 | Kellerberrin - Bencubbin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4270014 | Mission Rd | Mission Rd | Wandering | 0.00 | North Bannister - Wandering Rd | 3.51 | 1.34km Before Mission Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4212225 | Mitchell Av | Mitchell Av | Northam | 0.81 | Olympic Dr | 4.12 | Great Eastern Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 2110131 | Mitchell Rd | Mitchell Rd | Harvey | 0.00 | South Western Hwy | 0.59 | 0.59km From South Western Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3120139 | Mitchell Rd | Mitchell Rd | Plantagenet | 0.00 | Eulup - Manurup Rd | 3.84 | 3.84km From Eulup Manurup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|---------------------------------------|--------|------------------------------|--|
| 4150079 | Mitchell Rd | Mitchell Rd | Mount Marshall | 0.00 | Dalgouring Rd | 15.67 | Bimbijy Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4150079 | Mitchell Rd | Mitchell Rd | Mount Marshall | 15.67 | Bimbijy Rd | 21.54 | Marindo North Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4310053 | Mitchell Rd | Mitchell Rd | Wyalkatchem | 0.00 | Minnivale North East Rd | 2.35 | Old Nalkain Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5010024 | Mitchell Rd | Mitchell Rd | Carnamah | 0.00 | Carnamah - Perenjori Rd & Bodycoat Rd | 5.87 | Perenjori - Three Springs Rd | |
| 5030240 | Mitchell Rd | Mitchell Rd | Dalwallinu | 0.00 | Wubin East Rd | 5.56 | Carter Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|---|--------|-------------------------------|--|
| 5130050 | Mitchell Rd | Mitchell Rd | Northampton | 0.00 | Port Gregory Rd | 6.53 | Mitchell Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5150018 | Mitchell Rd | Mitchell Rd | Three Springs | 0.00 | Arrino West Rd | 9.85 | Scott Rd & Yandanooka West Rd | |
| 3120263 | Mitchell St | Mitchell St | Plantagenet | 0.00 | Lowood Rd | 2.49 | Albany Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 50 km/h No operation during School Bus hours. Operators are to contact the local schools to obtain school bus hours. |
| 4030154 | Mitchell St | Mitchell St | Bruce Rock | 0.00 | Dunstal St & Doodlakine - Bruce Rock Rd & Noonajin Rd | 0.40 | Collier St | |
| 4090132 | Mitchell St | Mitchell St | Kellerberrin | 0.00 | Massingham St | 0.17 | Hammond St | |
| 4140137 | Mitchell St | Mitchell St | Merredin | 0.00 | Fifth St | 0.69 | Mary St & East Barrack St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Maximum speed 50 km/h |
| 4310128 | Mitchell St | Mitchell St | Wyalkatchem | 0.00 | Goomalling Wyalkatchem Rd & Hands Dr & Garn Rd | 0.23 | Cemetery Rd & Railway Tce | |
| 6040467 | Mitten - Watson Rd | Mitten - Watson Rd | Esperance | 0.00 | Cascade Rd | 0.29 | 0.29km From Cascade Rd | <ul style="list-style-type: none"> Maximum speed 40 km/h |
| 4310064 | Mizen Rd | Mizen Rd | Wyalkatchem | 0.00 | Tammin - Wyalkatchem Rd | 3.03 | Cox Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|----------------------------|--------|--|---|
| 3100207 | Mobrup North Rd | Mobrup North Rd | Kojonup | 0.00 | Hillier Rd | 9.45 | Mobrup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3040077 | Mobrup Rd | Mobrup Rd | Cranbrook | 0.00 | Boyup Brook - Cranbrook Rd | 1.14 | Kojonup LGA Boundary | |
| 3100102 | Mobrup Rd | Mobrup Rd | Kojonup | 0.00 | Kojonup - Frankland Rd | 25.37 | Cranbrook LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3100032 | Mobrup South Rd | Mobrup South Rd | Kojonup | 0.00 | Kojonup - Frankland Rd | 8.85 | 1.08km Before Furniss Loop & Mobrup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------|----------|-----------------------------------|--------|--------------------------|---|
| 3100032 | Mobrup South Rd | Mobrup South Rd | Kojonup | 8.85 | 1.08km East From Morbrup Rd | 9.93 | Furniss Loop & Mobrup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5180116 | Mocardy Rd | Mocardy Rd | Wongan - Ballidu | 0.00 | Hospital Rd | 2.54 | Mocardy Rd - End Road | |
| 1141378 | Modal Cr | Modal Cr | Canning (C) | 0.00 | Baile Rd | 0.82 | Gauge Cct | |
| 4100088 | Modesty Rock East Rd | Modesty Rock East Rd | Kondinin | 0.00 | Holland Trk | 11.39 | Kulin LGA Boundary | <ul style="list-style-type: none"> Intersection Holland Trk : No right turn permitted into Holland Trk from Modesty Rock Rd East |
| 4120145 | Modesty Rock East Rd | Modesty Rock East Rd | Kulin | 0.00 | Harvey Rd & Lamont Rd & Tapper Rd | 3.61 | Kondinin LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|--------------------------|------------------|----------|---|--------|-------------------------------|--|
| 4050074 | Modra Rd | Modra Rd | Cuballing | 0.00 | Leeson Rd & Leeson Rd | 3.75 | Pauley Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Leeson Rd & Leeson Rd : No access permitted into Leeson Rd from Modra Rd |
| 8140459 | Mof Rd | Mof Rd | Karratha (C) | 0.00 | King Bay Rd | 1.14 | Mof Rd (P) | |
| 814Z031 | Mof Rd (P) | Mof Rd (P) | Karratha (C) | 0.00 | Mof Rd | 0.35 | Rob Vitenbergs Dr (P) | |
| 5110018 | Moffet Rd | Moffet Rd | Morawa | 0.00 | Pintharuka West Rd | 11.37 | Mingenew Morawa Rd & Healy Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5170006 | Mogumber - Yarawindah Rd | Mogumber - Yarawindah Rd | Victoria Plains | 0.00 | Bindoon Moora Rd & Mogumber West Rd | 18.04 | Great Northern Hwy | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Great Northern Hwy : No right turn permitted into Great Northern Hwy from Mogumber Yarawindah Rd. No right turn permitted into Mogumber Yarawindah Rd from Great Northern Hwy. |
| 5070011 | Mogumber Rd West | Mogumber Rd West | Gingin | 0.00 | Brand Hwy | 24.95 | Mogumber West Rd & Clarke Rd | |
| 5170015 | Mogumber West Rd | Mogumber West Rd | Victoria Plains | 0.00 | Bindoon Moora Rd & Mogumber - Yarawindah Rd | 9.56 | Mogumber Rd West & Clarke Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|--------------------------|----------|------------------------|--------|-------------------------------|---|
| 4110129 | Moir Rd | Moir Rd | Koorda | 0.00 | Bunketch - Kulja Rd | 2.07 | Moir Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. No Operation from May to Jul Intersection Burakin - Wialki Rd : No access permitted into Burakin Wialki Rd from Moir Rd when travelling southbound. |
| 6100011 | Moir Rd | Moir Rd | Ravensthorpe | 0.00 | Martin St & Scott St | 22.82 | Moir Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 3070046 | Moir St | Moir St | Gnowangerup | 0.00 | Chester Pass Rd | 0.25 | John St | <ul style="list-style-type: none"> Operations permitted to the CBH grain bin access road only. |
| 2070075 | Moir Rd | Moir Rd | Collie | 0.00 | Atkinson St North | 0.35 | Patstone Rd | |
| 2030006 | Mokerdillup Rd | Mokerdillup Rd | Bridgetown - Greenbushes | 0.00 | Brockman Hwy | 2.34 | Grange Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 2030006 | Mokerdillup Rd | Mokerdillup Rd | Bridgetown - Greenbushes | 2.34 | Grange Rd | 13.19 | Donnelly Mill Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4180051 | Mokine Rd | Mokine Rd | Narrogin | 0.62 | Graham Rd | 2.86 | Katta Rd & Narrakine Rd South | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 4330010 | Mokine Rd | Mokine Rd | York | 0.00 | Ulster Rd | 17.75 | Mokine Rd & Leaver Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Intersection Ashworth Rd : No right turn permitted into Ashworth Rd from Mokine Rd |
| 5030037 | Moller Rd | Moller Rd | Dalwallinu | 0.00 | Moller Rd - Start Road | 10.49 | Great Northern Hwy | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---------------------------|-----------------------|----------|---|--------|--|--|
| 4110012 | Mollerin North Rd | Mollerin North Rd | Koorda | 0.07 | Burakin - Wialki Rd | 14.26 | Scotsman Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4110010 | Mollerin Rock South Rd | Mollerin Rock South Rd | Koorda | 0.00 | Koorda - Kulja Rd | 36.85 | Longmuir Rd & Kulja - Mollerin Rock Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4110110 | Mollerin Siding Access Rd | Mollerin Siding Access Rd | Koorda | 0.00 | Mollerin North Rd | 1.20 | Mollerin St & Burakin - Wialki Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4110069 | Mollerin Siding Rd | Mollerin Siding Rd | Koorda | 0.00 | Koorda - Mollerin Rd | 3.06 | Mollerin St | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4110111 | Mollerin St | Mollerin St | Koorda | 0.00 | Mollerin Siding Access Rd & Burakin - Wialki Rd | 0.48 | Mollerin St - End Road | |
| 5050681 | Molster St | Molster St | Greater Geraldton (C) | 0.00 | Dalgety St | 0.13 | Stock St | <ul style="list-style-type: none"> Operation permitted in a clockwise direction only. |
| 4160073 | Molyneux Rd | Molyneux Rd | Mukinbudin | 0.00 | Mukinbudin - Bonnie Rock Rd | 5.58 | McInnes Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| M403 | Monaghans Rty | Monaghans Rty | Busselton (C) | 0.00 | Caves Rd | 0.16 | Caves Rd | |
| 3120074 | Monash Rd | Monash Rd | Plantagenet | 0.00 | Beverley Rd | 4.11 | Todd Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|---|--------|---|--|
| 3170066 | Monger Rd | Monger Rd | Woodanilling | 0.00 | Robinson East Rd | 0.65 | Baxter Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4150146 | Monger St | Monger St | Mount Marshall | 0.00 | Koorda - Bullfinch Rd & Powell St | 1.14 | Bencubbin - Beacon Rd & Murray St | <ul style="list-style-type: none"> Maximum speed 40 km/h |
| 5130073 | Mongeragarry Rd | Mongeragarry Rd | Northampton | 0.00 | Binnu East Rd | 10.35 | Mongeragarry Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4110033 | Moningarin East Rd | Moningarin East Rd | Koorda | 0.00 | Booralaming - Kulja Rd & Koorda North West Rd | 7.74 | Koorda - Kulja Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 4110082 | Moningarin Rd | Moningarin Rd | Koorda | 0.00 | Montague Rd | 5.36 | Booralaming - Kulja Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 40 km/h below posted speed limit |
| 3180093 | Monjebup Rd | Monjebup Rd | Jerramungup | 0.00 | Boxwood Hill - Ongerup Rd | 12.92 | Borden - Bremer Bay Rd & Borden Boxwood Hill Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|---|--------|---------------------------------------|---|
| 4270052 | Monk Rd | Monk Rd | Wandering | 0.00 | Carabin Rd | 0.80 | Monk Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| M057 | Monkey Mia | Monkey Mia Rd | Shark Bay | 0.00 | Denham Rd & Shark Bay Rd | 25.34 | Monkey Mia - End Road | |
| 3180057 | Monkey Rock Rd | Monkey Rock Rd | Jerramungup | 0.00 | Cameron Rd & South Coast Hwy | 15.97 | Carlawillup South Rd & Carlawillup Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 2040478 | Monkhouse St | Monkhouse St | Bunbury (C) | 0.00 | Halifax Dr | 0.31 | Gibbons Rd | |
| 4110047 | Montague Rd | Montague Rd | Koorda | 0.00 | Booralaming - Kulja Rd | 2.55 | Moningar Rd & Montague Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5180169 | Montague Rd | Montague Rd | Wongan - Ballidu | 0.00 | Rabbit Proof Fence Rd & Kokardine East Rd | 1.38 | Moningar Rd & Montague Rd | |
| 1090689 | Montgomery Wy | Montgomery Wy | Swan (C) | 0.00 | Hunt St | 0.41 | Irvine Dr | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 5040091 | Moochamulla Rd | Moochamulla Rd | Dandaragan | 0.00 | Rowes Rd | 4.78 | Gillingarra Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---------------------------|------------------|----------|--|--------|--|---|
| 5040091 | Moochamulla Rd | Moochamulla Rd | Dandaragan | 4.78 | Gillingarra Rd | 10.11 | Woodbine Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Woodbine Rd : No access permitted into Woodbine Rd from Moochamulla Rd |
| 3160202 | Moodiarrup - Changerup Rd | Moodiarrup - Changerup Rd | West Arthur | 0.00 | Arthur River - Dinninup Rd | 11.06 | Darkan - Kojonup Rd | |
| 3160035 | Moodiarrup South | Moodiarrup South | West Arthur | 0.00 | Darkan Rd & Arthur River - Dinninup Rd | 9.40 | Old Collie Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3160028 | Moodiarrup West Rd | Moodiarrup West Rd | West Arthur | 0.00 | Darkan Rd | 26.07 | Trigwell Bridge Rd & McKenna Access Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|--------------------------|----------|--------------------------------|--------|-----------------------------------|---|
| 4220023 | Moodiljing-Watson Rd | Moodiljing-Watson Rd | Nungarin | 0.00 | Baker Rd | 8.79 | Karomin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4220023 | Moodiljing-Watson Rd | Moodiljing-Watson Rd | Nungarin | 8.79 | Karomin Rd | 9.35 | Nungarin North Rd | |
| 5020001 | Mooliabeenee Rd | Mooliabeenee Rd | Chittering | 0.00 | Bindoon Moora Rd | 5.68 | Cullalla Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5020001 | Mooliabeenee Rd | Mooliabeenee Rd | Chittering | 5.68 | Cullalla Rd | 6.73 | Gingin LGA Boundary | |
| 5070001 | Mooliabeenee Rd | Mooliabeenee Rd | Gingin | 0.00 | Chittering LGA Boundary | 11.42 | Honeycomb Rd & Cockram Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 8140075 | Mooligunn Rd | Mooligunn Rd | Karratha (C) | 0.00 | De Witt Rd | 1.65 | Coolawanyah Rd | <ul style="list-style-type: none"> Intersection Orkney Rd : No left turn permitted into Orkney Rd from Mooligunn Rd |
| 703Z033 | Mooloogool Rd | Mooloogool Rd | Meekatharra | 0.00 | Great Northern Hwy | 43.40 | Mooloogool Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 6100079 | Moolyall Rd | Moolyall Rd | Ravensthorpe | 0.00 | Woodenup Rd | 14.00 | Floater Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 0040359 | Moonamang Rd | Moonamang Rd | Wyndham - East Kimberley | 0.00 | Weaber Plain Rd & Moonamang Rd | 27.08 | 1.12km From Wooljim L | |
| 6040016 | Moonanup Rd | Moonanup Rd | Esperance | 0.00 | South Coast Hwy | 6.30 | Moonanup Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4160009 | Moondon Rd | Moondon Rd | Mukinbudin | 0.00 | Mukinbudin - Bonnie Rock Rd | 32.92 | Driscoll Rd & Adams Rd & Angle Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1180373 | Mooney Pl | Mooney Pl | Fremantle (C) | 0.00 | Jones St & Milson Pl | 0.14 | Mooney Pl - End Road | |
| 1120114 | Mooney St | Mooney St | Bayswater (C) | 0.00 | John St | 0.57 | Bassendean Rd | |
| 4070041 | Moonijin East Rd | Moonijin East Rd | Dowerin | 0.00 | Dowerin - Kalannie Rd | 2.68 | Moonijin West Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 4070163 | Moonijin West Rd | Moonijin West Rd | Dowerin | 0.00 | Moonijin East Rd | 11.08 | Wongan - Ballidu LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 5180007 | Moonijin West Rd | Moonijin West Rd | Wongan - Ballidu | 0.00 | Manmanning Rd | 23.65 | Dowerin LGA Boundary | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------------|--|---|----------|---------------------------------|--------|-----------------------------------|---|
| 5051031 | Moonyoonooka - Narngulu Rd | Moonyoonooka - Narngulu Rd | Greater Geraldton (C) | 0.00 | Geraldton Mt Magnet Rd | 5.05 | Edward Rd | |
| M064 | Moonyoonooka Yuna Rd | Narra Tarra Moonyoonooka Rd Morrell Rd Chapman Valley Rd | Greater Geraldton (C) Chapman Valley | 0.00 | Geraldton Mt Magnet Rd | 47.89 | Marrah Rd | <ul style="list-style-type: none"> Intersection McCagh Rd : No left turn permitted into McCagh Road from Moonyoonooka Yuna Road Intersection Old Nabawa - Northampton Rd : No right turn permitted into Old Nabawa Northampton Rd from Moonyoonooka Yuna Rd |
| M064 | Moonyoonooka Yuna Rd | Chapman Valley Rd | Chapman Valley | 47.89 | Marrah Rd | 56.04 | Naraling - East Yuna Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h |
| M064 | Moonyoonooka Yuna Rd | Chapman Valley Rd Yuna Tenindewa Rd | Chapman Valley | 56.04 | Naraling - East Yuna Rd | 72.16 | Dartmoor Rd & Yuna - Tenindewa Rd | |
| 5100193 | Moora - Caro Rd | Moora - Caro Rd | Moora | 0.00 | Dandaragan St & Ferguson Rd | 8.50 | Dandaragan Rd | |
| 5100195 | Moora - Miling Rd | Moora - Miling Rd | Moora | 0.00 | Barber St & Berkshire Valley Rd | 35.95 | Great Northern Hwy | <ul style="list-style-type: none"> Intersection Round Hill Rd : No access permitted into Round Hill Rd from Moora Miling Rd Intersection Niby Niby Rd : No right turn permitted into Niby Niby Rd from Moora - Miling Rd |
| 8130071 | Moorambine St | Moorambine St | Port Hedland (T) | 0.00 | Leehey St | 0.89 | Yanana St | |
| 4090083 | Mooranoppin Rd | Mooranoppin Rd | Kellerberrin | 0.00 | Dowding St | 2.25 | Goldfields Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1091181 | Moore Av | Moore Av | Swan (C) | 0.00 | Elgee Rd | 0.26 | Great Eastern Hwy | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 2080024 | Moore Rd | Moore Rd | Dardanup | 0.00 | Boyanup Picton Rd | 2.97 | 0.25km South of Timber Rd | |
| 3030083 | Moore Rd | Moore Rd | Broomehill - Tambellup | 0.00 | Holly Siding Rd | 0.95 | Moore Rd & Parnell Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4060012 | Moore Rd | Moore Rd | Cunderdin | 0.00 | Quellington Rd | 18.56 | York LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|-----------------------|----------|---|--------|--|--|
| 4250036 | Moore Rd | Moore Rd | Tammin | 0.00 | Tammin South Rd | 5.21 | Cubbine Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4330063 | Moore Rd | Moore Rd | York | 0.00 | York - Tammin Rd | 2.53 | Cunderdin LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030169 | Moore Rd | Moore Rd | Dalwallinu | 0.00 | Thaxter Rd | 1.19 | Moore Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5050702 | Moore Rd | Moore Rd | Greater Geraldton (C) | 0.00 | Geraldton Mt Magnet Rd | 16.75 | Eves Rd | |
| 5080128 | Moore Rd | Moore Rd | Irwin | 0.00 | Brand Hwy | 0.24 | 0.05km From Bailey St | |
| 2180170 | Moore Rodgers Rd | Moore Rodgers Rd | Boyup Brook | 0.00 | W Tree Gully Rd & W - Tree Gully Rd | 12.81 | Gibbs Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3150150 | Moore St | Moore St | Wagin | 0.00 | Badgarning Rd & Great Southern Hwy | 1.45 | Tudor St & Bolts Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Reeves Rd North : No left turn permitted into Reeves Rd North from Moore St |
| 4090151 | Moore St | Moore St | Kellerberrin | 1.48 | Cemetery St | 1.76 | Dowding St & Kellerberrin - Bencubbin Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5100091 | Moore St | Moore St | Moora | 0.09 | 0.09km From Roberts Rd | 0.18 | Roberts Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h |
| 6040565 | Moore St | Moore St | Esperance | 0.00 | Nulsen St & Sunrise Hill Rd & Salmon Gums East Rd | 0.25 | Coolgardie Esperance Hwy | <ul style="list-style-type: none"> 10 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|------------------------------|--------|---------------------------------|---|
| 3070131 | Moores Dam Rd | Moores Dam Rd | Gnowangerup | 0.00 | Stutley Rd & Jackitup Rd | 14.32 | Parker Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2150397 | Moores Rd | Moores Rd | Murray | 0.82 | Munday Av | 1.06 | Phillips Rd | <ul style="list-style-type: none"> A RAV must not be driven on this road in excess of 4.3 metres in height unless written approval is obtained and must be carried from relevant overhead telecommunication and electrical transmission cable controller. |
| 2150397 | Moores Rd | Moores Rd | Murray | 1.06 | Phillips Rd | 2.20 | Paperbark Pl | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Empty Travel Only No Operation between 6:00 PM and 7:00 AM A RAV must not be driven on this road in excess of 4.3 metres in height unless written approval is obtained and must be carried from relevant overhead telecommunication and electrical transmission cable controller. |
| 3020163 | Moorialup Rd | Moorialup Rd | Albany (C) | 0.00 | Takalarup Rd | 4.65 | For 4.65km From Takalarup Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3020163 | Moorialup Rd | Moorialup Rd | Albany (C) | 7.27 | 2.14 Km From Granite Hill Rd | 10.09 | Takalarup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5090011 | Mooriary Rd | Mooriary Rd | Mingenew | 0.00 | Midlands Rd | 16.16 | Yandanooka West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3120180 | Moorilup Rd | Moorilup Rd | Plantagenet | 0.00 | Carbarup Rd & Collins Rd | 3.38 | Red Gum Pass Rd & View Range Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------------|-------------------------------|------------------|----------|--------------------------|--------|-------------------------|--|
| 6110087 | Moorine Rock Cbh Wheat Bin Rd | Moorine Rock Cbh Wheat Bin Rd | Yilgarn | 0.00 | Saxby Rd | 0.46 | Great Eastern Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 6110075 | Moorine Rock Rd | Moorine Rock Rd | Yilgarn | 0.00 | Noongar North Rd | 5.73 | Nullanulla North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4170049 | Moorine South Rd | Moorine South Rd | Narembeen | 0.00 | Sloss Rd | 4.18 | Yilgarn LGA Boundary | |
| 6110001 | Moorine South Rd | Moorine South Rd | Yilgarn | 0.00 | Great Eastern Hwy | 79.11 | Narembeen LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3090018 | Moornaming South Rd | Moornaming South Rd | Kent | 0.00 | Katanning Nyabing Rd | 16.55 | Whyatt Rd | |
| 4020010 | Moorumbine Rd | Moorumbine Rd | Brookton | 0.00 | Davis Rd & Moorumbine Rd | 7.60 | Brookton - Kweda Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4230011 | Moorumbine Rd | Moorumbine Rd | Pingelly | 0.00 | Shaddick Rd | 4.37 | Aldersyde - Pingelly Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|-------------------------|--------|--------------------------|---|
| 4230011 | Moorumbine Rd | Moorumbine Rd | Pingelly | 4.37 | Aldersyde - Pingelly Rd | 10.43 | Davis Rd & Moorumbine Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4270064 | Mooterdine Loop | Mooterdine Loop | Wandering | 0.00 | Carabin Rd | 7.90 | Carabin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). No left turn permitted out of Mooterdine Transport Depot Intersection Carabin Rd : No right turn permitted into Carabin Rd from Mooterdine Loop |
| 4270013 | Moramocking Rd | Moramocking Rd | Wandering | 0.00 | Wandering - Pingelly Rd | 7.70 | Oconnell Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|-------------------|--------|---------------------------------|--|
| 4270013 | Moramockinging Rd | Moramockinging Rd | Wandering | 7.70 | Oconnell Rd | 8.84 | Reid Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060125 | Moran Rd | Moran Rd | Dumbleyung | 0.00 | 114 Gate Rd | 6.12 | Dongolocking Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6020031 | Moran St | Moran St | Coolgardie | 0.00 | Woodward St | 0.14 | Bayley St | |
| 6020031 | Moran St | Moran St | Coolgardie | 0.14 | Bayley St | 0.84 | Coolgardie North Rd & King St | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 3120118 | Morande Rd | Morande Rd | Plantagenet | 0.00 | Yellanup Rd | 7.14 | Settlement Rd & Yungup Rd North | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Yellanup Rd : No access permitted into Yellanup Rd from Morande Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------|----------|---------------------------------------|--------|------------------------------------|---|
| 4260021 | Morangup Rd | Morangup Rd | Toodyay | 0.00 | Toodyay Rd | 11.50 | 7.48 Km Past McKnoe Dr | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h No operation during School Bus hours. Operators are to contact the local schools to obtain school bus hours. |
| 5110149 | Morawa - Yalgoo Rd | Morawa - Yalgoo Rd | Morawa | 0.00 | Mullewa Wubin Rd & Mingenew Morawa Rd | 42.56 | Yalgoo LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. 10 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 7070076 | Morawa - Yalgoo Rd | Morawa - Yalgoo Rd | Yalgoo | 0.00 | Morawa LGA Boundary | 83.00 | Piesse St & Geraldton Mt Magnet Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5090015 | Morawa - Yandanooka Rd | Morawa - Yandanooka Rd | Mingenew | 0.00 | Yandanooka Melara Rd | 15.39 | Colgate Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5110002 | Morawa South Rd | Morawa South Rd | Morawa | 0.00 | Mullewa Wubin Rd | 7.56 | Morawa South Rd & Garnsworthy Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. 10 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5140039 | Morawa South Rd | Morawa South Rd | Perenjori | 0.00 | Hill Rd | 5.64 | Morawa South Rd & Garnsworthy Rd | |
| 4010001 | Morbinning Rd | Morbinning Rd | Beverley | 0.00 | Vincent St & Mawson Rd | 27.13 | Old Beverley West Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 5160054 | Morcom | Morcom | Chapman Valley | 0.00 | Chapman Valley Rd | 3.50 | South Whellarra | <ul style="list-style-type: none"> Maximum speed 70 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------------|----------|-------------------------|--------|------------------------|---|
| 4180226 | Morcombe Rd | Morcombe Rd | Narrogin | 0.00 | Wagin LGA Boundary | 5.48 | Whinbin Rock Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6040252 | Morcombe Rd | Morcombe Rd | Esperance | 0.00 | Scaddan Rd | 3.22 | Kendall Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 1141455 | Mordaunt Cct | Mordaunt Cct | Canning (C) | 0.00 | Baile Rd | 1.15 | Baile Rd | |
| 3110012 | Mordetta Rd | Mordetta Rd | Lake Grace | 0.00 | North Burngup Rd | 20.63 | Gimbel Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3030096 | Morgan Rd | Morgan Rd | Broomehill - Tambellup | 0.00 | Broomehill - Kojonup Rd | 0.37 | Chilicup Rd | <ul style="list-style-type: none"> Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3110196 | Morgan Rd | Morgan Rd | Lake Grace | 0.00 | Magenta Rd | 2.24 | 1.96 From End of Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 0010117 | Morgan St | Morgan St | Broome | 0.00 | McDaniel Rd | 0.20 | Morgan St - End Road | |
| 1070417 | Morgan St | Morgan St | Rockingham (C) | 0.00 | Crocker St | 0.92 | Dixon Rd | |
| 5010113 | Morgan St | Morgan St | Carnamah | 0.00 | Darling St | 0.47 | King St | <ul style="list-style-type: none"> Maximum speed 40 km/h |
| 6100242 | Morgans St | Morgans St | Ravensthorpe | 0.00 | South Coast Hwy | 1.26 | Queen St | <ul style="list-style-type: none"> Intersection Dance St : No access permitted into Dance St from Morgans St. Intersection Scott St & Floater Rd : No left turn permitted into Scott St from Morgans St. Intersection Queen St : No access permitted into Queen St from Old Coast Hwy |
| 1141004 | Moriarty Rd | Moriarty Rd | Canning (C) | 0.00 | Welshpool Rd | 0.33 | Moriarty Rd - End Road | |
| 5140091 | Moriarty Rd | Moriarty Rd | Perenjori | 0.00 | Spencer Rd | 5.94 | Rayner Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|-----------------------------|--------|-------------------------|--|
| 4090012 | Morison Rd | Morison Rd | Kellerberrin | 0.00 | Stone Giles Rd | 17.36 | Yerapin Boundary Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4090039 | Morley Rd | Morley Rd | Kellerberrin | 0.00 | Kellerberrin - Bencubbin Rd | 4.55 | Mission Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1050147 | Morley St | Morley St | Kwinana (C) | 0.00 | Beard St | 0.30 | Weston St | |
| 2070015 | Mornington Rd | Mornington Rd | Collie | 0.00 | Harris River Rd | 13.18 | Gastaldo Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation Only between 7:00 AM and 4:00 PM |
| 2070015 | Mornington Rd | Mornington Rd | Collie | 13.32 | Gastaldo Rd | 20.08 | Harvey LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation Only between 7:00 AM and 4:00 PM |
| 2110008 | Mornington Rd | Mornington Rd | Harvey | 0.00 | South Western Hwy | 11.93 | Big Tree Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Empty travel only |
| 4070044 | Morrell North Rd | Morrell North Rd | Dowerin | 0.00 | Moonijin West Rd | 3.86 | Phillips Rd & Uberin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 2150138 | Morrell Rd | Morrell Rd | Murray | 0.00 | South Western Hwy | 3.12 | Morrell Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|---|--------|-------------------------------------|--|
| 3160038 | Morrell Rd | Morrell Rd | West Arthur | 0.00 | Bokal - East Arthur Rd | 5.03 | Ways Rd & Doyle Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4040035 | Morrell Rd | Morrell Rd | Corrigin | 0.00 | Szczecinski Rd & Quairading - Corrigin Rd & Lohoar Rd | 6.12 | Dry Well Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4080042 | Morrell Rd | Morrell Rd | Goomalling | 0.00 | Konnongorring West Rd | 7.90 | Northam Pithara Rd M32 | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h |
| 4330198 | Morris Edwards Dr | Morris Edwards Dr | York | 0.00 | Macartney St & Ulster Rd | 2.73 | Great Southern Hwy | <ul style="list-style-type: none"> Intersection Great Southern Hwy : No access permitted into Chidlow York from Morris Edwards Dr |
| 5110060 | Morris Rd | Morris Rd | Morawa | 0.00 | Williamson Rd | 8.08 | McWhirter Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1060001 | Morrison Rd | Morrison Rd | Mundaring | 0.00 | Roe Hwy & Morrison Rd | 0.49 | Farrall Rd | <ul style="list-style-type: none"> Intersection Farrall Rd : No right turn permitted into Farrall Rd from Morrison Rd |
| 4160050 | Morrison Rd | Morrison Rd | Mukinbudin | 0.00 | Bonnie Rock - Lake Brown Rd | 12.13 | Morrison Rd & Rabbit Proof Fence Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4280050 | Morrison Rd | Morrison Rd | Westonia | 0.00 | Morrison Rd & Rabbit Proof Fence Rd | 19.40 | Warrachuppin North Rd | |
| 1030647 | Morse Rd | Morse Rd | Cockburn (C) | 0.00 | Wellard St | 0.26 | Winchester Rd | |
| 4170074 | Mortimore Rd | Mortimore Rd | Naremben | 0.00 | Dixon Rd | 4.42 | Burgin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 8060057 | Mortiss St | Mortiss St | Exmouth | 0.00 | Murat Rd | 0.54 | Crevalle Wy & Neale Cove | |
| 3110072 | Morton Rd | Morton Rd | Lake Grace | 0.00 | Lake Grace Newdegate Rd | 4.73 | Mallee Hill Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|--|--------|---|--|
| 7040061 | Moses St | Moses St | Mount Magnet | 0.00 | Richardson St & Mt.Magnet - Hill 50 Rd | 0.34 | Moses St - End Road | |
| 1101670 | Mosey St | Mosey St | Wanneroo (C) | 0.00 | Gnangara Rd | 0.42 | Furniss Rd & Mullingar Wy | |
| 3040104 | Mosgiel Rd | Mosgiel Rd | Cranbrook | 0.00 | Albany Hwy | 1.93 | Mosgiel Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1103376 | Motivation Dr | Motivation Dr | Wanneroo (C) | 0.00 | Hartman Dr | 1.18 | Ocean Reef Rd | |
| 5170048 | Motoning Rd | Motoning Rd | Victoria Plains | 0.00 | Duggan Rd | 8.49 | Thomson Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1104733 | Motor Pde | Motor Pde | Wanneroo (C) | 0.00 | Pembroke Rd & Lancaster Rd | 0.34 | Berriman Dr | |
| 4160083 | Mott Rd | Mott Rd | Mukinbudin | 0.00 | Bonnie Rock - Lake Brown Rd | 7.00 | Farm Entrance 3km After Quanta Cutting North Rd | |
| 4130011 | Moujakine Rd | Moujakine Rd | Trayning | 0.00 | Doodlakine - Kununoppin Rd & Nungarin Wyalkatchem Rd | 12.53 | Harrod Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------|----------|--------------------------|--------|---|---|
| 3060050 | Moulyinning North Rd | Moulyinning North Rd | Dumpleyung | 0.00 | Springhurst Rd | 6.06 | Dumpleyung Lake Grace Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Springhurst Rd : No left turn permitted into Springhurst Rd from Moulyinning North Rd |
| 3060050 | Moulyinning North Rd | Moulyinning North Rd | Dumpleyung | 6.70 | Dumpleyung Lake Grace Rd | 12.25 | Candlelight Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3060051 | Moulyinning South Rd | Moulyinning South Rd | Dumpleyung | 0.00 | Candlelight Rd | 2.47 | Gooding Rd | |
| 3060051 | Moulyinning South Rd | Moulyinning South Rd | Dumpleyung | 2.47 | Gooding Rd | 2.67 | Gooding Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3060051 | Moulyinning South Rd | Moulyinning South Rd | Dumpleyung | 2.67 | Gooding Rd | 6.47 | One Twenty Five Rd | <ul style="list-style-type: none"> Intersection One Twenty Five Rd : No access permitted into One Twenty Nine Rd from Moulyinning Rd |
| 1050264 | Mounsey Rd | Mounsey Rd | Kwinana (C) | 0.00 | Yeates Rd | 0.20 | Mounsey Rd - End Road | |
| 6090028 | Mount Celia Rd | Mount Celia Rd | Menzies | 0.00 | Pinjin Rd | 52.06 | Yundamindra - Linden Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 7040027 | Mount Farmer Rd | Mount Farmer Rd | Mount Magnet | 0.00 | Mt.Magnet - Hill 50 Rd | 71.54 | Dalgaranga - Mount Magnet Rd | |
| 7030064 | Mount Gould Rd | Mount Gould Rd | Meekatharra | 0.00 | Landor - Meekatharra Rd | 3.38 | | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h |
| 6090026 | Mount Ida Rd | Mount Ida Rd | Menzies | 0.00 | Menzies North West Rd | 38.39 | Leonora - Mount Ida Rd & Lawlers - Mount Ida Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|--------------------------|----------|--------------------------------------|--------|---|--|
| 2160017 | Mount Leewin Loop Rd | Mount Leewin Loop Rd | Nannup | 3.20 | 1.97km From Lyon Rd | 6.90 | Graphite Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Graphite Rd : No left turn permitted into Graphite Rd from Moutn Leewin Loop Rd |
| 6055028 | Mount Monger Rd | Mount Monger Rd | Kalgoorlie - Boulder (C) | 0.00 | Goldfields Hwy | 49.28 | Daisy Milano Mt Monger Access Rd & Randalls Access Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4260026 | Mount Rd | Mount Rd | Toodyay | 0.00 | Telegraph Rd | 8.16 | Old Plains Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 7040062 | Mount Rd | Mount Rd | Mount Magnet | 0.00 | Checker Plant Rd | 0.92 | Mount Rd - End Road | |
| 5090021 | Mount Scratch Rd | Mount Scratch Rd | Mingenew | 0.00 | Yandanooka North East Rd & Willis Rd | 8.85 | Mount Scratch - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4240012 | Mount Stirling Rd | Mount Stirling Rd | Quairading | 0.00 | Coraling St & Loudon St | 11.78 | Badjaling North Rd | |
| 4240012 | Mount Stirling Rd | Mount Stirling Rd | Quairading | 11.82 | Badjaling North Rd | 28.50 | Kellerberrin - Yoting Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|--------------------------|----------|-------------------------------------|--------|--------------------------|--|
| 5180002 | Mountjoy Rd | Mountjoy Rd | Wongan - Ballidu | 0.00 | Kalguddering East Rd | 2.43 | Goomalling LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4120082 | Mouritz Rd | Mouritz Rd | Kulin | 0.00 | Allen Rocks Rd | 8.96 | Buettners Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4150010 | Mouroubra Rd | Mouroubra Rd | Mount Marshall | 0.00 | Cleary Bin Rd & Burakin - Wialki Rd | 95.88 | Maranalgo Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1109989 | Mowatt Cl | Mowatt Cl | Wanneroo (C) | 0.00 | Wanneroo Rd & Clarkson Av | 0.08 | 0.08km After Wanneroo Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 2010395 | Mowen Rd | Mowen Rd | Augusta - Margaret River | 0.00 | Great West Rd (F) & Rosa Brook Rd | 12.68 | Sues Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h No operation on Sundays and Public Holidays. |
| 2160047 | Mowen Rd | Mowen Rd | Nannup | 0.00 | Warren Rd & Vasse Hwy | 33.10 | Sues Rd | |
| 4180277 | Moyses Rd | Moyses Rd | Narrogin | 0.00 | Great Southern Hwy | 2.48 | 0.03km From End of Road | |
| 5080013 | Mt Adams Rd | Mt Adams Rd | Irwin | 0.00 | Carsons Rd & Brand Hwy | 22.66 | Yandanooka West Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4060005 | Mt Anne Rd | Mt Anne Rd | Cunderdin | 0.00 | Great Eastern Hwy | 12.13 | Leesons Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4060005 | Mt Anne Rd | Mt Anne Rd | Cunderdin | 12.13 | Leesons Rd | 17.65 | Cooalling Rd | <ul style="list-style-type: none"> Intersection Cooalling Rd : No access permitted into Cooalling Rd from Mt Anne Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------------|----------------------------|------------------|----------|---|--------|-------------------------------|---|
| 4170041 | Mt Arrowsmith Rd | Mt Arrowsmith Rd | Narembeen | 0.00 | Mt Arrowsmith Rd - Start Road | 13.55 | Mt Walker Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 8050012 | Mt Augustus - Woodlands Rd | Mt Augustus - Woodlands Rd | Upper Gascoyne | 0.00 | Landor - Mt Augustus Rd | 76.31 | Woodlands - Mt Augustus | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 5160060 | Mt Erin - Nabawa Rd | Mt Erin - Nabawa Rd | Chapman Valley | 0.00 | Durawah Rd | 5.14 | Chapman Valley Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 7070027 | Mt Gibson Rd | Mt Gibson Rd | Yalgoo | 0.00 | Great Northern Hwy | 9.08 | Mummaloo Mine Site Access Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 603Z025 | Mt Henry Access Rd | Mt Henry Access Rd | | 0.00 | Coolgardie Esperance Hwy | 2.59 | Mt Henry Access Rd - End Road | |
| 5080011 | Mt Horner West Rd | Mt Horner West Rd | Irwin | 0.00 | Brand Hwy | 19.90 | Tabletop Rd | |
| 6110014 | Mt Jackson Rd | Mt Jackson Rd | Yilgarn | 0.00 | Manxman Rd & Bullfinch - Evanston Rd & Durbridge Cr | 120.70 | Bullfinch - Evanston Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3050014 | Mt Lindesay Rd | Mt Lindesay Rd | Denmark | 0.00 | Scotsdale Rd | 3.44 | Churchill Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h |
| 3050014 | Mt Lindesay Rd | Mt Lindesay Rd | Denmark | 3.44 | Churchill Rd | 6.10 | To 2.66km From Churchill Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|--|--------------------------------|----------|----------------------------|--------|----------------------------------|---|
| M069 | Mt Magnet Leinster Rd | Richardson St Mt Magnet Sandstone Rd Agnew Sandstone Rd Agnew Leinster Rd | Mount Magnet Sandstone Leonora | 0.00 | Hepburn St & Richardson St | 300.73 | Goldfields Hwy | |
| 6080106 | Mt McClure Rd | Mt McClure Rd | Leonora | 0.00 | Leinster - Mine Rd | 2.96 | For 2.96km From Leinster Mine Rd | |
| 3020070 | Mt Pleasant Rd | Mt Pleasant Rd | Albany (C) | 0.00 | Fish Track Rd | 4.06 | Sister Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060006 | Mt Pleasant Rd | Mt Pleasant Rd | Dumblebung | 0.31 | Richardson Rd | 2.40 | Bagnalls Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060006 | Mt Pleasant Rd | Mt Pleasant Rd | Dumblebung | 2.40 | Bagnalls Rd | 12.15 | White Well Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|------------------|----------|---|--------|---|---|
| 6070039 | Mt Shenton - Yamarna Rd | Mt Shenton - Yamarna Rd | Laverton | 0.00 | White Cliffs - Yamarna Rd & Neale Junction Rd | 37.64 | Great Central Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h |
| 3110008 | Mt Sheridan Rd | Mt Sheridan Rd | Lake Grace | 0.00 | Newdegate North Rd | 32.98 | Pingaring - Varley Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6100010 | Mt Short Rd | Mt Short Rd | Ravensthorpe | 0.00 | Dam Rd & Newdegate Ravensthorpe Rd | 1.62 | King Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 811Z069 | Mt Stuart - Red Hill Rd | Mt Stuart - Red Hill Rd | Ashburton | 0.00 | Nanutarra Munjina Rd | 17.91 | Urandy Creek Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40 or as sign posted). The driver must call out on the approach to bends and crests to warn oncoming drivers of their presence. |
| 3110025 | Mt Vernon Rd | Mt Vernon Rd | Lake Grace | 0.00 | Pingaring - Varley Rd | 24.79 | Holt Rock South Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4170006 | Mt Walker - Hyden Rd | Mt Walker - Hyden Rd | Narembreen | 0.00 | Soldiers Rd & Dam Rd | 23.67 | Hyden - Mount Walker Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h |
| 4170035 | Mt Walker North Rd | Mt Walker North Rd | Narembreen | 0.00 | Starcevic Chapman Rd | 28.78 | Mt Walker Rd & Mt Walker South Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4170134 | Mt Walker Rd | Mt Walker Rd | Narembreen | 0.00 | Kondinin - Narembreen Rd | 0.44 | Narembreen South Rd | <ul style="list-style-type: none"> HVS Update 7-2022 |
| 4170134 | Mt Walker Rd | Mt Walker Rd | Narembreen | 0.44 | Narembreen South Rd | 41.44 | Mt Walker - Hyden Rd | <ul style="list-style-type: none"> Intersection Hogstrome Rd : No left turn permitted into Hogstrome Rd from Mt Walker Rd westbound |
| 4170105 | Mt Walker South Rd | Mt Walker South Rd | Narembreen | 0.00 | Mt Walker Rd & Mt Walker North Rd | 10.04 | Hyden North Rd | |
| 6070006 | Mt Weld Rd | Mt Weld Rd | Laverton | 0.00 | Laverton Bypa | 17.45 | Elora - Mount Weld Rd & Burtville - Mt Weld | |
| 7040001 | Mt.Magnet - Hill 50 Rd | Mt.Magnet - Hill 50 Rd | Mount Magnet | 0.00 | Richardson St & Moses St | 4.49 | Hill 50 Access Rd & Checker Plant Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 8120008 | Muccan - Shay Gap Rd | Muccan - Shay Gap Rd | East Pilbara | 0.00 | Warrawagine Rd | 54.54 | Goldsworthy - Shay Gap Rd & Bore Line Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------------|-----------------------------|--------------------------------------|----------|--|--------|---|---|
| 5020004 | Muchea East Rd | Muchea East Rd | Chittering | 7.39 | 1.3km From Brand Hwy And Great Northern Hwy | 8.69 | Granary Dr & Great Northern Hwy | |
| 1092184 | Muchea South Rd | Muchea South Rd | Swan (C) | 0.00 | Railway Pde & Neaves Rd | 0.80 | Rutland Rd | |
| 4120152 | Mudge Rd | Mudge Rd | Kulin | 0.00 | Hyden-Lake King Rd | 0.88 | Holt Rock South Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| M024 | Muir | Brain St Muir Hwy | Manjimup Cranbrook Plantagenet | 0.00 | Pritchard St & Mottram St | 161.43 | Woogenellup Rd Rty | <ul style="list-style-type: none"> Intersection Banks Rd : No left turn permitted into Banks Rd from Muirs Hwy Intersection Nabagup Rd : No left turn permitted into Nabagup Rd from Muir Hwy Intersection Frankland - Rocky Gully Rd : No left turn permitted into Frankland-Rocky Gully Road from Muir Highway. |
| 2180067 | Muir Rd | Muir Rd | Boyup Brook | 0.00 | Jayes Rd | 4.40 | Winnejup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4160109 | Mukinbudin - Bonnie Rock Rd | Mukinbudin - Bonnie Rock Rd | Mukinbudin | 0.00 | Mukinbudin - Wialki Rd | 28.86 | Bonnie Rock - Lake Brown Rd & Percy Rd | |
| 4150152 | Mukinbudin - Wialki Rd | Mukinbudin - Wialki Rd | Mount Marshall | 0.00 | Beckingham St & Burakin - Wialki Rd | 10.50 | Mukinbudin LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4160110 | Mukinbudin - Wialki Rd | Mukinbudin - Wialki Rd | Mukinbudin | 0.00 | Koorda - Bullfinch Rd & Kununoppin - Mukinbudin Rd | 42.92 | Mount Marshall LGA Boundary | |
| 4160005 | Mukinbudin North East Rd | Mukinbudin North East Rd | Mukinbudin | 0.00 | Koorda - Bullfinch Rd | 21.51 | Quanta Cutting - Weira Rd & Quanta Cutting North Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3110093 | Mulcahy Rd | Mulcahy Rd | Lake Grace | 0.00 | Carstairs Rd | 15.77 | Broombush Flat Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|-----------------------------------|--------|-----------------------------|---|
| 3120165 | Mulcahy Rd | Mulcahy Rd | Plantagenet | 0.00 | Perillup South Rd | 2.05 | Waters 478 Plantations | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. One truck movement at a time. "Trucks Entering" signs to be erected and removed when not in use. |
| 4040060 | Mulcahy Rd | Mulcahy Rd | Corrigin | 0.00 | Corrigin - Bruce Rock Rd | 5.89 | Bilbarin East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4100154 | Mulcahy Rd | Mulcahy Rd | Kondinin | 0.00 | Cashmore Rd | 7.56 | Lovering Rd | |
| 4130024 | Mulcahy Rd | Mulcahy Rd | Trayning | 0.00 | Gale Rd & Nungarin Wyalkatchem Rd | 5.29 | Yelbeni South East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 1091827 | Mulgul Rd | Mulgul Rd | Swan (C) | 0.00 | Malaga Dr | 1.90 | Beringarra Av | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 4110016 | Mulji Rd | Mulji Rd | Koorda | 0.00 | Koorda - Mollerin Rd | 8.84 | East Boundary Rd & Mulji Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 4150118 | Mulji Rd | Mulji Rd | Mount Marshall | 0.00 | Cleary - Gabbin Rd | 6.66 | East Boundary Rd & Mulji Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4120132 | Mullan St | Mullan St | Kulin | 0.00 | Rabbit Proof Fence Rd Sth | 0.62 | Kulin - Dudinin Rd | |
| 4120063 | Muller Rd | Muller Rd | Kulin | 0.00 | Boundary Rd | 15.40 | Rabbit Proof Fence Rd Sth | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|--------------------------|----------|---------------------------|--------|----------------------------------|---|
| 5040023 | Mullering Rd | Mullering Rd | Dandaragan | 0.00 | Brand Hwy | 19.92 | Waddi Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 0040175 | Mulligans Lagoon Rd | Mulligans Lagoon Rd | Wyndham - East Kimberley | 0.00 | Weaber Plain Rd | 9.68 | Mulligans Lagoon - End Road | |
| 4130059 | Mullins Rd | Mullins Rd | Trayning | 0.00 | Swamp Well Rd | 2.04 | Gale Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4211023 | Muluckine Rd | Muluckine Rd | Northam | 0.00 | Northam York Rd | 7.23 | Grass Valley South Rd & Keane St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h No Operation from 7:00 AM to 8:30 AM and 4:00 PM to 5:00 PM When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1251943 | Mumford Pl | Mumford Pl | Stirling (C) | 0.00 | Balcatta Rd | 0.30 | Mumford Pl - End Road | |
| 1252324 | Mumford Pl (West) | Mumford Pl (West) | Stirling (C) | 0.00 | Mumford Pl | 0.41 | Bendsten Pl | |
| 7030031 | Munarra Stn. | Munarra Stn. | Meekatharra | 0.00 | Great Northern Hwy | 4.17 | Munarra Stn. - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h |
| 5040004 | Munbinea Rd | Munbinea Rd | Dandaragan | 0.00 | Wongonderrah Rd | 13.57 | Bibby Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5040004 | Munbinea Rd | Munbinea Rd | Dandaragan | 13.57 | Bibby Rd | 37.94 | Jurien Rd | |
| 3110030 | Muncaster Rd | Muncaster Rd | Lake Grace | 0.00 | Newdegate Ravensthorpe Rd | 6.41 | Hatter Hill Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|-------------------------|----------|---|--------|------------------------------------|--|
| 3110030 | Muncaster Rd | Muncaster Rd | Lake Grace | 6.42 | Hatter Hill Rd | 21.52 | Powley Rd & Stennetts Lake Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5110006 | Munckton Rd | Munckton Rd | Morawa | 0.00 | Morawa - Yalgoo Rd | 14.26 | Fallon Rd & Koolanooka Access Rd | |
| 8130236 | Munda Wy | Munda Wy | Port Hedland (T) | 0.00 | Harwell Wy | 0.82 | Harwell Wy | <ul style="list-style-type: none"> A RAV must not be driven on this road in excess of 4.3 metres in height unless written approval is obtained from Horizon Power |
| 2150660 | Munday Av | Munday Av | Murray | 0.00 | Moores Rd | 1.13 | Munday Av - End Road | |
| 4100131 | Munday Loop | Munday Loop | Kondinin | 0.00 | Meeking Cr | 0.41 | Munday Loop - End Road | |
| 4300079 | Mundays Rd | Mundays Rd | Williams | 0.00 | Zilko Rd | 6.20 | 6.20km From Zilko Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1070010 | Mundijong Rd | Mundijong Rd | Rockingham (C) | 0.00 | Serpentine - Jarrahdale LGA Boundary | 4.72 | Kulija Rd | |
| 1080004 | Mundijong Rd | Mundijong Rd | Serpentine - Jarrahdale | 3.01 | Kargotich Rd | 9.50 | Rockingham (C) LGA Boundary | |
| H713 | Mundijong Rd on to Kwinana Fwy (Northbound) | Mundijong Rd on to Kwinana Fwy (Northbound) | Rockingham (C) | 0.00 | Kulija Rd & Kwinana Fwy (Northbound) off to Mundijong Rd | 0.35 | Kwinana Fwy | |
| H711 | Mundijong Rd on to Kwinana Fwy (Southbound) | Mundijong Rd on to Kwinana Fwy (Southbound) | Rockingham (C) | 0.00 | Mundijong Rd & Kwinana Fwy (Southbound) off to Mundijong Rd | 0.39 | Kwinana Fwy | |
| 5110137 | Mungada Rd | Mungada Rd | Morawa | 0.00 | Koolanooka Spring Rd | 12.74 | Mungada Rd & Lochada Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 2070011 | Mungalup Rd | Mungalup Rd | Collie | 0.63 | Crampton St | 14.48 | Donnybrook - Balingup LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|------------------------|--------|----------------------|--|
| 4150117 | Mungangabby Rd | Mungangabby Rd | Mount Marshall | 0.00 | Beacon Back Rd | 5.69 | Mandiga - Marindo Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Mandiga - Marindo Rd : No access permitted into Mandiga - Marindo Rd from Mungangabby Rd |
| 5090032 | Mungaterra Rd | Mungaterra Rd | Mingenew | 0.00 | Mingenew - Mullewa Rd | 2.50 | For 2.50 Km | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5040025 | Mungedar Rd | Mungedar Rd | Dandaragan | 0.00 | Badgingarra Rd | 7.85 | North West Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3070109 | Mungerup Rd South | Mungerup Rd South | Gnowangerup | 0.00 | Borden - Bremer Bay Rd | 2.92 | O Meehans Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|------------------|----------|--------------------------------------|--------|--------------------------------------|--|
| 6040250 | Munglinup Beach Rd | Munglinup Beach Rd | Esperance | 0.00 | Springdale Rd | 6.95 | Munglinup Beach Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 8110295 | Munjina - Roy Hill Rd | Munjina - Roy Hill Rd | Ashburton | 0.00 | Great Northern Hwy | 7.46 | East Pilbara LGA Boundary | <ul style="list-style-type: none"> Maximum speed 80 km/h |
| 8120232 | Munjina - Roy Hill Rd | Munjina - Roy Hill Rd | East Pilbara | 0.00 | Marble Bar Rd | 132.59 | Ashburton LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum Speed 60 km/h from SLK 0.00 Marble Bar Rd to SLK 78.12 BHP Access Rd. Maximum Speed 80 km/h from SLK 78.12 BHP Access Rd to SLK 133.09 Ashburton LGA boundary. |
| 2040791 | Munro Loop | Munro Loop | Bunbury (C) | 0.00 | Halifax Dr | 0.36 | Munro Loop - End Road | |
| 1120115 | Munt St | Munt St | Bayswater (C) | 0.00 | Bassendean Rd | 0.57 | John St | |
| 4140028 | Muntadgin - Tandegin Rd | Muntadgin - Tandegin Rd | Merredin | 4.01 | Tandegin West Rd | 8.85 | Hendrick Rd | |
| 4030012 | Muntadgin Rd | Muntadgin Rd | Bruce Rock | 0.00 | Bruce Rock Merredin Rd | 16.09 | Merredin LGA Boundary | |
| 4140018 | Muntadgin Rd | Muntadgin Rd | Merredin | 0.00 | Dunwell Rd & Hooper Rd | 0.12 | Crossland St & Wogarl - Muntadgin Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 4140018 | Muntadgin Rd | Muntadgin Rd | Merredin | 0.12 | Crossland St & Wogarl - Muntadgin Rd | 17.06 | Bruce Rock LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4030166 | Muntz Rd | Muntz Rd | Bruce Rock | 0.00 | Corrigin - Bruce Rock Rd | 2.03 | Veitch Rd | |
| 6040028 | Muntz Rd | Muntz Rd | Esperance | 0.00 | Fisheries Rd | 10.08 | Howick Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040028 | Muntz Rd | Muntz Rd | Esperance | 10.12 | Howick Rd | 46.17 | Muntz Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|---------------------------------|--------|---|--|
| 4240045 | Munyard Rd | Munyard Rd | Quairading | 0.00 | Kellerberrin - Yoting Rd | 8.78 | Pantapin North Rd & Ogrady Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 3100078 | Muradup Rd | Muradup Rd | Kojonup | 0.00 | Riverdale Rd | 0.49 | Dorrington Rd | <ul style="list-style-type: none"> Intersection Dorrington Rd : No access permitted into Dorrington Rd from Muradup Rd |
| 8060066 | Murat Rd | Murat Rd | Exmouth | 0.00 | Preston St & Minilya Exmouth Rd | 21.00 | Point Murat Access South & Point Murat Access North | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4050031 | Murbys Rd | Murbys Rd | Cuballing | 0.00 | Pauley Rd | 6.42 | Nottles Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 7030030 | Murchison Downs Rd | Murchison Downs Rd | Meekatharra | 0.00 | Douglas St Slip Rd & Queen Rd | 54.92 | Hillview - Murchison Downs Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h |
| 3150091 | Murdoch Rd | Murdoch Rd | Wagin | 0.00 | Robinson Rd | 4.67 | Narrogin LGA Boundary | |
| 4180321 | Murdoch Rd | Murdoch Rd | Narrogin | 0.00 | Wagin LGA Boundary | 3.64 | Greens Rd & Dwelyerdine Rd | |
| 3080024 | Murdong Rd | Murdong Rd | Katanning | 0.00 | Great Southern Hwy | 12.32 | Langaweira Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 1120471 | Muriel St | Muriel St | Bayswater (C) | 0.00 | Cossom Pl | 0.14 | Muriel St - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|--|--------|-------------------------|---|
| 5140068 | Muriels L | Muriels L | Perenjori | 0.00 | Coorow - Maya Rd | 3.15 | Coorow - Latham Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1060021 | Muros Pl | Muros Pl | Mundaring | 0.00 | Rothschild Pl | 0.19 | Muros Pl - End Road | |
| 5160009 | Murphy Norris Rd | Murphy Norris Rd | Chapman Valley | 0.00 | Chapman Valley Rd | 8.00 | Butcher Knife Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180069 | Murphy Rd | Murphy Rd | Wongan - Ballidu | 0.00 | Dowerin - Kalannie Rd | 0.92 | Murphy Rd - End of Road | |
| 1180128 | Murphy St | Murphy St | Fremantle (C) | 0.00 | Jones St | 0.29 | Hines Rd | |
| 5160099 | Murphy Yetna Rd | Murphy Yetna Rd | Chapman Valley | 0.00 | Nanson - Howatharra Rd & Nabawa - Yetna Rd | 6.41 | Chapman Valley Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 60 km/h Maximum Speed of 20 km/h over floodway |
| 1140176 | Murray Rd | Murray Rd | Canning (C) | 0.00 | Welshpool Rd | 0.33 | Orrong Rd | |
| 1140176 | Murray Rd | Murray Rd | Canning (C) | 0.35 | Orrong Rd | 0.63 | Dowd St East | |
| 3180068 | Murray Rd | Murray Rd | Jerramungup | 0.00 | Devils Creek Rd | 8.50 | Doubtful Islands Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|-----------------------------|--------|-----------------------------------|--|
| 4010071 | Murray Rd | Murray Rd | Beverley | 0.00 | Mawson Rd | 3.01 | Quairading York Rd & Balkuling Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Mawson Rd : No access permitted into Mawson Rd from Murray Rd |
| 4100049 | Murray Rd | Murray Rd | Kondinin | 0.00 | Spurr Rd | 1.70 | For 1.7km From Spurr Road | |
| 4120161 | Murray Rd | Murray Rd | Kulin | 0.00 | Notley Rd | 1.81 | Murray Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4290164 | Murray Rd | Murray Rd | Wickepin | 0.00 | Tincurrin Rd | 3.44 | Wishbone Rd | |
| 6040060 | Murray Rd | Murray Rd | Esperance | 0.00 | Napier Rd & South Coast Hwy | 14.65 | End of Road | |
| 6110044 | Murray Rd | Murray Rd | Yilgarn | 0.00 | Murray Rd - Start Road | 1.99 | Bodallin North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6110044 | Murray Rd | Murray Rd | Yilgarn | 2.09 | Bodallin North Rd | 9.59 | Noongar North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4100077 | Murray Rock Rd | Murray Rock Rd | Kondinin | 0.00 | Mulcahy Rd | 7.26 | Wheeler Rock Rd | |
| 5040072 | Murray St | Murray St | Dandaragan | 0.00 | Bashford St | 0.23 | Sandpiper St | |
| 8130063 | Murrena St | Murrena St | Port Hedland (T) | 0.00 | Pinnacles St | 0.52 | Taaffee St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|-------------------------------------|--------|--------------------------|--|
| 3100039 | Murrin Brook Rd | Murrin Brook Rd | Kojonup | 0.00 | Donnybrook Kojonup Rd & Haggerty St | 8.23 | Woodenup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4140181 | Muscat St | Muscat St | Merredin | 0.00 | Kendall St | 0.38 | Cohn St & Dobson Av | |
| 4060037 | Mussared Rd | Mussared Rd | Cunderdin | 0.00 | Great Eastern Hwy & Jasper River Rd | 4.80 | Carter - Doodenanning Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Great Eastern Hwy & Jasper River Rd : No access permitted into Great Eastern Hwy from Mussared Rd |
| 5040030 | Muthawandery Rd | Muthawandery Rd | Dandaragan | 0.00 | Dandaragan Rd | 12.16 | North West Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5040030 | Muthawandery Rd | Muthawandery Rd | Dandaragan | 12.19 | North West Rd | 16.76 | Coomberdale West Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4290039 | Mutton Rd | Mutton Rd | Wickepin | 3.25 | Russell Rd | 7.54 | Malyalling Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2110128 | Myalup Beach Rd | Myalup Beach Rd | Harvey | 0.00 | Forrest Hwy & Myalup Rd | 3.60 | Myalup Beach - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|---------------------------------------|--------|-------------------------------|--|
| 2110539 | Myalup Rd | Myalup Rd | Harvey | 0.00 | Forestry Rd | 8.94 | Forrest Hwy & Myalup Beach Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4330249 | Myanarra Rd | Myanarra Rd | York | 0.00 | Mokine Rd | 1.83 | Myanarra Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3050573 | Mycena St | Mycena St | Denmark | 0.00 | East River Rd | 0.16 | Corymbia Cr | |
| 5030054 | Myers Rd | Myers Rd | Dalwallinu | 0.00 | Wubin - Gunyidi Rd | 8.34 | Nugadong West Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030194 | Myers St | Myers St | Dalwallinu | 0.00 | Johnston St & Park Dr | 0.11 | McNeill St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 6040019 | Myrup Rd | Myrup Rd | Esperance | 0.00 | Lakeway Rd & Coolgardie Esperance Hwy | 11.50 | Fisheries Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|-------------------------------|--------|---|--|
| 2130181 | Nabagup Rd | Nabagup Rd | Manjimup | 0.00 | Muir Hwy | 3.50 | Nabagup Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Muir Hwy : No left turn permitted into Nabagup Rd from Muir Hwy |
| 5160082 | Nabawa - Yetna Rd | Nabawa - Yetna Rd | Chapman Valley | 0.00 | Chapman Valley Rd | 7.00 | Murphy Yetna Rd & Nanson - Howatharra Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 60 km/h Maximum Speed of 20 km/h over floodway |
| 5030021 | Nadji Mia Rd | Nadji Mia Rd | Dalwallinu | 0.00 | Miling East Rd & Nadji Mia Rd | 2.80 | Great Northern Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5100057 | Nadji Mia Rd | Nadji Mia Rd | Moora | 0.00 | Miling East Rd & Nadji Mia Rd | 11.58 | Bindi - Ballidu Rd & Ballidu - Bindi Bindi Rd & Toothra - Exchange Rd | <ul style="list-style-type: none"> Intersection Lyons East Rd : No access permitted into Lyons East Rd from Nadji Mia Rd. |
| 3090059 | Nagel Rd | Nagel Rd | Kent | 0.00 | Wood Rd | 4.41 | Katanning LGA Boundary | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|--------------------------|----------|---------------------------|--------|-------------------------|--|
| 3060112 | Naisbitt Rd | Naisbitt Rd | Dumbleyung | 0.00 | Tarin Rock North Rd | 2.60 | Harrismith Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4090043 | Nalyerine Rd | Nalyerine Rd | Kellerberrin | 0.00 | Kellerberrin - Yelbeni Rd | 5.56 | Benderine North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4040013 | Nambadilling Rd | Nambadilling Rd | Corrigin | 0.00 | Kondinin LGA Boundary | 29.73 | Bendering Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4100025 | Nambadilling Rd | Nambadilling Rd | Kondinin | 0.00 | Bendering Rd | 7.96 | Corrigin LGA Boundary | |
| 5100028 | Namban East Rd | Namban East Rd | Moora | 0.00 | Midlands Rd | 8.10 | Old Geraldton Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5040037 | Namban West Rd | Namban West Rd | Dandaragan | 5.32 | Agaton Rd | 11.40 | Moora LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5100020 | Namban West Rd | Namban West Rd | Moora | 0.00 | Midlands Rd | 14.85 | Dandaragan LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2150353 | Nambeelup Rd | Nambeelup Rd | Murray | 0.00 | Lakes Rd | 1.39 | Nambeelup Rd - End Road | <ul style="list-style-type: none"> Intersection Lakes Rd : No left turn permitted into Lakes Rd from Nambeelup Rd |
| 6056070 | Nambi Wy | Nambi Wy | Kalgoorlie - Boulder (C) | 0.00 | Percy Rd | 0.35 | Carnegie St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|---------------------------|--------|-------------------------|---|
| 4070062 | Nambling North Rd | Nambling North Rd | Dowerin | 0.00 | Goomalling Wyalkatchem Rd | 5.67 | Goomalling LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4080077 | Nambling North Rd | Nambling North Rd | Goomalling | 0.00 | Schell Rd | 3.16 | Dowerin LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|------------------------|--------|--|--|
| 4060017 | Nambling Rd | Nambling Rd | Cunderdin | 0.00 | Meckering - Dowerin Rd | 8.51 | Maisey Rd & Quelagetting West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. See Low Volume Condition Type A in the Operating Conditions Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Meckering - Dowerin Rd : No access to Nambling Rd from Meckering Dowerin Rd. No left turn permitted into Meckering Dowerin Rd from Nambling Rd. |
| 4070162 | Nambling South Rd | Nambling South Rd | Dowerin | 0.00 | Hagboom Rd | 22.52 | Sanders Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Intersection Ucarty Rock Rd : No right turn permitted into Ucarty Rock Rd from Nambling South Rd Intersection Ucarty Rock East Rd : No access permitted into Ucarty Rock East Rd from Nambling South Rd |
| 8110319 | Nameless Valley Dr | Nameless Valley Dr | Ashburton | 0.00 | Mine Rd | 19.44 | Nanutarra Munjina & Nanutarra Munjina Rd | |
| 5040028 | Nammegarra Rd | Nammegarra Rd | Dandaragan | 0.00 | Brand Hwy | 6.55 | Nammegarra Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3020606 | Nanarup Rd | Nanarup Rd | Albany (C) | 0.00 | Lower King Rd | 10.80 | 2.52km Southeast of Poikeclerup Rd | <ul style="list-style-type: none"> Bridge 4332 Kalgan River (Lower) : Bridge not to be crossed. |
| 5090004 | Nanekine Rd | Nanekine Rd | Mingenew | 0.00 | Coalseam Rd | 13.99 | Thomas Rd & Nanekine Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h |
| 5110003 | Nanekine Rd | Nanekine Rd | Morawa | 0.00 | Mullewa Wubin Rd | 21.83 | Thomas Rd & Nanekine Rd | |
| 2090006 | Nanga Brook Rd | Nanga Brook Rd | Waroona | 0.00 | McDowell St & Hill St | 20.12 | Nanga Rd No 74 | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h No Operation Weekends Public Holidays |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|---|-----------------------|----------|--|--------|--|--|
| 2150060 | Nanga Rd | Nanga Rd | Murray | 0.00 | Pinjarra Williams Rd | 6.56 | Nanga Rd & Park Rd (F) | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4140006 | Nangeenan North Rd | Nangeenan North Rd | Merredin | 0.00 | Great Eastern Hwy | 22.63 | Nukarni West Rd & Nangeenan North Rd | |
| 4220022 | Nangeenan North Rd | Nangeenan North Rd | Nungarin | 0.00 | Nukarni West Rd & Nangeenan North Rd | 10.61 | Merredin Nungarin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Baird Rd : No left turn permitted into Baird Rd from Nanheenan North Rd (southbound) |
| 5050641 | Nangerwalla Rd | Nangerwalla Rd | Greater Geraldton (C) | 0.00 | Nubberoo Rd | 13.75 | Carnarvon - Mullewa Rd | |
| 5160010 | Nanson - Howatharra Rd | Nanson - Howatharra Rd | Chapman Valley | 6.00 | Murphy Yetna Rd & Nabawa - Yetna Rd | 14.35 | North West Coastal Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 70 km/h |
| M029 | Nanutarra Munjina | Nanutarra Munjina Rd Nanutarra Munjina | Ashburton | 0.00 | North West Coastal Hwy | 328.19 | Hamersley Rd | <ul style="list-style-type: none"> Intersection Manuwarra Red Dog Hwy : No access permit into Manuwarra Red Dog Hwy from Nanutarra Munjina Rd. |
| M029 | Nanutarra Munjina | Nanutarra Munjina Rd | Ashburton | 333.25 | 4.1km From Hamersley Gorge Rd | 338.85 | 9.7km From Hamersley Gorge Rd | |
| M029 | Nanutarra Munjina | Nanutarra Munjina Rd | Ashburton | 338.85 | From 9.70 Km (North) Past Hamersley Gorge Rd | 417.12 | Great Northern Hwy | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 4090036 | Nanyanine Rd | Nanyanine Rd | Kellerberrin | 0.00 | Ryan Rd & McQueen Rd | 5.47 | Deep Well Rd & Kellerberrin - Yelbeni Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 118Z047 | Napier Rd | Napier Rd | Fremantle (C) | 0.00 | Tydemans Rd | 0.23 | Swan St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---------------------------|------------------|----------|-------------------------------|--------|------------------------|---|
| 6040263 | Napier Rd | Napier Rd | Esperance | 0.00 | South Coast Hwy & Murray Rd | 4.86 | Napier Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4050033 | Napping Pool Rd | Napping Pool Rd | Cuballing | 0.00 | Pingelly LGA Boundary | 5.11 | Popanyinning West Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4230015 | Napping Pool Rd | Napping Pool Rd | Pingelly | 0.00 | North Bannister - Pingelly Rd | 7.12 | Cuballing LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5160017 | Naraling - East Yuna Rd | Naraling - East Yuna Rd | Chapman Valley | 0.00 | Yuna - Tenindewa Rd | 18.11 | Chapman Valley Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5090022 | Narandagy - Pintharuka Rd | Narandagy - Pintharuka Rd | Mingenew | 0.00 | Coalseam Rd | 6.60 | Yandanooka Melara Rd | |
| 5090022 | Narandagy - Pintharuka Rd | Narandagy - Pintharuka Rd | Mingenew | 6.60 | Yandanooka Melara Rd | 7.52 | Manarra Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5090022 | Narandagy - Pintharuka Rd | Narandagy - Pintharuka Rd | Mingenew | 7.52 | Manarra Rd | 14.90 | Pintharuka West Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------------|----------|---|--------|---|---|
| 3040054 | Nardarup Rd | Nardarup Rd | Cranbrook | 0.00 | Frankland - Rocky Gully Rd & Un - Named | 7.67 | Cook Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Cook Rd : No access permitted into Cook Rd from Nardarup Rd |
| 1021034 | Nardine Cl | Nardine Cl | Kalamunda | 0.00 | Milner Rd | 1.30 | Nardine Cl - End Road | |
| 3030015 | Nardlah Rd | Nardlah Rd | Broomehill - Tambellup | 0.00 | Broomehill Gnowangerup Rd | 5.38 | Tie Line Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 5100045 | Nardy Rd | Nardy Rd | Moora | 0.00 | Moora - Miling Rd | 6.05 | Miling West Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Moora - Miling Rd : No left turn permitted into Moora - Miling Road from Nardy Rd |
| 4030026 | Narembreen Boundary Rd | Narembreen Boundary Rd | Bruce Rock | 0.00 | Old Beverley Rd | 8.65 | Babakin South East Rd & Hedges West Rd & Narembreen Boundary Rd | |
| 4170109 | Narembreen Boundary Rd | Narembreen Boundary Rd | Narembreen | 0.00 | Babakin South East Rd & Narembreen Boundary Rd & Hedges West Rd | 6.39 | Boundary Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4100037 | Narembreen Rd South | Narembreen Rd South | Kondinin | 0.00 | Billericay East Rd | 13.75 | Bendering East Rd | |
| 4100037 | Narembreen Rd South | Narembreen Rd South | Kondinin | 13.78 | Bendering East Rd | 18.58 | Growden Rd | |
| 4170005 | Narembreen South Rd | Narembreen South Rd | Narembreen | 0.00 | Mt Walker Rd | 23.49 | Billericay East Rd | <ul style="list-style-type: none"> Intersection Emu Hill East Rd : No right turn permitted into Emu Hill East Rd from Narembreen South Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|------------------------------------|--------|-----------------------------|--|
| 4110035 | Narkal North Rd | Narkal North Rd | Koorda | 0.00 | Mulji Rd | 7.15 | Narkal Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 40 km/h below posted speed limit Intersection Narkal Rd : No access permitted into Narkal Rd from Narkal North Rd |
| 4110022 | Narkal Rd | Narkal Rd | Koorda | 0.00 | Mollerin Rock South Rd | 5.71 | East Boundary Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 40 km/h below posted speed limit Intersection Narkal North Rd : No access permitted into Narkal North Rd from Narkal Rd |
| 6110052 | Narla Loop Rd | Narla Loop Rd | Yilgarn | 0.00 | Bullfinch Rd | 19.70 | Koorda - Bullfinch Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6110076 | Narla South Rd | Narla South Rd | Yilgarn | 0.00 | Narla Loop Rd | 21.50 | Moorine Rock Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3100209 | Narlingup Rd | Narlingup Rd | Kojonup | 0.00 | Donnybrook Kojonup Rd | 9.21 | McCafferty Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h Access from Lower Blackwood Rd only. Maximum speed of 60 km/h on gravel road. |
| 1091839 | Narloo St | Narloo St | Swan (C) | 0.00 | Beringarra Av | 0.24 | Victoria Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 5160007 | Narra Tarra Rd | Narra Tarra Rd | Chapman Valley | 0.00 | Chapman Valley Rd | 3.00 | Narra Tarra Moonyoonooka Rd | |
| 7030013 | Narracoota Rd | Narracoota Rd | Meekatharra | 0.00 | Ashburton Dwns - Meekatharra Rd | 1.93 | Narracoota Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 4180112 | Narrakine Rd | Narrakine Rd | Narrogin | 0.00 | Wandering - Narrogin Rd & Fleay Rd | 1.16 | Clayton Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|--|--|----------|------------------------------------|--------|--------------------------|--|
| 4300014 | Narrakine Rd | Narrakine Rd | Williams | 0.00 | Albany Hwy | 17.44 | Narrakine Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4180221 | Narrakine Rd South | Narrakine Rd South | Narrogin | 1.01 | Katta Rd & Mokine Rd | 2.56 | Wanerie Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 4180221 | Narrakine Rd South | Narrakine Rd South | Narrogin | 2.56 | Wanerie Rd | 10.26 | Blight Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4330076 | Narraloggan Rd | Narraloggan Rd | York | 0.00 | York - Tammin Rd & Near Warding Rd | 6.08 | Doodenanning Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection York - Tammin Rd & Near Warding Rd : No right turn permitted into York Tammin Rd from Narraloggan Rd |
| 3120148 | Narrikup Rd | Narrikup Rd | Plantagenet | 0.00 | Hannan Wy | 7.03 | Chorkerup Rd & Siding Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h |
| 4180331 | Narrogin - Harrismith Rd | Narrogin - Harrismith Rd | Narrogin | 0.00 | Herald St | 18.01 | Pethybridge Rd | |
| 4180331 | Narrogin - Harrismith Rd | Narrogin - Harrismith Rd | Narrogin | 18.01 | Pethybridge Rd | 30.17 | Wagin - Wickepin Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h |
| 4180331 | Narrogin - Harrismith Rd | Narrogin - Harrismith Rd | Narrogin | 30.17 | Wagin - Wickepin Rd | 35.14 | Yilliminning Rd | |
| M038 | Narrogin Kondinin | Kipling St Doney St Williams Kondinin Rd Wogolin Rd | Narrogin Cuballing Wickepin Kulin | 31.61 | Pioneer Dr Rty | 138.49 | Jilakin St | <ul style="list-style-type: none"> Intersection Leeson Rd : No Left Turn Into Leeson Road Permitted |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|----------------------------------|--------------------------|----------|----------------------|--------|--|---|
| M038 | Narrogin Kondinin | Johnston St Kulin Kondinin Rd | Kulin Kondinin | 138.49 | Jilakin St | 162.56 | Nicholls St & Graham St & Kondinin Lake Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h Intersection Young Rd : No left turn permitted into Young Rd from Narrogin Kondinin Rd Intersection Link to Young Rd : No right turn permitted into Link to Young Rd from Narrogin Kondinin Rd |
| M407 | Narrogin South Rty | Narrogin South Rty | Narrogin | 0.00 | Pioneer Dr | 0.16 | Pioneer Dr | |
| 4180212 | Narrogin Valley Rd | Narrogin Valley Rd | Narrogin | 0.00 | Booth St & Condon Rd | 24.61 | Rushy Pool Rd & Pethybridge Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4300029 | Nash Rd | Nash Rd | Williams | 0.00 | Albany Hwy | 5.88 | Nash Rd - End Road | |
| 1070616 | Nasmyth Rd | Nasmyth Rd | Rockingham (C) | 0.00 | Dixon Rd | 0.27 | Cort Wy | |
| 1251917 | Natalie Wy | Natalie Wy | Stirling (C) | 0.00 | Balcatta Rd | 0.45 | Delawney St | |
| 5090067 | Natta Rd | Natta Rd | Mingenew | 0.00 | Yandanooka West Rd | 0.72 | Three Springs LGA Boundary | |
| 5150087 | Natta Rd | Natta Rd | Three Springs | 0.00 | Tomkins Rd | 13.08 | Mingenew LGA Boundary | |
| 4100125 | Naughton St | Naughton St | Kondinin | 0.18 | McPherson St | 0.44 | Lynch St | |
| 7040003 | Naughton St | Naughton St | Mount Magnet | 0.00 | Laurie St | 0.29 | Hepburn St | |
| 1031811 | Nautical Dr | Nautical Dr | Cockburn (C) | 0.00 | Quill Wy | 0.82 | Nautical Dr - End Road | |
| 2030129 | Naylor Yates Rd | Naylor Yates Rd | Bridgetown - Greenbushes | 0.00 | Rifle Range Rd | 1.71 | 1.71km From Rifle Range Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------------|----------|--|--------|--|--|
| 3030238 | Nazzari Rd | Nazzari Rd | Broomehill - Tambellup | 0.00 | Gnowangerup - Tambellup Rd | 4.63 | Nazzari Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5110112 | Neagle St | Neagle St | Morawa | 0.00 | Evans St | 0.49 | Stokes Rd & Old Neagle St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 8060172 | Neale Cove | Neale Cove | Exmouth | 0.00 | Mortiss St & Crevalle Wy | 0.41 | Fuel Tank Rd | |
| 6070021 | Neale Junction Rd | Neale Junction Rd | Laverton | 2.13 | | 4.77 | Gruyere Mine Site Private Access Rd 4.77 Km From White Cliffs - Yamarna Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h |
| 4050041 | Neamutin Rd | Neamutin Rd | Cuballing | 0.00 | Chopping Rd & Nyamutin Rd | 11.29 | Stratherne Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5110009 | Neates Rd | Neates Rd | Morawa | 0.00 | Valentine Rd & Three Springs - Morawa Rd | 17.38 | Colgate Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Colgate Rd : No access permitted into Colgate Rd from Neates Rd |
| 1090049 | Neaves Rd | Neaves Rd | Swan (C) | 0.00 | Railway Pde & Muchea South Rd | 1.75 | Neaves Rd Rty | |
| 1090049 | Neaves Rd | Neaves Rd | Swan (C) | 1.96 | Neaves Rd Rty | 12.30 | Wanneroo (C) LGA Boundary | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|------------------|----------|-------------------------------|--------|--------------------------|--|
| 1100475 | Neaves Rd | Neaves Rd | Wanneroo (C) | 0.00 | Joondalup Dr & Old Yanchep Rd | 6.67 | Swan (C) LGA Boundary | |
| H432 | Neaves Rd Rty | Neaves Rd Rty | Swan (C) | 0.00 | Neaves Rd | 0.54 | Neaves Rd | |
| H364 | Neaves Rd Rty on to Tonkin Hwy (Northbound) | Neaves Rd Rty on to Tonkin Hwy (Northbound) | Swan (C) | 0.00 | Neaves Rd Rty | 0.59 | Tonkin Hwy | |
| H366 | Neaves Rd Rty on to Tonkin Hwy (Southbound) | Neaves Rd Rty on to Tonkin Hwy (Southbound) | Swan (C) | 0.00 | Neaves Rd Rty | 0.59 | Tonkin Hwy | |
| 4050152 | Nebrikinning Rd | Nebrikinning Rd | Cuballing | 0.00 | Wandering - Narrogin Rd | 6.99 | Congelin - Narrogin Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5150003 | Neburu Rd | Neburu Rd | Three Springs | 0.00 | Three Springs - Eneabba Rd | 28.42 | Loc 3962 (Bunney Rd) | |
| 6040043 | Neds Corner Rd | Neds Corner Rd | Esperance | 0.00 | South Coast Hwy | 32.98 | Cascade Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040043 | Neds Corner Rd | Neds Corner Rd | Esperance | 33.22 | Cascade Rd | 59.73 | Rollond Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040043 | Neds Corner Rd | Neds Corner Rd | Esperance | 59.74 | Rollond Rd | 71.66 | 1.855km After Pyramid Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 7030095 | Neds Creek Rd | Neds Creek Rd | Meekatharra | 0.00 | Wiluna North Rd | 7.10 | Neds Creek Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h |
| 3090017 | Needilup North Rd | Needilup North Rd | Kent | 0.00 | Jerramungup LGA Boundary | 43.10 | Newdegate - Pingrup Rd | |
| 3180002 | Needilup North Rd | Needilup North Rd | Jerramungup | 0.00 | Gnowangerup Jerramungup Rd | 19.03 | Kent LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|--|--------|--|--|
| 3180061 | Needilup South Rd | Needilup South Rd | Jerramungup | 0.00 | Gnowangerup Jerramungup Rd | 7.88 | Stock Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4140022 | Neening Rd | Neening Rd | Merredin | 0.00 | Nukarni West Rd | 22.57 | Great Eastern Hwy & Cahill Rd | |
| 1103105 | Neerabup Rd | Neerabup Rd | Wanneroo (C) | 0.00 | Marmion Av - Neerabup Rd Rty | 2.06 | Mitchell Fwy (Northbound) off to Neerabup Rd & Neerabup Rd on to Mitchell Fwy (Northbound) | <ul style="list-style-type: none"> No Operation between 8:00 PM and 6:00 AM |
| 1103105 | Neerabup Rd | Neerabup Rd | Wanneroo (C) | 2.06 | Mitchell Fwy (Northbound) off to Neerabup Rd & Neerabup Rd on to Mitchell Fwy (Northbound) | 4.33 | Wanneroo Rd & Flynn Dr | |
| 3022188 | Negri Rd | Negri Rd | Albany (C) | 0.00 | Negri Rd - Start Road | 0.42 | Negri Rd - End Road | |
| 4030100 | Negris Rd | Negris Rd | Bruce Rock | 0.00 | Bruce Rock East Rd | 3.97 | Bruce Rock South Rd & Bruce Rock - Naremben Rd | |
| 6100140 | Neil St | Neil St | Ravensthorpe | 0.00 | Morgans St | 0.28 | Martin St | <ul style="list-style-type: none"> Intersection Morgans St : No access permitted into Morgans St from Neil St. |
| 3150063 | Nelson Rd | Nelson Rd | Wagin | 0.00 | Arthur Rd | 3.70 | Ballagin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Arthur Rd : No access permitted into Collie Lake King from Nelson Rd |
| 4100085 | Nelson Rd | Nelson Rd | Kondinin | 0.00 | Lake Carmody Rd | 6.22 | Nelson Rd - End Road | |
| 4250009 | Nelson Rd | Nelson Rd | Tammin | 0.00 | Tammin South Rd | 12.92 | McNeil Rd & Kellerberrin - Yoting Rd | |
| 5030172 | Nelson St | Nelson St | Dalwallinu | 0.00 | Buntine East Rd & Mullewa Wubin Rd | 0.90 | Flynn Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. HVS Update 7-2022 |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|-------------------------|----------|---|--------|---|--|
| 4310088 | Nembudding Bin Rd | Nembudding Bin Rd | Wyalkatchem | 0.00 | Nungarin Wyalkatchem Rd | 1.53 | Nungarin Wyalkatchem Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 4310008 | Nembudding South Rd | Nembudding South Rd | Wyalkatchem | 0.00 | Jarvis Rd & Nungarin Wyalkatchem Rd | 19.64 | Yorakine West Rd & Bungulla North Rd & Yorakine East Rd | |
| 6020116 | Nepean - Spargoville Rd | Nepean - Spargoville Rd | Coolgardie | 17.20 | Gravel Pit Access 17.55km From Coolgardie Esperance Hwy | 34.75 | Coolgardie Esperance Hwy | |
| 6020004 | Nepean Rd | Nepean Rd | Coolgardie | 0.00 | Hunt St & Bayley St | 25.69 | Nepean Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 3040064 | Netly Rd | Netly Rd | Cranbrook | 0.00 | Frankland - Rocky Gully Rd | 7.38 | Bangalup Rd | |
| 1080006 | Nettleton Rd | Nettleton Rd | Serpentine - Jarrahdale | 0.00 | South Western Hwy | 0.31 | Dougall St | |
| 1019016 | Network PI | Network PI | Armadale (C) | 0.00 | Macfarlane Rd | 0.23 | Network PI - End Road | |
| 3090016 | Neve Rd | Neve Rd | Kent | 0.00 | Newdegate - Pingrup Rd | 17.75 | Pingrup Lake Grace Rd | |
| 2050928 | Neville Hyder Dr | Neville Hyder Dr | Busselton (C) | 0.00 | Vasse Hwy | 1.01 | Neville Hyder Dr - End Road | |
| 1101273 | Nevin St | Nevin St | Wanneroo (C) | 0.00 | Prindiville Dr | 0.12 | Baretta Rd | |
| 6110030 | Nevoria - Yellowdine Rd | Nevoria - Yellowdine Rd | Yilgarn | 0.00 | Marvel Loch - Forrestania Rd | 34.31 | Great Eastern Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3070093 | New Country Rd | New Country Rd | Gnowangerup | 0.00 | Formby Rd South | 10.23 | Highdenup Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5179000 | New Norcia Rd | New Norcia Rd | Victoria Plains | 0.00 | Great Northern Hwy | 1.32 | | |
| 3020131 | Newbey St | Newbey St | Albany (C) | 0.00 | Chester Pass Rd | 0.71 | Newbey St & Richard St | <ul style="list-style-type: none"> Intersection Merrifield St : No left turn permitted into Newbey St from Merrifield St. No right turn permitted into Merrifield St from Newbey St. |
| 6110143 | Newbury Rd | Newbury Rd | Yilgarn | 0.00 | Moorine Rock Rd | 10.04 | Corinthia West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4110039 | Newcarlbeon Rd | Newcarlbeon Rd | Koorda | 0.00 | Koorda - Kulja Rd | 4.65 | Commonwealth Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 40 km/h below posted speed limit |
| 4212224 | Newcastle Rd | Newcastle Rd | Northam | 0.00 | Fitzgerald St & Gairdner St | 2.85 | Colebatch St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4212224 | Newcastle Rd | Newcastle Rd | Northam | 2.85 | Colebatch St | 2.97 | Northam Toodyay Rd & Northam Toodyay Rd Link Rd & McMillan Pl | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------|----------|---|--------|--|---|
| 5170001 | Newdale Rd | Newdale Rd | Victoria Plains | 0.00 | Yenart Rd | 11.36 | Old Plains Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School Bus Route - Contact Operators on UHF CH 11 |
| 3090002 | Newdegate - Pingrup Rd | Newdegate - Pingrup Rd | Kent | 0.00 | Sanderson St & Paterson St | 41.13 | Fourteen Mile Rd & Newdegate - Pingrup Rd | |
| 3110218 | Newdegate - Pingrup Rd | Newdegate - Pingrup Rd | Lake Grace | 0.00 | Fourteen Mile Rd & Newdegate - Pingrup Rd | 37.66 | Duncan Rd & Maler St & Newdegate Ravensthorpe Rd | |
| 3110016 | Newdegate North Rd | Newdegate North Rd | Lake Grace | 0.00 | Newdegate Ravensthorpe Rd | 41.13 | Holland Trk & Pingaring - Varley Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Shalders Rd : No left turn permitted into Shalders Rd from Newdegate North Rd |
| 3090126 | Newdegate Spur Rd | Newdegate Spur Rd | Kent | 0.00 | Newdegate - Pingrup Rd | 0.09 | Tranter Rd & Jolley Rd | |
| 2180099 | Newlgalup Rd | Newlgalup Rd | Boyup Brook | 0.00 | Boyup Brook - Arthur River Rd | 6.39 | Condinup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Boyup Brook - Arthur River Rd : No acces permitted into Boyup Brook-Arthur River Rd from Newlgalup Rd |
| 1130172 | Newlyn St | Newlyn St | Belmont (C) | 0.00 | Campbell St | 0.30 | Francisco St | |
| 8120090 | Newman Dr | Newman Dr | East Pilbara | 0.00 | Great Northern Hwy | 0.67 | Bp Service Centre Near Cowra St | |
| 3110122 | Newman Rd | Newman Rd | Lake Grace | 0.00 | Newdegate Ravensthorpe Rd | 4.90 | Orr Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|-----------------------|----------|--------------------------------------|--------|-----------------------|---|
| 4090084 | Newman Rd | Newman Rd | Kellerberrin | 0.00 | Kellerberrin - Yoting Rd | 4.06 | Minkadine Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5050260 | Newman St | Newman St | Greater Geraldton (C) | 0.00 | Webborton Rd | 0.18 | Bedford St | |
| 5160031 | Newmarracarra Rd | Newmarracarra Rd | Chapman Valley | 0.00 | Thompson Reidy Rd & Newmarracarra Rd | 13.04 | Durawah Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5110087 | Newnham Rd | Newnham Rd | Morawa | 0.00 | Gerber Rd | 5.31 | Newnham Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3170032 | Newstead Rd | Newstead Rd | Woodanilling | 0.00 | Great Southern Hwy | 3.42 | Cornwall Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|--------------------------|--------|-------------------------------------|--|
| 3040024 | Newton Rd | Newton Rd | Cranbrook | 0.00 | Great Southern Hwy | 13.71 | Broomehill - Tambellup LGA Boundary | |
| 3080127 | Newton Rd | Newton Rd | Katanning | 0.00 | Warren Rd | 1.77 | Gibney Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5090029 | Newton Rd | Newton Rd | Mingenew | 0.00 | Depot Hill Rd | 1.58 | Newton Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5180072 | Newton Rd | Newton Rd | Wongan - Ballidu | 0.00 | Ballidu - Bindi Bindi Rd | 7.77 | Damboring West Rd & Latham Rd | |
| 2150058 | Newton St | Newton St | Murray | 0.00 | Del Park Rd | 0.45 | Newton St - End Road | |
| 1120881 | Nexus Wy | Nexus Wy | Bayswater (C) | 0.00 | Wicks St | 0.30 | Focal Wy | |
| 3100155 | Neymerup Rd | Neymerup Rd | Kojonup | 0.00 | Albany Hwy | 5.09 | Boscabel - Chittinup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Albany Hwy : No right turn permitted into Neymerup Rd from Albany Hwy. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------------|----------|---|--------|--------------------------|--|
| 3030049 | Ngopitchup Rd | Ngopitchup Rd | Broomehill - Tambellup | 0.00 | Palomar Rd & Flat Rocks Rd & O'Neill Rd | 3.32 | Warrenup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4270071 | Ngulla Mia Rd | Ngulla Mia Rd | Wandering | 0.00 | Ricks Rd | 1.58 | Ngulla Mia Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5100060 | Niby Niby Rd | Niby Niby Rd | Moora | 0.00 | Moora - Miling Rd | 5.05 | Niby Niby Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Moora - Miling Rd : No access permitted into Moora - Miling Rd From Niby Niby Rd. |
| 1106920 | Niche Pde | Niche Pde | Wanneroo (C) | 0.00 | Fortitude Bvd & Ocean Reef Rd | 0.47 | Wisdom Tce | <ul style="list-style-type: none"> Intersection Fortitude Bvd & Ocean Reef Rd : No left turn permitted into Niche Parade from Ocean Reef Road. |
| 5170095 | Nicholas St | Nicholas St | Victoria Plains | 0.00 | Poincaire St | 0.26 | Nicholas St - End Road | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 4100066 | Nicholl Rd | Nicholl Rd | Kondinin | 0.00 | East Hyden Bin Rd & Gravel Pit North Rd | 5.47 | Hyden-Lake King Rd | |
| 5030229 | Nicholls Rd | Nicholls Rd | Dalwallinu | 0.00 | Dalwallinu North Rd | 11.27 | Birdwood Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|-------------------------|----------|---|--------|--|--|
| 4090062 | Nichols Rd | Nichols Rd | Kellerberrin | 0.00 | Kwoiyin West Rd. | 2.50 | Kellerberrin - Shackleton Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 8120184 | Nichols St | Nichols St | East Pilbara | 0.00 | Nichols St - Start Road | 0.21 | General St & Lynas Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 0020042 | Nicholson East Rd | Nicholson East Rd | Halls Creek | 0.00 | Duncan Rd | 11.64 | Nicholson East Rd & Grid At Wa/Nt Border | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 1010001 | Nicholson Rd | Nicholson Rd | Armadale (C) | 3.99 | Armadale Rd - Nicholson Rd Rty | 7.56 | Rowley Rd West & Nicholson Rd | |
| 1040002 | Nicholson Rd | Nicholson Rd | Gosnells (C) | 3.41 | Roe Hwy (Eastbound) off to Nicholson Rd & Nicholson Rd on to Roe Hwy (Eastbound) & Nicholson Rd | 4.00 | Wilfred Rd & Nicholson Rd & Bannister Rd | |
| 1040002 | Nicholson Rd | Nicholson Rd | Gosnells (C) | 8.34 | Ranford Rd & Nicholson Rd | 11.29 | Nicholson Rd & Warton Rd | |
| 1080129 | Nicholson Rd | Nicholson Rd | Serpentine - Jarrahdale | 0.00 | Nicholson Rd & Rowley Rd West | 2.68 | Thomas Rd - Nicholson Rd Rty | |
| 1141017 | Nicholson Rd | Nicholson Rd | Canning (C) | 3.40 | Roe Hwy (Eastbound) off to Nicholson Rd & Nicholson Rd on to Roe Hwy (Eastbound) & Nicholson Rd | 3.99 | Wilfred Rd & Nicholson Rd & Bannister Rd | |
| 1141017 | Nicholson Rd | Nicholson Rd | Canning (C) | 8.29 | Ranford Rd & Nicholson Rd | 11.31 | Nicholson Rd & Warton Rd | |
| 2080397 | Nicholson Rd | Nicholson Rd | Dardanup | 0.00 | Golding Cr | 0.46 | Coleman Turn | |
| 6110130 | Nicholson Rd | Nicholson Rd | Yilgarn | 0.00 | Parker Range Rd | 11.66 | Garrett Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Garrett Rd : No right turn permitted into Garrett Rd from Nicholson Rd |
| H350 | Nicholson Rd Rty on to Armadale Rd (Eastbound) | Nicholson Rd Rty on to Armadale Rd (Eastbound) | Armadale (C) | 0.00 | Armadale Rd - Nicholson Rd Rty | 0.49 | Armadale Rd | |
| H348 | Nicholson Rd Rty on to Armadale Rd (Westbound) | Nicholson Rd Rty on to Armadale Rd (Westbound) | Armadale (C) | 0.00 | Armadale Rd - Nicholson Rd Rty | 0.38 | Armadale Rd | |
| H736 | Nicholson Rd on to Roe Hwy (Eastbound) | Nicholson Rd on to Roe Hwy (Eastbound) | Gosnells (C) | 0.00 | Roe Hwy (Eastbound) off to Nicholson Rd & Nicholson Rd | 0.29 | Roe Hwy | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|------------------|----------|--|--------|---------------------|---|
| H738 | Nicholson Rd on to Roe Hwy (Westbound) | Nicholson Rd on to Roe Hwy (Westbound) | Canning (C) | 0.00 | Roe Hwy (Westbound) off to Nicholson Rd & Nicholson Rd | 0.26 | Roe Hwy | |
| 2180167 | Nield Rd | Nield Rd | Boyup Brook | 0.00 | Knudsen Rd | 1.30 | Nield Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3110120 | Nield Rd | Nield Rd | Lake Grace | 0.00 | Giles Rd | 8.13 | Old Ravensthorpe Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3070100 | Nightwell Rd | Nightwell Rd | Gnowangerup | 0.00 | Toompup Rd South | 30.22 | Chester Pass Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3070121 | Nightwell Rd South | Nightwell Rd South | Gnowangerup | 0.00 | Borden - Bremer Bay Rd | 9.82 | Nightwell Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5070022 | Nilgen Rd | Nilgen Rd | Gingin | 0.00 | Sappers Rd | 13.16 | Dingo Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3100105 | Nilon Rd | Nilon Rd | Kojonup | 0.00 | Darkan - Kojonup Rd | 1.56 | Nilon Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6100020 | Nindilbillup Rd | Nindilbillup Rd | Ravensthorpe | 0.00 | Hayes Rd | 41.04 | South Coast Hwy | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|----------------------------------|--------|--------------------------|--|
| 4110120 | Ninghan Rd | Ninghan Rd | Koorda | 0.00 | Railway St | 0.12 | Allenby St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 7070026 | Ninghan Rd | Ninghan Rd | Yalgoo | 0.00 | Great Northern Hwy | 7.00 | Ninghan Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 5030096 | Nixon Rd | Nixon Rd | Dalwallinu | 0.00 | Dowerin - Kalannie Rd | 1.06 | Nixons Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5130036 | Nobla Stock Route | Nobla Stock Route | Northampton | 0.00 | Ogilvie East Rd | 3.56 | Nolba Stock Route Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 118Z037 | Noble Cl | Noble Cl | Fremantle (C) | 0.00 | Port Beach Rd (Fpa) & Manoora Cl | 0.18 | Noble Cl - End Road | |
| 3150011 | Noble Rd | Noble Rd | Wagin | 0.00 | Ballagin Rd | 6.03 | Warup North Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 3150011 | Noble Rd | Noble Rd | Wagin | 6.04 | Warup North Rd | 15.98 | West Arthur LGA Boundary | |
| 3160019 | Noble Rd | Noble Rd | West Arthur | 0.00 | Albany Hwy | 8.43 | Wagin LGA Boundary | |
| 5030107 | Noble Rd | Noble Rd | Dalwallinu | 0.00 | Pearse Rd | 2.86 | Bryant Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|---|--------|--------------------------------------|--|
| 5190011 | Noble Rd | Noble Rd | Coorow | 0.00 | Wubin - Gunyidi Rd | 8.37 | Mason Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1130065 | Noble St | Noble St | Belmont (C) | 0.00 | Belmont Av | 0.42 | Abernethy Rd | |
| 4250026 | Nock Rd | Nock Rd | Tammin | 0.00 | Tammin - Wyalkatchem Rd | 4.20 | 580m After Yorkrakine Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4250026 | Nock Rd | Nock Rd | Tammin | 4.20 | 580m After Yorkrakine Rd | 7.82 | Bungulla North Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4140029 | Nokaning East Rd | Nokaning East Rd | Merredin | 0.00 | Merredin Nungarin Rd & Nokaning West Rd | 10.09 | Chandler - Merredin Rd & Whistler Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|--------------------|--------|---|---|
| 4140012 | Nokaning West Rd | Nokaning West Rd | Merredin | 0.00 | Nangeenan North Rd | 8.32 | Merredin Nungarin Rd & Nokaning East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5160006 | Nolba Rd | Nolba Rd | Chapman Valley | 0.00 | Chapman Valley Rd | 14.60 | Balaam Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5160006 | Nolba Rd | Nolba Rd | Chapman Valley | 14.60 | Balaam Rd | 20.96 | Nolba Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5160096 | Nolba Rockwell Rd | Nolba Rockwell Rd | Chapman Valley | 0.00 | Nolba Rd | 5.30 | Chapman Valley Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------------|----------|-----------------------------|--------|-------------------------|--|
| 5160051 | Nolba Stock Route Rd | Nolba Stock Route Rd | Chapman Valley | 0.00 | Nolba Rd | 9.50 | Nolba Stock Route | <ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4180255 | Nomans Lake Siding Rd | Nomans Lake Siding Rd | Narrogin | 0.00 | Narrogin - Harrismith Rd | 6.12 | Read Rd | <ul style="list-style-type: none"> Maximum speed 70 km/h |
| 3040031 | Noobijup Rd | Noobijup Rd | Cranbrook | 0.00 | Muir Hwy | 13.03 | Unicup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3030023 | Nookanellup Rd | Nookanellup Rd | Broomehill - Tambellup | 0.00 | Old Broomehill - Kojonup Rd | 3.84 | Broomehill - Kojonup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3030023 | Nookanellup Rd | Nookanellup Rd | Broomehill - Tambellup | 3.84 | Broomehill - Kojonup Rd | 8.96 | Warrenup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3080010 | Nookanellup Rd | Nookanellup Rd | Katanning | 0.00 | Kojonup Katanning Rd | 2.61 | North Nookanellup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 4270005 | Noombling - Norrine Rd | Noombling - Norrine Rd | Wandering | 0.00 | Fourteen Mile Brook Rd | 12.35 | Wandering - Pingelly Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|-------------------------|----------|---|--------|--|---|
| 4030134 | Noonajin Rd | Noonajin Rd | Bruce Rock | 0.00 | Mitchell St & Dunstal St & Doodlakine - Bruce Rock Rd | 0.75 | Swan St & Bruce Rock Quairading Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4030134 | Noonajin Rd | Noonajin Rd | Bruce Rock | 0.77 | Bruce Rock Quairading Rd | 1.57 | Johnson St & Bruce Rock - Narembeen Rd | |
| 6110034 | Noongar North Rd | Noongar North Rd | Yilgarn | 0.00 | Great Eastern Hwy | 39.83 | Koorda - Bullfinch Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6110031 | Noongar South Rd | Noongar South Rd | Yilgarn | 0.00 | Great Eastern Hwy | 10.50 | Nulla Nulla South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 1130279 | Norlin St | Norlin St | Belmont (C) | 0.00 | Glassford Rd | 0.23 | Valentine St | |
| 4230058 | Norm Rd | Norm Rd | Pingelly | 0.00 | York - Williams Rd | 3.65 | Norm Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1190010 | Norma Rd | Norma Rd | Melville (C) | 0.00 | Leach Hwy | 1.01 | Shields Cr | |
| 1080046 | Norman Rd | Norman Rd | Serpentine - Jarrahdale | 0.00 | South Western Hwy | 1.72 | Robertson Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|----------------------------------|--------|---------------------------|---|
| 4070074 | Norman Rd | Norman Rd | Dowerin | 0.00 | Goomalling Wyalkatchem Rd | 3.78 | Norman Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4290085 | Norman Rd | Norman Rd | Wickepin | 0.00 | Watt Rd | 0.89 | Norman Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3180066 | Normans Rd | Normans Rd | Jerramungup | 5.50 | 3.14km Boxwood Hill - Ongerup Rd | 8.64 | Boxwood Hill - Ongerup Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|------------------|----------|-----------------------------|--------|---------------------------|---|
| 5160120 | Normans Well Rd | Normans Well Rd | Chapman Valley | 0.00 | Northampton - Nabawa Rd | 2.35 | Northampton LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Northampton - Nabawa Rd : No left turn permitted into Northampton Nabawa Rd from Normas Well Rd |
| 4060067 | Nornadeen Rd | Nornadeen Rd | Cunderdin | 0.00 | Great Eastern Hwy | 4.57 | Parrawilla Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4040032 | Nornakin East Rd | Nornakin East Rd | Corrigin | 0.00 | Babakin - Corrigin Rd | 9.72 | Corrigin - Bruce Rock Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Babakin - Corrigin Rd : No right turn permitted into Babakin - Corrigin Rd from Nornakin East Rd |
| 3120009 | Nornalup Rd | Nornalup Rd | Plantagenet | 0.00 | Muir Hwy | 31.06 | Nornalup Rd & Nornalup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3150010 | Norring Dellyanane Rd | Norring Dellyanane Rd | Wagin | 0.00 | Dellyanane Rd & Prossers Rd | 17.70 | Norring Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------------|----------|-------------------------|--------|-----------------|---|
| 3150009 | Norring Rd | Norring Rd | Wagin | 0.00 | Beaufort Rd | 9.68 | Pederick Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Pederick Rd : No access permitted into Pederick Rd from Norring Rd |
| 3030017 | Norrish Rd | Norrish Rd | Broomehill - Tambellup | 0.00 | Tie Line Rd & Curnow Rd | 14.12 | Tie Line Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3100084 | Norrish Rd | Norrish Rd | Kojonup | 0.00 | Albany Hwy | 7.93 | Boilup North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5140093 | Norrish Rd | Norrish Rd | Perenjori | 0.00 | Payne Rd | 12.56 | Solomon Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------------|--------------------------------|------------------------|----------|--|--------|--|--|
| 3030250 | Norrish St | Norrish St | Broomehill - Tambellup | 0.00 | Norrish St - Start Road | 0.43 | North Tce | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6040228 | Norseman Rd | Norseman Rd | Esperance | 0.00 | Harbour Rd & Fisheries Rd & Norseman Rd | 2.36 | Dempster St & The Esplanade | <ul style="list-style-type: none"> 10 km/h below posted speed limit A RAV must not be driven on this road in excess of 4.3 metres in height unless written approval is obtained from Horizon Power |
| 4230152 | North Bannister - Pingelly Rd | North Bannister - Pingelly Rd | Pingelly | 0.00 | York - Williams Rd & Wandering - Pingelly Rd | 18.62 | Naylor St & Park St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4270055 | North Bannister - Wandering Rd | North Bannister - Wandering Rd | Wandering | 0.00 | Albany Hwy | 26.16 | North Wandering Rd & Wandering - Pingelly Rd | <ul style="list-style-type: none"> Intersection Ricks Rd : No Right Turn Into 4270010 Ricks Rd Intersection Bannister Rd : No Right Turn Into 4270002 Bannister Rd |
| 3070052 | North Boundary Rd | North Boundary Rd | Gnowangerup | 0.00 | Kwobrup Rd & Gnowangerup - Kwobrup Rd | 5.08 | Eastwood North Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5010030 | North Boundary Rd | North Boundary Rd | Carnamah | 0.00 | Carnamah - Perenjori Rd | 9.20 | Midlands Rd | |
| 3110011 | North Burngup Rd | North Burngup Rd | Lake Grace | 0.00 | Biddy - Camm Rd | 28.94 | Burngup Rd North & Pingaring - Varley Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5160022 | North Dartmoor | North Dartmoor | Chapman Valley | 0.00 | Dartmoor Harris Rd | 12.98 | Dartmoor Rd | <ul style="list-style-type: none"> Maximum speed 70 km/h |
| 3090009 | North Fence Rd | North Fence Rd | Kent | 0.00 | Dumblebung - Nyabing Rd | 13.09 | Peterson Rd & Rabbit Proof Fence Rd | |
| 3030012 | North Greenhills Rd | North Greenhills Rd | Broomehill - Tambellup | 0.00 | Broomehill - Kojonup Rd | 8.40 | Greenhills Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2050020 | North Jindong Rd | North Jindong Rd | Busselton (C) | 0.00 | Payne Rd & Gibb Rd | 0.40 | Roy Rd | <ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Curfew applies on school days only. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|------------------------|----------|---|--------|---|--|
| 3090008 | North Kuringup Rd | North Kuringup Rd | Kent | 0.00 | Kuringup South Rd & Sutherland Trk | 17.97 | Rasmussen Rd | |
| 3090008 | North Kuringup Rd | North Kuringup Rd | Kent | 18.08 | Rasmussen Rd | 23.66 | Kuringup North Rd & Big Lake Rd | |
| 4020027 | North Kweda Rd | North Kweda Rd | Brookton | 0.00 | Brookton - Kweda Rd & Bulyee - Kweda Rd | 17.77 | Punch Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3090024 | North Kwobrup Rd | North Kwobrup Rd | Kent | 0.00 | Warren Rd | 10.10 | Katanning Nyabing Rd | |
| 3110265 | North Lake Grace - Karlgarin Rd | North Lake Grace - Karlgarin Rd | Lake Grace | 0.00 | Eggers Rd & Kulin Lake Grace Rd | 31.81 | Pingaring - Varley Rd & Commonwealth Rd | |
| 4120164 | North Lake Grace - Karlgarin Rd | North Lake Grace - Karlgarin Rd | Kulin | 0.00 | Commonwealth Rd | 22.51 | Pederah West Rd & Aggiss Rd | |
| 1030010 | North Lake Rd | North Lake Rd | Cockburn (C) | 2.17 | Phoenix Rd | 7.62 | Armadale Rd | |
| 1190003 | North Lake Rd | North Lake Rd | Melville (C) | 1.40 | McCoy St | 1.68 | Leach Hwy | |
| H380 | North Lake Rd on to North Lake Rd to Berrigan Dr Cd Rd | North Lake Rd on to North Lake Rd to Berrigan Dr Cd Rd | Cockburn (C) | 0.00 | Armadale Rd | 0.50 | North Lake Rd to Berrigan Dr Cd Rd | |
| H378 | North Lake Rd to Berrigan Dr Cd Rd | North Lake Rd to Berrigan Dr Cd Rd | Cockburn (C) | 0.00 | Kwinana Fwy | 0.90 | Kwinana Fwy | |
| 3090072 | North Moornaming Rd | North Moornaming Rd | Kent | 0.00 | Katanning Nyabing Rd | 4.24 | Dumbleyung - Nyabing Rd | |
| 4020013 | North Nalya Rd | North Nalya Rd | Brookton | 0.00 | Bowring Rd & Brookton - Kweda Rd | 5.99 | Fulwood Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3030024 | North Nookanellup Rd | North Nookanellup Rd | Broomehill - Tambellup | 0.00 | Old Broomehill - Kojonup Rd | 5.72 | Nookanellup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------------------|---------------------------------------|------------------|----------|---------------------------|--------|--------------------------------------|---|
| 8120067 | North Pole Rd | North Pole Rd | East Pilbara | 0.00 | Marble Bar Rd | 52.98 | 9.57 Km Past Panorama Station Access | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 118Z026 | North Quay Access (Fpa) [Berths 3 &4] | North Quay Access (Fpa) [Berths 3 &4] | Fremantle (C) | 0.00 | Rudderham Dr | 0.09 | Entry Gate [Berths 3 & 4] | |
| 4060105 | North Rd | North Rd | Cunderdin | 0.00 | Goomalling - Meckering Rd | 1.44 | Loton Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5020012 | North Rd | North Rd | Chittering | 0.00 | West Point Rd | 11.32 | Great Northern Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Great Northern Hwy : No left turn permitted into Great Northern Highway from North Road. |
| 5130043 | North Rd | North Rd | Northampton | 0.00 | Chilimony Rd | 4.82 | North West Coastal Hwy | <ul style="list-style-type: none"> Vehicle not to exceed 30m in total length Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit No Operation from Apr to Sep |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------------|----------|------------------------------------|--------|--------------------------|---|
| 5140090 | North Rd | North Rd | Perenjori | 0.00 | Oversby Rd | 0.03 | Russell St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Maximum Speed of 50 km/h through the townsite |
| 5140090 | North Rd | North Rd | Perenjori | 0.03 | Russell St | 19.73 | Lochada Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Maximum Speed of 50 km/h through the townsite |
| 6100021 | North Rd | North Rd | Ravensthorpe | 0.00 | Beatty Rd | 10.10 | Hayes Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 8030053 | North River Rd | North River Rd | Carnarvon | 0.00 | North West Coastal Hwy | 11.72 | One Tree Point Rd | |
| 3030277 | North Stirling Rd | North Stirling Rd | Broomehill - Tambellup | 0.00 | Toolbrunup Rd & Stirling Access Rd | 2.00 | Gnowangerup LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|--------------------------|----------|-------------------------------|--------|---|---|
| 3070015 | North Stirling Rd | North Stirling Rd | Gnowangerup | 0.00 | Chester Pass Rd | 21.49 | Broomehill - Tambellup LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3030295 | North Tce | North Tce | Broomehill - Tambellup | 0.16 | Norrish St | 0.26 | Great Southern Hwy & Tambellup West Rd & Garrity St | <ul style="list-style-type: none"> Headlights to be switched on at all times |
| 2010005 | North Treeton Rd | North Treeton Rd | Augusta - Margaret River | 0.00 | Treeton Rd & Ablett Rd | 3.73 | Saunders Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Treeton Rd & Ablett Rd : No left turn permitted into Treeton Rd from Treeton North Rd |
| 2130211 | North Walpole Rd | North Walpole Rd | Manjimup | 0.00 | South Western Hwy | 16.33 | Hunter Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. 30 km/h below posted speed limit No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:30 PM and 5:00 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 2130211 | North Walpole Rd | North Walpole Rd | Manjimup | 16.33 | Hunter Rd | 17.60 | Dawson Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Approval includes the section of Dawson Road 1 km West of intersection with North Walpole Road |
| 4230004 | North Wandering Rd | North Wandering Rd | Pingelly | 0.00 | North Bannister - Pingelly Rd | 17.91 | York - Williams Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|---|----------|--|---------|--|---|
| 4270001 | North Wandering Rd | North Wandering Rd | Wandering | 0.00 | Wandering - Pingelly Rd & North Bannister - Wandering Rd | 27.35 | York - Williams Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| H007 | North West Coastal Hwy | North West Coastal Hwy Hampton St Cleaverville Rd Roe St Carnarvon Tce | Greater Geraldton (C) Chapman Valley Northampton Shark Bay Carnarvon Ashburton Karratha (C) Port Hedland (T) | 0.15 | John Willcock Link & Brand Hwy on to North West Coastal Hwy (Northbound) | 1299.59 | Great Northern Hwy | <ul style="list-style-type: none"> Intersection Starling Rd : No access permitted into Starling Rd from North West Coast Hwy |
| H780 | North West Coastal Hwy (Southbound) off to Brand Hwy | North West Coastal Hwy (Southbound) off to Brand Hwy | Greater Geraldton (C) | 0.00 | North West Coastal Hwy & John Willcock Link | 0.25 | Brand Hwy & Brand Hwy on to John Willcock Dr (Westbound) | |
| H374 | North West Coastal Hwy - Great Northern Hwy Slip Rd | North West Coastal Hwy - Great Northern Hwy Slip Rd | Port Hedland (T) | 0.00 | North West Coastal Hwy | 0.38 | Great Northern Hwy | |
| 3030211 | North West Rd | North West Rd | Broomehill - Tambellup | 0.00 | Greenhills South Rd | 7.35 | Pindellup Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5040005 | North West Rd | North West Rd | Dandaragan | 0.00 | Dandaragan Rd | 49.16 | Brand Hwy | |
| 3180149 | North of Jerramungup North Rd | North of Jerramungup North Rd | Jerramungup | 0.00 | North of Jerramungup North Rd - Start Road | 5.00 | Jacup North Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| M031 | Northam Cranbrook | Peel Tce Yilgarn Av | Northam | 0.00 | Taylor St & Fitzgerald St & Peel Tce | 1.36 | Yilgarn Av | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------------|--|---|----------|---|--------|---|---|
| M031 | Northam Cranbrook | York Rd Northam York Rd Panmure Rd Balladong St Avon Tce Great Southern Hwy Hunt Rd Williams St Quadrant St Parade St Pioneer Dr Reeves Rd Tudor St Moojebing Rd Indus St Garrity St Climie St | Northam York Beverley Brookton Pingelly Cuballing Narrogin Wagin Woodanilling Katanning Broomehill - Tambellup Cranbrook | 1.36 | Yilgarn Av | 352.23 | Albany Hwy | <ul style="list-style-type: none"> Intersection Walwalling Rd : No left turn permitted into Walwalling Rd from Northam Cranbrook Intersection Popanyinning West Rd & Bunmulling Rd : No left turn permitted into Bunmulling Rd from Northam Cranbrook Rd Intersection Piesseville - Jalaran Rd : No access permitted into Piesseville - Jalaran Rd from Northam Cranbrook Intersection Walkers Rd : No right turn permitted into Walkers Rd from Northam Cranbrook Intersection Condining Rd : No right turn permitted into Condining Rd from Northam Cranbrook Rd Intersection Tavistock St : No right turn permitted into Tavistock Street from Northam Cranbrook (Tudor Street). No left turn permitted into Tavistock Street from Northam Cranbrook (Tudor Street). Intersection Tie Line Rd : No access permitted to or from Tieline Road from either direction Intersection Greenhills Rd : No left turn permitted into Greenhills Rd from Northam Cranbrook Intersection Bridge St : No left turn permitted into Bridge St from Northam Cranbrook Intersection Toolbrunup Rd : No access permitted into Toolbrunup Rd from Northam Cranbrook Rd Intersection Wansbrough West Rd : No access permitted into Wansbrough West Rd from Northam Cranbrook Intersection Salt River Rd & Cranbrook - Frankland East Rd : No access permitted into Cranbrook-Frankland East Rd from Northam Cranbrook. |
| M032 | Northam Pithara | Taylor St Goomalling Rd | Northam | 0.00 | Peel Tce & Fitzgerald St | 3.38 | Northam Pithara Rd Link Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| M032 | Northam Pithara | Northam Pithara Rd Throssell St Main St Wongan Rd Carter Rd | Northam Goomalling Wongan - Ballidu Dalwallinu | 3.38 | Northam Pithara Rd Link Rd | 152.40 | Great Northern Hwy | <ul style="list-style-type: none"> Intersection Short St : No left turn permitted into Short St from Northam Pithara Rd |
| H742 | Northam Pithara Rd Link Rd | Northam Pithara Rd Link Rd | Northam | 0.00 | Great Eastern Hwy | 0.24 | Northam Pithara Rd & Goomalling Rd | |
| M033 | Northam Toodyay | Northam Toodyay Rd | Northam Toodyay | 2.59 | Northam Toodyay Rd Link Rd & Newcastle Rd & McMillan Pl | 23.64 | Toodyay Rd | |
| H741 | Northam Toodyay Rd Link Rd | Northam Toodyay Rd Link Rd | Northam | 0.00 | Great Eastern Hwy | 0.28 | Newcastle Rd & Northam Toodyay Rd & McMillan Pl | |
| 5130219 | Northampton - Nabawa Rd | Northampton - Nabawa Rd | Northampton | 0.00 | Hampton St & North West Coastal Hwy | 10.81 | Northampton - Nabawa Rd & East Bowes Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|--|-----------------------|----------|---|--------|---|---|
| 5160131 | Northampton - Nabawa Rd | Northampton - Nabawa Rd | Chapman Valley | 0.00 | Northampton - Nabawa Rd & East Bowes Rd | 12.29 | Chapman Valley Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times 20 km/h below posted speed limit Intersection Hotel Rd : No left turn permitted into Hotel Rd from Northampton - Nabawa Rd |
| M058 | Northampton Kalbarri | Stephen St Horrocks Rd Port Gregory Rd George Grey Dr | Northampton | 0.00 | Hampton St | 70.14 | Ogilvie West Rd | |
| 4010028 | Northbourne Rd | Northbourne Rd | Beverley | 0.00 | Northbourne Rd - Start Road | 6.68 | Greenhills South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Greenhills South Rd : No access to Greenhills South Rd from Northbourne Rd |
| 4330065 | Northbourne Rd | Northbourne Rd | York | 0.00 | Top Beverley - York Rd | 1.47 | Northbourne Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2051500 | Northerly St | Northerly St | Busselton (C) | 0.00 | Busselton Bypass West Rty | 1.91 | Allnutt Tce | <ul style="list-style-type: none"> Includes section known as Busselton Bypass but not the local roads names Bussell Hwy in Busselton between West St and Caves Rd or in Bunbury between Nuytsia Ave and Bussell Hwy rotary. |
| 2051500 | Northerly St | Northerly St | Busselton (C) | 1.91 | Allnutt Tce | 2.42 | Bussell Hwy | |
| 5051015 | Northern Gully Rd | Northern Gully Rd | Greater Geraldton (C) | 0.00 | Geraldton Mt Magnet Rd | 9.05 | Lorimer Rd & Durawah - Northern Gully & Thompson Reidy Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|-------------------|--------|-----------------|---|
| 4290095 | Norths Rd | Norths Rd | Wickepin | 0.00 | Toolibin South Rd | 4.08 | Angwins Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5110074 | Norths Rd | Norths Rd | Morawa | 0.00 | Bell Rd | 5.01 | Johnson Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3020174 | Norton Rd | Norton Rd | Albany (C) | 0.00 | Redmond West Rd | 5.40 | Hunwick Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------|----------|------------------------|--------|--------------------------------|--|
| 5110011 | Norton Rd | Norton Rd | Morawa | 0.00 | Mullewa Wubin Rd | 7.91 | Olden Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6040033 | Norwood Rd | Norwood Rd | Esperance | 0.00 | Wittenoom Rd | 12.38 | Dempster Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040033 | Norwood Rd | Norwood Rd | Esperance | 12.45 | Dempster Rd | 21.50 | Styles Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040033 | Norwood Rd | Norwood Rd | Esperance | 21.55 | Styles Rd | 33.41 | Kendall Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4120020 | Notley Rd | Notley Rd | Kulin | 0.00 | Kulin Lake Grace Rd | 4.54 | Commonwealth Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4120020 | Notley Rd | Notley Rd | Kulin | 4.55 | Commonwealth Rd | 9.02 | Hopkins Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4120020 | Notley Rd | Notley Rd | Kulin | 9.08 | Hopkins Rd | 11.94 | Bell Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4100006 | Notting - Karlgarin Rd | Notting - Karlgarin Rd | Kondinin | 0.00 | Kondinin - Naremben Rd | 47.82 | Kondinin Hyden Rd | |
| 4240093 | Nottle East Side Rd | Nottle East Side Rd | Quairading | 0.00 | Yacklin Rd | 3.39 | Nottle East Side Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|-----------------------|----------|--|--------|--------------------------------------|--|
| 4050032 | Nottles Rd | Nottles Rd | Cuballing | 0.00 | Kerruish Rd | 11.09 | Stratherne Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Dixons Rd : No access permitted into Dixons Rd from Nottles Rd |
| 1103107 | Nowergup Rd | Nowergup Rd | Wanneroo (C) | 0.00 | Wanneroo Rd | 0.89 | Wesco Rd & Gibbs Rd | |
| 5050613 | Nubberoo Rd | Nubberoo Rd | Greater Geraldton (C) | 0.00 | Carnarvon - Mullewa Rd | 25.14 | Badgedong Rd | |
| 5030004 | Nugadong East Rd | Nugadong East Rd | Dalwallinu | 0.00 | Struggle St | 33.68 | Great Northern Hwy | |
| 5030029 | Nugadong West Rd | Nugadong West Rd | Dalwallinu | 0.00 | Great Northern Hwy | 16.98 | Wubin - Gunyidi Rd | <ul style="list-style-type: none"> Intersection Osborne Rd : No right turn permitted into Osborne Rd from Nugadong West Rd |
| 4140259 | Nukarni Bin Rd | Nukarni Bin Rd | Merredin | 0.00 | Nukarni East Rd | 0.31 | Nukarni Bin Rd - End Road | |
| 4140013 | Nukarni East Rd | Nukarni East Rd | Merredin | 0.00 | Nukarni West Rd & Merredin Nungarin Rd | 15.14 | Chandler - Merredin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4140014 | Nukarni West Rd | Nukarni West Rd | Merredin | 0.00 | Nukarni East Rd & Merredin Nungarin Rd | 8.52 | Nukarni West Rd & Nangeenan North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------|----------|--------------------------------------|--------|------------------|---|
| 4220009 | Nukarni West Rd | Nukarni West Rd | Nungarin | 0.00 | Nukarni West Rd & Nangeenan North Rd | 16.96 | Baandee North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3040119 | Nukennullup Rd | Nukennullup Rd | Cranbrook | 0.00 | Lakelands Rd | 9.16 | Stockyard Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6110042 | Nulla Nulla South Rd | Nulla Nulla South Rd | Yilgarn | 0.00 | Great Eastern Hwy | 59.50 | Meranda North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|-----------------------|----------|--|--------|-------------------------|---|
| 6110036 | Nullanulla North Rd | Nullanulla North Rd | Yilgarn | 0.00 | Great Eastern Hwy | 10.93 | Moorine Rock Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3160031 | Nunendine Rd | Nunendine Rd | West Arthur | 0.00 | Varis Rd | 6.35 | Don Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4160007 | Nungarin North Rd | Nungarin North Rd | Mukinbudin | 0.00 | Kununoppin - Mukinbudin Rd & McGregor Rd | 10.70 | Nungarin LGA Boundary | |
| 4220001 | Nungarin North Rd | Nungarin North Rd | Nungarin | 0.00 | Danberrin Rd | 2.62 | Nungarin Wyalkatchem Rd | |
| 4220001 | Nungarin North Rd | Nungarin North Rd | Nungarin | 2.67 | Nungarin Wyalkatchem Rd | 22.73 | Mukinbudin LGA Boundary | |
| 5050615 | Nungulya Rd | Nungulya Rd | Greater Geraldton (C) | 0.00 | Dean Rd | 17.80 | Geraldton Mt Magnet Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|----------------------------|--------|-------------------------------|---|
| 3040006 | Nunijup Rd | Nunijup Rd | Cranbrook | 0.00 | Brooking St & Albany Hwy | 11.40 | Martagallup Rd & Stockyard Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Maximum speed of 80km/h on sealed and 60km/h on gravel road |
| 3040052 | Nunijup South Rd | Nunijup South Rd | Cranbrook | 0.00 | Stockyard Rd | 6.31 | Mallawillup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4260002 | Nunile Rd | Nunile Rd | Toodyay | 7.25 | Woodlands Rd & Solomons Rd | 13.95 | Bejoording Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3090006 | Nyabing South Rd | Nyabing South Rd | Kent | 0.00 | Katanning Nyabing Rd | 30.41 | Quartermaine Rd | |
| 4230023 | Nyamutin Rd | Nyamutin Rd | Pingelly | 0.00 | Wickepin - Pingelly Rd | 6.88 | Chopping Rd & Neamutin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------------|----------|-------------------|--------|---------------------------|--|
| 3180042 | Nyerilup Rd | Nyerilup Rd | Jerramungup | 0.00 | Needilup North Rd | 7.70 | Nyerilup Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 6120090 | Nyingga Rd | Nyingga Rd | Ngaanyatjaraku | 0.00 | Papulankutja Rd | 2.95 | Mantamaru Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5040220 | Nylagarda Rd | Nylagarda Rd | Dandaragan | 0.00 | Cantabilling Rd | 5.29 | Jurien Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h Intersection Cantabilling Rd : No Access To Or From Cantabilling Road Permitted |
| 3030206 | Nymbup Rd | Nymbup Rd | Broomehill - Tambellup | 0.00 | Albany Hwy | 23.51 | Paul Valley Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Bessen Rd : No right turn permitted into Bessen Rd from Nymbup Rd |
| 3070115 | O Meehans Rd | O Meehans Rd | Gnowangerup | 0.00 | Chester Pass Rd | 16.34 | Sandalwood Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3160053 | O'Connell Rd | O'Connell Rd | West Arthur | 0.00 | Capercup North Rd | 7.19 | Darkan Rd & Rutherford Rd | |
| 1031356 | O'Connor Cl | O'Connor Cl | Cockburn (C) | 0.00 | Rollinson Rd | 0.31 | Enderby Cl & Picard L | |
| 2040809 | O'Connor Ent | O'Connor Ent | Bunbury (C) | 0.00 | South Western Hwy | 0.20 | O'Connor Ent - End Road | |
| 2080312 | O'Connor Rd | O'Connor Rd | Dardanup | 0.00 | Dowdells Line | 1.62 | Offer Rd | |
| 4140205 | O'Connor St | O'Connor St | Merredin | 0.00 | Great Eastern Hwy | 0.32 | Abattoir Rd | |
| 1101574 | O'Connor Wy | O'Connor Wy | Wanneroo (C) | 0.00 | Buckingham Dr | 0.49 | Finlay Pl | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------------|----------|--------------------------------|--------|--|---|
| 4180256 | O'Dea Rd | O'Dea Rd | Narrogin | 0.00 | Nomans Lake Siding Rd | 4.06 | Birdwhistle Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030074 | O'Dea Rd | O'Dea Rd | Dalwallinu | 0.00 | Dalwallinu - Kalannie Rd | 11.65 | Pithara East Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 3100092 | O'Halloran Rd | O'Halloran Rd | Kojonup | 0.00 | Watts Rd & Cherry Tree Pool Rd | 0.51 | 0.51km After Watts Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4250015 | O'Loughlin Rd | O'Loughlin Rd | Tammin | 0.00 | Tammin - Wyalkatchem Rd | 1.60 | Yorkrakine West Rd & Davies Rd | |
| 3030040 | O'Neill Rd | O'Neill Rd | Broomehill - Tambellup | 0.00 | Warrenup Rd | 5.33 | Ngopitchup Rd & Palomar Rd & Flat Rocks Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3110032 | O'Neill Rd | O'Neill Rd | Lake Grace | 0.00 | Dumbleyung Lake Grace Rd | 6.15 | O'Neill Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|---------------------------|--------|------------------------------|--|
| 5170129 | O`Dea Pl | O`Dea Pl | Victoria Plains | 0.00 | Calcarra West Rd | 0.50 | O`Dea Pl - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4080007 | Oak Park Rd | Oak Park Rd | Goomalling | 0.00 | Goomalling Wyalkatchem Rd | 16.91 | Botherling East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h No Operation between 7:00 AM to 9:00 AM and 2:30 PM to 4:00 PM CURFEW APPLIES ON SCHOOL DAYS ONLY. |
| 5130238 | Oakabella Rd | Oakabella Rd | Northampton | 0.00 | Hatch Rd | 2.45 | Starling Rd | |
| 5130093 | Oakabella Rd East | Oakabella Rd East | Northampton | 0.00 | North West Coastal Hwy | 3.05 | Oakabella Rd East - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 40 km/h |
| 5160069 | Oakajee Rd | Oakajee Rd | Chapman Valley | 0.00 | Olsen Rd | 3.30 | Nanson - Howatharra Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3070120 | Oakdale Rd | Oakdale Rd | Gnowangerup | 0.00 | Toompup Rd South | 4.84 | Boxwood Hill - Ongerup Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|------------------|----------|-------------------------|--------|-------------------------------------|--|
| 4010017 | Oakdale Rd | Oakdale Rd | Beverley | 0.00 | Dongadilling Rd | 5.66 | Morbinning Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3110085 | Oakey Rd | Oakey Rd | Lake Grace | 0.00 | Biddy - Camm Rd | 9.32 | Tonkin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3170022 | Oakland Rd | Oakland Rd | Woodanilling | 0.00 | Cartmeticut Rd | 6.08 | Tie Line Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2050073 | Oates Rd | Oates Rd | Busselton (C) | 4.34 | 1.16km From Tompsett Rd | 5.50 | Tompsett Rd | <ul style="list-style-type: none"> Maximum speed 70 km/h No Operation Public Holidays and Weekdays between 7:00 AM and 8:30 AM and between 3:30 PM and 5:00 PM and No Operation Monday to Saturday between 10:00 PM and 6:00 AM and Sunday and Public Holidays between 7:00 PM and 9:00 AM Curfew condition applies on school days only. |
| 3120261 | Oatlands Rd | Oatlands Rd | Plantagenet | 0.00 | Albany Hwy | 1.56 | Sounness St & Porongurup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h |
| 1141456 | Oban Link | Oban Link | Canning (C) | 0.00 | Mordaunt Cct | 0.25 | Mordaunt Cct | |
| 3050387 | Ocean Beach Rd | Ocean Beach Rd | Denmark | 0.00 | South Western Hwy | 8.95 | Lime Quarry Access & Black Holes Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. 10 km/h below posted speed limit No Operation Weekdays between 8:00 AM and 9:00 AM and between 3:00 PM and 4:00 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Curfew applies to school days only. No operation on public holidays. |
| H249 | Ocean Reef Rd (Eastbound) on to Wanneroo Rd (Northbound) | Ocean Reef Rd (Eastbound) on to Wanneroo Rd (Northbound) | Wanneroo (C) | 0.00 | Ocean Reef Rd | 0.39 | Wanneroo Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|---|----------|---|--------|---------------------------------------|--|
| H352 | Ocean Reef Rd (Westbound) on to Wanneroo Rd (Northbound) | Ocean Reef Rd (Westbound) on to Wanneroo Rd (Northbound) | Wanneroo (C) | 0.00 | Ocean Reef Rd | 0.23 | Wanneroo Rd | |
| H399 | Ocean Reef Rd on to Wanneroo Rd (Southbound) | Ocean Reef Rd on to Wanneroo Rd (Southbound) | Wanneroo (C) | 0.00 | Ocean Reef Rd & Wanneroo Rd (Southbound) off to Ocean Reef Rd | 0.35 | Wanneroo Rd | |
| H069 | Ocean Reef Upper Swan Hwy | Ocean Reef Rd Gngara Rd | Joondalup (C) Wanneroo (C) Swan (C) | 0.00 | Ocean Reef Rd & Marmion Av | 17.77 | Gngara Rd | |
| 1050184 | Ocean St | Ocean St | Kwinana (C) | 0.00 | Patterson Rd | 0.59 | Office Rd | <ul style="list-style-type: none"> Intersection Patterson Rd : No right turn permitted into Melville Mandurah Hwy from Ocean St. Intersection Office Rd : No right turn permitted from Ocean Street into Office Road. |
| 5050011 | Ocean St | Ocean St | Greater Geraldton (C) | 0.00 | Marine Tce | 0.33 | Haigh St | |
| 6052052 | Ochiltree St | Ochiltree St | Kalgoorlie - Boulder (C) | 0.20 | Great Eastern Hwy & Hannan St | 0.25 | For 0.05 Km to Caltex Access Driveway | <ul style="list-style-type: none"> No operation between the hours of 7.00am to 9.00am, 11.30am to 1.30pm and 4.00pm to 6.00pm |
| 6052052 | Ochiltree St | Ochiltree St | Kalgoorlie - Boulder (C) | 0.25 | For 0.05 Km to Caltex Access Driveway | 0.27 | 0.07km From Great Eastern Hwy | |
| 3160082 | Oconnor Rd | Oconnor Rd | West Arthur | 0.00 | Albany Hwy | 8.85 | Dardadine South Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 3180094 | Ocumup Rd | Ocumup Rd | Jerramungup | 0.00 | Borden Bremer Bay Rd | 7.40 | Meechi Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 5140007 | Odea Rd | Odea Rd | Perenjori | 0.00 | Grant Rd | 7.10 | Settlement Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|-----------------------------|--------|----------------------------------|---|
| 6110063 | Odgers Rd | Odgers Rd | Yilgarn | 0.00 | Southern Cross South Rd | 4.70 | Central Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6110063 | Odgers Rd | Odgers Rd | Yilgarn | 5.30 | Central Rd | 10.00 | Panizza Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2180089 | Offer Rd | Offer Rd | Boyup Brook | 0.00 | Grimwade - Wilga Rd | 0.81 | Wilga Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Grimwade - Wilga Rd : No left turn permitted into Grimwade-Wilga Rd from Offer Rd |
| 1072172 | Office Rd | Office Rd | Rockingham (C) | 0.00 | Patterson Rd | 1.08 | Mandurah Rd | <ul style="list-style-type: none"> Intersection Patterson Rd : No right turn permitted into Melville Mandurah Hwy from Office Rd. Intersection Ocean St : No left turn permitted from Office Road into Ocean Street Intersection Mandurah Rd : No right turn permitted into Mandurah Rd from Office Rd. |
| 5110008 | Offszanka Rd | Offszanka Rd | Morawa | 0.00 | Mullewa Wubin Rd | 3.06 | Fabling Rd & Canna North East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4140067 | Ogden Rd | Ogden Rd | Merredin | 0.00 | Crees Rd | 2.93 | Johnston Rd | |
| 5130009 | Ogilvie East Rd | Ogilvie East Rd | Northampton | 0.00 | North West Coastal Hwy | 33.29 | Reynolds Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit No Operation from Apr to Sep Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4160019 | Ogilvie Rd | Ogilvie Rd | Mukinbudin | 0.00 | Bonnie Rock - Lake Brown Rd | 13.66 | Bonnie Rock - Lake Brown Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|-----------------------------|--------|---|--|
| 5130078 | Ogilvie School Rd | Ogilvie School Rd | Northampton | 0.00 | Ogilvie East Rd | 0.40 | 0.4km From Ogilvie East Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. No Operation from Apr to Sep Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5130078 | Ogilvie School Rd | Ogilvie School Rd | Northampton | 0.40 | Cbh Bin | 5.90 | Sudlow Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h No Operation from Apr to Sep When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5130013 | Ogilvie West Rd | Ogilvie West Rd | Northampton | 8.97 | Chilimony Rd | 58.93 | George Grey Dr | <ul style="list-style-type: none"> Vehicle not to exceed 30m in total length Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit No Operation from Apr to Sep |
| 4030074 | Ogrady Rd | Ogrady Rd | Bruce Rock | 0.00 | Stones Rd & Kwolyin West Rd | 3.91 | Pantapin North Rd & Munyard Rd | |
| 6080088 | Old Agnew Rd | Old Agnew Rd | Leonora | 0.00 | Goldfields Hwy | 125.10 | Agnew - Lake Miranda Rd & Agnew - Vivien Rd | |
| 5180030 | Old Ballidu Rd | Old Ballidu Rd | Wongan - Ballidu | 0.00 | Northam Pithara Rd | 12.78 | Kondut South East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------------|-----------------------------|------------------------|----------|--------------------------|--------|-------------------------------------|---|
| 4240006 | Old Beverley East Rd | Old Beverley East Rd | Quairading | 0.00 | Quairading - Corrigin Rd | 15.12 | Old Beverley Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4030050 | Old Beverley Rd | Old Beverley Rd | Bruce Rock | 0.00 | Old Beverley East Rd | 12.23 | Barr Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4030050 | Old Beverley Rd | Old Beverley Rd | Bruce Rock | 12.23 | Barr Rd | 49.57 | Naremben Boundary Rd | |
| 4240007 | Old Beverley West Rd | Old Beverley West Rd | Quairading | 0.00 | Quairading South Rd | 19.99 | Morbinning Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 3020039 | Old Boundary Rd | Old Boundary Rd | Albany (C) | 0.00 | South Coast Hwy | 10.95 | Chillinup Rd | |
| 3030002 | Old Broomehill - Kojonup Rd | Old Broomehill - Kojonup Rd | Broomehill - Tambellup | 0.00 | Broomehill - Kojonup Rd | 8.43 | Kojonup LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3100020 | Old Broomehill - Kojonup Rd | Old Broomehill - Kojonup Rd | Kojonup | 0.00 | Broomehill - Kojonup Rd | 9.78 | Broomehill - Tambellup LGA Boundary | <ul style="list-style-type: none"> Intersection Carlecatup North Rd : No access permitted into Carlecatup North Rd from Old Broomehill - Kojonup Rd |
| 2090190 | Old Bunbury Rd | Old Bunbury Rd | Waroona | 0.00 | Murray LGA Boundary | 1.39 | Forrest Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Maximum speed 60 km/h |
| 2150536 | Old Bunbury Rd | Old Bunbury Rd | Murray | 0.00 | South Western Hwy | 17.19 | Waroona LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Caris Park Rd : No left turn permitted into Caris Park Rd from Old Bunbury Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|--------------------------|----------|----------------------------------|--------|--|--|
| H391 | Old Bussell Hwy to Bussell Hwy (Northbound) | Old Bussell Hwy to Bussell Hwy (Northbound) | Augusta - Margaret River | 0.00 | Bussell Hwy | 0.16 | Bussell Hwy | |
| 1090212 | Old Coach Rd | Old Coach Rd | Swan (C) | 0.00 | Toodyay Rd | 2.13 | 1.4km From Sells Cl | |
| 1090212 | Old Coach Rd | Old Coach Rd | Swan (C) | 3.77 | 0.14km From Tilden Dr | 4.71 | Brennan Rise | |
| 3120098 | Old Coach Rd | Old Coach Rd | Plantagenet | 0.00 | Settlement Rd | 8.17 | Reynolds Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6030124 | Old Coach Rd | Old Coach Rd | Dundas | 0.14 | Hatto Wy | 0.30 | Delamotte Dr | <ul style="list-style-type: none"> Intersection Delamotte Dr : Right Turn Only Into Delamotte Dr Permitted From Okay Rd. |
| 2040539 | Old Coast Rd | Old Coast Rd | Bunbury (C) | 0.00 | Leschenault Dr | 0.17 | Old Coast Rd - End Road | |
| 2040651 | Old Coast Rd | Old Coast Rd | Bunbury (C) | 0.00 | Harvey LGA Boundary | 2.02 | Forrest Hwy & Old Coast Rd Acceleration Lane | |
| 2110535 | Old Coast Rd | Old Coast Rd | Harvey | 0.00 | Forrest Hwy | 9.63 | Bunbury (C) LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| H834 | Old Coast Rd Slip From/To Forrest Hwy (Southbound) | Old Coast Rd Slip From/To Forrest Hwy (Southbound) | Waroona | 0.00 | Forrest Hwy | 0.27 | Forrest Hwy | |
| 3100041 | Old Collie Rd | Old Collie Rd | Kojonup | 0.00 | Magini Rd | 4.41 | Old Collie Rd & Moodiarrup South | |
| 3160054 | Old Collie Rd | Old Collie Rd | West Arthur | 0.00 | Old Collie Rd & Moodiarrup South | 3.97 | Glenorchy South Rd | |
| 2160021 | Old Cundinup Rd | Old Cundinup Rd | Nannup | 0.00 | Vasse Hwy | 5.90 | Cundinup South Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|--------------------------|----------|--|--------|---|---|
| 4010185 | Old Dale Kokeby Rd | Old Dale Kokeby Rd | Beverley | 0.00 | Dale Kokeby Rd | 0.31 | Sheahan Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2010182 | Old Ellen Brook Rd | Old Ellen Brook Rd | Augusta - Margaret River | 0.00 | Caves Rd | 1.45 | Old Ellen Brook Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6109000 | Old Floater Rd | Old Floater Rd | Ravensthorpe | 0.00 | Morgans St & Scott St | 1.08 | End Road - Old Floater Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school dropoffs/ pick-ups have been completed on the road. Intersection Dunn St : No left turn permitted into Dunn St from Floater Rd |
| 5050610 | Old Geraldton Rd | Old Geraldton Rd | Greater Geraldton (C) | 0.00 | Weir Rd | 10.14 | Eradu North Rd | |
| 5100003 | Old Geraldton Rd | Old Geraldton Rd | Moora | 0.00 | Moora - Miling Rd | 27.14 | Watheroo Miling Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Miling West Rd : No access permitted into Miling West Road from Old Geraldton Road. |
| 5100160 | Old Geraldton South Rd | Old Geraldton South Rd | Moora | 0.00 | Great Northern Hwy | 12.93 | Moora - Miling Rd & Was 0161 Old Geraldton North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 5020039 | Old Gingin Rd | Old Gingin Rd | Chittering | 0.00 | GNH Access Road Brand Hwy Muchea & Old Great Northern Hwy (Muchea) | 2.93 | Old Gingin Rd - End Road | <ul style="list-style-type: none"> Maximum speed 50 km/h |
| 0020059 | Old Great Northern Hwy | Old Great Northern Hwy | Halls Creek | 0.10 | Bridge St | 0.64 | Old Great Northern Hwy - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------------|---|------------------|----------|--|--------|--------------------------|--|
| H923 | Old Great Northern Hwy (Miling) | Old Great Northern Hwy (Miling) Great Northern Hwy | Moora | 0.00 | Great Northern Hwy | 1.48 | End of Road | |
| H924 | Old Great Northern Hwy (Mucnea) | Old Great Northern Hwy (Mucnea) | Chittering | 0.00 | GNH Access Road Brand Hwy Mucnea & Old Gingin Rd | 1.69 | 0.23km Before Reserve Rd | |
| H924 | Old Great Northern Hwy (Mucnea) | Great Northern Hwy | Chittering | 1.92 | Great Northern Hwy | 5.31 | | |
| H924 | Old Great Northern Hwy (Mucnea) | Great Northern Hwy | Chittering | 6.53 | Great Northern Hwy | 7.80 | End Road Section - H924 | |
| 4070141 | Old Kalannie Rd | Old Kalannie Rd | Dowerin | 1.24 | Amery North Rd | 1.34 | Dowerin - Kalannie Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6040547 | Old Kens Rd | Old Kens Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 17.56 | Old Kens Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 5180121 | Old Kokardine Rd | Old Kokardine Rd | Wongan - Ballidu | 0.00 | Kokardine West Rd | 6.14 | | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|--|--------|---|---|
| 4070009 | Old Koorda Rd | Old Koorda Rd | Dowerin | 0.00 | Dowerin - Koorda Rd | 20.45 | Dowerin - Kalannie Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4040052 | Old Kulin Rd | Old Kulin Rd | Corrigin | 0.00 | Doyles North Rd & Middleton Rd | 6.29 | Bullaring - Gorge Rock Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060032 | Old Lake Grace Rd | Old Lake Grace Rd | Dumbleyung | 0.00 | Dumbleyung Lake Grace Rd | 1.37 | Kukerin North East Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3110034 | Old Lake Grace Rd | Old Lake Grace Rd | Lake Grace | 0.00 | Jarring South Rd | 2.05 | Dumbleyung LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6070070 | Old Laverton Rd | Old Laverton Rd | Laverton | 0.00 | Laverton Bypa | 60.22 | Leonora Lga Boundary | |
| 6080063 | Old Laverton Rd | Old Laverton Rd | Leonora | 0.00 | Malcolm Rail Head Rd & Kookynie - Malcolm Rd | 0.74 | Glenorn - Yundamindra Rd | |
| 5070066 | Old Ledge Point Rd | Old Ledge Point Rd | Gingin | 0.00 | Lancelin Rd | 3.00 | For 3.00km From Lancelin Rd to Lime Pit Access Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|--------------------------|----------|-----------------------------|--------|-----------------------------------|--|
| 2030217 | Old Mill Rd | Old Mill Rd | Bridgetown - Greenbushes | 0.00 | Greenbushes - Grimwade Rd | 1.39 | Greenbushes - Boyup Brook Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 50 km/h No Operation Weekdays from 7:30 AM to 9:00 AM and 3:00 PM to 4:30 PM Curfew applies on school days only. |
| 5050652 | Old Mingenew Rd | Old Mingenew Rd | Greater Geraldton (C) | 0.00 | Maley St & Mullewa Wubin Rd | 7.82 | Mingenew - Mullewa Rd & Thomas Rd | |
| 2030101 | Old Mokerdillup Rd | Old Mokerdillup Rd | Bridgetown - Greenbushes | 0.00 | Mokerdillup Rd | 2.15 | Donnelly Mill Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5110085 | Old Mullewa Rd | Old Mullewa Rd | Morawa | 0.00 | Bell Rd | 3.03 | Morawa - Yalgoo Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5140029 | Old Mullewa Rd | Old Mullewa Rd | Perenjori | 0.00 | Mullewa Wubin Rd | 5.57 | Carnamah - Perenjori Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------------|-----------------------------|------------------------|----------|-----------------------------------|--------|---------------------------|--|
| 4140024 | Old Muntadgin Rd | Old Muntadgin Rd | Merredin | 0.00 | Merredin - Narembreen Rd | 22.57 | Brissenden Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5160084 | Old Nabawa - Northampton Rd | Old Nabawa - Northampton Rd | Chapman Valley | 0.00 | Chapman Valley Rd | 2.04 | Protheroe Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Protheroe Rd : No access permitted into Moonyoonooka - Yuna Rd from Old Nabawa Northampton Rd |
| 4070165 | Old Nalkain Rd | Old Nalkain Rd | Dowerin | 0.00 | Parker Rd & Rabbit Proof Fence Rd | 3.51 | Wyalkatchem LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 4310055 | Old Nalkain Rd | Old Nalkain Rd | Wyalkatchem | 0.00 | Wyalkatchem North Rd | 11.85 | Dowerin LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3030105 | Old Nardlah Rd | Old Nardlah Rd | Broomehill - Tambellup | 0.00 | Old Nardlah Rd - Start Road | 1.11 | Keith St & Kimberley St | |
| 3110095 | Old Newdegate Rd | Old Newdegate Rd | Lake Grace | 0.00 | Tarco Rd & Creek Rd | 36.84 | Newdegate Ravensthorpe Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|---------------------------------------|--------|---------------------------------------|--|
| 6100037 | Old Newdegate Rd | Old Newdegate Rd | Ravensthorpe | 0.00 | Newdegate Ravensthorpe Rd | 0.96 | 0.96km From Newdegate Ravensthorpe Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 6100037 | Old Newdegate Rd | Old Newdegate Rd | Ravensthorpe | 0.96 | 0.96km From Newdegate Ravensthorpe Rd | 1.39 | Floater Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3070010 | Old Ongerup Rd | Old Ongerup Rd | Gnowangerup | 0.00 | Gnowangerup Jerramungup Rd | 25.47 | Chester Pass Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6100026 | Old Ongerup Rd | Old Ongerup Rd | Ravensthorpe | 0.00 | South Coast Hwy | 17.16 | Hamersley Dr & West River Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 6100026 | Old Ongerup Rd | Old Ongerup Rd | Ravensthorpe | 17.30 | West River Rd | 36.53 | Witt Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|-----------------------|----------|------------------------------------|--------|------------------------------|--|
| 8110275 | Old Onslow Rd | Old Onslow Rd | Ashburton | 0.00 | Twitchin Rd | 22.51 | Old Onslow Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h No Operation between the hours of sunset and sunrise |
| 5140095 | Old Perth Rd | Old Perth Rd | Perenjori | 0.00 | Carnamah - Perenjori Rd | 26.03 | Bunjil - Carnamah Rd | |
| 5140095 | Old Perth Rd | Old Perth Rd | Perenjori | 26.23 | Griffith Rd & Bunjil - Carnamah Rd | 32.20 | End of Road | |
| 5050659 | Old Pindar Rd | Old Pindar Rd | Greater Geraldton (C) | 0.00 | Tiller Rd | 6.45 | Docherty Rd & Unknown Rd | |
| 4260006 | Old Plains Rd | Old Plains Rd | Toodyay | 0.00 | Telegraph Rd | 17.38 | Victoria Plains LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5170027 | Old Plains Rd | Old Plains Rd | Victoria Plains | 0.00 | Great Northern Hwy | 17.16 | Calingiri Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|---------------------------|--------|----------------------------|--|
| 5170027 | Old Plains Rd | Old Plains Rd | Victoria Plains | 17.25 | Calingiri Rd | 35.95 | Toodyay LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4211227 | Old Quarry Rd | Old Quarry Rd | Northam | 0.00 | Northam Toodyay Rd | 0.46 | Old Quarry Rd - End Road | |
| 3110007 | Old Ravensthorpe Rd | Old Ravensthorpe Rd | Lake Grace | 0.00 | Newdegate Ravensthorpe Rd | 51.30 | Taylor Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6040740 | Old Shark Lake Rd | Old Shark Lake Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 2.94 | Shark Lake Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. 10 km/h below posted speed limit Intersection Shark Lake Rd : No exit permitted into Shark Lake Rd from Old Shark Lake Rd |
| 6040067 | Old Smokey Rd | Old Smokey Rd | Esperance | 0.00 | Fisheries Rd | 10.22 | Plowman Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 2140020 | Old Soldiers Rd | Old Soldiers Rd | Boddington | 0.00 | Gold Mine Rd | 6.35 | Old Soldiers Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------|----------|----------------------|--------|----------------------------|---|
| 4300027 | Old Soldiers Rd | Old Soldiers Rd | Williams | 0.00 | Pinjarra Williams Rd | 3.92 | Old Soldiers Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5010034 | Old Telegraph Rd | Old Telegraph Rd | Carnamah | 0.00 | Bunjil - Carnamah Rd | 10.00 | Winchester East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5170046 | Old Telegraph South Rd | Old Telegraph South Rd | Victoria Plains | 0.00 | Bolgart West Rd | 8.69 | Calingiri Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------|----------|----------------------------------|--------|--|--|
| 5110019 | Old Three Springs Rd | Old Three Springs Rd | Morawa | 0.00 | Mingenew Morawa Rd & Dreghorn Rd | 14.14 | Unknown Rd & Three Springs - Morawa Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060111 | Old Tincurrin Rd | Old Tincurrin Rd | Dumblebung | 0.00 | Tincurrin Rd | 3.09 | Ball Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060111 | Old Tincurrin Rd | Old Tincurrin Rd | Dumblebung | 3.09 | Ball Rd | 3.10 | | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|--------------------------------------|--------|------------------------|---|
| 3060111 | Old Tincurrin Rd | Old Tincurrin Rd | Dumbleyung | 3.10 | | 6.70 | Tincurrin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2050402 | Old Vasse Hwy | Old Vasse Hwy | Busselton (C) | 0.00 | Vasse Hwy | 1.85 | Vasse Hwy | |
| 5140099 | Old Well Rd | Old Well Rd | Perenjori | 0.00 | Carnamah - Perenjori Rd & Loading St | 1.05 | Old Well Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 1090056 | Old West Rd | Old West Rd | Swan (C) | 1.02 | Kirby Rd | 3.66 | Neaves Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1100456 | Old Yanchep Rd | Old Yanchep Rd | Wanneroo (C) | 0.00 | Joondalup Dr & Neaves Rd | 4.43 | Wattle Av | |
| 1100456 | Old Yanchep Rd | Old Yanchep Rd | Wanneroo (C) | 4.43 | Wattle Av | 7.13 | Wesco Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 1100456 | Old Yanchep Rd | Old Yanchep Rd | Wanneroo (C) | 7.13 | Wesco Rd | 13.54 | Cutler Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Includes from Cutler Road (North) until Lot 502 Old Yanchep Road |
| 1100456 | Old Yanchep Rd | Old Yanchep Rd | Wanneroo (C) | 13.54 | Cutler Rd | 16.37 | 2.825km From Cutler Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|--------------------|--------|---------------------------------------|--|
| 4090045 | Old Yelbeni Rd | Old Yelbeni Rd | Kellerberrin | 0.00 | Goldfields Rd | 5.82 | Kellerberrin - Yelbeni Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4212022 | Old York Rd | Old York Rd | Northam | 0.56 | Stewart St | 1.26 | Yilgarn Av | |
| 4240036 | Old Yoting Rd | Old Yoting Rd | Quairading | 0.00 | Badjaling North Rd | 13.62 | Bruce Rock Quairading Rd & Unknown Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5110122 | Olden Rd | Olden Rd | Morawa | 0.00 | Norton Rd | 1.92 | Tait Rd & Olden Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5140002 | Olden Rd | Olden Rd | Perenjori | 0.00 | Bowgada Rd | 6.34 | Tait Rd & Olden Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6040049 | Oldfield Rd | Oldfield Rd | Esperance | 0.00 | River Rd | 13.43 | Mills Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|-----------------------|----------|------------------------|--------|-------------------------|---|
| 1040024 | Olga Rd | Olga Rd | Gosnells (C) | 0.00 | Kelvin Rd & Albany Hwy | 0.66 | Burslem Dr | |
| 2040312 | Olive Ct | Olive Ct | Bunbury (C) | 0.00 | Dodson Rd | 0.15 | For 150m From Dodson Rd | |
| 5140020 | Oliver Rd | Oliver Rd | Perenjori | 0.00 | Syson Rd | 8.71 | Oliver Rd - End Road | |
| 5180139 | Oliver Rd | Oliver Rd | Wongan - Ballidu | 0.00 | Manmanning Rd | 1.67 | Hospital Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 1091247 | Oliver St | Oliver St | Swan (C) | 0.00 | Military Rd | 0.15 | Oliver St Cul-De-Sac | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 7030050 | Oliver St | Oliver St | Meekatharra | 0.00 | Connaughton St | 0.75 | High St | |
| 5130038 | Olivier Rd | Olivier Rd | Northampton | 0.00 | Stone St | 2.27 | Olivier Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5050705 | Olman Rd | Olman Rd | Greater Geraldton (C) | 0.00 | Ardingly South Rd | 5.04 | Menang Rd | |
| 5160028 | Olsen Rd | Olsen Rd | Chapman Valley | 0.00 | North West Coastal Hwy | 4.68 | Olsen Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4060082 | Olympic Av | Olympic Av | Cunderdin | 0.00 | Baxter Rd | 0.48 | Carter Dr & Eaton St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|---------------------------|--------|---------------------|---|
| 4260037 | One Man Rd | One Man Rd | Toodyay | 0.00 | One Man Rd - Start Road | 7.88 | Nunile Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4290100 | One O Four Gate Rd | One O Four Gate Rd | Wickepin | 0.00 | Rabbit Proof Fence Rd Sth | 4.32 | Harrismith South Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060007 | One Twenty Five Rd | One Twenty Five Rd | Dumbleyung | 0.00 | One Twenty Nine Rd | 17.68 | Edwards Rd | |
| 3060007 | One Twenty Five Rd | One Twenty Five Rd | Dumbleyung | 17.68 | Edwards Rd | 24.84 | Brays Rd | <ul style="list-style-type: none"> Note: Low Volume (LV) Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060007 | One Twenty Five Rd | One Twenty Five Rd | Dumbleyung | 24.84 | Brays Rd | 28.60 | Adams Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------|----------|----------------------------|--------|---------------------------------|---|
| 3060001 | One Twenty Nine Rd | One Twenty Nine Rd | Dumbleyung | 0.00 | Ebsary St | 48.42 | Jarring South Rd & Rasmussen Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4150074 | Oneil Rd | Oneil Rd | Mount Marshall | 0.00 | Burakin - Wialki Rd | 0.82 | | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3070066 | Oneill Rd | Oneill Rd | Gnowangerup | 0.00 | Chester Pass Rd | 18.61 | P Jones Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3120114 | Oneill Rd | Oneill Rd | Plantagenet | 0.00 | Albany Hwy | 6.48 | Oneill Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4180222 | Oneill Rd | Oneill Rd | Narrogin | 0.00 | Highbury West Rd | 5.18 | Chomley Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Chomley Rd : No access permitted into Chomley Rd from O'Neill Rd |
| 5100176 | Oneils Rd | Oneils Rd | Moora | 0.00 | Bindi - Ballidu Rd | 6.53 | Lyons East Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3070002 | Ongerup - Pingrup Rd | Ongerup - Pingrup Rd | Gnowangerup | 0.00 | Gnowangerup Jerramungup Rd | 20.35 | Kent LGA Boundary | <ul style="list-style-type: none"> Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|--------------------------|----------|---|--------|--------------------------------|---|
| 3090003 | Ongerup - Pingrup Rd | Ongerup - Pingrup Rd | Kent | 0.00 | Newdegate - Pingrup Rd | 30.05 | Gnowangerup LGA Boundary | |
| M049 | Onslow | Onslow Rd | Ashburton | 0.00 | North West Coastal Hwy | 61.85 | 1.16km From Warrirda Rd | <ul style="list-style-type: none"> Not to exceed the lesser of 90 km/h or the posted speed limit. |
| M049 | Onslow | Onslow Rd | Ashburton | 61.85 | 1.16km From Warrirda Rd | 63.67 | | |
| M049 | Onslow | Onslow Rd | Ashburton | 63.67 | | 76.74 | McAullay Rd | <ul style="list-style-type: none"> Not to exceed the lesser of 90 km/h or the posted speed limit. |
| 3080085 | Onslow Rd | Onslow Rd | Katanning | 0.00 | Prinsep Rd | 1.40 | Esmond Rd & Great Southern Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3170019 | Onslow Rd | Onslow Rd | Woodanilling | 0.00 | Great Southern Hwy | 11.56 | River Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3170019 | Onslow Rd | Onslow Rd | Woodanilling | 11.56 | River Rd | 16.33 | Kojonup Lga Boundary | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 5130109 | Onslow St | Onslow St | Northampton | 0.00 | Stone St | 1.04 | Stephen St | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 6090047 | Onslow St | Onslow St | Menzies | 0.34 | Wilson St | 0.63 | Menzies North West Rd | |
| 0040027 | Oolrui Rd | Oolrui Rd | Wyndham - East Kimberley | 0.00 | Research Station Rd | 1.41 | Oolrui Rd - End Road | |
| 1105811 | Opportunity St | Opportunity St | Wanneroo (C) | 0.00 | Competition Wy | 0.49 | Callaway St | |
| 6055063 | Ora Banda - Carbine Rd | Ora Banda - Carbine Rd | Kalgoorlie - Boulder (C) | 0.00 | Ora Banda-Davyhurst Rd & Broad Arrow - Ora Banda Rd | 10.78 | Carbine - Ora Banda Rd | |
| 6055064 | Ora Banda-Davyhurst Rd | Ora Banda-Davyhurst Rd | Kalgoorlie - Boulder (C) | 0.00 | Ora Banda - Carbine Rd & Broad Arrow - Ora Banda Rd | 19.52 | Siberia Canegrass Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|--------------------------|----------|--------------------------|--------|-------------------------|---|
| 6055064 | Ora Banda-Davyhurst Rd | Ora Banda-Davyhurst Rd | Kalgoorlie - Boulder (C) | 19.52 | Siberia Canegrass Rd | 34.40 | Menzies LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5070006 | Orange Springs Rd | Orange Springs Rd | Gingin | 0.00 | Brand Hwy | 17.86 | Cowalla Rd | |
| 1060008 | Orchard Av | Orchard Av | Mundaring | 0.00 | Orchard Av & Morrison Rd | 0.35 | Rothschild Pl | |
| 1041085 | Orchard Rd | Orchard Rd | Gosnells (C) | 0.00 | Kelvin Rd | 0.18 | 0.09km From Valencia Wy | <ul style="list-style-type: none"> Intersection Kelvin Rd : No right turn permitted into Kelvin Rd from Orchard Rd |
| 3170006 | Orchard Rd | Orchard Rd | Woodanilling | 0.00 | Robinson West Rd | 10.30 | River Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Robinson West Rd : No access permitted into Robinson West Rd from Orchard Rd |
| 3170006 | Orchard Rd | Orchard Rd | Woodanilling | 10.30 | River Rd | 20.97 | Ramm Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4110037 | Orchard Rd | Orchard Rd | Koorda | 0.00 | Kalannie - Kulja Rd | 7.79 | Kulja Central Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4110094 | Orchard St | Orchard St | Koorda | 0.00 | Aitken Rd | 0.45 | Orchard St - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|--------------------------|----------|---|--------|---|--|
| 3100028 | Orchid Valley Rd | Orchid Valley Rd | Kojonup | 0.00 | Tone Rd | 8.62 | Donnybrook Kojonup Rd | <ul style="list-style-type: none"> Maximum speed 70 km/h Intersection Donnybrook Kojonup Rd : No Access permitted to Donnybrook - Kojonup Road from Orchid Valley Rd |
| 0040048 | Ord St | Ord St | Wyndham - East Kimberley | 0.00 | Sharpe St | 0.31 | Kimberley St | |
| 0010113 | Ord Wy | Ord Wy | Broome | 0.00 | Farrell St | 0.52 | Farrell St | |
| 103Z050 | Orion Rd | Orion Rd | Cockburn (C) | 0.00 | Pilatus St & Karel Av | 1.01 | Marriott Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 8140076 | Orkney Rd | Orkney Rd | Karratha (C) | 0.00 | Mooligunn Rd | 1.01 | Coolawanyah Rd | <ul style="list-style-type: none"> Intersection Mooligunn Rd : No left turn permitted into Mooligunn Rd from Orkney Rd |
| 6040023 | Orleans Bay Rd | Orleans Bay Rd | Esperance | 0.00 | Fisheries Rd | 14.00 | 6.62km South East of Merivale Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 6040023 | Orleans Bay Rd | Orleans Bay Rd | Esperance | 14.00 | 5.37km From Wharton Rd | 17.30 | 2.07km From Wharton Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6054020 | Oroya St | Oroya St | Kalgoorlie - Boulder (C) | 0.00 | Oroya St - Start Road | 1.01 | Waverley St | <ul style="list-style-type: none"> Intersection Waverley St : No left turn permitted into Waverley St from Oroya St |
| 7010029 | Oroya St | Oroya St | Sandstone | 0.00 | Sandstone - Wiluna Rd | 1.07 | Mt Magnet Sandstone Rd & Agnew Sandstone Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3110121 | Orr Rd | Orr Rd | Lake Grace | 0.00 | Old Ravensthorpe Rd | 7.92 | Newdegate Ravensthorpe Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| H633 | Orrong Rd & Welshpool Rd East on to Roe Hwy (Northbound) | Orrong Rd & Welshpool Rd East on to Roe Hwy (Northbound) | Canning (C) | 0.00 | Roe Hwy (Northbound) off to Orrong Rd & Welshpool Rd East & Welshpool Rd East & Orrong Rd | 0.32 | Roe Hwy | |
| H791 | Orrong Rd on to Leach Hwy (Eastbound) | Orrong Rd on to Leach Hwy (Eastbound) | Belmont (C) | 0.00 | Leach Hwy (Eastbound) off to Orrong Rd & Orrong Rd | 0.23 | Leach Hwy | |
| H793 | Orrong Rd on to Leach Hwy (Westbound) | Orrong Rd on to Leach Hwy (Westbound) | Canning (C) | 0.00 | Leach Hwy (Westbound) off to Orrong Rd & Orrong Rd | 0.30 | | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|------------------------------|--------|------------------------|--|
| 4330066 | Osborn Rd | Osborn Rd | York | 0.00 | Quairading York Rd | 1.22 | Rudall Rd & Springs Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3050372 | Osborne Rd | Osborne Rd | Denmark | 0.00 | McLeod Rd | 1.30 | Nekel Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection McLeod Rd : No right turn permitted into Osborne Rd from McLeod Rd |
| 4140053 | Osborne Rd | Osborne Rd | Merredin | 0.00 | Endersbee Rd & Hines Hill Rd | 5.29 | Osborne Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------------|--------------------------------|--------------------------|----------|--------------------------------------|--------|-------------------------|---|
| 5030084 | Osborne Rd | Osborne Rd | Dalwallinu | 0.00 | Osborne Rd - Start Road | 12.83 | Nugadong West Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Nugadong West Rd : No left turn permitted into Nugadong West Rd from Osborne Rd |
| 6040545 | Osborne Rd | Osborne Rd | Esperance | 0.00 | Coolgardie Esperance Hwy & Machen Rd | 12.74 | Hobby Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 403Z003 | Osborne St (One Way South Bnd) | Osborne St (One Way South Bnd) | Bruce Rock | 0.00 | Osborne St & Bruce Rock East Rd | 0.10 | Johnson St | |
| 2010009 | Osmington Rd | Osmington Rd | Augusta - Margaret River | 0.00 | Bussell Hwy | 19.59 | Osmington Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 2051347 | Ostler Dr | Ostler Dr | Busselton (C) | 0.00 | Lynwood St | 0.46 | Commerce Rd | |
| 6053064 | Oswald St | Oswald St | Kalgoorlie - Boulder (C) | 0.00 | Lane St & Balfour St | 0.14 | Carrington St | |
| 5140114 | Otte Rd | Otte Rd | Perenjori | 0.00 | Iona Rd | 7.70 | Hirsch Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6080055 | Otterburn St | Otterburn St | Leonora | 0.00 | Rochester St | 0.38 | Rajah St | |
| 6055019 | Outram St | Outram St | Kalgoorlie - Boulder (C) | 0.00 | Waverley St | 0.73 | Forrest St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|--------------------------|----------|--|--------|---------------------------------------|---|
| 4110044 | Ovens Rd | Ovens Rd | Koorda | 0.00 | Anderson Rd | 4.16 | Commonwealth Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4330011 | Ovens Rd | Ovens Rd | York | 0.00 | Great Southern Hwy | 8.32 | Qualen West Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3100218 | Overidge Rd | Overidge Rd | Kojonup | 0.00 | Shamrock Rd | 1.84 | Overidge Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4230062 | Overington Rd | Overington Rd | Pingelly | 0.00 | Aldersyde - Pingelly Rd | 1.79 | Overington Rd - End Road | |
| 5140152 | Oversby North Rd | Oversby North Rd | Perenjori | 0.00 | Oversby Rd | 1.66 | Oversby North Rd - End Road | |
| 5140094 | Oversby Rd | Oversby Rd | Perenjori | 0.00 | Carnamah - Perenjori Rd & Fowler St & Mullewa Wubin Rd | 0.15 | North Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5140094 | Oversby Rd | Oversby Rd | Perenjori | 19.64 | Syson Rd | 20.30 | Oversby North Rd | |
| 1010048 | Owen Rd | Owen Rd | Armadale (C) | 0.00 | Railway Av | 1.04 | Lockhart Rd | |
| 2010702 | Owen Tucker L | Owen Tucker L | Augusta - Margaret River | 0.00 | Auger Wy | 0.25 | Minchin Wy | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 8140648 | Oxide Loop | Oxide Loop | Karratha (C) | 0.00 | Oxide Loop | 0.83 | Oxide Loop | |
| 8140649 | Oxide Loop | Oxide Loop | Karratha (C) | 0.00 | Exploration Dr | 0.11 | Oxide Loop | |
| 8130444 | Oxide Wy | Oxide Wy | Port Hedland (T) | 0.00 | Harwell Wy | 0.38 | Pinnacles St | |
| 1091262 | Oxleigh Dr | Oxleigh Dr | Swan (C) | 0.00 | Beach Rd | 0.92 | Illawarra Cr | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 3170086 | Oxley Rd | Oxley Rd | Woodanilling | 0.00 | Robinson East Rd & Katanning - Dumbleyung Rd | 20.28 | Katanning - Dumbleyung Rd & Sunter Rd | |
| 1041427 | Ozich Ct | Ozich Ct | Gosnells (C) | 0.00 | Albany Hwy | 0.07 | Ozich Ct - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|--------------------------|----------|---------------------------|--------|--------------------------|---|
| 3070071 | P Jones Rd | P Jones Rd | Gnowangerup | 0.00 | Oneill Rd | 12.36 | Rabbit Proof Fence Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4250027 | Packham Rd | Packham Rd | Tammin | 0.00 | Livesey North Rd | 6.90 | Great Eastern Hwy | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 0040180 | Packsaddle Rd | Packsaddle Rd | Wyndham - East Kimberley | 0.00 | Victoria Hwy | 15.70 | Packsaddle Rd - End Road | |
| 5051240 | Padbury Rd | Padbury Rd | Greater Geraldton (C) | 0.57 | Levett Rd & Evans Rd | 1.00 | 0.43km From Evans Rd | |
| 4150090 | Padbury St | Padbury St | Mount Marshall | 0.00 | Monger St | 0.27 | Collins St & Gillett Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4230053 | Page Rd | Page Rd | Pingelly | 0.00 | North Wandering Rd | 1.75 | Page Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3150072 | Painters Rd | Painters Rd | Wagin | 0.00 | Gundaring Nth Rd | 5.89 | Collanilling Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3030008 | Pallinup Rd | Pallinup Rd | Broomehill - Tambellup | 0.00 | Broomehill Gnowangerup Rd | 18.49 | Gillespie Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 3030008 | Pallinup Rd | Pallinup Rd | Broomehill - Tambellup | 18.49 | Gillespie Rd | 24.47 | Gnowangerup LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------------|----------|----------------------------|--------|-------------------------------------|--|
| 3070124 | Pallinup Rd | Pallinup Rd | Gnowangerup | 0.00 | Gnowangerup - Tambellup Rd | 2.29 | Broomehill - Tambellup LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Railway crossing is not permitted to be crossed from either direction. |
| 3030208 | Pallinup South Rd | Pallinup South Rd | Broomehill - Tambellup | 0.00 | Toolbrunup Rd | 3.44 | Anderson Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times |
| 3030208 | Pallinup South Rd | Pallinup South Rd | Broomehill - Tambellup | 3.44 | Anderson Rd | 13.32 | Gnowangerup - Tambellup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 80 km/h Intersection Gnowangerup - Tambellup Rd : No left turn permitted into Gnowangerup-Tambellup Rd from Pallinup South Rd |
| 5050612 | Pallotine Rd | Pallotine Rd | Greater Geraldton (C) | 0.00 | Mullewa Wubin Rd | 16.05 | Grima Rd & Pallotine Rd | |
| 5110067 | Pallotine Rd | Pallotine Rd | Morawa | 0.00 | Canna North East Rd | 4.49 | Pallotine Rd & Grima Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3020010 | Palmdale Rd | Palmdale Rd | Albany (C) | 0.00 | South Coast Hwy | 25.54 | Plantagenet LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Maximum speed of 80 km/h on sealed roads and maximum speed of 60 km/h on gravel roads. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|--------------------------|----------|--------------------------|--------|-----------------------------------|---|
| 3120035 | Palmdale Rd | Palmdale Rd | Plantagenet | 0.00 | Chillinup Rd | 13.90 | Albany (C) LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Maximum speed of 80km/h on sealed roads and 60km/h on gravel roads during the day time. |
| 2040524 | Palmer Cr | Palmer Cr | Bunbury (C) | 0.00 | Brittain Rd & Richter Rd | 0.52 | Palmer Cr - End Road | |
| 2070142 | Palmer Rd | Palmer Rd | Collie | 0.00 | Williams Rd & Palmer Rd | 0.87 | 0.87km East From Collie Williams. | |
| 3100111 | Palmer Rd | Palmer Rd | Kojonup | 0.00 | Potts Rd | 3.20 | Palmer Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4250053 | Palmer Rd | Palmer Rd | Tammin | 0.00 | Bungulla North Rd | 1.50 | Palmer Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 7040002 | Palmer Well Rd | Palmer Well Rd | Mount Magnet | 0.00 | Checker Plant Rd | 21.61 | Mount Farmer Rd | |
| 2030094 | Palmers Rd | Palmers Rd | Bridgetown - Greenbushes | 0.00 | South Western Hwy | 0.83 | Palmers Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------------|----------|--------------------------|--------|--|--|
| 3030047 | Palomar Rd | Palomar Rd | Broomehill - Tambellup | 0.00 | Warrenup Rd | 5.13 | Ngopitchup Rd & Flat Rocks Rd & O'Neill Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Ngopitchup Rd & Flat Rocks Rd & O'Neill Rd : No left turn permitted into Flat Rocks Rd from Palomar Rd. No right turn permitted into Ngopitchup Rd from Palomar Rd. |
| 113Z046 | Paltridge Rd (Federal) | Paltridge Rd (Federal) | Belmont (C) | 0.00 | Martin Rd & Airport Dr | 0.81 | 0.47km From Kingsford Smith Av to Toll Access Gate | |
| 6110007 | Panizza Rd | Panizza Rd | Yilgarn | 0.00 | Gatley Rd | 37.72 | Brennard Rd & Patroni Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 8120223 | Panizza Wy | Panizza Wy | East Pilbara | 0.00 | Woodstock St | 0.23 | Laver St | |
| M050 | Pannawonica | Pannawonica Rd | Ashburton | 0.00 | North West Coastal Hwy | 46.00 | Deepdale Dr | <ul style="list-style-type: none"> Maximum speed 80 km/h |
| 811Z092 | Pannawonica Dr | Pannawonica Dr | Ashburton | 0.00 | Deepdale Dr | 0.80 | Sherlock Dr | |
| 4040066 | Pannell Rd | Pannell Rd | Corrigin | 0.00 | Bilbarin - Quairading Rd | 9.78 | Quairading LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4240160 | Pannell Rd | Pannell Rd | Quairading | 0.00 | Quairading - Corrigin Rd | 4.55 | Corrigin LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4240021 | Pantapin North Rd | Pantapin North Rd | Quairading | 0.00 | Bruce Rock Quairading Rd | 14.00 | Pantapin North Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|--------------------------|----------|--------------------------|--------|--------------------------|--|
| 4240020 | Pantapin North West Rd | Pantapin North West Rd | Quairading | 0.00 | Bruce Rock Quairading Rd | 11.64 | Munyard Rd & Glenluce Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4240121 | Pantapin South East Rd | Pantapin South East Rd | Quairading | 0.00 | Bruce Rock Quairading Rd | 5.57 | Hughes Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4240016 | Pantapin South Rd | Pantapin South Rd | Quairading | 0.00 | Old Beverley East Rd | 14.84 | Bruce Rock Quairading Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 2030233 | Papalias Rd | Papalias Rd | Bridgetown - Greenbushes | 0.00 | Wilga Rd | 2.20 | 2.2km From Wilga Rd | <ul style="list-style-type: none"> Maximum speed 40 km/h WAPRES Traffic Management Plan to be implemented. Operation in accordance with Shire approval |
| 3050352 | Paperbark Dale | Paperbark Dale | Denmark | 0.00 | Collis Rd | 1.36 | Paperbark L - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2150574 | Paperbark Pl | Paperbark Pl | Murray | 0.00 | Moores Rd | 0.31 | Paperbark Pl - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Empty Travel Only No Operation between 6:00 PM and 7:00 AM |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|----------------------|--------|-----------------------------------|---|
| 3180195 | Paperbark Rd | Paperbark Rd | Jerramungup | 0.00 | Borden Bremer Bay Rd | 0.51 | 0.514km From Borden Bremer Bay Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4120039 | Paperbark Rd North | Paperbark Rd North | Kulin | 0.00 | Mallee Valley Rd | 7.28 | Kulin - Holt Rock Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2050486 | Paperbark Wy | Paperbark Wy | Busselton (C) | 0.00 | Rendezvous Rd | 0.92 | Kookaburra Wy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Empty Travel Only Operation Only between 7:00 AM and 6:00 PM Monday to Saturday No Operation Public Holidays |
| 3120107 | Papes Rd | Papes Rd | Plantagenet | 0.00 | Muir Hwy | 5.22 | Papes Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1101271 | Pappas St | Pappas St | Wanneroo (C) | 0.00 | Berriman Dr | 0.15 | Baretta Rd | |
| 2110362 | Papps Rd | Papps Rd | Harvey | 0.00 | South Western Hwy | 0.22 | Papps Rd - End Road | |
| 6120003 | Papulankutja Rd | Papulankutja Rd | Ngaanyatjarraku | 0.00 | Great Central Rd | 244.22 | 3.42km From Irrunytju Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. All operators must obtain an Aboriginal Affairs Planning Authority (AAPA) Lands Permit prior to travelling on the road. Permits can be obtained through the Department of Planning, Lands and Heritage website. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|--|------------------|----------|--------------------------|--------|------------------------------------|---|
| 6120003 | Papulankutja Rd | Papulankutja Rd | Ngaanyatjaraku | 244.22 | 3.42km From Irrunytju Rd | 247.64 | Irrunytju Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. All operators must obtain an Aboriginal Affairs Planning Authority (AAPA) Lands Permit prior to travelling on the road. Permits can be obtained through the Department of Planning, Lands and Heritage website. |
| M051 | Paraburdoo Tom Price | Paraburdoo Rd Camp Rd Rocklea Rd Tom Price Rd | Ashburton | 0.00 | Nanutarra Munjina Rd | 130.78 | Manuwarra Red Dog Hwy & Bingarn Rd | |
| 4230087 | Paragon St | Paragon St | Pingelly | 0.00 | Review St | 0.62 | Park St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 1103377 | Paramount Dr | Paramount Dr | Wanneroo (C) | 0.00 | Hartman Dr | 0.90 | Motivation Dr | |
| 3120111 | Pardelup Rd | Pardelup Rd | Plantagenet | 0.00 | Muir Hwy | 3.44 | Pile Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 8120300 | Pardoo St | Pardoo St | East Pilbara | 0.00 | Welsh Dr | 0.73 | Woodstock St | |
| 8130237 | Pardoo St | Pardoo St | Port Hedland (T) | 0.00 | Cajarina Rd | 0.21 | Munda Wy | |
| 2110207 | Paris Rd | Paris Rd | Harvey | 1.95 | Grand Ent | 3.86 | Forrest Hwy - Paris Rd Rty | |
| 2120221 | Park Rd | Park Rd | Mandurah (C) | 1.41 | Tindale St | 2.16 | Mandurah Rd | <ul style="list-style-type: none"> Intersection Mandurah Rd : No Left turn permitted into Park Road from Mandurah Road |
| 3070070 | Park Rd | Park Rd | Gnowangerup | 0.00 | Jerramungup LGA Boundary | 21.63 | Ongerup - Pingrup Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|-----------------------|----------|---|--------|--|--|
| 3180040 | Park Rd | Park Rd | Jerramungup | 0.00 | Diagonal Rd | 5.79 | Gnowangerup LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 5050658 | Park Rd | Park Rd | Greater Geraldton (C) | 0.00 | Geraldton Mt Magnet Rd | 6.29 | Williams Rd | |
| 4230153 | Park St | Park St | Pingelly | 0.00 | Naylor St & North Bannister - Pingelly Rd | 0.65 | Paragon St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6110038 | Parker Range Rd | Parker Range Rd | Yilgarn | 0.00 | Great Eastern Hwy | 57.04 | Marvel Loch - Forrestania Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3050016 | Parker Rd | Parker Rd | Denmark | 0.00 | South Coast Hwy | 9.01 | Greatorex Rd & Scotsdale Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3070056 | Parker Rd | Parker Rd | Gnowangerup | 0.00 | Tieline Rd | 12.04 | Humphries Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3100011 | Parker Rd | Parker Rd | Kojonup | 0.00 | Vanzuilecom Rd & Kojonup - Frankland Rd | 12.43 | Tone Rd | <ul style="list-style-type: none"> Access from Tone Rd only. |
| 4070030 | Parker Rd | Parker Rd | Dowerin | 0.00 | Old Koorda Rd & McHugh Rd | 7.70 | Old Nalkain Rd & Rabbit Proof Fence Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|---------------------------------|--------|----------------------|---|
| 4211048 | Parker Rd | Parker Rd | Northam | 0.00 | Duck Pool Rd & Meenaar South Rd | 7.15 | York LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4330027 | Parker Rd | Parker Rd | York | 0.00 | Northam LGA Boundary | 2.33 | Quellington Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5130229 | Parker Rd | Parker Rd | Northampton | 0.00 | North West Coastal Hwy | 2.00 | Wundi Rd | |
| 5170031 | Parker Rd | Parker Rd | Victoria Plains | 0.00 | Calingiri Rd | 6.19 | Goudge Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School Bus Route - Contact Operators on UHF CH 11 |
| 5180064 | Parker Rd | Parker Rd | Wongan - Ballidu | 0.00 | Lake Hinds North Rd | 2.09 | Parker Rd - End Road | |
| 4230093 | Parker St | Parker St | Pingelly | 0.00 | Review St | 0.61 | Brown St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|-------------------------|--------|--|---|
| 4240128 | Parker St | Parker St | Quairading | 0.00 | McLennan St | 0.62 | Ashton St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5010076 | Parker St | Parker St | Carnamah | 0.00 | Carnamah - Eneabba Rd | 0.51 | Inja St | |
| 1030855 | Parks Pl | Parks Pl | Cockburn (C) | 0.00 | Quarimor Rd | 0.07 | For 0.07 Km | |
| 5160055 | Parks Rd | Parks Rd | Chapman Valley | 0.00 | Northampton - Nabawa Rd | 3.29 | Hayward Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5140011 | Parkwood Rd | Parkwood Rd | Perenjori | 0.00 | Hill Rd | 10.06 | Bateman Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6040027 | Parmango Rd | Parmango Rd | Esperance | 0.00 | Fisheries Rd | 33.96 | | |
| 6040027 | Parmango Rd | Parmango Rd | Esperance | 33.96 | | 79.37 | 13.64 Km South West of Deralinya Homestead Access Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4290061 | Parnell Rd | Parnell Rd | Wickepin | 0.00 | Wishbone Rd | 5.06 | Harrismith South Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|-----------------------------|--------|--------------------------|---|
| 5140154 | Parnham Rd | Parnham Rd | Perenjori | 0.00 | Waugh Rd | 5.97 | Rabbit Proof Fence Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 7030007 | Paroo Rd | Paroo Rd | Meekatharra | 0.00 | Goldfields Hwy | 28.26 | Paroo Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h |
| 4060065 | Parrawilla Rd | Parrawilla Rd | Cunderdin | 0.00 | Rabbit Proof Fence South Rd | 0.67 | Parrawilla Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4250024 | Parrawilla Rd | Parrawilla Rd | Tammin | 0.00 | Great Eastern Hwy | 5.67 | Parrawilla Rd & Lg Bdry | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1101286 | Parri Rd | Parri Rd | Wanneroo (C) | 0.00 | Rigali Wy | 0.47 | Parri Rd - End Road | |
| 3041003 | Parsons Rd | Parsons Rd | Cranbrook | 0.00 | Stockyard Rd | 7.88 | Nukennullup Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h MAXIMUM SPEED 60kp/h ON GRAVEL |
| 3110097 | Parsons Rd | Parsons Rd | Lake Grace | 0.00 | Newdegate - Pingrup Rd | 12.14 | Magenta Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4040087 | Parsons Rd | Parsons Rd | Corrigin | 0.00 | Bilbarin East Rd | 16.06 | Nambadilling Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|-----------------------|--------|--------------------|--|
| 4050018 | Parsons Rd | Parsons Rd | Cuballing | 0.00 | Stratherne Rd | 2.65 | Cuballing East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Cuballing East Rd : No access permitted into Cuballing East Rd from Parsons Rd |
| 4310007 | Parsons Rd | Parsons Rd | Wyalkatchem | 0.00 | Elashgin Rd | 16.18 | Yorkrakine West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2180040 | Parsons Swamp Rd | Parsons Swamp Rd | Boyup Brook | 0.00 | Donnybrook Kojonup Rd | 6.63 | Roland Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3100104 | Partridge Rd | Partridge Rd | Kojonup | 0.00 | Darkan - Kojonup Rd | 6.91 | Wooldridge Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4090137 | Pascoe Rd | Pascoe Rd | Kellerberrin | 0.00 | Daadenning Creek Rd | 1.69 | Langdon Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|--------------------------|----------|----------------------------|--------|---|--|
| 6110134 | Pasini Rd | Pasini Rd | Yilgarn | 0.00 | Nunn Rd & Castor St | 2.56 | Pasini Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 1021011 | Passmore Wy | Passmore Wy | Kalamunda | 0.00 | Walters Wy | 0.07 | Access Driveway 0.07km From Walters Way | |
| 3090026 | Paterson Rd | Paterson Rd | Kent | 0.00 | Nyabing Pingrup Rd | 11.58 | Ongerup - Pingrup Rd | |
| 6040245 | Paterson Rd | Paterson Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 3.15 | 3.15km From Coolgardie Esperance Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 2010034 | Patmore Rd | Patmore Rd | Augusta - Margaret River | 0.00 | Warner Glen Rd | 2.39 | Patmore Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1182008 | Patrick's Access (Fpa) | Patrick's Access (Fpa) | Fremantle (C) | 0.00 | Napier Rd | 0.28 | Patrick's Access (Fpa) - Entry Gate | |
| 6110060 | Patroni Rd | Patroni Rd | Yilgarn | 0.00 | Frog Rock - Marvel Loch Rd | 14.20 | Grace Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2070004 | Patstone Rd | Patstone Rd | Collie | 0.00 | Moir Rd | 5.96 | Coalfields Rd | |
| 4010053 | Patten Rd | Patten Rd | Beverley | 0.00 | Kokeby East Rd | 3.43 | Yenyening Lakes Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1070001 | Patterson Rd | Patterson Rd | Rockingham (C) | 0.52 | Flinders L & Read St | 2.78 | Ennis Av & Patterson Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------------|----------|----------------------|--------|-------------------------------------|---|
| 4080014 | Patterson Rd | Patterson Rd | Goomalling | 0.00 | Northam Pithara Rd | 9.12 | Goomalling - Meckering Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h No Operation between 7:00 AM to 9:00 AM and 2:30 PM to 4:00 PM Curefew applies on school days only. |
| 7020027 | Patterson St | Patterson St | Cue | 0.00 | Austin St | 0.25 | Wittenoom St & Cue - Wondinong Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4050062 | Patullo Rd | Patullo Rd | Cuballing | 0.00 | Popanyinning West Rd | 2.49 | Patullo Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3030203 | Paul Valley Rd | Paul Valley Rd | Broomehill - Tambellup | 0.00 | Tambellup West Rd | 25.02 | Cranbrook LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Tambellup West Rd : No left turn permitted into Tambellup West Rd from Paul Valley Rd |
| 3040023 | Paul Valley Rd | Paul Valley Rd | Cranbrook | 0.00 | Albany Hwy | 5.29 | Broomehill - Tambellup LGA Boundary | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|--------------------|--------|-----------------------|---|
| 4050007 | Pauley Rd | Pauley Rd | Cuballing | 0.00 | Cuballing East Rd | 7.61 | Murbys Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4050007 | Pauley Rd | Pauley Rd | Cuballing | 7.61 | Murbys Rd | 9.72 | Wickepin LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4150027 | Pauley Rd | Pauley Rd | Mount Marshall | 0.00 | Gabbin - Narkal Rd | 7.25 | Mulji Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------------|----------------------------|------------------|----------|----------------------------|--------|-----------------------------|---|
| 4290078 | Pauley Rd | Pauley Rd | Wickepin | 0.00 | Cuballing LGA Boundary | 8.30 | Wickepin - Pingelly Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Townsendale Rd : No Left Turn Into Townsendale Road Permitted |
| 1091733 | Pavers Cir | Pavers Cir | Swan (C) | 0.00 | Action Rd | 0.63 | | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 3120140 | Pavlovich Rd | Pavlovich Rd | Plantagenet | 4.75 | Whitworth Rd | 5.63 | Pavlovich Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5080194 | Payne Cr | Payne Cr | Irwin | 0.00 | Bailey St | 0.13 | Payne Cr - End Road | |
| 2050022 | Payne Rd | Payne Rd | Busselton (C) | 0.00 | North Jindong Rd & Gibb Rd | 12.22 | Queen Elizabeth Av & Don Rd | <ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Curfew applies on school days only. |
| 5140012 | Payne Rd | Payne Rd | Perenjori | 0.00 | Back Bowgada Rd & Hill Rd | 0.90 | Norrish Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 7010033 | Payne St | Payne St | Sandstone | 0.19 | Oroya St | 0.38 | Rowe St | <ul style="list-style-type: none"> Intersection Oroya St : No Right Turn Permitted Into Oroya St |
| 7010002 | Paynes Find - Sandstone Rd | Paynes Find - Sandstone Rd | Sandstone | 0.00 | Mt Magnet Sandstone Rd | 224.98 | Yalgoo LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 7070012 | Paynes Find - Sandstone Rd | Paynes Find - Sandstone Rd | Yalgoo | 0.00 | Great Northern Hwy | 7.60 | Sandstone LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 7070075 | Paynes Find Town Rd | Paynes Find Town Rd | Yalgoo | 0.00 | Great Northern Hwy | 0.87 | Great Northern Hwy | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------------|-----------------------------|------------------|----------|-------------------------|--------|------------------------------------|---|
| 4211150 | Peacock Rd | Peacock Rd | Northam | 0.00 | Grass Valley South Rd | 2.20 | Parker Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4240144 | Peacock Rd | Peacock Rd | Quairading | 0.00 | Cubbine Rd & Maynard Rd | 3.11 | Dulbellington North Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 2110317 | Peard Rd | Peard Rd | Harvey | 0.00 | Forrest Hwy | 4.85 | Peard Rd - End of Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 7030002 | Peak Hill - Three Rivers Rd | Peak Hill - Three Rivers Rd | Meekatharra | 0.00 | Great Northern Hwy | 116.60 | Ashburton Dwns - Meekatharra Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h |
| 3040114 | Pearce Rd | Pearce Rd | Cranbrook | 0.00 | Chinninup Rd | 2.26 | Farm Gate 2.26km From Chinninup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h No Operation between the hours of sunset and sunrise Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060018 | Pearce Rd | Pearce Rd | Dumbleyung | 0.00 | Tarin Rock Rd | 7.67 | Kukerin Rd & Boundary Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------|----------|--------------------|--------|---------------------------------|--|
| 3100140 | Pearce Rd | Pearce Rd | Kojonup | 0.00 | Albany Hwy | 3.35 | Rosedale Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3120132 | Pearce Rd | Pearce Rd | Plantagenet | 0.00 | Woogenellup Rd | 2.09 | Pearce Rd - End Road | |
| 5010044 | Pearce Rd | Pearce Rd | Carnamah | 0.00 | Bentley Rd | 0.64 | 0.64km From Bentley Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Bentley Rd : No right turn permitted into Bentley Rd from Pearce Rd |
| 6110160 | Pearce Rd | Pearce Rd | Yilgarn | 0.00 | Bullfinch Rd | 9.00 | Garrett Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4120056 | Pearce Varones North | Pearce Varones North | Kulin | 0.00 | Allen Rocks Rd | 12.80 | Pearce Varones North - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5030131 | Pearn Rd | Pearn Rd | Dalwallinu | 0.00 | Sutcliffe Rd | 0.61 | Pithara East Rd | |
| 5030007 | Pearse Rd | Pearse Rd | Dalwallinu | 0.00 | Wubin - Gunyidi Rd | 20.55 | West Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 8130068 | Peawah St | Peawah St | Port Hedland (T) | 0.00 | Schillaman St | 0.63 | Moorambine St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|---------------------------------------|--------|---------------------------------------|---|
| 4100024 | Pederah East Rd | Pederah East Rd | Kondinin | 0.00 | Pederah West Rd & Pederah Rd | 19.28 | Aylmore Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h |
| 4100024 | Pederah East Rd | Pederah East Rd | Kondinin | 19.28 | Aylmore Rd | 40.45 | | |
| 4100147 | Pederah Rd | Pederah Rd | Kondinin | 0.00 | Pederah West Rd & Pederah East Rd | 8.32 | Swan St & Melba St | |
| 4100137 | Pederah West Rd | Pederah West Rd | Kondinin | 0.00 | Pederah Rd & Pederah East Rd | 11.18 | Kulin LGA Boundary | |
| 4120033 | Pederah West Rd | Pederah West Rd | Kulin | 0.00 | Kondinin LGA Boundary | 2.17 | Karlgarin Hill South Rd & Henderer Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4120033 | Pederah West Rd | Pederah West Rd | Kulin | 2.17 | Karlgarin Hill South Rd & Henderer Rd | 6.03 | Pederah West Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1101738 | Pederick Rd | Pederick Rd | Wanneroo (C) | 1.23 | Mather Dr | 3.92 | Old Yanchep Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3150040 | Pederick Rd | Pederick Rd | Wagin | 0.00 | Norrington Rd | 4.90 | Queerearrup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3160070 | Pederick Rd | Pederick Rd | West Arthur | 0.00 | Dellyanine Rd | 1.66 | Pederick Rd - End Road | |
| 1071571 | Pedlar Cct | Pedlar Cct | Rockingham (C) | 0.00 | Patterson Rd | 0.36 | Pedlar Cct - End Road | |
| 2080194 | Pedretti Rd | Pedretti Rd | Dardanup | 0.00 | Golding Cr | 0.86 | Golding Cr | |
| 1180064 | Peel Rd | Peel Rd | Fremantle (C) | 0.00 | Jones St & Stockdale Rd | 1.41 | Bowen St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|--------------------------------------|------------------|----------|------------------------------------|--------|---|---|
| 4140077 | Peel Rd | Peel Rd | Merredin | 0.00 | Bruce Rock Merredin Rd | 7.56 | Great Eastern Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2090174 | Peel Rd East | Peel Rd East | Waroona | 0.00 | South Western Hwy | 0.70 | Dallas St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h |
| 3070057 | Peerup Rd | Peerup Rd | Gnowangerup | 0.00 | Old Ongerup Rd | 2.88 | Chester Pass Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3070057 | Peerup Rd | Peerup Rd | Gnowangerup | 2.93 | Chester Pass Rd | 13.44 | Gnowangerup Jerramungup Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1020892 | Pegg Ct | Pegg Ct | Kalamunda | 0.00 | Chisholm Cr | 0.06 | Pegg Ct - End Road | |
| 3110056 | Pelham Rd | Pelham Rd | Lake Grace | 0.00 | Lake Grace Newdegate Rd | 15.50 | Fourteen Mile Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 8030036 | Pelican Point Rd | Pelican Point Rd | Carnarvon | 0.00 | Silver City Rd & Babbage Island Rd | 0.56 | Binning Rd | |
| 3120222 | Pellew Rd | Pellew Rd | Plantagenet | 0.00 | Carbarup Rd | 2.70 | Sanders Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Sanders Rd : No access permitted into Sanders Rd from Pellow Rd |
| 8060027 | Pellew St | Pellew St | Exmouth | 0.00 | Murat Rd | 0.48 | Carter Rd | |
| M036 | Pemberton Northcliffe | Pemberton Northcliffe Rd Zamia St | Manjimup | 0.00 | Vasse Hwy | 27.73 | Muirillup Rd & Wheatley Coast Rd & Windy Harbour Rd | <ul style="list-style-type: none"> Intersection Richardson Rd : No right turn permitted into Richardson Rd from Pemberton Northcliffe Rd |
| 8140306 | Pemberton Wy | Pemberton Wy | Karratha (C) | 0.00 | Coolawanyah Rd | 1.17 | Coolawanyah Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|--------------------------|----------|--------------------------------------|--------|--|--|
| 0010061 | Pembroke Rd | Pembroke Rd | Broome | 0.00 | Clementson St | 0.54 | Gregory St | |
| 1104381 | Pembroke Rd | Pembroke Rd | Wanneroo (C) | 0.00 | Lancaster Rd & Motor Pde | 0.17 | Pembroke Rd - End Road | |
| 5190031 | Pen Rd | Pen Rd | Coorow | 0.00 | Woolmulla Rd & Shaw Rd & Erindoon Rd | 5.81 | Coorow - Green Head Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3070102 | Pendalup Rd | Pendalup Rd | Gnowangerup | 0.00 | Toompup Rd South | 9.42 | Boxwood Hill - Ongerup Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3020627 | Pendeen Rd | Pendeen Rd | Albany (C) | 0.00 | Chester Pass Rd | 0.35 | Copal Rd | |
| 2030008 | Peninsula Rd | Peninsula Rd | Bridgetown - Greenbushes | 0.00 | Hampton St | 2.95 | Maslin St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 2030008 | Peninsula Rd | Peninsula Rd | Bridgetown - Greenbushes | 2.95 | Maslin St | 7.75 | Walter Willis Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3180062 | Peniup Rd | Peniup Rd | Jerramungup | 0.00 | Stock Rd | 7.67 | Peniup Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 2040481 | Pennant Rd | Pennant Rd | Bunbury (C) | 0.00 | Sandridge Rd | 0.34 | Strickland St | |
| 4270060 | Pennington Rd | Pennington Rd | Wandering | 0.00 | Wandering - Pingelly Rd | 2.05 | Pennington Rd - End Road | |
| 4330219 | Penny Dr | Penny Dr | York | 0.00 | Doodenanning Rd & Greenhills Rd | 3.09 | Quairading York Rd & Greenhills South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|-------------------------|--------|-------------------------|---|
| 4050019 | Pennys Rd | Pennys Rd | Cuballing | 0.00 | Wandering - Narrogin Rd | 12.80 | Popanyinning West Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Forestry Rd : No access permitted into Forestry Rd from Pennys Rd |
| 3100015 | Pensioner Rd | Pensioner Rd | Kojonup | 0.00 | Albany Hwy | 1.30 | Blackwood Rd | |
| 8140640 | Pentane Wy | Pentane Wy | Karratha (C) | 0.00 | Exploration Dr | 0.24 | Strike Rd | |
| 3060107 | Pepall Rd | Pepall Rd | Dumbleyung | 0.00 | Katanning LGA Boundary | 2.35 | Fairclough Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3080088 | Pepall Rd | Pepall Rd | Katanning | 0.00 | Coomelberrup Rd | 5.59 | Dumbleyung LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------------|------------------------------|--------------------------|----------|---|--------|--|---|
| 2090002 | Peppermint Grove Rd | Peppermint Grove Rd | Waroona | 0.00 | Coronation Rd | 5.96 | Forrest Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h No Operation between the hours of sunset and sunrise Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2130061 | Peppermint Grove Rd | Peppermint Grove Rd | Manjimup | 0.00 | Muir Hwy | 6.48 | Smith Brook Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4160112 | Percy Rd | Percy Rd | Mukinbudin | 0.00 | Bonnie Rock - Lake Brown Rd & Mukinbudin - Bonnie Rock Rd | 1.36 | Sprigg Rd | |
| 6056015 | Percy Rd | Percy Rd | Kalgoorlie - Boulder (C) | 0.00 | Broadwood St | 1.17 | Greenhill Rd | |
| 5140015 | Perenjori - Rothsay Rd | Perenjori - Rothsay Rd | Perenjori | 0.00 | Mullewa Wubin Rd | 34.69 | Rabbit Proof Fence Rd & Warriedar Copper Mine Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 5140038 | Perenjori - Three Springs Rd | Perenjori - Three Springs Rd | Perenjori | 0.00 | Carnamah - Perenjori Rd | 6.15 | Perenjori - Three Springs Rd & Boundary Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------------|--------------------------------|--------------------------|----------|---------------------------|--------|--|--|
| 5150001 | Perenjori - Three Springs Rd | Perenjori - Three Springs Rd | Three Springs | 0.00 | Three Springs - Morawa Rd | 24.57 | Perenjori - Three Springs Rd & Boundary Rd | |
| 514Z003 | Perenjori Cbh Access | Perenjori Cbh Access | Perenjori | 0.00 | Mullewa Wubin Rd | 1.51 | Perenjori Cbh Wheat Bins | |
| 3120011 | Perillup Rd | Perillup Rd | Plantagenet | 0.00 | Muir Hwy | 9.40 | Poorarecup Rd & Rocky Gully Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3120065 | Perillup South Rd | Perillup South Rd | Plantagenet | 0.00 | Muir Hwy | 15.46 | Right Hand Turn North 2.5km West From Mulcahy Rd (F) | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Reduce speed & "Trucks Entering" signs must be placed at approaches to intersection with Mulcahy Rd (F) |
| H297 | Perimeter Rd on to Bussell Hwy | Perimeter Rd on to Bussell Hwy | Augusta - Margaret River | 0.00 | Perimeter Rd | 0.13 | Bussell Hwy | |
| 3030022 | Peringillup East Rd | Peringillup East Rd | Broomehill - Tambellup | 0.00 | Great Southern Hwy | 5.64 | Pallinup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Great Southern Hwy : No access permitted into Northam Cranbrook Rd from Peringillup East Rd Intersection Eureka Rd : No right turn permitted into Eureka Rd from Peringillup East Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|---|--------|-------------------------|---|
| 4030044 | Perkins Rd | Perkins Rd | Bruce Rock | 0.00 | Cramphorne Rd | 11.75 | Merredin LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4140108 | Perkins Rd | Perkins Rd | Merredin | 0.00 | Depot Dam Rd | 2.34 | Bruce Rock LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Depot Dam Rd : No right turn permitted unto Depot Dam Rd from Perkins Rd |
| 4130026 | Perks - O'Meara Rd | Perks - O'Meara Rd | Trayning | 0.00 | Nungarin Wyalkatchem Rd | 15.85 | Tilbrook Rd & Ryan Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 1100471 | Perry Rd | Perry Rd | Wanneroo (C) | 0.00 | Ziata Rd | 13.96 | Perry Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3160092 | Perry Rd | Perry Rd | West Arthur | 0.00 | Schinzig Buller Rd | 1.17 | Perry Rd - End Road | |
| 4150049 | Perry Rd | Perry Rd | Mount Marshall | 0.00 | Bencubbin - Beacon Rd & Sachse North South Rd | 8.88 | Welbungin - Wialki Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4230043 | Perry Rd | Perry Rd | Pingelly | 0.00 | Shaddick Rd | 1.25 | Perry Rd - End Road | |
| 2130034 | Perup Rd | Perup Rd | Manjimup | 0.00 | South Western Hwy | 27.26 | Duncton Rd | <ul style="list-style-type: none"> 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Neds Rd : No left turn permitted into Neds Rd from Perup Rd Intersection Junction Rd : No left turn permitted into Perup Road from Junction Road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------------|----------|------------------------|--------|-------------------------------------|--|
| 4010038 | Petchell Rd | Petchell Rd | Beverley | 0.00 | Morbinning Rd | 6.74 | Jacobs Well Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4300047 | Petchell Rd | Petchell Rd | Williams | 0.00 | Glenfield Rd | 2.09 | Petchell Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5050622 | Peter Rd | Peter Rd | Greater Geraldton (C) | 0.00 | Geraldton Mt Magnet Rd | 20.53 | Yuna - Tenindewa Rd | |
| 3030225 | Peter Valley Rd | Peter Valley Rd | Broomehill - Tambellup | 0.00 | Nymbup Rd | 2.81 | Paul Valley Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 3030225 | Peter Valley Rd | Peter Valley Rd | Broomehill - Tambellup | 2.81 | Paul Valley Rd | 8.85 | Cranbrook LGA Boundary | |
| 3040092 | Peter Valley Rd | Peter Valley Rd | Cranbrook | 0.00 | Johnston Rd | 7.13 | Broomehill - Tambellup LGA Boundary | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|--|--------|--|---|
| 4070084 | Peters Rd | Peters Rd | Dowerin | 0.00 | Rabbit Proof Fence Rd | 1.61 | Peters Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5020107 | Peters Rd | Peters Rd | Chittering | 0.00 | Granary Dr | 0.85 | Peters Rd - End Road | |
| 2110046 | Peterson Rd | Peterson Rd | Harvey | 0.00 | South Western Hwy | 0.97 | Warrawarrup Rd & Third St | |
| 3060008 | Peterson Rd | Peterson Rd | Dumbleyung | 0.00 | Dumbleyung - Nyabing Rd | 15.15 | North Fence Rd & Peterson Rd & Rabbit Proof Fence Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Datatine North Rd : No left turn permitted into Datatine North Rd from Peterson Rd |
| 3090040 | Peterson Rd | Peterson Rd | Kent | 0.00 | North Fence Rd & Peterson Rd & Rabbit Proof Fence Rd | 16.77 | Beagley Rd & Merilup Rd | |
| 5030067 | Peterson Rd | Peterson Rd | Dalwallinu | 0.00 | Rabbit Proof Fence Rd | 26.08 | Nugadong Town Rd & Great Northern Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|--------------------------|--------|------------------------------------|---|
| 4180323 | Pethybridge Rd | Pethybridge Rd | Narrogin | 0.00 | Birdwhistle Rd | 1.86 | Narrogin - Harrismith Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4180323 | Pethybridge Rd | Pethybridge Rd | Narrogin | 1.86 | Narrogin - Harrismith Rd | 7.44 | Rushy Pool Rd & Narrogin Valley Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030023 | Petrudor Rd | Petrudor Rd | Dalwallinu | 0.00 | Jones Rd | 14.96 | 90m From Barrabarra Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030023 | Petrudor Rd | Petrudor Rd | Dalwallinu | 14.96 | 90m From Barrabarra Rd | 21.32 | Goatcher Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|--------------------------|----------|--|--------|----------------------------|---|
| 2030334 | Pettersen Rd | Pettersen Rd | Bridgetown - Greenbushes | 0.00 | Bridgetown Boyup Brook Rd | 1.25 | Winnejuip Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5080016 | Pettit Rd | Pettit Rd | Irwin | 0.00 | Brand Hwy | 3.55 | Bonniefield East Rd | |
| 3020006 | Pfeiffer Rd | Pfeiffer Rd | Albany (C) | 0.00 | Stirling School Rd & South Stirling Rd | 27.82 | South Coast Hwy | <ul style="list-style-type: none"> Maximum speed 80 km/h |
| 2150265 | Phillips Rd | Phillips Rd | Murray | 0.00 | Pinjarra Rd | 0.95 | Moore Rd | |
| 3100160 | Phillips Rd | Phillips Rd | Kojonup | 0.00 | Fisher Rd | 5.72 | Balgarup Rd & Harper Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4070043 | Phillips Rd | Phillips Rd | Dowerin | 0.00 | Clinic Rd | 5.95 | Morrell North Rd & Ubin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 5150029 | Phillips Rd | Phillips Rd | Three Springs | 0.00 | Dudawa Rd | 2.74 | Simpson Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180184 | Phillips Rd | Phillips Rd | Wongan - Ballidu | 0.00 | Clarke Rd | 1.71 | Kokardine West Rd | |
| 6040094 | Phillips Rd | Phillips Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 1.92 | Phillips Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|--------------------------|----------|------------------------|--------|---|---|
| 2030162 | Phillips St | Phillips St | Bridgetown - Greenbushes | 0.00 | Hampton St & Loftie St | 0.22 | Spencer St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4300084 | Phillis Rd | Phillis Rd | Williams | 0.00 | Hurley Rd | 3.44 | Hurley Rd | |
| 1030005 | Phoenix Rd | Phoenix Rd | Cockburn (C) | 2.15 | Stock Rd | 3.79 | North Lake Rd | <ul style="list-style-type: none"> Intersection Selkis Rd : No left turn permitted into Selkis Rd from Phoenix Rd |
| 8130448 | Phosphorus St | Phosphorus St | Port Hedland (T) | 0.00 | Tailings Elb | 1.56 | Tailings Elb | |
| 2130050 | Piano Gully Rd | Piano Gully Rd | Manjimup | 1.29 | Blinco Tree Farm | 1.49 | Blinco Tree Farm | |
| 2130050 | Piano Gully Rd | Piano Gully Rd | Manjimup | 1.49 | Blinco Tree Farm | 5.14 | South Western Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2070285 | Piavanini Rd | Piavanini Rd | Collie | 0.00 | Coalfields Rd | 4.28 | Powerhouse Rd | |
| 4010070 | Piccadilly Rd | Piccadilly Rd | Beverley | 0.00 | Northbourne Rd | 1.08 | York LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4330042 | Piccadilly Rd | Piccadilly Rd | York | 0.00 | Quairading York Rd | 6.53 | Beverley LGA Boundary | |
| 6051002 | Piccadilly St | Piccadilly St | Kalgoorlie - Boulder (C) | 0.00 | Goldfields Hwy | 4.24 | Piccadilly St - End Road | |
| 1071408 | Pickard Av | Pickard Av | Rockingham (C) | 0.00 | Patterson Rd | 0.34 | Tesla Rd | |
| 1020018 | Pickering Brook Rd | Pickering Brook Rd | Kalamunda | 0.00 | Canning Rd | 7.33 | 1.29 Km Past Ryan Rd | |
| 4070016 | Pickering Rd | Pickering Rd | Dowerin | 0.00 | Koombekine North Rd | 3.51 | Approximately 3.5 Kms West of K00mbekine North Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---------------------------|------------------|----------|---|--------|-------------------------------|---|
| 4070016 | Pickering Rd | Pickering Rd | Dowerin | 3.51 | 1.9km From Robinson Rd | 5.41 | Robinson Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3110028 | Pickernell Rd | Pickernell Rd | Lake Grace | 0.00 | Purnta Rd | 26.55 | Biddy - Camm Rd & Kathleen Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1120628 | Pickett St | Pickett St | Bayswater (C) | 0.00 | Cullen St & Wright St | 0.22 | Flinders St & Irvine St | |
| H423 | Picton Rty | Picton Rty | Bunbury (C) | 0.00 | Willinge Dr | 0.17 | Willinge Dr | |
| 3150055 | Piesse Rd | Piesse Rd | Wagin | 0.00 | Great Southern Hwy | 1.06 | Sprigg Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Great Southern Hwy : No access permitted into Northam Cranbrook from Piesse Rd |
| 3150055 | Piesse Rd | Piesse Rd | Wagin | 1.06 | Sprigg Rd | 1.62 | Condining Rd | |
| 3100226 | Piesse St | Piesse St | Kojonup | 0.00 | Donnybrook Kojonup Rd | 0.46 | Riverdale Rd & Yates St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h Maximum speed 60 km/h on gravel roads |
| 3150022 | Piesseville - Jalaran Rd | Piesseville - Jalaran Rd | Wagin | 0.00 | Jalaran Rd & Wagin - Wickepin Rd | 14.97 | Great Southern Hwy | <ul style="list-style-type: none"> Maximum speed 70 km/h Intersection Great Southern Hwy : No Access To Or From Northam-Cranbrook Rd Permitted |
| 3150012 | Piesseville - Tarwonga Rd | Piesseville - Tarwonga Rd | Wagin | 0.00 | Great Southern Hwy | 20.05 | West Arthur LGA Boundary | <ul style="list-style-type: none"> Maximum speed 70 km/h |
| 3160009 | Piesseville - Tarwonga Rd | Piesseville - Tarwonga Rd | West Arthur | 0.00 | Piesseville - Tarwonga Rd & Tarwonga Rd | 4.06 | Wagin LGA Boundary | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---------------------------|-----------------------|----------|---|--------|--|--|
| 4180324 | Piesseville - Tarwonga Rd | Piesseville - Tarwonga Rd | Narrogin | 0.00 | Piesseville - Tarwonga Rd & Tarwonga Rd | 2.98 | Tarwonga East Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4300098 | Pig Gully Rd | Pig Gully Rd | Williams | 0.00 | Collie Williams Rd | 10.50 | Taylor Rd | <ul style="list-style-type: none"> Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Collie Williams Rd : No access permitted to Collie Williams from Pig Gully Rd |
| 3020036 | Piggott Martin Rd | Piggott Martin Rd | Albany (C) | 0.00 | Lower Denmark Rd | 4.36 | Thompson Rd | |
| 3060115 | Pike Rd | Pike Rd | Dumbleyung | 0.00 | Dumbleyung Lake Grace Rd | 1.26 | Bennett St | |
| 3060115 | Pike Rd | Pike Rd | Dumbleyung | 1.38 | Bennett St | 2.98 | Scadden St | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 103Z066 | Pilatus St | Pilatus St | Cockburn (C) | 0.00 | Orion Rd & Karel Av | 2.09 | Berrigan Dr | <ul style="list-style-type: none"> Intersection Orion Rd & Karel Av : No left turn permitted into Pilatus Street from Karel Avenue. |
| 1140035 | Pilbara St | Pilbara St | Canning (C) | 0.00 | Dowd St | 1.62 | Welshpool Rd | |
| 3120010 | Pile Rd | Pile Rd | Plantagenet | 0.00 | Muir Hwy | 9.34 | Amarillup Rd & Seymour Rd & The Springs Rd | |
| 8120301 | Pilga Pl | Pilga Pl | East Pilbara | 0.00 | Pardoo St | 0.21 | Pilga Pl - End Road | |
| 8050003 | Pimbee Rd | Pimbee Rd | Upper Gascoyne | 0.00 | Carnarvon - Mullewa Rd | 86.63 | Carnarvon LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 5080074 | Pinchers Rd | Pinchers Rd | Irwin | 0.00 | Tabletop Rd | 8.17 | Pinchers Rd - End Road | |
| 8140607 | Pindan Rd | Pindan Rd | Karratha (C) | 0.00 | Karratha Tip - H.I. Access Link | 0.63 | Exploration Dr | |
| 5050645 | Pindar Town St | Pindar Town St | Greater Geraldton (C) | 0.00 | Geraldton Mt Magnet Rd & Tardun Pindar Rd | 0.88 | Geraldton Mt Magnet Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|------------------------|----------|--|--------|------------------------------|--|
| 3030046 | Pindellup Rd | Pindellup Rd | Broomehill - Tambellup | 0.00 | Pindellup South Rd & Tambellup West Rd | 12.22 | Flat Rocks Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Speed limit on gravel unsealed road is 60 km/h |
| 3040063 | Pindicup Rd | Pindicup Rd | Cranbrook | 0.00 | Unicup Rd | 7.58 | Pindicup Rd & Lake Unicup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2050376 | Pine Rd | Pine Rd | Busselton (C) | 0.00 | Glendon Rd | 0.40 | Unknown Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 8130061 | Pinga St | Pinga St | Port Hedland (T) | 0.26 | Cajarina Rd | 2.21 | Great Northern Hwy | |
| 7030069 | Pingandy Rd | Pingandy Rd | Meekatharra | 0.00 | Ashburton Dwns - Meekatharra Rd | 11.64 | Upper Gascoyne LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h |
| 8050040 | Pingandy Rd | Pingandy Rd | Upper Gascoyne | 57.81 | Pingandy Homestead Access Rd | 87.66 | Pingandy Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 4120005 | Pingaring - Varley Rd | Pingaring - Varley Rd | Kulin | 0.00 | Holt Rock South Rd | 50.27 | Aylmore Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|---------------------|----------|---|--------|---|---|
| 4120005 | Pingaring - Varley Rd | Pingaring - Varley Rd | Kulin | 50.27 | Aylmore Rd | 62.15 | Karlgarin Rd South | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4120005 | Pingaring - Varley Rd | Pingaring - Varley Rd | Kulin | 62.15 | Karlgarin Rd South | 72.41 | Commonwealth Rd & North Lake Grace - Karlgarin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times See Low Volume Condition Type A in the Operating Conditions Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3040068 | Pinjalup Rd | Pinjalup Rd | Cranbrook | 0.00 | Lunt Rd | 4.70 | Pinjalup Rd - End Road | |
| 1100250 | Pinjar Rd | Pinjar Rd | Wanneroo (C) | 1.15 | Hollosy Wy & Caporn St | 3.02 | 1.87km North of Caporn St | |
| M023 | Pinjarra | Pinjarra Rd | Mandurah (C) Murray | 2.46 | Mandurah Rd & Pinjarra Rd | 19.32 | George St | <ul style="list-style-type: none"> Intersection Old Mandurah Rd : No left turn permitted into Old Mandurah Rd from Pinjarra Rd. |
| 2120703 | Pinjarra Rd | Pinjarra Rd | Mandurah (C) | 1.33 | 0.1km From Randell St | 2.85 | Pinjarra Rd & Mandurah Rd | |
| H832 | Pinjarra Rd on to Kwinana Fwy (Northbound) | Pinjarra Rd on to Kwinana Fwy (Northbound) | Murray | 0.00 | Kwinana Fwy/Forrest Hwy (Northbound) off to Pinjarra Rd & Pinjarra Rd | 1.05 | Kwinana Fwy | |
| H830 | Pinjarra Rd on to Kwinana Fwy/Forrest Hwy (Southbound) | Pinjarra Rd on to Kwinana Fwy/Forrest Hwy (Southbound) | Murray | 0.00 | Pinjarra Rd & Kwinana Fwy (Southbound) off to Pinjarra Rd | 0.55 | Kwinana Fwy | |
| M053 | Pinjarra Williams | Pinjarra Williams Rd McLarty St | Murray Boddington | 0.00 | George St | 71.62 | Worsley Bauxite Mine Access | |
| M053 | Pinjarra Williams | Pinjarra Williams Rd | Boddington Williams | 71.62 | Worsley Bauxite Mine Access | 91.95 | Harvey - Quindanning Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| M053 | Pinjarra Williams | Pinjarra Williams Rd | Williams | 91.95 | Harvey - Quindanning Rd | 125.53 | William St & Albany Hwy | <ul style="list-style-type: none"> Intersection Harvey - Quindanning Rd : No right turn permitted into Harvey-Quindanning Road from Pinjarra-Williams Road. |
| 6090001 | Pinjin Rd | Pinjin Rd | Menzies | 0.00 | Yarri Rd | 11.91 | Mount Celia Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4140210 | Pink Rd | Pink Rd | Merredin | 0.00 | Hackling Rd | 4.80 | Pink Rd - End Road | |
| 3070103 | Pinnacle Rd | Pinnacle Rd | Gnowangerup | 0.00 | Toompup Rd South | 5.53 | Boxwood Hill - Ongerup Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 8130062 | Pinnacles St | Pinnacles St | Port Hedland (T) | 0.00 | Pinga St | 0.99 | Ridley St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|--------------------------|----------|--------------------------|--------|-----------------------------|--|
| 5110048 | Pintharuka Dam | Pintharuka Dam | Morawa | 0.00 | Mullewa Wubin Rd | 5.12 | Bell Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Mullewa Wubin Rd : No access permitted into Wubin-Mullewa Rd from Pintharuka Dam |
| 5110005 | Pintharuka West Rd | Pintharuka West Rd | Morawa | 0.00 | Mullewa Wubin Rd | 31.60 | Narandagy - Pintharuka Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Letterbox Rd & Carslake Rd : No access permitted into to Letterbox Rd or Carslake Rd from Pintharuka West Rd |
| M402 | Pioneer Dr Rty | Pioneer Dr Rty | Narrogin | 0.00 | Great Southern Hwy | 0.19 | Great Southern Hwy | |
| 5180163 | Pioneer Rd | Pioneer Rd | Wongan - Ballidu | 0.00 | Manmanning Rd | 1.22 | Quinlan St & Hospital Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 5030040 | Pipe McNeil Rd | Pipe McNeil Rd | Dalwallinu | 0.00 | Great Northern Hwy | 4.46 | Sutherland Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Maximum speed 60 km/h |
| 5100019 | Piper Rd | Piper Rd | Moora | 0.00 | Bindi East Rd | 5.28 | Tucks Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 812Z024 | Pippingarra Access Rd | Pippingarra Access Rd | East Pilbara | 12.52 | 100m From Wodgina Access | 12.62 | Unnamed Rd & Wodgina Access | |
| 8130301 | Pippingarra Rd | Pippingarra Rd | Port Hedland (T) | 0.00 | Great Northern Hwy | 63.87 | Pippingarra Access Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times |
| 6056026 | Pirie St | Pirie St | Kalgoorlie - Boulder (C) | 0.00 | Waverley St | 0.21 | Shannon St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|-----------------------|----------|--|--------|--------------------------------|---|
| 5030001 | Pithara East Rd | Pithara East Rd | Dalwallinu | 0.00 | Pithara West Rd & Leahy St & Great Northern Hwy | 43.26 | Dodd St & Hathway Dr | |
| 5030033 | Pithara West Rd | Pithara West Rd | Dalwallinu | 0.00 | Leahy St & Pithara East Rd & Great Northern Hwy | 16.01 | Dennis Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5170033 | Pither Rd | Pither Rd | Victoria Plains | 0.00 | Old Plains Rd | 4.84 | Bolgart West Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4140023 | Pitt Rd | Pitt Rd | Merredin | 0.00 | Burracoppin - Campion Rd & Fourteen Mile Gate Rd | 4.83 | Chandler - Merredin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1190820 | Pitt Wy | Pitt Wy | Melville (C) | 0.00 | Norma Rd & Blaikie St | 0.38 | McCoy St | |
| 5050072 | Place Rd | Place Rd | Greater Geraldton (C) | 0.00 | North West Coastal Hwy | 1.83 | 0.37km East of Stow St | |
| 1140016 | Planet St | Planet St | Canning (C) | 0.00 | President St & Planet St | 0.42 | Tomlinson Rd | |
| 1290224 | Planet St | Planet St | Victoria Park (T) | 0.00 | President St & Planet St | 0.45 | Cohn St | |
| 4300037 | Plank Rd | Plank Rd | Williams | 0.00 | Quindanning - Darkan Rd | 2.93 | Unnamed Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1190280 | Playle St | Playle St | Melville (C) | 0.00 | McCoy St | 0.14 | 50 Metres South of Prosser Way | |
| 4040091 | Pleass Rd | Pleass Rd | Corrigin | 0.00 | George Rd | 5.15 | Martin Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|--------------------------|----------|--------------------|--------|----------------------------|---|
| 6040220 | Plowman Rd | Plowman Rd | Esperance | 0.00 | Dempster Rd | 6.57 | Wittenoom Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040220 | Plowman Rd | Plowman Rd | Esperance | 6.58 | Wittenoom Rd | 20.89 | Backmans Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040056 | Plunkett Rd | Plunkett Rd | Esperance | 0.00 | Logan Rd | 12.07 | Circle Valley Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 703Z036 | Plutonic Mine Rd | Plutonic Mine Rd | Meekatharra | 0.00 | Great Northern Hwy | 12.18 | Plutonic Access Rd | |
| 2160066 | Pneumonia Rd | Pneumonia Rd | Nannup | 0.00 | Jangardup Rd | 11.10 | 11.1km From Jangardup Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Jangardup Rd : No left turn permitted into Jangardup Rd from Pneumonia Rd. |
| 2040303 | Poat St | Poat St | Bunbury (C) | 0.00 | South Western Hwy | 0.19 | Yookson Rd | |
| 2030061 | Pocock Farm Rd | Pocock Farm Rd | Bridgetown - Greenbushes | 0.00 | Maranup Ford Rd | 0.83 | Pocock Farm Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5180049 | Podmore Rd | Podmore Rd | Wongan - Ballidu | 0.00 | Wongan - Koorda Rd | 4.17 | Wongan Hills-Cadoux Rd | |
| 5170092 | Poincaire St | Poincaire St | Victoria Plains | 0.00 | Nicholas St | 0.69 | Toodyay - Bindi Bindi Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 0040214 | Poincettia Wy | Poincettia Wy | Wyndham - East Kimberley | 0.00 | Weaber Plain Rd | 0.72 | Carpentaria St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|---------------------------|--------------------------|----------|-------------------------------|--------|--|---|
| 0040217 | Poinciana St | Poinciana St | Wyndham - East Kimberley | 0.00 | Bandicoot Dr | 0.55 | Konkerberry Dr | |
| M035 | Point Samson Roebourne | Point Samson Roebourne Rd | Karratha (C) | 4.77 | Cape Lambert Rd | 18.94 | Cleaverville Rd | |
| 5050012 | Point St | Point St | Greater Geraldton (C) | 0.00 | Marine Tce | 0.48 | John Willcock Link | <ul style="list-style-type: none"> Intersection Haigh St : Left turn only permitted into Haigh St from Point St |
| 6110093 | Polaris St | Polaris St | Yilgarn | 0.57 | Great Eastern Hwy & Orion St | 1.48 | Koolyanobbing - Southern Cross Rd & Koolyanobbing Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 1031020 | Poletti Rd | Poletti Rd | Cockburn (C) | 0.00 | Beeliar Dr | 0.91 | Forrest Rd | |
| 3080161 | Police Pools Rd | Police Pools Rd | Katanning | 0.00 | Creek St & Daping St | 5.67 | Schultz Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Creek St & Daping St : No left turn permitted into Creek St from Police Pools Rd |
| 2030043 | Polina Rd | Polina Rd | Bridgetown - Greenbushes | 0.00 | Tassos Rd & Kangaroo Gully Rd | 6.97 | Elwins Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4150061 | Polkinghorne Rd | Polkinghorne Rd | Mount Marshall | 0.00 | Bell Rd & Welbungin South Rd | 2.93 | Polkinghorne Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|--------------------------|----------|------------------------------|--------|------------------------------|---|
| 3160143 | Pollard Rd | Pollard Rd | West Arthur | 0.00 | Don Rd | 2.40 | Pollard Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2010578 | Poole Rd | Poole Rd | Augusta - Margaret River | 0.00 | Bussell Hwy | 0.55 | Abbott Tree Farm Access Gate | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Bussell Hwy : No left turn permitted into Poole Rd from Bussell Hwy |
| 1140447 | Poole St | Poole St | Canning (C) | 0.00 | Kurnall Rd | 0.89 | Poole St - End Road | |
| 3030055 | Poonawariup Rd | Poonawariup Rd | Broomehill - Tambellup | 0.00 | Greenhills South Rd | 7.63 | Great Southern Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3120142 | Poorarecup Rd | Poorarecup Rd | Plantagenet | 0.00 | Perillup Rd & Rocky Gully Rd | 8.45 | Poorrarecup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3040011 | Poorrarecup Rd | Poorrarecup Rd | Cranbrook | 0.00 | Cranbrook - Frankland Rd | 11.42 | Poorarecup Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h Maximum speed of 60 km/h on gravel road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------------|----------|------------------------------------|--------|--|---|
| 3030212 | Pootenup Rd | Pootenup Rd | Broomehill - Tambellup | 0.00 | Toolbrunup Rd | 17.53 | Great Southern Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4050004 | Popanyinning East Rd | Popanyinning East Rd | Cuballing | 0.00 | Hotham St & Bunmulling Rd | 5.14 | Francis Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4050004 | Popanyinning East Rd | Popanyinning East Rd | Cuballing | 5.14 | Francis Rd | 23.60 | Yealering - Pingelly Rd & Wickepin - Pingelly Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Shaddicks Rd : No access permitted into Shaddicks Rd from Popanyinning East Rd Intersection Yealering - Pingelly Rd & Wickepin - Pingelly Rd : No access permitted into Wickepin Pingelly Rd from Popanyinning East Rd |
| 4050002 | Popanyinning West Rd | Popanyinning West Rd | Cuballing | 0.00 | Bunmulling Rd & Great Southern Hwy | 9.14 | 0.34km Before Batts Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4050002 | Popanyinning West Rd | Popanyinning West Rd | Cuballing | 9.14 | 0.34km Before Batts Rd | 21.25 | Wandering LGA Boundary | |
| 4270049 | Popanyinning West Rd | Popanyinning West Rd | Wandering | 0.00 | Wandering Narrogin Rd | 0.47 | Cuballing LGA Boundary | |
| 4120065 | Pope Rd | Pope Rd | Kulin | 0.00 | Tarin Rock North Rd | 8.99 | Kulin Lake Grace Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5010009 | Pope Rd | Pope Rd | Carnamah | 0.00 | Bunjil - Carnamah Rd | 6.82 | Caron Rd | |
| 4160014 | Popes Hill South Rd | Popes Hill South Rd | Mukinbudin | 0.00 | Koorda - Bullfinch Rd | 8.84 | Cookinbin Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|------------------|----------|---|--------|----------------------|--|
| 4160014 | Popes Hill South Rd | Popes Hill South Rd | Mukinbudin | 8.84 | Cookinbin Rd | 14.40 | Lake Brown South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3120262 | Porongurup Rd | Porongurup Rd | Plantagenet | 0.00 | Oatlands Rd & Sounness St | 28.18 | Chester Pass Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. 30 km/h below posted speed limit Intersection Chester Pass Rd : No Left Turn Permitted Into Albany Lake Grace Rd |
| H030 | Port Beach Rd | Port Beach Rd | Fremantle (C) | 0.34 | Port Beach Rd (Fpa) | 1.06 | Tydemans Rd | |
| H030 | Port Beach Rd | Port Beach Rd Walter Pl Curtin Av | Fremantle (C) | 1.06 | Tydemans Rd | 2.98 | Curtin Av | <ul style="list-style-type: none"> Unless otherwise approved in writing by Main Roads, the RAV must not be loaded with more than 3 loaded Twenty-foot Equivalent Units (3 TEU's), e.g. 3 twenty-foot intermodal containers or 1 forty-foot and 1 twenty-foot intermodal container. |
| 118Z040 | Port Beach Rd (Fpa) | Port Beach Rd (Fpa) | Fremantle (C) | 0.00 | Rudderham Dr | 1.10 | Port Beach Rd | |
| 0010319 | Port Dr | Port Dr | Broome | 0.00 | Frederick St & Cable Beach Rd East | 2.80 | Port Dr & Gubinge Rd | |
| H051 | Port Hedland Rd | Wilson St | Port Hedland (T) | 0.63 | Port Hedland Rd (Southbound) on to GNH (Southbound) | 10.38 | Wedge St | |
| H857 | Port Hedland Rd (Southbound) on to GNH (Northbound) | Port Hedland Rd (Southbound) on to GNH (Northbound) | Port Hedland (T) | 0.00 | Wilson St | 0.76 | Great Northern Hwy | |
| H860 | Port Hedland Rd (Southbound) on to GNH (Southbound) | Port Hedland Rd (Southbound) on to GNH (Southbound) | Port Hedland (T) | 0.00 | Wilson St | 0.43 | Great Northern Hwy | |
| 1030706 | Port Kembla Dr | Port Kembla Dr | Cockburn (C) | 0.00 | Phoenix Rd | 0.89 | Spearwood Av | |
| 1071007 | Port Kennedy Dr | Port Kennedy Dr | Rockingham (C) | 0.00 | Ennis Av & Port Kennedy Dr Acceleration Lane & Melville Mandurah Hwy off to Port Kennedy Dr | 1.35 | Blackburn Dr | <ul style="list-style-type: none"> Intersection Bakewell Dr : No left turn permitted into Bakewell Dr from Port Kennedy Dr |
| H786 | Port Kennedy Dr Acceleration Lane | Port Kennedy Dr Acceleration Lane | Rockingham (C) | 0.00 | Port Kennedy Dr & Ennis Av & Melville Mandurah Hwy off to Port Kennedy Dr | 0.38 | Ennis Av | |
| 1030707 | Port Pirie St | Port Pirie St | Cockburn (C) | 0.00 | Port Kembla Dr | 0.90 | Port Kembla Dr | |
| 1021308 | Port Pl | Port Pl | Kalamunda | 0.00 | Abernethy Rd & Grogan Rd | 0.11 | Port Pl - End Road | |
| 1050492 | Port Rd | Port Rd | Kwinana (C) | 0.00 | Kwinana Beach Rd | 0.62 | Port Rd - End Road | |
| 5130129 | Porter St | Porter St | Northampton | 0.72 | Smith St & Nanda Dr | 1.81 | Atkinson Cr | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|-----------------------|----------|---------------------------|--------|--------------------------|---|
| 7030045 | Porter St | Porter St | Meekatharra | 0.00 | Main St | 0.44 | Oliver St | |
| 5050244 | Portway | Portway | Greater Geraldton (C) | 0.00 | John Willcock Link | 0.59 | Marine Tce | |
| 6110129 | Posa Rd | Posa Rd | Yilgarn | 0.00 | Southern Cross South Rd | 3.86 | Nicholson Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4110055 | Posselt Rd | Posselt Rd | Koorda | 0.00 | Koorda North West Rd | 6.60 | Koorda - Kulja Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1030887 | Possner Wy | Possner Wy | Cockburn (C) | 0.00 | Sparks Rd | 0.65 | Sparks Rd | |
| 1030349 | Postans Rd | Postans Rd | Cockburn (C) | 0.00 | Wattleup Rd | 0.32 | Kwinana (C) LGA Boundary | |
| 1050169 | Postans Rd | Postans Rd | Kwinana (C) | 0.00 | Cockburn (C) LGA Boundary | 1.11 | Ashley Rd | |
| 4120150 | Pothoff Rd | Pothoff Rd | Kulin | 0.00 | Mallee Valley Rd | 2.00 | Pothoff Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4140132 | Potter Rd | Potter Rd | Merredin | 0.00 | Muntadgin Rd | 2.41 | Naremben LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4170027 | Potter Rd | Potter Rd | Naremben | 0.00 | Butler Rd | 9.22 | Merredin LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4160070 | Potter St | Potter St | Mukinbudin | 0.00 | Strugnell St | 0.49 | Potter Rd - End Road | |
| 3100019 | Potts Rd | Potts Rd | Kojonup | 0.00 | Broomehill - Kojonup Rd | 13.46 | Yarranup Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h Maximum speed of 60 km/h on gravel road. Intersection Broomehill - Kojonup Rd : No access permitted into Broomehill - Kojonup Rd from Potts Rd |
| 3100019 | Potts Rd | Potts Rd | Kojonup | 13.59 | Yarranup Rd | 16.98 | Tambellup West Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h |
| 4010014 | Potts Rd | Potts Rd | Beverley | 0.00 | Mawson Rd | 7.57 | Northbourne Rd | |
| 4150113 | Potts Rd | Potts Rd | Mount Marshall | 0.00 | Gillett Rd | 4.55 | Welbungin - Wialki Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|--------------------------|--------|---------------------------|--|
| 4270021 | Potts Rd | Potts Rd | Wandering | 0.00 | North Wandering Rd | 5.00 | Codjatotine - Hastings Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4040021 | Poultney Rd | Poultney Rd | Corrigin | 0.00 | Poultney Rd - Start Road | 10.40 | Rigby Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4040021 | Poultney Rd | Poultney Rd | Corrigin | 10.40 | Rigby Rd | 13.04 | Lomos North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Rigby Rd : No right turn permitted into Rigby Rd from Poultney Rd. |
| 4120028 | Pounds Rd | Pounds Rd | Kulin | 0.00 | Kulin - Dudinin Rd | 3.92 | Hopkins Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6040549 | Poverty L | Poverty L | Esperance | 0.00 | Coolgardie Esperance Hwy | 21.30 | Poverty L - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|----------------------------------|--------|---------------------------|---|
| 4030058 | Powell Rd | Powell Rd | Bruce Rock | 0.00 | Bruce Rock South Rd | 5.67 | Cumminin Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4240077 | Powell Rd | Powell Rd | Quairading | 0.00 | Badjaling North Rd | 2.00 | Visa Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5030028 | Powell Rd | Powell Rd | Dalwallinu | 0.00 | Bell Rd | 5.19 | Dalwallinu West Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060055 | Powells Rd | Powells Rd | Dumbleyung | 0.00 | Bibiking Rd | 3.86 | Katanning - Dumbleyung Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2070006 | Powerhouse Rd | Powerhouse Rd | Collie | 0.00 | Cardiff - McAlinden Rd | 12.24 | Muja Mine Access Rd | |
| 6100109 | Powley Rd | Powley Rd | Ravensthorpe | 0.00 | Muncaster Rd & Stennetts Lake Rd | 6.12 | Beatty Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 6100109 | Powley Rd | Powley Rd | Ravensthorpe | 6.21 | Beatty Rd | 15.94 | Hayes Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 4120073 | Prater Rd | Prater Rd | Kulin | 0.00 | Yealering - Kulin Rd | 3.63 | Kulin West Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5110096 | Prater St | Prater St | Morawa | 0.06 | Laneway (C) | 0.13 | Dreghorn St | |
| 1040654 | Pratt Ct | Pratt Ct | Gosnells (C) | 0.00 | Alloa Rd | 0.22 | Pratt Ct - End Road | |
| 5030248 | Pratt Pl | Pratt Pl | Dalwallinu | 0.00 | Huggett Dr | 0.10 | Pratt Pl - End Road | |
| 1090214 | Preedy Rd | Preedy Rd | Swan (C) | 0.00 | Toodyay Rd | 0.97 | Old Coach Rd | |
| 2070289 | Premier Rd | Premier Rd | Collie | 0.00 | Coalfields Rd | 2.22 | Premier Access Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|--------------------------|----------|-------------------------------------|--------|-------------------------------|--|
| 5051329 | Prendergast L | Prendergast L | Greater Geraldton (C) | 0.00 | Bootenal Rd | 0.43 | Prendergast L - End Road | |
| 1290218 | President St | President St | Victoria Park (T) | 0.00 | Planet St | 0.76 | President St & Orrong Rd | |
| 6052034 | President St | President St | Kalgoorlie - Boulder (C) | 0.00 | George St | 0.89 | Oberthur St | |
| 6052034 | President St | President St | Kalgoorlie - Boulder (C) | 0.92 | Oberthur St | 1.04 | Whitlock St | |
| 6052034 | President St | President St | Kalgoorlie - Boulder (C) | 1.08 | Whitlock St | 1.31 | Federal Rd | |
| 2030072 | Press Rd | Press Rd | Bridgetown - Greenbushes | 0.00 | South Western Hwy | 0.25 | 0.25km From South Western Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1105814 | Prestige Pde | Prestige Pde | Wanneroo (C) | 0.00 | Attwell St & Gngara Rd | 0.98 | Ocean Reef Rd | |
| 5050278 | Preston St | Preston St | Greater Geraldton (C) | 0.00 | Place Rd | 0.12 | Bradford St | |
| 2180015 | Pretty Gully Rd | Pretty Gully Rd | Boyup Brook | 0.00 | Westbourne Rd | 8.64 | Tuckett Rd | <ul style="list-style-type: none"> Maximum speed 40 km/h "Trucks On Road/Entering" signs to be erected and removed when haulage not in progress. |
| 2050053 | Price Rd | Price Rd | Busselton (C) | 0.00 | Gale Rd & Kaloorup Rd & Kolhagen Rd | 1.20 | 1.20km After Gale Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4120094 | Price Rd | Price Rd | Kulin | 0.00 | Pyne Rd | 3.18 | Kulin - Dudinin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 5100010 | Prices Rd | Prices Rd | Moora | 0.00 | Moora - Caro Rd | 30.45 | Namban West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|---------------------------------|--------|---------------------------|--|
| 1101267 | Prindiville Dr | Prindiville Dr | Wanneroo (C) | 0.00 | Hartman Dr | 1.47 | Wanneroo Rd & Rosso Mndr | |
| 6110135 | Pringle Rd | Pringle Rd | Yilgarn | 0.00 | Bullfinch - Evanston Rd | 4.80 | Withers Find North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 1030006 | Prinsep Rd | Prinsep Rd | Cockburn (C) | 0.75 | 0.70km North of Imlah Ct | 1.97 | Verde Dr | <ul style="list-style-type: none"> Intersection Cutler Rd : No access permitted into Cutler Rd from Prinsep Rd |
| 3080171 | Prinsep Rd | Prinsep Rd | Katanning | 0.00 | Onslow Rd | 2.37 | Throssell Rd & Prinsep Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3170046 | Prinsep Rd | Prinsep Rd | Woodanilling | 0.00 | Hensman Rd | 1.66 | Throssell Rd & Prinsep Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2070030 | Prinsep St North | Prinsep St North | Collie | 0.00 | Throssell St & Prinsep St South | 0.28 | Johnston St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|------------------|----------|-------------------------------|--------|-----------------------------|---|
| 5100050 | Prior Rd | Prior Rd | Moora | 0.00 | Moora - Miling Rd | 4.56 | Prior Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1180113 | Pritchard St | Pritchard St | Fremantle (C) | 0.00 | Rees St | 0.22 | South St | |
| 2130282 | Pritchard St | Pritchard St | Manjimup | 0.00 | Brain St & Mottram St | 0.34 | Access Road | <ul style="list-style-type: none"> Intersection Brain St & Mottram St : No Right Turn Into Giblett Road Permitted |
| 4150060 | Probert Rd | Probert Rd | Mount Marshall | 0.00 | Welbungin - Wialki Rd | 8.34 | Marshall Rock North Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1141492 | Production Rd | Production Rd | Canning (C) | 0.00 | Baile Rd | 0.41 | Brewer Rd & Barley Pl | |
| 1105531 | Profit Pass | Profit Pass | Wanneroo (C) | 0.00 | Inspiration Dr | 0.28 | Distinction Rd | |
| 5029002 | Propagation View | Propagation View | Chittering | 0.00 | Propagation View - Start Road | 1.31 | Propagation View - End Road | |
| 5029003 | Propagation View Access | Propagation View Access | Chittering | 0.00 | Great Northern Hwy | 0.15 | Propagation View | |
| 4100122 | Prospect St | Prospect St | Kondinin | 0.00 | Swan St | 0.15 | Prospect St - End Road | |
| 1105812 | Prosperity Av | Prosperity Av | Wanneroo (C) | 0.00 | Prestige Pde & Apex Wy | 0.74 | Competition Wy | <ul style="list-style-type: none"> Intersection Callaway St : No left turn permitted into Callaway St (north) from Prosperity Ave (west) |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|--------------------------|----------|-------------------------|--------|-----------------------------------|--|
| 5160066 | Protheroe Rd | Protheroe Rd | Chapman Valley | 0.00 | Northampton - Nabawa Rd | 3.89 | Protheroe Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4120041 | Proud Rd | Proud Rd | Kulin | 0.00 | Corrigin Kulin Rd | 1.94 | Gnarming West Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5010029 | Prowaka Rd | Prowaka Rd | Carnamah | 0.00 | Carnamah - Perenjori Rd | 8.49 | 0.59km Prior to Prowaka Rd Access | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3160150 | Prowse Rd | Prowse Rd | West Arthur | 0.00 | Coalfields Rd | 0.82 | Prowse Rd - End Road | |
| 4040069 | Pruden Rd | Pruden Rd | Corrigin | 0.00 | Nambadilling Rd | 6.88 | Bendering Rd | |
| 0040116 | Pruinosa St | Pruinosa St | Wyndham - East Kimberley | 0.00 | Bandicoot Dr | 0.12 | Victoria Hwy | |
| 4080030 | Pryor Rd | Pryor Rd | Goomalling | 0.00 | Oak Park Rd | 6.84 | Pryor Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|----------------------------|--------|----------------------------|--|
| 4090054 | Pudlycutting Rd | Pudlycutting Rd | Kellerberrin | 0.00 | Kellerberrin - Yoting Rd | 7.18 | Pudlycutting Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3120124 | Pugh Rd | Pugh Rd | Plantagenet | 0.00 | Albany Hwy | 2.49 | Pugh Rd - End Road | <ul style="list-style-type: none"> Maximum speed 80 km/h Maximum speed of 60 km/h on gravel section |
| 5110118 | Pulbrook Rd | Pulbrook Rd | Morawa | 0.00 | McDonald Rd | 5.10 | Gerber Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4070034 | Pulford Rd | Pulford Rd | Dowerin | 0.00 | Williams Rd & McPherson Rd | 0.50 | Wyalkatchem LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------------|----------|--|--------|------------------------|---|
| 4310050 | Pulford Rd | Pulford Rd | Wyalkatchem | 0.00 | Cunderdin - Wyalkatchem Rd | 1.59 | Dowerin LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4130088 | Pullen Rd | Pullen Rd | Trayning | 0.00 | Laird Rd & Kellerberrin - Bencubbin Rd | 7.14 | Huandanning Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4240143 | Punch Rd | Punch Rd | Quairading | 0.00 | Andrews Rd | 4.90 | North Kweda Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 3030004 | Punchmirup North Rd | Punchmirup North Rd | Broomehill - Tambellup | 0.00 | Broomehill - Kojonup Rd | 9.20 | Katanning LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3080013 | Punchmirup North Rd | Punchmirup North Rd | Katanning | 0.00 | Kojonup Katanning Rd | 4.10 | | <ul style="list-style-type: none"> 30 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|--|--------|----------------------------|---|
| 3150099 | Puntaping Rd | Puntaping Rd | Wagin | 0.00 | Bullock Hills Rd | 4.80 | Farm Access Gate | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1141302 | Purdy Pl | Purdy Pl | Canning (C) | 0.00 | Vinnicombe Dr | 0.10 | Purdy Pl - End Road | |
| 4130004 | Purdy Rd | Purdy Rd | Trayning | 0.00 | Nungarin Wyalkatchem Rd & Kununoppin - Mukinbudin Rd | 28.48 | Doodlakine - Kununoppin Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h Intersection Doodlakine - Kununoppin Rd : No Access To Or From Doodlakine-Kununoppin Road |
| 3110087 | Purnta Rd | Purnta Rd | Lake Grace | 0.00 | Hyden-Lake King Rd | 5.94 | Pickernell Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1031049 | Pusey Rd | Pusey Rd | Cockburn (C) | 0.00 | Davison Rd | 0.25 | Spencer St | |
| 4090078 | Pustkuchen Rd | Pustkuchen Rd | Kellerberrin | 0.00 | Giles Rd & Pustkuchen Rd | 3.77 | Baandee North Cross Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5080191 | Pwd Rd | Pwd Rd | Irwin | 0.00 | Burma Rd | 6.50 | Pwd Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---------------------------|------------------|----------|---------------------------------------|--------|--|--|
| 5080067 | Pye Rd | Pye Rd | Irwin | 0.00 | Brand Hwy | 3.70 | Pye Rd | |
| 4120066 | Pyne Rd | Pyne Rd | Kulin | 0.00 | Traysurin Rd East | 8.24 | Jitarning Rd South | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 3040109 | Pynup Rd | Pynup Rd | Cranbrook | 0.00 | Salt River Rd | 2.06 | Townsend Rd | |
| 8140083 | Pyramid Rd | Pyramid Rd | Karratha (C) | 0.00 | Anderson Rd | 0.73 | Lambert Rd | |
| 5030147 | Quain Rd | Quain Rd | Dalwallinu | 0.00 | Wongan - Ballidu LGA Boundary | 1.53 | Damboring East Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5030147 | Quain Rd | Quain Rd | Dalwallinu | 1.56 | Damboring East Rd | 5.16 | Jones Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5180040 | Quain Rd | Quain Rd | Wongan - Ballidu | 0.00 | Ballidu East Rd | 11.32 | Dalwallinu LGA Boundary | |
| 4040170 | Quairading - Corrigin Rd | Quairading - Corrigin Rd | Corrigin | 0.00 | Quairading LGA Boundary | 5.56 | Bilbarin - Quairading Rd | |
| 4040170 | Quairading - Corrigin Rd | Quairading - Corrigin Rd | Corrigin | 5.56 | Bilbarin - Quairading Rd | 25.70 | Brookton-Corrigin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4240166 | Quairading - Corrigin Rd | Quairading - Corrigin Rd | Quairading | 0.00 | Ashton St | 31.03 | Corrigin LGA Boundary | |
| 4240162 | Quairading - Cunderdin Rd | Quairading - Cunderdin Rd | Quairading | 0.00 | Quairading Rd | 20.18 | Junction Rd & Coraling St & Cubbine Rd | |
| 4060164 | Quairading Rd | Quairading Rd | Cunderdin | 0.00 | Fiegert Rd & Cubbine St | 21.88 | Quairading - Cunderdin Rd | |
| 4240019 | Quairading South Rd | Quairading South Rd | Quairading | 0.00 | Quairading - Corrigin Rd | 12.29 | Burrows Rd & Andrews Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4010019 | Qualandary Rd | Qualandary Rd | Beverley | 0.00 | Yenyening Lakes Rd & Bally - Bally Rd | 7.21 | Brookton LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Yenyening Lakes Rd & Bally - Bally Rd : No left turn permitted into Yenyening Lakes Rd from Qualandary Rd |
| 4020054 | Qualandary Rd | Qualandary Rd | Brookton | 0.00 | Boyagarra Rd | 0.97 | Beverley LGA Boundary | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---------------------------|------------------|----------|---------------------------|--------|--|---|
| 4330019 | Qualen West Rd | Qualen West Rd | York | 0.00 | Talbot Rd | 16.38 | Talbot West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Talbot Rd : No access permitted into Talbot Rd from Qualen West Rd |
| 3100210 | Qualeup North Rd | Qualeup North Rd | Kojonup | 0.00 | Qualeup South Rd & Bin Rd | 16.56 | Wongerup Rd & Glenorchy South Rd | |
| 3100210 | Qualeup North Rd | Qualeup North Rd | Kojonup | 16.56 | 0.33km From Wongerup Rd | 16.89 | Wongerup Rd & Glenorchy South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3100005 | Qualeup South Rd | Qualeup South Rd | Kojonup | 0.00 | Donnybrook Kojonup Rd | 8.29 | Bin Rd & Qualeup North Rd | |
| 3120062 | Quangellup Rd | Quangellup Rd | Plantagenet | 0.00 | Muir Hwy | 8.24 | Eulup - Manurup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4160093 | Quanta Cutting - Weira Rd | Quanta Cutting - Weira Rd | Mukinbudin | 0.00 | Nungarin LGA Boundary | 9.14 | Mukinbudin North East Rd & Quanta Cutting North Rd | |
| 4220040 | Quanta Cutting - Weira Rd | Quanta Cutting - Weira Rd | Nungarin | 0.00 | Koorda - Bullfinch Rd | 7.15 | Mukinbudin LGA Boundary | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|------------------|----------|--|--------|----------------------------|--|
| 4160010 | Quanta Cutting North Rd | Quanta Cutting North Rd | Mukinbudin | 0.00 | Quanta Cutting - Weira Rd & Mukinbudin North East Rd | 8.88 | Forty Six Gate Rd | |
| 4160010 | Quanta Cutting North Rd | Quanta Cutting North Rd | Mukinbudin | 8.88 | Forty Six Gate Rd | 10.10 | Wilgoyne Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4160010 | Quanta Cutting North Rd | Quanta Cutting North Rd | Mukinbudin | 10.10 | Wilgoyne Rd | 14.71 | Ogilvie Rd | |
| 1105532 | Quantum Link | Quantum Link | Wanneroo (C) | 0.00 | Inspiration Dr | 0.26 | Distinction Rd | |
| 1030703 | Quarimor Rd | Quarimor Rd | Cockburn (C) | 0.00 | Wellard St | 0.68 | Howson Wy | |
| 4030118 | Quarry Rd | Quarry Rd | Bruce Rock | 0.00 | Bruce Rock Merredin Rd | 2.80 | Quarry Rd - End Road | |
| 4180311 | Quarry Rd | Quarry Rd | Narrogin | 0.00 | Clayton Rd | 3.22 | Williams Kondinin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6040238 | Quarry Rd | Quarry Rd | Esperance | 0.00 | Fisheries Rd | 4.86 | Myrup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 8130332 | Quarry Rd | Quarry Rd | Port Hedland (T) | 0.12 | 0.12km After Wallwork Rd | 0.65 | Hematite Dr | |
| 3080015 | Quartermaine Rd | Quartermaine Rd | Katanning | 0.00 | Great Southern Hwy | 11.55 | Onslow Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 3090093 | Quartermaine Rd | Quartermaine Rd | Kent | 0.00 | South Fence Rd | 14.13 | Nyabing South Rd | |
| 3160081 | Quartermaine Rd | Quartermaine Rd | West Arthur | 0.00 | Fleays Rd | 0.80 | Quartermaine Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|--|--------|---|---|
| 3170035 | Quartermaine Rd | Quartermaine Rd | Woodanilling | 0.00 | Ashwell Rd | 1.97 | Stronach Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Stronach Rd : No entry permitted into Stronach Rd from Quatermaine Rd. |
| 4250022 | Quartermaine Rd | Quartermaine Rd | Tammin | 0.00 | Rabbit Proof Fence South Rd | 8.20 | Ralston Rd | |
| 8130240 | Quartz Quarry Rd | Quartz Quarry Rd | Port Hedland (T) | 0.00 | Great Northern Hwy | 1.10 | Shoata Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 1109797 | Quartz Wy | Quartz Wy | Wanneroo (C) | 0.00 | Carbonate Rd | 0.22 | Volcanic Loop | |
| 6040527 | Quast Rd | Quast Rd | Esperance | 0.00 | Magagnotti Rd & Coolgardie Esperance Hwy | 19.05 | Quast Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 2050001 | Queen Elizabeth Av | Queen Elizabeth Av | Busselton (C) | 1.92 | Busselton Bypa | 2.82 | | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM |
| 2050001 | Queen Elizabeth Av | Queen Elizabeth Av | Busselton (C) | 2.82 | | 10.93 | Payne Rd & Don Rd | <ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM |
| 7030052 | Queen Rd | Queen Rd | Meekatharra | 0.32 | High St | 0.69 | Murchison Downs Rd & Douglas St Slip Rd | |
| 4140139 | Queen St | Queen St | Merredin | 0.00 | Barrack St | 0.43 | Duff St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Maximum speed 50 km/h |
| 6100056 | Queen St | Queen St | Ravensthorpe | 0.48 | Morgans St | 0.62 | Dunn St | <ul style="list-style-type: none"> Intersection Dunn St : No access permitted into Dunn St from Queen St |
| H031 | Queen Victoria St | Queen Victoria St | Fremantle (C) | 0.68 | Canning Hwy | 0.88 | Beach St Link & Queen Victoria St | |
| 3150035 | Queerearrup Rd | Queerearrup Rd | Wagin | 0.00 | Beaufort Rd | 1.35 | Pederick Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|--------------------------|--------|---------------------------|---|
| 3150035 | Queerearrup Rd | Queerearrup Rd | Wagin | 1.35 | Pederick Rd | 4.12 | Boddington Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3150035 | Queerearrup Rd | Queerearrup Rd | Wagin | 4.12 | Boddington Rd | 5.95 | Queerearrup Rd - End Road | |
| 3170049 | Queerearrup Rd | Queerearrup Rd | Woodanilling | 0.00 | Douglas Rd | 4.60 | Queerearrup Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4060008 | Quelagetting Rd | Quelagetting Rd | Cunderdin | 0.00 | Cunderdin - Minnivale Rd | 3.75 | Beards Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4060008 | Quelagetting Rd | Quelagetting Rd | Cunderdin | 3.75 | Beards Rd | 12.37 | Meckering - Dowerin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|------------------|----------|----------------------------------|--------|-----------------------|---|
| 4070056 | Quelagetting West Rd | Quelagetting West Rd | Dowerin | 0.00 | Nambling South Rd | 3.10 | Ucarty South Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4060004 | Quellington Rd | Quellington Rd | Cunderdin | 0.00 | Great Eastern Hwy | 11.51 | York LGA Boundary | |
| 3150023 | Quicks Rd | Quicks Rd | Wagin | 0.00 | Robinson Rd | 8.62 | Wagin - Wickepin Rd | |
| 3160010 | Quill Rd | Quill Rd | West Arthur | 0.00 | Darkan Rd | 8.37 | Bokal North Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 1031493 | Quill Wy | Quill Wy | Cockburn (C) | 0.00 | Cockburn Rd | 2.05 | Cockburn Rd | |
| 3120104 | Quindabellup North Rd | Quindabellup North Rd | Plantagenet | 0.00 | Muir Hwy & Quindabellup South Rd | 4.99 | Rocky Gully Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3120105 | Quindabellup South Rd | Quindabellup South Rd | Plantagenet | 0.00 | Muir Hwy & Quindabellup North Rd | 7.59 | Turpin Rd | |
| 2050018 | Quindalup Siding Rd | Quindalup Siding Rd | Busselton (C) | 0.00 | Vasse - Yallingup Siding Rd | 3.18 | Caves Rd | |
| 3160007 | Quindanning - Darkan Rd | Quindanning - Darkan Rd | West Arthur | 0.00 | Coalfields Rd | 8.00 | Williams LGA Boundary | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|------------------|----------|------------------------------------|--------|--------------------------------------|--|
| 4300002 | Quindanning - Darkan Rd | Quindanning - Darkan Rd | Williams | 0.00 | Quindanning-Darkan Rd & Norwood Rd | 28.91 | West Arthur LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Collie Williams Rd : Right turn only permitted into Collie Williams Rd from Quindanning Darkan Rd |
| 2140010 | Quindanning-Darkan Rd | Quindanning-Darkan Rd | Boddington | 0.00 | Harvey - Quindanning Rd | 4.34 | Quindanning - Darkan Rd & Norwood Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3040061 | Quindinup Rd | Quindinup Rd | Cranbrook | 0.00 | Crosby Rd | 1.24 | Jarrah Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4250028 | Quinn Rodgers Rd | Quinn Rodgers Rd | Tammin | 0.00 | York - Tammin Rd | 4.40 | Wyola South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---------------------------|------------------|----------|--|--------|----------------------------------|--|
| 2070040 | Quinns Rd | Quinns Rd | Collie | 0.00 | Coalfields Rd | 0.98 | Quinns Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4330036 | Quonamining Rd | Quonamining Rd | York | 0.00 | Doodenanning Rd | 6.33 | York - Tammin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Doodenanning Rd : No left turn permitted into Doodenanning Rd from Quonamining Rd |
| 4060122 | Rabbit Proof Fence Nth Rd | Rabbit Proof Fence Nth Rd | Cunderdin | 0.00 | Rabbit Proof Fence Nth Rd - Start Road | 14.42 | Matthew Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Three Mile Gate Rd : No access permitted into Three Mile Gate Rd from Rabbit Proof Fence North Rd southbound |
| 4060122 | Rabbit Proof Fence Nth Rd | Rabbit Proof Fence Nth Rd | Cunderdin | 14.42 | Matthew Rd | 25.40 | Watercarrin Bin Rd & Edbrooke Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|------------------|----------|------------------------------|--------|--------------------------|--|
| 3060005 | Rabbit Proof Fence Rd | Rabbit Proof Fence Rd | Dumbleyung | 0.00 | North Fence Rd & Peterson Rd | 6.63 | One Twenty Nine Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3060005 | Rabbit Proof Fence Rd | Rabbit Proof Fence Rd | Dumbleyung | 6.70 | One Twenty Nine Rd | 24.47 | Dumbleyung Lake Grace Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 3070074 | Rabbit Proof Fence Rd | Rabbit Proof Fence Rd | Gnowangerup | 0.00 | South Fence Rd | 17.54 | Yates Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3070074 | Rabbit Proof Fence Rd | Rabbit Proof Fence Rd | Gnowangerup | 17.54 | Yates Rd | 19.82 | Jerramungup LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 3180005 | Rabbit Proof Fence Rd | Rabbit Proof Fence Rd | Jerramungup | 0.00 | Gnowangerup LGA Boundary | 22.37 | White Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 3180005 | Rabbit Proof Fence Rd | Rabbit Proof Fence Rd | Jerramungup | 22.43 | White Rd & Cameron Rd | 32.14 | Brook Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|------------------|----------|--|--------|--|--|
| 3180005 | Rabbit Proof Fence Rd | Rabbit Proof Fence Rd | Jerramungup | 32.20 | Brook Rd | 36.99 | South Coast Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4040007 | Rabbit Proof Fence Rd | Rabbit Proof Fence Rd | Corrigin | 0.00 | Brookton-Corrigin Rd | 29.31 | Rabbit Proof Fence Rd Nth | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Sixty Eight Gate Rd : No access permitted into Sixty Eight Gate Rd from Rabbit Proof Fence Rd |
| 4070005 | Rabbit Proof Fence Rd | Rabbit Proof Fence Rd | Dowerin | 0.00 | Koorda - Wongan Hills Rd & Rabbit Proof Fence Rd | 20.24 | Dowerin - Koorda Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4070005 | Rabbit Proof Fence Rd | Rabbit Proof Fence Rd | Dowerin | 20.36 | Dowerin - Koorda Rd | 52.72 | Woods Rd & Twenty Six Gate Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4110023 | Rabbit Proof Fence Rd | Rabbit Proof Fence Rd | Koorda | 0.00 | Koorda - Wongan Hills Rd & Rabbit Proof Fence Rd | 11.92 | Wongan - Ballidu LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4280025 | Rabbit Proof Fence Rd | Rabbit Proof Fence Rd | Westonia | 1.80 | Burracoppin Siding Rd | 105.12 | Rabbit Proof Fence Rd - End Road | |
| 4290150 | Rabbit Proof Fence Rd | Rabbit Proof Fence Rd | Wickepin | 0.00 | Dudin Rd & Kealley Rd | 9.78 | Williams Kondinin Rd | |
| 4290150 | Rabbit Proof Fence Rd | Rabbit Proof Fence Rd | Wickepin | 9.80 | Williams Kondinin Rd | 14.85 | Eighty Six Gate Rd & Rabbit Proof Fence Rd Nth | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---------------------------|------------------|----------|---|--------|---|--|
| 5030094 | Rabbit Proof Fence Rd | Rabbit Proof Fence Rd | Dalwallinu | 14.00 | Great Northern Hwy | 74.23 | Wongan - Ballidu LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5140017 | Rabbit Proof Fence Rd | Rabbit Proof Fence Rd | Perenjori | 0.00 | Perenjori - Rothsay Rd & Warriedar Copper Mine Rd | 57.61 | Maya East Rd | |
| 5180025 | Rabbit Proof Fence Rd | Rabbit Proof Fence Rd | Wongan - Ballidu | 0.00 | Dalwallinu LGA Boundary | 8.10 | Barrow Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180025 | Rabbit Proof Fence Rd | Rabbit Proof Fence Rd | Wongan - Ballidu | 8.10 | Barrow Rd | 13.03 | Kirwan Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5180025 | Rabbit Proof Fence Rd | Rabbit Proof Fence Rd | Wongan - Ballidu | 13.03 | Kirwan Rd | 13.21 | Dowerin - Kalannie Rd | |
| 5180025 | Rabbit Proof Fence Rd | Rabbit Proof Fence Rd | Wongan - Ballidu | 13.21 | Dowerin - Kalannie Rd | 26.00 | Montague Rd & Kokardine East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4120003 | Rabbit Proof Fence Rd Nth | Rabbit Proof Fence Rd Nth | Kulin | 0.00 | Eighty Six Gate Rd & Rabbit Proof Fence Rd | 14.88 | Rabbit Proof Fence Rd | |
| 4120165 | Rabbit Proof Fence Rd Sth | Rabbit Proof Fence Rd Sth | Kulin | 0.00 | Dudinin Rd & Dudinin - Jitarning Rd | 20.16 | Kulin - Dumbleyung Rd & Boundary Rd & Gray Rd | <ul style="list-style-type: none"> Intersection Dudinin Rd & Dudinin - Jitarning Rd : No left turn permitted into Rabbit Proof Fence South Road from Dudinin Jitarning Road. No left turn permitted into Dudinin Jitarning Road from Dudinin Road |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------------|-----------------------------|--------------------------|----------|--|--------|--|---|
| 4060028 | Rabbit Proof Fence South Rd | Rabbit Proof Fence South Rd | Cunderdin | 0.00 | Inverness Rd | 5.01 | Five Mile Gate Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4060028 | Rabbit Proof Fence South Rd | Rabbit Proof Fence South Rd | Cunderdin | 5.01 | Five Mile Gate Rd | 12.30 | York - Tammin Rd & Goldfields Rd & Rabbit Proof Fence South Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4250059 | Rabbit Proof Fence South Rd | Rabbit Proof Fence South Rd | Tammin | 0.00 | York - Tammin Rd & Goldfields Rd & Rabbit Proof Fence South Rd | 5.66 | Badjalang North Rd | |
| 6110126 | Rackich Rd | Rackich Rd | Yilgarn | 0.00 | Turkey Hill Rd | 3.38 | Rackich Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2030321 | Radiata St | Radiata St | Bridgetown - Greenbushes | 0.00 | Hester Rd | 0.18 | Radiata St - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 1108187 | Radich Ch | Radich Ch | Wanneroo (C) | 0.00 | Windsor Rd | 0.26 | Gavranich Wy | |
| 8120257 | Radio Hill Dr | Radio Hill Dr | East Pilbara | 0.00 | Whaleback Dr | 0.52 | Radio Hill Lookout Rd & Welsh Dr | |
| 1140055 | Radium St Nth | Radium St Nth | Canning (C) | 0.00 | Railway Pde | 0.74 | Welshpool Rd | |
| 1120884 | Radius Loop | Radius Loop | Bayswater (C) | 0.00 | Wicks St | 0.79 | Wicks St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------------|----------|----------------------------------|--------|-----------------|--|
| 3030089 | Rae Rd | Rae Rd | Broomehill - Tambellup | 0.00 | Great Southern Hwy & Holland Trk | 3.41 | Clinic Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Clinic Rd : No left turn permitted into Clinic Rd from Rae Rd |
| 5190044 | Raffan Rd | Raffan Rd | Coorow | 0.00 | Coorow - Latham Rd | 6.76 | Davies Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2120452 | Rafferty Rd | Rafferty Rd | Mandurah (C) | 0.00 | Reserve Dr | 0.59 | Mandurah Rd | |
| 4040044 | Rafferty Rd | Rafferty Rd | Corrigin | 0.00 | Barber Rd | 11.27 | Jubuk South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1010004 | Railway Av | Railway Av | Armadale (C) | 0.00 | Armadale Rd & Abbey Rd | 1.97 | Gillam Dr | <ul style="list-style-type: none"> Intersection Armadale Rd & Abbey Rd : Entry & Exit Must Be Via Armadale Rd H023 |
| 5010064 | Railway Av | Railway Av | Carnamah | 0.00 | Midlands Rd | 0.11 | Shell Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------------|----------------------------|------------------|----------|--|--------|-----------------------------------|---|
| 5010064 | Railway Av | Railway Av | Carnamah | 0.16 | Old Generation Rd | 0.35 | Carnamah - Eneabba Rd | |
| 5010064 | Railway Av | Railway Av | Carnamah | 0.81 | Donald St | 1.21 | Hill St | |
| 4030169 | Railway Dam Rd | Railway Dam Rd | Bruce Rock | 0.00 | Bruce Rock East Rd | 1.60 | Railway Dam Rd - End Road | |
| 517Z004 | Railway Facility Access Rd | Railway Facility Access Rd | Victoria Plains | 0.72 | Cbh Access Road 0.25km From Toodyay - Bindi Bindi Road | 0.97 | Toodyay - Bindi Bindi Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) 40 km/h below posted speed limit When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1090074 | Railway Pde | Railway Pde | Swan (C) | 12.87 | 120 M South of Strachan Road | 14.25 | Muchea South Rd & Neaves Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. 10 km/h below posted speed limit No Operation between 8:00 AM and 9:00 AM and between 3:00 PM and 4:00 PM |
| 1110019 | Railway Pde | Railway Pde | Bassendean (T) | 0.00 | Railway Pde & Vincent St | 1.37 | Collier Rd | |
| 1120662 | Railway Pde | Railway Pde | Bayswater (C) | 0.73 | Bassendean Rd | 2.21 | Railway Pde & Vincent St | |
| 1140012 | Railway Pde | Railway Pde | Canning (C) | 0.00 | Welshpool Rd | 1.04 | Radium St Nth | |
| 4030140 | Railway Pde | Railway Pde | Bruce Rock | 0.00 | Bruce Rock East Rd | 0.76 | Latham St | |
| 5030203 | Railway Pde | Railway Pde | Dalwallinu | 0.00 | Railway Pde Cul-De-Sac Sth | 0.49 | Railway Pde Cul-De-Sac Nth | |
| 4070106 | Railway Rd | Railway Rd | Dowerin | 0.00 | Koorda - Wongan Hills Rd & Cadoux South Rd | 4.74 | 0.4km From Wheat Bin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4070106 | Railway Rd | Railway Rd | Dowerin | 4.74 | 0.4km From Wheat Bin Rd | 5.14 | Wheat Bin Rd & Manmanning Town Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|--------------------------|----------|------------------------------|--------|---|---|
| 5100026 | Railway Rd | Railway Rd | Moora | 0.00 | Midlands Rd | 12.02 | Coorow LGA Boundary | |
| 5150022 | Railway Rd | Railway Rd | Three Springs | 0.00 | Midlands Rd & Railway Rd | 1.61 | For 1.61 Km | |
| 5190022 | Railway Rd | Railway Rd | Coorow | 0.00 | Wubin - Gunyidi Rd | 3.09 | Moora LGA Boundary | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4110137 | Railway St | Railway St | Koorda | 0.00 | Railway South St & Aitken Rd | 0.74 | Scott St & Cadoux - Koorda Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 50 km/h Intersection Birdwood St : No left turn permitted into Birdwood St from Railway St |
| 7030051 | Railway St | Railway St | Meekatharra | 0.00 | Connaughton St | 0.74 | High St | |
| 2010120 | Railway Tce | Railway Tce | Augusta - Margaret River | 0.00 | Boodjidup Rd | 1.49 | 0.01km From Tunbridge St | <ul style="list-style-type: none"> 10 km/h below posted speed limit No Operation between the hours of sunset and sunrise |
| 4310103 | Railway Tce | Railway Tce | Wyalkatchem | 0.00 | Mitchell St & Cemetery Rd | 0.73 | Aquatic Access Rd & Grace St & Town Access Rd | |
| 0040187 | Rain Tree St | Rain Tree St | Wyndham - East Kimberley | 0.00 | Coolibah Dr | 0.13 | Konkerberry Dr | |
| 4100022 | Raine Rd | Raine Rd | Kondinin | 0.00 | Lovering Rd | 13.84 | The Humps Rd | |
| 5180051 | Raine Rd | Raine Rd | Wongan - Ballidu | 0.00 | Salvare Rd | 4.84 | Jones Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2180046 | Rainoldi Rd | Rainoldi Rd | Boyup Brook | 0.00 | Donnybrook Kojonup Rd | 6.45 | Greenfields Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 6080052 | Rajah St | Rajah St | Leonora | 0.27 | Tower St | 1.67 | Rajah St - End Road | |
| 3160045 | Rajander Rd | Rajander Rd | West Arthur | 0.00 | Coalfields Rd | 7.83 | Rajander Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|-------------------|----------|-------------------------|--------|--|---|
| 1290240 | Raleigh St | Raleigh St | Victoria Park (T) | 0.00 | Briggs St & Raliegth St | 0.23 | Cohn St | |
| 5130022 | Ralphs Rd | Ralphs Rd | Northampton | 0.00 | Binnu East Rd | 11.08 | Ralphs Rd - End Road | <ul style="list-style-type: none"> Intersection Binnu East Rd : No left turn permitted into Binnu East Rd from Ralphs Rd |
| 4240048 | Ralston Rd | Ralston Rd | Quairading | 0.00 | Cubbine Rd | 1.65 | Tammin LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4250004 | Ralston Rd | Ralston Rd | Tammin | 0.00 | York - Tammin Rd | 18.37 | Quairading LGA Boundary | |
| 3170055 | Ramm Rd | Ramm Rd | Woodanilling | 0.00 | Orchard Rd | 4.98 | Ramm Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2080396 | Ramsay Loop | Ramsay Loop | Dardanup | 0.00 | Pedretti Rd | 0.28 | Pedretti Rd | |
| 4020055 | Ramsay Rd | Ramsay Rd | Brookton | 0.00 | Matthews Rd | 0.50 | 500m North of Matthews Rd to Farm Gate | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|-----------------------|----------|-----------------------------|--------|-------------------------------|--|
| 5051436 | Ramsay Rd | Ramsay Rd | Greater Geraldton (C) | 0.00 | Eradu South Rd & Shields Rd | 9.80 | Ellendale Rd & Sandsprings Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6030077 | Ramsay St | Ramsay St | Dundas | 0.23 | 0.05 Km From Roberts St | 0.33 | Prinsep St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. From Collgardie Esperance Hwy to Service Station side access Intersection Prinsep St : No access permitted into Coolgardie Esperance Hwy from Ramsay St |
| 4130047 | Rance Rd | Rance Rd | Trayning | 0.00 | Moujakine Rd | 1.36 | Thompson Rd | |
| 6040022 | Rancho X Rd | Rancho X Rd | Esperance | 0.00 | Merivale Rd | 7.72 | Fisheries Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 3120170 | Randell Rd | Randell Rd | Plantagenet | 0.00 | Rocky Gully Rd | 4.80 | Poorarecup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Rocky Gully Rd : No right turn permitted into Rocky Gully Rd from Randell Rd |
| 5190063 | Randell Rd | Randell Rd | Coorow | 0.00 | Vanzetti Rd | 3.80 | Thomas Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1010021 | Ranford Rd | Ranford Rd | Armadale (C) | 3.55 | Ranford Rd & Allen Rd | 6.87 | Twelfth Rd Rty | |
| 1040026 | Ranford Rd | Ranford Rd | Gosnells (C) | 5.47 | Ranford Rd & Allen Rd | 6.56 | Tonkin Hwy & Ranford Rd | |
| 1141104 | Ranford Rd | Ranford Rd | Canning (C) | 0.00 | Ranford Rd & Nicholson Rd | 3.00 | South St & Bannister Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|---------------------------------------|--------|------------------------------|--|
| 3080051 | Ranford Rd | Ranford Rd | Katanning | 0.00 | Warren Rd | 26.70 | Simper Rd | |
| 3150115 | Ranford St | Ranford St | Wagin | 0.15 | Tavistock St | 0.29 | Tudhoe St | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Tudhoe St : No left turn permitted into Collie Lake King (Tudhoe Street) from Rabford Street. No right turn permitted into Collie Lake King (Tudhoe Street) from Ranford Street. Left turn only permitted into Tavistock Street from Ranford Street. |
| 3090007 | Range Rd | Range Rd | Kent | 0.00 | Needilup North Rd | 23.20 | East Rd | |
| 5180075 | Ranger Rd | Ranger Rd | Wongan - Ballidu | 0.00 | Bunyip St & Ballidu East Rd | 1.12 | Meadows Rd | |
| 4100102 | Rankin St | Rankin St | Kondinin | 0.00 | Nicholls St | 1.16 | Howlett St | <ul style="list-style-type: none"> Intersection Healey St : No access permitted into Healey St from Rankin St. |
| 3060130 | Rasmussen Rd | Rasmussen Rd | Dumbleyung | 0.00 | One Twenty Nine Rd & Jarring South Rd | 1.04 | Rasmussen Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3090014 | Rasmussen Rd | Rasmussen Rd | Kent | 0.00 | Pingrup Lake Grace Rd | 26.78 | Rasmussen Rd | |
| 1091239 | Rason Pde | Rason Pde | Swan (C) | 0.00 | Edward St | 0.29 | Robinson Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 6040032 | Raszyk Rd | Raszyk Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 4.75 | Lovers L | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040032 | Raszyk Rd | Raszyk Rd | Esperance | 5.13 | Lovers L | 13.33 | Dalyup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6040032 | Raszyk Rd | Raszyk Rd | Esperance | 13.35 | Dalyup Rd | 18.60 | 1.65km From End of Raszyk Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6040032 | Raszyk Rd | Raszyk Rd | Esperance | 18.60 | 1.65km From End of Raszyk Rd | 18.62 | 1.65km From End of Raszyk Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|------------------|----------|---------------------------|--------|-------------------------------------|--|
| 1050282 | Ratcliffe Rd | Ratcliffe Rd | Kwinana (C) | 0.00 | Thomas Rd | 0.56 | Ratcliffe Rd - Rubbish Tip Entrance | <ul style="list-style-type: none"> Intersection Thomas Rd : No right tun permitted into Thomas Rd from Ratcliffe Rd. |
| 6040087 | Ratcliffs Rd | Ratcliffs Rd | Esperance | 0.00 | Circle Valley Rd | 12.37 | Plunkett Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| H430 | Ravensthorpe Bypass Rty | Ravensthorpe Bypass Rty | Ravensthorpe | 0.00 | South Coast Hwy | 0.18 | South Coast Hwy | |
| M059 | Ravensthorpe Hopetoun | Hopetoun-Ravensthorpe Rd | Ravensthorpe | 0.00 | Ravensthorpe Bypass Rty | 47.31 | Hamersley Dr & Veal St | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 2040444 | Rawling Rd | Rawling Rd | Bunbury (C) | 0.00 | South Western Hwy | 0.30 | Rawling Rd - End Road | |
| 6040050 | Rawlinson Rd | Rawlinson Rd | Esperance | 0.00 | Ravensthorpe LGA Boundary | 16.29 | Oldfield Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6100115 | Rawlinson Rd | Rawlinson Rd | Ravensthorpe | 0.00 | Esperance LGA Boundary | 5.10 | Melaleuca Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 6100115 | Rawlinson Rd | Rawlinson Rd | Ravensthorpe | 5.17 | Melaleuca Rd | 20.29 | West Point Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 1180112 | Rawlinson St | Rawlinson St | Fremantle (C) | 0.00 | Bowen St | 0.35 | Ladner St | |
| 1120342 | Raymond Av | Raymond Av | Bayswater (C) | 0.00 | Flinders St | 0.69 | Christian Ct | |
| H260 | Raymond Rd Acceleration Lane | Raymond Rd Acceleration Lane | Harvey | 0.00 | Forrest Hwy & Raymond Rd | 0.14 | Forrest Hwy | |
| H205 | Raymond Rd on to Wilman Wadandi Hwy (Northbound) | Raymond Rd on to Wilman Wadandi Hwy (Northbound) | Harvey | 0.00 | Raymond Rd | 0.48 | Wilman Wadandi Hwy | |
| H203 | Raymond Rd on to Wilman Wadandi Hwy (Southbound) | Raymond Rd on to Wilman Wadandi Hwy (Southbound) | Harvey | 0.00 | Raymond Rd | 0.49 | Wilman Wadandi Hwy | |
| 5140085 | Rayner Rd | Rayner Rd | Perenjori | 0.00 | Griffith Rd | 6.76 | Moriarty Rd | |
| 5030210 | Rayner St | Rayner St | Dalwallinu | 0.00 | Johnston St | 0.12 | McNeill St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 3160002 | Rd No. 2 | Rd No. 2 | West Arthur | 0.00 | Coalfields Rd | 1.29 | Rd No. 2 - End Road | |
| 4180333 | Read Rd | Read Rd | Narrogin | 0.00 | Wickepin - Harrismith Rd | 3.99 | Narrogin - Harrismith Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------------------|-----------------|------------------|----------|----------------------|--------|-------------------------|--|
| 5190009 | Read Rd | Read Rd | Coorow | 0.00 | Davies Rd & Green Rd | 4.13 | Coorow - Latham Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5010023 | Reading Rd | Reading Rd | Carnamah | 0.00 | Inering Rd | 11.27 | Carnamah - Perenjori Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5100059 | Readwright Rd | Readwright Rd | Moora | 0.00 | Niby Niby Rd | 3.73 | Old Geraldton South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 610Z002 | Reclass From Moir Rd 6100011/7-S | Moir Rd | Ravensthorpe | 0.00 | Moir Rd | 3.24 | Moir Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 4150043 | Red Dam Rd | Red Dam Rd | Mount Marshall | 0.00 | Cleary - Gabbin Rd | 8.95 | Mandiga - Marindo Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|-------------------------|--------|---------------------------------|---|
| 5070005 | Red Gully Rd | Red Gully Rd | Gingin | 0.00 | Brand Hwy | 6.30 | Fynes Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5170018 | Red Gully Rd | Red Gully Rd | Victoria Plains | 0.00 | Mogumber West Rd | 1.73 | 1.734km From Mogumber West Rd. | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3120012 | Red Gum Pass Rd | Red Gum Pass Rd | Plantagenet | 0.08 | Lake Matilda Rd | 0.18 | Townsend St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3120012 | Red Gum Pass Rd | Red Gum Pass Rd | Plantagenet | 0.18 | Townsend St | 14.61 | Red Gum Pass Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h Maximum speed on gravel 60km/h |
| 312Z019 | Red Gum Pass Rd | Red Gum Pass Rd | Plantagenet | 0.00 | Red Gum Pass Rd | 4.50 | Redgum Pass Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h Maximum speed on gravel 60km/h |
| 3120122 | Red Hill Rd | Red Hill Rd | Plantagenet | 0.00 | Albany Hwy | 0.96 | Red Hill Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4230052 | Red Hill Rd | Red Hill Rd | Pingelly | 0.00 | Kulyaling Rd West | 2.84 | Red Hill Rd - End Road | |
| 8130219 | Redbank Rd | Redbank Rd | Port Hedland (T) | 0.00 | Redbank Rd - Start Road | 0.69 | Roche Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 8130219 | Redbank Rd | Redbank Rd | Port Hedland (T) | 0.77 | Roche Rd | 1.90 | Jan Da Nul Lay Down Yard Access | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 1130163 | Redcliffe Rd | Redcliffe Rd | Belmont (C) | 0.00 | Ben St | 0.85 | Ivy St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|--------------------------|----------|------------------------------|--------|---|--|
| 4070002 | Redding Rd | Redding Rd | Dowerin | 0.00 | Goldfields Rd | 0.90 | Stewart St & Fraser St | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1030793 | Redemptora Rd | Redemptora Rd | Cockburn (C) | 0.00 | Quill Wy | 0.47 | Sparks Rd | |
| 2010057 | Redgate Rd | Redgate Rd | Augusta - Margaret River | 0.00 | Shervington Av & Bussell Hwy | 6.75 | Caves Rd | <ul style="list-style-type: none"> Maximum speed 70 km/h |
| 2010057 | Redgate Rd | Redgate Rd | Augusta - Margaret River | 6.75 | Caves Rd | 8.05 | Redgate Lime Pit Entrance Approximately 1.3km From Caves Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 70 km/h Operation is only permitted between 7:00am to 5:30pm Monday to Friday and 7:00am to 1:00pm Saturday. Intersection Caves Rd : No left or right turn permitted onto Caves Rd from Redgate Rd |
| 2180063 | Redgum Pool Rd | Redgum Pool Rd | Boyup Brook | 0.00 | Kulikup South Rd | 7.38 | Dinninup East Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Vehicles not permitted to use slip road at the intersection of Redgum Pool Rd and Kalikup South Rd |
| 2050487 | Redgum Wy | Redgum Wy | Busselton (C) | 0.93 | Kookaburra Wy | 1.19 | Busselton Bypa & Busselton Bypass | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Empty Travel Only Operation Only between 7:00 AM and 6:00 PM Monday to Saturday No Operation Public Holidays |
| 3020089 | Redhen Rd | Redhen Rd | Albany (C) | 0.00 | Hunwick Rd | 3.62 | Redmond West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------|----------|--------------------------|--------|--------------------------------------|--|
| 3050029 | Redman Rd | Redman Rd | Denmark | 0.00 | Scotsdale Rd | 4.79 | Turner Rd & Glenrowan Rd & Walter Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4300030 | Redman Rd | Redman Rd | Williams | 0.00 | Quindanning - Darkan Rd | 1.45 | Redman Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3020005 | Redmond - Hay River Rd | Redmond - Hay River Rd | Albany (C) | 0.00 | Phillips Rd & Albany Hwy | 22.72 | The Pass Rd & Blue Gum Rd | |
| 3020449 | Redmond South Rd | Redmond South Rd | Albany (C) | 0.00 | Redmond St | 0.68 | Redmond South Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|------------------------|--------|------------------|---|
| 3022101 | Redmond St | Redmond St | Albany (C) | 0.00 | Redmond - Hay River Rd | 0.40 | Redmond South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3020011 | Redmond West Rd | Redmond West Rd | Albany (C) | 0.00 | Redmond St | 8.77 | Redhen Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3020011 | Redmond West Rd | Redmond West Rd | Albany (C) | 8.77 | Redhen Rd | 15.35 | Davy Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|--------------------------|--------|--------------------------|---|
| 3020011 | Redmond West Rd | Redmond West Rd | Albany (C) | 15.35 | Davy Rd | 20.85 | 2 Km North of Hunwick Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3020011 | Redmond West Rd | Redmond West Rd | Albany (C) | 20.85 | 2 Km North of Hunwick Rd | 22.72 | Hunwick Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6020117 | Redross Rd | Redross Rd | Coolgardie | 0.00 | Coolgardie Esperance Hwy | 1.90 | Redross Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|----------------------------|--------|------------------------|---|
| 4040051 | Reed Rd | Reed Rd | Corrigin | 0.00 | Gnerkadilling Rd | 6.78 | Corrigin Kondinin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5150060 | Reed Rd | Reed Rd | Three Springs | 0.00 | Neburu Rd | 2.83 | Hydraulic Rd | |
| 4050017 | Reeds Rd | Reeds Rd | Cuballing | 0.00 | Popanyinning East Rd | 5.63 | Pingelly LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4230050 | Reeds Rd | Reeds Rd | Pingelly | 0.00 | Tanners Rd | 1.20 | Cuballing LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 7020009 | Reedy Rd | Reedy Rd | Cue | 0.00 | Great Northern Hwy | 21.89 | Cullculli Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3160023 | Rees Rd | Rees Rd | West Arthur | 0.00 | Bokal South Rd & Wier East | 7.20 | Leggoe Rd & Rees Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|-------------------------------|----------|--|--------|--|---|
| 3170065 | Rees Rd | Rees Rd | Woodanilling | 0.00 | Leggoe Rd & Rees Rd | 1.16 | Youngs Rd | |
| 1180115 | Rees St | Rees St | Fremantle (C) | 0.00 | Chamberlain St | 0.18 | Pritchard St | |
| 2130603 | Rees St | Rees St | Manjimup | 0.00 | Wetherell St | 0.17 | Margerison St | <ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 50 km/h |
| 3090079 | Reeves Rd | Reeves Rd | Kent | 0.00 | Kuringup South Rd | 4.62 | Titicup Rd | |
| 3150203 | Reeves Rd North | Reeves Rd North | Wagin | 0.00 | Moore St | 2.80 | Bolts Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4240159 | Refuse Rd | Refuse Rd | Quairading | 0.00 | Quairading - Cunderdin Rd | 0.25 | Rubbish Tip Site | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 505Z019 | Reg Clarke Rd | Reg Clarke Rd | Greater Geraldton (C) | 0.00 | Ian Bogle Rd | 0.57 | 0.57km From Ian Bogle Rd | |
| 5180149 | Regan Rd | Regan Rd | Wongan - Ballidu | 0.00 | Ballidu - Bindi Bindi Rd | 1.56 | Carter Rd | |
| 1130291 | Reggio Rd | Reggio Rd | Belmont (C) | 0.00 | Aitken Wy | 0.34 | Tipping Rd | |
| H021 | Reid Hwy | Reid Hwy | Stirling (C) Swan (C) | 0.00 | North Beach Rd & Marmion Av | 23.82 | Roe Hwy & Great Northern Hwy | <ul style="list-style-type: none"> Intersection Erindale Rd : No left turn permitted into Reid Highway from Erindale Road. |
| H845 | Reid Hwy (Eastbound) off to Alexander Dr | Reid Hwy (Eastbound) off to Alexander Dr | Stirling (C) | 0.00 | Reid Hwy | 0.48 | Alexander Dr on to Reid Hwy (Eastbound) | |
| H295 | Reid Hwy (Eastbound) off to Malaga Dr | Reid Hwy (Eastbound) off to Malaga Dr | Swan (C) | 0.00 | Reid Hwy | 0.44 | Malaga Dr & Malaga Dr on to Reid Hwy (Eastbound) | |
| H643 | Reid Hwy (Eastbound) off to Wanneroo Rd | Reid Hwy (Eastbound) off to Wanneroo Rd | Stirling (C) | 0.00 | Reid Hwy | 0.34 | Wanneroo Rd on to Reid Hwy (Eastbound) & Wanneroo Rd | |
| H302 | Reid Hwy (Eastbound) on to Tonkin Hwy (Northbound) | Reid Hwy (Eastbound) on to Tonkin Hwy (Northbound) | Swan (C) | 0.00 | Reid Hwy (Eastbound) on to Tonkin Hwy (Southbound) | 0.48 | Reid Hwy (Westbound) on to Tonkin Hwy (Northbound) | |
| H300 | Reid Hwy (Eastbound) on to Tonkin Hwy (Southbound) | Reid Hwy (Eastbound) on to Tonkin Hwy (Southbound) | Swan (C) | 0.00 | Reid Hwy | 1.12 | Reid Hwy (Westbound) on to Tonkin Hwy (Southbound) | |
| H847 | Reid Hwy (Westbound) off to Alexander Dr | Reid Hwy (Westbound) off to Alexander Dr | Bayswater (C) Stirling (C) | 0.00 | Reid Hwy | 0.51 | Alexander Dr on to Reid Hwy (Westbound) & Alexander Dr | |
| H296 | Reid Hwy (Westbound) off to Malaga Dr | Reid Hwy (Westbound) off to Malaga Dr | Bayswater (C) | 0.04 | Reid Hwy | 0.53 | Malaga Dr & Malaga Dr on to Reid Hwy (Westbound) | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|------------------|----------|--|--------|--|--|
| H631 | Reid Hwy (Westbound) off to Wanneroo Rd | Reid Hwy (Westbound) off to Wanneroo Rd | Stirling (C) | 0.00 | Reid Hwy | 0.34 | Wanneroo Rd & Wanneroo Rd on to Reid Hwy (Westbound) | |
| H301 | Reid Hwy (Westbound) on to Tonkin Hwy (Northbound) | Reid Hwy (Westbound) on to Tonkin Hwy (Northbound) | Swan (C) | 0.00 | Reid Hwy (Westbound) on to Tonkin Hwy (Southbound) | 1.24 | Tonkin Hwy | |
| H306 | Reid Hwy (Westbound) on to Tonkin Hwy (Southbound) | Reid Hwy (Westbound) on to Tonkin Hwy (Southbound) | Swan (C) | 0.00 | Reid Hwy | 1.15 | Tonkin Hwy | |
| 3160067 | Reid Rd | Reid Rd | West Arthur | 0.00 | Gibbs Rd | 1.00 | Reid Rd - End Road | |
| 4270025 | Reid Rd | Reid Rd | Wandering | 0.00 | Crossman - Dwarda Rd | 3.16 | Moramocking Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180055 | Reid Rd | Reid Rd | Wongan - Ballidu | 0.00 | Barrow Rd | 10.21 | Dowerin - Kalannie Rd | |
| 113Z005 | Reid Rd (Federal) | Reid Rd (Federal) | Belmont (C) | 0.00 | Whitham Rd (Federal) & Horrie Miller Dr (Federal) | 0.66 | Fawcett Cr (Federal) | <ul style="list-style-type: none"> A current written approval from Perth Airport, permitting use of the road, must be carried and produced on demand. Intersection Hitchcock Pl (Federal) : No right turn permitted into Hitchcock Pl from Reid Rd Intersection Anderson Pl (Federal) : No right turn permitted into Anderson Pl from Reid Rd |
| 8060064 | Reid St | Reid St | Exmouth | 1.21 | Welch St | 1.60 | Murat Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3100079 | Reillys Creek Rd | Reillys Creek Rd | Kojonup | 0.00 | Qualeup North Rd | 3.04 | Rielys Creek Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1050784 | Reliance Bend | Reliance Bend | Kwinana (C) | 0.00 | Armstrong Rd | 0.67 | McLaren Av | |
| 1015160 | Remisko Dr | Remisko Dr | Armadale (C) | 0.00 | Lake Rd & Ranford Rd | 0.83 | Alex Wood Dr | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|--------------------------|----------|--|--------|----------------------------|--|
| 4110127 | Remlap Rd | Remlap Rd | Koorda | 0.00 | East Boundary Rd & Burakin - Wialki Rd | 16.14 | Dead End | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4110048 | Remnant Rd | Remnant Rd | Koorda | 0.00 | Dukin West Rd | 2.40 | Inman Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 4310042 | Remnant Rd | Remnant Rd | Wyalkatchem | 0.00 | Byrne Rd & Bruse Rd | 4.31 | Cunderdin - Wyalkatchem Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2050024 | Rendezvous Rd | Rendezvous Rd | Busselton (C) | 0.00 | Florence Rd & Kaloourp Rd | 7.20 | Queen Elizabeth Av | <ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Curfew applies on school days only. |
| 0040019 | Research Station Rd | Research Station Rd | Wyndham - East Kimberley | 0.00 | Ivanhoe Rd | 18.00 | Unknown Rd | |
| 7060008 | Research Station Rd | Research Station Rd | Wiluna | 0.00 | Wongawol Rd | 7.88 | 0.95 Km Past Jundee Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2120234 | Reserve Dr | Reserve Dr | Mandurah (C) | 0.59 | Rafferty Rd | 0.82 | Park Rd | |
| 1090209 | Reserve Rd | Reserve Rd | Swan (C) | 0.00 | Toodyay Rd | 3.10 | 1.44km From Stock Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 50 km/h No Operation between the hours of sunset and sunrise Intersection Toodyay Rd : No left turn permitted into Toodyay Rd from Reserve Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|-----------------------|--------|---|--|
| 3180053 | Reserve Rd | Reserve Rd | Jerramungup | 0.00 | Mallee Rd | 12.41 | From Mallee Rd For 12.41km | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4120154 | Reserve Rd | Reserve Rd | Kulin | 0.00 | Kulin - Holt Rock Rd | 1.90 | Reserve Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5010058 | Reserve Rd | Reserve Rd | Carnamah | 0.00 | Carnamah - Eneabba Rd | 7.40 | Three Springs LGA Boundary | |
| 4100045 | Reservoir East Rd | Reservoir East Rd | Kondinin | 0.33 | Sloan Rd | 13.04 | Fotheringhame Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4100045 | Reservoir East Rd | Reservoir East Rd | Kondinin | 13.04 | Fotheringhame Rd | 26.82 | Spurr Rd | |
| 1040054 | Reservoir Rd | Reservoir Rd | Gosnells (C) | 0.00 | Gosnells Rd East | 2.12 | Maddington Rd | |
| 2180045 | Reservoir Rd | Reservoir Rd | Boyup Brook | 0.00 | Donnybrook Kojonup Rd | 1.00 | To Farm Gate 1.0km From Donnybrook - Kojonup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). No operation permitted between SLK 1.0 to 5.4 due to excessive grades. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|--|--------|-----------------------------------|---|
| 2180045 | Reservoir Rd | Reservoir Rd | Boyup Brook | 5.40 | From Farm Gate 4.2km From Six Mile Rd | 9.60 | Six Mile Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). No operation permitted between SIK 1.0 to 5.4 due to excessive grades. |
| 3170048 | Reshke Rd | Reshke Rd | Woodanilling | 0.00 | Robinson West Rd | 2.82 | Douglas Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Douglas Rd : No access permitted into Douglas Rd from Reshke Rd |
| 8140609 | Resource Rd | Resource Rd | Karratha (C) | 0.00 | Exploration Dr | 1.47 | Resource Rd - End of Construction | |
| 8140609 | Resource Rd | Resource Rd | Karratha (C) | 2.30 | Resource Rd - Start of Construction | 2.55 | Exploration Dr | |
| 1091929 | Resource Wy | Resource Wy | Swan (C) | 0.00 | Iron St | 0.62 | Mulgul Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 4090106 | Restdown St | Restdown St | Kellerberrin | 0.00 | Great Eastern Hwy & Massingham St | 0.18 | Hammond St | |
| 4230081 | Review St | Review St | Pingelly | 0.49 | Vinicombe St | 1.82 | Parker St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|--------------------------|--------|-------------------------------|--|
| 3120059 | Reynolds Rd | Reynolds Rd | Plantagenet | 0.00 | Yellanup Rd | 7.08 | Reynolds Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180041 | Reynolds Rd | Reynolds Rd | Wongan - Ballidu | 0.00 | Ballidu East Rd | 10.96 | Dalwallinu LGA Boundary | |
| 6110084 | Reynolds Rd | Reynolds Rd | Yilgarn | 0.00 | Dulyalbin Rd | 3.60 | Meranda North Rd & Liebeck Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4310069 | Rhind Rd | Rhind Rd | Wyalkatchem | 0.00 | Wyalkatchem - Koorda Rd | 1.31 | Rhind Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6040051 | Rhind Rd | Rhind Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 5.05 | Swan Lagoon Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040051 | Rhind Rd | Rhind Rd | Esperance | 5.07 | Swan Lagoon Rd | 9.69 | Rhind Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|--------------------|--------|--------------------------|--|
| 3160149 | Rhodesdale Rd | Rhodesdale Rd | West Arthur | 0.00 | Darkan Rd | 0.75 | Rhodesdale Rd - End Road | |
| 4290067 | Rich Rd | Rich Rd | Wickepin | 0.00 | Eighty Six Gate Rd | 2.07 | Rich Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2090223 | Richards Rd | Richards Rd | Waroona | 0.00 | Buller Rd | 0.51 | Richards Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4030157 | Richards Rd | Richards Rd | Bruce Rock | 0.00 | Kwoylin West Rd | 1.41 | Bruce Rock Quairading Rd | |
| 4240087 | Richards Rd | Richards Rd | Quairading | 0.00 | Caroling South Rd | 3.31 | Richards Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5030059 | Richards Rd | Richards Rd | Dalwallinu | 0.00 | Great Northern Hwy | 17.79 | Wilder Rd & Barker Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 3060092 | Richardson Rd | Richardson Rd | Dumbleyung | 0.00 | Tunney St | 1.78 | Mt Pleasant Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5100079 | Richardson Rd | Richardson Rd | Moora | 0.00 | Great Northern Hwy | 4.57 | Richardson Rd - End Road | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|--------------------------------|--------|-----------------------------------|--|
| 5160121 | Richardson Rd | Richardson Rd | Chapman Valley | 0.00 | East Nabawa | 2.64 | For 2.64km From East Nabawa Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 30kph below posted speed limit. Sealed section - 20kph below posted speed limit. |
| 5160121 | Richardson Rd | Richardson Rd | Chapman Valley | 2.64 | For 2.64km From East Nabawa Rd | 3.47 | Marrah Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Unsealed section - 30kph below posted speed limit. Sealed section - 20kph below posted speed limit. |
| 1050275 | Richardson St | Richardson St | Kwinana (C) | 0.00 | Patterson Rd | 0.52 | Mandurah Rd | |
| 3070027 | Richardson St | Richardson St | Gnowangerup | 0.00 | Corbett St | 0.26 | Strathaven Rd | <ul style="list-style-type: none"> Maximum speed 40 km/h |
| 4010124 | Richardson St | Richardson St | Beverley | 0.00 | Vincent St | 1.67 | Chipper St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 7040081 | Richardson St | Richardson St | Mount Magnet | 0.00 | Hepburn St & Richardson St | 0.85 | Moses St & Mt.Magnet - Hill 50 Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4310105 | Riches St | Riches St | Wyalkatchem | 0.00 | Railway Tce | 0.49 | Piesse St & Lindsay St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Piesse St & Lindsay St : No Right Turn Into Lindsay St |
| 4300074 | Richmond St | Richmond St | Williams | 1.75 | | 2.14 | 0.17km East of Clayton Rd | |
| 2040283 | Richter Rd | Richter Rd | Bunbury (C) | 0.00 | Brittain Rd & Palmer Cr | 0.61 | Richter Rd - End Road | |
| 4290111 | Richter St | Richter St | Wickepin | 0.00 | Wickepin - Pingelly Rd | 0.41 | Richter St - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|--------------------------------|--------|------------------------|---|
| 4010137 | Rickeys Siding Rd | Rickeys Siding Rd | Beverley | 0.00 | Glencoe Rd | 4.70 | York LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4330081 | Rickeys Siding Rd | Rickeys Siding Rd | York | 0.00 | Quairading York Rd | 2.18 | Beverley LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4270010 | Ricks Rd | Ricks Rd | Wandering | 0.00 | North Bannister - Wandering Rd | 25.91 | North Wandering Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection North Bannister - Wandering Rd : No left turn permitted into North Bannister - Wandering Rd from Ricks Rd Intersection Herdigan Rd : No right turn permitted into Herdigan Rd from Ricks Rd |
| 6040010 | Ridgelands Rd | Ridgelands Rd | Esperance | 0.00 | Fisheries Rd | 21.68 | Howick Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 1091242 | Ridgeway Rd | Ridgeway Rd | Swan (C) | 0.00 | Clayton St | 0.21 | Ridgeway Rd - End Road | <ul style="list-style-type: none"> 10 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|--------------------------|----------|-------------------------------|--------|---------------------------|--|
| 6040057 | Ridley Rd | Ridley Rd | Esperance | 0.00 | Tom Starceвич V.C. Rd | 17.04 | Styles Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040057 | Ridley Rd | Ridley Rd | Esperance | 17.05 | Styles Rd | 24.42 | Eucalypt Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 8130065 | Ridley St | Ridley St | Port Hedland (T) | 0.00 | Pinnacles St | 0.34 | Trig St | |
| 2180147 | Rielys Creek Rd | Rielys Creek Rd | Boyup Brook | 0.00 | Walshaws Rd & Eulin Siding Rd | 1.24 | Reillys Creek Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2030034 | Rifle Range Rd | Rifle Range Rd | Bridgetown - Greenbushes | 2.29 | Naylor Yates Rd | 3.98 | South Western Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060044 | Rifle Range Rd | Rifle Range Rd | Dumbleyung | 0.00 | Bahr Rd | 5.30 | Rifle Range Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|---|--------|---------------------------|---|
| 4010056 | Rifle Range Rd | Rifle Range Rd | Beverley | 1.88 | Heals Rd | 3.04 | Rifle Range Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4070045 | Rifle Range Rd | Rifle Range Rd | Dowerin | 0.00 | Goomalling Wyalkatchem Rd & Rifle Range Access Rd | 0.08 | Irvine Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4070045 | Rifle Range Rd | Rifle Range Rd | Dowerin | 0.08 | Irvine Rd | 3.13 | Sanders Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4110105 | Rifle Range Rd | Rifle Range Rd | Koorda | 0.00 | Koorda - Dowerin Rd | 1.58 | Rifle Range Rd - End Road | |
| 4310021 | Rifle Range Rd | Rifle Range Rd | Wyalkatchem | 0.00 | Tammin - Wyalkatchem Rd | 4.92 | Hardwick Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180012 | Rifle Range Rd | Rifle Range Rd | Wongan - Ballidu | 0.00 | Meadows Rd & Rifle Range Rd | 31.69 | Hospital Rd | |
| 3150126 | Rifle St | Rifle St | Wagin | 0.00 | Arthur Rd | 2.05 | Beaufort Rd | <ul style="list-style-type: none"> Intersection Arthur Rd : No left turn permitted into Collie Lake King from Rifle St |
| 1104832 | Rigali Wy | Rigali Wy | Wanneroo (C) | 0.00 | Gnangara Rd | 0.57 | Innovation Cct | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|---|--------|---------------------|---|
| 4040048 | Rigby Rd | Rigby Rd | Corrigin | 0.00 | Brookton-Corrigin Rd | 8.21 | Poultney Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Poultney Rd : No left turn permitted into Poultney Rd from Rigby Rd |
| 6110094 | Rigel St | Rigel St | Yilgarn | 0.00 | Arcturus St | 0.16 | Antares St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3020422 | Riggs Rd | Riggs Rd | Albany (C) | 0.00 | Mindijup Rd | 2.01 | Riggs Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4130022 | Riley Rd | Riley Rd | Trayning | 0.00 | Kellerberrin - Bencubbin Rd & Barnes Rd | 4.45 | Kodj Kodjin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|---------------------------|--------|----------------------------|---|
| 4130022 | Riley Rd | Riley Rd | Trayning | 4.45 | Kodj Kodjin Rd | 6.55 | Doodlakine - Kununoppin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5100123 | Riley Rd | Riley Rd | Moora | 0.00 | Midlands Rd | 1.45 | Ferguson Rd | |
| 4130074 | Riley St | Riley St | Trayning | 0.00 | Railway St | 0.26 | Couper St | <ul style="list-style-type: none"> Maximum speed 40 km/h |
| 1101672 | Rimmer Rd | Rimmer Rd | Wanneroo (C) | 0.00 | Mosey St | 0.63 | Attwell St | |
| 1106012 | Ring St | Ring St | Wanneroo (C) | 0.00 | Hemisphere St | 0.31 | | |
| 4300080 | Rintoul Rd | Rintoul Rd | Williams | 0.00 | Fourteen Mile Brook Rd | 1.23 | Rintoul Rd - End Road | |
| 1120395 | Rio St | Rio St | Bayswater (C) | 0.00 | Cullen St & Bassendean Rd | 0.25 | Mooney St | |
| M063 | Ripon Hills Rd | Ripon Hills Rd | East Pilbara | 0.00 | Marble Bar Rd | 130.94 | Woodie Woodie Rd | |
| 3090086 | Ripper Rd | Ripper Rd | Kent | 0.00 | Goodchild Rd | 3.26 | Katanning Nyabing Rd | |
| 3150100 | Riseborough Rd | Riseborough Rd | Wagin | 2.00 | 2km From Puntaping Rd | 8.46 | Great Southern Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4120045 | Riseborough Rd | Riseborough Rd | Kulin | 0.00 | Kulin - Dudinin Rd | 11.66 | Kay Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1050146 | Riseley Rd | Riseley Rd | Kwinana (C) | 0.00 | Barter Rd | 0.77 | Riseley Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|--------------------------|----------|-------------------|--------|--|---|
| 2180055 | Ritson Rd | Ritson Rd | Boyup Brook | 0.00 | Six Mile Rd | 0.80 | Mondy Tree Farm Access Gate 0.8km From Six Mile Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 0040120 | River Gum Av | River Gum Av | Wyndham - East Kimberley | 0.00 | Mango St | 0.36 | Bandicoot Dr | |
| 3080087 | River Rd | River Rd | Katanning | 0.00 | Kelly Rd | 16.70 | Coomelberrup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 3170026 | River Rd | River Rd | Woodanilling | 0.00 | Orchard Rd | 7.66 | Onslow Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6040231 | River Rd | River Rd | Esperance | 0.00 | Cascade Rd | 29.83 | Ravensthorpe LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6100080 | River Rd | River Rd | Ravensthorpe | 0.00 | Melaleuca Rd | 3.47 | Esperance LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------------|---------------------------------|---|----------|-----------------------|--------|---|--|
| 2110007 | Riverdale Rd | Riverdale Rd | Harvey | 15.74 | 0.95km From McNeil Rd | 17.86 | Forrest Hwy & Harris Rd | |
| 3100008 | Riverdale Rd | Riverdale Rd | Kojonup | 0.00 | Piesse St & Yates St | 18.94 | Qualeup North Rd | |
| 6090013 | Riverina - Snake Hill Rd | Riverina - Snake Hill Rd | Menzies | 0.00 | Menzies North West Rd | 35.71 | Evanston - Menzies Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1030645 | Rivers St | Rivers St | Cockburn (C) | 0.00 | Wellard St | 0.24 | Rivers St - End Road | |
| 1140362 | Riversdale Rd | Riversdale Rd | Canning (C) | 0.00 | Carney Rd | 0.30 | Riversdale Rd - End Road | |
| 3040056 | Riversdale Rd | Riversdale Rd | Cranbrook | 0.00 | Wingebellup Rd | 6.98 | Kojonup - Frankland Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| H027 | Rivervale Wattle Grove Link | Orrong Rd Welshpool Rd East | Belmont (C) Canning (C) Kalamunda | 2.67 | Cohn St | 10.16 | Tonkin Hwy & Welshpool Rd East | <ul style="list-style-type: none"> Intersection Kew St : No Access Onto Orrong Rd From Kew St |
| 4170031 | Roach Rd | Roach Rd | Narembeen | 0.00 | Coles Boundary Rd | 8.10 | Roach Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5030073 | Roach Rd | Roach Rd | Dalwallinu | 0.00 | Pithara East Rd | 3.74 | Wilgie Hill Rd | |
| 5030129 | Roach St | Roach St | Dalwallinu | 0.01 | Roach St - Start Road | 0.69 | Roach St - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 502Z010 | Road Train Assembly Area Access | Road Train Assembly Area Access | Chittering | 0.00 | Great Northern Hwy | 0.22 | Brand Hwy Rty on to Tonkin Hwy (Southbound) | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|-------------------|--------|--------------------------|--|
| 5130017 | Rob Rd | Rob Rd | Northampton | 0.00 | Chilimony Rd | 12.49 | Swamp Rd & Rob Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5130017 | Rob Rd | Rob Rd | Northampton | 12.49 | Swamp Rd & Rob Rd | 12.73 | Swamp Rd | <ul style="list-style-type: none"> Vehicle not to exceed 20m in total length Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h Operation Only from Oct to Mar Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4140056 | Robartson Rd | Robartson Rd | Merredin | 0.00 | Goldfields Rd | 8.66 | Bruce Rock Merredin Rd | |
| 1030646 | Robb Rd | Robb Rd | Cockburn (C) | 0.00 | Caledonia Loop | 0.66 | McTaggart Cove | |
| 1030646 | Robb Rd | Robb Rd | Cockburn (C) | 0.68 | McTaggart Cove | 1.82 | Rollinson Rd | |
| 4240115 | Robbs L | Robbs L | Quairading | 0.00 | Stones Rd | 4.53 | Quairading - Corrigin Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 1091187 | Robert St | Robert St | Swan (C) | 0.00 | Robinson Rd | 0.06 | Robert St - End Road | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 3180033 | Robert St | Robert St | Jerramungup | 0.00 | Bremer Bay Rd | 0.17 | Barbara St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3050034 | Roberts Rd | Roberts Rd | Denmark | 0.00 | Scotsdale Rd | 3.52 | Glenrowan Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Scotsdale Rd : No left turn permitted into Scotsdale Rd from Roberts Rd. No right turn permitted into Roberts Rd from Scotsdale Rd. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|-----------------------------|--------|---|---|
| 3050034 | Roberts Rd | Roberts Rd | Denmark | 3.52 | Glenrowan Rd | 4.11 | Osborne Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3180063 | Roberts Rd | Roberts Rd | Jerramungup | 0.00 | Marnigarup South Rd | 12.14 | Devils Creek Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4140079 | Roberts Rd | Roberts Rd | Merredin | 0.00 | Nukarni West Rd & Willis Rd | 3.45 | Baird Rd & Roberts Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030238 | Roberts Rd | Roberts Rd | Dalwallinu | 0.00 | Huggett Dr | 0.89 | Great Northern Hwy | |
| 6040448 | Roberts Rd | Roberts Rd | Esperance | 0.00 | Dalyup Rd | 11.94 | Cascade Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 5100088 | Roberts St | Roberts St | Moora | 0.00 | Stack St | 0.88 | Clinch St & Roberts Rd | |
| 6030051 | Roberts St | Roberts St | Dundas | 0.00 | Eyre Hwy | 0.15 | For 0.15 Km to Breakdown Area Access Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|-------------------------|----------|-----------------------------------|--------|--|--|
| 6030051 | Roberts St | Roberts St | Dundas | 1.25 | Sinclair St | 1.39 | For 0.14 Km From Service Station Access to Sinclair St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 7030046 | Roberts St | Roberts St | Meekatharra | 0.00 | Landor - Meekatharra Rd & Main St | 0.48 | Oliver St | |
| H781 | Robertson Dr (Southbound) to Bussell Hwy (Southbound) | Robertson Dr (Southbound) to Bussell Hwy (Southbound) | Bunbury (C) | 0.00 | Robertson Dr | 0.09 | Bussell Hwy | |
| H409 | Robertson Dr Rty | Robertson Dr Rty | Bunbury (C) | 0.00 | Bussell Hwy | 0.20 | Bussell Hwy | |
| 1080076 | Robertson Rd | Robertson Rd | Serpentine - Jarrahdale | 3.29 | Norman Rd | 4.54 | | |
| 3110038 | Robertson Rd | Robertson Rd | Lake Grace | 0.00 | Dunham Rd & Burns Rd | 5.30 | Robertson Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5010027 | Robertson Rd | Robertson Rd | Carnamah | 0.00 | Carnamah - Perenjori Rd | 4.91 | Turner Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5010062 | Robertson St | Robertson St | Carnamah | 0.00 | Bowman St | 0.47 | Lang St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h Deliveries to Landmark Supplies only. Right turn only into Bowman St Intersection Bowman St : No left turn permitted into Bowman St from Robertson St |
| 3160068 | Robins Rd | Robins Rd | West Arthur | 0.00 | Cordering Rd South | 1.29 | Robins Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 8140265 | Robins Rd | Robins Rd | Karratha (C) | 0.00 | De Witt Rd | 1.08 | 0.76km From De Witt Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 1130068 | Robinson Av | Robinson Av | Belmont (C) | 0.00 | Cleaver Tce | 1.28 | Alexander Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|--------------------------------------|--------|---|--|
| 3170001 | Robinson East Rd | Robinson East Rd | Woodanilling | 0.00 | Robinson Rd | 1.68 | Oxley Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3170001 | Robinson East Rd | Robinson East Rd | Woodanilling | 1.76 | Oxley Rd & Katanning - Dumbleyung Rd | 10.84 | Cartmeticup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3170001 | Robinson East Rd | Robinson East Rd | Woodanilling | 10.84 | Cartmeticup Rd | 13.57 | Robinson West Rd & Great Southern Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 0029000 | Robinson Rd | Robinson Rd | Halls Creek | 0.00 | Great Northern Hwy | 0.28 | Robinson Rd - End Road | |
| 1091185 | Robinson Rd | Robinson Rd | Swan (C) | 0.00 | Great Eastern Hwy | 0.72 | Clayton St & Roe Hwy (Northbound) off to Clayton St | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 2110135 | Robinson Rd | Robinson Rd | Harvey | 0.00 | Sandalwood Rd | 2.45 | Robinson Rd - End Road | |
| 3080034 | Robinson Rd | Robinson Rd | Katanning | 0.00 | Robinson East Rd | 5.30 | Kelly Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 3080034 | Robinson Rd | Robinson Rd | Katanning | 5.50 | Kelly Rd | 12.50 | Bibiking South Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 3150087 | Robinson Rd | Robinson Rd | Wagin | 0.00 | Dongolocking Rd | 6.10 | Murdoch Rd | |
| 4030055 | Robinson Rd | Robinson Rd | Bruce Rock | 0.00 | Corrigin - Bruce Rock Rd | 3.17 | Babakin East Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|---------------------------------------|--------|---------------------------------|---|
| 4070017 | Robinson Rd | Robinson Rd | Dowerin | 0.00 | Nambling North Rd | 8.54 | Spark Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4290050 | Robinson Rd | Robinson Rd | Wickepin | 0.00 | Astbury Rd & Lakes Rd | 6.37 | Dwelyerdine Rd & Robinson Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5110028 | Robinson Rd | Robinson Rd | Morawa | 0.00 | Indar Rd | 11.42 | Mullewa Wubin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5150082 | Robinson Rd | Robinson Rd | Three Springs | 0.00 | Sundalara Rd | 9.12 | Bunney Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5180109 | Robinson Rd | Robinson Rd | Wongan - Ballidu | 0.00 | Wongan Hills - Waddington Rd | 2.15 | Robinson Rd - End Road | |
| 7020010 | Robinson St | Robinson St | Cue | 0.24 | Austin St | 0.95 | Beringarra - Cue Rd & Heydon Pl | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3170087 | Robinson West Rd | Robinson West Rd | Woodanilling | 0.00 | Great Southern Hwy & Robinson East Rd | 32.42 | Albany Hwy | <ul style="list-style-type: none"> Intersection Orchard Rd : No access permitted into Orchard Rd from Robinson West Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|--------------------------------------|--------|---|---|
| 3060073 | Robson Rd | Robson Rd | Dumbleyung | 0.00 | Dumbleyung - Nyabing Rd | 3.69 | Datatine North Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3060073 | Robson Rd | Robson Rd | Dumbleyung | 3.69 | Datatine North Rd | 6.15 | Kent LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3090058 | Robson Rd | Robson Rd | Kent | 0.00 | Ward Rd | 2.24 | Dumbleyung LGA Boundary | |
| 4300057 | Roccis Rd | Roccis Rd | Williams | 0.00 | Collie Williams Rd | 3.90 | For 3.90km From Collie Williams Rd to Farm Gate | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 8130365 | Roche Rd | Roche Rd | Port Hedland (T) | 0.00 | Wilson St | 0.29 | Redbank Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3100240 | Roche St | Roche St | Kojonup | 0.00 | Thornbury Cl | 0.13 | Thornbury Cl | |
| 5030244 | Roche St | Roche St | Dalwallinu | 0.00 | Dalwallinu - Kalannie Rd & Busell St | 0.95 | Dodd St & Dowerin - Kalannie Rd & Kalannie - Kulja Rd | |
| 6080049 | Rochester St | Rochester St | Leonora | 0.00 | Tower St & Rochester St (Leonora) | 0.42 | Kurrajong St | |
| 3090115 | Rock Dam Rd | Rock Dam Rd | Kent | 0.00 | Neve Rd | 6.02 | Newdegate - Pingrup Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|-------------------|--------|------------------------|---|
| 6100019 | Rock Hole Rd | Rock Hole Rd | Ravensthorpe | 0.00 | South Coast Hwy | 15.98 | Rawlinson Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 4260038 | Rockdale Rd | Rockdale Rd | Toodyay | 0.00 | Telegraph Rd | 9.82 | Rockdale Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3040017 | Rockwell Rd | Rockwell Rd | Cranbrook | 0.00 | Bridge St | 3.55 | | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|----------------------------|--------|-------------------------------|--|
| 3080089 | Rockwell Rd | Rockwell Rd | Katanning | 0.00 | Warren Rd | 7.23 | Flugge Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Warren Rd : No right turn permitted into Warren Rd from Rockwell Rd Intersection Flugge Rd : No left turn permitted into Flugge Rd from Rockwell Rd |
| 3020061 | Rocky Crossing Rd | Rocky Crossing Rd | Albany (C) | 2.86 | Menang Dr | 5.24 | Willyung Rd & Parker Brook Rd | |
| 3120101 | Rocky Gully Rd | Rocky Gully Rd | Plantagenet | 0.00 | Frankland - Rocky Gully Rd | 17.99 | Randell Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|--------------------------|----------|-------------------|--------|-----------------------------|---|
| 3120101 | Rocky Gully Rd | Rocky Gully Rd | Plantagenet | 17.99 | Randell Rd | 23.08 | Poorarecup Rd & Perillup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Randell Rd : No right turn permitted into Randell Rd from Rocky Gully Rd |
| 2010039 | Rocky Rd | Rocky Rd | Augusta - Margaret River | 0.00 | Bussell Hwy | 6.65 | Brooks Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5010052 | Rocky Spring Rd | Rocky Spring Rd | Carnamah | 0.00 | Rocky Spring Rd | 1.86 | Brand Hwy | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 501Z013 | Rocky Spring Rd | Rocky Spring Rd | Carnamah | 1.91 | Erindoon Rd | 2.25 | Rocky Spring Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|---|----------|---|--------|--|---|
| 3110180 | Rodger Rd | Rodger Rd | Lake Grace | 0.00 | Lake Grace Newdegate Rd | 8.51 | Lake Biddy Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Lancing Rd : No access permitted into Lancing Rd from Rodger Rd |
| 0030126 | Rodgers St | Rodgers St | Derby - West Kimberley | 0.00 | Fitzroy St | 0.83 | Conway St | |
| 4110116 | Rodney Rd | Rodney Rd | Koorda | 0.00 | Koorda - Kulja Rd | 1.53 | Rodney Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 40 km/h |
| H018 | Roe Hwy | Roe Hwy | Cockburn (C) Canning (C) Melville (C) Gosnells (C) Kalamunda Swan (C) Mundaring | 9.76 | Kwinana Fwy (Northbound) to Roe Hwy (Eastbound) & Link From Murdoch Dr to Roe Hwy | 44.61 | Reid Hwy & Great Northern Hwy | |
| H769 | Roe Hwy (Eastbound) off to Karel Av | Roe Hwy (Eastbound) off to Karel Av | Cockburn (C) | 0.00 | Roe Hwy | 0.48 | Karel Av on to Roe Hwy (Eastbound) & Karel Av | |
| H739 | Roe Hwy (Eastbound) off to Nicholson Rd | Roe Hwy (Eastbound) off to Nicholson Rd | Canning (C) | 0.00 | Roe Hwy | 0.42 | Nicholson Rd on to Roe Hwy (Eastbound) & Nicholson Rd | |
| H766 | Roe Hwy (Eastbound) off to South St | Roe Hwy (Eastbound) off to South St | Canning (C) | 0.00 | Roe Hwy | 0.44 | South St on to Roe Hwy (Eastbound) & South St | |
| H752 | Roe Hwy (Eastbound) off to Willeri Dr | Roe Hwy (Eastbound) off to Willeri Dr | Canning (C) | 0.00 | Roe Hwy | 0.27 | Willeri Dr & Willeri Dr on to Roe Hwy (Eastbound) | |
| H275 | Roe Hwy (Northbound) off to Berkshire Rd | Roe Hwy (Northbound) off to Berkshire Rd | Kalamunda | 0.00 | Roe Hwy | 0.76 | Berkshire Rd & Berkshire Rd on to Roe Hwy (Northbound) | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|------------------|----------|--|--------|--|------------|
| H578 | Roe Hwy (Northbound) off to Clayton St | Roe Hwy (Northbound) off to Clayton St | Swan (C) | 0.00 | Roe Hwy | 0.37 | Clayton St & Robinson Rd | |
| H836 | Roe Hwy (Northbound) off to GEH (Eastbound) | Roe Hwy (Northbound) off to GEH (Eastbound) | Mundaring | 0.00 | Roe Hwy | 0.44 | Great Eastern Hwy | |
| H835 | Roe Hwy (Northbound) off to GEH (Westbound) | Roe Hwy (Northbound) off to GEH (Westbound) | Swan (C) | 0.00 | Roe Hwy | 0.37 | Great Eastern Hwy & GEH on to Roe Hwy Nth Bnd | |
| H735 | Roe Hwy (Northbound) off to Kenwick Link | Roe Hwy (Northbound) off to Kenwick Link | Gosnells (C) | 0.00 | Roe Hwy | 0.30 | Kenwick Link & Kenwick Link on to Roe Hwy (Northbound) | |
| H636 | Roe Hwy (Northbound) off to Orrong Rd & Welshpool Rd East | Roe Hwy (Northbound) off to Orrong Rd & Welshpool Rd East | Canning (C) | 0.00 | Roe Hwy | 0.30 | Welshpool Rd East & Orrong Rd & Orrong Rd & Welshpool Rd East on to Roe Hwy (Northbound) | |
| H353 | Roe Hwy (Northbound) off to Tonkin Hwy (Westbound) | Roe Hwy (Northbound) off to Tonkin Hwy (Westbound) | Kalamunda | 0.00 | Roe Hwy | 0.38 | Tonkin Hwy | |
| H278 | Roe Hwy (Southbound) off to Berkshire Rd | Roe Hwy (Southbound) off to Berkshire Rd | Kalamunda | 0.00 | Roe Hwy | 0.41 | Berkshire Rd & Berkshire Rd (Westbound) on to Roe Hwy (Southbound) | |
| H839 | Roe Hwy (Southbound) off to GEH | Roe Hwy (Southbound) off to GEH | Mundaring | 0.00 | Roe Hwy | 0.47 | GEH (Eastbound) on to Roe Hwy (Southbound) & Great Eastern Hwy | |
| H733 | Roe Hwy (Southbound) off to Kenwick Link | Roe Hwy (Southbound) off to Kenwick Link | Gosnells (C) | 0.00 | Roe Hwy | 0.32 | Kenwick Link & Kenwick Link on to Roe Hwy (Southbound) | |
| H257 | Roe Hwy (Southbound) off to Tonkin Hwy (Eastbound) | Roe Hwy (Southbound) off to Tonkin Hwy (Eastbound) | Kalamunda | 0.00 | Roe Hwy | 0.98 | Tonkin Hwy | |
| H634 | Roe Hwy (Southbound) off to Welshpool Rd East & Orrong Rd | Roe Hwy (Southbound) off to Welshpool Rd East & Orrong Rd | Canning (C) | 0.00 | Roe Hwy | 0.37 | Welshpool Rd East & Orrong Rd on to Roe Hwy (Southbound) & Welshpool Rd East | |
| H767 | Roe Hwy (Westbound) off to Karel Av | Roe Hwy (Westbound) off to Karel Av | Cockburn (C) | 0.00 | Roe Hwy | 0.57 | Karel Av on to Roe Hwy (Westbound) & Karel Av | |
| H737 | Roe Hwy (Westbound) off to Nicholson Rd | Roe Hwy (Westbound) off to Nicholson Rd | Gosnells (C) | 0.00 | Roe Hwy | 0.34 | Nicholson Rd on to Roe Hwy (Westbound) & Nicholson Rd | |
| H754 | Roe Hwy (Westbound) off to South St | Roe Hwy (Westbound) off to South St | Canning (C) | 0.00 | Roe Hwy | 0.54 | South St & South St on to Roe Hwy (Westbound) | |
| H750 | Roe Hwy (Westbound) off to Willeri Dr | Roe Hwy (Westbound) off to Willeri Dr | Canning (C) | 0.00 | Roe Hwy | 0.34 | Willeri Dr on to Roe Hwy (Westbound) & Willeri Dr | |
| H774 | Roe Hwy (Westbound) to Kwinana Fwy (Northbound) | Roe Hwy (Westbound) to Kwinana Fwy (Northbound) | Cockburn (C) | 0.00 | Roe Hwy | 0.55 | Kwinana Fwy | |
| H771 | Roe Hwy (Westbound) to Kwinana Fwy (Southbound) | Roe Hwy (Westbound) to Kwinana Fwy (Southbound) | Cockburn (C) | 0.00 | Roe Hwy | 0.61 | Kwinana Fwy | |
| H640 | Roe Hwy on to Tonkin Hwy (Westbound) | Roe Hwy on to Tonkin Hwy (Westbound) | Kalamunda | 0.00 | Roe Hwy & Tonkin Hwy (Northbound) off to Roe Hwy | 0.12 | Roe Hwy (Northbound) off to Tonkin Hwy (Westbound) | |
| 4100053 | Roe Rd | Roe Rd | Kondinin | 0.00 | Narembreen LGA Boundary | 23.00 | Notting - Karlgarin Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|--------------------------|--------------------------|----------|-----------------------------------|--------|-------------------------------------|---|
| 4170080 | Roe Rd | Roe Rd | Narembreen | 0.00 | Hyden North Rd | 10.33 | Kondinin LGA Boundary | |
| 5170043 | Roe Rd | Roe Rd | Victoria Plains | 0.00 | Toodyay - Bindi Bindi Rd | 3.92 | Skilling Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2030170 | Roe St | Roe St | Bridgetown - Greenbushes | 0.00 | Vialls Gr & Stephens St | 1.03 | Steere St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 8140487 | Roebourne - Wittenoom Rd | Roebourne - Wittenoom Rd | Karratha (C) | 0.00 | North West Coastal Hwy | 51.16 | Ashburton Lga Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4170082 | Roger Rd | Roger Rd | Narembreen | 0.00 | South Kumminin East Rd | 7.41 | Hunter Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6110141 | Rogers North Rd | Rogers North Rd | Yilgarn | 0.00 | Koolyanobbing - Southern Cross Rd | 6.37 | Corinthia East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2180096 | Rogers Rd | Rogers Rd | Boyup Brook | 0.00 | Boyup Brook North Rd | 2.25 | To 2.25km From Boyup Brook North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|-------------------------------|--------|------------------------|---|
| 4040085 | Rogers Rd | Rogers Rd | Corrigin | 0.00 | Gnerkadilling Rd | 6.90 | Corrigin Kondinin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1070422 | Rogers St | Rogers St | Rockingham (C) | 0.00 | Morgan St | 0.12 | Dixon Rd | |
| 6040416 | Rogers St | Rogers St | Esperance | 0.00 | Hill St | 0.41 | Gilpin St | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 6040560 | Rogers St | Rogers St | Esperance | 0.00 | Lewis St | 0.35 | Mann St | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 1101667 | Rogers Wy | Rogers Wy | Wanneroo (C) | 0.00 | Mosey St | 0.70 | Rimmer Rd | |
| 2180141 | Roland Rd | Roland Rd | Boyup Brook | 0.00 | Parsons Swamp Rd | 1.70 | Roland Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3100119 | Roley Rd | Roley Rd | Kojonup | 0.00 | Tenner Rd | 4.99 | Tone Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h |
| 5030122 | Rolinson Rd | Rolinson Rd | Dalwallinu | 0.00 | Lang Rd | 11.51 | Kalannie - Kulja Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 1050263 | Rollings Cr | Rollings Cr | Kwinana (C) | 0.00 | Yeates Rd | 0.39 | Yeates Rd | |
| 1030664 | Rollinson Rd | Rollinson Rd | Cockburn (C) | 0.00 | Cockburn Rd | 0.69 | Westrail Entry | |
| 6040240 | Rollond Rd | Rollond Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 83.45 | Cascade Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 1190009 | Rome Rd | Rome Rd | Melville (C) | 1.51 | Thurso Rd | 1.67 | Leach Hwy | |
| 3040020 | Ronaldshaw Rd | Ronaldshaw Rd | Cranbrook | 0.00 | Salt River Rd & Sukey Hill Rd | 5.44 | Gillam St & Trimmer St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|--------------------------|----------|-------------------------|--------|------------------------------|--|
| 1180180 | Roper St | Roper St | Fremantle (C) | 0.00 | Ladner St | 0.37 | Keegan St | |
| 2010045 | Rosa Brook Rd | Rosa Brook Rd | Augusta - Margaret River | 0.00 | Perimeter Rd | 19.35 | Mowen Rd & Great West Rd (F) | <ul style="list-style-type: none"> No operation on Sundays and Public Holidays |
| 2010044 | Rosa Glen Rd | Rosa Glen Rd | Augusta - Margaret River | 0.00 | Rosa Brook Rd | 14.97 | Warner Glen Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2110453 | Rosamel Rd | Rosamel Rd | Harvey | 0.00 | Rosamel Rd - Start Road | 1.77 | Arber Rd | |
| 1031452 | Roscoe St | Roscoe St | Cockburn (C) | 0.00 | Success Wy | 0.20 | Jessie Lee St | |
| 5130024 | Rose Hill Rd | Rose Hill Rd | Northampton | 0.00 | Suckling Rd | 3.92 | Mitchell Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2110100 | Rose Rd | Rose Rd | Harvey | 0.00 | Talbot Rd | 0.40 | Rose Rd - End Road | |
| 3110160 | Rose Rd | Rose Rd | Lake Grace | 0.00 | Finlay Rd | 2.33 | Rose Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). |
| 4120093 | Rose Rd | Rose Rd | Kulin | 0.00 | Kulin Lake Grace Rd | 9.07 | Haese Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4290052 | Rose Rd | Rose Rd | Wickepin | 0.00 | Inkiepinkie Rd | 4.10 | Leeson Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 4290052 | Rose Rd | Rose Rd | Wickepin | 4.10 | Leeson Rd | 7.37 | Williams Kondinin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6110032 | Rose Rd | Rose Rd | Yilgarn | 0.00 | Eifler Rd | 14.00 | Nulla Nulla South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 6110032 | Rose Rd | Rose Rd | Yilgarn | 14.00 | Nulla Nulla South Rd | 24.40 | Dulyalbin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|--------------------------|----------|------------------------|--------|------------------------|---|
| 2030169 | Rose St | Rose St | Bridgetown - Greenbushes | 0.00 | Steere St | 0.29 | Rose St - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 5010015 | Rose Thomson Rd | Rose Thomson Rd | Carnamah | 0.00 | Carnamah - Eneabba Rd | 14.60 | Coorow LGA Boundary | |
| 5190034 | Rose Thomson Rd | Rose Thomson Rd | Coorow | 0.00 | Coorow - Green Head Rd | 14.45 | Carnamah LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. No Operation from May to Oct |
| 3100047 | Rosedale Rd | Rosedale Rd | Kojonup | 0.00 | Albany Hwy | 6.52 | Pearce Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3100047 | Rosedale Rd | Rosedale Rd | Kojonup | 6.52 | Pearce Rd | 12.40 | Dujemerrup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4180274 | Rosedale Rd | Rosedale Rd | Narrogin | 0.00 | Clayton Rd | 6.87 | Congelin - Narrogin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3090114 | Rosenburg Rd | Rosenburg Rd | Kent | 0.00 | Day Rd | 5.18 | Newdegate - Pingrup Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|---------------------------|--------|--------------------|---|
| 3100095 | Roseneath Rd | Roseneath Rd | Kojonup | 0.00 | Boscabel - Chittinup Rd | 2.72 | Harrison Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4020022 | Roses Rd | Roses Rd | Brookton | 0.00 | McGrath Rd & Youraling Rd | 5.36 | Corberding Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4010188 | Rosewood Dr | Rosewood Dr | Beverley | 0.00 | Beringer Rd | 4.36 | Ewert Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4110070 | Ross Rd | Ross Rd | Koorda | 0.00 | Wyalkatchem - Koorda Rd | 2.70 | Ross Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|----------------------------|--------|---|--|
| 4310026 | Ross Rd | Ross Rd | Wyalkatchem | 0.00 | Cunderdin - Wyalkatchem Rd | 5.43 | Davies South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3080143 | Rosselloty Rd | Rosselloty Rd | Katanning | 0.00 | Gibney Rd | 1.20 | McKenzie Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4010156 | Rossi Rd | Rossi Rd | Beverley | 0.00 | Jones Rd | 1.09 | Rossi Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h No Operation between the hours of sunset and sunrise Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2040307 | Rossiter St | Rossiter St | Bunbury (C) | 0.00 | South Western Hwy | 0.11 | Rossiter St - End Road | |
| 4080017 | Rossmore Rd | Rossmore Rd | Goomalling | 0.00 | Northam Pithara Rd | 10.06 | Long Forrest Rd & Goomalling Toodyay Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h No Operation between 7:00 AM to 9:00 AM and 2:30 PM to 4:00 PM Curfew applies to school days only. |
| 5150026 | Rothsay Rd | Rothsay Rd | Three Springs | 0.00 | Dudawa Rd | 0.88 | Malry Rd | |
| 5150026 | Rothsay Rd | Rothsay Rd | Three Springs | 2.01 | Lynch Rd | 2.05 | Sunset Rd & Midlands Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------------|-----------------------------|------------------------|----------|------------------------------------|--------|-----------------------------------|--|
| 1060180 | Rothschild Pl | Rothschild Pl | Mundaring | 0.00 | Farrall Rd | 0.46 | Rothschild Pl - End Road | <ul style="list-style-type: none"> Intersection Farrall Rd : No access permitted into Farrall Rd from Rothschild Pl |
| 5100041 | Round Hill Rd | Round Hill Rd | Moora | 0.00 | Cranmore Rd | 7.51 | Moora - Miling Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Moora - Miling Rd : No right turn permitted into Moora Miling Rd from Round Hill Rd |
| 3100038 | Round Pool Rd | Round Pool Rd | Kojonup | 0.00 | Riverdale Rd | 10.78 | Magini Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3020383 | Roundhay St | Roundhay St | Albany (C) | 0.00 | Menang Dr | 0.50 | | |
| 118Z050 | Rous Head Rd | Rous Head Rd | Fremantle (C) | 0.00 | Rous Head Rd (Fpa) & Emma Pl (Fpa) | 0.90 | Port Beach Rd (Fpa) | |
| 118Z042 | Rous Head Rd Svc (Fpa) | Rous Head Rd Svc (Fpa) | Fremantle (C) | 0.00 | Rous Head Rd | 0.21 | Rous Head Rd Svc (Fpa) - End Road | |
| 118Z043 | Rous Head Rd Svc Slip (Fpa) | Rous Head Rd Svc Slip (Fpa) | Fremantle (C) | 0.00 | Rous Head Rd | 0.05 | Rous Head Rd Svc (Fpa) | |
| 2120618 | Rouse Rd | Rouse Rd | Mandurah (C) | 0.00 | Mandurah Rd | 0.53 | Carleton Pl & Thornborough Rd | |
| 1100264 | Rousset Rd | Rousset Rd | Wanneroo (C) | 0.00 | Caporn St & Franklin Rd | 1.17 | Townsend Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Caporn St & Franklin Rd : No right turn permitted into Caporn St from Rousset Rd |
| 1100264 | Rousset Rd | Rousset Rd | Wanneroo (C) | 1.17 | Townsend Rd | 3.09 | Rousset Rd - End Road | |
| 5130253 | Routledge Rd | Routledge Rd | Northampton | 0.00 | Ruddaway Rd & Teakle Rd | 1.95 | Routledge Rd - End Road | |
| 3070064 | Routs Rd | Routs Rd | Gnowangerup | 0.00 | Chester Pass Rd | 3.08 | Routs Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 0030037 | Rowan St | Rowan St | Derby - West Kimberley | 0.00 | Elder St & Johnston St | 0.55 | Nevill St | |
| 5140079 | Rowe Rd | Rowe Rd | Perenjori | 0.00 | Watson Rd | 7.96 | Taylor Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|------------------|----------|---|--------|---------------------------|--|
| 1091723 | Rowe St | Rowe St | Swan (C) | 0.00 | Camboon Rd | 0.28 | Harlond Av | |
| 7010035 | Rowe St | Rowe St | Sandstone | 0.00 | Griffith St | 0.27 | Payne St | |
| 3150021 | Rowells Rd | Rowells Rd | Wagin | 0.00 | Behn Ord Rd | 12.87 | Dongolocking Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5040007 | Rowes Rd | Rowes Rd | Dandaragan | 0.00 | Dandaragan Rd | 41.46 | Dandaragan Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Dandaragan Rd : No access permitted into Dandaragan Rd from Rowes Rd |
| 5010013 | Rowland Rd | Rowland Rd | Carnamah | 0.00 | Bunjil - Carnamah Rd | 9.12 | Winchester East Rd | |
| 2070199 | Rowlands Rd | Rowlands Rd | Collie | 0.00 | Patstone Rd | 0.60 | Collins St | |
| 4080047 | Rowles Rd | Rowles Rd | Goomalling | 0.00 | Beecroft Rd | 11.00 | Rowles Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h |
| 1030019 | Rowley Rd | Rowley Rd | Cockburn (C) | 0.00 | Frankland Av | 2.48 | Satinover Wy & Rowley Rd | |
| 1050205 | Rowley Rd | Rowley Rd | Kwinana (C) | 0.00 | Rowley Rd & Satinover Wy | 2.37 | Rowley Rd West & Wolfe Rd | |
| 1011166 | Rowley Rd West | Rowley Rd West | Armada (C) | 0.00 | Nicholson Rd | 2.25 | Rowley Rd & Wolfe Rd | |
| H697 | Rowley Rd on to Kwinana Fwy (Northbound) | Rowley Rd on to Kwinana Fwy (Northbound) | Cockburn (C) | 0.00 | Rowley Rd & Kwinana Fwy (Northbound) off to Rowley Rd | 0.27 | Kwinana Fwy | |
| H695 | Rowley Rd on to Kwinana Fwy (Southbound) | Rowley Rd on to Kwinana Fwy (Southbound) | Kwinana (C) | 0.00 | Kwinana Fwy (Southbound) off to Rowley Rd & Rowley Rd | 0.35 | Kwinana Fwy | |
| 2050021 | Roy Rd | Roy Rd | Busselton (C) | 0.00 | North Jindong Rd | 3.13 | Bussell Hwy | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4030089 | Roy Rd | Roy Rd | Bruce Rock | 0.00 | Shackleton - Bilbarin Rd | 1.95 | Roy Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|-----------------------|----------|-----------------------|--------|--------------------------------|---|
| 2050006 | Ruabon Rd | Ruabon Rd | Busselton (C) | 2.83 | 0.64km After Teale Rd | 4.56 | Bussell Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5110084 | Rubbish Tip Rd | Rubbish Tip Rd | Morawa | 0.00 | McGlew St | 1.66 | Jones Lake Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 118Z051 | Rudderham Dr | Rudderham Dr | Fremantle (C) | 0.00 | Birksgate Rd | 0.72 | Rudderham Dr (Fpa) - End Road | |
| 5051012 | Rudds Gully Rd | Rudds Gully Rd | Greater Geraldton (C) | 0.00 | Brand Hwy | 5.81 | Edward Rd | |
| 4010186 | Rumble Rd | Rumble Rd | Beverley | 0.00 | Sheahan Rd | 1.89 | Rumble Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2110242 | Runnymede Rd | Runnymede Rd | Harvey | 0.00 | Wellesley Rd North | 1.50 | 1.5km After Wellesley Rd North | |
| 1060018 | Runyon Rd | Runyon Rd | Mundaring | 0.00 | Farrall Rd | 0.34 | Meliador Wy | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|--------------------------|----------|-------------------------------------|--------|---|--|
| 4180206 | Rushy Pool Rd | Rushy Pool Rd | Narrogin | 0.00 | Narrogin Valley Rd & Pethybridge Rd | 4.17 | 4.17km From Pethybridge Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 0030124 | Russ St | Russ St | Derby - West Kimberley | 0.00 | Derby Hwy | 0.65 | Rodgers St | |
| 1030011 | Russell Rd | Russell Rd | Cockburn (C) | 0.00 | Rockingham Rd | 7.05 | Gibbs Rd & Russell Rd on to Kwinana Fwy (Southbound) & Kwinana Fwy (Southbound) off to Russell Rd | |
| 2030293 | Russell Rd | Russell Rd | Bridgetown - Greenbushes | 0.00 | Huitson Rd | 1.69 | Lga Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Huitson Rd : No right turn permitted into Huitson Rd from Russell Rd |
| 3040115 | Russell Rd | Russell Rd | Cranbrook | 0.00 | Wingebellup Rd | 1.71 | Karinya Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). 'Trucks Entering' signs to be erected and removed when not in use. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|-------------------|----------|--|--------|--------------------------|--|
| 4290045 | Russell Rd | Russell Rd | Wickepin | 0.00 | Wickepin - Pingelly Rd | 12.65 | Wickepin - Corrigin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Yarling Brook Rd : No access permitted into Yarling Brook Rd from Russell Rd |
| H693 | Russell Rd on to Kwinana Fwy (Northbound) | Russell Rd on to Kwinana Fwy (Northbound) | Cockburn (C) | 0.00 | Kwinana Fwy (Northbound) off to Russell Rd & Russell Rd | 0.59 | Kwinana Fwy | |
| H691 | Russell Rd on to Kwinana Fwy (Southbound) | Russell Rd on to Kwinana Fwy (Southbound) | Cockburn (C) | 0.00 | Kwinana Fwy (Southbound) off to Russell Rd & Russell Rd & Gibbs Rd | 0.61 | Kwinana Fwy | |
| 5140129 | Russell St | Russell St | Perenjori | 0.00 | Crossing Rd | 0.72 | North Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 3020125 | Rutherford Rd | Rutherford Rd | Albany (C) | 0.00 | South Coast Hwy | 3.80 | Lower Denmark Rd | |
| 3160066 | Rutherford Rd | Rutherford Rd | West Arthur | 0.00 | Darkan Rd & O'Connell Rd | 3.60 | Quill Rd | |
| 4030057 | Rutherfords Rd | Rutherfords Rd | Bruce Rock | 0.00 | Cumminin Rd | 2.71 | Rutherford Rd - End Road | |
| 1290241 | Rutland Av (Sth) | Rutland Av (Sth) | Victoria Park (T) | 0.00 | Rutland Av - North Side | 0.46 | Cohn St | |
| 1140013 | Rutland Av - North Side | Rutland Av - North Side | Canning (C) | 0.00 | Welshpool Rd | 0.27 | Rutland Av (Sth) | |
| 1090045 | Rutland Rd | Rutland Rd | Swan (C) | 0.00 | Great Northern Hwy | 1.99 | Muchea South Rd | |
| 4140285 | Rutter St | Rutter St | Merredin | 0.00 | Great Eastern Hwy | 0.05 | Marley Cl | |
| 4090112 | Ryan Rd | Ryan Rd | Kellerberrin | 0.00 | McQueen Rd & Nanyanine Rd | 5.36 | Wyalkatchem LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4230063 | Ryan Rd | Ryan Rd | Pingelly | 0.00 | North Wandering Rd | 2.54 | Kerr Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|--------------------------|----------|----------------------------------|--------|---------------------------|--|
| 4310045 | Ryan Rd | Ryan Rd | Wyalkatchem | 0.00 | Perks - O'Meara Rd & Tilbrook Rd | 6.54 | Kellerberrin LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3090049 | Ryans Rd | Ryans Rd | Kent | 0.00 | Ryans Rd - Start Road | 28.89 | Newdegate - Pingrup Rd | |
| 4130034 | Ryans Rd | Ryans Rd | Trayning | 0.00 | Doodlakine - Kununoppin Rd | 9.15 | Baandee North Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 1040148 | Ryelane St | Ryelane St | Gosnells (C) | 0.00 | Kelvin Rd | 0.60 | Marion Rd | |
| 201Z085 | Sabina Rd | Sabina Rd | Augusta - Margaret River | 0.00 | Canebrake Rd (F) | 11.08 | Sabina Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 205Z035 | Sabina Rd | Sabina Rd | Busselton (C) | 14.97 | Sues Rd | 15.28 | Sabina Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4150068 | Sachse East West Rd | Sachse East West Rd | Mount Marshall | 0.00 | Bencubbin - Beacon Rd | 2.30 | Sachse North South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|------------------|----------|--|--------|---|---|
| 4150067 | Sachse North South Rd | Sachse North South Rd | Mount Marshall | 0.00 | Bencubbin - Beacon Rd & Perry Rd | 8.08 | Gillett Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4130033 | Sachse Rd | Sachse Rd | Trayning | 0.00 | Doodlakine - Kununoppin Rd | 6.77 | Purdy Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4080045 | Sadler Rd | Sadler Rd | Goomalling | 0.00 | Goomalling - Meckering Rd | 11.71 | Hagboom South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h No Operation between 7:00 AM to 9:00 AM and 2:30 PM to 4:00 PM CURFEW APPLIES ON SCHOOL DAYS ONLY. |
| 5180187 | Sadler Rd | Sadler Rd | Wongan - Ballidu | 0.00 | Ninan St | 0.95 | Sadler Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1070003 | Safety Bay Rd | Safety Bay Rd | Rockingham (C) | 15.56 | Kwinana Fwy (Northbound) off to Safety Bay Rd & Safety Bay Rd on to Kwinana Fwy (Northbound) | 15.70 | Folly Rd & Safety Bay Rd on to Kwinana Fwy (Southbound) & Kwinana Fwy (Southbound) off to Safety Bay Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| H812 | Safety Bay Rd on to Kwinana Fwy (Northbound) | Safety Bay Rd on to Kwinana Fwy (Northbound) | Rockingham (C) | 0.00 | Safety Bay Rd & Kwinana Fwy (Northbound) off to Safety Bay Rd | 0.37 | Kwinana Fwy | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|------------------|----------|--|--------|--------------------------------|---|
| H810 | Safety Bay Rd on to Kwinana Fwy (Southbound) | Safety Bay Rd on to Kwinana Fwy (Southbound) | Rockingham (C) | 0.00 | Safety Bay Rd & Kwinana Fwy (Southbound) off to Safety Bay Rd & Folly Rd | 0.39 | Kwinana Fwy | |
| 1180078 | Sainsbury Rd | Sainsbury Rd | Fremantle (C) | 0.00 | Carrington St | 1.32 | Stock Rd | |
| 4220033 | Sainsbury Rd | Sainsbury Rd | Nungarin | 0.00 | Elabbin East Rd | 11.78 | Williams Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4180063 | Sale St | Sale St | Narrogin | 0.00 | Federal St | 0.15 | Earl St North | |
| 6040541 | Salmon Gums East Rd | Salmon Gums East Rd | Esperance | 0.00 | Nulsen St & Moore St & Sunrise Hill Rd | 11.23 | Hobby Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6040541 | Salmon Gums East Rd | Salmon Gums East Rd | Esperance | 11.28 | Hobby Rd | 13.80 | 2.57 Km Past Hobby Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040542 | Salmon Gums West Rd | Salmon Gums West Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 19.79 | Salmon Gums West Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 1030492 | Salpietro St | Salpietro St | Cockburn (C) | 0.00 | Barrington St & Dobra Rd | 0.63 | Salpietro St - End Road | |
| 3040003 | Salt River Rd | Salt River Rd | Cranbrook | 0.00 | Climie St & Cranbrook - Frankland East Rd | 42.82 | Gnowangerup LGA Boundary | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3070016 | Salt River Rd | Salt River Rd | Gnowangerup | 0.00 | Cranbrook LGA Boundary | 8.50 | Formby Rd South | |
| 3070016 | Salt River Rd | Salt River Rd | Gnowangerup | 8.51 | Formby Rd South | 20.73 | Chester Pass Rd & Smith Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4260014 | Salt Valley Rd | Salt Valley Rd | Toodyay | 0.00 | Fernie Rd | 12.14 | Toodyay Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h |
| 5180206 | Salvare Rd | Salvare Rd | Wongan - Ballidu | 0.00 | Manmanning Rd | 7.22 | Wongan - Koorda Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|----------------------|--------|----------------------------|--|
| 2070287 | Salvation Rd | Salvation Rd | Collie | 0.00 | Collie Williams Rd | 0.36 | Salvation - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6040061 | Sampson Rd | Sampson Rd | Esperance | 0.00 | Napier Rd | 2.86 | Gibson - Dalyup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 3100021 | Samson Rd | Samson Rd | Kojonup | 0.00 | Albany Hwy | 15.06 | Jingalup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. See Low Volume Condition Type A in the Operating Conditions Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Albany Hwy : No left turn permitted into Albany Hwy from Samson Rd. |
| 8030245 | Sanctuary Rd | Sanctuary Rd | Carnarvon | 0.00 | Coral Bay Rd | 1.39 | Sanctuary Rd - End Road | |
| 3170024 | Sand Plain Rd | Sand Plain Rd | Woodanilling | 0.00 | Ball Rd | 5.14 | Sandplain Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2110018 | Sandalwood Rd | Sandalwood Rd | Harvey | 0.00 | South Western Hwy | 10.15 | Martin Rd | |
| 2110018 | Sandalwood Rd | Sandalwood Rd | Harvey | 10.15 | Martin Rd | 13.40 | Big Tree Rd | <ul style="list-style-type: none"> Empty travel only |
| 2180052 | Sandalwood Rd | Sandalwood Rd | Boyup Brook | 0.00 | Boyup Brook North Rd | 4.40 | Craigie Rd & Sandalwood Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|-------------------------------------|--------|-------------------------------|--|
| 3020023 | Sandalwood Rd | Sandalwood Rd | Albany (C) | 0.00 | South Coast Hwy | 18.02 | Sandalwood Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3070110 | Sandalwood Rd | Sandalwood Rd | Gnowangerup | 0.00 | Chester Pass Rd | 28.36 | Borden - Bremer Bay Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3160026 | Sandalwood Rd | Sandalwood Rd | West Arthur | 0.00 | Craigie Rd & Sandalwood Rd | 10.13 | Trigwell Bridge Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4030168 | Sandalwood Rd | Sandalwood Rd | Bruce Rock | 0.00 | Bruce Rock East Rd | 0.69 | Sandalwood Rd - End Road | |
| 5070292 | Sandalwood Rd | Sandalwood Rd | Gingin | 0.00 | Tuart Rise | 1.67 | Sandalwood Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3120083 | Sanders Rd | Sanders Rd | Plantagenet | 0.00 | Carbarup Rd | 8.69 | Kirkwood Rd & Red Gum Pass Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Pellew Rd : No access permitted into Pellew Rd from Sanders Rd |
| 4070046 | Sanders Rd | Sanders Rd | Dowerin | 0.00 | Nambling Rd & Berring - Nambling Rd | 0.67 | Nambling South Rd | |
| 4070046 | Sanders Rd | Sanders Rd | Dowerin | 0.67 | Nambling South Rd | 7.19 | Dowerin - Meckering Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|-----------------------|----------|--------------------------|--------|---------------------|---|
| 5030066 | Sanders Rd | Sanders Rd | Dalwallinu | 0.00 | Wubin - Gunyidi Rd | 10.89 | Bell Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5030014 | Sanderson Rd | Sanderson Rd | Dalwallinu | 0.00 | Dalwallinu - Kalannie Rd | 14.67 | Lehmann Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5030014 | Sanderson Rd | Sanderson Rd | Dalwallinu | 14.67 | Lehmann Rd | 34.68 | Leeson Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030014 | Sanderson Rd | Sanderson Rd | Dalwallinu | 34.68 | Leeson Rd | 56.96 | Great Northern Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5030138 | Sanderson Tce | Sanderson Tce | Dalwallinu | 0.00 | Goodlands Rd | 1.90 | Kalannie - Kulja Rd | |
| 8130067 | Sandhill St | Sandhill St | Port Hedland (T) | 0.00 | Trig St | 0.46 | Moorambine St | |
| 2170019 | Sandhills Rd | Sandhills Rd | Donnybrook - Balingup | 0.00 | Donnybrook Kojonup Rd | 6.20 | Brookhampton Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4110024 | Sandphire Rd | Sandphire Rd | Koorda | 0.00 | Burakin - Wialki Rd | 12.70 | Scotsman Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Scotsman Rd : No access to Scotsman Rd from Samphire Rd |
| 5040151 | Sandpiper St | Sandpiper St | Dandaragan | 0.00 | Doust St | 0.08 | Murray St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|-------------------|----------|--------------------------|--------|-------------------------------------|--|
| 3060056 | Sandplain Rd | Sandplain Rd | Dumbleyung | 0.00 | Bibiking Rd | 4.35 | Sand Plain Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4240038 | Sandplain Rd | Sandplain Rd | Quairading | 0.00 | Bruce Rock Quairading Rd | 2.96 | Old Yoting Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5170002 | Sandplain Rd | Sandplain Rd | Victoria Plains | 0.00 | Duggan Rd | 5.37 | Wongan Hills - Waddington Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1290219 | Sandra Pl | Sandra Pl | Victoria Park (T) | 0.00 | Harris St | 0.21 | Sandra Pl - End Road | |
| 2040356 | Sandridge Rd | Sandridge Rd | Bunbury (C) | 1.15 | Pennant Rd | 1.85 | Eelup Rty | |
| 7010005 | Sandstone - Wiluna Rd | Sandstone - Wiluna Rd | Sandstone | 0.00 | Mt Magnet Sandstone Rd | 90.52 | Wiluna Lga Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 7060002 | Sandstone - Wiluna Rd | Sandstone - Wiluna Rd | Wiluna | 0.00 | Goldfields Hwy | 26.89 | Joyner's Find Gold / Iron Access Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 70 km/h No operation after significant rainfall resulting in pooling of water or flowing of water across the road. Road damage must be immediately reported to Wiluna Fe Pty Ltd. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|--------------------------|----------|---------------------------|--------|--|--|
| 5040127 | Sandy Cape Rd | Sandy Cape Rd | Dandaragan | 0.00 | Indian Ocean Dr | 5.40 | For 5.40 Km to Jurien Lime Sands Access Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). RAVs in the mines / pits must remain until the road is clear. Operating amber flashing warning light to be visible |
| 5130052 | Sandy Gully Rd | Sandy Gully Rd | Northampton | 0.00 | Port Gregory Rd | 4.16 | | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5070007 | Sappers Rd | Sappers Rd | Gingin | 0.00 | Mimegarra Rd & Cowalla Rd | 13.00 | Nilgen Rd | |
| 3100125 | Sargent Rd | Sargent Rd | Kojonup | 0.00 | Qualeup North Rd | 2.77 | Kulikup Rd | <ul style="list-style-type: none"> Maximum speed 70 km/h |
| 6040554 | Sassella Rd | Sassella Rd | Esperance | 0.00 | Salmon Gums East Rd | 3.68 | Osborne Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040554 | Sassella Rd | Sassella Rd | Esperance | 3.73 | Osborne Rd | 13.89 | Circle Valley Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4300064 | Sattler Rd | Sattler Rd | Williams | 0.00 | Sattler Rd - Start Road | 1.92 | Dardadine Rd | |
| 4300064 | Sattler Rd | Sattler Rd | Williams | 2.22 | Dardadine Rd | 5.42 | Hurley Rd | |
| 2010063 | Saunders Rd | Saunders Rd | Augusta - Margaret River | 0.00 | North Treeton Rd | 0.51 | For 520m From North Treeton Rd to Abattoir Access Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|--------------------------|----------|---------------------------|--------|-----------------------------|--|
| 4180293 | Saunders Rd | Saunders Rd | Narrogin | 0.00 | Manaring Rd | 6.66 | Graham Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4250052 | Saunders Rd | Saunders Rd | Tammin | 0.00 | Goldfields Rd | 3.80 | Saunders Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6040068 | Savage Rd | Savage Rd | Esperance | 0.00 | Fisheries Rd | 24.92 | E.L.D. Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 7030044 | Savage St | Savage St | Meekatharra | 0.37 | Main St | 0.92 | Railway St | |
| 2030118 | Savages Creek Rd | Savages Creek Rd | Bridgetown - Greenbushes | 0.00 | Slades Rd | 0.86 | Savages Creek Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1070950 | Savery Wy | Savery Wy | Rockingham (C) | 0.00 | Crompton Rd | 0.53 | Crompton Rd | |
| 1290256 | Savill Pl | Savill Pl | Victoria Park (T) | 0.00 | Cohn St | 0.09 | Savill Pl - End Road | |
| 6110170 | Savodeli Rd | Savodeli Rd | Yilgarn | 0.00 | Glendower Rd | 0.40 | Blair Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4080052 | Sawyer Rd | Sawyer Rd | Goomalling | 0.00 | Botherling East Rd | 2.90 | Sawyer Rd - End Road | <ul style="list-style-type: none"> Maximum speed 70 km/h |
| 1050268 | Sayer Rd | Sayer Rd | Kwinana (C) | 1.01 | 0.07km From Mandogalup Rd | 1.08 | Mandogalup Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|--|--------|-----------------------|---|
| 4060019 | Scaddan Rd | Scaddan Rd | Cunderdin | 0.00 | Cunderdin - Wyalkatchem Rd | 7.10 | Scaddan Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6040025 | Scaddan Rd | Scaddan Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 39.03 | Wittenoom Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040025 | Scaddan Rd | Scaddan Rd | Esperance | 39.04 | Wittenoom Rd | 52.94 | Backmans Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040025 | Scaddan Rd | Scaddan Rd | Esperance | 52.95 | Backmans Rd | 58.42 | Savage Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040025 | Scaddan Rd | Scaddan Rd | Esperance | 58.47 | Savage Rd | 65.22 | Coolinup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4090089 | Scaddan St | Scaddan St | Kellerberrin | 0.03 | Makit Hardware Access Driveway 1.78km From Great Eastern Hwy | 1.81 | Great Eastern Hwy | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|-----------------------------------|--------|-------------------------------|---|
| 3060128 | Scadden St | Scadden St | Dumplebung | 0.00 | Troupe St & Kukerin North East Rd | 0.32 | Bennett St | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060128 | Scadden St | Scadden St | Dumplebung | 0.32 | Bennett St | 1.04 | Kukerin Rd & Kukerin South Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5030016 | Scally Rd | Scally Rd | Dalwallinu | 0.00 | Leeson Rd | 5.37 | Scally Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 1079009 | Scandium Wy | Scandium Wy | Rockingham (C) | 0.00 | Day Rd | 0.78 | Chesterfield Rd | |
| 6040382 | Scanlon St | Scanlon St | Esperance | 0.00 | Shelden Rd | 0.41 | Simpson St | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 2150220 | Scarp Rd | Scarp Rd | Murray | 0.00 | Pinjarra Williams Rd | 0.65 | Scarp Rd (South) - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 2150061 | Scarp Rd (Nth) | Scarp Rd (Nth) | Murray | 0.00 | Del Park Rd | 14.20 | Scarp Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|------------------------|--------|--------------------------|---|
| 4070103 | Schell Rd | Schell Rd | Dowerin | 0.00 | Robinson Rd | 2.25 | Goomalling LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4080031 | Schell Rd | Schell Rd | Goomalling | 0.00 | Oak Park Rd | 8.65 | Dowerin LGA Boundary | <ul style="list-style-type: none"> Maximum speed 70 km/h |
| 8130070 | Schillaman St | Schillaman St | Port Hedland (T) | 0.00 | Pinga St | 0.84 | Schillaman St - End Road | |
| 4010065 | Schilling Rd | Schilling Rd | Beverley | 0.00 | Brookton Hwy | 1.20 | Schillings Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3160041 | Schinzig Buller Rd | Schinzig Buller Rd | West Arthur | 0.00 | Darkan Rd & Coltart Rd | 13.17 | Coalfields Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3070134 | Schmedje Rd | Schmedje Rd | Gnowangerup | 0.00 | Oakdale Rd | 3.40 | Schmedje Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|-------------------------------------|--------|-----------------------------------|---|
| 3170036 | School Rd | School Rd | Woodanilling | 0.00 | Ballaying Rd | 3.39 | Harvey Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4050049 | Schoolars Rd | Schoolars Rd | Cuballing | 0.00 | Great Southern Hwy | 2.28 | Schoolars Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3080153 | Schultz Rd | Schultz Rd | Katanning | 0.00 | Great Southern Hwy & Bushy Lane Rd | 9.29 | Blake Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 4040080 | Schultz Rd | Schultz Rd | Corrigin | 0.00 | Corrigin South Rd | 6.12 | Corrigin Kondinin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Hills Rd : No right turn permitted into Hills Rd from Schultz Rd |
| 4170033 | Schwartz Rd | Schwartz Rd | Narembeen | 0.00 | Mt Walker Rd | 18.16 | Wogarl East Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1032781 | Scorpius Rd | Scorpius Rd | Cockburn (C) | 0.00 | Scorpius Rd - Start of Construction | 0.81 | Scorpius Rd - End of Construction | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3080278 | Scotchman Rd | Scotchman Rd | Katanning | 0.00 | Gairen Rd | 18.11 | Eastwood North Rd & Mortvale Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|-------------------|--------|-----------------------|--|
| 5180134 | Scotney Rd | Scotney Rd | Wongan - Ballidu | 0.00 | Kondut West Rd | 5.81 | Scotney Rd - End Road | |
| 3050001 | Scotsdale Rd | Scotsdale Rd | Denmark | 0.40 | Horsley Rd | 22.33 | Happy Valley Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Maximum speed 60 km/h No Operation between the hours of sunset and sunrise Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3050001 | Scotsdale Rd | Scotsdale Rd | Denmark | 22.33 | Happy Valley Rd | 28.04 | Kordabup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Maximum speed 60 km/h No Operation between the hours of sunset and sunrise Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. "Reduce Speed" and "Trucks Entering" signs to be erected on western approach to Fernley Rd and removed when not in use. |
| 3050001 | Scotsdale Rd | Scotsdale Rd | Denmark | 28.04 | Kordabup Rd | 29.42 | Plantation Access | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h No Operation between the hours of sunset and sunrise Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). "Reduce Speed" and "Trucks Entering" signs to be erected on western approach to Fernley Rd and removed when not in use. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|---------------------------|--------|------------------------------|---|
| 3050001 | Scotsdale Rd | Scotsdale Rd | Denmark | 29.42 | Plantation Access | 31.79 | 3.715km West From Fernley Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4110128 | Scotsman Rd | Scotsman Rd | Koorda | 0.00 | Kulja Central Rd | 26.85 | Scotsman Rd & Remlap Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h Intersection Scotsman Rd & Remlap Rd : No access to Samphire Rd from Scotsman Rd |
| 4150020 | Scotsman Rd | Scotsman Rd | Mount Marshall | 0.00 | Scotsman Rd & Boundary Rd | 53.63 | Scotsman Rd & Remlap Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4160052 | Scotsman Rd | Scotsman Rd | Mukinbudin | 0.00 | Scotsman Rd & Boundary Rd | 7.57 | Moondon Rd & Henry Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3160097 | Scott Rd | Scott Rd | West Arthur | 0.00 | Bowelling - Duranillin Rd | 3.55 | Scott Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|-----------------------|----------|-----------------------------------|--------|--|--|
| 4090081 | Scott Rd | Scott Rd | Kellerberrin | 0.00 | Kellerberrin - Bencubbin Rd | 6.48 | Kellerberrin - Yelbeni Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4140076 | Scott Rd | Scott Rd | Merredin | 0.00 | Koonadgin South Rd & Koonadgin Rd | 7.23 | Springwell Valley Rd & Bulls Head Rd | |
| 5051043 | Scott Rd | Scott Rd | Greater Geraldton (C) | 0.00 | East Chapman Rd | 2.19 | Shaw Pl & Scott Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. See Low Volume Condition Type A in the Operating Conditions Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5090039 | Scott Rd | Scott Rd | Mingenew | 0.00 | Mitchell Rd & Yandanooka West Rd | 3.49 | Scott Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5100179 | Scott Rd | Scott Rd | Moora | 0.00 | Coorow LGA Boundary | 2.90 | Scott Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5150019 | Scott Rd | Scott Rd | Three Springs | 0.00 | Carey Rd | 7.24 | Mingenew South Rd & Yandanooka West Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|--------------------------|----------|--------------------------|--------|-------------------------------------|--|
| 5160088 | Scott Rd | Scott Rd | Chapman Valley | 0.00 | Murphy Norris Rd | 6.05 | Shaw Pl & Scott Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Caution is advised at the floodway. |
| 5190050 | Scott Rd | Scott Rd | Coorow | 0.00 | Midlands Rd & Unknown Rd | 3.14 | Moora LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2010024 | Scott River Rd | Scott River Rd | Augusta - Margaret River | 0.00 | Brockman Hwy | 22.16 | Scott Rd | <ul style="list-style-type: none"> Bridge 4898 Scott River : Bridge not to be crossed. |
| 4090153 | Scott St | Scott St | Kellerberrin | 0.00 | Massingham St | 0.40 | Kellerberrin - Yoting Rd & Rason St | |
| 6100141 | Scott St | Scott St | Ravensthorpe | 0.00 | Morgans St & Floater Rd | 0.29 | Martin St & Moir Rd | <ul style="list-style-type: none"> Intersection Morgans St & Floater Rd : No right turn permitted into Morgans St from Scott St. |
| 2180003 | Scotts Brook Rd | Scotts Brook Rd | Boyup Brook | 0.00 | Donnybrook Kojonup Rd | 45.96 | Kojonup LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3100033 | Scotts Brook Rd | Scotts Brook Rd | Kojonup | 0.00 | Mobrup Rd | 6.35 | Boyup Brook LGA Boundary | |
| 2030307 | Scriven Rd | Scriven Rd | Bridgetown - Greenbushes | 0.00 | Palmers Rd | 0.40 | Scriven Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|--------------------------|----------|-------------------------------|--------|---|---|
| 4100058 | Scrivener Rock East Rd | Scrivener Rock East Rd | Kondinin | 0.00 | Karlgarin Lake Rd | 4.99 | McLennan Rd | |
| 5090017 | Scroops Rd | Scroops Rd | Mingenew | 0.00 | Mingenew - Mullewa Rd | 13.90 | Coalseam Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3040059 | Scrubiup Rd | Scrubiup Rd | Cranbrook | 0.00 | Yarnup Rd | 6.84 | Ferngrove Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 8140305 | Seabrook Cr | Seabrook Cr | Karratha (C) | 0.00 | Cowle Rd | 0.65 | Coolawanyah Rd | |
| 2150727 | Seaeagle Ct | Seaeagle Ct | Murray | 0.00 | Lakes Rd | 0.75 | Seaeagle Ct Cul-De-Sac | |
| 1120879 | Seal Cl | Seal Cl | Bayswater (C) | 0.00 | Collier Rd | 0.08 | Seal Cl - End Road | |
| 113Z037 | Searle Rd (Federal) | Searle Rd (Federal) | Belmont (C) | 0.00 | Horrie Miller Dr (Federal) | 0.38 | Anderson Pl (Federal) & Dunreath Dr (Federal) | |
| 3070024 | Searle St | Searle St | Gnowangerup | 0.00 | McDonald St | 0.13 | Yougenup Rd | <ul style="list-style-type: none"> No left turn permitted into Broomehill Jerramungup (eastbound) from Searle St (southbound) |
| 3070024 | Searle St | Searle St | Gnowangerup | 0.13 | Yougenup Rd | 0.41 | Corbett St | <ul style="list-style-type: none"> Maximum speed 40 km/h Intersection Yougenup Rd : No left turn permitted into Broomehill Jerramungup (eastbound) from Searle St (southbound) |
| 2160006 | Sears Rd | Sears Rd | Nannup | 0.00 | Brockman Hwy | 13.80 | Manjimup LGA Boundary | |
| 6040232 | Sears Rd | Sears Rd | Esperance | 0.00 | Farrells Rd & South Coast Hwy | 8.59 | Ashdale Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 2030011 | Seaton Ross Rd | Seaton Ross Rd | Bridgetown - Greenbushes | 0.00 | Mill Rd & South Western Hwy | 26.34 | Corbalup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3090107 | Seaton Ross Rd | Seaton Ross Rd | Kent | 0.00 | Gnowangerup - Kwobrup Rd | 3.58 | Wood Rd | |
| 5040180 | Seaward Dr | Seaward Dr | Dandaragan | 0.00 | Bashford St | 0.92 | Harbour Dr | |
| 5010016 | Second North Rd | Second North Rd | Carnamah | 0.00 | Three Springs - Eneabba Rd | 5.11 | Three Springs LGA Boundary | |
| 5150009 | Second North Rd | Second North Rd | Three Springs | 0.00 | Skipper Rd | 9.85 | 1.79km From Beekeepers Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|------------------------|--------|---|---|
| 4040036 | Sedgewick Rd | Sedgewick Rd | Corrigin | 0.00 | Corrigin - Naremben Rd | 3.54 | Pleass Rd | |
| 4170045 | Sedgewick Rd | Sedgewick Rd | Naremben | 0.00 | Calzoni Rd | 13.56 | Sedgewick Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4030064 | Sedgwick Rd | Sedgwick Rd | Bruce Rock | 0.00 | Bruce Rock South Rd | 2.30 | Wogarl West Rd & Bruce Rock - Naremben Rd | |
| 4100071 | Sedgwick Rd | Sedgwick Rd | Kondinin | 0.00 | Woolocutty Soak Rd | 3.65 | Sedgewick Rd | |
| 4330023 | Sees Rd | Sees Rd | York | 0.00 | York - Tammin Rd | 6.00 | Lennard Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4330023 | Sees Rd | Sees Rd | York | 6.00 | Lennard Rd | 8.74 | Grass Valley South Rd & Quellington Rd | |
| 1032142 | Selkis Rd | Selkis Rd | Cockburn (C) | 0.00 | Phoenix Rd | 0.31 | 0.31km From Phoenix Rd | <ul style="list-style-type: none"> Intersection Phoenix Rd : No right turn permitted into Phoenix Rd from Selkis Rd |
| 5140026 | Selner Rd | Selner Rd | Perenjori | 0.00 | Stan Cannon Rd | 5.35 | Baxter Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h No Operation between the hours of sunset and sunrise COMBINATIONS EXCEEDING 19 METRES MUST NOT CROSS RAILWAY |
| 5180076 | Serio Rd | Serio Rd | Wongan - Ballidu | 0.00 | Wilding Rd | 5.21 | Ffoulkes Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Ffoulkes Rd : No access permitted into Ffoulkes Rd from Serio Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|-------------------|--------|--|--|
| 4060176 | Sermon Rd | Sermon Rd | Cunderdin | 0.00 | Bulgin Rd | 4.15 | Great Eastern Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5180126 | Sermon Rd | Sermon Rd | Wongan - Ballidu | 0.00 | Ballidu East Rd | 6.00 | Degrussa Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5140191 | Settlement East Rd | Settlement East Rd | Perenjori | 0.00 | Payne Rd | 2.90 | Back Bowgada Rd | |
| 3020067 | Settlement Rd | Settlement Rd | Albany (C) | 0.00 | Chester Pass Rd | 4.29 | Settlement Rd & Morande Rd & Yungup Rd North | |
| 3120017 | Settlement Rd | Settlement Rd | Plantagenet | 0.00 | Albany Hwy | 18.83 | Settlement Rd & Morande Rd & Yungup Rd North | <ul style="list-style-type: none"> Intersection Jackson Rd : No access permitted into Jackson Rd from Settlement Rd |
| 5140008 | Settlement Rd | Settlement Rd | Perenjori | 0.00 | Mullewa Wubin Rd | 14.77 | Morawa South Rd | |
| 514Z008 | Settlement Rd | Settlement Rd | Perenjori | 0.00 | Back Bowgada Rd | 0.06 | Settlement Rd - End Road | |
| 3120301 | Settlement Rd East | Settlement Rd East | Plantagenet | 0.00 | Settlement Rd | 6.68 | Yungup North West Rd & Harris Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------|----------|----------------------------|--------|----------------------------|--|
| 3050075 | Settlers Rd | Settlers Rd | Denmark | 0.00 | Denmark Mt Barker Rd | 2.17 | | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3100145 | Settlers Rd | Settlers Rd | Kojonup | 0.00 | Kojonup - Frankland Rd | 3.04 | Mobrup North Rd | |
| 1140011 | Sevenoaks St | Sevenoaks St | Canning (C) | 0.00 | Welshpool Rd | 0.87 | Sevenoaks St - Start Dual | |
| 4060074 | Seventeen Mile Gate Rd | Seventeen Mile Gate Rd | Cunderdin | 0.00 | Cunderdin - Minnivale Rd | 2.36 | Rabbit Proof Fence Nth Rd | |
| 4060074 | Seventeen Mile Gate Rd | Seventeen Mile Gate Rd | Cunderdin | 2.36 | Rabbit Proof Fence Nth Rd | 7.00 | Cunderdin - Wyalkatchem Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5130225 | Seventh Av | Seventh Av | Northampton | 0.34 | Kitson Ct | 0.55 | Hampton St | |
| 2110069 | Seventh St | Seventh St | Harvey | 0.00 | Herbert Rd | 1.11 | 0.4km From Uduc Rd | |
| 5180113 | Sewell Rd | Sewell Rd | Wongan - Ballidu | 0.00 | Ward Rd & Moonijin West Rd | 5.53 | Manmanning Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4020104 | Sewell St | Sewell St | Brookton | 0.00 | Yeo Rd & McGuire Rd | 0.70 | Draper St | |
| 3100091 | Sexton Rd | Sexton Rd | Kojonup | 0.00 | Riverdale Rd | 6.12 | Sexton Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|--------------------------|------------------|----------|---|--------|---|---|
| 3120198 | Seymour Rd | Seymour Rd | Plantagenet | 0.00 | Blue Lake Rd | 8.75 | Amarillup Rd & Pile Rd & The Springs Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5100155 | Seymour St | Seymour St | Moora | 0.00 | Ferguson St & Miling East Rd | 0.12 | Great Northern Hwy | |
| 4030001 | Shackleton - Bilbarin Rd | Shackleton - Bilbarin Rd | Bruce Rock | 0.00 | Bruce Rock Quairading Rd & Kellerberrin - Shackleton Rd | 12.03 | Kwolyin South Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4030001 | Shackleton - Bilbarin Rd | Shackleton - Bilbarin Rd | Bruce Rock | 12.03 | Kwolyin South Rd | 20.03 | Old Beverley Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4030001 | Shackleton - Bilbarin Rd | Shackleton - Bilbarin Rd | Bruce Rock | 20.03 | Old Beverley Rd | 32.44 | Crombie Rd & Shackleton - Bilbarin Rd | |
| 4040005 | Shackleton - Bilbarin Rd | Shackleton - Bilbarin Rd | Corrigin | 0.00 | Bilbarin - Quairading Rd | 3.68 | Crombie Rd & Shackleton - Bilbarin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Crombie Rd & Shackleton - Bilbarin Rd : No right turn permitted into Bilbarin Quairading Rd from Shackleton Bilbarin Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|-----------------------------------|--------|-------------------------------|--|
| 3170063 | Shackley Rd | Shackley Rd | Woodanilling | 0.00 | Tie Line Rd | 5.97 | Sugg Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4230010 | Shaddick Rd | Shaddick Rd | Pingelly | 0.00 | Wickepin - Pingelly Rd | 20.81 | Bullaring Rd | |
| 4050046 | Shaddicks Rd | Shaddicks Rd | Cuballing | 0.00 | Popanyinning East Rd | 4.49 | Bunmulling Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Popanyinning East Rd : No access permitted into Popanyinning East Rd from Shaddicks Rd |
| 3110026 | Shalders Rd | Shalders Rd | Lake Grace | 0.00 | Biddy - Camm Rd | 6.00 | Tonkin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3110229 | Shalders Rd | Shalders Rd | Lake Grace | 0.04 | Duncan Rd | 0.16 | Newdegate North Rd | <ul style="list-style-type: none"> Intersection Newdegate North Rd : No access permitted into Nedewgate North Rd from Shalders Rd |
| 1030049 | Shallcross St | Shallcross St | Cockburn (C) | 0.00 | Stock Rd | 0.32 | Erceg Rd | |
| 3040007 | Shamrock Rd | Shamrock Rd | Cranbrook | 0.00 | Kojonup LGA Boundary | 27.36 | Cranbrook - Frankland Rd | |
| 3100007 | Shamrock Rd | Shamrock Rd | Kojonup | 0.00 | Albany Hwy | 22.08 | Cranbrook LGA Boundary | <ul style="list-style-type: none"> Intersection Bokerup Rd : No left turn permitted into Bokerup Rd from Shamrock Rd |
| 7070002 | Shamrock Rd | Shamrock Rd | Yalgoo | 0.00 | Henty St & Selwyn St & Gibbons St | 0.27 | Mitchell St & Yalgoo North Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 2040597 | Shanahan Rd | Shanahan Rd | Bunbury (C) | 0.00 | Halifax Dr | 0.70 | Clifford St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|--------------------------|----------|-------------------------|--------|---------------------------|---|
| 3120127 | Shanhun Rd | Shanhun Rd | Plantagenet | 0.00 | Shanhun Rd - Start Road | 1.69 | Chester Pass Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6055023 | Shannon St | Shannon St | Kalgoorlie - Boulder (C) | 0.00 | Outram St | 0.88 | Pirie St | |
| 2150143 | Shanns Rd | Shanns Rd | Murray | 0.00 | Lakes Rd | 2.05 | 0.27km From End of Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6040085 | Shao Lu Rd | Shao Lu Rd | Esperance | 0.00 | Fisheries Rd | 10.13 | 7.11km From Orleans Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4080120 | Shara Rd | Shara Rd | Goomalling | 0.00 | Botherling East Rd | 0.92 | Spark Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School buses use this road. Approval to use the road could be withdrawn unless drivers show courtesy to local traffic and take extra care on school days. |
| M011 | Shark Bay | Shark Bay Rd | Shark Bay | 0.00 | North West Coastal Hwy | 128.18 | Denham Rd & Monkey Mia Rd | |
| 6040005 | Shark Lake Rd | Shark Lake Rd | Esperance | 0.00 | South Coast Hwy | 8.60 | Coolgardie Esperance Hwy | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|--------------------------|----------|-------------------------------------|--------|----------------------|--|
| 4110076 | Sharman Rd | Sharman Rd | Koorda | 0.00 | Hawkins Rd | 9.48 | Koorda North West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5140092 | Sharpe Rd | Sharpe Rd | Perenjori | 0.00 | Lochada Rd | 6.19 | Bestry Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 0040046 | Sharpe St | Sharpe St | Wyndham - East Kimberley | 0.00 | Great Northern Hwy | 0.27 | Durack Rd | |
| 4100082 | Sharps Rd | Sharps Rd | Kondinin | 0.00 | East Hyden Bin Rd & King Rocks Rd | 19.79 | | |
| 4250025 | Shaw Rd | Shaw Rd | Tammin | 0.00 | Waltham Rd | 5.74 | York Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5190054 | Shaw Rd | Shaw Rd | Coorow | 0.00 | Pen Rd & Woolmulla Rd & Erindoon Rd | 4.99 | Shaw Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 8120074 | Shay Gap Rd | Shay Gap Rd | East Pilbara | 0.00 | Goldsworthy - Shay Gap Rd | 48.86 | Great Northern Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|-------------------------------------|--------|-------------------------------|---|
| 4010090 | Sheahan Rd | Sheahan Rd | Beverley | 0.00 | Dale Kokeby Rd | 4.04 | Sheahan Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4160072 | Sheardown Rd | Sheardown Rd | Mukinbudin | 0.00 | Moondon Rd | 12.25 | Toole Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3020540 | Shearer Rd | Shearer Rd | Albany (C) | 0.00 | Mettler Rd | 4.55 | South Coast Hwy | |
| 6040235 | Shearer Rd | Shearer Rd | Esperance | 0.00 | Parmango Rd | 7.87 | Muntz Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 3050360 | Sheed Rd | Sheed Rd | Denmark | 0.00 | Scotsdale Rd | 0.59 | For 590m to Plantation Access | <ul style="list-style-type: none"> Maximum speed 40 km/h "Trucks entering" and "Reduce speed" signage to be positioned 250m from Ruhen Rd on Scotsdale Rd in both directions. |
| 4080096 | Sheen Rd | Sheen Rd | Goomalling | 0.00 | Goomalling Toodyay Rd & Haddrill Rd | 4.53 | 1.48km From Bejoording Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|-----------------------|----------|--------------------------------|--------|----------------------------------|--|
| 4060035 | Sheenan Rd | Sheenan Rd | Cunderdin | 0.00 | Quairading Rd | 3.75 | 700 Metres After Doherty Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1140100 | Sheffield Rd East | Sheffield Rd East | Canning (C) | 0.00 | McDowell St | 0.90 | Sheffield Rd East - End Road | |
| 1140101 | Sheffield Rd West | Sheffield Rd West | Canning (C) | 0.00 | McDowell St | 0.69 | Kurnall Rd & Sheffield Rd Svc Rd | |
| 6040144 | Shelden Rd | Shelden Rd | Esperance | 0.00 | Norseman Rd | 1.17 | Harbour Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 3080049 | Shenton Rd | Shenton Rd | Katanning | 0.00 | Trimmer Rd & McKenzie Rd | 2.02 | Woodanilling LGA Boundary | <ul style="list-style-type: none"> Maximum speed 80 km/h |
| 3170007 | Shenton Rd | Shenton Rd | Woodanilling | 0.00 | Katanning LGA Boundary | 7.03 | Robinson East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h |
| 4240119 | Shenton Rd | Shenton Rd | Quairading | 0.00 | Badjaling South Rd | 5.16 | Yoting South Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5050005 | Shenton St | Shenton St | Greater Geraldton (C) | 0.00 | John Willcock Link | 0.36 | 0.08km From Crowther St | |
| 4270009 | Sheoak Rd | Sheoak Rd | Wandering | 0.00 | North Wandering Rd | 6.03 | Ricks Rd | |
| 5030038 | Sheoak Rd | Sheoak Rd | Dalwallinu | 0.00 | Great Northern Hwy | 4.29 | Wongan - Ballidu LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5180020 | Sheoak Rd | Sheoak Rd | Wongan - Ballidu | 0.00 | Ballidu - Bindi Bindi Rd | 12.57 | Dalwallinu LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4030008 | Shepherd Rd | Shepherd Rd | Bruce Rock | 0.00 | Bruce Rock Quairading Rd | 15.46 | Old Beverley Rd | <ul style="list-style-type: none"> Intersection Cook Rd : No Right Turn Permitted Into Cook Road from Shepherd Road |
| 5050618 | Shepherd Rd | Shepherd Rd | Greater Geraldton (C) | 0.00 | Carnarvon - Mullewa Rd | 6.21 | Shepherd Rd - End Road | |
| 3020114 | Shepherds Lagoon Rd | Shepherds Lagoon Rd | Albany (C) | 0.00 | Mountain Rd & Lower Denmark Rd | 2.00 | 2km From Mountain Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|--------------------------|----------|----------------------------|--------|---------------------------|--|
| 3070050 | Shepherdson Rd | Shepherdson Rd | Gnowangerup | 0.00 | Gnowangerup Jerramungup Rd | 1.79 | Shepherdson Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5150011 | Sheppard Rd | Sheppard Rd | Three Springs | 0.00 | Bligh Rd | 11.15 | Dudawa Rd | |
| 2010586 | Sheridan Rd | Sheridan Rd | Augusta - Margaret River | 0.00 | Harrington Rd | 0.83 | Mapstone Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4030111 | Sherlock Rd | Sherlock Rd | Bruce Rock | 0.00 | Healey Rd | 2.20 | Sherlock Rd - End Road | |
| 2040754 | Sherlock Wy | Sherlock Wy | Bunbury (C) | 0.00 | McCombe Rd | 0.24 | Clifford St | |
| 2130149 | Sherman Rd | Sherman Rd | Manjimup | 0.76 | Kammanns Rd | 1.72 | Peppermint Grove Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1140886 | Sherman St | Sherman St | Canning (C) | 0.00 | Vulcan Rd | 0.37 | Bannister Rd | |
| 7030075 | Sherwood Stn | Sherwood Stn | Meekatharra | 0.00 | Great Northern Hwy | 1.71 | | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h |
| 4130003 | Sherzinger Rd | Sherzinger Rd | Trayning | 0.00 | Nungarin Wyalkatchem Rd | 13.34 | McAndrew Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3160086 | Shield Rd | Shield Rd | West Arthur | 0.00 | Hillman - Dardadine Rd | 3.30 | Stricklands Rd | |
| 1190675 | Shields Cr | Shields Cr | Melville (C) | 0.00 | Norma Rd | 0.57 | Norma Rd | |
| 4030099 | Shields Rd | Shields Rd | Bruce Rock | 0.00 | Yalbarrin Rd | 8.20 | Bruce Rock South Rd | |
| 4040042 | Shipleigh Rd | Shipleigh Rd | Corrigin | 0.00 | Wickepin - Corrigin Rd | 3.70 | Shipleigh Rd - End Road | |
| 8130261 | Shoata Rd | Shoata Rd | Port Hedland (T) | 0.00 | Hamilton Rd | 3.30 | Quartz Quarry Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|--------------------------|----------|------------------------------|--------|---------------------|--|
| 4050058 | Short Rd | Short Rd | Cuballing | 0.00 | Cuballing East Rd | 3.07 | Short Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4080114 | Short St | Short St | Goomalling | 0.00 | Northam Pithara Rd & Main St | 0.09 | Slater Rd North | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Northam Pithara Rd & Main St : No right turn permitted into Northam Pithara Rd from Short St Intersection Slater Rd North : No access permitted into Slater Rd North from Short St |
| 8130157 | Short St | Short St | Port Hedland (T) | 0.00 | Wilson St | 0.05 | Anderson St | |
| 4060068 | Shorter Rd | Shorter Rd | Cunderdin | 0.00 | Three Mile Gate Rd | 7.46 | Wyola Rd North | |
| 2070005 | Shotts River Rd North | Shotts River Rd North | Collie | 0.00 | Quinns Rd | 6.03 | Coalfields Rd | |
| 8120270 | Shovelanna St | Shovelanna St | East Pilbara | 0.00 | Woodstock St | 0.55 | Pardoo St | |
| 4280089 | Shreeve Rd | Shreeve Rd | Westonia | 0.00 | Great Eastern Hwy | 2.57 | Leach Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h |
| 6056118 | Siberia Canegrass Rd | Siberia Canegrass Rd | Kalgoorlie - Boulder (C) | 0.00 | Ora Banda-Davyhurst Rd | 24.13 | Goldfields Hwy | |
| 3060031 | Siberia Rd | Siberia Rd | Dumbleyung | 0.00 | Kukerin South Rd | 14.00 | Tarin Rock South Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|----------------------------|--------|--------------------------|--|
| 3120048 | Sidcup Rd | Sidcup Rd | Plantagenet | 0.00 | Muir Hwy | 16.07 | Perillup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3020220 | Siding Rd | Siding Rd | Albany (C) | 0.00 | Redmond - Hay River Rd | 5.18 | Plantagenet LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3120331 | Siding Rd | Siding Rd | Plantagenet | 0.00 | Narrikup Rd & Chorkerup Rd | 0.55 | Albany (C) LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4120100 | Sigley Rd | Sigley Rd | Kulin | 0.00 | Gregson Rd | 1.65 | Sigley Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5180048 | Silver Rd | Silver Rd | Wongan - Ballidu | 0.00 | Ballidu - South East Rd | 7.36 | Ballermina Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|---------------------|--------|----------------------------|--|
| 2180072 | Simcock Rd | Simcock Rd | Boyup Brook | 0.00 | Corbalup East Rd | 6.44 | Boyup Brook - Cranbrook Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4010101 | Simmons Rd | Simmons Rd | Beverley | 0.00 | Great Southern Hwy | 1.13 | Simmons Rd - End Road | |
| 4180276 | Simmons Rd | Simmons Rd | Narrogin | 0.00 | Great Southern Hwy | 3.80 | Narrogin Valley Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4090073 | Simms Rd | Simms Rd | Kellerberrin | 0.00 | Doodlakine South Rd | 5.52 | Morison Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030236 | Simonsen Rd | Simonsen Rd | Dalwallinu | 0.00 | Wubin East Rd | 4.91 | Glamoff Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|--------------------------|--------|-----------------------|---|
| 3080168 | Simper Rd | Simper Rd | Katanning | 0.00 | Coyrecup North Rd | 4.84 | Tee Rd | <ul style="list-style-type: none"> Intersection Coyrecup North Rd : No right turn permitted into Coyrecup North Rd from Simper Rd |
| 3020168 | Simpson Rd | Simpson Rd | Albany (C) | 0.00 | Chester Pass Rd | 1.50 | Simpson Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3120110 | Simpson Rd | Simpson Rd | Plantagenet | 0.00 | Pile Rd | 6.10 | Simpson Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4240117 | Simpson Rd | Simpson Rd | Quairading | 0.00 | Quairading - Corrigin Rd | 2.96 | Stones Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5140053 | Simpson Rd | Simpson Rd | Perenjori | 0.00 | Rabbit Proof Fence Rd | 7.54 | Simpson Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|--------------------------|--------|--------------------|---|
| 5150007 | Simpson Rd | Simpson Rd | Three Springs | 0.00 | Wilson Rd | 1.61 | Broad Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5150007 | Simpson Rd | Simpson Rd | Three Springs | 1.61 | Broad Rd | 25.62 | Dudawa Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 6040378 | Simpson St | Simpson St | Esperance | 0.00 | Gilpin St | 1.14 | Norseman Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 4010155 | Sims Rd | Sims Rd | Beverley | 0.00 | Northbourne Rd | 1.86 | Sims Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Wyalgima Rd : No access permitted to Wyalgima Rd from Sims Rd |
| 6040098 | Sims Rd | Sims Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 4.12 | Sims Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040181 | Sims St | Sims St | Esperance | 1.19 | 190m After Symons St | 2.78 | Harbour Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 6030076 | Sinclair St | Sinclair St | Dundas | 0.00 | Roberts St | 0.14 | Prinsep St | <ul style="list-style-type: none"> Intersection Roberts St : No Access Into Roberts St. Intersection Prinsep St : Right Turn Only Into Coolgardie Esperance Hwy |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|--|--------|-------------------------------|---|
| 6040209 | Sinclair St | Sinclair St | Esperance | 0.00 | Fisheries Rd | 0.48 | Sinclair Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 4030021 | Sippe Rd | Sippe Rd | Bruce Rock | 0.00 | Doodlakine - Bruce Rock Rd | 13.03 | Liebeck Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 6110100 | Sirius St | Sirius St | Yilgarn | 0.00 | Southern Cross Marvel Loch Rd & Fraser Gold Mine Access Rd | 0.28 | Orion St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 1130576 | Sissons St | Sissons St | Belmont (C) | 0.00 | Ballantyne Rd | 0.13 | Bell St | <ul style="list-style-type: none"> Intersection Bell St : No Left Turn permitted into Bell Street from Sissons Street. No Right Turn permitted into Bell Street fom Sissons Street. |
| 3020397 | Sister Rd | Sister Rd | Albany (C) | 0.00 | Mt Pleasant Rd | 0.40 | Sister Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2180009 | Six Mile Rd | Six Mile Rd | Boyup Brook | 0.00 | Donnybrook Kojonup Rd & Aegers Bridge Rd | 9.06 | Harrison Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Ritson Rd : No Left Turn Into Ritson Rd From Six Mile Rd |
| 2180009 | Six Mile Rd | Six Mile Rd | Boyup Brook | 9.06 | Harrison Rd | 13.23 | Boyup Brook - Arthur River Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3070094 | Six Mile Rd | Six Mile Rd | Gnowangerup | 0.00 | Magitup Rd | 7.80 | North Stirling Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|----------------------------|--------|----------------------------|--|
| 4040074 | Sixty Eight Gate Rd | Sixty Eight Gate Rd | Corrigin | 0.00 | Rabbit Proof Fence Rd | 7.72 | Wickepin - Corrigin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Rabbit Proof Fence Rd : No access permitted into Rabbit Proof Fence Rd from Sixty Eight Gate Rd |
| 1070037 | Sixty Eight Rd | Sixty Eight Rd | Rockingham (C) | 0.00 | Mandurah Rd | 4.72 | Tinson Rd | <ul style="list-style-type: none"> Intersection Mandurah Rd : No Access To 1070437 Mandurah Rd |
| 4090067 | Ski Lake Rd | Ski Lake Rd | Kellerberrin | 0.00 | Great Eastern Hwy | 2.35 | Ski Lake Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5170029 | Skilling Rd | Skilling Rd | Victoria Plains | 0.00 | Carani West Rd | 6.91 | Glentromie - Yerecoin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5170029 | Skilling Rd | Skilling Rd | Victoria Plains | 7.04 | Glentromie - Yerecoin Rd | 27.40 | Gabalong West Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5080068 | Skipper Rd | Skipper Rd | Irwin | 0.00 | Brand Hwy | 2.85 | Three Springs LGA Boundary | |
| 5150004 | Skipper Rd | Skipper Rd | Three Springs | 0.00 | First North Rd & Bunney Rd | 17.76 | Irwin LGA Boundary | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|--------------------------|----------|-----------------------|--------|--|---|
| 3050072 | Skippings Rd | Skippings Rd | Denmark | 0.00 | Kordabup Rd | 2.32 | For Approximately 2.32 Km to Farm Gate | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 8120021 | Skull Springs Rd | Skull Springs Rd | East Pilbara | 0.00 | Marble Bar Rd | 37.37 | To Mine Access Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Dust control required through Waliyakunya Community. |
| 4170077 | Slade Rd | Slade Rd | Narembeen | 0.00 | Starcevich Chapman Rd | 9.20 | Wogarl East Rd | |
| 2030117 | Slades Rd | Slades Rd | Bridgetown - Greenbushes | 0.00 | Tweed Rd | 4.79 | Slades Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3110055 | Slarke Rd | Slarke Rd | Lake Grace | 0.00 | Willcocks Rd | 9.21 | Mallee Hill Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|-------------------------|----------|--|--------|----------------------------------|--|
| 4080115 | Slater Rd North | Slater Rd North | Goomalling | 0.00 | Northam Pithara Rd | 0.07 | Short St | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Northam Pithara Rd : No left turn permitted into Northam Pithara Rd from Slater Rd North |
| 5150064 | Slaughter St | Slaughter St | Three Springs | 0.00 | Three Springs - Morawa Rd | 0.95 | Talc Rd | |
| 1180398 | Sleeman Cl | Sleeman Cl | Fremantle (C) | 0.00 | Adams St | 0.09 | Sleeman Ct - End Road | |
| 3020113 | Sleeman Rd | Sleeman Rd | Albany (C) | 0.00 | Hunwick Rd | 5.63 | South Coast Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Bridge 4225 Wc# 0152 - Sleeman Main Drain : Bridge not to be crossed. |
| H1030 | Slip From Forrest Hwy Off Ramp to Clifton Rd Link | Slip From Forrest Hwy Off Ramp to Clifton Rd Link | Harvey | 0.00 | Forrest Hwy (Southbound) off to Forrest Hwy (Southbound) | 0.07 | Clifton Rd Link | |
| H1020 | Slip From Hanrahan Rty Link on to Menang Dr (Southbound) | Slip From Hanrahan Rty Link on to Menang Dr (Southbound) | Albany (C) | 0.00 | Menang Dr - Hanrahan Rd Rty Link | 0.17 | Menang Dr | |
| H1019 | Slip From Menang Dr (Southbound) on to Hanrahan Rty Link | Slip From Menang Dr (Southbound) on to Hanrahan Rty Link | Albany (C) | 0.00 | Menang Dr | 0.07 | Menang Dr - Hanrahan Rd Rty Link | |
| H1015 | Slip From Menang Dr Off Ramp on to Albany Hwy (Northbound) | Slip From Menang Dr Off Ramp on to Albany Hwy (Northbound) | Albany (C) | 0.00 | Menang Dr on to Albany Hwy | 0.07 | Albany Hwy | |
| H1014 | Slip From Menang Dr on to Albany Hwy On Ramp | Slip From Menang Dr on to Albany Hwy On Ramp | Albany (C) | 0.00 | Menang Dr | 0.12 | Menang Dr on to Albany Hwy | |
| H1031 | Slip From South Western Hwy (Southbound) on to Wilman Wadandi Hwy (Northbound) | Slip From South Western Hwy (Southbound) on to Wilman Wadandi Hwy (Northbound) | Bunbury (C) | 0.00 | South Western Hwy | 0.14 | Wilman Wadandi Hwy | |
| H1033 | Slip From Thomas Rd (Eastbound) to Nicholson Rd (Northbound) | Slip From Thomas Rd (Eastbound) to Nicholson Rd (Northbound) | Serpentine - Jarrahdale | 0.00 | Thomas Rd | 0.36 | Nicholson Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|--------------------------|----------|--|--------|---|--|
| H1028 | Slip From Wilman Wadandi Hwy Off Ramp to South Western Hwy | Slip From Wilman Wadandi Hwy Off Ramp to South Western Hwy | Dardanup | 0.00 | Wilman Wadandi Hwy (Northbound) off to South Western Hwy | 0.07 | South Western Hwy & South Western Hwy Rty | |
| 4100012 | Sloan Rd | Sloan Rd | Kondinin | 0.00 | Kondinin Hyden Rd | 8.44 | Reservoir East Rd | |
| 4170052 | Sloss Rd | Sloss Rd | Narembreen | 0.00 | Sloss Rd - Start Road | 21.09 | Calzoni Rd | |
| 4020052 | Smart Rd | Smart Rd | Brookton | 0.00 | Great Southern Hwy | 5.74 | Smart Rd - End Road | |
| 4130006 | Smeeton Rd | Smeeton Rd | Trayning | 0.00 | Swamp Well Rd | 13.00 | Kellerberrin - Bencubbin Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 6055070 | Smelterman Dr | Smelterman Dr | Kalgoorlie - Boulder (C) | 0.00 | Goldfields Hwy | 3.02 | Smelterman Rd - End Road | |
| 3110101 | Smerdon Rd | Smerdon Rd | Lake Grace | 0.00 | Newdegate Ravensthorpe Rd | 11.62 | Hatter Hill Rd & Baanga Hill Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3070118 | Smith Rd | Smith Rd | Gnowangerup | 0.00 | Sandalwood Rd | 3.53 | Salt River Rd & Chester Pass Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3080124 | Smith Rd | Smith Rd | Katanning | 0.00 | Wolyaming Rd | 3.22 | Kent LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3090103 | Smith Rd | Smith Rd | Kent | 0.00 | Garlick Rd | 2.58 | Katanning LGA Boundary | |
| 3160116 | Smith Rd | Smith Rd | West Arthur | 0.00 | Clarke Rd | 1.07 | Smith Rd - End Road | |
| 4030096 | Smith Rd | Smith Rd | Bruce Rock | 0.00 | Yarding South Rd | 3.61 | Yarding - Ardath Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4040033 | Smith Rd | Smith Rd | Corrigin | 0.00 | Wickepin - Corrigin Rd | 5.15 | Smith Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4080046 | Smith Rd | Smith Rd | Goomalling | 0.00 | Rowles Rd | 7.66 | Goomalling - Calingiri Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h Caution to be taken through winding section. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|------------------------------------|--------|---------------------|---|
| 4090021 | Smith Rd | Smith Rd | Kellerberrin | 0.00 | Kellerberrin - Shackleton Rd | 7.14 | Doodlakine South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4140126 | Smith Rd | Smith Rd | Merredin | 0.00 | Hines Hill Rd & Tuppen Rd | 1.09 | Smith Dr - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4170071 | Smith Rd | Smith Rd | Narembeen | 0.00 | Mt Walker Rd | 4.03 | Emu Hill East Rd | |
| 5140022 | Smith Rd | Smith Rd | Perenjori | 0.00 | Smith Rd - Start Road | 13.40 | Syson Rd | |
| 5180067 | Smith Rd | Smith Rd | Wongan - Ballidu | 0.00 | Wongan Hills - Waddington Rd | 17.03 | Gabalong East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030090 | Smith St | Smith St | Dalwallinu | 0.00 | Buntine - Marchagee Rd & Dermer St | 1.48 | Council Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5130127 | Smith St | Smith St | Northampton | 0.00 | Nanda Dr & Porter St | 1.02 | Clotworthy St | |
| 5140126 | Smith St | Smith St | Perenjori | 0.00 | Fowler St | 0.26 | Livingstone St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|------------------------------------|--------|---------------------------------|---|
| 5170109 | Smith St | Smith St | Victoria Plains | 0.00 | Emmanuel St | 0.27 | Bolgart East Rd & Macpherson St | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 3060038 | Smiths Rd | Smiths Rd | Dumbleyung | 0.00 | 114 Gate Rd | 5.90 | Tincurrin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3150068 | Smiths Rd | Smiths Rd | Wagin | 0.00 | Ballaying Rd & Wagin Dumbleyung Rd | 3.60 | Behn Ord Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2040770 | Smokebush Dr | Smokebush Dr | Bunbury (C) | 0.00 | Dodson Rd | 0.31 | Smokebush Dr - End of Road | |
| 4140088 | Snell Rd | Snell Rd | Merredin | 0.00 | Great Eastern Hwy & Growden Rd | 4.25 | Snell Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4060043 | Snooke Rd | Snooke Rd | Cunderdin | 0.00 | Great Eastern Hwy | 2.30 | Northam LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6020073 | Solanum St | Solanum St | Coolgardie | 0.00 | Melaleuca Rd | 0.69 | Clianthus Rd | |
| 3070139 | Soldiers Rd | Soldiers Rd | Gnowangerup | 0.00 | Walsh St & Garnett Rd | 14.70 | Martinup Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4170004 | Soldiers Rd | Soldiers Rd | Narembreen | 0.00 | Latham Rd & Fricker Rd | 75.17 | Yilgarn LGA Boundary | <ul style="list-style-type: none"> Maximum speed 60 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|---|--------|---------------------|--|
| 6110082 | Soldiers Rd | Soldiers Rd | Yilgarn | 0.00 | Narembreen LGA Boundary | 5.72 | Emu Fence Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 3090097 | Solly Rd | Solly Rd | Kent | 0.00 | Thomas Rd | 1.59 | Solly Rd - End Road | |
| 1030058 | Solomon Rd | Solomon Rd | Cockburn (C) | 0.00 | Beeliar Dr-Solomon Rd Rty | 1.92 | Jandakot Rd | |
| 4240032 | Solomon Rd | Solomon Rd | Quairading | 0.00 | Bruce Rock Quairading Rd & Solomon South Rd | 15.25 | Cubbine Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5140027 | Solomon Rd | Solomon Rd | Perenjori | 0.00 | Selner Rd | 24.85 | Lochada Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4240114 | Solomon South Rd | Solomon South Rd | Quairading | 0.00 | Bruce Rock Quairading Rd & Solomon Rd | 5.29 | Stacey Bus Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5110094 | Solomon Tce | Solomon Tce | Morawa | 0.00 | Wubin Mullewa & Mullewa Wubin Rd | 0.72 | Stokes Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3040069 | Solomons Rd | Solomons Rd | Cranbrook | 0.00 | Hamilla Rd | 4.35 | Salt River Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------------------|--|--|----------|----------------------------------|--------|---|---|
| 2090021 | Somers Rd | Somers Rd | Waroona | 0.00 | Brockman Rd & Bancell Rd | 11.19 | Coronation Rd | <ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Curfew applies on school days only. Bridge 5188 Logue Brook B1 Drain : Bridge not to be crossed. |
| 5170096 | Somers St | Somers St | Victoria Plains | 0.00 | Poincaire St | 0.12 | Toodyay - Bindi Bindi Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 1140997 | Somersby Rd | Somersby Rd | Canning (C) | 0.00 | Pilbara St | 0.60 | Somersby Rd - End Road | |
| 1141160 | Sorbonne Cr | Sorbonne Cr | Canning (C) | 0.00 | Wittenberg Dr | 0.71 | Wittenberg Dr | |
| 4030120 | Sorensens Rd | Sorensens Rd | Bruce Rock | 0.00 | Shackleton - Bilbarin Rd | 2.60 | Sorensens Rd - End Road | |
| 3030087 | South Batchelor Rd | South Batchelor Rd | Broomehill - Tambellup | 0.00 | Tie Line Rd & Batchelor North Rd | 2.48 | Norrish Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| H008 | South Coast Hwy | Chester Pass Rd South Coast Hwy Hassell Rd | Albany (C) Jerramungup Ravensthorpe Esperance | 0.00 | Chester Pass Rty | 474.44 | Harbour Rd | <ul style="list-style-type: none"> Intersection Kelly St : No left turn permitted into Kelly St from South Coast Hwy Intersection Drawbin Rd : Left turn permitted only into Drawbin Rd fom South Coast Hwy. Intersection Wellstead Access Rd : No left turn permitted into Wellstead Access Rd from South Coast Hwy (SLK 96.03) |
| H1016 | South Coast Hwy - Menang Dr Link | South Coast Hwy - Menang Dr Link | Albany (C) | 0.00 | South Coast Hwy | 0.35 | Menang Dr | |
| H864 | South Coast Hwy Slip Rd | South Coast Hwy Slip Rd | Albany (C) | 0.00 | South Coast Hwy | 0.17 | Chester Pass Rd | |
| 2140007 | South Crossman Rd | South Crossman Rd | Boddington | 0.00 | South Crossman Rd Bypa | 14.18 | Marradong Rd | |
| 4020019 | South Dale Rd | South Dale Rd | Brookton | 0.00 | York - Williams Rd | 2.00 | Farm Entrance Gate 2.0km East of York - Williams Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------|----------|-------------------------------------|--------|---|--|
| 4020019 | South Dale Rd | South Dale Rd | Brookton | 5.11 | Thompson Rd | 9.31 | Brookton Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4020021 | South East Nalya Rd | South East Nalya Rd | Brookton | 0.00 | Aldersyde - Pingelly Rd | 4.83 | Bowring Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3090022 | South Fence Rd | South Fence Rd | Kent | 0.00 | Manuel Rd | 35.59 | Rabbit Proof Fence Rd | |
| 4170122 | South Kumminin Bin Rd | South Kumminin Bin Rd | Narembeen | 0.00 | South Kumminin East Rd | 1.29 | 0.09km From Kondinin Narembeen Rd | |
| 4170008 | South Kumminin East Rd | South Kumminin East Rd | Narembeen | 0.00 | South Kumminin East Rd - Start Road | 49.76 | Corrigin - Narembeen Rd & Kondinin - Narembeen Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4020009 | South Kweda Rd | South Kweda Rd | Brookton | 0.00 | Brookton - Kweda Rd | 4.46 | Pingelly LGA Boundary | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|-------------------------------|----------|--|--------|--|--|
| 4230026 | South Kweda Rd | South Kweda Rd | Pingelly | 0.00 | Bullaring Rd | 12.35 | Brookton LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3160087 | South Rd | South Rd | West Arthur | 0.00 | Hillman - Dardadine Rd | 2.83 | South Rd - End Road | |
| 1140924 | South St | South St | Canning (C) | 0.00 | Ranford Rd & Bannister Rd | 0.35 | Roe Hwy (Westbound) off to South St & South St & South St on to Roe Hwy (Westbound) | |
| 2150064 | South St | South St | Murray | 0.00 | South Western Hwy | 0.31 | Lakes Rd & Railway Av | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 5190081 | South St | South St | Coorow | 0.00 | Bristol St | 0.29 | Midlands Rd | |
| 5190081 | South St | South St | Coorow | 0.32 | Midlands Rd | 0.45 | Station St | |
| H032 | South St | South St | Fremantle (C) | 1.89 | Hines Rd | 2.81 | Stock Rd | |
| H032 | South St | South St | Fremantle (C) Melville (C) | 2.81 | Stock Rd | 8.43 | Kwinana Fwy | <ul style="list-style-type: none"> No Freight containers except for delivery or collection from an address on South Street between Perth-Bunbury Hwy and Kwinana Fwy or within the O'Connor industrial area as specified by regulations. |
| H032 | South St | South St | Melville (C) | 8.43 | Kwinana Fwy | 8.80 | South St on to Kwinana Fwy (Southbound) & Murdoch Station Bus Access & Murdoch Stn East Carpark Exit | |
| H032 | South St | South St | Canning (C) | 12.36 | South St on to Roe Hwy (Eastbound) & Roe Hwy (Eastbound) off to South St | 12.48 | Roe Hwy (Westbound) off to South St & South St & South St on to Roe Hwy (Westbound) | |
| H617 | South St on to Kwinana Fwy (Northbound) | South St on to Kwinana Fwy (Northbound) | Melville (C) | 0.00 | South St & Kwinana Fwy (Northbound) off to South St & Murdoch Station Bus Access | 0.58 | Kwinana Fwy | |
| H619 | South St on to Kwinana Fwy (Southbound) | South St on to Kwinana Fwy (Southbound) | Melville (C) | 0.00 | South St & Murdoch Station Bus Access & Murdoch Stn East Carpark Exit | 0.57 | Kwinana Fwy | |
| H753 | South St on to Roe Hwy (Eastbound) | South St on to Roe Hwy (Eastbound) | Canning (C) | 0.00 | South St & Roe Hwy (Eastbound) off to South St | 0.54 | Roe Hwy | |
| H755 | South St on to Roe Hwy (Westbound) | South St on to Roe Hwy (Westbound) | Canning (C) | 0.00 | Roe Hwy (Westbound) off to South St & South St | 0.55 | Roe Hwy | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|---|----------|---|--------|---|--|
| 3020221 | South Stirling Rd | South Stirling Rd | Albany (C) | 0.00 | Chillinup Rd | 4.47 | Pfeiffer Rd & Stirling School Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5190005 | South Waddy Rd | South Waddy Rd | Coorow | 0.00 | Waddy Forest Rd | 2.30 | Mamboobie Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5190005 | South Waddy Rd | South Waddy Rd | Coorow | 2.30 | Mamboobie Rd | 23.35 | Midlands Rd | |
| H009 | South Western Hwy | South Western Hwy George St McLarty Rd Robertson Dr Southwestern Hwy Hampton St Mottram St South Coast Hwy High St | Armadaale (C) Serpentine - Jarrahdale Murray Waroona Harvey Dardanup Bunbury (C) Capel Donnybrook - Balingup Bridgetown - Greenbushes Manjimup Denmark Albany (C) | 0.00 | Armadaale Rd & Albany Hwy | 509.22 | South Coast Hwy - Menang Dr Link | <ul style="list-style-type: none"> Intersection Sandalwood Rd : No right turn permitted into Sandalwood Road from South Western Highway Intersection Centenary Rd : No left turn permitted into Centenary Rd from South Western Hwy Intersection Bandit Rd : No left turn permitted into Bandit Rd from Albany Hwy |
| H009 | South Western Hwy | South Coast Hwy | Albany (C) | 509.22 | South Coast Hwy - Menang Dr Link | 514.09 | Albany Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Intersection Albany Hwy : No right turn permitted into Albany Hwy from South Western Hwy. Heavy vehicles to use Albany Ring Rd. |
| H869 | South Western Hwy (Southbound) Slip to Coalfields Hwy | South Western Hwy (Southbound) Slip to Coalfields Hwy | Harvey | 0.00 | South Western Hwy | 0.13 | Coalfields Rd | |
| H1027 | South Western Hwy (Westbound) on to Wilman Wadandi Hwy On Ramp | South Western Hwy (Westbound) on to Wilman Wadandi Hwy On Ramp | Dardanup | 0.00 | South Western Hwy | 0.27 | South Western Hwy on to Wilman Wadandi Hwy (Southbound) | |
| H1026 | South Western Hwy - Lillydale Rd Rty | South Western Hwy - Willinge Dr Rty | Capel | 0.00 | South Western Hwy | 0.23 | South Western Hwy | |
| H446 | South Western Hwy - Willinge Dr Rty | South Western Hwy Rty | Dardanup | 0.00 | South Western Hwy | 0.25 | South Western Hwy | |
| H209 | South Western Hwy on to Wilman Wadandi Hwy (Northbound) | South Western Hwy on to Wilman Wadandi Hwy (Northbound) | Dardanup | 0.00 | South Western Hwy & South Western Hwy Rty | 0.74 | Wilman Wadandi Hwy | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|-----------------------|----------|--------------------|--------|-------------------------------------|---|
| H207 | South Western Hwy on to Wilman Wadandi Hwy (Southbound) | South Western Hwy on to Wilman Wadandi Hwy (Southbound) | Dardanup | 0.00 | South Western Hwy | 0.50 | Wilman Wadandi Hwy | |
| 5160030 | South Whelarra | South Whelarra | Chapman Valley | 0.00 | Chapman Valley Rd | 7.65 | Marrah Rd & Naraling - East Yuna Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit. |
| 4120040 | Southall Rd | Southall Rd | Kulin | 0.00 | Gnarming West Rd | 5.11 | Southall Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 2170142 | Southampton Rd | Southampton Rd | Donnybrook - Balingup | 3.73 | Hay Rd | 20.22 | Five Gates Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Maximum speed of 40km/h on gravel road. Intersection Glenarden Rd : No left turn permitted into Glenarden Rd from Southampton Rd. Intersection Mosshill Rd : No left turn permitted into Mosshill Rd From Southampton Rd. |
| 4010041 | Southern Branch Rd | Southern Branch Rd | Beverley | 0.00 | Great Southern Hwy | 6.85 | Southern Branch Rd & Mattingly Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4060016 | Southern Brook Rd | Southern Brook Rd | Cunderdin | 0.00 | Antonio Rd | 9.06 | Northam LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|-----------------------|----------|------------------------|--------|--------------------------|--|
| 4211021 | Southern Brook Rd | Southern Brook Rd | Northam | 0.00 | Northam Pithara Rd | 12.50 | 0.51km East of Dudley Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h No Operation from 7:00 AM to 8:30 AM and 4:00 PM to 5:00 PM Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4211021 | Southern Brook Rd | Southern Brook Rd | Northam | 12.50 | 0.5 Km After Dudley Rd | 20.36 | Cunderdin LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h No Operation from 7:00 AM to 8:30 AM and 4:00 PM to 5:00 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6020159 | Southern Bypass Rd | Southern Bypass Rd | Coolgardie | 0.00 | Nepean Rd | 1.68 | Victoria Rock Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6110006 | Southern Cross South Rd | Southern Cross South Rd | Yilgarn | 0.00 | Great Eastern Hwy | 89.96 | Sloss Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5051337 | Southgates Access Rd | Southgates Access Rd | Greater Geraldton (C) | 0.00 | Brand Hwy | 0.35 | | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 40 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|----------------------------------|--------|----------------------------|---|
| 2130488 | Southwell Rd | Southwell Rd | Manjimup | 0.00 | Kammanns Rd | 1.00 | Southwell Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4070018 | Spark Rd | Spark Rd | Dowerin | 0.00 | Shara Rd | 8.32 | Wilkins Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School buses use this road. Approval to use the road could be withdrawn unless drivers show courtesy to local traffic and take extra care on school days. |
| 4080032 | Spark Rd | Spark Rd | Goomalling | 0.00 | Oak Park Rd | 6.28 | Dowerin LGA Boundary | <ul style="list-style-type: none"> Maximum speed 70 km/h |
| 1030417 | Sparks Rd | Sparks Rd | Cockburn (C) | 0.00 | Cockburn Rd | 2.05 | Stuart Dr | <ul style="list-style-type: none"> Intersection Stuart Dr : No right turn permitted into Stuart Dr from Sparks Rd |
| 4120059 | Sparks Rd | Sparks Rd | Kulin | 0.00 | Eighty Six Gate Rd | 8.89 | Kulin West Rd & Clayton Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Eighty Six Gate Rd : No access permitted into Eighty Six Gate Rd from Sparks Rd. No Right turn permitted into Sparks Rd from Eighty Six Gate Rd. Intersection Kulin West Rd & Clayton Rd : No access permitted into Clayton Rd from Sparks Rd. No left turn permitted into Sparks Rd from Clayton Rd. |
| 4290058 | Sparks Rd | Sparks Rd | Wickepin | 0.00 | Williams Kondinin Rd & Hughes Rd | 5.42 | Helm Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|----------------------------|--------|---------------------------|---|
| 103Z067 | Spartan St | Spartan St | Cockburn (C) | 0.00 | Berrigan Dr & Lakes Wy | 0.76 | Pilatus St | |
| 1030007 | Spearwood Av | Spearwood Av | Cockburn (C) | 3.16 | Melville - Mandurah (H002) | 6.74 | Beeliar Dr | |
| 6040036 | Speddingup Rd East | Speddingup Rd East | Esperance | 0.00 | Coolgardie Esperance Hwy | 26.15 | Dempster Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040035 | Speddingup Rd West | Speddingup Rd West | Esperance | 0.00 | Coolgardie Esperance Hwy | 27.15 | Griffiths Rd & Belgian Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 8030204 | Speedway Rd | Speedway Rd | Carnarvon | 0.00 | North West Coastal Hwy | 2.37 | For 2.37 Km | |
| 2180163 | Spencer Rd | Spencer Rd | Boyup Brook | 0.00 | Scotts Brook Rd | 4.70 | Westbourne Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3120008 | Spencer Rd | Spencer Rd | Plantagenet | 0.00 | Albany Hwy | 19.08 | Denmark Mt Barker Rd | |
| 3160106 | Spencer Rd | Spencer Rd | West Arthur | 0.00 | Gibbs Siding Rd | 1.82 | Spencer Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5140040 | Spencer Rd | Spencer Rd | Perenjori | 0.00 | Dring Rd | 45.24 | Spencer Rd - End Road | |
| 1030092 | Spencer St | Spencer St | Cockburn (C) | 0.00 | Hammond Rd | 0.86 | Poletti Rd | |
| 1120389 | Spencer St | Spencer St | Bayswater (C) | 0.00 | Spencer St - Start Road | 0.08 | Raymond Av | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|--------------------------|--------------------------|----------|----------------------|--------|-------------------|--|
| 2030158 | Spencer St | Spencer St | Bridgetown - Greenbushes | 0.61 | Phillips St | 1.25 | Steere St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 7030090 | Spencer St | Spencer St | Meekatharra | 0.00 | Savage St | 0.18 | High St | |
| 4330004 | Spencers Brook - York Rd | Spencers Brook - York Rd | York | 0.00 | Northam LGA Boundary | 19.54 | Seventh Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Intersection Burges Siding Rd : No access permitted into Burges Siding Rd from Spencers Broo-York Rd |
| 4211020 | Spencers Brook Rd | Spencers Brook Rd | Northam | 1.49 | Burlong Rd Svc Rd | 23.87 | Great Eastern Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No access permitted into Wellington St from Spencers Brook Rd |
| 4160054 | Spencers Rd | Spencers Rd | Mukinbudin | 0.00 | Moondon Rd | 10.22 | Kuser Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6110090 | Spica St | Spica St | Yilgarn | 0.20 | Orion St | 0.40 | Achernar St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|------------------------------|--------|-------------------------|---|
| 4090051 | Spillman Rd | Spillman Rd | Kellerberrin | 0.00 | Garbin Rd & Baandee North Rd | 5.70 | Spillman Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4211243 | Spionkop Rd | Spionkop Rd | Northam | 0.00 | Leeming Rd | 0.71 | Spionkop Rd - End Road | |
| 4180265 | Spouse Rd | Spouse Rd | Narrogin | 0.00 | Congelin - Narrogin Rd | 4.32 | Clayton Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6040105 | Spratlings Rd | Spratlings Rd | Esperance | 0.00 | Rollond Rd | 5.30 | Spratling Rd - End Road | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 6040532 | Spratt Rd | Spratt Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 6.45 | Burnside Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 3150034 | Sprigg Rd | Sprigg Rd | Wagin | 0.00 | Piesse Rd | 1.20 | Great Southern Hwy | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4160043 | Sprigg Rd | Sprigg Rd | Mukinbudin | 0.00 | Bonnie Rock - Lake Brown Rd | 9.66 | Sprigg Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4290072 | Sprigg Rd | Sprigg Rd | Wickepin | 0.00 | Williams Kondinin Rd | 8.29 | Eighty Four Gate Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------------|----------|---|--------|------------------------------|---|
| 5190047 | Sprigg Rd | Sprigg Rd | Coorow | 0.00 | Jones Rd | 0.92 | Sprigg Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3030237 | Sprigg Simpson Rd | Sprigg Simpson Rd | Broomehill - Tambellup | 0.00 | Gnowangerup - Tambellup Rd | 3.14 | Sprigg Simpson Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4180275 | Sprigg Trk | Sprigg Trk | Narrogin | 0.00 | Williams Kondinin Rd & Michael Brown Rd | 1.03 | Sprigg Trk - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3150026 | Spriggs Fraser Rd | Spriggs Fraser Rd | Wagin | 0.00 | Noble Rd | 5.70 | Carberdine Pool Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|---------------------------|--------|--|---|
| 3150026 | Spriggs Fraser Rd | Spriggs Fraser Rd | Wagin | 5.70 | Carberdine Pool Rd | 10.94 | Arthur Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4050036 | Spriggs Rd | Spriggs Rd | Cuballing | 0.00 | Narrogin LGA Boundary | 1.40 | Spriggs Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4180258 | Spriggs Rd | Spriggs Rd | Narrogin | 0.00 | Williams Kondinin Rd | 3.70 | Cuballing LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4099001 | Spring St | Spring St | Kellerberrin | 0.00 | Great Eastern Hwy | 0.46 | Doodlakine - Kununoppin Rd & Harrison St | |
| 6040449 | Springdale Rd | Springdale Rd | Esperance | 0.00 | Ravensthorpe LGA Boundary | 22.45 | Torradup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040449 | Springdale Rd | Springdale Rd | Esperance | 22.45 | Torradup Rd | 22.60 | Torradup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser No Operation between the hours of sunset and sunrise |
| 6040449 | Springdale Rd | Springdale Rd | Esperance | 22.60 | Torradup Rd | 28.59 | South Coast Hwy | <ul style="list-style-type: none"> No Operation between the hours of sunset and sunrise |
| 6100009 | Springdale Rd | Springdale Rd | Ravensthorpe | 0.00 | Hopetoun-Ravensthorpe Rd | 59.64 | Esperance LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|-------------------|--------|--------------------------|--|
| 4010023 | Springhill Rd | Springhill Rd | Beverley | 0.00 | Westdale Rd | 6.04 | York - Williams Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4050010 | Springhill Rd | Springhill Rd | Cuballing | 0.00 | Bow St & Darcy St | 6.75 | Wandering - Narrogin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5040261 | Springhill Rd | Springhill Rd | Dandaragan | 0.00 | Munbinea Rd | 2.55 | Springhill Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------|----------|------------------------------|--------|--------------------------|---|
| 3060040 | Springhurst Rd | Springhurst Rd | Dumbleyung | 0.00 | Kulin - Dumbleyung Rd | 3.70 | Moulyinning North Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060040 | Springhurst Rd | Springhurst Rd | Dumbleyung | 3.70 | Moulyinning North Rd | 18.30 | Boundary Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4330260 | Springs Rd | Springs Rd | York | 0.00 | Osborn Rd & Rudall Rd | 0.45 | Springs Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4140027 | Springwell Valley Rd | Springwell Valley Rd | Merredin | 0.00 | Parkes St | 17.81 | Bulls Head Rd & Scott Rd | |
| 3090092 | Sproxton Rd | Sproxton Rd | Kent | 0.00 | Kukerin Rd | 2.32 | | |
| 4100009 | Spurr Rd | Spurr Rd | Kondinin | 0.00 | Pederah West Rd & Trundle Rd | 9.75 | Kondinin Hyden Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4240176 | Squiers Rd | Squiers Rd | Quairading | 0.00 | Andrews Rd | 2.05 | Andrews Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|-------------------------|--------|---------------------------|--|
| 4160036 | Squire Rd | Squire Rd | Mukinbudin | 0.00 | Nungarin North Rd | 4.03 | Dandanning Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1070109 | St Albans Rd | St Albans Rd | Rockingham (C) | 3.46 | Mundijong Rd | 5.89 | Telephone L & Baldivis Rd | <ul style="list-style-type: none"> Intersection Mundijong Rd : Left Turn Only From Mundijong Rd Into St Albans Rd. Right Turn Only From St Albans Rd Into Mundijong Rd |
| 3120134 | St Jack Rd | St Jack Rd | Plantagenet | 0.00 | St Jack Rd - Start Road | 4.67 | St Jack Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4010034 | St Jacks Rd | St Jacks Rd | Beverley | 0.00 | Rickeys Siding Rd | 1.87 | York LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4330039 | St Jacks Rd | St Jacks Rd | York | 0.00 | Quairading York Rd | 1.36 | Beverley LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|--------------------------|--------|--------------------|--|
| 5160039 | St John Rd | St John Rd | Chapman Valley | 0.00 | Wandana Rd | 10.18 | Wandin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3120112 | St Werburghs Rd | St Werburghs Rd | Plantagenet | 0.00 | Mitchell St | 6.11 | Hay River Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h |
| 3120112 | St Werburghs Rd | St Werburghs Rd | Plantagenet | 10.01 | | 13.22 | Muir Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4240057 | Stacey Bus Rd | Stacey Bus Rd | Quairading | 0.00 | Badjaling South Rd | 8.14 | Badjaling South Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 2160022 | Stacey Rd | Stacey Rd | Nannup | 0.00 | Brockman Hwy | 2.74 | Jalbarragup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1070036 | Stakehill Rd | Stakehill Rd | Rockingham (C) | 0.00 | Unknown Rd & Baldivis Rd | 3.80 | Mandurah Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|--------------------------|----------|------------------------------|--------|-----------------------|--|
| 5140100 | Stan Cannon Rd | Stan Cannon Rd | Perenjori | 0.00 | Mullewa Wubin Rd | 2.03 | Selner Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h No Operation between the hours of sunset and sunrise COMBINATIONS EXCEEDING 19 METRES MUST NOT CROSS RAILWAY |
| 5140100 | Stan Cannon Rd | Stan Cannon Rd | Perenjori | 2.03 | Selner Rd | 9.90 | Baxter Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 4230041 | Stanes Rd | Stanes Rd | Pingelly | 0.00 | Bullaring Rd | 1.77 | Tutanning Rd | |
| 1090695 | Stanford Wy | Stanford Wy | Swan (C) | 0.00 | Westchester Rd | 0.54 | Westchester Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 1060007 | Stanhope Gdns | Stanhope Gdns | Mundaring | 0.00 | Great Eastern Hwy | 0.58 | Rothschild Pl | |
| 2030270 | Stanifer St | Stanifer St | Bridgetown - Greenbushes | 0.00 | Maranup Ford Rd & Diorite St | 1.29 | South Western Hwy | |
| 2110496 | Stanley Rd | Stanley Rd | Harvey | 0.00 | Forrest Hwy | 0.53 | Stanley Rd - End Road | |
| 3080086 | Stanley Rd | Stanley Rd | Katanning | 0.00 | Warren Rd | 6.55 | Wolyaming Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 0030146 | Stanley St | Stanley St | Derby - West Kimberley | 0.00 | Stanwell St | 0.25 | Waycott St | |
| 1091248 | Stanley St | Stanley St | Swan (C) | 0.00 | Military Rd | 0.12 | Stanley St - End Road | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 2180066 | Stanton Rd | Stanton Rd | Boyup Brook | 0.00 | Donnybrook Kojonup Rd | 3.50 | Terry Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 0030072 | Stanwell St | Stanwell St | Derby - West Kimberley | 0.00 | Sutherland St | 0.17 | Stanley St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|-------------------|----------|-----------------------|--------|------------------------------------|--|
| 4130016 | Stapleton Rd | Stapleton Rd | Trayning | 0.00 | Perks - O'Meara Rd | 5.61 | Mulcahy Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4130016 | Stapleton Rd | Stapleton Rd | Trayning | 5.61 | Mulcahy Rd | 12.08 | Travers Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4130016 | Stapleton Rd | Stapleton Rd | Trayning | 12.08 | Travers Rd | 19.47 | Stapleton Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1140378 | Star St | Star St | Canning (C) | 0.00 | Kew St & Star St | 0.20 | Star St - End Road | |
| 1290214 | Star St | Star St | Victoria Park (T) | 1.72 | Cohn St | 2.37 | Kew St & Star St | |
| 4170014 | Starcevich - Chapman Rd | Starcevich - Chapman Rd | Narembreen | 0.00 | Wogarl - Muntadgin Rd | 29.35 | Starcevich - Chapman Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|--------------------------------|--------|---------------------------|---|
| 5010033 | Starcevich Rd | Starcevich Rd | Carnamah | 0.00 | Caron Rd | 3.35 | Waters Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6040553 | Starcevich Rd | Starcevich Rd | Esperance | 12.50 | Hobby Rd | 15.50 | 3 Km East From Hobby Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 5140036 | Starkeys Rd | Starkeys Rd | Perenjori | 0.00 | Old Perth Rd | 12.71 | Metcalfe Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2130044 | Starkies Rd | Starkies Rd | Manjimup | 0.00 | Mottram St & South Western Hwy | 4.59 | Middlesex Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|-------------------------|--------|--------------------------|---|
| 5130027 | Starling Rd | Starling Rd | Northampton | 0.00 | North West Coastal Hwy | 4.47 | Oakabella Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection North West Coastal Hwy : No access permitted into North West Coastal Hwy from Starling Rd Intersection Oakabella Rd : No left turn permitted into Oakabella Rd from Starling Rd |
| 5160057 | State Farm Rd | State Farm Rd | Chapman Valley | 0.00 | McNaught Mazzuchelli Rd | 1.89 | Northampton - Nabawa Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 50kph below posted speed limit. Sealed section - 20 kph below posted speed limit. |
| 4330033 | Station Rd | Station Rd | York | 0.00 | Quairading York Rd | 4.97 | Taylor Rd | |
| 5160015 | Station Rd | Station Rd | Chapman Valley | 0.00 | Durawah Rd | 8.90 | Durawah - Northern Gully | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5190082 | Station St | Station St | Coorow | 0.00 | Coorow - Green Head Rd | 0.96 | 110m From South St | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------------|----------|---------------------------|--------|-----------------------------|---|
| 5160014 | Station Valentine Rd | Station Valentine Rd | Chapman Valley | 0.00 | Station Rd | 13.65 | Valentine Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1040234 | Stebbing Rd | Stebbing Rd | Gosnells (C) | 0.00 | Marion Rd | 0.56 | Maddington Rd & Kelvin Rd | |
| 4090136 | Steber Rd | Steber Rd | Kellerberrin | 0.00 | Morison Rd | 2.32 | Liebeck Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3160146 | Steddy Rd | Steddy Rd | West Arthur | 0.00 | Quindanning - Darkan Rd | 0.87 | Steddy Rd No.146 - End Road | |
| 3020381 | Steedman St | Steedman St | Albany (C) | 0.46 | Lehman Av | 0.72 | Sandalwood Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 8140566 | Steel Av | Steel Av | Karratha (C) | 0.00 | Dampier Rd | 0.57 | Exploration Dr | |
| 1090951 | Steel Ct | Steel Ct | Swan (C) | 0.00 | Hyne Rd | 0.14 | Steel Ct - End Road | |
| 0030085 | Steel St | Steel St | Derby - West Kimberley | 0.42 | Fitzroy St | 0.97 | Steel St - End Road | |
| 6080092 | Steel St | Steel St | Leonora | 0.00 | Tower St | 0.45 | Steel St - End Road | |
| 4099000 | Steel Weld Rd | Steel Weld Rd | Kellerberrin | 0.00 | Great Eastern Hwy | 0.08 | Mather Rd | |
| 3090015 | Steele Rd | Steele Rd | Kent | 0.00 | Pingrup Lake Grace Rd | 21.89 | Day Rd | |
| 5080063 | Steele Rd | Steele Rd | Irwin | 1.85 | 1.85km From Brand Highway | 3.51 | Wimpole Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|--------------------------|----------|----------------------------------|--------|-----------------------------|---|
| 6100031 | Steeredale Rd | Steeredale Rd | Ravensthorpe | 0.00 | Hopetoun-Ravensthorpe Rd | 3.20 | Steeredale Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3120135 | Steicke Rd | Steicke Rd | Plantagenet | 0.00 | Woodlands Rd & Porongurup Rd | 1.51 | Steicke Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3110104 | Stennetts Lake Rd | Stennetts Lake Rd | Lake Grace | 0.00 | Lake King-Norseman Rd | 22.00 | Beatty Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4120096 | Stent Rd | Stent Rd | Kulin | 0.00 | Stone Rd & Pingaring - Varley Rd | 4.05 | Stent Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 1040235 | Stephen St | Stephen St | Gosnells (C) | 0.00 | Reservoir Rd | 0.40 | Stephen St - End Road | |
| 5130099 | Stephen St | Stephen St | Northampton | 0.00 | Hampton St | 2.10 | Harvey Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 3090028 | Stephens Rd | Stephens Rd | Kent | 0.00 | Beagley Rd | 13.01 | Kuringup Rd | |
| 4120101 | Stephens Rd | Stephens Rd | Kulin | 0.00 | Pingaring - Varley Rd | 2.37 | Stephens Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 5110016 | Stephens Rd | Stephens Rd | Morawa | 0.00 | Evaside Rd & Ross Rd | 10.42 | Fabling Rd | |
| 4010173 | Steve Edwards Rd | Steve Edwards Rd | Beverley | 0.00 | K.1 Rd | 1.50 | Steve Edwards Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2010058 | Stevens Rd | Stevens Rd | Augusta - Margaret River | 1.84 | 1.84km From Redgate Rd | 3.78 | Gnarawary Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|---------------------------------|--------|---------------------------------|--|
| 4050027 | Stevens Rd | Stevens Rd | Cuballing | 0.00 | Wandering - Narrogin Rd | 5.02 | Wandering LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4270018 | Stevens Rd | Stevens Rd | Wandering | 0.00 | York - Williams Rd | 2.70 | Cuballing LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3150222 | Stewart Rd | Stewart Rd | Wagin | 0.00 | Tudhoe St & Wagin Dumbleyung Rd | 0.36 | 0.36km From Collie Lake King Rd | |
| 3160061 | Stewart Rd | Stewart Rd | West Arthur | 0.00 | Moodiarrup West Rd | 14.45 | Arthur River - Dinninup Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4060048 | Stewart Rd | Stewart Rd | Cunderdin | 0.00 | Goomalling - Meckering Rd | 4.70 | Loton Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Goomalling - Meckering Rd : No left turn permitted into Goomalling - Merredin Rd from Stewart Rd Intersection North Rd : No left turn permitted into North Rd from Stewart Rd |
| 4180114 | Stewart Rd | Stewart Rd | Narrogin | 0.00 | Graham Rd | 0.54 | Stewart Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|--------------------------|----------|------------------------|--------|---------------------------------------|--|
| 4230034 | Stewart Rd | Stewart Rd | Pingelly | 0.00 | Bullaring Rd | 8.17 | Jingaring Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030112 | Stewart Rd | Stewart Rd | Dalwallinu | 0.00 | Flynn Rd | 5.89 | Mullewa Wubin Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h |
| 6110067 | Stewart Rd | Stewart Rd | Yilgarn | 0.00 | Moorine South Rd | 1.00 | 1 Km North West From Moorine South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| M080 | Stewart Rd | Stewart Rd | Nannup | 0.00 | Vasse Hwy | 27.56 | Brockman Hwy | |
| 2030414 | Stewart St | Stewart St | Bridgetown - Greenbushes | 0.00 | Hampton St | 0.42 | Steere St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4070181 | Stewart St | Stewart St | Dowerin | 0.00 | Goldfields Rd | 0.62 | Redding Rd & Fraser St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4070181 | Stewart St | Stewart St | Dowerin | 0.62 | Redding Rd & Fraser St | 1.44 | Metcalf St & Dowerin - Kalannie Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4120124 | Stewart St | Stewart St | Kulin | 0.01 | Beard St | 0.23 | Kulin Lake Grace Rd & Johnston St | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Kulin Lake Grace Rd & Johnston St : No left turn permitted into Johnston St from Stewart St. No right turn permitted into Gorge Rock Lake Grace from Stewart St |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|-------------------------------------|----------|--|--------|--|---|
| 4120077 | Stewart-Kenny Rd | Stewart-Kenny Rd | Kulin | 0.00 | Kulin - Holt Rock Rd | 5.85 | Wiley Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3070122 | Stewarts Rd | Stewarts Rd | Gnowangerup | 0.00 | Gnowangerup Jerramungup Rd | 5.42 | Holden Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6110086 | Sth Cross Cbh Wheat Bin Rd | Sth Cross Cbh Wheat Bin Rd | Yilgarn | 0.00 | Bullfinch Rd | 0.53 | Beaton Rd & Threeboys Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3030221 | Stirling Access Rd | Stirling Access Rd | Broomehill - Tambellup | 0.00 | Toolbrunup Rd & North Stirling Rd | 16.20 | Beejenup Rd & Hamilla Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1090987 | Stirling Cr | Stirling Cr | Swan (C) | 0.00 | Stirling Cr & Adelaide St West & Adelaide St | 0.29 | 0.40km South of Talbot Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 1090987 | Stirling Cr | Stirling Cr | Swan (C) | 0.29 | Entrance to Lot 1 Stirling Cr | 0.68 | Talbot Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. 10 km/h below posted speed limit Continued RAV Network access on Stirling Crescent, south of Great Eastern Highway Bypass, may no longer be available following the imminent closure of the Stirling Crescent / Great Eastern Highway Bypass intersection. |
| 1090987 | Stirling Cr | Stirling Cr | Swan (C) | 0.68 | Talbot Rd | 1.11 | Great Eastern Hwy Bypa | <ul style="list-style-type: none"> 10 km/h below posted speed limit Continued RAV Network access on Stirling Crescent, south of Great Eastern Highway Bypass, may no longer be available following the imminent closure of the Stirling Crescent / Great Eastern Highway Bypass intersection. |
| 1090987 | Stirling Cr | Stirling Cr | Swan (C) | 1.11 | Great Eastern Hwy Bypa | 1.90 | Bushmead Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 1090987 | Stirling Cr | Stirling Cr | Swan (C) | 1.90 | Bushmead Rd | 2.65 | To Linfox Entry/Exit Gate - Slk 2.67 (0.75 Km From Bushmead Rd | |
| 1090987 | Stirling Cr | Stirling Cr | Swan (C) | 2.65 | Talbot Rd | 3.08 | Central Ave | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| H014 | Stirling Hwy | Stirling Hwy | Fremantle (C) | 14.15 | 0.40km North of Leslie Rd | 15.14 | Tydeman Rd & John St | |
| H014 | Stirling Hwy | Stirling Hwy | Fremantle (C) East Fremantle (T) | 15.14 | Tydeman Rd & John St | 17.05 | Stirling Hwy - High St Rty | <ul style="list-style-type: none"> Unless otherwise approved in writing by Main Roads, the RAV must not be loaded with more than 3 loaded Twenty-foot Equivalent Units (3 TEU's), e.g. 3 twenty-foot intermodal containers or 1 forty-foot and 1 twenty-foot intermodal container. |
| H940 | Stirling Hwy (Southbound) Slip to Leach Hwy (Eastbound) | Stirling Hwy (Southbound) Slip to Leach Hwy (Eastbound) | Fremantle (C) | 0.00 | Stirling Hwy | 0.24 | High St | |
| H461 | Stirling Hwy - High St Rty | Stirling Hwy - High St Rty | Fremantle (C) | 0.00 | High St | 0.23 | High St | |
| 3100090 | Stirling Rd | Stirling Rd | Kojonup | 0.00 | Riverdale Rd | 8.93 | Darkan - Kojonup Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|--------------------------|----------|------------------------------------|--------|----------------------------------|--|
| 3120036 | Stirling School Rd | Stirling School Rd | Plantagenet | 0.00 | Palmdale Rd | 8.72 | Pfeiffer Rd & South Stirling Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h Maximum speed of 60 km/h on gravel road. |
| 4260195 | Stirling Tce | Stirling Tce | Toodyay | 0.00 | Toodyay Rd & Goomalling Toodyay Rd | 0.10 | Hamersley St | <ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 1090084 | Stock Rd | Stock Rd | Swan (C) | 0.17 | Great Northern Hwy - Stock Rd Rty | 5.24 | Stock West Rd Rty | |
| 2120370 | Stock Rd | Stock Rd | Mandurah (C) | 0.00 | Lakes Rd East | 2.79 | Stock Rd (Sth) Cul-De-Sac | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3180059 | Stock Rd | Stock Rd | Jerramungup | 0.00 | Cardininup Rd | 22.60 | Carlawillup Rd & South Coast Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4220036 | Stock Rd | Stock Rd | Nungarin | 0.00 | Young Rd & Woodward Rd | 14.16 | Stockton Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 0040020 | Stock Route Rd | Stock Route Rd | Wyndham - East Kimberley | 0.00 | Research Station Rd | 1.47 | Stock Route Rd - End Road | |
| 3030054 | Stock Route Rd | Stock Route Rd | Broomehill - Tambellup | 0.00 | Chilicup Rd | 3.52 | West Peringillup Rd | <ul style="list-style-type: none"> Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4290163 | Stock Route Rd | Stock Route Rd | Wickepin | 0.00 | Wickepin - Harrismith Rd | 6.24 | Rabbit Proof Fence Rd Sth | |
| 5050671 | Stock St | Stock St | Greater Geraldton (C) | 0.00 | Maitland Rd & Gray St | 0.17 | Molster St | <ul style="list-style-type: none"> Operation permitted in a clockwise direction only. |
| H431 | Stock West Rd Rty | Stock West Rd Rty | Swan (C) | 0.00 | Stock Rd | 0.56 | Stock Rd | |
| H356 | Stock West Rd Rty on to Tonkin Hwy (Northbound) | Stock West Rd Rty on to Tonkin Hwy (Northbound) | Swan (C) | 0.00 | Stock West Rd Rty | 0.61 | Tonkin Hwy | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|--------------------------|----------|--|--------|--------------------------|--|
| H360 | Stock West Rd Rty on to Tonkin Hwy (Southbound) | Stock West Rd Rty on to Tonkin Hwy (Southbound) | Swan (C) | 0.00 | Stock West Rd Rty | 0.55 | Tonkin Hwy | |
| 1180028 | Stockdale Rd | Stockdale Rd | Fremantle (C) | 0.00 | Garling St & Stock Rd & Garling St Sthn Cway | 0.97 | South St | |
| 2010016 | Stockdill Rd | Stockdill Rd | Augusta - Margaret River | 0.00 | Bussell Hwy | 2.30 | 2.3km From Bussell Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Busell Hwy : No right turn permitted into Busell Hwy from Stockdill Rd |
| 0040066 | Stockman Rd | Stockman Rd | Wyndham - East Kimberley | 0.00 | Victoria Hwy | 0.33 | Stockman Rd - End Road | |
| 4240106 | Stockpool Rd | Stockpool Rd | Quairading | 0.00 | Andrews Rd | 5.51 | Dangin - Mears Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 1071265 | Stockton Rd | Stockton Rd | Rockingham (C) | 0.00 | Sunlight Dr | 0.25 | Helmshore Wy | |
| 4160080 | Stockton Rd | Stockton Rd | Mukinbudin | 0.00 | Koorda - Bullfinch Rd | 6.83 | Stock Rd | |
| 3020372 | Stockwell Rd | Stockwell Rd | Albany (C) | 0.00 | Chillinup Rd | 12.45 | South Coast Hwy | |
| 3040008 | Stockyard Rd | Stockyard Rd | Cranbrook | 0.00 | Nunijup Rd & Martagallup Rd | 19.50 | Cranbrook - Frankland Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h Maximum speed of 60 km/h on gravel road. |
| 4110085 | Stockyard Rd | Stockyard Rd | Koorda | 0.00 | Cadoux - Koorda Rd | 0.85 | Stockyard Rd - End Road | |
| 5040081 | Stockyard Rd | Stockyard Rd | Dandaragan | 0.00 | Dandaragan Rd | 2.75 | Stockyard Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6056069 | Stockyard Wy | Stockyard Wy | Kalgoorlie - Boulder (C) | 0.00 | Melrose St | 0.29 | Carnegie St | <ul style="list-style-type: none"> Intersection Carnegie St : No access permitted into Carnegie St from Stockyard Way. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|----------------------------|--------|---------------------------------|--|
| 4060138 | Stokes Rd | Stokes Rd | Cunderdin | 0.00 | Main St | 4.17 | Jasper River Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4060138 | Stokes Rd | Stokes Rd | Cunderdin | 4.18 | Jasper River Rd | 9.87 | Mt Anne Rd | |
| 5110102 | Stokes Rd | Stokes Rd | Morawa | 0.00 | Wubin Mullewa | 1.83 | Rubbish Tip Access Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180026 | Stokes Rd | Stokes Rd | Wongan - Ballidu | 0.00 | Hospital Rd | 15.35 | Moonijin West Rd | |
| 2040755 | Stokes Wy | Stokes Wy | Bunbury (C) | 0.00 | Sherlock Wy | 0.14 | Stokes Wy - End of Construction | |
| 4090064 | Stone Giles Rd | Stone Giles Rd | Kellerberrin | 0.00 | Doodlakine - Bruce Rock Rd | 13.74 | Badgetopping South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Doodlakine South Rd : No left turn permitted into Doodlakine South Rd from Stone Giles Rd (from eastern approach) |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|----------------------------------|--------|------------------------------|---|
| 4090064 | Stone Giles Rd | Stone Giles Rd | Kellerberrin | 14.16 | Badgetopping South Rd | 21.57 | Kellerberrin - Shackleton Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3110203 | Stone Rd | Stone Rd | Lake Grace | 0.00 | Kulin LGA Boundary | 3.44 | Stone Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4120155 | Stone Rd | Stone Rd | Kulin | 0.00 | Stent Rd & Pingaring - Varley Rd | 2.73 | Lake Grace LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4150064 | Stone Rd | Stone Rd | Mount Marshall | 0.00 | Bimbijy Rd | 9.90 | Stone Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030218 | Stone Rd | Stone Rd | Dalwallinu | 0.00 | Dalwallinu West Rd | 6.25 | Thaxter Rd | |
| 1010389 | Stone St | Stone St | Armadale (C) | 0.00 | South Western Hwy | 0.57 | Stone St - End Road | |
| 5130004 | Stone St | Stone St | Northampton | 0.00 | Olivier Rd | 0.81 | Onslow St | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4280009 | Stoneman Rd | Stoneman Rd | Westonia | 0.00 | Warralakin Rd | 11.53 | Boundary Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|-----------------------|----------|-------------------------------|--------|-----------------------------|---|
| 4240098 | Stones Back Rd | Stones Back Rd | Quairading | 0.00 | Quairading South Rd | 1.61 | Stones Back Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4030073 | Stones Rd | Stones Rd | Bruce Rock | 0.00 | Kwolyin East Rd | 6.17 | Kwolyin West Rd & Ogrady Rd | |
| 4240034 | Stones Rd | Stones Rd | Quairading | 0.00 | Quairading - Corrigin Rd | 8.73 | Corrigin LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4110119 | Storer Rd | Storer Rd | Koorda | 0.00 | Koorda - Mollerin Rd | 2.30 | Storer Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1140373 | Stott Rd | Stott Rd | Canning (C) | 0.00 | Dowd St East | 0.16 | Stott Rd - End Road | |
| 3080053 | Stott Rd | Stott Rd | Katanning | 0.00 | Warren Rd | 4.72 | Ranford Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5050388 | Stow St | Stow St | Greater Geraldton (C) | 0.00 | Place Rd | 0.49 | Beaver St | |
| 4030088 | Strachan Rd | Strachan Rd | Bruce Rock | 0.00 | Erikin South Rd | 2.25 | Yarding South Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4110018 | Strahan Rd | Strahan Rd | Koorda | 0.00 | Wongan - Ballidu LGA Boundary | 15.85 | Anderson Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|--|--------|--------------------------|---|
| 5180152 | Strahan Rd | Strahan Rd | Wongan - Ballidu | 0.00 | Rabbit Proof Fence Rd | 3.38 | Koorda LGA Boundary | |
| 4050026 | Strahans Rd | Strahans Rd | Cuballing | 0.00 | Cuballing East Rd | 2.95 | Leesons Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4020007 | Strange Rd | Strange Rd | Brookton | 0.00 | Brookton Hwy | 18.15 | Strange Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4030170 | Strange St | Strange St | Bruce Rock | 0.00 | Dampier St | 0.13 | Strange St - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Empty Travel Only |
| 4030131 | Strangers Rd | Strangers Rd | Bruce Rock | 0.00 | Yarding - Ardath Rd | 1.51 | Yad Yaddin Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3070017 | Strathaven Rd | Strathaven Rd | Gnowangerup | 0.00 | Gnowangerup Jerramungup Rd & Yougenup Rd | 9.53 | Strathaven Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4050001 | Stratherne Rd | Stratherne Rd | Cuballing | 0.00 | Great Southern Hwy | 26.54 | Kerruish Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|--------------------------|--------------------------|----------|--------------------------------|--------|---------------------------|--|
| 2030081 | Strathmore Rd | Strathmore Rd | Bridgetown - Greenbushes | 0.00 | Winnejup Rd & Kloppers Mill Rd | 4.14 | Strathmore Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2030492 | Strauss Rd | Strauss Rd | Bridgetown - Greenbushes | 0.00 | Mersea Rd | 1.30 | Strauss Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5090018 | Strawberry North East Rd | Strawberry North East Rd | Mingenew | 0.00 | Midlands Rd | 14.34 | Depot Hill Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 3110090 | Strawbridge Rd | Strawbridge Rd | Lake Grace | 0.00 | Holt Rock South Rd | 3.20 | Strawbridge Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2050247 | Strelly St | Strelly St | Busselton (C) | 0.00 | Causeway Rd | 1.28 | Strelly St Rty | |
| H412 | Strelly St Rty | Strelly St Rty | Busselton (C) | 0.00 | Chapman Hill Rd | 0.21 | Chapman Hill Rd | |
| 1251654 | Stretton Pl | Stretton Pl | Stirling (C) | 0.00 | Ledgar Rd | 0.26 | Stretton Pl - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|---------------------------|--------|--------------------------|---|
| 4040025 | Stretton Rd | Stretton Rd | Corrigin | 0.00 | Bullaring Rd | 11.02 | Wickepin - Corrigin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3110069 | Strevett Rd | Strevett Rd | Lake Grace | 0.00 | Fourteen Mile Rd | 6.28 | Burngup South Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3150180 | Strickland L | Strickland L | Wagin | 0.00 | Upland St & Strickland St | 0.15 | Usil L & Tavistock St | <ul style="list-style-type: none"> Operation permitted in a clockwise direction only. Intersection Usil L & Tavistock St : No left turn permitted into Tavistock Street from Strickland Lane. |
| 4240091 | Strickland Rd | Strickland Rd | Quairading | 0.00 | Dangin - Mears Rd | 0.88 | Strickland Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 2040009 | Strickland St | Strickland St | Bunbury (C) | 1.08 | Pennant Rd | 1.77 | Preston St | <ul style="list-style-type: none"> Access permitted into Bunbury Forum loading docks only |
| 3160085 | Stricklands Rd | Stricklands Rd | West Arthur | 0.00 | Shield Rd | 2.65 | Dardadine South Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|----------------------------|--------|-----------------------------|--|
| 3170029 | Stronach Rd | Stronach Rd | Woodanilling | 0.00 | Great Southern Hwy | 5.80 | Quartermaine Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Great Southern Hwy : No left turn permitted into Northam-Cranbrook Rd from Stronach Rd Intersection Quartermaine Rd : No left turn permitted into Quartermaine Rd from Stronach Rd |
| 4120102 | Strother Rd | Strother Rd | Kulin | 0.00 | Hyden-Lake King Rd | 1.38 | Strother Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5030223 | Struggle St | Struggle St | Dalwallinu | 0.00 | Campbell Rd | 24.69 | Wubin East Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4160068 | Strugnell St | Strugnell St | Mukinbudin | 0.00 | Koorda - Bullfinch Rd | 0.79 | Mukinbudin - Wialki Rd | |
| 5150095 | Strutton Rd | Strutton Rd | Three Springs | 0.00 | Three Springs - Eneabba Rd | 11.02 | Thomas Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5150095 | Strutton Rd | Strutton Rd | Three Springs | 11.02 | Thomas Rd | 11.46 | North West Cnr Loc 4374 | |
| 1030898 | Stuart Dr | Stuart Dr | Cockburn (C) | 0.00 | Nautical Dr | 0.66 | Cockburn Rd | |
| 3120015 | Sturdee Rd | Sturdee Rd | Plantagenet | 0.00 | Albany Hwy | 10.72 | Boyup Rd | |
| 3060100 | Sturges Rd | Sturges Rd | Dumbleyung | 0.00 | Dumbleyung - Nyabing Rd | 2.46 | Fairclough Rd & Datatine Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Dumbleyung - Nyabing Rd : No access permitted into Dumbleyung Nyabing Rd from Sturges Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|-----------------------------|--------|---|---|
| 3040111 | Sturry Rd | Sturry Rd | Cranbrook | 0.00 | Albany Hwy | 2.42 | Sturry Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6080029 | Sturt Meadows Rd | Sturt Meadows Rd | Leonora | 0.00 | Old Agnew Rd | 8.29 | Boxers Well Rd & Cross Rd & Ida Valley Rd | |
| 6070001 | Sturt Pea Dr | Sturt Pea Dr | Laverton | 0.00 | Leonora Laverton Rd | 1.81 | Great Central Rd | |
| 3070059 | Stutley Rd | Stutley Rd | Gnowangerup | 0.00 | Jackitup Rd & Moores Dam Rd | 2.08 | Hinkley Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3070142 | Stutley St | Stutley St | Gnowangerup | 0.00 | Walsh St | 0.23 | For 0.23km From Walsh St to Access Driveway | |
| 6040218 | Styles Rd | Styles Rd | Esperance | 0.00 | Logan Rd | 39.02 | Scaddan Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4240124 | Suburban Rd | Suburban Rd | Quairading | 0.00 | McLennan St | 0.67 | Ashton St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 1104830 | Success Wy | Success Wy | Wanneroo (C) | 0.00 | Rigali Wy | 0.24 | Venture Loop | |
| 5130029 | Suckling Rd | Suckling Rd | Northampton | 0.00 | Horrocks Rd | 6.31 | Suckling Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|---|----------|------------------------------|--------|-----------------------|--|
| 4020043 | Sudholz Rd | Sudholz Rd | Brookton | 0.00 | Brookton-Corrigin Rd | 2.60 | Sudholz Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Brookton-Corrigin Rd : No left turn permitted into Brookton Hwy from Sudholz Rd |
| 5170040 | Sudholz Rd | Sudholz Rd | Victoria Plains | 0.00 | Wongan Hills - Waddington Rd | 5.85 | Sudholz Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1030028 | Sudlow Rd | Sudlow Rd | Cockburn (C) | 0.00 | Spearwood Av | 1.33 | Phoenix Rd | |
| 5130079 | Sudlow Rd | Sudlow Rd | Northampton | 0.00 | North West Coastal Hwy | 8.94 | Helens Rd (Nru) | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| M081 | Sues Rd | Sues Rd | Busselton (C) Augusta - Margaret River Nannup | 0.10 | Bussell Hwy - Sues Rd Rty | 58.59 | Brockman Hwy | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|-----------------------|----------|--|--------|-------------------------|--|
| 3170016 | Sugg Rd | Sugg Rd | Woodanilling | 0.00 | Tie Line Rd | 3.82 | Shackley Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3170016 | Sugg Rd | Sugg Rd | Woodanilling | 3.82 | Shackley Rd | 7.92 | Lime Lake Rd | <ul style="list-style-type: none"> Maximum speed 70 km/h |
| 3110111 | Sugg Rock Rd | Sugg Rock Rd | Lake Grace | 0.00 | Sugg Rock Rd - Start Road | 10.20 | Sugg Rock Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5050624 | Sullivan Rd | Sullivan Rd | Greater Geraldton (C) | 0.00 | Dean Rd | 17.39 | Tardun Pindar Rd | |
| 1030097 | Sullivan St | Sullivan St | Cockburn (C) | 0.00 | Buckley St | 0.25 | Tichborne St | |
| 118Z052 | Sultan Wy | Sultan Wy | Fremantle (C) | 0.00 | Rous Head Rd | 0.60 | Rous Head Rd | |
| 5100018 | Summers East Rd | Summers East Rd | Moora | 0.00 | Toodyay - Bindi Bindi Rd & Summers West Rd | 5.64 | Tucks Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 5140048 | Summers Rd | Summers Rd | Perenjori | 0.00 | Britt St & Mullewa Wubin Rd | 1.63 | Syson Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 5140048 | Summers Rd | Summers Rd | Perenjori | 1.63 | Syson Rd | 7.31 | Farrs Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|--|--------|---------------------------|---|
| 5100039 | Summers West Rd | Summers West Rd | Moora | 0.00 | Summers East Rd & Toodyay - Bindi Bindi Rd | 8.54 | Indarrie Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Urquhart Rd : No right turn permitted into Urquhart Rd from Summers West Rd |
| 5150042 | Sundalara Rd | Sundalara Rd | Three Springs | 0.00 | Tomkins Rd | 5.46 | Robinson Rd | |
| 0010487 | Sundown Rd | Sundown Rd | Broome | 0.00 | Katsuyama Rd | 0.65 | | |
| 3050040 | Sunny Glen | Sunny Glen | Denmark | 0.00 | South Coast Hwy | 4.50 | 3.1km Before Hay River Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4240111 | Sunny Vale Rd | Sunny Vale Rd | Quairading | 0.00 | Quairading - Corrigin Rd | 3.20 | Stacey Bus Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 6040540 | Sunrise Hill Rd | Sunrise Hill Rd | Esperance | 0.00 | Nulsen St & Moore St & Salmon Gums East Rd | 32.81 | Davies Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 5150037 | Sunset Rd | Sunset Rd | Three Springs | 0.00 | Rothsay Rd & Midlands Rd | 8.14 | Sunrise Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|--------------------------|----------|---------------------------|--------|-------------------------|---|
| 2010298 | Sunshine Av | Sunshine Av | Augusta - Margaret River | 0.00 | Courtney Rd | 2.91 | Sunshine Av - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1106947 | Supreme Loop | Supreme Loop | Wanneroo (C) | 0.00 | Blaze Rd & Fortitude Bvd | 0.87 | Fortitude Bvd & Boom St | |
| 4040148 | Surburban St | Surburban St | Corrigin | 0.00 | Boyd's St | 0.36 | Corrigin South Rd | |
| 4150055 | Surtees Rd | Surtees Rd | Mount Marshall | 0.00 | Greenham Rd | 8.69 | Gray Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5030043 | Sutcliffe Rd | Sutcliffe Rd | Dalwallinu | 0.00 | Great Northern Hwy | 18.65 | Damboring East Rd | <ul style="list-style-type: none"> Intersection Hodgson Rd : No right turn permitted into Sutcliffe Rd (Hodgson Rd intersection) from Sutcliffe Rd |
| 3060089 | Sutherland Rd | Sutherland Rd | Dumbleyung | 0.00 | Nippering North Rd | 2.00 | Sutherlands Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4130028 | Sutherland Rd | Sutherland Rd | Trayning | 0.00 | Kellerberrin - Yelbeni Rd | 6.20 | Huandanning Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------------|----------|--------------------------------------|--------|--|--|
| 5030217 | Sutherland Rd | Sutherland Rd | Dalwallinu | 0.00 | Lloyd Rd | 5.94 | Nadji Mia Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Maximum speed 60 km/h |
| 5050635 | Sutherland Rd | Sutherland Rd | Greater Geraldton (C) | 0.00 | Carnarvon - Mullewa Rd | 8.03 | Sutherland Rd - End Road | |
| 5140089 | Sutherland Rd | Sutherland Rd | Perenjori | 0.00 | Boundary Rd | 8.39 | Barrett Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 0030144 | Sutherland St | Sutherland St | Derby - West Kimberley | 0.00 | Derby Hwy & Loch St | 0.15 | Stanwell St | |
| 4130072 | Sutherland St | Sutherland St | Trayning | 0.00 | Nungarin Wyalkatchem Rd & Railway St | 0.72 | Kellerberrin - Bencubbin Rd & Twine St | <ul style="list-style-type: none"> HVS Update 7-2022 |
| 4130072 | Sutherland St | Sutherland St | Trayning | 0.75 | Twine St | 1.37 | Sutherland St - End Road | <ul style="list-style-type: none"> Intersection Sutherland St - End Road : No access permitted into Goomalling Merredin Rd from Sutherland St. |
| 5130076 | Sutherland St | Sutherland St | Northampton | 0.00 | Atkinson Cr | 0.33 | Atkinson Cr | |
| 8130015 | Sutherland St | Sutherland St | Port Hedland (T) | 0.32 | Morgans St | 0.42 | Marina Rd | |
| 2040740 | Sutherland Wy | Sutherland Wy | Bunbury (C) | 0.00 | Giorgi Rd | 0.77 | Wetherly Dr | |
| 3150042 | Sutherlands Rd | Sutherlands Rd | Wagin | 0.00 | Behn Ord Rd | 1.61 | Sutherland Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4130051 | Sutton Rd | Sutton Rd | Trayning | 0.00 | Kidd Rd | 5.76 | Billyacatting Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|---------------------------|--------|--------------------------|---|
| 3050562 | Suttons Rd | Suttons Rd | Denmark | 1.69 | Plantation Entry | 2.61 | Scotsdale Rd & McLeod Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 40 km/h "Trucks Entering" and "Reduce Speed" signage to be positioned along Scotsdale Rd on the western approach to Suttons Rd. |
| 4040078 | Swainston Rd | Swainston Rd | Corrigin | 0.00 | Yealering - Kulin Rd | 0.97 | Wickepin LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4290071 | Swainston Rd | Swainston Rd | Wickepin | 0.00 | Corrigin LGA Boundary | 2.68 | Swainston Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4120143 | Swainstons Rd | Swainstons Rd | Kulin | 0.00 | Rabbit Proof Fence Rd Nth | 8.83 | Yealering - Kulin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3180006 | Swamp Rd | Swamp Rd | Jerramungup | 0.00 | Borden Bremer Bay Rd | 53.82 | South Coast Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 5130012 | Swamp Rd | Swamp Rd | Northampton | 0.00 | Port Gregory Rd | 16.72 | 0.78km From Swamp Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5130012 | Swamp Rd | Swamp Rd | Northampton | 16.72 | 0.78km From Swamp Rd | 17.50 | Swamp Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|-------------------|----------|----------------------------|--------|--------------------------------------|--|
| 4130018 | Swamp Well Rd | Swamp Well Rd | Trayning | 0.00 | Nungarin Wyalkatchem Rd | 17.60 | Gabbin - Trayning Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6040081 | Swan Lagoon Rd | Swan Lagoon Rd | Esperance | 0.00 | Rollond Rd | 8.75 | Grass Patch Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040081 | Swan Lagoon Rd | Swan Lagoon Rd | Esperance | 8.76 | Grass Patch Rd | 25.05 | Coolgardie Esperance Hwy & Hawkey Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser Intersection Coolgardie Esperance Hwy & Hawkey Rd : No access permitted to Hawkey Rd from Swan Lagoon Rd. |
| 118Z056 | Swan St | Swan St | Fremantle (C) | 0.00 | Napier Rd | 0.37 | Swan St - End Road | |
| 4100152 | Swan St | Swan St | Kondinin | 0.00 | Kondinin Hyden Rd | 0.52 | Prospect St | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4100152 | Swan St | Swan St | Kondinin | 0.52 | Prospect St | 0.83 | Swan St - Start Road | |
| 6040537 | Swann Rd | Swann Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 11.35 | Hobby Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040537 | Swann Rd | Swann Rd | Esperance | 11.38 | Hobby Rd | 23.97 | 10m Before Ted Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 1290110 | Swansea St East | Swansea St East | Victoria Park (T) | 0.00 | Welshpool Rd | 0.14 | Forward St | |
| 5110061 | Swanson Rd | Swanson Rd | Morawa | 0.00 | Fabling Rd & Williamson Rd | 5.35 | Toohey Rd | |
| 5180128 | Swift Rd | Swift Rd | Wongan - Ballidu | 0.00 | Kondut East Rd | 6.82 | Kondut South East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|--------------------------|--------|------------------------|---|
| 5090019 | Switchback Rd | Switchback Rd | Mingenew | 0.00 | Midlands Rd | 11.71 | Yandanooka Melara Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 7060032 | Sydney Heads Rd | Sydney Heads Rd | Wiluna | 21.03 | Earaheedy Rd | 89.71 | Carnegie - Glenayle Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5170060 | Sykes Rd | Sykes Rd | Victoria Plains | 0.00 | Bindoon Moora Rd | 4.12 | Sykes Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School Bus Route - Contact Operators on UHF CH 11 |
| 7030019 | Sylvania Rd | Sylvania Rd | Meekatharra | 0.00 | Great Northern Hwy | 30.91 | Sylvania Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 5030062 | Syme Rd | Syme Rd | Dalwallinu | 0.00 | Richards Rd | 8.40 | Mullewa Wubin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5140074 | Syme Rd | Syme Rd | Perenjori | 0.00 | Wilder Rd | 3.56 | Maya East Rd | |
| 6040080 | Syndicate Rd | Syndicate Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 6.33 | Swan Lagoon Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 3120034 | Syred Rd | Syred Rd | Plantagenet | 0.00 | Chester Pass Rd | 10.23 | Palmdale Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h Maximum speed of 60 km/h on on gravel roads. |
| 5140049 | Syson Rd | Syson Rd | Perenjori | 0.00 | Summers Rd | 27.30 | Oliver Rd & Syson Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 5140049 | Syson Rd | Syson Rd | Perenjori | 27.30 | Oliver Rd & Syson Rd | 37.16 | Oversby Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|---|--------|---------------------------|---|
| 4040022 | Szczecinski Rd | Szczecinski Rd | Corrigin | 0.00 | Morrell Rd & Quairading - Corrigin Rd & Lohoar Rd | 8.37 | Brookton-Corrigin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4180243 | T McDonalds Rd | T McDonalds Rd | Narrogin | 0.00 | Wagin - Wickepin Rd | 2.41 | T McDonalds Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 8130064 | Taaffee St | Taaffee St | Port Hedland (T) | 0.00 | Pinnacles St | 0.38 | Trig St | |
| 3080082 | Tabenup Rd | Tabenup Rd | Katanning | 0.00 | Langaweira Rd | 3.70 | Lake Coyrecup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5080007 | Tabletop Rd | Tabletop Rd | Irwin | 0.00 | Midlands Rd | 16.36 | Allanooka Springs Rd | <ul style="list-style-type: none"> Intersection Midlands Rd : No access permitted into Midlands Rd from Tabletop Rd |
| 5080007 | Tabletop Rd | Tabletop Rd | Irwin | 16.36 | Allanooka Springs Rd | 22.25 | Burma Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h |
| 1141464 | Tacoma Cct | Tacoma Cct | Canning (C) | 0.00 | Baile Rd | 1.18 | Baile Rd | |
| 6040109 | Tagon Rd | Tagon Rd | Esperance | 0.00 | Fisheries Rd | 5.62 | Merivale Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|------------------------------|--------|---------------------------|---|
| 3180088 | Taidia Rd | Taidia Rd | Jerramungup | 0.00 | Exchange Rd & Jacup North Rd | 5.31 | Taidia Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 8130447 | Tailings Elb | Tailings Elb | Port Hedland (T) | 0.00 | Hematite Dr | 1.14 | Quarry Rd | |
| 5110120 | Tait Rd | Tait Rd | Morawa | 0.00 | Olden Rd | 2.78 | Fallon Rd & Cunningham Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3120033 | Takalarup Rd | Takalarup Rd | Plantagenet | 0.00 | Chester Pass Rd | 14.55 | Syred Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h Maximum speed of 60km/h on gravel road. |
| 3020012 | Takenup Rd | Takenup Rd | Albany (C) | 0.00 | Chester Pass Rd | 3.50 | 1.47 Km Past Booth Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|--|--------|-----------------------------|---|
| 3020012 | Takenup Rd | Takenup Rd | Albany (C) | 10.23 | 9.27km From Armstrong Rd | 19.50 | Armstrong Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 8120239 | Talawana Trk | Talawana Trk | East Pilbara | 0.00 | Balfour Downs Rd | 4.99 | 5.0km From Balfour Downs Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h |
| 4330013 | Talbot Hall Rd | Talbot Hall Rd | York | 0.00 | Talbot Rd | 7.37 | Qualen West Rd | |
| 1090967 | Talbot Rd | Talbot Rd | Swan (C) | 0.00 | Talbot Rd Cul-De-Sac | 0.62 | Stirling Cr | <ul style="list-style-type: none"> 10 km/h below posted speed limit Continued RAV Network access to Talbot Road from Stirling Crescent may be impacted due to closure of Stirling Crescent/Great Eastern Highway Bypass intersection. |
| 1090967 | Talbot Rd | Talbot Rd | Swan (C) | 0.62 | Stirling Cr | 1.43 | Talbot Rd - Start Road | <ul style="list-style-type: none"> A RAV must not be driven on this road in excess of 4.3 metres in height unless written approval is obtained from the cable provider. Continued RAV Network access to Talbot Road from Stirling Crescent may be impacted due to closure of Stirling Crescent/Great Eastern Highway Bypass intersection. Intersection Stirling Cr : No left turn permitted into Stirling Crescent from Talbot Road East. |
| 4330003 | Talbot Rd | Talbot Rd | York | 0.00 | Cut Hill Rd & Knotts Rd & Arnold Park Rd | 0.99 | Qualen West Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4330003 | Talbot Rd | Talbot Rd | York | 0.99 | Qualen West Rd | 15.97 | Talbot West Rd | <ul style="list-style-type: none"> Intersection Qualen West Rd : No right turn permitted into Qualen West Rd from Talbot Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|-----------------------------|--------|-----------------------|--|
| 4010012 | Talbot West Rd | Talbot West Rd | Beverley | 0.00 | Waterhatch Rd & Kokendin Rd | 7.48 | York LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Bridge 3210 Talbot Brook : Bridge not to be crossed. |
| 4211087 | Talbot West Rd | Talbot West Rd | Northam | 3.82 | Yarra Rd | 6.81 | York LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4330012 | Talbot West Rd | Talbot West Rd | York | 0.00 | Northam LGA Boundary | 32.69 | Beverley LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5150085 | Talc Rd | Talc Rd | Three Springs | 0.00 | Railway Rd | 0.09 | 10m From Slaughter St | <ul style="list-style-type: none"> Combinations exceeding 27.5 metres in length, no access permitted to or from Midlands Rd |
| 5150085 | Talc Rd | Talc Rd | Three Springs | 0.09 | 10m From Slaughter St | 0.18 | Franklin St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|--------------------------|----------|--|--------|---|---|
| 4140062 | Talgomine Reserve Rd | Talgomine Reserve Rd | Merredin | 0.00 | Chandler - Merredin Rd | 9.55 | Nungarin LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4220038 | Talgomine Reserve Rd | Talgomine Reserve Rd | Nungarin | 0.00 | Lees Rd | 7.82 | Merredin LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6100014 | Tamarine Rd | Tamarine Rd | Ravensthorpe | 0.00 | Jerdacuttup Rd | 15.14 | Springdale Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 3030297 | Tambellup West Rd | Tambellup West Rd | Broomehill - Tambellup | 0.00 | Great Southern Hwy & North Tce & Garrity St | 29.45 | Kojonup LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Intersection Paul Valley Rd : No right turn permitted into Paul Valley Rd from Tambellup West Rd |
| 3100026 | Tambellup West Rd | Tambellup West Rd | Kojonup | 0.00 | Broomehill - Tambellup LGA Boundary | 5.62 | Albany Hwy | |
| 4250080 | Tammin - Wyalkatchem Rd | Tammin - Wyalkatchem Rd | Tammin | 0.00 | Station Rd & Great Eastern Hwy & Donnan St | 32.10 | Blakiston Rd & Blakistans Rd & Tammin - Wyalkatchem Rd | |
| 4310132 | Tammin - Wyalkatchem Rd | Tammin - Wyalkatchem Rd | Wyalkatchem | 0.00 | Blakiston Rd & Tammin - Wyalkatchem Rd & Blakistans Rd | 28.44 | Nungarin Wyalkatchem Rd | |
| 4240031 | Tammin Rd | Tammin Rd | Quairading | 0.00 | Wilson Rd & Wills Rd | 2.46 | Cubbine Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4250005 | Tammin South Rd | Tammin South Rd | Tammin | 0.00 | York - Tammin Rd | 20.54 | Sth Eastern Corner Lot 12762, 20.54km From York Tammin Rd | |
| 2010092 | Tanah Merah Rd | Tanah Merah Rd | Augusta - Margaret River | 0.00 | Bussell Hwy | 1.50 | Gravel Pit 1.5km East of Bussell Highway | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 0010175 | Tanami Dr | Tanami Dr | Broome | 0.00 | Broome Rd | 0.42 | 20 M Past Antheous Wy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Only 1 road train permitted at any time. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|---|--------|---|--|
| 0020025 | Tanami Rd | Tanami Rd | Halls Creek | 0.00 | Great Northern Hwy | 313.41 | Tanami Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4140040 | Tandegin East Rd | Tandegin East Rd | Merredin | 0.00 | Muntadgin - Tandegin Rd | 14.57 | Burracoppin South Rd & Liebeck Rd | |
| 7030063 | Tangadee Rd | Tangadee Rd | Meekatharra | 0.00 | Ashburton Dwns - Meekatharra Rd | 6.58 | 6.58km From Ashburton Dwns - Meekatharra Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 7030063 | Tangadee Rd | Tangadee Rd | Meekatharra | 6.58 | 6.58km From Ashburton Dwns - Meekatharra Rd | 55.50 | 55.5km From Ashburton Dwns - Meekatharra Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h |
| 4170030 | Tank North Rd | Tank North Rd | Narembreen | 0.00 | Bruce Rock - Narembreen Rd | 11.59 | Wogarl West Rd & Yawerlin Creek Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection : No right turn permitted into Bruce Rock - Narembreen Rd from Tank North Rd |
| 4290087 | Tank Rd | Tank Rd | Wickepin | 0.00 | Williams Kondinin Rd | 0.40 | Tank Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4050013 | Tanners Rd | Tanners Rd | Cuballing | 0.00 | Pingelly LGA Boundary | 7.83 | Popanyinning East Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|-----------------------|----------|--|--------|--|---|
| 4230044 | Tanners Rd | Tanners Rd | Pingelly | 0.00 | Yenellin Rd | 1.86 | Cuballing LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4120080 | Tapper Rd | Tapper Rd | Kulin | 0.00 | Modesty Rock East Rd & Harvey Rd & Lamont Rd | 10.09 | Tapper Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| H435 | Tapper Rd - Verde Dr Rty | Tapper Rd-Verde Dr Rty | Cockburn (C) | 0.00 | Tapper Rd | 0.20 | Tapper Rd | |
| H343 | Tapper Rd-Verde Dr Rty on to Armadale Rd (Eastbound) | Tapper Rd-Verde Dr Rty on to Armadale Rd (Eastbound) | Cockburn (C) | 0.00 | Tapper Rd-Verde Dr Rty | 0.35 | Armadale Rd | |
| H345 | Tapper Rd-Verde Dr Rty to Beeliar Dr-Solomon Rd Rty | Tapper Rd-Verde Dr Rty to Beeliar Dr-Solomon Rd Rty | Cockburn (C) | 0.00 | Tapper Rd-Verde Dr Rty | 0.42 | Beeliar Dr-Solomon Rd Rty | |
| 2110397 | Taranto Rd | Taranto Rd | Harvey | 0.00 | Forrest Hwy | 1.63 | 1.63km From Forrest Hwy | |
| 3110096 | Tarco Rd | Tarco Rd | Lake Grace | 0.00 | Newdegate Ravensthorpe Rd | 15.82 | Creek Rd & Old Newdegate Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5050603 | Tardun Pindar Rd | Tardun Pindar Rd | Greater Geraldton (C) | 0.00 | Mullewa Wubin Rd | 37.84 | Geraldton Mt Magnet Rd & Pindar Town St | <ul style="list-style-type: none"> Intersection Sullivan Rd : No right turn permitted into Sullivan Rd from Tardun Pindar Rd |
| 3060017 | Tarin Rock North Rd | Tarin Rock North Rd | Dumbleyung | 0.00 | Tarin Rock Rd | 15.60 | 101 Gate East Rd & Tarin Rock North Rd & Kuender West Rd | <ul style="list-style-type: none"> Intersection Tarin Rock Rd : No access permitted into Tarin Rock Rd from Tarin Rock North Rd |
| 4120009 | Tarin Rock North Rd | Tarin Rock North Rd | Kulin | 0.00 | 101 Gate East Rd & Tarin Rock North Rd & Kuender West Rd | 38.69 | Tarin Rock North Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060014 | Tarin Rock Rd | Tarin Rock Rd | Dumbleyung | 0.00 | Boundary Rd | 20.76 | Tarin Rock South Rd & Dumbleyung Lake Grace Rd | <ul style="list-style-type: none"> Intersection Tarin Rock North Rd : No access permitted into Tarin Rock North Rd from Tarin Rock Rd |
| 3060027 | Tarin Rock South Rd | Tarin Rock South Rd | Dumbleyung | 10.85 | Siberia Rd | 22.40 | Tarin Rock Rd & Dumbleyung Lake Grace Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 113Z035 | Tarlton Cr (Federal) | Tarlton Cr (Federal) | Belmont (C) | 0.00 | Horrie Miller Dr (Federal) | 0.98 | Colquhoun Rd (Federal) | <ul style="list-style-type: none"> Intersection Horrie Miller Dr (Federal) : No right turn permitted into Horrie Miller Dr from Tarlton Cr |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|----------------------|--------|---------------------------|--|
| 4300016 | Tarwonga East Rd | Tarwonga East Rd | Williams | 0.00 | Albany Hwy | 2.78 | Piesseville - Tarwonga Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4180204 | Tarwonga Rd | Tarwonga Rd | Narrogin | 0.00 | Williams Kondinin Rd | 27.15 | Piesseville - Tarwonga Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180059 | Tascosa Rd | Tascosa Rd | Wongan - Ballidu | 0.00 | Kirwan East Rd | 5.88 | Strahan Rd | |
| 5110073 | Taseff Rd | Taseff Rd | Morawa | 0.00 | Fitzgerald Rd | 8.13 | Gutha East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Gutha East Rd : No access permitted into Gutha East Rd from Taseff Rd |
| 3150158 | Tavistock St | Tavistock St | Wagin | 0.00 | Tudor St | 0.42 | Throssell St | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Ranford St : No right turn permitted into Ranford Street from Tavistock Street. |
| 3110003 | Taylor Rd | Taylor Rd | Lake Grace | 0.00 | Old Ravensthorpe Rd | 11.00 | Mallee Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3120232 | Taylor Rd | Taylor Rd | Plantagenet | 0.18 | Bourke St | 1.08 | Muir Hwy | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|---------------------------------------|--------|-----------------------------------|--|
| 4180218 | Taylor Rd | Taylor Rd | Narrogin | 0.00 | Boundain North Rd | 7.28 | Williams Kondinin Rd | <ul style="list-style-type: none"> Intersection Williams Kondinin Rd : No right turn permitted into Narrogin Kondini Rd from Taylor Rd |
| 4240072 | Taylor Rd | Taylor Rd | Quairading | 0.00 | Mount Stirling Rd | 5.42 | Taylors North West Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4300038 | Taylor Rd | Taylor Rd | Williams | 0.00 | Williams-Darkan Rd | 9.10 | Pig Gully Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4330034 | Taylor Rd | Taylor Rd | York | 0.00 | York - Tammin Rd | 4.98 | Taylor Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5100024 | Taylor Rd | Taylor Rd | Moora | 0.00 | Honey Rd | 6.67 | Bindi - Ballidu Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5140052 | Taylor Rd | Taylor Rd | Perenjori | 0.00 | Coorow - Latham Rd & Mullewa Wubin Rd | 22.35 | Duffel Rd & Rabbit Proof Fence Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------|----------|----------------------------|--------|---|--|
| 4240075 | Taylor's North West Rd | Taylor's North West Rd | Quairading | 0.00 | Cubbine Rd | 4.61 | Taylor Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Intersection Cubbine Rd : No access permitted to Cubinne Rd from Taylor's North West Rd |
| 3150025 | Taylor's Rd | Taylor's Rd | Wagin | 0.00 | Beaufort Rd | 8.91 | Jessup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4050060 | Taylor's Rd | Taylor's Rd | Cuballing | 0.00 | Stratherne Rd | 2.55 | Taylor's Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5130014 | Teakle Rd | Teakle Rd | Northampton | 0.00 | Teakle Rd - Dead End | 13.06 | | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4140055 | Teasdale Rd | Teasdale Rd | Merredin | 0.00 | Last Rd & Totadgin Hall Rd | 7.39 | Bruce Rock Merredin Rd & Ulva Siding Rd | |
| 5190026 | Teasdale Rd | Teasdale Rd | Coorow | 2.90 | Buntine - Marchagee Rd | 26.00 | Coorow - Maya Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|--------------------------|--------|---|--|
| 6040539 | Ted Rd | Ted Rd | Esperance | 0.00 | Swann Rd | 7.55 | Sunrise Hill Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 3120197 | Teddington Rd | Teddington Rd | Plantagenet | 0.00 | Boyup Rd | 0.12 | For 0.12 Km to The Plantation Access Gate | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3080058 | Tee Rd | Tee Rd | Katanning | 1.25 | Badgebup North Rd | 6.70 | Simper Rd | |
| 3090051 | Tees Rd | Tees Rd | Kent | 0.00 | North Kuringup Rd | 5.86 | Chinocup Rd | |
| 5090025 | Telara Rd | Telara Rd | Mingenew | 0.00 | Mingenew - Mullewa Rd | 11.85 | Scroops Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4260005 | Telegraph Rd | Telegraph Rd | Toodyay | 0.00 | Toodyay - Bindi Bindi Rd | 9.71 | Carroll Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4260196 | Telegraph Rd | Telegraph Rd | Toodyay | 0.00 | Stirling Tce & Harper Rd | 2.15 | Toodyay - Bindi Bindi Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5130059 | Telegraph Rd | Telegraph Rd | Northampton | 0.00 | Binnu West Rd | 5.27 | Telegraph Rd - End Road | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|-----------------------|----------|---------------------------|--------|---|--|
| 5150038 | Telegraph Rd | Telegraph Rd | Three Springs | 0.00 | Three Springs - Morawa Rd | 3.47 | Franklin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Three Springs - Morawa Rd : No left turn permitted into Three Springs - Morawa Rd from Telegraph Rd |
| 6040111 | Telegraph Rd | Telegraph Rd | Esperance | 0.00 | South Coast Hwy | 15.57 | 4.93 Km Past Bates Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 1073222 | Telephone L | Telephone L | Rockingham (C) | 0.00 | Wellard Rd & Baldivis Rd | 1.32 | St Albans Rd | |
| 1073222 | Telephone L | Telephone L | Rockingham (C) | 1.32 | St Albans Rd | 1.98 | 660 Mtrs Past Baldivis Rd/ Entry to Wellard Exports | <ul style="list-style-type: none"> Entry to Wellard Exports 660 metres past Baldivis Rd |
| 1073222 | Telephone L | Telephone L | Rockingham (C) | 1.98 | 0.66km From Baldivis Rd | 2.30 | | |
| 1073222 | Telephone L | Telephone L | Rockingham (C) | 4.60 | Mundijong Rd | 6.34 | Haines Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 4140175 | Telfer Av | Telfer Av | Merredin | 0.00 | East Barrack St | 0.23 | | |
| 3160118 | Telfer Rd | Telfer Rd | West Arthur | 0.00 | Gibbs Rd | 1.70 | Telfer Rd - End Road | |
| 812Z055 | Telfer Rd | Telfer Rd | East Pilbara | 0.00 | Ripon Hills Rd | 132.36 | Telfer Rd & Freedom Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 3060068 | Temby Rd | Temby Rd | Dumbleyung | 0.00 | White Well Rd | 6.82 | 114 Gate Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1141336 | Temperley Cl | Temperley Cl | Canning (C) | 0.00 | Pilbara St | 0.17 | Temperley Cl - End Road | |
| 4290009 | Ten Mile Rd | Ten Mile Rd | Wickepin | 0.00 | Williams Kondinin Rd | 6.65 | Eighty Six Gate Rd | |
| 5050623 | Tenindewa North Rd | Tenindewa North Rd | Greater Geraldton (C) | 0.00 | Geraldton Mt Magnet Rd | 25.38 | Tenindewa Rd North | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|-----------------------|----------|----------------------------|--------|---------------------------|--|
| 5160114 | Tenindewa Rd North | Tenindewa Rd North | Chapman Valley | 0.00 | Wandin Rd & Caratti Rd | 8.65 | Tenindewa North Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit. |
| 5050643 | Tenindewa Store Rd | Tenindewa Store Rd | Greater Geraldton (C) | 0.00 | Yuna - Tenindewa Rd | 1.17 | Tenindewa North Rd | |
| 1140058 | Tennant St | Tennant St | Canning (C) | 0.00 | Charles St & Tate St | 0.43 | 0.43km From Charles St | |
| 3100010 | Tenner Rd | Tenner Rd | Kojonup | 0.00 | Donnybrook Kojonup Rd | 21.01 | Tenner Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3100122 | Tenner West Rd | Tenner West Rd | Kojonup | 0.00 | Foley Rd | 3.52 | Tenner Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3020035 | Tennessee Rd South | Tennessee Rd South | Albany (C) | 0.00 | Lower Denmark Rd | 3.35 | Thompson Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 2180021 | Terrace Rd | Terrace Rd | Boyup Brook | 0.00 | Boyup Brook - Cranbrook Rd | 15.25 | Tone Rd & Scotts Brook Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|------------------|----------|------------------------------------|--------|--|--|
| 2180029 | Terry Rd | Terry Rd | Boyup Brook | 0.00 | Knapp St | 9.26 | Blackwood River Crossing 9.28km From Bridgetown Boyup Brook Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 1072165 | Tesla Rd | Tesla Rd | Rockingham (C) | 0.00 | Pickard Av | 0.19 | Beale Wy | |
| 5030032 | Thaxter Rd | Thaxter Rd | Dalwallinu | 0.00 | Stone Rd | 16.43 | Great Northern Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 2040311 | The Avenue | The Avenue | Bunbury (C) | 0.00 | Burnell St | 0.21 | Rossiter St | |
| 4170025 | The Humps Rd | The Humps Rd | Narembeen | 0.00 | Calzoni Rd | 7.43 | Anderson Rocks Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4170025 | The Humps Rd | The Humps Rd | Narembeen | 7.43 | Anderson Rocks Rd | 12.57 | Raine Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3120268 | The Pass Rd | The Pass Rd | Plantagenet | 0.00 | Chorkerup Rd & Healy Rd & Creek Rd | 5.50 | Walitj Tree Farm | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2110776 | The Promenade | The Promenade | Harvey | 0.41 | Grand Ent | 1.38 | Paris Rd & Kingston Dr | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| H429 | The Promenade Rty | The Promenade Rty | Swan (C) | 0.00 | The Promenade | 0.53 | The Promenade | |
| H324 | The Promenade Rty on to Tonkin Hwy (Northbound) | The Promenade Rty on to Tonkin Hwy (Northbound) | Swan (C) | 0.00 | The Promenade Rty | 0.44 | Tonkin Hwy | |
| H328 | The Promenade Rty on to Tonkin Hwy (Southbound) | The Promenade Rty on to Tonkin Hwy (Southbound) | Swan (C) | 0.00 | The Promenade Rty | 0.63 | Tonkin Hwy | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|---------------------|--------|-------------------------------------|---|
| 3120066 | The Springs Rd | The Springs Rd | Plantagenet | 0.00 | Blue Lake Rd | 16.17 | Amarillup Rd & Seymour Rd & Pile Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Blue Lake Rd : No right turn permitted into Blue Lake Rd from The Springs Rd. Intersection Amarillup Rd & Seymour Rd & Pile Rd : No access permitted into Seymour Rd from The Springs Rd. |
| 2050366 | Theresa Rd | Theresa Rd | Busselton (C) | 0.00 | Tuart Dr | 0.93 | Theresa Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4310052 | Thiel Rd | Thiel Rd | Wyalkatchem | 0.00 | Allan Rd | 3.99 | Davies Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2110030 | Third St | Third St | Harvey | 1.63 | 0.4km From River Rd | 3.50 | Warrawarrup Rd & Peterson Rd | |
| 1050182 | Thomas Rd | Thomas Rd | Kwinana (C) | 0.00 | Mason Rd | 0.63 | Thomas Rd A - End Road | |
| 3020015 | Thomas Rd | Thomas Rd | Albany (C) | 0.00 | South Coast Hwy | 4.93 | Rosedale Rd & Mountain Rd | |
| 3090046 | Thomas Rd | Thomas Rd | Kent | 0.00 | Badgers Rd | 9.78 | Ongerup Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|-----------------------|----------|-------------------------------|--------|---|---|
| 4010031 | Thomas Rd | Thomas Rd | Beverley | 0.00 | Kokendin Rd | 1.89 | Thomas Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4070129 | Thomas Rd | Thomas Rd | Dowerin | 0.00 | Spark Rd | 2.00 | Farm 2km South of Spark Rd | |
| 4070129 | Thomas Rd | Thomas Rd | Dowerin | 2.00 | 2km From Spark Rd | 5.88 | Schell Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5050707 | Thomas Rd | Thomas Rd | Greater Geraldton (C) | 0.00 | Ardingly South Rd | 8.87 | Old Mingenew Rd & Mingenew - Mullewa Rd | |
| 5150058 | Thomas Rd | Thomas Rd | Three Springs | 0.00 | Wilton Well Rd | 5.59 | Strutton Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5190014 | Thomas Rd | Thomas Rd | Coorow | 0.00 | Wubin - Gunyidi Rd & Mason Rd | 9.65 | Buntine - Marchagee Rd | |
| 6040038 | Thomas Rd | Thomas Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 10.59 | Dalyup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|-------------------------------------|----------|---|--------|---|--|
| 6100113 | Thomas Rd | Thomas Rd | Ravensthorpe | 0.00 | South Coast Hwy | 2.99 | Gordon Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit No access permitted to South Coast Highway from Thomas Road. |
| 6100113 | Thomas Rd | Thomas Rd | Ravensthorpe | 2.99 | Gordon Rd | 5.70 | Aerodrome Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| H038 | Thomas Rd | Thomas Rd | Kwinana (C) Serpentine - Jarrahdale | 0.00 | Rockingham Rd | 22.50 | South Western Hwy | <ul style="list-style-type: none"> Intersection McLaughlan Rd : No left turn permitted into McLaughlan Rd from Thomas Rd |
| H1006 | Thomas Rd - Central Av Rty | Thomas Rd - Central Av Rty | Kwinana (C) | 0.00 | Thomas Rd | 0.22 | Thomas Rd | |
| H1035 | Thomas Rd - Kargotich Rd Rty | Thomas Rd - Kargotich Rd Rty | Serpentine - Jarrahdale | 0.00 | Thomas Rd | 0.21 | Thomas Rd | |
| H1032 | Thomas Rd - Nicholson Rd Rty | Thomas Rd - Nicholson Rd Rty | Serpentine - Jarrahdale | 0.00 | Thomas Rd | 0.20 | Thomas Rd | |
| H705 | Thomas Rd on to Kwinana Fwy (Northbound) | Thomas Rd on to Kwinana Fwy (Northbound) | Kwinana (C) | 0.00 | Thomas Rd & Kwinana Fwy (Northbound) off to Thomas Rd | 0.31 | Kwinana Fwy | |
| H703 | Thomas Rd on to Kwinana Fwy (Southbound) | Thomas Rd on to Kwinana Fwy (Southbound) | Kwinana (C) | 0.00 | Thomas Rd & Kwinana Fwy (Southbound) off to Thomas Rd | 0.35 | Kwinana Fwy | |
| 5050683 | Thomas St | Thomas St | Greater Geraldton (C) | 0.00 | Padbury St | 0.19 | Mitchell St & Gray St | |
| 5150104 | Thomas St | Thomas St | Three Springs | 0.00 | Railway Rd | 0.25 | Three Springs - Eneabba Rd & Mayrhofer St | |
| 3020085 | Thompson Dr | Thompson Dr | Albany (C) | 0.00 | Kojaneerup West Rd | 6.20 | South Stirling Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2130575 | Thompson Rd | Thompson Rd | Manjimup | 0.00 | Muir Hwy | 12.29 | Thomson Rd (F) & Myalgelup Rd | <ul style="list-style-type: none"> 50 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|--------------------------------------|--------|--------------------------------------|---|
| 3040106 | Thompson Rd | Thompson Rd | Cranbrook | 0.00 | Cranbrook - Frankland Rd | 5.41 | | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3110214 | Thompson Rd | Thompson Rd | Lake Grace | 0.00 | Lee Rd & Old Ravensthorpe Rd | 3.54 | Newman Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3150031 | Thompson Rd | Thompson Rd | Wagin | 0.00 | Piesseville - Tarwonga Rd | 10.06 | Noble Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4100027 | Thompson Rd | Thompson Rd | Kondinin | 0.00 | Fotheringhame Rd & Kondinin Hyden Rd | 8.07 | Notting - Karlgarin Rd | |
| 4130046 | Thompson Rd | Thompson Rd | Trayning | 0.00 | Moujakine Rd | 12.32 | Leake St & Bencubbin - Kununoppin Rd | |
| 4130046 | Thompson Rd | Thompson Rd | Trayning | 12.36 | Bencubbin - Kununoppin Rd | 14.46 | Kununoppin - Mukinbudin Rd | |
| 4230064 | Thompson Rd | Thompson Rd | Pingelly | 0.00 | Yenellin Rd | 5.20 | Great Southern Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|-----------------------|----------|------------------------------|--------|---|--|
| 5030087 | Thompson Rd | Thompson Rd | Dalwallinu | 0.00 | Wubin - Gunyidi Rd | 16.37 | Buntine - Marchagee Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5170020 | Thompson Rd | Thompson Rd | Victoria Plains | 0.00 | Bindoon Moora Rd | 7.78 | Gillingarra - Glentromie Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School Bus Route - Contact Operators on UHF CH 11 |
| 5160038 | Thompson Reidy Rd | Thompson Reidy Rd | Chapman Valley | 0.00 | Newmarracarra Rd | 4.97 | Lorimer Rd & Durawah - Northern Gully & Northern Gully Rd | |
| 3160132 | Thompson St | Thompson St | West Arthur | 0.00 | Darkan Rd | 0.12 | Horley St | |
| 7060035 | Thompson St | Thompson St | Wiluna | 0.00 | Goldfields Hwy & Wiluna Bypa | 1.69 | Caledonia St | |
| 2170005 | Thomson Brook Rd | Thomson Brook Rd | Donnybrook - Balingup | 0.00 | Brookhampton Rd | 9.25 | Towers Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|-----------------------|----------|--------------------------------------|--------|--------------------------------------|---|
| 2170005 | Thomson Brook Rd | Thomson Brook Rd | Donnybrook - Balingup | 9.25 | Towers Rd | 10.23 | Eastman Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. One RAV to operate at a time. Traffic Management in accordance with Shire agreement. |
| 3090075 | Thomson Rd | Thomson Rd | Kent | 0.00 | McLaren Rd | 5.43 | North Fence Rd | |
| 4240058 | Thomson Rd | Thomson Rd | Quairading | 0.00 | Maynard Rd | 5.20 | Thompsons Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4250073 | Thomson Rd | Thomson Rd | Tammin | 0.00 | Cubbine Rd | 1.78 | Thomson Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| H805 | Thomson Rd | Thomson Rd | Bunbury (C) | 0.00 | Forrest Hwy & Thomson Rd & Alyxia Dr | 0.29 | Willinge Dr & Thomson Rd | |
| H808 | Thomson Rd | Thomson Rd | Bunbury (C) | 0.00 | Willinge Dr & Thomson Rd | 0.29 | Forrest Hwy & Thomson Rd & Alyxia Dr | |
| H867 | Thomson Rd Slip to Willinge Dr (Westbound) | Thomson Rd Slip to Willinge Dr (Westbound) | Bunbury (C) | 0.00 | Thomson Rd | 0.08 | Willinge Dr | |
| 5190064 | Thomsons Rd | Thomsons Rd | Coorow | 0.00 | Teasdale Rd | 0.31 | Maya South West Rd | |
| 1141163 | Thorn Wy | Thorn Wy | Canning (C) | 0.00 | Bannister Rd | 0.12 | Vinnicombe Dr | |
| 2120619 | Thornborough Rd | Thornborough Rd | Mandurah (C) | 0.00 | Gordon Rd | 0.71 | 0.03km From Fitzgerald Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 40 km/h No Operation between the hours of sunset and sunrise Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3100222 | Thornbury Cl | Thornbury Cl | Kojonup | 0.00 | Blackwood Rd | 0.65 | Thornbury Cl - Start Db | |
| 3100222 | Thornbury Cl | Thornbury Cl | Kojonup | 0.99 | Roche St | 1.35 | Thornbury Cl | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------------|----------------------------|------------------|----------|--------------------------------------|--------|---|--|
| 4070014 | Thornett Rd | Thornett Rd | Dowerin | 0.00 | McMorran Rd & Dowerin - Meckering Rd | 6.49 | Approximately 6.5 Kms East of Dowering - Meckering Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4070014 | Thornett Rd | Thornett Rd | Dowerin | 6.49 | 2.68km From Melvin Rd | 11.11 | Hudson Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3110074 | Thornton Rd | Thornton Rd | Lake Grace | 0.00 | Brookfield Rd | 7.25 | Bairstow Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5030018 | Thornton Rd | Thornton Rd | Dalwallinu | 0.00 | Leeson Rd | 2.44 | Thornton Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1050287 | Thorpe Wy | Thorpe Wy | Kwinana (C) | 0.00 | Richardson St | 0.70 | Thorpe Wy & Thorpe Wy (Loop) | |
| 4060022 | Three Mile Gate Rd | Three Mile Gate Rd | Cunderdin | 0.00 | Cunderdin - Wyalkatchem Rd | 10.68 | Three Mile Gate Rd - End Road | |
| 5010125 | Three Springs - Eneabba Rd | Three Springs - Eneabba Rd | Carnamah | 0.00 | Three Springs LGA Boundary | 22.06 | Brand Hwy | |
| 5150105 | Three Springs - Eneabba Rd | Three Springs - Eneabba Rd | Three Springs | 0.00 | Mayrhofer St & Thomas St | 39.99 | Carnamah LGA Boundary | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---------------------------|--------------------------|----------|----------------------------|--------|--|---|
| 5110150 | Three Springs - Morawa Rd | Three Springs - Morawa Rd | Morawa | 0.00 | Three Springs LGA Boundary | 23.45 | Jones Lake Rd & Mullewa Wubin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5150106 | Three Springs - Morawa Rd | Three Springs - Morawa Rd | Three Springs | 0.15 | Slaughter St | 29.86 | Morawa LGA Boundary | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Telegraph Rd : No access permitted into Telegraph Rd from Three Springs Morawa Rd |
| 6110201 | Threeboys Rd | Threeboys Rd | Yilgarn | 0.00 | Great Eastern Hwy | 2.91 | Sth Cross Cbh Wheat Bin Rd & Beaton Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3080033 | Throssell Rd | Throssell Rd | Katanning | 0.00 | Warburton Rd | 5.98 | Great Southern Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Warburton Rd : No right turn permitted into Warburton Rd from Throssell Rd |
| 4060045 | Throssell Rd | Throssell Rd | Cunderdin | 0.00 | Bulgin Rd | 3.13 | Moore Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6052043 | Throssell St | Throssell St | Kalgoorlie - Boulder (C) | 0.00 | Meldrum Av | 1.22 | Piccadilly St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------------|----------|---------------------------------|--------|---------------------------------|---|
| 3180045 | Through Rd | Through Rd | Jerramungup | 0.00 | Jerramungup North Rd | 5.31 | Cameron Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 1190481 | Thurso Rd | Thurso Rd | Melville (C) | 0.00 | Rome Rd | 0.20 | Thurso PI | |
| 1030093 | Tichborne St | Tichborne St | Cockburn (C) | 0.00 | Hammond Rd | 0.54 | McKinnon St | |
| 3030005 | Tie Line Rd | Tie Line Rd | Broomehill - Tambellup | 0.00 | Janus St & Great Southern Hwy | 0.77 | Kimberley St & Complex Driveway | <ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3030005 | Tie Line Rd | Tie Line Rd | Broomehill - Tambellup | 0.77 | Kimberley St & Complex Driveway | 3.81 | | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3030005 | Tie Line Rd | Tie Line Rd | Broomehill - Tambellup | 3.81 | | 27.08 | Tieline Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3170011 | Tie Line Rd | Tie Line Rd | Woodanilling | 0.10 | Burt Rd | 15.41 | Harvey Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------------|----------|---------------------------|--------|--------------------------|--|
| 3030037 | Tieline North Rd | Tieline North Rd | Broomehill - Tambellup | 0.00 | Tie Line Rd | 5.08 | Gairen Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3070003 | Tieline Rd | Tieline Rd | Gnowangerup | 0.00 | Ongerup - Pingrup Rd | 10.76 | Chester Pass Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3070003 | Tieline Rd | Tieline Rd | Gnowangerup | 10.90 | Chester Pass Rd | 53.08 | Tie Line Rd | |
| 4130038 | Tilbrook Rd | Tilbrook Rd | Trayning | 0.00 | Kellerberrin - Yelbeni Rd | 7.47 | Wyalkatchem LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4310024 | Tilbrook Rd | Tilbrook Rd | Wyalkatchem | 0.00 | Davies Rd | 9.10 | Trayning LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1090215 | Tilden Dr | Tilden Dr | Swan (C) | 0.00 | Old Coach Rd | 2.00 | Lillie Rd | |
| 3150066 | Tillellan Rd | Tillellan Rd | Wagin | 0.00 | Badgarning Rd | 2.18 | 0.7km From Arthur Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3150066 | Tillellan Rd | Tillellan Rd | Wagin | 3.74 | | 4.83 | Arthur Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5050664 | Tiller Rd | Tiller Rd | Greater Geraldton (C) | 0.00 | Geraldton Mt Magnet Rd | 2.78 | Tiller Rd - End Road | |
| 4090164 | Tiller St | Tiller St | Kellerberrin | 0.00 | Mather Rd | 0.85 | Dowding St | |
| 1141128 | Tilli Pl | Tilli Pl | Canning (C) | 0.00 | Radium St Nth | 0.15 | Tilli Pl - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|--------------------------|----------|---|--------|----------------------------|---|
| 2089005 | Timber Rd | Timber Rd | Dardanup | 0.00 | Willinge Dr & Willinge Dr - Timber Rd Rty | 0.89 | Moore Rd | |
| 5140124 | Timmings St | Timmings St | Perenjori | 0.00 | Fowler St & Mullewa Wubin Rd | 0.12 | Russell St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 0040034 | Timor St | Timor St | Wyndham - East Kimberley | 0.00 | Great Northern Hwy | 0.08 | Koolama St | |
| 2120005 | Tims Thicket Rd | Tims Thicket Rd | Mandurah (C) | 0.00 | Old Coast Rd | 2.32 | Tims Thicket Rd - End Road | |
| 4290011 | Tincurrin North Rd | Tincurrin North Rd | Wickepin | 0.00 | Line Rd & Tincurrin Rd | 14.99 | Wogolin South Rd & Helm Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 3060002 | Tincurrin Rd | Tincurrin Rd | Dumbleyung | 0.00 | Dumbleyung Lake Grace Rd | 24.37 | Wickepin LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4290016 | Tincurrin Rd | Tincurrin Rd | Wickepin | 0.00 | Tincurrin North Rd & Line Rd | 7.79 | Dumbleyung LGA Boundary | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 3050007 | Tindale Rd | Tindale Rd | Denmark | 0.00 | South Coast Hwy | 5.44 | Saw Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|-------------------|--------|---------------------------------|---|
| 3050007 | Tindale Rd | Tindale Rd | Denmark | 5.44 | Saw Rd | 11.85 | Nornalup Rd & Northumberland Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1010735 | Tinga Pl | Tinga Pl | Armadale (C) | 0.00 | Owen Rd | 0.15 | Tinga Pl - End Road | |
| 3120137 | Tingelup Rd | Tingelup Rd | Plantagenet | 0.00 | Barrow Rd | 2.33 | Tingelup Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3050132 | Tingledale East Rd | Tingledale East Rd | Denmark | 0.00 | Hazelvale Rd | 3.58 | Trent Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|--------------------------|--------|-----------------------|---|
| 4300006 | Tinshed Josbury Rd | Tinshed Josbury Rd | Williams | 0.00 | Pinjarra Williams Rd | 2.53 | Josbury Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1141316 | Tinto Rd | Tinto Rd | Canning (C) | 0.11 | 25m From McDowell St | 0.13 | McDowell St | |
| 6020132 | Tip Rd | Tip Rd | Coolgardie | 0.00 | Goldfields Hwy | 1.94 | Tip Rd - End Road | |
| 1093828 | Tipper Ct | Tipper Ct | Swan (C) | 0.00 | Bushmead Rd | 0.30 | Tipper Ct - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4030115 | Tippett Rd | Tippett Rd | Bruce Rock | 0.00 | Shackleton - Bilbarin Rd | 1.25 | Tippett Rd - End Road | |
| 1130290 | Tipping Rd | Tipping Rd | Belmont (C) | 0.00 | Aitken Wy | 0.52 | Reggio Rd | |
| 4040063 | Tipton Rd | Tipton Rd | Corrigin | 0.00 | Dry Well Rd | 5.12 | Hillside Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3090023 | Titicup Rd | Titicup Rd | Kent | 0.00 | Nyabing Pingrup Rd | 11.93 | South Fence Rd | |
| 4240055 | Toapin Rd | Toapin Rd | Quairading | 0.00 | Dulbelling North Rd | 0.79 | Quairading York Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|------------------|----------|--------------------------|--------|-----------------------|--|
| 4240055 | Toapin Rd | Toapin Rd | Quairading | 0.79 | Quairading York Rd | 2.09 | Bloom Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Quairading York Rd : No left or right turn permitted into York Merredin Rd from Toapin Rd |
| 4240055 | Toapin Rd | Toapin Rd | Quairading | 5.20 | Dangin North Rd | 7.08 | Hayes Rd | |
| 4240055 | Toapin Rd | Toapin Rd | Quairading | 7.10 | Hayes Rd | 11.86 | Weir Rd | |
| 3120073 | Todd Rd | Todd Rd | Plantagenet | 0.00 | Albany Hwy | 4.43 | Lake Matilda Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4100011 | Tolland Rd | Tolland Rd | Kondinin | 0.00 | Kondinin Hyden Rd | 15.75 | Worland Rd & Whyte Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4090017 | Tolley Rd | Tolley Rd | Kellerberrin | 0.00 | Mather Rd | 3.60 | Goldfields Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4120019 | Tom Gray Rd | Tom Gray Rd | Kulin | 0.00 | Kulin - Dudinin Rd | 12.41 | Kukerin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6040102 | Tom Starceovich V.C. Rd | Tom Starceovich V.C. Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 16.92 | Logan Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|---|----------|---|--------|--|---|
| 5190067 | Tomkin Rd | Tomkin Rd | Coorow | 0.00 | Davies Rd | 1.54 | Tomkin Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5080066 | Tomkins Rd | Tomkins Rd | Irwin | 0.00 | Mt Adams Rd | 11.35 | Three Springs LGA Boundary | |
| 5150093 | Tomkins Rd | Tomkins Rd | Three Springs | 0.00 | Carey Rd & Arrino West Rd | 23.66 | Irwin LGA Boundary | |
| 1140795 | Tomlinson Rd | Tomlinson Rd | Canning (C) | 0.00 | Welshpool Rd | 0.59 | Planet St | |
| 2050074 | Tompsett Rd | Tompsett Rd | Busselton (C) | 0.00 | Tutunup Rd | 2.60 | Oates Rd | <ul style="list-style-type: none"> Maximum speed 70 km/h No Operation Public Holidays and Weekdays between 7:00 AM and 8:30 AM and between 3:30 PM and 5:00 PM and No Operation Monday to Saturday between 10:00 PM and 6:00 AM and Sunday and Public Holidays between 7:00 PM and 9:00 AM Curfew condition applies on school days only. |
| 3100006 | Tone Rd | Tone Rd | Kojonup | 0.00 | Donnybrook Kojonup Rd | 34.83 | Terrace Rd & Scotts Brook Rd | <ul style="list-style-type: none"> Intersection Flora And Fauna Rd : No Access To Or From Flora And Fauna Road Permitted |
| H017 | Tonkin Hwy | Tonkin Hwy | Chittering Swan (C) Bayswater (C) Belmont (C) Kalamunda Gosnells (C) Armadaale (C) Serpentine - Jarrahdale | 0.00 | Great Northern Hwy & Great Northern Hwy (Southbound) off to Brand Hwy Rty | 81.25 | Thomas Rd | |
| H255 | Tonkin Hwy (Eastbound) Off Ramp on to Roe Hwy (Northbound) | Tonkin Hwy (Eastbound) Off Ramp on to Roe Hwy (Northbound) | Kalamunda | 0.00 | Tonkin Hwy (Eastbound) off to Roe Hwy (Southbound) | 0.62 | Roe Hwy | |
| H258 | Tonkin Hwy (Eastbound) Off Ramp on to Tonkin Hwy (Eastbound) On Ramp | Tonkin Hwy (Eastbound) Off Ramp on to Tonkin Hwy (Eastbound) On Ramp | Kalamunda | 0.00 | Tonkin Hwy (Eastbound) off to Roe Hwy (Southbound) | 0.37 | Roe Hwy (Southbound) off to Tonkin Hwy (Eastbound) | |
| H253 | Tonkin Hwy (Eastbound) off to Roe Hwy (Southbound) | Tonkin Hwy (Eastbound) off to Roe Hwy (Southbound) | Belmont (C) Kalamunda | 0.00 | Tonkin Hwy | 1.98 | Roe Hwy | |
| H323 | Tonkin Hwy (North Bound) off to The Promenade Rty | Tonkin Hwy (North Bound) off to The Promenade Rty | Swan (C) | 0.00 | Tonkin Hwy | 0.34 | The Promenade Rty | |
| H765 | Tonkin Hwy (Northbound) Access Ramp For Albany Hwy & Corfield St | Tonkin Hwy (Northbound) Access Ramp For Albany Hwy & Corfield St | Gosnells (C) | 0.00 | Tonkin Hwy | 0.99 | Tonkin Hwy | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|----------------------------|----------|---|--------|--|------------|
| H286 | Tonkin Hwy (Northbound) Off Ramp on to Collier Link (Westbound) | Tonkin Hwy (Northbound) Off Ramp on to Collier Link (Westbound) | Bayswater (C) | 0.00 | Tonkin Hwy (Northbound) off to Collier Link (Eastbound) | 0.06 | Collier Link | |
| H892 | Tonkin Hwy (Northbound) off to Abernethy Rd | Tonkin Hwy (Northbound) off to Abernethy Rd | Belmont (C) | 0.00 | Tonkin Hwy (Northbound) off to Leach Hwy (Eastbound) | 0.27 | Leach Hwy (Westbound) off to Abernethy Rd | |
| H367 | Tonkin Hwy (Northbound) off to Brand Hwy (Northbound) | Tonkin Hwy (Northbound) off to Brand Hwy (Northbound) | Chittering | 0.00 | Tonkin Hwy (Northbound) off to Brand Hwy Rty | 0.32 | Brand Hwy | |
| H368 | Tonkin Hwy (Northbound) off to Brand Hwy Rty | Tonkin Hwy (Northbound) off to Brand Hwy Rty | Chittering | 0.00 | Tonkin Hwy | 0.49 | Brand Hwy Rty | |
| H284 | Tonkin Hwy (Northbound) off to Collier Link (Eastbound) | Tonkin Hwy (Northbound) off to Collier Link (Eastbound) | Bayswater (C) | 0.00 | Tonkin Hwy | 0.45 | Tonkin Hwy (Southbound) off to Collier Link (Westbound) & Collier Link (Westbound) on to Tonkin Hwy (Northbound) & Collier Link (Eastbound) on to Tonkin Hwy (Southbound) & Collier Link | |
| H883 | Tonkin Hwy (Northbound) off to Dunreath Dr | Tonkin Hwy (Northbound) off to Dunreath Dr | Belmont (C) | 0.00 | Tonkin Hwy | 0.32 | Dunreath Dr (L Cwy) | |
| H316 | Tonkin Hwy (Northbound) off to Gngara Rd (Eastbound) | Tonkin Hwy (Northbound) off to Gngara Rd (Eastbound) | Swan (C) | 0.00 | Tonkin Hwy | 1.38 | Gngara Rd | |
| H315 | Tonkin Hwy (Northbound) off to Gngara Rd (Westbound) | Tonkin Hwy (Northbound) off to Gngara Rd (Westbound) | Swan (C) | 0.00 | Tonkin Hwy (Northbound) off to Gngara Rd (Eastbound) | 0.29 | Tonkin Hwy (Southbound) off to Gngara Rd (Westbound) | |
| H596 | Tonkin Hwy (Northbound) off to Great Eastern Hwy | Tonkin Hwy (Northbound) off to Great Eastern Hwy | Belmont (C) | 0.00 | Tonkin Hwy | 0.58 | Great Eastern Hwy | |
| H890 | Tonkin Hwy (Northbound) off to Leach Hwy (Eastbound) | Tonkin Hwy (Northbound) off to Leach Hwy (Eastbound) | Belmont (C) | 0.00 | Tonkin Hwy | 1.30 | Leach Hwy | |
| H679 | Tonkin Hwy (Northbound) off to McDowell St | Tonkin Hwy (Northbound) off to McDowell St | Belmont (C) | 0.00 | Tonkin Hwy | 0.18 | Baldwin St & McDowell St | |
| H362 | Tonkin Hwy (Northbound) off to Neaves Rd Rty | Tonkin Hwy (Northbound) off to Neaves Rd Rty | Swan (C) | 0.00 | Tonkin Hwy | 0.53 | Neaves Rd Rty | |
| H303 | Tonkin Hwy (Northbound) off to Reid Hwy (Eastbound) | Tonkin Hwy (Northbound) off to Reid Hwy (Eastbound) | Bayswater (C) Swan (C) | 0.00 | Tonkin Hwy | 1.47 | Reid Hwy | |
| H299 | Tonkin Hwy (Northbound) off to Reid Hwy (Westbound) | Tonkin Hwy (Northbound) off to Reid Hwy (Westbound) | Bayswater (C) | 0.00 | Tonkin Hwy (Northbound) off to Reid Hwy (Eastbound) | 0.78 | Reid Hwy | |
| H639 | Tonkin Hwy (Northbound) off to Roe Hwy | Tonkin Hwy (Northbound) off to Roe Hwy | Kalamunda | 0.00 | Tonkin Hwy | 0.27 | Roe Hwy & Roe Hwy on to Tonkin Hwy (Westbound) | |
| H355 | Tonkin Hwy (Northbound) off to Stock West Rd Rty | Tonkin Hwy (Northbound) off to Stock West Rd Rty | Swan (C) | 0.00 | Tonkin Hwy | 0.39 | Stock West Rd Rty | |
| H760 | Tonkin Hwy (Southbound) Access Ramp For Albany Hwy & Corfield St | Tonkin Hwy (Southbound) Access Ramp For Albany Hwy & Corfield St | Gosnells (C) Armada (C) | 0.00 | Tonkin Hwy | 0.90 | Tonkin Hwy | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|------------------|----------|--|--------|--|------------|
| H756 | Tonkin Hwy (Southbound) Access Ramp off to Albany Hwy | Tonkin Hwy (Southbound) Access Ramp off to Albany Hwy | Gosnells (C) | 0.00 | Tonkin Hwy (Southbound) Access Ramp For Albany Hwy & Corfield Rd | 0.39 | Albany Hwy & Albany Hwy on to Tonkin Hwy (Southbound) Access Ramp | |
| H279 | Tonkin Hwy (Southbound) Off Ramp on to Collier Link (Eastbound) | Tonkin Hwy (Southbound) Off Ramp on to Collier Link (Eastbound) | Bayswater (C) | 0.00 | Tonkin Hwy (Southbound) off to Collier Link (Westbound) | 0.05 | Collier Link | |
| H884 | Tonkin Hwy (Southbound) off to Airport Dr (Southbound) | Tonkin Hwy (Southbound) off to Airport Dr (Southbound) | Belmont (C) | 0.00 | Tonkin Hwy | 0.85 | Airport Dr | |
| H281 | Tonkin Hwy (Southbound) off to Collier Link (Westbound) | Tonkin Hwy (Southbound) off to Collier Link (Westbound) | Bayswater (C) | 0.00 | Tonkin Hwy | 0.39 | Collier Link (Westbound) on to Tonkin Hwy (Northbound) & Collier Link (Eastbound) on to Tonkin Hwy (Southbound) & Collier Link & Tonkin Hwy (Northbound) off to Collier Link (Eastbound) | |
| H881 | Tonkin Hwy (Southbound) off to Dunreath Dr | Tonkin Hwy (Southbound) off to Dunreath Dr | Belmont (C) | 0.00 | Tonkin Hwy | 0.34 | Dunreath Dr (R Cwy) | |
| H319 | Tonkin Hwy (Southbound) off to Gngara Rd (Eastbound) | Tonkin Hwy (Southbound) off to Gngara Rd (Eastbound) | Swan (C) | 0.00 | Tonkin Hwy (Southbound) off to Gngara Rd (Westbound) | 0.28 | Tonkin Hwy (Northbound) off to Gngara Rd (Eastbound) | |
| H322 | Tonkin Hwy (Southbound) off to Gngara Rd (Westbound) | Tonkin Hwy (Southbound) off to Gngara Rd (Westbound) | Swan (C) | 0.00 | Tonkin Hwy | 1.39 | Gngara Rd | |
| H605 | Tonkin Hwy (Southbound) off to Great Eastern Hwy | Tonkin Hwy (Southbound) off to Great Eastern Hwy | Belmont (C) | 0.00 | Guildford Rd to Great Eastern Hwy Cd Rd | 0.38 | Great Eastern Hwy | |
| H898 | Tonkin Hwy (Southbound) off to Horrie Miller Dr | Tonkin Hwy (Southbound) off to Horrie Miller Dr | Belmont (C) | 0.00 | Tonkin Hwy | 0.35 | Horrie Miller Dr | |
| H365 | Tonkin Hwy (Southbound) off to Neaves Rd Rty | Tonkin Hwy (Southbound) off to Neaves Rd Rty | Swan (C) | 0.00 | Tonkin Hwy | 0.44 | Neaves Rd Rty | |
| H305 | Tonkin Hwy (Southbound) off to Reid Hwy (Eastbound) | Tonkin Hwy (Southbound) off to Reid Hwy (Eastbound) | Swan (C) | 0.00 | Tonkin Hwy | 0.96 | Reid Hwy | |
| H304 | Tonkin Hwy (Southbound) off to Reid Hwy (Westbound) | Tonkin Hwy (Southbound) off to Reid Hwy (Westbound) | Swan (C) | 0.00 | Tonkin Hwy (Southbound) off to Reid Hwy (Eastbound) | 1.28 | Reid Hwy | |
| H358 | Tonkin Hwy (Southbound) off to Stock West Rd Rty | Tonkin Hwy (Southbound) off to Stock West Rd Rty | Swan (C) | 0.00 | Tonkin Hwy | 0.52 | Stock West Rd Rty | |
| H325 | Tonkin Hwy (Southbound) off to The Promenade Rty | Tonkin Hwy (Southbound) off to The Promenade Rty | Swan (C) | 0.00 | Tonkin Hwy | 0.76 | The Promenade Rty | |
| H252 | Tonkin Hwy (Westbound) off to Kewdale Rd | Tonkin Hwy (Westbound) off to Kewdale Rd | Belmont (C) | 0.00 | Tonkin Hwy | 0.37 | Kewdale Rd | |
| H758 | Tonkin Hwy Access Ramp off to Albany Hwy | Tonkin Hwy Access Ramp off to Albany Hwy | Gosnells (C) | 0.00 | Tonkin Hwy (Northbound) Access Ramp For Albany Hwy & Corfield Rd | 0.22 | Albany Hwy & Albany Hwy on to Tonkin Hwy (Northbound) Access Ramp | |
| H897 | Tonkin Hwy to Leach Hwy Off Ramp on to Tonkin Hwy (Northbound) | Tonkin Hwy to Leach Hwy Off Ramp on to Tonkin Hwy (Northbound) | Belmont (C) | 0.00 | Tonkin Hwy (Northbound) off to Leach Hwy (Eastbound) | 0.23 | Tonkin Hwy | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|--------------------------|----------------------------|----------|--|--------|--|---|
| 3110024 | Tonkin Rd | Tonkin Rd | Lake Grace | 0.00 | Holt Rock South Rd | 20.95 | Mt Sheridan Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3110024 | Tonkin Rd | Tonkin Rd | Lake Grace | 21.01 | Mt Sheridan Rd | 30.83 | Kerr Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| M026 | Toodyay | Toodyay Rd | Swan (C) Mundaring Toodyay | 0.00 | Old Toodyay Rd & Toodyay Rd | 40.46 | Stirling Tce & Goomalling Toodyay Rd | |
| 4260197 | Toodyay - Bindi Bindi Rd | Toodyay - Bindi Bindi Rd | Toodyay | 0.00 | Telegraph Rd | 9.05 | Church Gully Rd & Dewars Pool - Bindoon Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 80 km/h |
| 4260197 | Toodyay - Bindi Bindi Rd | Toodyay - Bindi Bindi Rd | Toodyay | 9.05 | Church Gully Rd & Dewars Pool - Bindoon Rd | 33.40 | Victoria Plains LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection One Man Rd : No left turn permitted into One Man Rd from Toodyay-Bindi Bindi Rd from either direction. |
| 5100196 | Toodyay - Bindi Bindi Rd | Toodyay - Bindi Bindi Rd | Moora | 0.00 | Victoria Plains LGA Boundary | 11.88 | Bindi East Rd | |
| 5100196 | Toodyay - Bindi Bindi Rd | Toodyay - Bindi Bindi Rd | Moora | 11.88 | Bindi East Rd | 14.40 | Bindi - Ballidu Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5170124 | Toodyay - Bindi Bindi Rd | Toodyay - Bindi Bindi Rd | Victoria Plains | 0.00 | Toodyay LGA Boundary | 24.58 | Calingiri Rd & Railway St | <ul style="list-style-type: none"> Intersection Bolgart West Rd : No left turn permitted into Bolgart West Rd from Toodyay - Bindi Bindi Rd Intersection Behanging Rd : No left turn permitted into Behanging Rd from Toodyay - Bindi Bindi Rd |
| 5170125 | Toodyay - Bindi Bindi Rd | Toodyay - Bindi Bindi Rd | Victoria Plains | 0.00 | Yulgering Rd & Railway St | 41.10 | Moora LGA Boundary | |
| 1091376 | Toodyay Rd | Toodyay Rd | Swan (C) | 0.00 | Eveline Rd & Great Northern Hwy | 1.84 | Roe Hwy & Toodyay Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| H033 | Toodyay Rd | Toodyay Rd | Swan (C) | 0.00 | Roe Hwy & Toodyay Rd | 2.65 | Campersic Rd | |
| H033 | Toodyay Rd | Toodyay Rd | Swan (C) | 2.65 | Campersic Rd | 11.89 | Roland Rd | <ul style="list-style-type: none"> Loaded ascent only up Red Hill. Loaded descent not permitted down Red Hill. |
| H033 | Toodyay Rd | Toodyay Rd | Swan (C) | 11.89 | Roland Rd | 22.07 | Old Toodyay Rd & Toodyay Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------------|----------|---------------------------------------|--------|--|--|
| 5110058 | Toohy Rd | Toohy Rd | Morawa | 0.00 | Madden Rd & Holder Rd | 8.23 | Stephens Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 3030205 | Toolbrunup Rd | Toolbrunup Rd | Broomehill - Tambellup | 0.60 | 0.6km From Great Southern Hwy | 11.16 | Burridge Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 3030205 | Toolbrunup Rd | Toolbrunup Rd | Broomehill - Tambellup | 11.16 | Burridge Rd | 38.50 | Stirling Access Rd & North Stirling Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 4160042 | Toole Rd | Toole Rd | Mukinbudin | 0.00 | Mukinbudin - Bonnie Rock Rd | 16.60 | Toole Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4290010 | Toolibin North Rd | Toolibin North Rd | Wickepin | 0.00 | Williams Kondinin Rd | 20.14 | Yilliminning Rd & Line Rd | <ul style="list-style-type: none"> Intersection Wickepin - Harrismith Rd : No left turn permitted into Wickepin-Harrismith Rd from Toolibin North Rd. No right turn permitted into Toolibin Nth Rd from Wickepin Harrismith Rd (westbound). No left turn permitted into Toolibin Nth Rd from Wickepin Harrismith Rd (eastbound). |
| 3150024 | Toolibin South Rd | Toolibin South Rd | Wagin | 0.00 | Dwelyerdine Rd & Toolibin South Rd | 9.56 | Dongolocking Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4290022 | Toolibin South Rd | Toolibin South Rd | Wickepin | 0.00 | Toolibin South Rd & Dwelyerdine Rd | 11.64 | Old Line Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Old Line Rd : No right turn permitted into Line Rd from Toolibin South Rd |
| 3070004 | Toompup Rd South | Toompup Rd South | Gnowangerup | 0.00 | Gnowangerup Jerramungup Rd | 31.50 | Borden - Bremer Bay Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6020033 | Toorak St | Toorak St | Coolgardie | 0.00 | Coolgardie North Rd & Jaurdi Hills Rd | 0.93 | Ford St | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------|----------|-----------------------------|--------|-----------------------------|--|
| 5190027 | Tootbardie Rd | Tootbardie Rd | Coorow | 0.00 | Brand Hwy | 21.69 | Coorow - Green Head Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5180065 | Tootra Fence Rd | Tootra Fence Rd | Wongan - Ballidu | 0.00 | Gabalong East Rd & Bowen Rd | 7.09 | East Boundary Rd & Jenks Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5100103 | Tootra St | Tootra St | Moora | 0.00 | Cameron St & Gardiner St | 1.69 | Midlands Rd | <ul style="list-style-type: none"> Intersection Midlands Rd : No left turn permitted into Midlands Rd from Tootra Rd |
| 4330009 | Top Beverley - York Rd | Top Beverley - York Rd | York | 0.00 | Quairading York Rd | 4.34 | Mackie River Bridge | <ul style="list-style-type: none"> Maximum speed 70 km/h |
| 4330009 | Top Beverley - York Rd | Top Beverley - York Rd | York | 4.34 | Mackie River Bridge | 14.08 | Top Beverley York Rd | <ul style="list-style-type: none"> Maximum speed 90 km/h |
| 4010008 | Top Beverley York Rd | Top Beverley York Rd | Beverley | 0.00 | Great Southern Hwy | 8.02 | Top Beverley - York Rd | |
| 4300045 | Top End Rd | Top End Rd | Williams | 0.00 | Pinjarra Williams Rd | 1.13 | Top End Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5100046 | Topham Rd | Topham Rd | Moora | 0.00 | Watheroo Miling Rd | 6.00 | Delane Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6040715 | Torradup Rd | Torradup Rd | Esperance | 0.00 | Springdale Rd | 0.15 | 150m From Springdale Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4140011 | Totadgin Hall Rd | Totadgin Hall Rd | Merredin | 0.00 | Bruce Rock Merredin Rd | 19.71 | Totadgin Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|-----------------------|----------|--|--------|------------------------------------|---|
| 4030163 | Totadgin Rd | Totadgin Rd | Bruce Rock | 0.00 | Totadgin Hall Rd | 25.11 | Wogarl West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6080056 | Tower St | Tower St | Leonora | 0.00 | Goldfields Hwy | 1.95 | Kane St | |
| 2170337 | Towers Rd | Towers Rd | Donnybrook - Balingup | 0.00 | Lowden - Grimwade Rd | 0.10 | Towers Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4310119 | Town Access Rd | Town Access Rd | Wyalkatchem | 0.00 | Aquatic Access Rd & Grace St & Railway Tce | 0.18 | Nungarin Wyalkatchem Rd & Hands Dr | |
| 1100265 | Townsend Rd | Townsend Rd | Wanneroo (C) | 0.00 | Rousset Rd | 1.66 | Hawkins Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3090105 | Townsend Rd | Townsend Rd | Kent | 0.00 | Needilup North Rd | 6.62 | Townsend Rd - End Road | |
| 4050138 | Townsend Rd | Townsend Rd | Cuballing | 0.00 | Stratherne Rd | 6.66 | Kerruish Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Kerruish Rd : No access permitted into Kerruish Rd from Townsend Rd |
| 5180170 | Townsend Rd | Townsend Rd | Wongan - Ballidu | 0.00 | Federation St | 0.51 | Ballidu East Rd | |
| 6040104 | Townsend Rd | Townsend Rd | Esperance | 0.00 | Rollond Rd | 3.55 | Cooper Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1091266 | Townsend St | Townsend St | Swan (C) | 0.00 | Kiln St | 0.74 | Pavers Cir | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 3120279 | Townsend St | Townsend St | Plantagenet | 0.00 | Hughes Rd & Beverley Rd | 0.63 | Red Gum Pass Rd | <ul style="list-style-type: none"> Maximum speed 40 km/h |
| 4290037 | Townsendale Rd | Townsendale Rd | Wickepin | 0.00 | Kerruish Rd | 2.72 | Pauley Rd | <ul style="list-style-type: none"> Intersection Pauley Rd : No right turn permitted into Pauley Rd from Townsendale Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|--------------------------|----------|--|--------|---|---|
| 3120162 | Townshend Rd | Townshend Rd | Plantagenet | 0.00 | Yellanup Rd | 5.06 | Watermans Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1091828 | Trade Rd | Trade Rd | Swan (C) | 0.00 | Mulgul Rd | 0.45 | Marshall Rd & Business Wy | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 6090023 | Trainers Rock Rd | Trainers Rock Rd | Menzies | 0.00 | Evanston - Menzies Rd & Lake Barlee Rd | 43.06 | For 43.06km From Evanston - Menzies Rd | |
| 1031435 | Training Pl | Training Pl | Cockburn (C) | 0.00 | Karel Av | 0.30 | Rail Access (Was Hope Rd) & Hope Rd East of Fwy | |
| 1106149 | Trandos Rd | Trandos Rd | Wanneroo (C) | 0.00 | Old Yanchep Rd | 0.07 | 0.07km From Old Yanchep Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 6055072 | Trans Access Rd | Trans Access Rd | Kalgoorlie - Boulder (C) | 0.00 | Mount Monger Rd | 428.10 | Trans Access Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1019017 | Transit Pl | Transit Pl | Armadale (C) | 0.00 | Network Pl | 0.16 | Transit Pl - End Road | |
| 3090088 | Tranter Rd | Tranter Rd | Kent | 0.00 | Newdegate Spur Rd & Jolley Rd | 3.81 | Tranter Rd - End Road | |
| 4130043 | Travers Rd | Travers Rd | Trayning | 0.00 | Goldfields Rd | 2.86 | Nungarin Wyalkatchem Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4130043 | Travers Rd | Travers Rd | Trayning | 6.32 | Lee Rd | 23.04 | Letchford Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|--------------------------|----------|--|--------|-----------------------------|--|
| 4130043 | Travers Rd | Travers Rd | Trayning | 29.42 | | 31.40 | Kellerberrin - Bencubbin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4130019 | Trayning North Rd | Trayning North Rd | Trayning | 0.00 | Kellerberrin - Bencubbin Rd | 8.29 | Swamp Well Rd | |
| 4120057 | Traysurin Rd East | Traysurin Rd East | Kulin | 0.00 | Traysurin West Rd & Dudinin - Jitarning Rd | 9.84 | Kulin - Dudinin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4120072 | Traysurin West Rd | Traysurin West Rd | Kulin | 0.00 | Dudinin - Jitarning Rd & Traysurin Rd East | 4.33 | Rabbit Proof Fence Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1140005 | Treasure Rd | Treasure Rd | Canning (C) | 0.00 | Furnace Rd | 0.19 | Welshpool Rd | |
| 2110203 | Treasure Rd | Treasure Rd | Harvey | 0.00 | Unknown Rd | 3.53 | Thampapillai Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 2110203 | Treasure Rd | Treasure Rd | Harvey | 3.53 | Thampapillai Rd | 7.28 | Forrest Hwy & Springhill Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Thampapillai Rd : No right turn permitted into Thampapillai Rd from Treasure Rd |
| 1141333 | Treasure Rd North | Treasure Rd North | Canning (C) | 0.00 | Dowd St | 0.93 | Orrong Rd | |
| 2110398 | Tredrea Pl | Tredrea Pl | Harvey | 0.00 | Taranto Rd | 0.80 | 0.80km From Taranto Rd | |
| 2110013 | Treendale Rd | Treendale Rd | Harvey | 0.87 | Raymond Rd | 4.67 | Raymond Rd | |
| 2010002 | Treeton Rd | Treeton Rd | Augusta - Margaret River | 0.00 | Bussell Hwy | 6.07 | Carbunup South Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Maximum speed 60 km/h |
| 4240107 | Trogenza Rd | Trogenza Rd | Quairading | 0.00 | Caroling South Rd | 2.09 | Blake Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|--------------------------|--------|----------------------|---|
| 4030031 | Trehernes Rd | Trehernes Rd | Bruce Rock | 0.00 | Shackleton - Bilbarin Rd | 10.71 | Old Beverley Rd | <ul style="list-style-type: none"> Intersection Carger Rd : No right turn permitted into Carger Rd from Trehernes Rd |
| 3110035 | Treloar Rd | Treloar Rd | Lake Grace | 0.00 | O'Neill Rd | 3.24 | Griffins Reward Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3110035 | Treloar Rd | Treloar Rd | Lake Grace | 3.27 | Griffins Reward Rd | 5.26 | White Dam Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4240092 | Treloar Rd | Treloar Rd | Quairading | 0.00 | Dangin - Mears Rd | 6.38 | Dulbellling South Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 3060019 | Treloars Rd | Treloars Rd | Dumbleyung | 0.00 | Kulin - Dumbleyung Rd | 14.71 | Kukerin North Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5140058 | Tremlett Rd | Tremlett Rd | Perenjori | 0.00 | Lampard - Tremlett Rd | 8.39 | Dring Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|----------------------------|--------|------------------------------|--|
| 4310058 | Trenorden Rd | Trenorden Rd | Wyalkatchem | 0.00 | Elsegood Rd | 1.63 | Trenorden Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1100268 | Trichet Rd | Trichet Rd | Wanneroo (C) | 0.00 | Hawkins Rd | 1.67 | Franklin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 8130072 | Trig St | Trig St | Port Hedland (T) | 0.00 | Pinga St | 0.66 | Ridley St | |
| 3160004 | Trigwell Bridge Rd | Trigwell Bridge Rd | West Arthur | 0.00 | Arthur River - Dinninup Rd | 34.09 | Bowelling - Duranillin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3160098 | Trigwell Rd | Trigwell Rd | West Arthur | 0.00 | Arthur River - Dinninup Rd | 4.06 | Trigwell Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 7030024 | Trillbar Rd | Trillbar Rd | Meekatharra | 0.00 | Trillbar Rd - End Road | 26.88 | Meekatharra - Mount Clere Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|----------------------------|--------|-------------------------------------|--|
| 3080014 | Trimmer Rd | Trimmer Rd | Katanning | 0.00 | Great Southern Hwy | 7.52 | McKenzie Rd & Shenton Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Great Southern Hwy : No Right Turn Into Northam-Cranbrook Road Permitted |
| 3080014 | Trimmer Rd | Trimmer Rd | Katanning | 7.52 | McKenzie Rd & Shenton Rd | 8.66 | Woodanilling LGA Boundary | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 3170003 | Trimmer Rd | Trimmer Rd | Woodanilling | 0.00 | Tie Line Rd | 12.48 | Katanning LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1103378 | Triumph Av | Triumph Av | Wanneroo (C) | 0.00 | Paramount Dr | 0.74 | Leadership Wy | |
| 5110071 | Tropiano Rd | Tropiano Rd | Morawa | 0.00 | Gutha West Rd | 6.12 | Pintharuka West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4120125 | Truebody St | Truebody St | Kulin | 0.00 | Parker St & Johnston St | 1.66 | Truebody St - End Road | |
| 1090651 | Truganina Rd | Truganina Rd | Swan (C) | 0.00 | Malaga Dr | 1.55 | Unnamed Rd & Alexander Dr | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 4120086 | Trundle Rd | Trundle Rd | Kulin | 0.00 | Pederah West Rd & Spurr Rd | 6.36 | Karlgarin Hill South Rd & Willey Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6040093 | Truslove Rd | Truslove Rd | Esperance | 0.00 | Coolgardie Esperance Hwy | 9.95 | Cox Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|--|--------|--|---|
| 2050780 | Tuart Dr | Tuart Dr | Busselton (C) | 0.00 | Bussell Hwy | 9.26 | Capel LGA Boundary | <ul style="list-style-type: none"> No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM Curfew applies on school days only. |
| 5070289 | Tuart Rise | Tuart Rise | Gingin | 0.00 | Indian Ocean Dr | 0.16 | Sandalwood Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5110090 | Tubby Rd | Tubby Rd | Morawa | 0.00 | Robinson Rd | 3.03 | Mickie Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3110099 | Tuck Rd | Tuck Rd | Lake Grace | 0.00 | Old Ravensthorpe Rd | 16.09 | Tarco Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 702Z011 | Tuckabianna Rd | Tuckabianna Rd | Cue | 0.00 | Cue - Wondinong Rd | 20.21 | Tuckabianna Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3040034 | Tuckers Rd | Tuckers Rd | Cranbrook | 5.50 | 5.50 Km From Poorrarecup Rd (From Plantation Gate) | 8.20 | Nukennullup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2180017 | Tuckett Rd | Tuckett Rd | Boyup Brook | 0.00 | Scotts Brook Rd | 1.00 | Tree Farm Access Gate 1.0km From Scotts Brook Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). No operation permitted between SLK 1.00 to 3.22 & 11.52 to 14.62 due to excessive grades. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|-------------------|----------|---|--------|---|---|
| 2180017 | Tuckett Rd | Tuckett Rd | Boyup Brook | 3.22 | Tree Farm Access Gate 7.30km From Cootayerup Rd | 11.52 | Naranber Tree Farm Access Gate 1.0km From Cootayerup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). No operation permitted between SLK 1.00 to 3.22 & 11.52 to 14.62 due to excessive grades. |
| 2180017 | Tuckett Rd | Tuckett Rd | Boyup Brook | 14.62 | Phillip Tree Farm Access Gate 1.6km From Boyup Brook - Cranbrook Rd | 16.22 | De Landgraff Rd & Boyup Brook - Cranbrook Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). No operation permitted between SLK 1.00 to 3.22 & 11.52 to 14.62 due to excessive grades. |
| 1290236 | Tuckett St | Tuckett St | Victoria Park (T) | 0.00 | Briggs St | 0.15 | Cohn St | |
| 5100036 | Tucks Rd | Tucks Rd | Moora | 0.00 | Piper Rd | 3.92 | Gabalong East Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4170029 | Tudor Rd | Tudor Rd | Narembreen | 0.00 | Dixon Rd | 8.09 | Butler Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3150144 | Tudor St | Tudor St | Wagin | 0.00 | Tudhoe St | 1.17 | Moore St & Bolts Rd | |
| 3090034 | Tuffley Rd | Tuffley Rd | Kent | 0.00 | Kukerin Rd | 9.89 | Dumblebung - Nyabing Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|----------------------------------|--------|------------------------|---|
| 4050066 | Tulletts Rd | Tulletts Rd | Cuballing | 0.00 | Popanyinning West Rd | 2.60 | Tulletts Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4040095 | Tulloch Rd | Tulloch Rd | Corrigin | 0.00 | Bilbarin East Rd | 5.60 | Hancock Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2089001 | Tungsten Cl | Tungsten Cl | Dardanup | 0.00 | Golding Cr | 0.09 | Tungsten Cl - End Road | |
| 3040095 | Tunney Hall Rd | Tunney Hall Rd | Cranbrook | 0.00 | Albany Hwy | 6.12 | Gaunt Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3100086 | Tunney Rd | Tunney Rd | Kojonup | 0.00 | Soldier Rd | 3.46 | Darkan - Kojonup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060063 | Tunney St | Tunney St | Dumbleyung | 0.00 | Absolon St & Wagin Dumbleyung Rd | 0.07 | Richardson Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|----------------------------|--------|----------------------------|--|
| 7030020 | Turee Creek Rd | Turee Creek Rd | Meekatharra | 0.00 | Great Northern Hwy | 128.60 | | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h |
| 8110289 | Turee Wy | Turee Wy | Ashburton | 0.00 | Beasley Rd | 0.30 | Camp Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Camp Rd : Right Turn Only Permitted Into Camp Rd From Turee Wy |
| 5010038 | Turkey Flat Rd | Turkey Flat Rd | Carnamah | 0.00 | Carnamah - Eneabba Rd | 6.80 | Three Springs LGA Boundary | |
| 5150012 | Turkey Flat Rd | Turkey Flat Rd | Three Springs | 0.00 | Three Springs - Eneabba Rd | 12.05 | Carnamah LGA Boundary | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 6110008 | Turkey Hill Rd | Turkey Hill Rd | Yilgarn | 0.00 | Bullfinch Rd | 29.10 | 0.36km From End of Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 1102641 | Turnbull Rd | Turnbull Rd | Wanneroo (C) | 0.00 | Avery St | 0.36 | Warman St | |
| 4290066 | Turner Rd | Turner Rd | Wickepin | 0.00 | Kirk Rock Rd | 2.54 | Turner Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Kirk Rock Rd : No right turn permitted into Kirk Rock Rd from Turner Rd |
| 4310046 | Turner Rd | Turner Rd | Wyalkatchem | 0.00 | Lackman Rd | 7.16 | McNee Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5010012 | Turner Rd | Turner Rd | Carnamah | 0.00 | Bunjil - Carnamah Rd | 10.50 | Waters Rd & Pope Rd | |
| 6040095 | Turner Rd | Turner Rd | Esperance | 0.00 | Truslove Rd | 2.24 | Brown Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|-------------------------|--------|------------------------------------|---|
| 4050012 | Turners Rd | Turners Rd | Cuballing | 0.00 | Wandering - Narrogin Rd | 8.33 | Fourteen Mile Brook Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4090066 | Turon Rd | Turon Rd | Kellerberrin | 0.00 | Tammin LGA Boundary | 0.97 | Benderine North Rd & McClelland Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4250008 | Turon Rd | Turon Rd | Tammin | 0.00 | Yorakine Rd | 14.81 | Kellerberrin LGA Boundary | |
| 3120049 | Turpin North Rd | Turpin North Rd | Plantagenet | 0.00 | Muir Hwy & Turpin Rd | 5.71 | Rocky Gully Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|--------------------------|----------|----------------------------|--------|---------------------------|--|
| 3120050 | Turpin Rd | Turpin Rd | Plantagenet | 0.00 | Muir Hwy & Turpin North Rd | 14.97 | Hiker Rd & Nornalup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Signage to be erected as per harvest agreement. |
| 4230048 | Tutanning Rd | Tutanning Rd | Pingelly | 4.29 | Brains Rd | 4.94 | Stanes Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2050548 | Tutunup Rd | Tutunup Rd | Busselton (C) | 0.00 | Ludlow - Hithergreen Rd | 7.94 | Yoganup Pl & Armstrong Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h No Operation Weekdays between 7:00 AM and 8:30 AM and between 3:30 PM and 5:00 PM Curfew applies on school days only. |
| 2030003 | Tweed Rd | Tweed Rd | Bridgetown - Greenbushes | 0.00 | South Western Hwy | 12.13 | Carbunup Brook Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|--------------------------|----------|--|--------|---|--|
| 2030003 | Tweed Rd | Tweed Rd | Bridgetown - Greenbushes | 12.13 | Carbunup Brook Rd | 24.32 | Winnejup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| H411 | Twelfth Rd Rty | Twelfth Rd Rty | Armadale (C) | 0.00 | Twelfth Rd | 0.16 | Twelfth Rd | |
| 2010022 | Twenty Four Rd | Twenty Four Rd | Augusta - Margaret River | 0.00 | Bussell Hwy | 6.41 | Phillips Rd & Glenarty Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Bussell Hwy : No access permitted into Bussell Hwy from Twenty Four Rd |
| 4070047 | Twenty Six Gate Rd | Twenty Six Gate Rd | Dowerin | 0.00 | Hindmarsh Rd & Cunderdin - Minnivale Rd | 7.20 | Benjaberring - Hindmarsh Rd & Borgward Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 7050004 | Twin Peaks - Wooleen Rd | Twin Peaks - Wooleen Rd | Murchison | 0.00 | Was 0004 Twin Peaks- Wooleen Rd & Carnarvon - Mullewa Rd | 45.66 | Wooleen Access Rd & Wooleen - Mt Wittenoom Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|---|--------|---|---|
| 4070061 | Twine Rd | Twine Rd | Dowerin | 0.00 | Hindmarsh Back Rd | 3.44 | Twine Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4130100 | Twine St | Twine St | Trayning | 0.00 | Felgate Pde & Kellerberrin - Bencubbin Rd | 0.49 | Sutherland St & Kellerberrin - Bencubbin Rd | |
| 8110004 | Twitchin Rd | Twitchin Rd | Ashburton | 0.00 | Onslow Rd | 22.44 | Minderoo Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6020121 | Two Boys Rd | Two Boys Rd | Coolgardie | 0.00 | Coolgardie Esperance Hwy & Cave Hill Rd | 1.15 | Two Boys Rd - End Road | |
| 3020055 | Two Peoples Bay Rd | Two Peoples Bay Rd | Albany (C) | 0.00 | Nanarup Rd | 10.66 | 3.51km From Moyle Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| H034 | Tydeman Rd | Tydeman Rd | Fremantle (C) | 0.00 | Stirling Hwy & John St | 0.61 | Napier Rd | <ul style="list-style-type: none"> Unless otherwise approved in writing by Main Roads, the RAV must not be loaded with more than 3 loaded Twenty-foot Equivalent Units (3 TEU's), e.g. 3 twenty-foot intermodal containers or 1 forty-foot and 1 twenty-foot intermodal container. |
| H034 | Tydeman Rd | Tydeman Rd | Fremantle (C) | 0.61 | Napier Rd | 1.04 | Port Beach Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|------------------------------|--------|---|--|
| 4310123 | Tyler Rd | Tyler Rd | Wyalkatchem | 0.00 | Nungarin Wyalkatchem Rd | 4.42 | Goldfields Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4080012 | Tyndall Rd | Tyndall Rd | Goomalling | 0.00 | Long Forrest Rd | 10.48 | Goomalling Toodyay Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4080012 | Tyndall Rd | Tyndall Rd | Goomalling | 10.48 | Goomalling Toodyay Rd | 14.83 | Herridge Rd & Jennacubbine East Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 6040020 | Tyrrell Rd | Tyrrell Rd | Esperance | 0.00 | Merivale Rd | 9.06 | Fisheries Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4120068 | Tyson Rd | Tyson Rd | Kulin | 0.00 | Kulin - Dudinin Rd | 6.14 | Kukerin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 7070053 | Uanna Hill Rd | Uanna Hill Rd | Yalgoo | 0.00 | Dalgaranga - Mount Magnet Rd | 16.64 | Dalgaranga - Cue & Austin Downs - Dalgaranga Rd & Western Queen Access Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4070019 | Uberin Rd | Uberin Rd | Dowerin | 0.00 | Koombekine North Rd | 24.09 | Phillips Rd & Morrell North Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4080023 | Ucarty Rd | Ucarty Rd | Goomalling | 0.00 | Goomalling - Meckering Rd | 15.85 | Ucarty Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h No Operation between 7:00 AM to 9:00 AM and 2:30 PM to 4:00 PM Curfew applies to school days only. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|-------------------------------------|--------|----------------------------|--|
| 4070171 | Ucarty Rock East Rd | Ucarty Rock East Rd | Dowerin | 0.00 | Nambling South Rd | 5.60 | Ucarty South Rd & Eaton Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Nambling South Rd : No access permitted into Namling South Rd from Ucarty Rock East Rd |
| 4070057 | Ucarty Rock Rd | Ucarty Rock Rd | Dowerin | 0.00 | Nambling South Rd | 1.77 | Ucarty Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Nambling South Rd : No access permitted into Nambling South Rd from Ucarty Rock Rd |
| 4070007 | Ucarty South Rd | Ucarty South Rd | Dowerin | 0.00 | Nambling South Rd & Berring East Rd | 5.64 | Cemetery Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|--------------------------------|--------|--|---|
| 4070007 | Ucarty South Rd | Ucarty South Rd | Dowerin | 5.64 | Cemetery Rd | 11.20 | Eaton Rd & Ucarty Rock East Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4070007 | Ucarty South Rd | Ucarty South Rd | Dowerin | 11.20 | Eaton Rd & Ucarty Rock East Rd | 18.04 | Quelagetting West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 2110538 | Uduc Rd | Uduc Rd | Harvey | 3.00 | Sixth St | 5.45 | Government Rd | |
| 8050002 | Ullawarra Rd | Ullawarra Rd | Upper Gascoyne | 0.00 | Killili Rd | 218.75 | 28.37km North of Edmund Gifford Creek Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 109Z029 | Ulm Pl | Ulm Pl | Swan (C) | 0.00 | Abernethy Rd & Yagine Cl | 0.38 | End Road | |
| 4330090 | Ulster Rd | Ulster Rd | York | 0.00 | South St & Forrest St | 2.11 | Mokine Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 40 km/h No Operation Weekdays between 8:00 AM to 9:00 AM and No Operation Monday Tuesday Thursday Friday between 2:30 PM to 3:30 PM and No Operation Wednesday between 1:30 PM to 2:30 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------|----------|--------------------------------------|--------|--------------------------|---|
| 4140096 | Ulva Siding Rd | Ulva Siding Rd | Merredin | 0.00 | Bruce Rock Merredin Rd & Teasdale Rd | 3.05 | Korbrekulling Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3150108 | Umbra St | Umbra St | Wagin | 0.00 | Tudor St | 0.67 | Beaufort Rd & Unicorn St | <ul style="list-style-type: none"> Maximum speed 50 km/h Intersection Tudor St : No Left Turn Into Northam-Cranbrook Road Permitted |
| 4130097 | Un - Named | Un - Named | Trayning | 0.00 | Nungarin Wyalkatchem Rd | 0.09 | Wilson St | <ul style="list-style-type: none"> Maximum speed 50 km/h |
| 3040014 | Unanup Rd | Unanup Rd | Cranbrook | 0.00 | Boyacup Rd | 16.82 | Albany Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|------------------------|--------|-------------------------|---|
| 4070053 | Underwood Flat Rd | Underwood Flat Rd | Dowerin | 0.00 | Dowerin - Kalannie Rd | 4.19 | Old Koorda Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4270068 | Underwood Rd | Underwood Rd | Wandering | 0.00 | Herdigan Rd | 0.60 | Underwood Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3150157 | Unicorn St | Unicorn St | Wagin | 0.45 | Beaufort Rd & Umbra St | 0.47 | Beaufort Rd | <ul style="list-style-type: none"> Maximum speed 50 km/h |
| 3040012 | Unicup Rd | Unicup Rd | Cranbrook | 0.00 | Muir Hwy | 14.37 | Wingebellup Rd | |
| 3040012 | Unicup Rd | Unicup Rd | Cranbrook | 14.38 | Wingebellup Rd | 16.94 | Bokerup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------------|----------------------------|------------------|----------|------------------------|--------|---------------------------------------|---|
| 3040012 | Unicup Rd | Unicup Rd | Cranbrook | 16.94 | Bokerup Rd | 19.50 | 2.56km From Bokerup Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. |
| 3040012 | Unicup Rd | Unicup Rd | Cranbrook | 19.50 | 2.56km From Bokerup Rd | 22.51 | Boyup Brook LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 109Z031 | Unknown Rd | Unknown Rd | Swan (C) | 0.00 | Collopy Rd | 0.22 | Unknown Rd - End Road | |
| 604Z010 | Unknown Rd | Unknown Rd | Esperance | 0.00 | Hill St | 0.33 | Unknown Rd - End Road | |
| 8139000 | Unknown Rd | Unknown Rd | Port Hedland (T) | 0.00 | Anderson St | 0.26 | Sutherland St | |
| 813Z033 | Unknown Rd | Unnamed Rd | Port Hedland (T) | 1.05 | 1.05km From Unnamed Rd | 1.90 | 1.8km From Unnamed Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4240154 | Unnamed Rd (Was Caporn Rd) | Unnamed Rd (Was Caporn Rd) | Quairading | 0.00 | Pantapin South East Rd | 0.93 | Unnamed Rd (Was Caporn Rd) - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 3150116 | Upland St | Upland St | Wagin | 0.00 | Tudor St | 0.20 | Strickland St & Strickland L | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Tudor St : No left turn permitted into Northam Cranbrook (Tudor Street) from Upland Street. No right turn permitted into Northam Cranbrook (Tudor Street) from Upland Street. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|-----------------------|----------|------------------------|--------|------------------------------|---|
| 2170007 | Upper Capel Rd | Upper Capel Rd | Donnybrook - Balingup | 0.00 | Goodwood Rd | 14.92 | Ryalls Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1104384 | Uppill Pl | Uppill Pl | Wanneroo (C) | 0.00 | O'Connor Wy | 0.35 | Uppill Pl - End Road | |
| 1141347 | Uppsala Pl | Uppsala Pl | Canning (C) | 0.00 | Wittenberg Dr | 0.11 | Uppsala Pl - End Road | |
| 6070028 | Urarey - Warren Bore Rd | Urarey - Warren Bore Rd | Laverton | 0.00 | Bandya Rd | 19.60 | Bandya Lake Wells Rd | |
| 5050656 | Urawa Rd | Urawa Rd | Greater Geraldton (C) | 0.00 | Carnarvon - Mullewa Rd | 10.00 | Urawa Rd - End Road | |
| 5160053 | Urch Rd | Urch Rd | Chapman Valley | 0.00 | Chapman Valley Rd | 9.50 | Scott Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). No access between Lot 370 and Lot 527. |
| 5030115 | Ure Rd | Ure Rd | Dalwallinu | 0.00 | Goodlands Rd | 5.86 | Ure Rd - End Road | |
| 5100056 | Urquhart Rd | Urquhart Rd | Moora | 0.00 | Summers West Rd | 3.10 | Clarke Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 8040024 | Useless Loop Rd | Useless Loop Rd | Shark Bay | 0.00 | Shark Bay Rd | 85.50 | | |
| 813Z020 | Utah Point Rd (P) | Utah Point Rd (P) | Port Hedland (T) | 0.00 | Great Northern Hwy | 9.08 | Utah Point Rd (P) - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------------------|-------------------------------------|-----------------------|----------|--------------------------------------|--------|---------------------------------------|--|
| 813Z027 | Utah Pt Rd on to Great Northern Hwy | Utah Pt Rd on to Great Northern Hwy | | 0.00 | Utah Point Rd (P) | 0.38 | Great Northern Hwy | |
| 1091264 | Vale St | Vale St | Swan (C) | 0.00 | Denninup Wy | 0.55 | Weir Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 3150191 | Vale St | Vale St | Wagin | 0.00 | Ventnor St & Vine St | 0.20 | Vernon St | |
| 3040072 | Valemarie Rd | Valemarie Rd | Cranbrook | 0.00 | Boyacup Rd | 5.15 | Goldendale Rd & Yeriminup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5051016 | Valentine Rd | Valentine Rd | Greater Geraldton (C) | 0.00 | Geraldton Mt Magnet Rd | 7.88 | Valentine Rd & Smith Rd | |
| 5110047 | Valentine Rd | Valentine Rd | Morawa | 0.00 | James Rd & Three Springs - Morawa Rd | 8.13 | Neates Rd & Three Springs - Morawa Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5160013 | Valentine Rd | Valentine Rd | Chapman Valley | 0.00 | Valentine Rd & Smith Rd | 25.35 | East Nabawa | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Maximum speed 70km/h on unsealed section. Maximum speed 80km/h on sealed section. |
| 1130275 | Valentine St | Valentine St | Belmont (C) | 0.00 | Kewdale Rd | 0.82 | Hazelhurst St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|------------------|----------|----------------------------|--------|---------------------------------|---|
| 5110099 | Valentine St | Valentine St | Morawa | 0.00 | McGlew St | 1.11 | Laneway (E) | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5160041 | Valentine Williamson Rd | Valentine Williamson Rd | Chapman Valley | 0.00 | Valentine Rd | 4.79 | Valentine-Williamson - End Road | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 4010021 | Vallentine Rd | Vallentine Rd | Beverley | 0.00 | Butchers Rd | 5.29 | York - Williams Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection York - Williams Rd : No access permitted into York-Williams Rd from Vallentine Rd |
| 3050006 | Valley of The Giants Rd | Valley of The Giants Rd | Denmark | 1.95 | Dingo Flat Rd | 10.90 | South Coast Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2150582 | Valli Rd | Valli Rd | Murray | 0.00 | Coolup Rd South & Leach Rd | 2.37 | South Western Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|-------------------------------|--------|-----------------------------|---|
| 5110046 | Vandeleur Rd | Vandeleur Rd | Morawa | 0.00 | Moffet Rd | 7.96 | Bell Rd & Mullewa Wubin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4030084 | Vans Rd | Vans Rd | Bruce Rock | 0.00 | Shackleton - Bilbarin Rd | 7.08 | Erikin South Rd & Carger Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3160115 | Vanzetti Rd | Vanzetti Rd | West Arthur | 0.00 | Bokal - East Arthur Rd | 0.85 | Vanzetti Rd - End Road | |
| 5190038 | Vanzetti Rd | Vanzetti Rd | Coorow | 0.00 | Buntine - Marchagee Rd | 4.40 | Randell Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5190038 | Vanzetti Rd | Vanzetti Rd | Coorow | 4.40 | Randell Rd | 5.80 | Vanzetti Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4060111 | Vanzetti St | Vanzetti St | Cunderdin | 0.00 | Great Eastern Hwy & Dreyer St | 2.25 | Bulgin Rd & Leeming St | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3160042 | Varis Rd | Varis Rd | West Arthur | 0.00 | Coalfields Rd | 6.43 | Nunendine Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------------|---|-------------------------------------|----------|----------------------------|--------|-----------------------------------|--|
| 4120035 | Varley North Rd | Varley North Rd | Kulin | 0.00 | Hyden-Lake King Rd | 12.67 | Gregson Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3110027 | Varley South Rd | Varley South Rd | Lake Grace | 0.00 | Holt Rock South Rd | 13.40 | Carstairs Rd & Hyden-Lake King Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3180014 | Vasey St | Vasey St | Jerramungup | 0.00 | Memorial Rd & Lancaster Rd | 0.33 | Hassell Rd & South Coast Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| M008 | Vasse | Vasse Hwy Warren Rd Brockman Hwy Brockman St | Busselton (C) Nannup Manjimup | 0.00 | Bussell Hwy | 150.74 | South Western Hwy | <ul style="list-style-type: none"> Intersection Slee Rd : No left turn permitted into Slee Road from Vasse Highway Intersection Packer Rd : No left turn permitted into Packer Rd from Vasse Hwy |
| 2050010 | Vasse - Yallingup Siding Rd | Vasse - Yallingup Siding Rd | Busselton (C) | 4.82 | Chain Av | 7.90 | Quindalup Siding Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h No Operation Weekdays between 7:30 AM and 9:00 AM and between 3:00 PM and 4:30 PM When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Curfew applies on school days only. |
| 2050010 | Vasse - Yallingup Siding Rd | Vasse - Yallingup Siding Rd | Busselton (C) | 7.90 | Quindalup Siding Rd | 14.15 | Wildwood Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|--|--------|-----------------------|---|
| 4030023 | Veitch Rd | Veitch Rd | Bruce Rock | 0.00 | Corrigin - Bruce Rock Rd & Yarding - Ardath Rd | 7.58 | Bruce Rock South Rd | |
| 4240146 | Veitch Rd | Veitch Rd | Quairading | 0.00 | Balkuling North Rd | 1.46 | Veitch Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4030156 | Venemore St | Venemore St | Bruce Rock | 0.00 | Jermyn Rd | 0.18 | Mills - Hammond St | |
| 3020042 | Venns Rd | Venns Rd | Albany (C) | 0.00 | Mettler Rd | 9.30 | Wilwarri Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3020042 | Venns Rd | Venns Rd | Albany (C) | 9.30 | Wilwarri Rd | 14.16 | Basil Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3150152 | Ventnor St | Ventnor St | Wagin | 0.00 | Vale St & Vine St | 0.23 | Vernal St | |
| 1104831 | Venture Loop | Venture Loop | Wanneroo (C) | 0.00 | Innovation Cct | 0.31 | Innovation Cct | |
| 1079012 | Venture Pl | Venture Pl | Rockingham (C) | 0.00 | Lodge Dr | 0.28 | Venture Pl - End Road | |
| 1031707 | Verde Dr | Verde Dr | Cockburn (C) | 0.51 | 0.20km East of Solomon Rd | 1.27 | Prinsep Rd | |
| 5029004 | Verlort Dr | Verlort Dr | Chittering | 0.00 | Mercury Rise | 0.19 | Canaveral Wy | |
| 3150169 | Vernal St | Vernal St | Wagin | 0.00 | Ventnor St | 0.85 | Bullock Hills Rd | <ul style="list-style-type: none"> Intersection Lefroy St : No right turn permitted into Lefroy St from Vernal St Intersection Bullock Hills Rd : No left turn permitted into Bullock Hills Rd from Vernal St |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|--------------------------|----------|-------------------------------|--------|-----------------------------|--|
| 3020090 | Verne Rd | Verne Rd | Albany (C) | 0.00 | Redmond West Rd | 6.44 | Redmond - Hay River Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3150177 | Vernon St | Vernon St | Wagin | 0.00 | Tudhoe St | 1.20 | Airfield Rd | |
| 2070266 | Victor Rd | Victor Rd | Collie | 0.00 | Gastaldo Rd | 0.40 | Beela Rd | |
| H011 | Victoria Hwy | Victoria Hwy | Wyndham - East Kimberley | 0.00 | Great Northern Hwy | 87.51 | Victoria Hwy - State Border | |
| 1092096 | Victoria Rd | Victoria Rd | Swan (C) | 0.00 | Beringarra Av | 3.30 | Victoria Rd & Alexander Dr | |
| 1252685 | Victoria Rd | Victoria Rd | Stirling (C) | 0.00 | Alexander Dr & Victoria Rd | 0.37 | Victoria Rd - End Road | |
| 4090059 | Victoria Rd | Victoria Rd | Kellerberrin | 0.00 | Kwoiyin West Rd. | 5.12 | McNeil Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6020005 | Victoria Rock Rd | Victoria Rock Rd | Coolgardie | 0.00 | Gnarlbine Rd & Jobson St | 119.02 | Queen Victoria Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit |
| 2050110 | Vidler Rd | Vidler Rd | Busselton (C) | 0.00 | Caves Rd | 0.97 | Western Cape Dr | |
| 3120085 | View Range Rd | View Range Rd | Plantagenet | 0.00 | Moorilup Rd & Red Gum Pass Rd | 8.15 | Young Rd & Chinninup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 80 km/h Maximum speed of 60 km/h on gravel road. |
| 7060007 | Village Rd | Village Rd | Wiluna | 0.00 | Wongawol Rd | 5.16 | Village Rd - End Road | |
| 8140398 | Village Rd | Village Rd | Karratha (C) | 0.00 | Burru Peninsula Rd | 1.48 | Fertiliser Plant Access | |
| 1101832 | Villanova St | Villanova St | Wanneroo (C) | 0.00 | Wanneroo Rd | 0.07 | 0.07km After Wanneroo Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|--------------------------------------|--------|------------------------------------|--|
| 5180053 | Vincent Rd | Vincent Rd | Wongan - Ballidu | 0.00 | Dowerin - Kalannie Rd | 9.42 | Rabbit Proof Fence Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1110149 | Vincent St | Vincent St | Bassendean (T) | 0.00 | Railway Pde | 0.36 | Wicks St | |
| 4010125 | Vincent St | Vincent St | Beverley | 0.43 | Forrest St | 3.88 | Morbinning Rd & Mawson Rd | |
| 5080130 | Vincent St | Vincent St | Irwin | 0.00 | Bailey St | 0.64 | Bailey St | |
| 4110117 | Vine Rd | Vine Rd | Koorda | 0.00 | Hollins Rd | 3.84 | Kulja - Mollerin Rock Rd | |
| 3150170 | Vine St | Vine St | Wagin | 0.00 | Cowcher Rd | 0.57 | Ventnor St & Vale St | |
| 4230145 | Vinicombe St | Vinicombe St | Pingelly | 0.00 | Review St | 0.29 | Vinicombe St - End Road | |
| 1141162 | Vinnicombe Dr | Vinnicombe Dr | Canning (C) | 0.00 | Bannister Rd | 1.19 | Bannister Rd | |
| 4220030 | Virgin Rd | Virgin Rd | Nungarin | 0.00 | Davis Rd & Quanta Cutting - Weira Rd | 6.60 | English Rd & Rabbit Proof Fence Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4240078 | Visa Rd | Visa Rd | Quairading | 0.00 | Old Yoting Rd | 6.15 | Mount Stirling Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 1105815 | Vision St | Vision St | Wanneroo (C) | 0.00 | Callaway St | 0.43 | Inspiration Dr | |
| 2040020 | Vittoria Rd | Vittoria Rd | Bunbury (C) | 0.00 | Forrest Hwy | 0.10 | 0.1km From Forrest Hwy | |
| H1021 | Vittoria Rd Rty | Vittoria Rd Rty | Bunbury (C) | 0.00 | South Western Hwy | 0.18 | South Western Hwy | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|--------------------------|----------|---------------------------|--------|----------------------|---|
| 4040118 | Vivian Rd | Vivian Rd | Corrigin | 0.00 | Rabbit Proof Fence Rd | 5.15 | Corrigin South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Corrigin South Rd : No access permitted into Corrigin South Rd from Vivian Rd |
| 4211163 | Vivian St | Vivian St | Northam | 0.00 | Great Eastern Hwy | 0.38 | Keane St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 6054010 | Vivian St | Vivian St | Kalgoorlie - Boulder (C) | 0.00 | Vivian St - Start Road | 2.65 | Vivian St - End Road | <ul style="list-style-type: none"> Intersection Waverley St : No left turn permitted into Waverley St from Vivian St |
| 2010435 | Vlam Rd | Vlam Rd | Augusta - Margaret River | 0.00 | Bussell Hwy | 2.58 | Caves Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1109799 | Volcanic Loop | Volcanic Loop | Wanneroo (C) | 0.00 | Wisdom Tce | 0.78 | Apex Wy | |
| 1140773 | Vulcan Rd | Vulcan Rd | Canning (C) | 0.00 | Bannister Rd | 2.55 | Hurley St | |
| 1140773 | Vulcan Rd | Vulcan Rd | Canning (C) | 2.86 | Vulcan Rd West Cul-De-Sac | 3.35 | Bannister Rd | |
| 5050299 | Vulcan Wy | Vulcan Wy | Greater Geraldton (C) | 0.00 | Bradford St | 0.18 | Allen St | |
| 6110165 | Vultee Rd | Vultee Rd | Yilgarn | 0.00 | Emu Fence Rd | 4.60 | Vultee Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|---------------------------|--------|--------------------------------------|--|
| 3160040 | W - Tree Gully Rd | W - Tree Gully Rd | West Arthur | 0.00 | Trigwell Bridge Rd | 4.67 | W Tree Gully Rd & Moore Rodgers Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2180048 | W Tree Gully Rd | W Tree Gully Rd | Boyup Brook | 0.00 | Boyup Brook North Rd | 9.33 | W - Tree Gully Rd & Moore Rodgers Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4240030 | Wackett Rd | Wackett Rd | Quairading | 0.00 | Quairading - Cunderdin Rd | 7.52 | Cubbine Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4170009 | Wadderin Graball Rd | Wadderin Graball Rd | Narembeen | 0.00 | Soldiers Rd & Walker Rd | 18.89 | Bailey Rd | <ul style="list-style-type: none"> Intersection Burgin Rd : No access permitted into Burgin Rd from Wadderin Graball Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|--|--------|--------------------------|---|
| 5040016 | Waddi Rd | Waddi Rd | Dandaragan | 0.00 | Badgingarra Rd | 17.95 | Brand Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. See Low Volume Condition Type A in the Operating Conditions Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5110124 | Waddilove Rd | Waddilove Rd | Morawa | 0.00 | Carslake Rd | 0.72 | White Av | |
| 4150054 | Waddouring Back Rd | Waddouring Back Rd | Mount Marshall | 0.00 | Kellerberrin - Bencubbin Rd & Gilham Cooper Rd & Grylls Rd | 4.80 | Breakell Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4150054 | Waddouring Back Rd | Waddouring Back Rd | Mount Marshall | 4.90 | Breakell Rd | 10.82 | Beagley Rd & Gabbabin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------------------|------------------------------------|------------------|----------|---------------------------------------|--------|--|---|
| 5190013 | Waddy Forest Rd | Waddy Forest Rd | Coorow | 0.00 | Dring Rd | 9.70 | Coorow - Latham Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5190013 | Waddy Forest Rd | Waddy Forest Rd | Coorow | 9.78 | Coorow - Latham Rd | 22.30 | Teasdale Rd | |
| 4050044 | Wades Rd | Wades Rd | Cuballing | 0.00 | Wardering Rd | 2.55 | Murphys Trk & Williams Kondinin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 209Z022 | Wagerup Alumina Refinery Access Rd | Wagerup Alumina Refinery Access Rd | | 0.00 | Willowdale Rd | 1.50 | Wagerup Alumina Refinery Access Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h |
| 4240060 | Waghorn Rd | Waghorn Rd | Quairading | 0.00 | White Well Rd | 6.33 | Balkuling North Rd & Waghorn South Rd & Cubbine Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3150078 | Wagin - Wickepin Rd | Wagin - Wickepin Rd | Wagin | 0.00 | Jaloran Rd & Piesseville - Jaloran Rd | 11.08 | Narrogin LGA Boundary | |
| 4180207 | Wagin - Wickepin Rd | Wagin - Wickepin Rd | Narrogin | 0.00 | Narrogin - Harrismith Rd | 18.45 | Wagin LGA Boundary | <ul style="list-style-type: none"> Maximum speed 80 km/h Intersection Lakes Rd & Kilpatrick Rd : No access permitted into Kilpatrick Rd from Wagin Wickepin Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|--------------------------|----------|----------------------------|--------|----------------------------------|---|
| 2180071 | Wagner Rd | Wagner Rd | Boyup Brook | 0.00 | Boyup Brook - Cranbrook Rd | 7.65 | Scotts Brook Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2180024 | Wahkinup Rd | Wahkinup Rd | Boyup Brook | 0.00 | Kulikup South Rd | 11.17 | Donnybrook Kojonup Rd & Foley Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 8030086 | Wahroonga - Pimbee Rd | Wahroonga - Pimbee Rd | Carnarvon | 0.00 | North West Coastal Hwy | 86.46 | Gilroyd Rd & Pimbee Rd | |
| 5140087 | Waites Rd | Waites Rd | Perenjori | 0.00 | Coorow - Maya Rd | 2.54 | Coorow - Latham Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Operation is only permitted during the grain harvest period, commencing on the first day of October to the last day of February the following year. For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 203Z038 | Walcott Rd | Walcott Rd | Bridgetown - Greenbushes | 0.00 | Kingston Rd | 0.15 | 0.15km From Kingston Rd | <ul style="list-style-type: none"> Maximum speed 40 km/h One truck movement at a time.WAPRES Traffic Management Plan to be fully implemented. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|-----------------------|----------|-----------------------|--------|-----------------------|--|
| 2180143 | Walcott Rd | Walcott Rd | Boyup Brook | 0.00 | Westbourne Rd | 1.80 | Walcott Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4280004 | Walgoolan South Rd | Walgoolan South Rd | Westonia | 0.00 | Great Eastern Hwy | 16.08 | McPharlin Rd | |
| 4010042 | Walgy Rd | Walgy Rd | Beverley | 0.00 | Top Beverley York Rd | 3.55 | Walgy Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5051400 | Walkaway - Nangetty Rd | Walkaway - Nangetty Rd | Greater Geraldton (C) | 0.00 | Edward Rd & Levett Rd | 16.10 | Burma Rd | <ul style="list-style-type: none"> Maximum speed of 40 km/h when crossing Bridge 3014 over Greenough River. |
| 5051400 | Walkaway - Nangetty Rd | Walkaway - Nangetty Rd | Greater Geraldton (C) | 16.10 | Burma Rd | 20.47 | Oliver Rd | <ul style="list-style-type: none"> 30 km/h below posted speed limit |
| 5051400 | Walkaway - Nangetty Rd | Walkaway - Nangetty Rd | Greater Geraldton (C) | 20.47 | Oliver Rd | 66.00 | Mingenew - Mullewa Rd | |
| 5070418 | Walker Av | Walker Av | Gingin | 0.00 | Lancelin Rd | 2.02 | King St | |
| 4110058 | Walker Rd | Walker Rd | Koorda | 0.00 | Mollerin North Rd | 3.47 | Sandphire Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|-------------------------|--------|--------------------------------------|---|
| 4150059 | Walker Rd | Walker Rd | Mount Marshall | 0.00 | Sachse North South Rd | 8.87 | Welbungin - Wialki Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4170084 | Walker Rd | Walker Rd | Narembeen | 0.00 | Merredin - Narembeen Rd | 2.37 | Wadderin Graball Rd & Soldiers Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180050 | Walker Rd | Walker Rd | Wongan - Ballidu | 0.00 | Wongan Hills-Cadoux Rd | 5.10 | Koorda - Wongan Hills Rd | |
| 4130073 | Walker St | Walker St | Trayning | 0.00 | Couper St | 0.26 | Nungarin Wyalkatchem Rd & Railway St | <ul style="list-style-type: none"> Maximum speed 40 km/h |
| 3060029 | Walkers Rd | Walkers Rd | Dumbleyung | 0.00 | Leo Rd | 7.98 | Jarring South Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060029 | Walkers Rd | Walkers Rd | Dumbleyung | 7.98 | Jarring South Rd | 11.25 | Kuringup North Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|--------------------|--------|--------------------------|--|
| 3060029 | Walkers Rd | Walkers Rd | Dumbleyung | 11.25 | Kuringup North Rd | 12.07 | Big Lake Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3150030 | Walkers Rd | Walkers Rd | Wagin | 0.00 | Edwards Rd | 7.56 | Great Southern Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Great Southern Hwy : No right turn permitted into Great Southern Hwy from Walkers Rd |
| 4330030 | Wallaby Rd | Wallaby Rd | York | 0.00 | York - Tammin Rd | 4.66 | Flea Pool Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3090020 | Wallacup Rd | Wallacup Rd | Kent | 0.00 | Nagel Rd | 20.41 | Nyabing South Rd | |
| 5170067 | Wallamarra Rd | Wallamarra Rd | Victoria Plains | 0.00 | Great Northern Hwy | 3.58 | Wallamarra Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|----------------------------|--------|----------------------------|--|
| 4130042 | Wallambin Rd | Wallambin Rd | Trayning | 0.00 | Fleming Rd | 7.43 | Wallambin Rd & Gangell Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4310010 | Wallambin Rd | Wallambin Rd | Wyalkatchem | 0.00 | Gamble Rd | 19.71 | Wallambin Rd & Gangell Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4090027 | Wallatin Rd | Wallatin Rd | Kellerberrin | 0.00 | Doodlakine - Kununoppin Rd | 10.27 | Doodlakine - Kununoppin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2040772 | Wallis Rd | Wallis Rd | Bunbury (C) | 0.00 | Smokebush Dr | 0.28 | Wallis Rd - End of Road | |
| 2050054 | Walsall Rd | Walsall Rd | Busselton (C) | 0.00 | Jalbarragup Rd | 3.34 | Chapman Hill Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|--------------------------|----------|---|--------|---|---|
| 4050038 | Walsh Rd | Walsh Rd | Cuballing | 0.00 | Pauley Rd | 5.65 | Gaths Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4090117 | Walsh Rd | Walsh Rd | Kellerberrin | 0.00 | Wallatin Rd | 4.20 | Barnes Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3070033 | Walsh St | Walsh St | Gnowangerup | 0.00 | Glengarry Rd & Gnowangerup - Tambellup Rd | 0.63 | Bell St | <ul style="list-style-type: none"> Maximum speed 50 km/h Railway crossing north of Bell St is not to be crossed. |
| 3070033 | Walsh St | Walsh St | Gnowangerup | 1.14 | Soldiers Rd & Garnett Rd | 2.14 | Broomehill Gnowangerup Rd & Yougenup Rd | <ul style="list-style-type: none"> Maximum speed 50 km/h Intersection Broomehill Gnowangerup Rd & Yougenup Rd : No right turn permitted into Broomehill-Jerramungup Rd from Walsh St |
| 2180020 | Walshaws Rd | Walshaws Rd | Boyup Brook | 0.00 | Kulikup North Rd | 8.69 | Eulin Siding Rd & Rielys Creek Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 2030040 | Walter Willis Rd | Walter Willis Rd | Bridgetown - Greenbushes | 0.00 | Peninsula Rd | 3.14 | 0.1km From Cooyarup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1021010 | Walters Wy | Walters Wy | Kalamunda | 0.00 | Berkshire Rd | 0.37 | Harrison Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|--|--------|-----------------------------------|--|
| 4250013 | Waltham Rd | Waltham Rd | Tammin | 0.00 | Turon Rd | 7.80 | Yorkrakine Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Turon Rd : No access permitted into Turon Rd from Waltham Rd |
| 4100063 | Walton Rd | Walton Rd | Kondinin | 0.00 | Karlgarin South Rd | 3.28 | Medcalf Rock Rd | |
| 4160018 | Walton Rd | Walton Rd | Mukinbudin | 0.00 | Bonnie Rock - Lake Brown Rd & Comerford Rd | 13.40 | Rabbit Proof Fence Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4040031 | Walton Rd (B) | Walton Rd (B) | Corrigin | 0.00 | Babakin - Corrigin Rd | 8.74 | Bilbarin - Quairading Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Bilbarin - Quairading Rd : No access permitted to or from Bilbarin-Quairading Rd. |
| 4040124 | Walton St | Walton St | Corrigin | 0.00 | Kunjin St & Corrigin South Rd | 1.90 | Babakin - Corrigin Rd | |
| 4020012 | Walwalling Rd | Walwalling Rd | Brookton | 0.00 | Great Southern Hwy | 9.20 | Kulyaling Rd West & Walwalling Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|------------------|----------|-----------------------------------|--------|--------------------------------------|---|
| 4230019 | Walwalling Rd | Walwalling Rd | Pingelly | 0.00 | Kulyaling Rd West & Walwalling Rd | 9.00 | North Wandering Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1090043 | Walunga Rd | Walunga Rd | Swan (C) | 0.00 | Great Northern Hwy | 0.95 | For 950m From Great Northern Highway | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4330014 | Wambyn Rd | Wambyn Rd | York | 0.00 | Northam LGA Boundary | 10.18 | Great Southern Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4240118 | Wamenusking East Rd | Wamenusking East Rd | Quairading | 0.00 | Quairading - Corrigin Rd | 7.64 | Old Beverley East Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4240041 | Wamenusking Rd | Wamenusking Rd | Quairading | 0.00 | Bulyee - Quairading Rd | 13.56 | Stones Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5140143 | Wanarra East Rd | Wanarra East Rd | Perenjori | 0.00 | Wanarra Rd & Wanarra North Rd | 38.75 | Yalgoo LGA Boundary | |
| 7070066 | Wanarra East Rd | Wanarra East Rd | Yalgoo | 0.00 | Mine Southern Access Rd | 1.57 | Wanarra East Rd Link Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 7070066 | Wanarra East Rd | Wanarra East Rd | Yalgoo | 1.57 | Wanarra East Rd Link Rd | 5.10 | Perenjori LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 707Z008 | Wanarra East Rd Link Rd | Wanarra East Rd Link Rd | Yalgoo | 0.00 | Great Northern Hwy | 0.40 | Wanarra East Rd | |
| 5140018 | Wanarra Rd | Wanarra Rd | Perenjori | 0.00 | Perenjori - Rothsay Rd | 24.11 | Wanarra East Rd & Wanarra North Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------------|------------------------------|------------------|----------|---|--------|---|--|
| 5160093 | Wandana Exten Rd | Wandana Exten Rd | Chapman Valley | 0.00 | Wandana Rd | 6.05 | Wandana Exten - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5160004 | Wandana Rd | Wandana Rd | Chapman Valley | 0.00 | Yuna - Tenindewa Rd | 32.42 | Wandana - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit. |
| 7040022 | Wandarrie - Merroe Access Rd | Wandarrie - Merroe Access Rd | Mount Magnet | 0.00 | Great Northern Hwy | 4.95 | For 4.95km From Great Northern Hwy to Mine Site Access Rd | <ul style="list-style-type: none"> Intersection Great Northern Hwy : No left turn permitted into Great Northern Hwy from Wandarrie Merroe Rd |
| 5040045 | Wandawallah Rd | Wandawallah Rd | Dandaragan | 0.00 | Dambadgie Rd | 17.51 | Barberton West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4050129 | Wandering - Narrogin Rd | Wandering - Narrogin Rd | Cuballing | 0.00 | Wandering Narrogin Rd | 32.61 | Springhill Rd & Wandering - Narrogin Rd | |
| 4180332 | Wandering - Narrogin Rd | Wandering - Narrogin Rd | Narrogin | 0.00 | Springhill Rd & Wandering - Narrogin Rd | 6.53 | Narrakine Rd & Fleay Rd | |
| 4270056 | Wandering - Pingelly Rd | Wandering - Pingelly Rd | Wandering | 0.00 | North Wandering Rd & North Bannister - Wandering Rd | 27.81 | York - Williams Rd & North Bannister - Pingelly Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|--------------------------|----------|---------------------------------|--------|--------------------------|---|
| 4270057 | Wandering Narrogin Rd | Wandering Narrogin Rd | Wandering | 0.00 | Wandering - Pingelly Rd | 6.50 | Wandering - Narrogin Rd | |
| 5160005 | Wandin Rd | Wandin Rd | Chapman Valley | 0.00 | Caratti Rd & Tenindewa Rd North | 14.09 | Bindoo Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Maximum speed 60 km/h |
| 5160005 | Wandin Rd | Wandin Rd | Chapman Valley | 14.09 | Bindoo Rd | 21.53 | Yuna - Tenindewa Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Yuna - Tenindewa Rd : No access permitted into Yuna Tenindewa Rd from Wandin Rd |
| 5050721 | Wandina Rd | Wandina Rd | Greater Geraldton (C) | 0.00 | Carnarvon - Mullewa Rd | 4.67 | Wandina Rd - End Road | |
| 3100192 | Wandoo Rd | Wandoo Rd | Kojonup | 0.00 | Hillier Rd | 3.80 | Kilcreggan - Palligup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4020163 | Wandoo Rd | Wandoo Rd | Brookton | 0.00 | Brookton - Kweda Rd | 0.61 | Wandoo Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2030320 | Wandoo Wy | Wandoo Wy | Bridgetown - Greenbushes | 0.00 | Radiata St | 0.16 | Wandoo Wy - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4180271 | Wanerie Rd | Wanerie Rd | Narrogin | 0.00 | Great Southern Hwy | 5.35 | Cooramining Rd | <ul style="list-style-type: none"> Intersection Narrakine Rd South : No right turn permitted into Narrakine South Rd from Wanerie Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|-------------------|--------|---------------------------|--|
| 4180292 | Wangeling Gully Rd | Wangeling Gully Rd | Narrogin | 0.00 | Tarwonga Rd | 3.87 | Williams LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4300023 | Wangeling Gully Rd | Wangeling Gully Rd | Williams | 0.00 | Albany Hwy | 9.20 | Narrogin LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5070038 | Wannamal Rd South | Wannamal Rd South | Gingin | 0.00 | Wannamal Rd West | 8.00 | 8km From Wannamal Rd West | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5070012 | Wannamal Rd West | Wannamal Rd West | Gingin | 0.00 | Brand Hwy | 13.00 | 4.85km From Cleweys Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|------------------------------|----------|--|--------|--|--|
| 5070012 | Wannamal Rd West | Wannamal Rd West | Gingin | 13.00 | 4.85km From Clewleys Rd | 25.69 | Wannamal West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. |
| 5020139 | Wannamal West Rd | Wannamal West Rd | Chittering | 0.00 | Bindoon Moora Rd | 0.03 | Wannamal Rd West | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. |
| 5150053 | Wanneranooka Rd | Wanneranooka Rd | Three Springs | 0.00 | Three Springs - Morawa Rd | 1.41 | Wanneranooka Rd - End Road | |
| H035 | Wanneroo Rd | Wanneroo Rd | Stirling (C) Wanneroo (C) | 9.05 | Balcatta Rd | 46.93 | Indian Ocean Dr & Yanchep Beach Rd | |
| H351 | Wanneroo Rd (Northbound) off to Ocean Reef Rd | Wanneroo Rd (Northbound) off to Ocean Reef Rd | Wanneroo (C) | 0.00 | Wanneroo Rd | 0.23 | Ocean Reef Rd | |
| H398 | Wanneroo Rd (Southbound) off to Ocean Reef Rd | Wanneroo Rd (Southbound) off to Ocean Reef Rd | Wanneroo (C) | 0.00 | Wanneroo Rd | 0.33 | Ocean Reef Rd & Ocean Reef Rd on to Wanneroo Rd (Southbound) | |
| H456 | Wanneroo Rd - Joondalup Dr Rty | Wanneroo Rd Joondalup Dr Rty | Wanneroo (C) | 0.00 | Wanneroo Rd & Wanneroo Rd - Joondalup Dr Rty off to Joondalup Dr (Westbound) | 0.20 | Wanneroo Rd & Wanneroo Rd - Joondalup Dr Rty off to Joondalup Dr (Westbound) | |
| H632 | Wanneroo Rd on to Reid Hwy (Eastbound) | Wanneroo Rd on to Reid Hwy (Eastbound) | Stirling (C) | 0.00 | Reid Hwy (Eastbound) off to Wanneroo Rd & Wanneroo Rd | 0.37 | Reid Hwy | |
| H644 | Wanneroo Rd on to Reid Hwy (Westbound) | Wanneroo Rd on to Reid Hwy (Westbound) | Stirling (C) | 0.00 | Wanneroo Rd & Reid Hwy (Westbound) off to Wanneroo Rd | 0.41 | Reid Hwy | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------------|----------|------------------------------|--------|-----------------|--|
| 4010077 | Wansborough Rd | Wansborough Rd | Beverley | 0.00 | Bally Bally - County Peak Rd | 2.38 | Athol Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3030219 | Wansbrough West Rd | Wansbrough West Rd | Broomehill - Tambellup | 0.00 | Great Southern Hwy | 5.64 | Watergarrup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Great Southern Hwy : No access permitted into Northam-Cranbrook Rd from Wansbrough West Rd. |
| 3100110 | Wanwindup North Rd | Wanwindup North Rd | Kojonup | 0.00 | Jingalup Rd | 3.33 | Ashe Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3100029 | Wanwindup Rd | Wanwindup Rd | Kojonup | 0.00 | Ashe Rd | 2.96 | Balgarup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|-------------------------|--------|--|---|
| 3100194 | Wanwindup South Rd | Wanwindup South Rd | Kojonup | 0.00 | Phillips Rd | 5.46 | Fisher Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1090080 | Warbrook Rd | Warbrook Rd | Swan (C) | 0.00 | Great Northern Hwy | 0.34 | For 340m From Great Northern Hwy to Kalgrains Driveway | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 3080093 | Warburton Rd | Warburton Rd | Katanning | 0.00 | Trimmer Rd | 7.65 | Prinsep Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Throssell Rd : No left turn permitted into Throssell Rd from Warburton Rd |
| 4270072 | Warburton Rd | Warburton Rd | Wandering | 0.00 | Wandering - Pingelly Rd | 1.15 | Warburton Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|--------------------------|----------|-------------------------------|--------|--------------------------------------|--|
| 2030039 | Warburtons Rd | Warburtons Rd | Bridgetown - Greenbushes | 0.00 | South Western Hwy | 2.42 | Warburtons Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1070690 | Ward Rd | Ward Rd | Rockingham (C) | 0.00 | Patterson Rd | 0.34 | Ward Rd - End Road | |
| 3090111 | Ward Rd | Ward Rd | Kent | 0.00 | Dumbleyung - Nyabing Rd | 5.02 | Ward Rd - End Road | |
| 3120177 | Ward Rd | Ward Rd | Plantagenet | 0.00 | Albany Hwy | 1.80 | For 1.80 Km to Tree Farm Access Gate | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4070037 | Ward Rd | Ward Rd | Dowerin | 0.00 | Dowerin - Kalannie Rd | 6.61 | Clinic Rd | |
| 4070037 | Ward Rd | Ward Rd | Dowerin | 6.61 | Clinic Rd | 11.06 | Wongan - Ballidu LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4290060 | Ward Rd | Ward Rd | Wickepin | 0.00 | Gray Rd & Harrismith South Rd | 6.88 | Wishbone Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|------------------------------|--------|------------------------|---|
| 5180174 | Ward Rd | Ward Rd | Wongan - Ballidu | 0.00 | Moonijin West Rd & Sewell Rd | 2.48 | Dowerin LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 0010116 | Ward St | Ward St | Broome | 0.00 | McDaniel Rd | 0.12 | Ward St - End Road | |
| 4050134 | Wardering Rd | Wardering Rd | Cuballing | 0.00 | Cuballing East Rd | 11.74 | Cuballing East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Halls Rd : No access permitted into Halls Rd from Wardering Rd |
| 4060040 | Warding Rd | Warding Rd | Cunderdin | 0.00 | Hardy Rd | 6.16 | York LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4330029 | Warding Rd | Warding Rd | York | 0.00 | York - Tammin Rd | 6.36 | Cunderdin LGA Boundary | <ul style="list-style-type: none"> Intersection York - Tammin Rd : No access to York-Tammin Rd from Warding Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|--------------------------|----------|---|--------|-------------------------|--|
| 3060011 | Wards Rd | Wards Rd | Dumbleyung | 0.00 | Mt Pleasant Rd | 7.81 | White Well Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4211040 | Wariin Rd | Wariin Rd | Northam | 0.00 | Great Eastern Hwy | 8.57 | Great Southern Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h No Operation from 7:00 AM to 8:30 AM and 4:00 PM to 5:00 PM Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1102642 | Warman St | Warman St | Wanneroo (C) | 0.00 | Mather Dr | 0.39 | | |
| 3090025 | Warnaminup Rd | Warnaminup Rd | Kent | 0.00 | Warren Rd | 4.66 | Dumbleyung - Nyabing Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 2010030 | Warner Glen Rd | Warner Glen Rd | Augusta - Margaret River | 0.00 | Brockman Hwy | 19.35 | Bussell Hwy | |
| 2030297 | Warner St | Warner St | Bridgetown - Greenbushes | 0.13 | Hester Rd | 0.61 | Warner St - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 30 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5160117 | Warr Rd | Warr Rd | Chapman Valley | 0.00 | Chapman Valley Rd & Forrester Brooks Rd | 3.00 | Warr Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|-----------------------|----------|---|--------|---|--|
| 4280021 | Warrachuppin North Rd | Warrachuppin North Rd | Westonia | 0.00 | Koorda - Bullfinch Rd & Warrachuppin Rd | 18.86 | Hunter Rd | |
| 4280100 | Warrachuppin Rd | Warrachuppin Rd | Westonia | 0.00 | Boodarockin Rd & Carrabin Westonia Rd | 0.58 | | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4280100 | Warrachuppin Rd | Warrachuppin Rd | Westonia | 1.59 | | 2.37 | | <ul style="list-style-type: none"> Maximum speed 80 km/h |
| 4280100 | Warrachuppin Rd | Warrachuppin Rd | Westonia | 2.37 | | 32.22 | Koorda - Bullfinch Rd & Warrachuppin North Rd | |
| 5080008 | Warradong Spring Rd | Warradong Spring Rd | Irwin | 0.00 | Milo Rd | 6.15 | Yandanooka West Rd | |
| 4280072 | Warralakin North Rd | Warralakin North Rd | Westonia | 0.00 | Koorda - Bullfinch Rd & Warralakin Rd | 6.47 | Warralakin North Rd - End Road | |
| 4280084 | Warralakin Rd | Warralakin Rd | Westonia | 0.00 | Great Eastern Hwy | 40.02 | Koorda - Bullfinch Rd & Warralakin North Rd | |
| 8120003 | Warrawagine Rd | Warrawagine Rd | East Pilbara | 0.00 | Marble Bar Rd | 49.12 | Yarrie Rd | |
| 2080398 | Warrego Rd | Warrego Rd | Dardanup | 0.00 | Nicholson Rd | 0.38 | Golding Cr | |
| 1090078 | Warren Rd | Warren Rd | Swan (C) | 0.00 | Great Northern Hwy | 1.79 | Moolicar Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Permitted to intersection of Moolicar Rd only. Moolicar Rd not authorised. |
| 3080005 | Warren Rd | Warren Rd | Katanning | 0.31 | Synnott Av | 41.85 | Kent LGA Boundary | <ul style="list-style-type: none"> 30 km/h below posted speed limit Intersection Rockwell Rd : No left turn permitted into Rockwell Rd from Warren Rd |
| 3090010 | Warren Rd | Warren Rd | Kent | 0.00 | Beattie Rd & Dumbleyung - Nyabing Rd | 13.04 | Katanning LGA Boundary | |
| 4110103 | Warren Rd | Warren Rd | Koorda | 0.00 | Black Rd | 14.05 | Dalwallinu LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 5030113 | Warren Rd | Warren Rd | Dalwallinu | 0.00 | Sanderson Rd | 7.37 | Goodlands Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5030113 | Warren Rd | Warren Rd | Dalwallinu | 7.37 | Goodlands Rd | 17.25 | Koorda LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 5050674 | Warren Rd | Warren Rd | Greater Geraldton (C) | 0.00 | Maitland Rd & Geraldton Mt Magnet Rd | 1.45 | Carnarvon - Mullewa Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|--------------------------|------------------------|----------|--|--------|----------------------------------|--|
| 3030058 | Warrenup Rd | Warrenup Rd | Broomehill - Tambellup | 0.00 | Albany Hwy | 20.27 | Nookanellup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3030058 | Warrenup Rd | Warrenup Rd | Broomehill - Tambellup | 20.27 | Nookanellup Rd | 29.68 | Broomehill - Kojonup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 0010488 | Warrgamburu Dr | Warrgamburu Dr | Broome | 0.00 | Katsuyama Rd | 0.31 | Webber Rd | |
| 5140141 | Warriedar Copper Mine Rd | Warriedar Copper Mine Rd | Perenjori | 0.00 | Perenjori - Rothsay Rd & Rabbit Proof Fence Rd | 63.70 | Yalgoo LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 7070015 | Warriedar Copper Mine Rd | Warriedar Copper Mine Rd | Yalgoo | 0.00 | Yalgoo - Ninghan Rd | 6.28 | Perenjori LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| M075 | Warrirda Rd | Warrirda Rd | Ashburton | 0.00 | Onslow Rd | 14.83 | End Road - Warrirda Rd | |
| 3020018 | Warriup Rd | Warriup Rd | Albany (C) | 0.00 | South Coast Hwy | 11.50 | 11.5km East From South Coast Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|------------------------|----------|---------------------------------------|--------|------------------------------------|---|
| 1010082 | Warton Rd | Warton Rd | Armada (C) | 0.00 | Armada Rd & Warton Rd | 2.97 | Nicholson Rd & Warton Rd | <ul style="list-style-type: none"> Intersection Mason Rd & Warton Rd & Jandakot Rd : No left turn permitted into Jandakot Rd from Warton Rd |
| 1030373 | Warton Rd | Warton Rd | Cockburn (C) | 0.00 | Armada Rd & Warton Rd | 1.41 | Mason Rd & Warton Rd & Jandakot Rd | <ul style="list-style-type: none"> Intersection Mason Rd & Warton Rd & Jandakot Rd : No Left Turn Permitted Into Jandakot Rd |
| 1040044 | Warton Rd | Warton Rd | Gosnells (C) | 0.00 | Burslem Dr & Corfield St & Spencer Rd | 7.61 | Warton Rd & Nicholson Rd | |
| 3150015 | Warup North Rd | Warup North Rd | Wagin | 0.00 | Koobadong Rd & Thompson Rd | 10.16 | Warup South Rd & Arthur Rd | |
| 3150014 | Warup South Rd | Warup South Rd | Wagin | 0.00 | Beaufort Rd | 16.29 | Warup North Rd & Arthur Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Harris Rd : No left turn permitted into Harris Rd from Warup South Rd Intersection Warup West Rd : No access permitted into Warup Rd West from Warup South Rd |
| 3150016 | Warup West Rd | Warup West Rd | Wagin | 0.00 | Warup South Rd | 9.06 | Arthur Rd | <ul style="list-style-type: none"> Intersection Warup South Rd : No access permitted into Warup Rd South from Warup Rd West Intersection Boyalling Rd : No right turn permitted into Boyalling Rd northbound from Warup Rd West |
| 3030059 | Washington Rd | Washington Rd | Broomehill - Tambellup | 1.84 | Washington South Rd | 2.55 | Katanning LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------------|----------|---------------------------------|--------|-------------------------------------|---|
| 3080019 | Washington Rd | Washington Rd | Katanning | 0.00 | Kojonup Katanning Rd | 3.86 | Broomehill - Tambellup LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3030060 | Washington South Rd | Washington South Rd | Broomehill - Tambellup | 0.00 | Washington Rd | 1.34 | Washington South Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3120056 | Washpool Rd | Washpool Rd | Plantagenet | 0.00 | Chester Pass Rd | 12.25 | Knight Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h GAALGEGUP CREEK BRIDGE AND CONCRETE RAMP NEXT TO BRIDGE ARE NOT TO BE CROSSED |
| 5030060 | Wasley Rd | Wasley Rd | Dalwallinu | 0.00 | Wilder Rd | 13.60 | Unknown Rd & Great Northern Hwy | <ul style="list-style-type: none"> Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5100158 | Wass Rd | Wass Rd | Moora | 0.00 | Barberton East Rd & Wirrilda Rd | 3.96 | Wass Rd - End Road | |
| 5150075 | Water St | Water St | Three Springs | 0.00 | Railway Rd | 0.89 | West Yarra Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------------|----------|--|--------|---|--|
| 4070169 | Watercarrin Bin Rd | Watercarrin Bin Rd | Dowerin | 0.00 | Cunderdin - Wyalkatchem Rd | 5.95 | Rabbit Proof Fence Nth Rd & Edbrooke Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4060018 | Watercarrin Rd | Watercarrin Rd | Cunderdin | 0.00 | Cunderdin - Minnivale Rd & Edbrooke Rd | 9.74 | Quelagetting Rd | <ul style="list-style-type: none"> Intersection Henderson Rd : No left turn permitted into Henderson Rd from Watercarrin Rd |
| 3030222 | Watergarrup Rd | Watergarrup Rd | Broomehill - Tambellup | 0.00 | Paul Valley Rd | 4.70 | Wansbrough West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4010002 | Waterhatch Rd | Waterhatch Rd | Beverley | 0.00 | Vincent St & Hunt Rd | 14.36 | Talbot West Rd & Kokendin Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 5140110 | Waterhouse Rd | Waterhouse Rd | Perenjori | 0.00 | Benton Rd | 5.79 | Watson Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 2080215 | Waterloo Rd | Waterloo Rd | Dardanup | 0.00 | Ferguson Rd | 6.30 | Waterloo Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|------------------------------|--------|------------------------------|--|
| 3120097 | Watermans Rd | Watermans Rd | Plantagenet | 0.00 | Albany Hwy | 13.68 | Porongurup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2090011 | Waterous Rd | Waterous Rd | Waroona | 0.00 | South Western Hwy | 1.40 | 1.4km From South Western Hwy | |
| 5010011 | Waters Rd | Waters Rd | Carnamah | 0.00 | Turner Rd & Pope Rd | 13.03 | Bunjil - Carnamah Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5100002 | Watheroo Miling Rd | Watheroo Miling Rd | Moora | 0.00 | Marah St | 40.89 | Miling West Rd | |
| 5040008 | Watheroo Rd | Watheroo Rd | Dandaragan | 0.00 | Brand Hwy | 39.26 | Warro Rd & Watheroo West Rd | |
| 5100005 | Watheroo West Rd | Watheroo West Rd | Moora | 0.00 | Watheroo Rd & Warro Rd | 18.15 | Midlands Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5040142 | Wathingarra Rd | Wathingarra Rd | Dandaragan | 0.00 | Dinner Hill Rd | 8.56 | North West Rd | |
| 4150142 | Watson Ct | Watson Ct | Mount Marshall | 0.00 | Monger St | 0.24 | Collins St | |
| 2150100 | Watson Dr | Watson Dr | Murray | 0.00 | Furnissdale Rd & Pinjarra Rd | 0.13 | Service Station Access Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|--------------------------|----------|-------------------|--------|----------------------|---|
| 2030102 | Watson Rd | Watson Rd | Bridgetown - Greenbushes | 0.00 | Mokerdillup Rd | 2.54 | Watson Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3090050 | Watson Rd | Watson Rd | Kent | 0.00 | Paterson Rd | 3.63 | Ongerup - Pingrup Rd | |
| 3110182 | Watson Rd | Watson Rd | Lake Grace | 0.00 | Lake Biddy Rd | 7.69 | Biddy - Camm Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Lake Biddy Rd : No access permitted into Lakes Biddy Rd from Watson Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------|-----------------|------------------|----------|-----------------------|--------|------------------------------------|--|
| 3150057 | Watson Rd | Watson Rd | Wagin | 0.00 | Warup North Rd | 3.78 | Watson Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3170010 | Watson Rd | Watson Rd | Woodanilling | 0.00 | Great Southern Hwy | 9.47 | Kojonolokan Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4140201 | Watson Rd | Watson Rd | Merredin | 0.00 | East Barrack St | 0.24 | Benson Rd | <ul style="list-style-type: none"> Intersection East Barrack St : No right turn permitted into East Barrack St from Watson Rd |
| 5140065 | Watson Rd | Watson Rd | Perenjori | 0.00 | Maya East Rd | 17.04 | Rabbit Proof Fence Rd | |
| 5140065 | Watson Rd | Watson Rd | Perenjori | 17.04 | Rabbit Proof Fence Rd | 19.86 | Watson Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 1011493 | Watt Link | Watt Link | Armadale (C) | 0.00 | Alex Wood Dr | 0.40 | Cartwright Dr | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 4110089 | Watt Rd | Watt Rd | Koorda | 0.00 | Koorda - Kulja Rd | 8.99 | Koorda - Mollerin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4290025 | Watt Rd | Watt Rd | Wickepin | 0.00 | Williams Kondinin Rd | 5.85 | Watt Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4260029 | Wattening Rd | Wattening Rd | Toodyay | 0.00 | Telegraph Rd | 4.26 | 1.09km From Toodyay Bindi Bindi Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Railway line not to be crossed. |
| 1100469 | Wattle Av | Wattle Av | Wanneroo (C) | 4.31 | Wattle Av - Db End | 6.19 | Old Yanchep Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|--------------------------------------|--------|-------------------------------------|---|
| 3100048 | Wattledale Rd | Wattledale Rd | Kojonup | 0.00 | Albany Hwy | 9.74 | Wattledale Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1030013 | Wattleup Rd | Wattleup Rd | Cockburn (C) | 0.00 | Rockingham Rd | 2.98 | Mandogalup Rd | |
| 4160075 | Wattoning West Rd | Wattoning West Rd | Mukinbudin | 0.00 | Wilgoyne Rd & Mukinbudin - Wialki Rd | 8.63 | Barbalin North Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4160075 | Wattoning West Rd | Wattoning West Rd | Mukinbudin | 8.63 | Barbalin North Rd | 9.01 | Luckman Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3100016 | Watts Rd | Watts Rd | Kojonup | 0.00 | Albany Hwy & Wooldridge Rd | 10.83 | Cherry Tree Pool Rd & O'Halloran Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4270020 | Watts Rd | Watts Rd | Wandering | 0.00 | Crossman - Dwarda Rd | 2.48 | Fourteen Mile Brook Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|--------------------------|----------|---------------------------|--------|----------------------------|--|
| 4060094 | Watts St | Watts St | Cunderdin | 0.88 | Council St | 1.60 | Cubbine St | |
| 5140044 | Waugh Rd | Waugh Rd | Perenjori | 0.00 | Rabbit Proof Fence Rd | 7.55 | Waugh Rd & Farris Rd | |
| 5140170 | Waugh Rd | Waugh Rd | Perenjori | 0.00 | Waugh Rd & Farris Rd | 5.10 | Taylor Rd | |
| 4100030 | Wave Rock Rd | Wave Rock Rd | Kondinin | 0.00 | Lovering Rd | 2.37 | East Hyden Bin Rd | |
| 6054039 | Waverley St | Waverley St | Kalgoorlie - Boulder (C) | 0.00 | Outram St | 0.85 | Pirie St | |
| 3020053 | Waychinicup Rd | Waychinicup Rd | Albany (C) | 0.00 | Homestead Rd | 5.80 | Circuit Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h |
| 0030141 | Waycott St | Waycott St | Derby - West Kimberley | 0.00 | Stanley St | 0.17 | Loch St | |
| 3160099 | Ways Rd | Ways Rd | West Arthur | 0.00 | Woodanilling LGA Boundary | 1.15 | Morrell Rd & Doyle Rd | |
| 3170013 | Ways Rd | Ways Rd | Woodanilling | 0.00 | Albany Hwy | 9.48 | West Arthur LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 5110091 | Ways Rd | Ways Rd | Morawa | 0.00 | Fabling Rd | 6.98 | Canna North East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 0040018 | Weaber Plain Rd | Weaber Plain Rd | Wyndham - East Kimberley | 1.70 | Poinsettia Wy | 32.14 | Weaber Plain Rd - End Road | <ul style="list-style-type: none"> Intersection Martins Gap Rd : No right turn permitted into Weaber Plain Rd from Moonamang Rd |
| 4020032 | Weam Rd | Weam Rd | Brookton | 0.00 | Davis Rd | 3.95 | Brookton - Kweda Rd | |
| 5100128 | Webb Moora Rd | Webb Moora Rd | Moora | 0.00 | Bindoon Moora Rd | 4.00 | Airstrip Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3110086 | Webb Rd | Webb Rd | Lake Grace | 0.00 | Biddy - Camm Rd | 11.95 | Mt Sheridan Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4280035 | Webb Rd | Webb Rd | Westonia | 0.00 | Warrachuppin North Rd | 9.97 | Boodarockin North Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|--------------------------|----------|--------------------------|--------|----------------------|--|
| 0010489 | Webber Rd | Webber Rd | Broome | 0.00 | Warrgamburu Dr | 0.05 | Webber Rd - End Road | |
| 5050282 | Webborton Rd | Webborton Rd | Greater Geraldton (C) | 0.00 | North West Coastal Hwy | 0.90 | Anderson St | |
| 4050034 | Webbs Rd | Webbs Rd | Cuballing | 0.00 | Stratherne Rd | 4.77 | Yornaning East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 8130001 | Wedge St | Wedge St | Port Hedland (T) | 0.42 | Wilson St | 0.54 | End Road | |
| 4290074 | Wedin North Rd | Wedin North Rd | Wickepin | 0.00 | Wickepin - Harrismith Rd | 6.04 | Line Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4290029 | Wedin South Rd | Wedin South Rd | Wickepin | 0.00 | Line Rd | 7.66 | Angwins Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 6080014 | Weebo - Wildarra Rd | Weebo - Wildarra Rd | Leonora | 0.00 | Darlot - Weebo Rd | 19.52 | Goldfields Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 8050021 | Weedarrah Rd | Weedarrah Rd | Upper Gascoyne | 0.00 | Cobra - Dairy Creek Rd | 8.05 | Cattleyards | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit Road between the cattleyards and Weedarrah Station unsuitable for RAV access. |
| 8120259 | Weeli Wolli Rd | Weeli Wolli Rd | East Pilbara | 0.00 | Great Northern Hwy | 5.04 | West Angelas Rd | |
| 0040137 | Weero Rd | Weero Rd | Wyndham - East Kimberley | 0.00 | Victoria Hwy | 0.87 | | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|-----------------------|----------|------------------------------|--------|--|---|
| 5030057 | Wegner Rd | Wegner Rd | Dalwallinu | 0.00 | Great Northern Hwy | 10.60 | Wegner Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 3040081 | Weir Rd | Weir Rd | Cranbrook | 0.00 | Albany Hwy | 8.35 | Boyup Brook - Cranbrook Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4240050 | Weir Rd | Weir Rd | Quairading | 0.00 | Dorakin Rd | 5.60 | Quairading York Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Dorakin Rd : No access permitted into Dorakin Rd from Weir Rd |
| 5050696 | Weir Rd | Weir Rd | Greater Geraldton (C) | 0.00 | Yuna - Tenindewa Rd | 2.24 | Old Geraldton Rd | |
| 5150061 | Weir Rd | Weir Rd | Three Springs | 0.00 | Perenjori - Three Springs Rd | 5.43 | Bateman Rd | |
| 3160113 | Weir West | Weir West | West Arthur | 0.00 | Arthur River - Dinninup Rd | 0.80 | Weir West - End Road | |
| 4150007 | Welbungin - Wialki Rd | Welbungin - Wialki Rd | Mount Marshall | 0.00 | Mukinbudin - Wialki Rd | 41.55 | Koorda - Bullfinch Rd & Welbungin South Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4150124 | Welbungin Bin Rd | Welbungin Bin Rd | Mount Marshall | 0.00 | Welbungin South Rd | 0.94 | Koorda - Bullfinch Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4130035 | Welbungin South Rd | Welbungin South Rd | Trayning | 0.00 | Kununoppin - Mukinbudin Rd | 4.34 | Mount Marshall LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|--------------------------|----------|---|--------|-----------------------|--|
| 4150004 | Welbungin South Rd | Welbungin South Rd | Mount Marshall | 0.00 | Koorda - Bullfinch Rd & Welbungin - Wialki Rd | 15.45 | Trayning LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5030036 | Welburn Rd | Welburn Rd | Dalwallinu | 0.00 | Thaxter Rd | 9.67 | Moller Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 0040061 | Welch St | Welch St | Wyndham - East Kimberley | 0.00 | Great Northern Hwy | 0.45 | Ivanhoe St | |
| 8060041 | Welch St | Welch St | Exmouth | 0.27 | Reid St | 0.96 | Welch St - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 7040016 | Welcome St | Welcome St | Mount Magnet | 0.29 | Criddle St | 0.83 | Hepburn St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 6070058 | Weld Dr | Weld Dr | Laverton | 0.00 | Augusta St Roundabout | 0.90 | Augusta St | <ul style="list-style-type: none"> A RAV must not be driven on this road in excess of 4.3 metres in height unless written approval is obtained from Horizon Power |
| 1032167 | Welding Pass | Welding Pass | Cockburn (C) | 0.00 | Nautical Dr | 0.35 | Sparks Rd | |
| 6040040 | Well Rd | Well Rd | Esperance | 0.00 | Coomalbidgup Rd & South Coast Hwy | 3.80 | Well Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 5130088 | Well Siding Rd | Well Siding Rd | Northampton | 0.00 | Burges Rd & Chilimony Rd | 4.92 | North Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Burges Rd & Chilimony Rd : No left turn permitted into Well Siding Road from Chilimony Road Intersection North Rd : No left turn permitted into North Road from Well Siding Road |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|--------------------------------|--------|----------------------------|--|
| 1050003 | Wellard Rd | Wellard Rd | Kwinana (C) | 4.99 | Providence Estate Access Roads | 6.49 | Telephone L & Baldivis Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Trucks Entering' signs to be erected and removed when not in use on Wellard Rd on both approaches to Providence Estate Access Roads. Intersection Telephone L & Baldivis Rd : No Left Turn Into Baldivis Rd Permitted From Wellard Rd |
| 1070686 | Wellard Rd | Wellard Rd | Rockingham (C) | 0.00 | Mandurah Rd | 0.13 | | <ul style="list-style-type: none"> Intersection Mandurah Rd : No left turn permitted into Mandurah Road from Wellard Road. |
| 1030040 | Wellard St | Wellard St | Cockburn (C) | 0.00 | Spearwood Av | 1.55 | Barrington St | |
| 2110479 | Wellesley Rd North | Wellesley Rd North | Harvey | 0.00 | Marriott Rd | 12.60 | Forrest Hwy & Binningup Rd | <ul style="list-style-type: none"> Bridge 3735 Wellesley River : Bridge not to be crossed. |
| 2110244 | Wellington Rd | Wellington Rd | Harvey | 0.00 | Wellesley Rd North | 1.93 | Wellington Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5010046 | Wellington Rd | Wellington Rd | Carnamah | 0.00 | Caron Rd | 2.93 | Back Inering Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4212001 | Wellington St | Wellington St | Northam | 1.16 | Gairdner St | 1.48 | Charles St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 5180111 | Wells Rd | Wells Rd | Wongan - Ballidu | 0.00 | Kalguddering West Rd | 4.10 | Wells Rd - End Road | |
| 1091245 | Wells St | Wells St | Swan (C) | 0.00 | Military Rd | 0.38 | Irwin St | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 7060036 | Wells St | Wells St | Wiluna | 0.07 | Woodley St | 0.86 | Caledonia St & Wongawol Rd | |
| 302Z014 | Wellstead Access Rd | Wellstead Access Rd | | 0.00 | South Coast Hwy | 0.34 | South Coast Hwy | <ul style="list-style-type: none"> Intersection Baxter Rd : No access permitted into Baxter Rd from Wellstead Access Rd |
| 3070106 | Wellstead Rd | Wellstead Rd | Gnowangerup | 0.00 | Borden - Bremer Bay Rd | 2.25 | Wellstead Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|------------------|----------|---|--------|--|--|
| 8120172 | Welsh Dr | Welsh Dr | East Pilbara | 0.00 | Kalgan Dr | 4.10 | Radio Hill Dr & Radio Hill Lookout Rd | |
| 4150144 | Welsh East Rd | Welsh East Rd | Mount Marshall | 0.00 | Cleary - Gabbin Rd | 0.75 | Bencubbin - Gabbin Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 1102608 | Welsh Pl | Welsh Pl | Wanneroo (C) | 0.00 | Rogers Wy | 0.07 | Welsh Pl - End Road | |
| 4150143 | Welsh Rd | Welsh Rd | Mount Marshall | 0.00 | Cleary - Gabbin Rd | 4.01 | Pauley Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 1140585 | Welshpool Rd | Welshpool Rd | Canning (C) | 0.00 | Welshpool Rd & Swansea St East | 1.16 | Welshpool Rd on to Leach Hwy (Northbound) & Leach Hwy-Welshpool Rd Rty | |
| 1140585 | Welshpool Rd | Welshpool Rd | Canning (C) | 1.24 | Leach Hwy (Southbound) off to Welshpool Rd & Leach Hwy-Welshpool Rd Rty | 4.97 | William St & Station St Nth | |
| H154 | Welshpool Rd (Westbound) on to Leach Hwy (Southbound) | Welshpool Rd (Westbound) on to Leach Hwy (Southbound) | Canning (C) | 0.00 | Welshpool Rd | 0.13 | Welshpool Rd on to Leach Hwy (Southbound) | |
| 1020002 | Welshpool Rd East | Welshpool Rd East | Kalamunda | 0.00 | Tonkin Hwy & Welshpool Rd East | 1.35 | Lewis Rd | |
| 1020002 | Welshpool Rd East | Welshpool Rd East | Kalamunda | 1.35 | Lewis Rd | 6.38 | Moffett Rd | <ul style="list-style-type: none"> RAVs must travel in the left-hand lane at all times, unless; <ul style="list-style-type: none"> avoiding an obstruction; obeying a traffic-control signal; or intending to turn off the carriageway, and in order to do so safely it is necessary to position the vehicle in another lane before starting the turn. RAVs must not park in the stopping bay. RAVs must only stop long enough to conduct a brake check, select low gear, select the appropriate auxiliary brake setting and commence descent. Prior to descending Lesmurdie Hill, RAVs must pull into the bay at the top of the hill (SLK 6.21), stop & conduct a brake system check. When descending Lesmurdie Hill, drivers must ensure they engage low gear, use their auxiliary brakes and must not exceed a maximum speed of 40 km/h. |
| 1020002 | Welshpool Rd East | Welshpool Rd East | Kalamunda | 6.38 | Moffett Rd | 8.03 | Canning Rd | |
| H635 | Welshpool Rd East & Orrong Rd on to Roe Hwy (Southbound) | Welshpool Rd East & Orrong Rd on to Roe Hwy (Southbound) | Canning (C) | 0.00 | Welshpool Rd East & Roe Hwy (Southbound) off to Welshpool Rd East & Orrong Rd | 0.55 | Roe Hwy | |
| H151 | Welshpool Rd on to Leach Hwy (Northbound) | Welshpool Rd on to Leach Hwy (Northbound) | Canning (C) | 0.00 | Welshpool Rd & Leach Hwy-Welshpool Rd Rty | 0.30 | Leach Hwy | |
| H155 | Welshpool Rd on to Leach Hwy (Southbound) | Welshpool Rd on to Leach Hwy (Southbound) | Canning (C) | 0.00 | Welshpool Rd & Leach Hwy-Welshpool Rd Rty | 0.44 | Leach Hwy | |
| 1100467 | Wesco Rd | Wesco Rd | Wanneroo (C) | 0.00 | Old Yanchep Rd | 5.93 | Gibbs Rd & Nowergup Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|-----------------------------|---|----------|---------------------------------|--------|--|--|
| 8120192 | West Angelas Rd | West Angelas Rd | East Pilbara | 12.00 | 0.26km Before Weeli Wolli Rd | 12.28 | Weeli Wolli Rd | |
| 2010055 | West Calgardup Rd | West Calgardup Rd | Augusta - Margaret River | 0.00 | Bussell Hwy & East Calgardup Rd | 1.79 | Gate Entrance Approximatley 1.16km West of Harrison Rd. | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| H036 | West Coast Hwy | Curtin Av West Coast Hwy | Mosman Park (T) Cottesloe (T) Nedlands (C) Cambridge (T) Stirling (C) | 2.77 | Curtin Av | 20.42 | Karrinyup Rd & Marmion Av | <ul style="list-style-type: none"> Unless otherwise approved in writing by Main Roads, the RAV must not be loaded with more than 3 loaded Twenty-foot Equivalent Units (3 TEU's), e.g. 3 twenty-foot intermodal containers or 1 forty-foot and 1 twenty-foot intermodal container. |
| 6055033 | West Kalgoorlie Rd | West Kalgoorlie Rd | Kalgoorlie - Boulder (C) | 0.00 | Great Eastern Hwy & Anzac Dr | 1.44 | West Kalgoorlie Rd - End Road | |
| 3110050 | West Kuender Rd | West Kuender Rd | Lake Grace | 0.00 | Kulin Lake Grace Rd | 15.84 | Rhodes Rd & Bushby Rd & Kuender West Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4310062 | West Lake Rd | West Lake Rd | Wyalkatchem | 0.00 | Nungarin Wyalkatchem Rd | 1.90 | West Lake Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2130023 | West Palgarup | West Palgarup | Manjimup | 0.00 | South Western Hwy | 6.05 | Yanmah Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---|---|------------------------|----------|--|--------|-----------------------------------|--|
| 3030007 | West Peringillup Rd | West Peringillup Rd | Broomehill - Tambellup | 0.00 | Great Southern Hwy | 0.97 | Stock Route Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3030007 | West Peringillup Rd | West Peringillup Rd | Broomehill - Tambellup | 0.97 | Stock Route Rd | 14.01 | Flat Rocks Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| H388 | West Pinjarra Service Centre on to Forrest Hwy (Northbound) | West Pinjarra Service Centre on to Forrest Hwy (Northbound) | Murray | 0.00 | West Pinjarra Service Centre (Nth Bnd) | 0.33 | Forrest Hwy | |
| H386 | West Pinjarra Service Centre on to Forrest Hwy (Southbound) | West Pinjarra Service Centre on to Forrest Hwy (Southbound) | Murray | 0.00 | West Pinjarra Service Centre (Sth Bnd) | 0.34 | Forrest Hwy | |
| 5020049 | West Point Rd | West Point Rd | Chittering | 0.00 | Bindoon Moora Rd | 7.39 | Cocking Rd & Murphy Gully Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 6040222 | West Point Rd | West Point Rd | Esperance | 0.00 | Cascade Rd | 10.10 | Ravensthorpe LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6100114 | West Point Rd | West Point Rd | Ravensthorpe | 0.00 | Esperance LGA Boundary | 13.00 | 4.21km South West of Melaleuca Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 6100114 | West Point Rd | West Point Rd | Ravensthorpe | 21.40 | 3.9km North East of Rawlinson Rd | 42.99 | South Coast Hwy | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 5030109 | West Rd | West Rd | Dalwallinu | 0.00 | Bryant Rd | 12.38 | Jackson Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|--------------------------|----------|----------------------------|--------|---------------------------------------|--|
| 6100006 | West River Rd | West River Rd | Ravensthorpe | 0.00 | Mallee Rd | 10.65 | Fitzgerald Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 6100006 | West River Rd | West River Rd | Ravensthorpe | 10.69 | Fitzgerald Rd | 26.69 | South Coast Hwy | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 6100006 | West River Rd | West River Rd | Ravensthorpe | 26.76 | South Coast Hwy | 33.80 | Old Ongerup Rd & Hamersley Dr | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. 20 km/h below posted speed limit |
| 2050215 | West St | West St | Busselton (C) | 0.94 | 0.07km From Peel Tce | 1.62 | Frederick St & Barlee St | |
| 1090502 | West Swan Rd | West Swan Rd | Swan (C) | 1.61 | Harper St | 4.25 | Reid Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 5150021 | West Yarra Rd | West Yarra Rd | Three Springs | 0.00 | Three Springs - Eneabba Rd | 1.00 | 1km From Three Springs - Eneabba Rd | <ul style="list-style-type: none"> Intersection Three Springs - Eneabba Rd : No left turn perimtted into Three Springs Eneabba Rd from West Yarra Rd |
| 2030012 | Westbourne Rd | Westbourne Rd | Bridgetown - Greenbushes | 0.00 | Winneup Rd | 3.86 | Boyup Brook LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No Operation Weekdays from 7:30 AM to 9:00 AM and 3:00 PM to 4:30 PM Curfew applies on school days only. |
| 2180013 | Westbourne Rd | Westbourne Rd | Boyup Brook | 0.00 | Scotts Brook Rd | 35.30 | Bridgetown - Greenbushes LGA Boundary | <ul style="list-style-type: none"> Maximum speed 40 km/h "Trucks On Road/Entering" signs to be erected and removed when haulage not in progress. |
| 1090694 | Westchester Rd | Westchester Rd | Swan (C) | 0.00 | Kent Wy | 0.84 | Crocker Dr | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 2180018 | Westcliffe Rd | Westcliffe Rd | Boyup Brook | 0.00 | Kulikup North Rd | 9.25 | Wongerup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 4010166 | Westdale Rd | Westdale Rd | Beverley | 0.00 | Brookton Hwy | 41.68 | Great Southern Hwy | |
| 2050936 | Western Cape Dr | Western Cape Dr | Busselton (C) | 0.00 | Vidler Rd | 0.49 | 0.31km From Drummond Glen | |
| 6055039 | Western Rd | Western Rd | Kalgoorlie - Boulder (C) | 0.00 | Western Rd - Start Road | 4.89 | Western Rd - End Road | |
| 4300021 | Westmere Rd | Westmere Rd | Williams | 0.00 | Albany Hwy | 5.01 | Westmere Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1050148 | Weston St | Weston St | Kwinana (C) | 0.00 | Leath Rd | 0.38 | Weston St A - End Road | |
| 1050189 | Weston St | Weston St | Kwinana (C) | 0.00 | Brown Av | 0.07 | Rockingham Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|---------------------------------|--------|--------------------------------|--|
| 6110069 | Westonia Rd | Westonia Rd | Yilgarn | 0.00 | Bodallin North Rd | 15.87 | Boodarockin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3150095 | West's Rd | West's Rd | Wagin | 0.00 | Bullock Hills Rd | 0.60 | West's Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3170078 | Westwood Rd | Westwood Rd | Woodanilling | 0.00 | Orchard Rd | 4.13 | Hope Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Robinson West Rd & Douglas Rd : No right turn permitted into Robinson West Rd (westbound) from Westwood Rd (southbound) |
| 2130304 | Wetherell St | Wetherell St | Manjimup | 0.00 | Mottram St | 1.57 | Wetherell St - End Road | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 2040670 | Wetherly Dr | Wetherly Dr | Bunbury (C) | 0.00 | Giorgi Rd | 0.35 | Sutherland Wy | |
| 8120258 | Whaleback Dr | Whaleback Dr | East Pilbara | 0.00 | Newman Dr | 0.53 | Radio Hill Dr | |
| 4100130 | Wheat Bin Access Rd | Wheat Bin Access Rd | Kondinin | 0.00 | Kondinin Hyden Rd | 0.24 | Wheat Bin Access Rd - End Road | |
| 4070160 | Wheat Bin Rd | Wheat Bin Rd | Dowerin | 0.00 | Manmanning Town Rd & Railway Rd | 0.90 | Hale Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|--------------------------|----------|----------------------------------|--------|-------------------------|---|
| 4211082 | Wheat Bin Rd | Wheat Bin Rd | Northam | 0.00 | Keane St | 1.06 | Wheat Bin Rd - End Road | |
| 5010067 | Wheat Rd | Wheat Rd | Carnamah | 0.00 | Bunjil - Carnamah Rd & Bowman St | 0.27 | Carnamah - Perenjori Rd | |
| 5100183 | Wheatbin Rd | Wheatbin Rd | Moora | 0.00 | Midlands Rd & Gardiner St | 1.83 | Bindoon Moora Rd | |
| 3060131 | Wheatfield Rd | Wheatfield Rd | Dumbleyung | 0.00 | Lake Rd | 2.44 | End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2030020 | Wheatley - Giblett Rd | Wheatley - Giblett Rd | Bridgetown - Greenbushes | 0.00 | Winnejup Rd | 7.56 | Winnejup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|----------------------------|--------|------------------------|---|
| 2180103 | Wheatley Rd | Wheatley Rd | Boyup Brook | 0.00 | Westbourne Rd | 4.35 | Wheatley Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5160097 | Wheeldon Hosking Rd | Wheeldon Hosking Rd | Chapman Valley | 0.00 | Naraling - East Yuna Rd | 7.85 | East Nabawa | <ul style="list-style-type: none"> Headlights to be switched on at all times Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Unsealed section - 30kph below posted speed limit. Sealed section - 20 kph below posted speed limit. |
| 4250076 | Wheeldon Rd | Wheeldon Rd | Tammin | 0.00 | Chappell Wheeldon Rd | 1.92 | Wheeldon Rd - End Road | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3160147 | Wheeler Rd | Wheeler Rd | West Arthur | 0.00 | Sandalwood Rd | 1.60 | Wheeler Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4100078 | Wheeler Rock Rd | Wheeler Rock Rd | Kondinin | 0.00 | Murray Rock Rd | 14.47 | Bald Rock Rd | |
| 1130125 | Wheeler St | Wheeler St | Belmont (C) | 0.00 | Belgravia St & Katoomba Pl | 0.57 | Abernethy Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|--------------------------|----------|-----------------------------------|--------|-------------------------------|---|
| 2030196 | Whim Landing Rd | Whim Landing Rd | Bridgetown - Greenbushes | 0.00 | Mersea Rd | 1.47 | Whim Landing Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 203Z048 | Whim Landing Rd | Whim Landing Rd | Bridgetown - Greenbushes | 0.00 | Whim Landing Rd | 9.83 | Seaton Ross Rd & Tower Rd (F) | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4180205 | Whinbin Rock Rd | Whinbin Rock Rd | Narrogin | 0.00 | Great Southern Hwy | 24.93 | Wagin - Wickepin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 1251555 | Whipple St | Whipple St | Stirling (C) | 0.00 | Erindale Rd | 0.34 | Abrams St | |
| 2180041 | Whistlers Rd | Whistlers Rd | Boyup Brook | 0.00 | Donnybrook Kojonup Rd & Norlup Rd | 11.50 | Dinninup East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 5110109 | White Av | White Av | Morawa | 0.00 | Waddilove Rd | 0.79 | Wubin Mullewa | |
| 5130224 | White Cliffs Rd | White Cliffs Rd | Northampton | 4.80 | 2.25km From Mitchell St | 13.02 | Port Gregory Rd | |
| 6070007 | White Cliffs Rd | White Cliffs Rd | Laverton | 0.00 | Great Central Rd | 60.81 | South Well - White Cliffs Rd | |
| 3110057 | White Dam Rd | White Dam Rd | Lake Grace | 0.00 | Dumbleyung Lake Grace Rd | 19.30 | White Dam Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------------|----------|--------------------------------|--------|------------------------------------|--|
| 3100080 | White Elephant Rd | White Elephant Rd | Kojonup | 0.00 | Donnybrook Kojonup Rd | 6.01 | Orchid Valley Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Donnybrook Kojonup Rd : No access permitted into Donnybrook - Kojonup Rd from White Elephant Rd |
| 1040151 | White Rd | White Rd | Gosnells (C) | 0.00 | Maddington Rd & Hardinge Rd | 1.22 | Kelvin Rd | |
| 2160013 | White Rd | White Rd | Nannup | 0.00 | Cundinup West Rd & Cundinup Rd | 3.70 | Donnybrook - Balingup LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Cundinup West Rd & Cundinup Rd : No left turn permitted into Cundinup Road from White Road. |
| 3030216 | White Rd | White Rd | Broomehill - Tambellup | 0.00 | Toolbrunup Rd | 9.96 | 3.19km From Stirling Access Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3030216 | White Rd | White Rd | Broomehill - Tambellup | 9.96 | 3.19km From Yetemerup Rd | 13.15 | Stirling Access Rd & Yetemerup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3070078 | White Rd | White Rd | Gnowangerup | 0.00 | Clear Hills Rd | 1.95 | Soldiers Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3070078 | White Rd | White Rd | Gnowangerup | 2.03 | Soldiers Rd | 5.05 | White Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|------------------------------------|--------|--|--|
| 3180047 | White Rd | White Rd | Jerramungup | 0.00 | Cameron Rd & Rabbit Proof Fence Rd | 11.37 | From Rabbit Proof Fence Rd For 11.37km | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 4150111 | White Rd | White Rd | Mount Marshall | 0.00 | Huckstep Rd & Ingleton Rd | 3.82 | | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4290080 | White Rd | White Rd | Wickepin | 0.00 | Williams Kondinin Rd | 2.03 | Fleay Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5110021 | White Rd | White Rd | Morawa | 0.00 | Moffet Rd | 12.63 | | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5190039 | White Rd | White Rd | Coorow | 0.00 | Billeroo - Coorow Rd | 8.17 | Davies Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|-----------------------------|--------|--------------------------------|---|
| 6040064 | White Rd | White Rd | Esperance | 0.00 | South Coast Hwy & McCall Rd | 5.01 | Last Farm Gate (Bangalla Farm) | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 1120117 | White St | White St | Bayswater (C) | 0.00 | John St | 0.32 | Rio St | |
| 4160062 | White St | White St | Mukinbudin | 0.35 | Maddock St | 0.48 | Koorda - Bullfinch Rd | <ul style="list-style-type: none"> Intersection Koorda - Bullfinch Rd : No left turn permitted into Koorda-Bullfinch Rd from White St |
| 3060010 | White Well Rd | White Well Rd | Dumbleyung | 0.00 | Nippering North Rd | 8.12 | Mt Pleasant Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3060010 | White Well Rd | White Well Rd | Dumbleyung | 8.12 | Mt Pleasant Rd | 17.62 | Wishbone Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|----------------------------|--------|--------------------------|---|
| 3060010 | White Well Rd | White Well Rd | Dumbleyung | 17.62 | Wishbone Rd | 20.87 | Dumbleyung Lake Grace Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. No Operation from 7:30 AM to 9:00 AM and from 3:30 PM to 4:30 PM No operation between the hours of sunset and sunrise. Daylight curfew applies on School days only. One truck movement at a time permitted only. Intersection Wishbone Rd : No access permitted into Wishbone Rd from White Well Rd Intersection Dumbleyung Lake Grace Rd : No right turn permitted into Collie - Lake King from White Well Rd |
| 4330197 | White Well Rd | White Well Rd | York | 0.00 | Doodenanning Rd | 1.15 | Waghorn Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5180019 | White Well Rd | White Well Rd | Wongan - Ballidu | 0.00 | Kondut West Rd | 11.54 | Ballidu - Bindi Bindi Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4030068 | Whitehead Rd | Whitehead Rd | Bruce Rock | 0.00 | Doodlakine - Bruce Rock Rd | 5.01 | Hines Hill Rd | |
| 4060059 | Whites Rd | Whites Rd | Cunderdin | 0.00 | Meckering - Dowerin Rd | 4.67 | Whites Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4080072 | Whitfield Rd | Whitfield Rd | Goomalling | 0.00 | Burnt Hill Rd | 4.18 | Konnongorring West Rd | <ul style="list-style-type: none"> Maximum speed 70 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------|----------|--|--------|--|---|
| 1311287 | Whitfords Av | Whitfords Av | Joondalup (C) | 5.06 | Marmion Av | 11.42 | Wanneroo Rd | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 113Z011 | Whitham Rd (Federal) | Whitham Rd (Federal) | Belmont (C) | 0.00 | Reid Rd (Federal) & Horrie Miller Dr (Federal) | 0.17 | Hugh Edwards Dr (Federal) & Colquhoun Rd (Federal) | |
| 4070069 | Whitsed Rd | Whitsed Rd | Dowerin | 0.00 | Bailey East West Rd | 3.06 | Dowerin - Koorda Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5030103 | Whittingham Rd | Whittingham Rd | Dalwallinu | 0.00 | Pithara East Rd | 4.45 | Whittingham Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1072211 | Whittle Rd | Whittle Rd | Rockingham (C) | 0.00 | McCamey Av | 0.35 | Evinrude Bend | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|---------------------------|--------|--------------------------|---|
| 4150076 | Whittle Rd | Whittle Rd | Mount Marshall | 0.00 | Welbungin - Wialki Rd | 5.88 | Whittle Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3120141 | Whitworth Rd | Whitworth Rd | Plantagenet | 0.00 | Muir Hwy | 3.38 | Pavlovich Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1031444 | Whyalla Ct | Whyalla Ct | Cockburn (C) | 0.00 | Altona St | 0.11 | Whyalla Ct Cul-De-Sac | |
| 3090063 | Whyatt Rd | Whyatt Rd | Kent | 0.00 | Nyabing South Rd | 18.53 | Gnowangerup Rd | |
| 4150120 | Whyte East Rd | Whyte East Rd | Mount Marshall | 0.00 | Barbalin - Koonkoobing Rd | 5.42 | Whyte East Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------|----------|-----------------------------------|--------|-------------------------|---|
| 4100035 | Whyte Rd | Whyte Rd | Kondinin | 0.00 | Bendering East Rd | 25.92 | Tolland Rd & Worland Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4150084 | Whyte Rd | Whyte Rd | Mount Marshall | 0.00 | Barbalin - Koonkoobing Rd | 4.75 | Koorda - Bullfinch Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4160017 | Whyte Rd | Whyte Rd | Mukinbudin | 0.00 | Clamp Rd & Mukinbudin - Wialki Rd | 6.80 | Wattoning West Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5180063 | Whyte Rd | Whyte Rd | Wongan - Ballidu | 0.00 | Ballidu East Rd | 5.10 | Whyte Rd - End Road | |
| 4150082 | Wialki North East Rd | Wialki North East Rd | Mount Marshall | 0.00 | Carlton Rd & Boundary Rd | 2.86 | Oneil Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 4160039 | Wialki South Rd | Wialki South Rd | Mukinbudin | 0.00 | Borlase Rd | 15.80 | Boundary Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|--------------------------|-----------------------|----------|----------------------------------|--------|-------------------------------------|--|
| 513Z007 | Wibi Rd | Wibi Rd | | 0.00 | Elliott Rd | 0.52 | Wibi Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h No Operation from Apr to Sep When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5051046 | Wicherina South Rd | Wicherina South Rd | Greater Geraldton (C) | 0.00 | Geraldton Mt Magnet Rd | 12.56 | Ramsay Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5130021 | Wickens Rd | Wickens Rd | Northampton | 0.00 | Balla - Whelarra Rd | 16.43 | Binnu East Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4040171 | Wickepin - Corrigin Rd | Wickepin - Corrigin Rd | Corrigin | 0.00 | Lake Rd & Wickepin - Corrigin Rd | 32.95 | Brookton-Corrigin Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Bullaring Rd & Bullaring Railway Rd : No access permitted to Bullaring Rd from Wickepin - Corrigin Rd Intersection Smith Rd : No left turn permitted into Smith Rd from Wickepin - Corrigin Rd |
| 4290001 | Wickepin - Corrigin Rd | Wickepin - Corrigin Rd | Wickepin | 0.00 | Williams Kondinin Rd | 20.80 | Gillimanning Rd | <ul style="list-style-type: none"> Intersection Fleay Rd : No left turn permitted into Fleay's Road from Wickepin-Corrigin Rd. |
| 4290001 | Wickepin - Corrigin Rd | Wickepin - Corrigin Rd | Wickepin | 20.80 | Gillimanning Rd | 22.71 | Dalton St | <ul style="list-style-type: none"> HVS Update 7-2022 |
| 4290001 | Wickepin - Corrigin Rd | Wickepin - Corrigin Rd | Wickepin | 22.71 | Dalton St | 24.40 | Lake Rd & Wickepin - Corrigin Rd | |
| 4180208 | Wickepin - Harrismith Rd | Wickepin - Harrismith Rd | Narrogin | 0.00 | Wickepin LGA Boundary | 5.29 | Wickepin - Harrismith Rd & Giles Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|--------------------------|--------------------------|----------|--|--------|--|---|
| 4290002 | Wickepin - Harrismith Rd | Wickepin - Harrismith Rd | Wickepin | 0.00 | Wickepin - Harrismith Rd & Giles Rd | 27.65 | Stock Route Rd | |
| 4290157 | Wickepin - Harrismith Rd | Wickepin - Harrismith Rd | Wickepin | 0.00 | Collins St & Whyte Rd & Dumbleyung Rd | 10.48 | Narrogin LGA Boundary | |
| 4230156 | Wickepin - Pingelly Rd | Wickepin - Pingelly Rd | Pingelly | 0.00 | Harper St & Brown St | 29.72 | Stratherne Rd & Wickepin - Pingelly Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Intersection Yealering - Pingelly Rd & Popanyinning East Rd : No right turn permitted into Popanyinning East Rd from Wickepin Pingelly Rd |
| 4290003 | Wickepin - Pingelly Rd | Wickepin - Pingelly Rd | Wickepin | 0.00 | Stratherne Rd & Wickepin - Pingelly Rd | 24.88 | Williams Kondinin Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4290015 | Wickepin North Rd | Wickepin North Rd | Wickepin | 0.00 | Wickepin - Pingelly Rd | 15.87 | Gillmanning Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 2010051 | Wickham Rd | Wickham Rd | Augusta - Margaret River | 0.00 | Bussell Hwy | 1.95 | Wallis Rd & Rowe Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1110218 | Wicks St | Wicks St | Bassendean (T) | 0.00 | Vincent St & Wicks St | 0.08 | Clune St | |
| 1120880 | Wicks St | Wicks St | Bayswater (C) | 0.00 | Railway Pde | 0.77 | Vincent St & Wicks St | |
| 3160114 | Wier East | Wier East | West Arthur | 0.00 | Bokal South Rd & Rees Rd | 0.64 | Wier East - End Road | |
| 4180224 | Wiese Rd | Wiese Rd | Narrogin | 0.00 | Great Southern Hwy | 7.88 | Morcombe Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|------------------------------|--------|---------------------------|--|
| 3020081 | Wilcox Rd | Wilcox Rd | Albany (C) | 0.00 | Plantagenet LGA Boundary | 7.60 | Redmond - Hay River Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3120349 | Wilcox Rd | Wilcox Rd | Plantagenet | 0.00 | Albany Hwy | 0.20 | Albany (C) LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030234 | Wilder Rd | Wilder Rd | Dalwallinu | 0.00 | Wasley Rd | 7.50 | 7.5km From Wasley Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 5140063 | Wilder Rd | Wilder Rd | Perenjori | 0.00 | Mullewa Wubin Rd | 14.13 | Fitzsimons Rd & Wilder Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Intersection Mullewa Wubin Rd : No right turn permitted into Mullewa Wubin Rd from Wilder Rd |
| 1041202 | Wildfire Rd | Wildfire Rd | Gosnells (C) | 0.00 | Wildfire Rd At Bickley Brook | 0.78 | Wildfire Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|--------------------------|----------|--------------------------------------|--------|------------------------------------|---|
| 4060009 | Wilding Rd | Wilding Rd | Cunderdin | 0.00 | Meckering - Dowerin Rd | 13.25 | Farm Access Gate | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4060009 | Wilding Rd | Wilding Rd | Cunderdin | 13.25 | Farm Access Gate | 19.42 | Nambling Rd | |
| 5180028 | Wilding Rd | Wilding Rd | Wongan - Ballidu | 0.00 | Calingari-Wongan Hills Rd & Ninan St | 14.90 | Wongan Hills - Waddington Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1091244 | Wildon St | Wildon St | Swan (C) | 0.00 | Clayton St | 0.41 | Irwin St | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 2050011 | Wildwood Rd | Wildwood Rd | Busselton (C) | 0.00 | Bussell Hwy | 12.30 | Commonage Rd | |
| 2180006 | Wilga East Rd | Wilga East Rd | Boyup Brook | 0.00 | Donnybrook Kojonup Rd | 4.02 | Walker Rd & Grimwade - Wilga Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2030256 | Wilga Rd | Wilga Rd | Bridgetown - Greenbushes | 0.00 | Greenbushes - Boyup Brook Rd | 12.94 | Donnybrook - Balingup LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No Operation Weekdays from 7:30 AM to 9:00 AM and 3:00 PM to 4:30 PM Curfew applies on school days only. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|--|--------|--------------------------------|---|
| 7020022 | Wilgie - Mia Rd | Wilgie - Mia Rd | Cue | 0.00 | Beebyn - Karbar Rd | 5.84 | 5.84km From Beebyn - Karbar Rd | |
| 5030006 | Wilgie Hill Rd | Wilgie Hill Rd | Dalwallinu | 0.00 | Great Northern Hwy | 18.94 | Birdwood Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Intersection Great Northern Hwy : No access permitted to or from Great Northern Hwy. |
| 4160004 | Wilgoyne Rd | Wilgoyne Rd | Mukinbudin | 0.00 | Wattoning West Rd & Mukinbudin - Wialki Rd | 20.97 | Quanta Cutting North Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4070076 | Wilkins Rd | Wilkins Rd | Dowerin | 0.00 | Koombekine North Rd | 6.15 | Uberin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4070076 | Wilkins Rd | Wilkins Rd | Dowerin | 6.15 | Uberin Rd | 8.45 | Wilkins Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------------------|--------------------------------------|-------------------|----------|--|--------|-----------------------------|---|
| 4090115 | Wilkins Rd | Wilkins Rd | Kellerberrin | 0.00 | Mission Rd | 6.52 | Kellerberrin - Bencubbin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Mission Rd : No left turn permitted into Mission Rd from Wilkins Rd. |
| 5180177 | Wilkins Rd | Wilkins Rd | Wongan - Ballidu | 0.00 | Kalguddering East Rd | 4.02 | Moonijin West Rd | |
| 1091250 | Wilkins St | Wilkins St | Swan (C) | 0.00 | Irwin St | 0.10 | Wilkins St - End Road | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 4020028 | Wilkinson Rd | Wilkinson Rd | Brookton | 0.00 | Brookton-Corrigin Rd | 2.74 | North Kweda Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3110009 | Willcocks Rd | Willcocks Rd | Lake Grace | 0.00 | Pingrup Lake Grace Rd | 12.34 | Hilton Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5190018 | Willcocks Rd | Willcocks Rd | Coorow | 0.00 | Coorow - Green Head Rd | 13.06 | Coalara Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3070083 | Willemmenup Rd | Willemmenup Rd | Gnowangerup | 0.00 | Gnowangerup - Tambellup Rd | 4.00 | Clear Hills Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1140427 | Willeri Dr | Willeri Dr | Canning (C) | 1.99 | Willeri Dr on to Roe Hwy (Eastbound) & Roe Hwy (Eastbound) off to Willeri Dr | 2.45 | Bannister Rd | |
| H749 | Willeri Dr on to Roe Hwy (Eastbound) | Willeri Dr on to Roe Hwy (Eastbound) | Canning (C) | 0.00 | Willeri Dr & Roe Hwy (Eastbound) off to Willeri Dr | 0.25 | Roe Hwy | |
| H751 | Willeri Dr on to Roe Hwy (Westbound) | Willeri Dr on to Roe Hwy (Westbound) | Canning (C) | 0.00 | Willeri Dr & Roe Hwy (Westbound) off to Willeri Dr | 0.27 | Roe Hwy | |
| 4100047 | Willey Rd | Willey Rd | Kondinin | 0.00 | Kondinin Hyden Rd | 5.74 | Willey Rd - End Road | |
| 4120054 | Willey Rd | Willey Rd | Kulin | 0.00 | Karlgarin Hill South Rd & Trundle Rd | 10.02 | Pederah West Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 1040001 | William St | William St | Gosnells (C) | 0.00 | Kenwick Link & Albany Hwy | 0.46 | Camberwell St & Bickley Rd | |
| 3160207 | Williams Darkan Rd | Williams Darkan Rd | West Arthur | 0.00 | Coalfields Rd & Darkan South Rd | 9.99 | Williams-Darkan Rd | |
| H053 | Williams Narrogin Hwy | Narrogin Rd Williams Kondinin Rd | Williams Narrogin | 0.00 | Albany Hwy | 29.05 | Lefroy St | |
| H053 | Williams Narrogin Hwy | Clayton Rd Kipling St | Narrogin | 31.18 | Earl St North & Clayton Rd | 31.45 | Pioneer Dr Rty | <ul style="list-style-type: none"> Intersection Eston St : No access permitted into Eston St from Williams Narrogin Hwy |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|-------------------------|--------|-------------------------|---|
| 4070050 | Williams North Rd | Williams North Rd | Dowerin | 0.00 | Twenty Six Gate Rd | 7.24 | Williams Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1010056 | Williams Rd | Williams Rd | Armadale (C) | 0.78 | Owen Rd | 1.03 | Brant Rd | |
| 4030082 | Williams Rd | Williams Rd | Bruce Rock | 0.00 | Copestakes Rd | 5.90 | Corrigin LGA Boundary | <ul style="list-style-type: none"> Intersection Copestakes Rd : No Right Turn Permitted Into Copestakes Road from Williams Road |
| 4040161 | Williams Rd | Williams Rd | Corrigin | 0.00 | Pannell Rd | 0.97 | Bruce Rock LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4050011 | Williams Rd | Williams Rd | Cuballing | 0.00 | Howard St & Boundary Rd | 20.49 | Wandering - Narrogin Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|-----------------------|----------|--------------------------|--------|---------------------------|---|
| 4070035 | Williams Rd | Williams Rd | Dowerin | 0.00 | Cunderdin - Minnivale Rd | 8.15 | McPherson Rd & Pulford Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4220024 | Williams Rd | Williams Rd | Nungarin | 0.00 | Cornish Rd | 14.28 | Karomin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4240067 | Williams Rd | Williams Rd | Quairading | 0.00 | Dulbellling North Rd | 1.03 | Williams Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4330047 | Williams Rd | Williams Rd | York | 0.00 | Mokine Rd | 1.67 | Williams Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5050608 | Williams Rd | Williams Rd | Greater Geraldton (C) | 0.00 | Mullewa Wubin Rd | 31.75 | Williams Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|--------------------------|----------|----------------------|--------|------------------------|--|
| 5110034 | Williams Rd | Williams Rd | Morawa | 0.00 | Mullewa Wubin Rd | 7.00 | Moffet Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h |
| 5140164 | Williams Rd | Williams Rd | Perenjori | 0.00 | Coorow - Latham Rd | 5.20 | Williams Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6040054 | Williams Rd | Williams Rd | Esperance | 0.00 | Rollond Rd | 7.90 | Grass Patch Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 6040054 | Williams Rd | Williams Rd | Esperance | 7.91 | Grass Patch Rd | 26.50 | Loffler Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 3160129 | Williams St | Williams St | West Arthur | 0.00 | Darkan Rd | 0.12 | Horley St | |
| 6055094 | Williams St | Williams St | Kalgoorlie - Boulder (C) | 0.00 | Great Eastern Hwy | 0.60 | Broadwood St | <ul style="list-style-type: none"> A RAV must not be driven on this road in excess of 4.5 metres in height unless written approval is obtained and must be carried from the relevant cable provider. |
| 4300128 | Williams-Darkan Rd | Williams-Darkan Rd | Williams | 0.00 | Pinjarra Williams Rd | 25.52 | Williams Darkan Rd | |
| 4100073 | Williamson Rd | Williamson Rd | Kondinin | 0.00 | Lovering Rd | 6.92 | Narembeen LGA Boundary | |
| 4170046 | Williamson Rd | Williamson Rd | Narembeen | 0.00 | Calzoni Rd | 14.72 | Kondinin LGA Boundary | |
| 4310073 | Williamson Rd | Williamson Rd | Wyalkatchem | 0.00 | Goldfields Rd | 4.13 | Elsegood Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5050619 | Williamson Rd | Williamson Rd | Greater Geraldton (C) | 0.00 | Tenindewa North Rd | 13.58 | Yuna - Tenindewa Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|--------------------------|----------|------------------------------|--------|--|--|
| 5110026 | Williamson Rd | Williamson Rd | Morawa | 0.00 | Fabling Rd & Swanson Rd | 11.23 | Canna North East Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5160118 | Williamson Rd | Williamson Rd | Chapman Valley | 0.00 | Yuna - Tenindewa Rd | 2.75 | Williamson Rd - End Road | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 6055008 | Williamstown Rd | Williamstown Rd | Kalgoorlie - Boulder (C) | 0.00 | Goldfields Hwy | 1.41 | Bulong Rd & Yarri Rd & Black St | |
| H059 | Willinge Dr | Estuary Dr Willinge Dr | Bunbury (C) Dardanup | 0.00 | Leschenault Dr Rty | 10.40 | South Western Hwy - Willinge Dr Rty | |
| H1029 | Willinge Dr (Southbound) on to South Western Hwy (Southbound) | Willinge Dr (Southbound) on to South Western Hwy (Southbound) | Capel | 0.00 | Willinge Dr | 0.38 | South Western Hwy | |
| H448 | Willinge Dr - Timber Rd Rty | Willinge Dr - Timber Rd Rty | Bunbury (C) | 0.00 | Willinge Dr & Timber Rd | 0.24 | Willinge Dr & Timber Rd | |
| H215 | Willinge Dr on to Wilman Wadandi Hwy (Southbound) | Willinge Dr on to Wilman Wadandi Hwy (Southbound) | Bunbury (C) | 0.00 | Willinge Dr | 0.23 | Wilman Wadandi Hwy | |
| 4040086 | Willis Rd | Willis Rd | Corrigin | 0.00 | Gnerkadilling Rd | 5.51 | Corrigin Kondinin Rd | <ul style="list-style-type: none"> Intersection Corrigin Kondinin Rd : No left turn permitted into Brookton Highway from Willis Road. |
| 4140059 | Willis Rd | Willis Rd | Merredin | 0.00 | Nukarni West Rd & Roberts Rd | 7.79 | Nokaning West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------|-----------------|------------------|----------|---|--------|--|--|
| 5090027 | Willis Rd | Willis Rd | Mingenew | 0.00 | Yandanooka North East Rd & Mount Scratch Rd | 4.19 | Willis Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 8120175 | Willis St | Willis St | East Pilbara | 0.00 | Woodstock St | 0.22 | Laver St | |
| 5190093 | Willmott Rd | Willmott Rd | Coorow | 0.00 | Garibaldi Willis Rd | 9.96 | Chatfield Clarke Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2090009 | Willowdale Rd | Willowdale Rd | Waroona | 0.00 | South Western Hwy | 1.83 | Wagerup Alumina Refinery Access Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 70 km/h |
| 2090009 | Willowdale Rd | Willowdale Rd | Waroona | 1.83 | Wagerup Alumina Refinery Access Rd | 6.28 | Wagerup - Willowdale Rd & Scarp Rd (F) | |
| 4020063 | Wills Rd | Wills Rd | Brookton | 0.00 | Bartram Rd | 7.62 | York - Williams Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4240076 | Wills Rd | Wills Rd | Quairading | 0.00 | Wilson Rd & Tammin Rd | 1.69 | Badjalang North Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--|--|-----------------------------------|----------|--|--------|-------------------------------------|--|
| 3020009 | Willyung Rd | Willyung Rd | Albany (C) | 0.00 | Chester Pass Rd | 3.94 | Rocky Crossing Rd & Parker Brook Rd | |
| H058 | Wilman Wadandi Hwy | Wilman Wadandi Hwy | Harvey Dardanup Bunbury (C) Capel | 0.00 | Forrest Hwy & Forrest Hwy (Southbound) off to Forrest Hwy (Southbound) | 27.68 | Busell Hwy | |
| H204 | Wilman Wadandi Hwy (Northbound) off to Raymond Rd | Wilman Wadandi Hwy (Northbound) off to Raymond Rd | Harvey | 0.00 | Wilman Wadandi Hwy | 0.51 | Raymond Rd | |
| H208 | Wilman Wadandi Hwy (Northbound) off to South Western Hwy | Wilman Wadandi Hwy (Northbound) off to South Western Hwy | Dardanup | 0.00 | Wilman Wadandi Hwy | 0.85 | South Western Hwy | |
| H202 | Wilman Wadandi Hwy (Southbound) off to Raymond Rd | Wilman Wadandi Hwy (Southbound) off to Raymond Rd | Harvey | 0.00 | Wilman Wadandi Hwy | 0.51 | Raymond Rd | |
| H206 | Wilman Wadandi Hwy (Southbound) off to South Western Hwy | Wilman Wadandi Hwy (Southbound) off to South Western Hwy | Dardanup | 0.00 | Wilman Wadandi Hwy | 0.35 | South Western Hwy | |
| H214 | Wilman Wadandi Hwy (Southbound) off to Willinge Dr | Wilman Wadandi Hwy (Southbound) off to Willinge Dr | Dardanup | 0.00 | Wilman Wadandi Hwy | 0.23 | Willinge Dr | |
| H168 | Wilman Wadandi Hwy Slip to South Western Hwy | Wilman Wadandi Hwy Slip to South Western Hwy | Bunbury (C) | 0.00 | Wilman Wadandi Hwy | 0.08 | Southwestern Hwy | |
| H169 | Wilman Wadandi Hwy Slip to Willinge Dr | Wilman Wadandi Hwy Slip to Willinge Dr | Bunbury (C) | 0.00 | Wilman Wadandi Hwy | 0.11 | Willinge Dr | |
| H425 | Wilman Wadandi Hwy South West Hwy Rty | Wilman Wadandi Hwy South West Hwy Rty | Capel | 0.00 | South Western Hwy | 0.16 | South Western Hwy | |
| H424 | Wilman Wadandi Hwy Willinge Dr Rty | Wilman Wadandi Hwy Willinge Dr Rty | Bunbury (C) | 0.12 | Wilman Wadandi Hwy | 0.12 | Wilman Wadandi Hwy | |
| H449 | Wilman Wadandi Hwy – Lillydale Rd Rty | Wilman Wadandi Hwy – Lillydale Rd Rty | Capel | 0.00 | Wilman Wadandi Hwy | 0.25 | Wilman Wadandi Hwy | |
| 5050627 | Wilroy Kockatea Rd | Wilroy Kockatea Rd | Greater Geraldton (C) | 0.00 | Mingenew - Mullewa Rd | 14.07 | Mullewa Wubin Rd | |
| 5050644 | Wilroy Rd | Wilroy Rd | Greater Geraldton (C) | 0.00 | Mullewa Wubin Rd | 2.73 | Langridge Rd | |
| 2010021 | Wilson Rd | Wilson Rd | Augusta - Margaret River | 0.00 | Van Sittart Rd | 4.04 | Glenarty Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|--------------------------|----------|--------------------------|--------|-----------------------|--|
| 2010021 | Wilson Rd | Wilson Rd | Augusta - Margaret River | 4.04 | Glenarty Rd | 5.54 | Hebron Tree Farm | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). One truck movement at a time. "Trucks Entering" signs to be erected and removed when not in use. |
| 2010021 | Wilson Rd | Wilson Rd | Augusta - Margaret River | 5.54 | Hebron Tree Farm | 5.60 | Wilson Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3090057 | Wilson Rd | Wilson Rd | Kent | 0.00 | Gnowangerup - Kwobrup Rd | 4.98 | Mortvale Rd | |
| 3120063 | Wilson Rd | Wilson Rd | Plantagenet | 0.00 | Albany Hwy | 9.06 | Eulup - Manurup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Maximum speed 60 km/h |
| 4020056 | Wilson Rd | Wilson Rd | Brookton | 0.00 | Corrigin LGA Boundary | 3.17 | Dwarlaking Rd | <ul style="list-style-type: none"> Intersection Dwarlaking Rd : No right turn permitted into Dwarlaking Rd from Wilson Rd |
| 4040122 | Wilson Rd | Wilson Rd | Corrigin | 0.00 | Bulyee - Kweda Rd | 1.13 | Brookton LGA Boundary | |
| 4100095 | Wilson Rd | Wilson Rd | Kondinin | 0.00 | King Rocks Rd | 0.78 | Wilson Rd - End Road | |
| 4110045 | Wilson Rd | Wilson Rd | Koorda | 0.00 | Koorda - Kulja Rd | 3.91 | Anderson Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4170042 | Wilson Rd | Wilson Rd | Narembeen | 0.00 | Mt Walker Rd | 10.14 | Hedges East Rd | |
| 4240172 | Wilson Rd | Wilson Rd | Quairading | 0.00 | Mount Stirling Rd | 4.77 | Wills Rd & Tammin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|--------------------------|----------|---------------------------|--------|-------------------------------|---|
| 4310063 | Wilson Rd | Wilson Rd | Wyalkatchem | 0.00 | Tammin - Wyalkatchem Rd | 2.41 | Wilson Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5170041 | Wilson Rd | Wilson Rd | Victoria Plains | 0.00 | Toodyay - Bindi Bindi Rd | 5.79 | Wongan - Ballidu LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5180005 | Wilson Rd | Wilson Rd | Wongan - Ballidu | 0.00 | Smith Rd | 8.21 | Victoria Plains LGA Boundary | |
| 4120127 | Wilson St | Wilson St | Kulin | 0.00 | Truebody St | 0.59 | Day St | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4130076 | Wilson St | Wilson St | Trayning | 0.00 | Nungarin Wyalkatchem Rd | 1.18 | Hewitt St & Appleyard Rd | |
| 4310106 | Wilson St | Wilson St | Wyalkatchem | 0.26 | Gamble St | 0.61 | Riches St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Intersection Honour Av : No right turn permitted into Honour Ave from Wilson St |
| 6052036 | Wilson St | Wilson St | Kalgoorlie - Boulder (C) | 0.06 | | 2.61 | Forrest St | |
| 6090031 | Wilson St | Wilson St | Menzies | 0.27 | Goldfields Hwy | 0.69 | Onslow St | |
| 8140637 | Wilson Wy | Wilson Wy | Karratha (C) | 0.00 | Point Samson Roebourne Rd | 0.40 | Wilson Wy - End Road | |
| 4120060 | Wilsons Rd | Wilsons Rd | Kulin | 0.00 | Williams Kondinin Rd | 6.88 | Eighty Six Gate Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 5110116 | Wilton Rd | Wilton Rd | Morawa | 0.00 | Heitman Rd & Nanekine Rd | 3.10 | Wilton Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|--------------------------|----------|----------------------------|--------|----------------------------------|---|
| 5150079 | Wilton Well Rd | Wilton Well Rd | Three Springs | 0.00 | Three Springs - Eneabba Rd | 17.62 | Lucas Rokich Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 7030005 | Wiluna North Rd | Wiluna North Rd | Meekatharra | 0.00 | Great Northern Hwy | 34.10 | Neds Creek Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). |
| 7060001 | Wiluna North Rd | Wiluna North Rd | Wiluna | 0.00 | Wotton St & Lawrence St | 87.15 | Meekatharra Lga Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6056079 | Wilurarra Rd | Wilurarra Rd | Kalgoorlie - Boulder (C) | 0.00 | Broadwood St | 0.42 | Yulpari Rd | |
| 3020539 | Wilwarri Rd | Wilwarri Rd | Albany (C) | 0.00 | Venns Rd | 1.60 | Wilwarri Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 2040247 | Wimbridge Rd | Wimbridge Rd | Bunbury (C) | 0.00 | South Western Hwy | 0.80 | For 0.8km From South Western Hwy | |
| 5080179 | Wimpole Rd | Wimpole Rd | Irwin | 0.00 | Bonniefield East Rd | 2.62 | Steele Rd | |
| 3110197 | Winchcombe Rd | Winchcombe Rd | Lake Grace | 0.00 | Hyden-Lake King Rd | 10.80 | Holt Rock South Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5010005 | Winchester East Rd | Winchester East Rd | Carnamah | 0.00 | Midlands Rd | 9.60 | Billeroo - Coorow Rd | |
| 5010005 | Winchester East Rd | Winchester East Rd | Carnamah | 9.60 | Billeroo - Coorow Rd | 19.60 | McPartland Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1030316 | Winchester Rd | Winchester Rd | Cockburn (C) | 0.00 | Howson Wy | 0.37 | Morse Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|-----------------------------|--------|-----------------------------|--|
| 5190073 | Winchester South | Winchester South | Coorow | 0.00 | Launer Rd | 2.88 | Winchester South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5010040 | Winchester South Rd | Winchester South Rd | Carnamah | 0.00 | West Yarra Rd | 13.80 | Winchester South | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5010003 | Winchester West Rd | Winchester West Rd | Carnamah | 0.00 | Old Generation Rd | 5.84 | Carnamah - Eneabba Rd | |
| 6070069 | Windarra Mine Rd | Windarra Mine Rd | Laverton | 0.00 | Leonora Laverton Rd | 9.00 | Windarra Mine Rd - End Road | |
| 1102645 | Windsor Rd | Windsor Rd | Wanneroo (C) | 0.00 | Wanneroo Rd | 0.81 | Lancaster Rd | |
| 4070032 | Windsor Rd | Windsor Rd | Dowerin | 0.00 | Goomalling Wyalkatchem Rd | 7.06 | Hindmarsh Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 5110163 | Winfield St | Winfield St | Morawa | 0.54 | White Av | 0.63 | Winfield St - End Road | |
| 2180212 | Wingebellup Rd | Wingebellup Rd | Boyup Brook | 0.00 | Boyup Brook - Cranbrook Rd | 2.82 | Wingebellup Rd & Forrest Rd | |
| 3040523 | Wingebellup Rd | Wingebellup Rd | Cranbrook | 0.00 | Wingebellup Rd & Forrest Rd | 16.07 | 3.42km East of Unicap Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h Maximum speed of 60km/h on gravel road. |
| 3040523 | Wingebellup Rd | Wingebellup Rd | Cranbrook | 16.07 | 3.42km From Unicap Rd | 35.76 | Kojonup - Frankland Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Maximum speed of 60km/h on gravel road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------|-----------------|--------------------------|----------|---------------------------|--------|--|---|
| 3040523 | Wingebellup Rd | Wingebellup Rd | Cranbrook | 35.76 | Kojonup - Frankland Rd | 42.14 | Frankland - Rocky Gully Rd & Cranbrook - Frankland Rd & Marlock St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. 10 km/h below posted speed limit Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 6120011 | Wingellina Rd | Wingellina Rd | Ngaanyatjarraku | 0.00 | Irrunytju Rd | 6.30 | Wingellina Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. All operators must obtain an Aboriginal Affairs Planning Authority (AAPA) Lands Permit prior to travelling on the road. Permits can be obtained through the Department of Planning, Lands and Heritage website. |
| 5040013 | Winjardie Rd | Winjardie Rd | Dandaragan | 0.00 | North West Rd | 9.04 | Watheroo Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3030271 | Winkelanup Rd | Winkelanup Rd | Broomehill - Tambellup | 0.00 | Toolbrunup Rd | 1.13 | Winkelanup Rd - End Road | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 2030001 | Winnejup Rd | Winnejup Rd | Bridgetown - Greenbushes | 0.00 | Bridgetown Boyup Brook Rd | 15.22 | Tweed Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|-------------------------------|--------|---------------------------------------|--|
| 2180004 | Winnejup Rd | Winnejup Rd | Boyup Brook | 0.00 | Boyup Brook - Cranbrook Rd | 8.27 | Bridgetown - Greenbushes LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2040827 | Winsor St | Winsor St | Bunbury (C) | 0.00 | Wimbridge Rd | 0.11 | Willinge Dr | |
| 5080018 | Winterbottom Rd | Winterbottom Rd | Irwin | 0.00 | Burma Rd | 7.03 | Casuarinas Rd | |
| 5110066 | Winterbourne Rd | Winterbourne Rd | Morawa | 0.00 | Mingenew Morawa Rd & James Rd | 4.13 | Vandeleur Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 1130295 | Winton St | Winton St | Belmont (C) | 0.00 | Marchesi St | 0.31 | Valentine St | |
| 3160032 | Wireless Station Rd | Wireless Station Rd | West Arthur | 0.00 | Albany Hwy | 5.54 | Angel Rd | |
| 5100055 | Wirrilda Rd | Wirrilda Rd | Moora | 0.00 | Victoria Plains LGA Boundary | 10.99 | Wass Rd & Barberton East Rd | |
| 5170066 | Wirrilda Rd | Wirrilda Rd | Victoria Plains | 0.00 | Gillingarra - Glentromie Rd | 1.91 | Moora LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 1106921 | Wisdom Tce | Wisdom Tce | Wanneroo (C) | 0.00 | Eternity St | 0.72 | Distinction Rd & Prestige Pde | <ul style="list-style-type: none"> Intersection Distinction Rd & Prestige Pde : No left turn permitted into Prestige Pde from Wisdom Tce |
| 4240148 | Wishart Rd | Wishart Rd | Quairading | 0.00 | Bruce Rock Quairading Rd | 2.13 | Pantapin South East Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|--------------------------|--------|--------------------------|---|
| 3060013 | Wishbone Rd | Wishbone Rd | Dumbleyung | 0.00 | Dumbleyung - Nyabing Rd | 2.93 | Browns Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Dumbleyung - Nyabing Rd : No right turn permitted into Dumbleyung - Nyabing Rd from Wishbone Rd |
| 3060013 | Wishbone Rd | Wishbone Rd | Dumbleyung | 2.93 | Browns Rd | 6.22 | Peterson Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Browns Rd : No right turn permitted into Browns Rd from Wishbone Rd |
| 3060013 | Wishbone Rd | Wishbone Rd | Dumbleyung | 6.22 | Peterson Rd | 21.77 | Dumbleyung Lake Grace Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3060013 | Wishbone Rd | Wishbone Rd | Dumbleyung | 21.88 | Dumbleyung Lake Grace Rd | 31.38 | 114 Gate Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection White Well Rd : No right turn permitted into White Well Rd from Wishbone Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|------------------|----------|----------------------------|--------|----------------------------------|---|
| 3060013 | Wishbone Rd | Wishbone Rd | Dumplebung | 31.67 | 114 Gate Rd | 36.65 | Wickepin LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4290040 | Wishbone Rd | Wishbone Rd | Wickepin | 0.00 | Line Rd | 3.44 | Suckroo Rd | <ul style="list-style-type: none"> Maximum speed 60 km/h |
| 4290040 | Wishbone Rd | Wishbone Rd | Wickepin | 3.44 | Suckroo Rd | 15.52 | Dumplebung LGA Boundary | |
| 3110059 | Witham Rd | Witham Rd | Lake Grace | 0.00 | Biddy - Camm Rd | 12.71 | Edwards Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6110018 | Withers Find North Rd | Withers Find North Rd | Yilgarn | 0.00 | Bullfinch - Turkey Hill Rd | 14.40 | Withers Find North Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 3080012 | Withers Rd | Withers Rd | Katanning | 0.00 | Warren Rd | 3.60 | McKenzie Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5100062 | Withnell Rd | Withnell Rd | Moora | 0.00 | Bindi East Rd | 5.88 | Gabalong East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------------|----------|--|--------|----------------------------|---|
| 3180055 | Witt Rd | Witt Rd | Jerramungup | 0.00 | South Coast Hwy | 7.74 | 4.72km From Old Ongerup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3180055 | Witt Rd | Witt Rd | Jerramungup | 7.74 | 4.72km From Old Ongerup Rd | 12.46 | Old Ongerup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 1141161 | Wittenberg Dr | Wittenberg Dr | Canning (C) | 0.00 | Canvale Rd | 0.85 | Canvale Rd | |
| 6040006 | Wittenoom Rd | Wittenoom Rd | Esperance | 0.00 | Dempster Rd | 16.08 | Scaddan Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6040006 | Wittenoom Rd | Wittenoom Rd | Esperance | 16.08 | Scaddan Rd | 32.71 | Burdett Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 0030055 | Wodehouse St | Wodehouse St | Derby - West Kimberley | 0.33 | From Western Power Access Road 1.04km From Derby Hwy | 1.04 | Derby Hwy | |
| 8120059 | Wodgina Access | Wodgina Access | East Pilbara | 0.00 | Unnamed Rd & Pippingarra Access Rd | 8.56 | Great Northern Hwy | |
| 4170039 | Wogarl - Graball Rd | Wogarl - Graball Rd | Narembeen | 0.00 | Wogarl - Muntadgin Rd | 1.20 | Wogarl East Rd | |
| 4170039 | Wogarl - Graball Rd | Wogarl - Graball Rd | Narembeen | 1.20 | Wogarl East Rd | 6.19 | Dixon Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|------------------|----------|--|--------|----------------------------------|--|
| 4170039 | Wogarl - Graball Rd | Wogarl - Graball Rd | Naremben | 6.21 | Dixon Rd | 8.09 | Wadderin Graball Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4140043 | Wogarl - Muntadgin Rd | Wogarl - Muntadgin Rd | Merredin | 0.00 | Crossland St & Muntadgin Rd | 2.35 | Naremben LGA Boundary | <ul style="list-style-type: none"> Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4170019 | Wogarl - Muntadgin Rd | Wogarl - Muntadgin Rd | Naremben | 0.00 | Wogarl West Rd & Coverley Rd | 15.28 | Merredin LGA Boundary | |
| 4170016 | Wogarl East Rd | Wogarl East Rd | Naremben | 0.00 | Wogarl Graball Rd | 36.91 | Waterbiden Rd & Dam Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4030013 | Wogarl West Rd | Wogarl West Rd | Bruce Rock | 0.00 | Sedgwick Rd & Bruce Rock - Naremben Rd | 11.37 | Naremben LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4170015 | Wogarl West Rd | Wogarl West Rd | Naremben | 0.00 | Wogarl - Muntadgin Rd & Coverley Rd | 20.67 | Bruce Rock LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4040140 | Woglin St | Woglin St | Corrigin | 0.00 | Dry Well Rd | 0.83 | Brookton-Corrigin Rd & Kunjin St | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4040140 | Woglin St | Woglin St | Corrigin | 0.83 | Brookton-Corrigin Rd & Kunjin St | 1.10 | Dilling Railway Rd | |
| 4290017 | Wogolin South Rd | Wogolin South Rd | Wickepin | 0.00 | Elsinore Rd | 29.38 | Halliday Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|-----------------------------------|--------|-------------------------------------|--|
| 5040024 | Wolba Rd | Wolba Rd | Dandaragan | 0.00 | Badgingarra Rd | 8.40 | Mullering Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4280101 | Wolfram St | Wolfram St | Westonia | 0.00 | Carrabin Westonia Rd | 0.99 | | |
| 3080045 | Wolyaming Rd | Wolyaming Rd | Katanning | 0.00 | Badgebup North Rd | 11.10 | Warren Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h |
| 4080033 | Wongamine Rd | Wongamine Rd | Goomalling | 0.38 | Goomalling Toodyay Rd | 2.83 | Northam LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4211039 | Wongamine Rd | Wongamine Rd | Northam | 6.60 | 3.78km From Toodyay Goomalling Rd | 7.93 | Goomalling LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5180035 | Wongan - Koorda Rd | Wongan - Koorda Rd | Wongan - Ballidu | 0.00 | Hospital Rd | 16.35 | Jones Rd & Koorda - Wongan Hills Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------------|---|---|----------|--|--------|------------------------------------|---|
| 5170126 | Wongan Hills - Waddington Rd | Wongan Hills - Waddington Rd | Victoria Plains | 0.00 | Wongan - Ballidu LGA Boundary | 5.30 | Toodyay - Bindi Bindi Rd | |
| 5170127 | Wongan Hills - Waddington Rd | Wongan Hills - Waddington Rd | Victoria Plains | 0.00 | Toodyay - Bindi Bindi Rd | 11.62 | Great Northern Hwy | |
| 5180199 | Wongan Hills - Waddington Rd | Wongan Hills - Waddington Rd | Wongan - Ballidu | 0.00 | Northam Pithara Rd & Wongan Rd | 30.21 | Victoria Plains LGA Boundary | |
| M056 | Wongan Hills Calingiri | Ninan St Calingiri-Wongan Hills Rd Yulgering Rd Railway St Calingiri Rd | Wongan - Ballidu Victoria Plains Chittering | 0.00 | Wongan Rd | 68.82 | Great Northern Hwy | <ul style="list-style-type: none"> Intersection Catabody Rd : No left turn permitted into Catabody Rd from Wongan Hills - Calingiri Rd |
| 5180197 | Wongan Hills-Cadoux Rd | Wongan Hills-Cadoux Rd | Wongan - Ballidu | 0.00 | Hospital Rd | 22.47 | Dowerin - Kalannie Rd | |
| 6080002 | Wonganoo Rd | Wonganoo Rd | Leonora | 0.00 | Little Mill Rd & Darlot Rd & Darlot - Weebo Rd | 77.55 | Wiluna LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 7060016 | Wonganoo Rd | Wonganoo Rd | Wiluna | 0.00 | Barwidgee - Yandal Rd | 61.62 | Leonora LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 7060003 | Wongawol Rd | Wongawol Rd | Wiluna | 0.00 | Caledonia St & Wells St | 214.05 | Carnegie Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3100228 | Wongerup Rd | Wongerup Rd | Kojonup | 0.00 | Qualeup North Rd & Glenorchy South Rd | 4.20 | Westcliffe Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5040062 | Wongonderrah Rd | Wongonderrah Rd | Dandaragan | 0.00 | Brand Hwy | 22.94 | Munbinea Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5050606 | Wongoondy - Tardun Rd | Wongoondy - Tardun Rd | Greater Geraldton (C) | 0.00 | Mullewa Wubin Rd | 21.14 | Hebiton Rd & Mingenew - Mullewa Rd | |
| 8120269 | Wonmunna Rd | Wonmunna Rd | East Pilbara | 0.00 | Woodstock St | 0.17 | Shovelanna St | |
| 2050008 | Wonnerup South Rd | Wonnerup South Rd | Busselton (C) | 0.00 | Bussell Hwy | 2.75 | Lyle Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3090106 | Wood Rd | Wood Rd | Kent | 0.00 | Gnowangerup - Kwobrup Rd | 4.75 | Nagel Rd | |
| 1110021 | Wood St | Wood St | Bassendean (T) | 0.00 | Railway Pde | 0.68 | Alice St | |
| 5050704 | Woodacurrie Rd | Woodacurrie Rd | Greater Geraldton (C) | 0.00 | Ardingly South Rd | 4.00 | Woodacurrie Rd - End Road | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------|------------------|------------------|----------|-----------------------|--------|--|--|
| 8140007 | Woodbrook Rd | Woodbrook Rd | Karratha (C) | 0.00 | Cherratta Rd | 16.61 | Cooya Pooya Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 8140080 | Woodbrook Rd | Woodbrook Rd | Karratha (C) | 0.00 | Cherratta Rd | 0.50 | Coolawanyah Rd | |
| 4260007 | Woodendale Rd | Woodendale Rd | Toodyay | 0.00 | Goomalling Toodyay Rd | 6.06 | Hall Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Hall Rd : No access permitted into Hall Rd from Woodendale Rd |
| 3100124 | Woodenup Rd | Woodenup Rd | Kojonup | 0.00 | Murrin Brook Rd | 1.78 | Parker Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3100124 | Woodenup Rd | Woodenup Rd | Kojonup | 1.78 | Parker Rd | 9.02 | Hubbe Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 6100078 | Woodenup Rd | Woodenup Rd | Ravensthorpe | 0.00 | Nindilbillup Rd | 5.94 | Moolyall Rd | |
| 6100078 | Woodenup Rd | Woodenup Rd | Ravensthorpe | 5.94 | Moolyall Rd | 18.22 | Floater Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 8120263 | Woodie Woodie Rd | Woodie Woodie Rd | East Pilbara | 0.00 | Ripon Hills Rd | 35.76 | Woodie Woodie Access Rd & Skull Springs Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|------------------|----------|----------------------------|--------|---------------------------------|--|
| 7030028 | Woodlands - Mt Augustus | Woodlands - Mt Augustus | Meekatharra | 0.00 | Mt Augustus - Woodlands Rd | 99.46 | Ashburton Dwns - Meekatharra Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h |
| 3070126 | Woodlands Rd | Woodlands Rd | Gnowangerup | 0.00 | Gnowangerup Jerramungup Rd | 2.90 | Hinkley Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Gnowangerup Jerramungup Rd : No right turn permitted into Broomehill-Jerramungup Rd from Woodlands Rd. |
| 3120027 | Woodlands Rd | Woodlands Rd | Plantagenet | 5.72 | Millinup Rd | 9.38 | Yellanup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Millinup Rd : No Right Turn Into Millinup Rd Permitted |
| 4260033 | Woodlands Rd | Woodlands Rd | Toodyay | 0.00 | Hall Rd | 2.25 | Nunile Rd & Solomons Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Hall Rd : No access permitted into Hall Rd from Woodlands Rd |
| 8040002 | Woodleigh - Byro Rd | Woodleigh - Byro Rd | Shark Bay | 0.00 | North West Coastal Hwy | 119.90 | Byro - Woodleigh Rd | |
| 7060040 | Woodley St | Woodley St | Wiluna | 0.00 | Wiluna Bypa | 0.27 | Wells St | |
| 8030210 | Woodman St | Woodman St | Carnarvon | 0.00 | Harbour Rd | 0.17 | Hudson St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------|-----------------|------------------|----------|--|--------|---------------------|---|
| 4020018 | Woods Loop | Woods Loop | Brookton | 0.00 | Brookton Hwy | 7.62 | Brookton Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4010068 | Woods Rd | Woods Rd | Beverley | 0.00 | Mawson Rd | 2.44 | Woods Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4070180 | Woods Rd | Woods Rd | Dowerin | 0.00 | Twenty Six Gate Rd & Rabbit Proof Fence Rd | 2.15 | Woods Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4180246 | Woods Rd | Woods Rd | Narrogin | 0.00 | Tarwonga Rd | 3.97 | Highbury West Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------|----------|--------------------------|--------|--------------------------|---|
| 5170038 | Woods Rd | Woods Rd | Victoria Plains | 0.00 | Carani East Rd | 5.84 | Yerecoin South - East Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School Bus Route - Contact Operators on UHF CH 11 |
| 5170038 | Woods Rd | Woods Rd | Victoria Plains | 5.84 | Yerecoin South - East Rd | 9.70 | Golf Course Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 6040379 | Woods St | Woods St | Esperance | 0.00 | Shelden Rd | 0.60 | Simpson St | <ul style="list-style-type: none"> 10 km/h below posted speed limit |
| 8120174 | Woodstock St | Woodstock St | East Pilbara | 0.00 | Welsh Dr | 0.91 | 0.51 Km Past Laver St | |
| 4140082 | Woodward Rd | Woodward Rd | Merredin | 0.00 | Chandler - Merredin Rd | 8.80 | Nungarin LGA Boundary | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4220061 | Woodward Rd | Woodward Rd | Nungarin | 0.00 | Young Rd & Stock Rd | 2.02 | Merredin LGA Boundary | |
| 4290038 | Woodward Rd | Woodward Rd | Wickepin | 0.00 | Kirk Rock Rd | 3.38 | Eighty Six Gate Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3120003 | Woogenellup Rd | Woogenellup Rd | Plantagenet | 0.00 | Woogenellup Rd Rty | 36.82 | Chester Pass Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3120055 | Woogenellup Rd North | Woogenellup Rd North | Plantagenet | 0.00 | Woogenellup Rd | 23.20 | Chester Pass Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---------------------------|------------------|----------|---|--------|----------------------------------|---|
| H416 | Woogenellup Rd Rty | Woogenellup Rd Rty | Plantagenet | 0.00 | Woogenellup Rd | 0.19 | Woogenellup Rd | |
| 5100124 | Woolawa St | Woolawa St | Moora | 0.00 | Tootra St | 0.72 | Barber St | |
| 3160084 | Wooldridge Rd | Wooldridge Rd | West Arthur | 0.00 | Howie Rd | 2.77 | Wooldridge Rd - End Road | |
| 7050027 | Wooleen - Mt Wittenoom Rd | Wooleen - Mt Wittenoom Rd | Murchison | 0.00 | Twin Peaks - Wooleen Rd & Wooleen Access Rd | 13.00 | 0.4km From Boolardy - Wooleen Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030065 | Woolf Rd | Woolf Rd | Dalwallinu | 0.00 | Great Northern Hwy | 4.95 | Carter Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4100072 | Woolocutty Soak Rd | Woolocutty Soak Rd | Kondinin | 0.00 | Lovering Rd | 11.59 | Narembreen LGA Boundary | |
| 4170055 | Woolocutty Soak Rd | Woolocutty Soak Rd | Narembreen | 0.00 | Emu Fence Rd | 9.13 | Kondinin LGA Boundary | |
| 3180213 | Woolshed Rd | Woolshed Rd | Jerramungup | 0.00 | Jerramungup North Rd | 5.90 | Cameron Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|----------------------------|--------|---------------------------|--|
| 5110042 | Wooltana Rd | Wooltana Rd | Morawa | 0.00 | Old Three Springs Rd | 4.07 | Three Springs - Morawa Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4090050 | Wooltorton Rd | Wooltorton Rd | Kellerberrin | 0.00 | Doodlakine - Kununoppin Rd | 2.52 | Wooltorton Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4090016 | Woolundra North Rd | Woolundra North Rd | Kellerberrin | 0.00 | Mather Rd | 3.97 | Goldfields Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|----------------------------|--------|----------------------------------|--|
| 4090016 | Woolundra North Rd | Woolundra North Rd | Kellerberrin | 4.11 | Goldfields Rd | 7.68 | Woolundra North Rd - End of Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4090015 | Woolundra South Rd | Woolundra South Rd | Kellerberrin | 0.00 | Great Eastern Hwy | 13.40 | Kellerberrin - Shackleton Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4060007 | Woonwooring Rd | Woonwooring Rd | Cunderdin | 0.00 | Cunderdin - Wyalkatchem Rd | 15.61 | Mt Anne Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Intersection Coollaling Rd : No access permitted into Coollaling Rd from Woonwooring Rd |
| 2040792 | Worcester Bend | Worcester Bend | Bunbury (C) | 0.00 | Halifax Dr | 0.60 | Worcester Bend - End Road | |
| 4100054 | Worland Rd | Worland Rd | Kondinin | 0.00 | Hyden - Mount Walker Rd | 25.65 | Tolland Rd & Whyte Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 7060033 | Wotton St | Wotton St | Wiluna | 0.45 | Wells St | 1.22 | Wiluna North Rd & Lawrence St | |
| 4230167 | Woyerling Rd | Woyerling Rd | Pingelly | 0.00 | Bullaring Rd | 10.88 | Yealering - Pingelly Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------------|----------|---|--------|---------------------------|---|
| 3050354 | Woylie Rd | Woylie Rd | Denmark | 0.00 | Scotsdale Rd | 0.61 | Woylie Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3120146 | Wragg Rd | Wragg Rd | Plantagenet | 0.00 | Denmark Mt Barker Rd | 6.43 | St Werburghs Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Denmark Mt Barker Rd : No left turn permitted into Denmark Mount Barker Rd from Wragg Rd. |
| 3030061 | Wray Rd | Wray Rd | Broomehill - Tambellup | 0.00 | Pallinup Rd | 2.86 | Wray Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 4150031 | Wren Rd | Wren Rd | Mount Marshall | 0.00 | Breakell Rd & Kellerberrin - Bencubbin Rd | 19.32 | Fogarty Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4150031 | Wren Rd | Wren Rd | Mount Marshall | 19.32 | Fogarty Rd | 19.41 | Barbalin - Koonkoobing Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|---|--|----------|--------------------------------------|--------|--------------------------------------|--|
| 6040492 | Wright Rd | Wright Rd | Esperance | 0.00 | Telegraph Rd | 1.51 | Teale Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 1120344 | Wright St | Wright St | Bayswater (C) | 0.00 | Collier Rd & Collier Link | 0.36 | Cullen St & Pickett St | |
| 2050472 | Wright St | Wright St | Busselton (C) | 0.00 | Fairlawn Rd | 0.63 | Cook St | <ul style="list-style-type: none"> Intersection Neville St : No access permitted into Neville St from Wright St |
| 5030243 | Wubin - Gunyidi Rd | Wubin - Gunyidi Rd | Dalwallinu | 0.00 | Mullewa Wubin Rd | 27.16 | Wubin - Gunyidi Rd & Miling North Rd | |
| 5190165 | Wubin - Gunyidi Rd | Wubin - Gunyidi Rd | Coorow | 0.00 | Wubin - Gunyidi Rd & Miling North Rd | 32.89 | Midlands Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030030 | Wubin East Rd | Wubin East Rd | Dalwallinu | 0.00 | Great Northern Hwy | 37.04 | Struggle St | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| M039 | Wubin Mullewa | Mullewa Wubin Rd Fowler St Winfield St Wubin Mullewa | Dalwallinu Perenjori Morawa Greater Geraldton (C) | 0.00 | Great Northern Hwy | 221.46 | Geraldton Mt Magnet Rd | <ul style="list-style-type: none"> Maximum speed through Morawa Townsite 40 km/h, from approx. 570 m north of Burton Rd to approx. 260 m north of Solomon Tce Intersection Wilder Rd : No right turn permitted into Wilder Rd from Wubin Mullewa Rd Intersection Bell Rd & Vandeleur Rd : No access permitted into Bell Rd from Wubin-Mullewa Rd Intersection Pintharuka Dam : No access permitted into Pintharuka Dam from Wubin-Mullewa Rd |
| 5130005 | Wundi Rd | Wundi Rd | Northampton | 1.61 | 0.37km From Johnson Rd | 4.07 | Parker Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|------------------|----------|--------------------------------------|--------|--------------------------------------|---|
| 5130005 | Wundi Rd | Wundi Rd | Northampton | 4.07 | Parker Rd | 15.89 | Wundi Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h No Operation from Apr to Sep Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4160092 | Wundowlin Rd | Wundowlin Rd | Mukinbudin | 0.00 | Barbalin - Koonkoobing Rd | 1.26 | Koorda - Bullfinch Rd | <ul style="list-style-type: none"> Intersection Barbalin - Koonkoobing Rd : No access permitted into Barbalin Koonkobbin Rd from Wundowlin Rd |
| 3160104 | Wunnenberg Rd | Wunnenberg Rd | West Arthur | 0.00 | Bowelling - Duranillin Rd | 3.30 | Bowelling - Duranillin Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4010154 | Wyalgima Rd | Wyalgima Rd | Beverley | 0.00 | Northbourne Rd | 0.63 | Sims Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Sims Rd : No access permitted to Sims Rd from Wyalgima Rd |
| 4110135 | Wyalkatchem - Koorda Rd | Wyalkatchem - Koorda Rd | Koorda | 0.00 | Wyalkatchem - Koorda Rd & Lackman Rd | 17.30 | Aitken Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 90 km/h |
| 4310130 | Wyalkatchem - Koorda Rd | Wyalkatchem - Koorda Rd | Wyalkatchem | 0.00 | Honour Av & Slocum St | 25.52 | Wyalkatchem - Koorda Rd & Lackman Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------|----------|--|--------|---------------------------------------|--|
| 4110080 | Wyalkatchem North Rd | Wyalkatchem North Rd | Koorda | 0.00 | Wyalkatchem - Koorda Rd | 2.67 | Wyalkatchem LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 40 km/h below posted speed limit |
| 4310002 | Wyalkatchem North Rd | Wyalkatchem North Rd | Wyalkatchem | 0.00 | White Dam Rd & Gamble St | 25.45 | Koorda LGA Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3110043 | Wyatt Rd | Wyatt Rd | Lake Grace | 0.00 | North Burngup Rd | 5.08 | Wyatts Rd - End Road | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5080009 | Wye Farm Rd | Wye Farm Rd | Irwin | 0.00 | Bonniefield East Rd & Water Supply Rd | 5.78 | Yardarino Rd | |
| 5170022 | Wyening East Rd | Wyening East Rd | Victoria Plains | 0.00 | Toodyay - Bindi Bindi Rd | 9.90 | Wyening East Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5170028 | Wyening West Rd | Wyening West Rd | Victoria Plains | 0.00 | Toodyay - Bindi Bindi Rd | 6.81 | Bolgart West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4160077 | Wymond Rd | Wymond Rd | Mukinbudin | 0.00 | Copeland Rd & Mukinbudin North East Rd | 14.15 | Harry Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 1130271 | Wynyard St | Wynyard St | Belmont (C) | 0.00 | Abernethy Rd | 0.21 | Robinson Av | |
| 4250010 | Wyola North Rd | Wyola North Rd | Tammin | 0.00 | Great Eastern Hwy | 4.87 | Wyola Rd North | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4060014 | Wyola Rd North | Wyola Rd North | Cunderdin | 0.00 | Wyola North Rd | 14.64 | Left Hand Turn 3km North of Harris Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|--------------------------|--------|------------------------|--|
| 4250012 | Wyola South Rd | Wyola South Rd | Tammin | 0.00 | Great Eastern Hwy | 12.67 | York - Tammin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4160040 | Wyoming Trl | Wyoming Trl | Mukinbudin | 0.00 | Mukinbudin - Wialki Rd | 5.10 | Wialki South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4240043 | Yacklin Rd | Yacklin Rd | Quairading | 0.00 | Dulbellling South Rd | 8.37 | Treloar Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4030042 | Yad Yaddin Rd | Yad Yaddin Rd | Bruce Rock | 0.00 | Bruce Rock Quairading Rd | 9.82 | Yarding - Ardath Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 109Z027 | Yagine Cl | Yagine Cl | Swan (C) | 0.00 | Ulm Pl & Abernethy Rd | 0.37 | 209322 | |
| 4030032 | Yalbarrin Rd | Yalbarrin Rd | Bruce Rock | 0.00 | Corrigin - Bruce Rock Rd | 7.37 | Bruce Rock South Rd | |
| 7070008 | Yalgoo - Ninghan Rd | Yalgoo - Ninghan Rd | Yalgoo | 0.00 | Great Northern Hwy | 137.27 | Geraldton Mt Magnet Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|---------------------------|--------|---|---|
| 7070009 | Yalgoo North Rd | Yalgoo North Rd | Yalgoo | 0.00 | Mitchell St & Shamrock Rd | 94.00 | Meka - Noondie Rd & Meka - Mt Wittenoom | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5130018 | Yallabatharra Rd | Yallabatharra Rd | Northampton | 0.00 | Swamp Rd | 8.18 | | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5130018 | Yallabatharra Rd | Yallabatharra Rd | Northampton | 8.18 | | 9.09 | Port Gregory Rd | |
| 3120307 | Yallambe Rd | Yallambe Rd | Plantagenet | 0.00 | Sidcup Rd & Kwonnicup Rd | 1.95 | Yallambe Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 5110020 | Yammapool Rd | Yammapool Rd | Morawa | 0.00 | Neates Rd | 9.30 | Mingenew Morawa Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 8130069 | Yanana St | Yanana St | Port Hedland (T) | 0.00 | Schillaman St | 0.52 | Moorambine St | |
| 5110134 | Yandanoo Springs Rd | Yandanoo Springs Rd | Morawa | 0.00 | Gutha West Rd | 2.00 | Indar Rd | <ul style="list-style-type: none"> Intersection Gutha West Rd : No access to Gutha West Rd from Yandanoo Springs Rd |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|--------------------------|------------------|----------|--------------------------|--------|---------------------------|--|
| 5090005 | Yandanooka Melara Rd | Yandanooka Melara Rd | Mingenew | 0.00 | Yandanooka North East Rd | 20.40 | Narandagy - Pintharuka Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5090002 | Yandanooka North East Rd | Yandanooka North East Rd | Mingenew | 0.00 | Midlands Rd | 21.04 | | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. NOT TO OPERATE DURING SCHOOL BUS TIMES |
| 5090014 | Yandanooka South Rd | Yandanooka South Rd | Mingenew | 0.00 | Midlands Rd | 3.68 | Yandanooka West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 5080073 | Yandanooka West Rd | Yandanooka West Rd | Irwin | 0.00 | Mt Adams Rd | 7.92 | Mingenew LGA Boundary | |
| 5090012 | Yandanooka West Rd | Yandanooka West Rd | Mingenew | 0.00 | Irwin LGA Boundary | 18.32 | Mingenew South Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 5130178 | Yandi Rd | Yandi Rd | Northampton | 0.00 | Coolcalalaya Rd | 4.04 | Yandi Rd - End Road | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5040043 | Yandin Rd | Yandin Rd | Dandaragan | 0.00 | Mimegarra Rd & Brand Hwy | 12.08 | Menardie Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4170069 | Yandle Rd | Yandle Rd | Narembeen | 0.00 | Cheethams Rd | 5.54 | Koolberrin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|-----------------------|----------|--|--------|--------------------------------------|--|
| 4170069 | Yandle Rd | Yandle Rd | Narembeen | 9.11 | Bristow - Butler Rd | 12.26 | Bows Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5050724 | Yanga Rd | Yanga Rd | Greater Geraldton (C) | 0.00 | Ardingly South Rd | 7.69 | Yanga Rd - End Road | |
| 3120130 | Yaralla Rd | Yaralla Rd | Plantagenet | 0.00 | Yaralla Rd - Start Road | 3.86 | Yaralla Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 5080192 | Yardarino Rd | Yardarino Rd | Irwin | 0.00 | Wye Farm Rd | 7.46 | Midlands Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 8060038 | Yardie Creek Rd | Yardie Creek Rd | Exmouth | 0.00 | Murat Rd | 76.11 | Ningaloo - Yardie - Creek Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4030014 | Yarding - Ardath Rd | Yarding - Ardath Rd | Bruce Rock | 0.00 | Yarding North Rd & Yarding Siding Access Rd | 16.07 | Corrigin - Bruce Rock Rd & Veitch Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4030036 | Yarding North Rd | Yarding North Rd | Bruce Rock | 0.00 | Yarding - Ardath Rd & Yarding Siding Access Rd | 11.52 | Yerapin Boundary Rd | |
| 4030028 | Yarding South Rd | Yarding South Rd | Bruce Rock | 0.00 | Yarding - Ardath Rd | 19.12 | Old Beverley Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4290018 | Yarling Brook Rd | Yarling Brook Rd | Wickepin | 0.00 | Williams Kondinin Rd | 10.98 | Malyalling Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|--------------------------------|--------|-------------------------|---|
| 3040057 | Yarnup Rd | Yarnup Rd | Cranbrook | 0.00 | Wingebellup Rd | 10.54 | Noobijup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4211086 | Yarra Rd | Yarra Rd | Northam | 0.00 | Great Southern Hwy & Inkpen Rd | 1.69 | Talbot West Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4300092 | Yarrabin Rd | Yarrabin Rd | Williams | 0.00 | Westmere Rd | 4.50 | Yarrabin Rd - End Road | |
| 5090010 | Yarragadee West Rd | Yarragadee West Rd | Mingenew | 0.00 | Mingenew - Mullewa Rd | 7.12 | Depot Hill Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 3040082 | Yarralena Rd | Yarralena Rd | Cranbrook | 2.32 | | 4.92 | Yeriminup Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4080002 | Yarramony Rd | Yarramony Rd | Goomalling | 0.00 | Lawler Rd & Tyndall Rd | 6.20 | Northam LGA Boundary | |
| 4211022 | Yarramony Rd | Yarramony Rd | Northam | 0.00 | Northam Pithara Rd | 2.45 | Goomalling LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 70 km/h No Operation from 7:00 AM to 8:30 AM and 4:00 PM to 5:00 PM |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|--------------------------|----------|--|--------|--|--|
| 4180214 | Yarrabee Rd | Yarrabee Rd | Narrogin | 0.00 | Chomley Rd | 7.67 | Yarrabee Rd - End Road | |
| 3100034 | Yarranup Rd | Yarranup Rd | Kojonup | 0.00 | Albany Hwy | 13.76 | Warrenup Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Warrenup Rd : No access permitted to or from Warrenup Rd |
| 6055001 | Yarri Rd | Yarri Rd | Kalgoorlie - Boulder (C) | 0.00 | Black St & Bulong Rd & Williamstown Rd | 78.60 | Menzies LGA Boundary | |
| 6090039 | Yarri Rd | Yarri Rd | Menzies | 0.00 | Kalgoorlie - Boulder (C) LGA Boundary | 82.21 | Pinjin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 1180258 | Yarrick St | Yarrick St | Fremantle (C) | 0.00 | Roper St | 0.22 | South St | |
| 8120070 | Yarrie Rd | Yarrie Rd | East Pilbara | 0.00 | Warrawagine Rd | 4.32 | Muccan - Yarrie Rd | |
| 5050536 | Yarryana Dr | Yarryana Dr | Greater Geraldton (C) | 0.00 | Deepdale Rd | 0.10 | Viva Energy Access Rd 0.10km From Deepdale Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 2180042 | Yates Rd | Yates Rd | Boyup Brook | 0.00 | Norlup Rd | 12.70 | Dinninup East Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. Intersection Norlup Rd : No access permitted into Norlup Rd from Yates Rd |
| 3090110 | Yates Rd | Yates Rd | Kent | 0.00 | Bowra Rd | 5.74 | Gnowangerup LGA Boundary | |
| 6040227 | Yates Rd | Yates Rd | Esperance | 0.00 | Scaddan Rd | 4.33 | Speddingup Rd East | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------------|-------------------------|------------------|----------|---|--------|--------------------------------|---|
| 6040227 | Yates Rd | Yates Rd | Esperance | 4.34 | Speddingup Rd East | 10.90 | Fleming Grove Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 4170017 | Yawerlin Creek Rd | Yawerlin Creek Rd | Narembreen | 0.00 | Dixon Rd & Merredin - Narembreen Rd | 4.77 | Tank North Rd & Wogarl West Rd | |
| 4040010 | Yealering - Kulin Rd | Yealering - Kulin Rd | Corrigin | 0.00 | Wickepin - Corrigin Rd | 13.90 | Kulin LGA Boundary | |
| 4120004 | Yealering - Kulin Rd | Yealering - Kulin Rd | Kulin | 0.00 | Corrigin Kulin Rd | 28.69 | Corrigin LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 4230007 | Yealering - Pingelly Rd | Yealering - Pingelly Rd | Pingelly | 0.00 | Wickepin - Pingelly Rd & Popanyinning East Rd | 23.18 | Wickepin LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4290005 | Yealering - Pingelly Rd | Yealering - Pingelly Rd | Wickepin | 0.00 | Lomos Rd South | 1.74 | Pingelly LGA Boundary | |
| 4290007 | Yealering South East Rd | Yealering South East Rd | Wickepin | 0.00 | Lake Rd & Yealering South East Rd | 19.96 | Eighty Six Gate Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2060017 | Yeady Rd | Yeady Rd | Capel | 0.00 | Bussell Hwy | 0.83 | John Hogg Rd | |
| 1050262 | Yeates Rd | Yeates Rd | Kwinana (C) | 0.00 | Butcher St | 0.42 | Rollings Cr | |
| 1092001 | Yeeda Wy | Yeeda Wy | Swan (C) | 0.00 | Juna Dr | 0.12 | Boulder Rd | |
| 4130002 | Yelbeni South East Rd | Yelbeni South East Rd | Trayning | 0.00 | Nungarin Wyalkatchem Rd | 8.63 | Dunkley Rd & Barnes Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|-----------------------------|--------|----------------------------------|---|
| 1110180 | Yelland Wy | Yelland Wy | Bassendean (T) | 0.00 | May Holman Dr & McDonald Cr | 0.31 | Yelland Wy - End Road | |
| 3120007 | Yellanup Rd | Yellanup Rd | Plantagenet | 0.00 | Albany Hwy | 24.00 | Chester Pass Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Intersection Morande Rd : No access permitted into Morande Rd from Yellanup Rd |
| 2050045 | Yelverton North Rd | Yelverton North Rd | Busselton (C) | 0.00 | Yelverton Rd | 5.34 | Wildwood Rd | |
| 5170045 | Yenart Rd | Yenart Rd | Victoria Plains | 0.00 | Calingiri - New Norcia Rd | 10.65 | Old Plains Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School Bus Route - Contact Operators on UHF CH 11 |
| 4230006 | Yenellin Rd | Yenellin Rd | Pingelly | 0.00 | Pitt St & Harper St | 16.20 | Nyamutin Rd & Hill Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4010007 | Yenyening Lakes Rd | Yenyening Lakes Rd | Beverley | 0.00 | Great Southern Hwy | 14.90 | Bally - Bally Rd & Qualandary Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|-----------------------------------|--------|--------------------|--|
| 4010007 | Yenyening Lakes Rd | Yenyening Lakes Rd | Beverley | 14.90 | Bally - Bally Rd & Qualandary Rd | 25.15 | Athol Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4020035 | Yeo Rd | Yeo Rd | Brookton | 0.00 | Brookton-Corrigin Rd | 3.52 | Great Southern Hwy | |
| 4170010 | Yeomans Rd | Yeomans Rd | Narembeen | 1.86 | Wadderin Graball Rd | 30.61 | Mt Walker North Rd | <ul style="list-style-type: none"> Maximum speed 80 km/h |
| 4170010 | Yeomans Rd | Yeomans Rd | Narembeen | 30.61 | Mt Walker North Rd | 38.10 | Dam Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4030091 | Yerapin Boundary Rd | Yerapin Boundary Rd | Bruce Rock | 0.00 | Yerapin Boundary Rd & Jakovich Rd | 3.62 | Langdon Rd | |
| 4090074 | Yerapin Boundary Rd | Yerapin Boundary Rd | Kellerberrin | 0.00 | Yerapin Boundary Rd & Jakovich Rd | 4.41 | Morison Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------------|--------------------------|------------------|----------|---------------------------|--------|------------------------------------|--|
| 4090072 | Yerapin Rd | Yerapin Rd | Kellerberrin | 0.00 | Fire Rd | 6.93 | Yerapin Boundary Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Fire Rd : No right turn permitted into Fire Rd from Yerapin Rd |
| 5170005 | Yerecoin South - East Rd | Yerecoin South - East Rd | Victoria Plains | 0.00 | Toodyay - Bindi Bindi Rd | 14.52 | Yerecoin South East Rd & Martin Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. School Bus Route - Contact Operators on UHF CH 11 |
| 5180008 | Yerecoin South East Rd | Yerecoin South East Rd | Wongan - Ballidu | 0.00 | Calingari-Wongan Hills Rd | 3.00 | Ninan Farm | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). No access past Ninan Farm |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|------------------------|------------------------|------------------|----------|--------------------------|--------|--------------------------------------|--|
| 5180008 | Yerecoin South East Rd | Yerecoin South East Rd | Wongan - Ballidu | 3.00 | Ninan Farm | 13.50 | Martin Rd & Yerecoin South - East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3040001 | Yeriminup Rd | Yeriminup Rd | Cranbrook | 0.00 | Albany Hwy | 19.41 | Cranbrook - Frankland Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Intersection Albany Hwy : No access permitted into Albany Hwy from Yeriminup Rd |
| 3040001 | Yeriminup Rd | Yeriminup Rd | Cranbrook | 19.61 | Cranbrook - Frankland Rd | 36.32 | Shamrock Rd | <ul style="list-style-type: none"> Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3040001 | Yeriminup Rd | Yeriminup Rd | Cranbrook | 36.32 | Shamrock Rd | 55.31 | Kojonup - Frankland Rd | <ul style="list-style-type: none"> Intersection Haynesdale Rd : No left turn permitted into Haynesdale Road from Yeriminup Rd |
| 5130007 | Yerina Spring Rd | Yerina Spring Rd | Northampton | 0.00 | Port Gregory Rd | 33.54 | Erriary West Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. 30 km/h below posted speed limit No Operation from Apr to Sep Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5040022 | Yerramullah Rd | Yerramullah Rd | Dandaragan | 0.00 | Wongonderrah Rd | 10.26 | Bibby Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 5040022 | Yerramullah Rd | Yerramullah Rd | Dandaragan | 10.27 | Bibby Rd | 16.97 | Cadda Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|--------------------------|----------|-------------------------------|--------|-------------------------------------|--|
| 5040022 | Yerramullah Rd | Yerramullah Rd | Dandaragan | 16.98 | Cadda Rd | 31.15 | Cantabilling Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h |
| 6040091 | Yerritup Rd | Yerritup Rd | Esperance | 0.00 | Neds Corner Rd | 12.80 | Beltana Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 80 km/h or 10 km/h below the posted speed whichever is the lesser |
| 3030231 | Yetemerup Rd | Yetemerup Rd | Broomehill - Tambellup | 0.00 | White Rd & Stirling Access Rd | 1.94 | Cranbrook LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 3040042 | Yetemerup Rd | Yetemerup Rd | Cranbrook | 0.00 | Salt River Rd | 7.74 | Broomehill - Tambellup LGA Boundary | |
| 4060075 | Ygnattering Rd | Ygnattering Rd | Cunderdin | 0.00 | Cunderdin - Wyalkatchem Rd | 2.49 | Flowery Patch Rd | |
| 4212226 | Yilgarn Av | Yilgarn Av | Northam | 0.00 | York Rd & Yilgarn Av | 3.52 | Great Eastern Hwy | |
| 421Z007 | Yilgarn Av Slip Rd | Yilgarn Av Slip Rd | Northam | 0.00 | Great Eastern Hwy | 0.07 | Yilgarn Av | |
| 4290004 | Yilliminning Rd | Yilliminning Rd | Wickepin | 0.00 | Narrogin - Harrismith Rd | 5.30 | Line Rd & Toolibin North Rd | <ul style="list-style-type: none"> Maximum speed 70 km/h |
| 6056045 | Yindi Wy | Yindi Wy | Kalgoorlie - Boulder (C) | 0.00 | Epis St | 0.29 | Kinclaven Wy | |
| 6056011 | Ymca Wy | Ymca Wy | Kalgoorlie - Boulder (C) | 0.00 | Boulder Rd | 0.49 | Ymca Wy - End Road | |
| 2050521 | Yoganup Pl | Yoganup Pl | Busselton (C) | 0.00 | Tutunup Rd & Armstrong Rd | 1.56 | | |
| 5110132 | Yongarloo Rd | Yongarloo Rd | Morawa | 0.00 | Mingenew Morawa Rd | 4.99 | Colgate Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3040102 | Yonka Rd | Yonka Rd | Cranbrook | 0.00 | Albany Hwy | 5.37 | Peter Valley Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2040302 | Yookson Rd | Yookson Rd | Bunbury (C) | 0.00 | Burnell St | 0.67 | O'Connor Ent | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------------|-----------------------|------------------|----------|---|--------|------------------------------------|---|
| 2050027 | Yoongarillup Rd | Yoongarillup Rd | Busselton (C) | 5.96 | 0.82km From Goulden Rd | 8.57 | Vasse Hwy | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 50 km/h No Operation between the hours of sunset and sunrise Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Vasse Hwy : No right turn permitted into Vasse Hwy from Yoongarillup Rd |
| 7030076 | Yoothapina Station Rd | Yoothapina Station Rd | Meekatharra | 0.00 | Great Northern Hwy | 4.70 | Yoothapina Station Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h |
| 4250081 | York - Tammin Rd | York - Tammin Rd | Tammin | 0.00 | Goldfields Rd & Rabbit Proof Fence South Rd | 19.85 | Underwood Rd & Little Underwood Rd | |
| 4330001 | York - Tammin Rd | York - Tammin Rd | York | 0.00 | Northam York Rd | 33.51 | Goldfields Rd | <ul style="list-style-type: none"> Intersection Warding Rd : No access to Warding Rd from York-Tammin Rd |
| 4010003 | York - Williams Rd | York - Williams Rd | Beverley | 0.00 | Great Southern Hwy | 28.48 | Brookton LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Vallentine Rd : No access permitted into Vallentine Rd from York-Williams Rd. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--------------------|------------------|----------|---|--------|---|--|
| 4020004 | York - Williams Rd | York - Williams Rd | Brookton | 0.00 | Beverley LGA Boundary | 10.26 | Brookton Hwy | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4020004 | York - Williams Rd | York - Williams Rd | Brookton | 10.27 | Brookton Hwy | 19.87 | York - Williams Rd & Boyagin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4230005 | York - Williams Rd | York - Williams Rd | Pingelly | 0.00 | York - Williams Rd & Boyagin Rd | 8.67 | York - Williams Rd & North Wandering Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4270007 | York - Williams Rd | York - Williams Rd | Wandering | 0.00 | York - Williams Rd & North Wandering Rd | 9.77 | Wandering - Pingelly Rd & North Bannister - Pingelly Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|--------------------|--|--------------------------------------|----------|---|--------|---|--|
| 4270007 | York - Williams Rd | York - Williams Rd | Wandering | 9.77 | Wandering - Pingelly Rd & North Bannister - Pingelly Rd | 15.40 | Wandering Narrogin Rd | |
| 4270007 | York - Williams Rd | York - Williams Rd | Wandering | 15.43 | Wandering Narrogin Rd | 26.71 | Williams LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4300001 | York - Williams Rd | York - Williams Rd | Williams | 0.00 | Albany Hwy | 19.15 | Fowler Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4300001 | York - Williams Rd | York - Williams Rd | Williams | 19.15 | Fowler Rd | 20.68 | Fourteen Mile Brook Rd & York - Williams Rd | |
| 4300010 | York - Williams Rd | York - Williams Rd | Williams | 0.00 | York - Williams Rd & Fourteen Mile Brook Rd | 8.01 | Wandering LGA Boundary | |
| M041 | York Merredin | Panmure Rd York Rd Quairading York Rd | York Beverley Quairading | 0.00 | Balladong St & Panmure Rd | 66.18 | Weir Rd | <ul style="list-style-type: none"> Intersection Greenhills Rd : No right turn permitted into Greenhills Rd from York Merredin Rd Intersection Toapin Rd : No left or right turn permitted into Toapin Rd from York Merredin Rd |
| M041 | York Merredin | Quairading York Rd | Quairading | 66.18 | Weir Rd | 67.34 | Cubbine Rd | <ul style="list-style-type: none"> HVS Update 7-2022 Intersection Junction Rd : No right turn permitted into Junction Rd from York Merredin Rd |
| M041 | York Merredin | Quairading York Rd Jennaberring Rd Bruce Rock Quairading Rd Swan St Johnson St Osborne St Bruce Rock Merredin Rd South Av | Quairading Bruce Rock Merredin | 67.34 | Cubbine Rd | 193.85 | Great Eastern Hwy | <ul style="list-style-type: none"> Intersection Buller Link Rd & Corrigin - Bruce Rock Rd : No left turn permitted into Buller Link Rd from York Merredin Rd. Intersection Buller Rd : No left turn permitted into Buller Rd from Bruce Rock Quairading Rd (York Merredin Rd) Intersection Dampier St : No left turn permitted into Dampier St from York Merredin Intersection Belka East Rd : No access permitted into Belka East Rd from York Merredin Rd. No access permitted into York Merredin Rd from Belka East Rd |
| 5030257 | York Pl | York Pl | Dalwallinu | 0.00 | Railway Pde | 0.14 | Garland St | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|----------------------|----------------------|------------------|----------|----------------------------|--------|--|--|
| 4250021 | York Rd | York Rd | Tammin | 0.00 | Yorakine Rd | 6.10 | Bungulla North Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4090035 | Yorakine Cemetery Rd | Yorakine Cemetery Rd | Kellerberrin | 0.00 | Tammin LGA Boundary | 6.16 | Yorakine East Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4250035 | Yorakine Cemetery Rd | Yorakine Cemetery Rd | Tammin | 0.00 | Bungulla North Rd | 1.76 | Kellerberrin LGA Boundary | |
| 4250007 | Yorakine East Rd | Yorakine East Rd | Tammin | 0.00 | Ryan Rd & Yorakine East Rd | 3.44 | Yorakine West Rd & Bungulla North Rd & Nembudding South Rd | |
| 4310099 | Yorakine East Rd | Yorakine East Rd | Wyalkatchem | 0.00 | Ryan Rd & Yorakine East Rd | 3.89 | Trayning LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4250006 | Yorakine Rd | Yorakine Rd | Tammin | 0.00 | Great Eastern Hwy | 31.07 | Yorakine West Rd | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|--|--------|-------------------------------|--|
| 4090042 | Yorakine Rock Rd | Yorakine Rock Rd | Kellerberrin | 0.00 | Kellerberrin - Yelbeni Rd | 7.65 | Tammin LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4250014 | Yorakine Rock Rd | Yorakine Rock Rd | Tammin | 0.00 | Yorakine Rock Rd - Start Road | 10.70 | Tammin - Wyalkatchem Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4250043 | Yorakine West Rd | Yorakine West Rd | Tammin | 0.00 | Bungulla North Rd & Yorakine East Rd & Nembudding South Rd | 3.50 | Shiells Rd & Yorakine West Rd | |
| 4310004 | Yorakine West Rd | Yorakine West Rd | Wyalkatchem | 0.00 | Cox Rd | 11.13 | Shiells Rd & Yorakine West Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. |
| 4050009 | Yornaning East Rd | Yornaning East Rd | Cuballing | 0.00 | Great Southern Hwy | 9.21 | Stratherne Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------------|-------------------|------------------|----------|---|--------|--|--|
| 4050005 | Yornaning West Rd | Yornaning West Rd | Cuballing | 0.00 | Cowcher St | 17.46 | Wandering - Narrogin Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4240046 | Yoting North Rd | Yoting North Rd | Quairading | 0.00 | Kellerberrin - Yoting Rd | 9.76 | Mount Stirling Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4240035 | Yoting Rd | Yoting Rd | Quairading | 0.00 | Kellerberrin - Yoting Rd & Bruce Rock Quairading Rd | 10.45 | Badjaling Rd & Badjaling North Rd & Badjaling South Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 4240024 | Yoting South Rd | Yoting South Rd | Quairading | 0.00 | Old Beverley East Rd | 14.43 | Bruce Rock Quairading Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. |
| 701Z005 | Youanmi Access Rd | Youanmi Access Rd | Sandstone | 0.00 | Lake Barlee Access Rd | 2.12 | Youanmi Access Rd - End Road | |
| 7010007 | Youanmi Rd | Youanmi Rd | Sandstone | 0.00 | Paynes Find - Sandstone Rd | 51.83 | Mount Magnet LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 7040019 | Youanmi Rd | Youanmi Rd | Mount Magnet | 0.00 | Mt Magnet Sandstone Rd | 30.50 | Sandstone LGA Boundary | |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|-------------------------|--------|------------------------|--|
| 4250057 | Youering Rd | Youering Rd | Tammin | 0.00 | Tammin - Wyalkatchem Rd | 9.87 | Wyola Rd North | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 4020048 | Young Rd | Young Rd | Brookton | 0.00 | Matthews Rd | 1.60 | Wandering LGA Boundary | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 40 km/h |
| 4100044 | Young Rd | Young Rd | Kondinin | 0.00 | Kulin Kondinin Rd | 4.83 | Sloan Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Kulin Kondinin Rd : No right turn permitted into Narrogin Kondinin Rd from Young Rd Intersection Link to Young Rd : No left turn permitted into Link to Young Rd from Young Rd |
| 4220039 | Young Rd | Young Rd | Nungarin | 0.00 | Talgomine Reserve Rd | 4.70 | Stock Rd & Woodward Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------|-----------------|------------------|----------|-------------------|--------|-----------------------|--|
| 4270016 | Young Rd | Young Rd | Wandering | 0.00 | Wearne Rd (F) | 7.30 | Brookton LGA Boundary | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5030082 | Young Rd | Young Rd | Dalwallinu | 0.00 | Harris Rd | 6.21 | Atkinson Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 80 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 5140010 | Young Rd | Young Rd | Perenjori | 0.00 | Hill Rd | 2.74 | Young Rd - End Road | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 70 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3170020 | Youngs Rd | Youngs Rd | Woodanilling | 0.00 | Albany Hwy | 10.88 | Rees Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|--------------------------|----------|---------------------------------|--------|----------------------------|---|
| 4050052 | Youngs Rd | Youngs Rd | Cuballing | 0.00 | Yornaning East Rd | 2.40 | Dents Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 7030022 | Youno Downs Rd | Youno Downs Rd | Meekatharra | 0.00 | Meekatharra - Sandstone Rd | 65.39 | Yeelirrie - Meekatharra Rd | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. Access approved to transport agricultural products and inputs only (including grain, hay, livestock and fuel). Maximum speed 60 km/h |
| 4020006 | Youraling Rd | Youraling Rd | Brookton | 0.00 | McGrath St | 10.93 | Great Southern Hwy | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 6056080 | Yulpari Rd | Yulpari Rd | Kalgoorlie - Boulder (C) | 0.00 | Broadwood St | 0.64 | Kakarra Rd | |
| 5050760 | Yuna - Tenindewa Rd | Yuna - Tenindewa Rd | Greater Geraldton (C) | 0.00 | Chapman Valley LGA Boundary | 29.39 | Geraldton Mt Magnet Rd | |
| 5160132 | Yuna - Tenindewa Rd | Yuna - Tenindewa Rd | Chapman Valley | 0.00 | Yuna Tenindewa Rd & Dartmoor Rd | 6.72 | Wandin Rd | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------|---------------------|------------------|----------|--|--------|--|---|
| 5160132 | Yuna - Tenindewa Rd | Yuna - Tenindewa Rd | Chapman Valley | 6.72 | Wandin Rd | 16.78 | | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Intersection Wandin Rd : No access permitted into Wandin Rd from Yuna Tenindewa Rd |
| 5160132 | Yuna - Tenindewa Rd | Yuna - Tenindewa Rd | Chapman Valley | 16.78 | | 17.20 | From Farm Access 660m South of McGauran Road to Geraldton Lga Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 5160132 | Yuna - Tenindewa Rd | Yuna - Tenindewa Rd | Chapman Valley | 17.20 | From Farm Access 660m South of McGauran Road to Geraldton Lga Boundary | 26.37 | Greater Geraldton (C) LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times Note: Low Volume (LV) No Operation between the hours of sunset and sunrise Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. Maximum speed 70km/h on unsealed section. Maximum speed 80km/h on sealed section. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|---------------------------|---------------------------|------------------|----------|--------------------------------|--------|--|---|
| 5160108 | Yuna Rd South | Yuna Rd South | Chapman Valley | 0.00 | Yuna Tenindewa Rd | 9.74 | Naraling - East Yuna Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 607Z014 | Yundamindera North Rd | Yundamindera North Rd | Laverton | 0.00 | Leonora LGA Boundary | 30.59 | Leonora Laverton Rd | |
| 6080119 | Yundamindera North Rd | Yundamindera North Rd | Leonora | 0.00 | Yundamindra - Linden Rd | 11.80 | Laverton LGA Boundary | |
| 6080120 | Yundamindera South Rd | Yundamindera South Rd | Leonora | 0.00 | Yundamindra - Linden Rd | 8.34 | 1km From Butcher Well Access Rd | |
| 6080093 | Yundamindra - Linden Rd | Yundamindra - Linden Rd | Leonora | 0.00 | Yundamindra - Woolshed Rd | 54.26 | Mount Celia Rd | |
| 6080043 | Yundamindra - Woolshed Rd | Yundamindra - Woolshed Rd | Leonora | 16.00 | Yundamindra - Linden Rd | 28.06 | Glenorn - Yundamindra Rd | |
| 3020357 | Yungemere Rd | Yungemere Rd | Albany (C) | 0.00 | Kuch Rd | 3.56 | Yungemere Rd - End Road | |
| 3020525 | Yungup North West Rd | Yungup North West Rd | Albany (C) | 2.55 | 0.59km From Settlement Rd East | 3.14 | Settlement Rd East & Harris Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h Operation is not permitted while the school bus is operating on the road. Operators must contact the relevant schools and obtain school bus timetables; or where direct contact can be made with the school bus driver, operation is permitted once the school bus driver confirms all school drop-offs/pick-ups have been completed on the road. |
| 3020064 | Yungup Rd | Yungup Rd | Albany (C) | 0.00 | Chester Pass Rd | 5.10 | Yungup North West Rd & Yungup Rd North | <ul style="list-style-type: none"> Maximum speed 80 km/h Intersection Yungup North West Rd & Yungup Rd North : No Left Turn Into Yungup North West Road Permitted. No Right Turn Into Yungup North East Road Permitted |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-----------------|-----------------|------------------|----------|----------------------------------|--------|---------------------------|--|
| 3020065 | Yungup Rd North | Yungup Rd North | Albany (C) | 0.00 | Yungup Rd & Yungup North West Rd | 3.56 | Southern Bdry | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 3120346 | Yungup Rd North | Yungup Rd North | Plantagenet | 0.00 | Settlement Rd & Morande Rd | 1.47 | 1.47km From Settlement Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times Note: Low Volume (LV) When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). For single lane road, the road must not to be entered until driver has established via radio contact that there is no other RAV on the road travelling in the oncoming direction. |
| 3170062 | Zadow Rd | Zadow Rd | Woodanilling | 0.00 | Coben Soak Rd | 2.99 | Youngs Rd | <ul style="list-style-type: none"> This section of road is approved to access local properties located on this section of road, for the purpose of picking up goods, delivering goods or garaging vehicles. Drivers must carry documentation as proof of local delivery, pickup or garaging address. This section of road must not be used as a through route, except to access other roads only accessible via this section of road. No operation on unsealed road segment when visibly wet, without road owner's approval. Maximum speed 60 km/h |
| 1141027 | Zanni St | Zanni St | Canning (C) | 0.00 | Bannister Rd | 0.27 | Catalano Rd | |
| 1180394 | Zeta Cr | Zeta Cr | Fremantle (C) | 0.00 | Forsyth St | 0.41 | Hines Rd | |
| 1032780 | Zeta Rd | Zeta Rd | Cockburn (C) | 0.00 | Rockingham Rd | 0.42 | Scorpius Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |
| 1102263 | Ziatas Rd | Ziatas Rd | Wanneroo (C) | 0.00 | Old Yanchep Rd | 1.52 | Perry Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. |

Tandem Drive Network 4.1



| Road No | Road Name | Local Road Name | Local Government | SLK From | Intersection From | SLK To | Intersection To | Conditions |
|---------|-------------|-----------------|------------------|----------|------------------------|--------|-------------------------|---|
| 4230020 | Zig Zag Rd | Zig Zag Rd | Pingelly | 0.00 | Great Southern Hwy | 4.40 | Merwanga Rd | <ul style="list-style-type: none"> All operators must carry written support from the road manager acknowledging the operator's use of the road. Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 40 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). |
| 2140042 | Zilko Rd | Zilko Rd | Boddington | 0.00 | Pinjarra Williams Rd | 0.80 | Williams LGA Boundary | |
| 4300012 | Zilko Rd | Zilko Rd | Williams | 0.00 | Narrakine Rd | 19.65 | Boddington LGA Boundary | <ul style="list-style-type: none"> Headlights to be switched on at all times No operation on unsealed road segment when visibly wet, without road owner's approval. Note: Low Volume (LV) Maximum speed 60 km/h When travelling at night, the RAV must travel at a maximum speed of 40km/h and display an amber flashing warning light on the prime mover. Direct radio contact must be maintained with other restricted access vehicles to establish their position on or near the road (suggested UHF channel 40). Direct radio contact must be maintained with other RAV's to establish their position on or near the road (suggested UHF channel 40) |
| 5040244 | Zircon St | Zircon St | Dandaragan | 0.00 | Limestone Wy | 0.24 | Limestone Wy | |
| 1071362 | Zirconia Dr | Zirconia Dr | Rockingham (C) | 0.28 | 0.28km From Alumina Rd | 0.91 | Alumina Rd | |
| 4030070 | Zis Rd | Zis Rd | Bruce Rock | 0.00 | Zis Rd - Start Road | 6.80 | Langdon Rd | |
| 4030070 | Zis Rd | Zis Rd | Bruce Rock | 6.88 | Langdon Rd | 10.49 | Jakovich Rd | |
| 3090053 | Zwecks Rd | Zwecks Rd | Kent | 0.00 | Steele Rd | 12.31 | Lake Grace LGA Boundary | |
| 3110079 | Zwecks Rd | Zwecks Rd | Lake Grace | 0.00 | Thornton Rd | 2.57 | Kent Lga Boundary | <ul style="list-style-type: none"> No operation on unsealed road segment when visibly wet, without road owner's approval. |