

Great Southern Traffic Digest 2020/21 - 2025/26



Information Sheet

Traffic Digest

Overview

This report summarises the average number of vehicles and heavy vehicles travelling at locations within Western Australia. Traffic volumes and percentage of heavy vehicles are provided for the latest available six years.

Main Roads undertakes traffic counting throughout Western Australia. Strategic locations are monitored on a continuous basis and are referred to as Network Performance Sites (NPS). Sampling of the wider network is performed using portable equipment over a short period. Although many Local Government roads are counted the focus is on providing information about the State road network.

Using the report

The traffic volumes in this report are expressed as the average number of vehicles at each location on a typical weekday (Monday to Friday) for the metropolitan area, and a typical day (Monday to Sunday) for regions outside the metropolitan area.

Where sufficient information is available from continuous monitoring sites the short term samples can be adjusted to remove the effect of seasonal variation.

If multiple counts have occurred at the same location within a given year, for example before and after a network change, only the latest count is used.

The count type may vary at the location between axle counts and classification counts. Axle counts record the number of axle hits at a site divided by two. This method gives an indicative number of vehicles, assuming all vehicles have only two axles. Locations where axle counts are used are those where there is very little freight movement.

Classification counts detect the axle configuration of each vehicle and determine the type of vehicle being counted (using the <u>AustRoads 1994 Classification Scheme</u>). This method of counting gives the actual number of vehicles at the location and can be identified in the report by the presence of a value in the right column of each year. This value is the proportion of heavy vehicles (which include buses, trucks and road trains). Speed information can also be obtained from these collections. Changes to the road network may affect traffic volumes. For example, the extension of a freeway or closure of a road may affect traffic behaviour on surrounding roads. To assist in identifying these a list of major network changes is included at the end of the report. This list is not exhaustive and is predominantly changes to roads managed by Main Roads Western Australia (known as state roads).

Public holidays are excluded and vehicles numbers are rounded to the nearest ten. All years reported are financial years, commencing 1 July and ending 30 June. The State is divided for reporting using <u>Main Roads regions</u> or Local Government boundaries.

Further information

If you require further information please email <u>reporting.centre@mainroads.wa.gov.au</u> or telephone 08 9323 4653 (9am to 5pm, Monday to Friday)



Information Sheet

Traffic Digest

Report Sample

Road Name	Location			20	004/05	2005/06			6	2006/07			
Pemberton Northoliffe Rd	G of Vacce Hwy						6					2	
remperson Norsholme Als	N of Rifle Range Rd						1					6	
	N of Richardson Rd		10			-6		_	-				
Penn St	W of South Western Hwy			_	370 5.0	-	-	420	4.6	400	5.5	_	-
Peppermint Grove Rd	E of Old Coast Rd				314 0.4	_	-	4.00	4.0			200	13.2
reppermint unive mo Perup Rd	E of South Western Hwy			-	_	1 730		_	-	1740		200	10.4
Phillips St	E of Hampton St				_	660		_	_	1 140	2.0	_	_
Piavanini Rd	S of Cosifields Rd			-	320 12.4	000	2.2	_	-	-	-	_	-
Pinjama Rid	E of Mandurah Rd				220 12.4	_	-	25 770	_		-	22 030	_
rinjaria kio	E of Lakes Rd	_	·			-	-	20110	_	-	-	82.000	
	W of Rio Grande Av	1				21 090	1.0	_	_		-	_	_
	E of Riverside Rd			0.40		21000		19710	_	-	-	_	-
	E of Ronlyn Rd	NPS		840		15 260	5.0		7.0	17 140	7.0		_
	W of Webster Wy					19 070			1.14	11 149	1.0	_	
	W of Tankin Dr	_	-			13 960			-		-		
	E of Tankin Dr	_		-		13 130			-	-	-	_	-
	At Raventwood Bridge					12 580		11 130	5.5	13 620	-	12 920	5.0
	E of Fiegert Rd		-	-	_	14 000	-	12 510		1.0 0.00	-	14 940	
	E of Jolly Rambler Bvd					11 550	6.1						-
	W of George St.			-	_			8 860	8.1	9 630	7.8	_	-
	W of Sholl St	_	-	-		_	T						
	W of Anstruther Rd	-						2 82	0	17.2	2	550	18
	E of Anstruther Rd							2.02			-	. 000	10
	W of Mandurah Rd		_		0.000	0.0				_		_	
Pinjana Williams Rd	S of South Western Hwy				2 0 9 0	3.8							
	S of Salter St				9 940	3.2		- (_		1	
	E of Napier Rd		_		0 0 10	0.8		_			_		
	W of Scarp Rd	27	60	7.0	2 4 1 0	6.5	5	2 🖪	0	8.0			
	E of Farley Rd		-			_							_
	W of Nanga Brook Rd				10 020			6 6	0	3.5	8	980	
	E of Nanga Brook Rd		_		7 930		Г		-	_	_	_	
	E of Plant Access Rd				1 930								
	W of Bannister Marradong Rd						1	10 67	0	10.8			
	E of Bannister Marradong Rd	_	_						~	10.0		_	
	N of Sherrys Rd						1	14 12	0	8.4			
Pollard Rd	W of Bannister Rd					750	4.1			690	7.9		
Princep St.	N of Roelands Lake King Rd				3 970 2.8								
Pritchard St.	W of South Western Hwy					3 150	5.4	3 450	6.1				
OBaaab Dat		1141	Lan.										
Beach Rd		W of .	Jai		2 110 10.5			2 660	11.6	2 690	114		
Beela Rd		E of C		-	a 110 10.0	1 660	43		11.00	1.000	11.4	-	-
beela Ku		E of S	101			1 510			_		-		_
Binningup Rd		W of (21										
Duumgub Ku		11 01 1	011	_	_		_		_	_	_		
Blackwood Av		N of E	an b	_	_	3 510	2.6	3 840			_		
BIACKWOOD AV		14 01 6					_	1 450	6.0		_		
Diachapod Rd		S of S	0		2 710 7.8	3 090	5.8					3 500	8.2
Didens Jou Ru		5015		# 19					and a	a ranka fi		who are a	
M-S													

South West

Seasonal Adjustment

Years with this symbol cannot be adjusted to remove the effect of seasonal variation. The volumes reported are from samples taken over a short period and may not represent typical behaviour.

Continuous Monitoring

Network Performance Sites (NPS) provide continuous monitoring, 24 hours a day, 7 days a week.

Percentage of Heavy Vehicles

Classification counts record the composition of the traffic and the percentage of heavy vehicles is shown on the report where a count of this type has been used.

Traffic Statistics

The traffic volumes can be calculated to represent the average number of vehicles on a weekday (Monday to Friday, M-F) or daily (Monday to Sunday, M-S).

Road Name	Location		2020/	/21	2021/	/22	2022/23	2023/	/24	2024/	25	2025/26
Α												
Adelaide Cres	W of Garden St									2 570	8.3	
Albany Hwy	S of Robinson Rd West	NPS	1 960	18.0	1 880	18.4	1 940 <u>18.5</u>	1 960	19.4	2 010	20.3	
	S of Tambellup West Rd				1 910	26.8	1 680 <u>18.3</u>	2 080	17.7			
	N of Frankland Cranbrook Rd		1 770	21.5			1 800 21.7	2 050	22.9	2 380	26.3	
	N of Great Southern Hwy	NPS						2 020	20.5	2 090	20.9	
	S of Nunijup Rd		2 470	19.2			2 490 18.9	2 730	22.8			
	S of Great Southern Hwy	NPS						2 650	21.2	2 710	21.2	
	N of Lowood Rd				5 320	27.5	4 670 13.7			5 500	20.7	
	N of Oatlands Rd				4 340	18.5	3 750 12.1	4 110	18.1	_		
	S of Mitchell St				4 090	22.2	3 500 19.0			4 840	17.7	
	N of Yellanup Rd				4 290	21.6	4 130 <u>20.1</u>	4 480	16.1	4 640	19.3	
	S of Hannan Way				4 250	19.5	4 130 <u>16.5</u>	4 370	18.1			
	S of Jackson Rd				4 320	20.9	4 110 <u>21.8</u>	4 510	18.8	4 540	21.8	
	S of Redmond Rd				5 030	14.1						
	N of Millbrook Rd	NPS	4 490	15.3	4 410	15.9	4 460 16.6	4 730	17.8	4 770	17.1	
	N of Gunn Rd (S of Airport Access)				5 650	20.1						
	S of Reddale Rd		5 040	16.9	5 130	20.4	5 930 12.5	5 520	15.2	5 010	14.7	
	N of South Western Hwy				24 440	11.8	16 070 7.2			15 400	9.9	
Angove Rd	E of Ulster Rd		880	4.1			700 6.0					
В	1											
Balston Rd	S of Portland St		830	13.3			980 11.2			610	10.6	
Bayonet Head Rd	W of Purdie Rd		5 100	5.5			5 140 7.3			4 980	8.2	
Beverley Rd	E of Albany Hwy		670	14.5			830 13.0	780	14.9			
Birss St	E of Medcalf Pde									620	12.3	
Blue Lake Rd	W of Denmark Mount Barker Rd		70	29.2			40 10.3	50	27.5		-	
Borden Bremer Bay Rd	W of South Coast Hwy						120 12.3		22.8			
	E of Gairdner South Rd		510	6.9			310 15.6	470	22.3	340	22.2	
	E of Swamp Rd						490 11.5			510	21.8	
Boyup Brook Kojonup Rd	W of Kojonup Frankland Rd		510	23.4			410 19.4	510	30.0		35.0	
Boyup Rd	N of Muir Hwy			26.9	50	15.1					38.4	
Brooking St	E of Albany Hwy					-	100 22.6	140	18.3	-		
Broomehill Gnowangerup Rd	W of Gnowangerup	NPS	440	21.9	430	22.8	440 23.4		21.2	440	19.6	
С	·····											
Chester Pass Rd	E of Albany Hwy				20 930	15.8	19 510 10.3	13 990	13.4			
	N of Greatrex Rd				5 890		5 400 17.8			5 850	13.1	
	N of Albany Ring Rd				5 450		4 850 16.6		18.7			
	N of Millbrook Rd		3 550	25.5			3 370 17.9			3 410	27.9	
	N of South Coast Hwy	NPS		-				1 180	24.7	1 190		
	N of Yungup Rd		1 960	11.8			1 290 <i>19.5</i>	1 220				
	S of Mount Barker Porongorup Rd			-	1 030	28.9	970 30.9			1 030	34.1	
	N of Porongorup Rd		1 050	32.4			610 28.4	650	23.7		37.3	
	S of Formby South Rd				670	26.0						
	S of Borden Bremer Bay Rd	NPS	390	32.0		32.8	370 36.8	380	37.5	380	38.1	
	N of Borden Bremer Bay Rd			24.7		-	450 23.6		-	560		
	N of Magitup Rd						450 22.2		31.6			
	N of Gnowangerup Jerramungup Rd		130	31.5			120 30.1		52.7	170	51.2	
Cheyne Rd	E of South Coast Hwy						100 18.6				15.6	
	,											

M-S

Road Name	Location	2020/21	2021/22	2022/23	2023/24	2024/25	2025/26
Chillinup Rd	E of Chester Pass Rd	120 22.4					
	W of Kojaneerup West Rd	510 27.4					
	E of Coppers Rd	120 23.4					
Chorkerup Rd	W of Albany Hwy			70 16.9		80 23.4	
Churchill Rd	W of Denmark Mt Barker Rd			80 18.3		120 18.3	
Climie St	N of Newton Rd	550 <u>19.4</u>		490 19.5	590 <i>19.4</i>	720 45.6	
Clive St	N of Carew St	230 20.9					
Collingwood Rd	W of Loftie St	4 060 6.6		3 990 4.0		5 700 7.0	
D							
Denmark Mount Barker Rd	N of South Western Hwy	930 8.8		940 8.6	1 090 <i>19.3</i>		
	S of Blue Lake Rd	770 14.3		630 18.1	750 <u>19.1</u>		
	N of Blue Lake Rd	830 6.8					
	N of Spencer Rd	1 100 <i>16.6</i>		660 11.1	790 15.5	900 19.0	
	S of Muir Hwy	710 <i>10.9</i>					
E					<u> </u>		
Eulup Manurup Rd	N of Muir Hwy	60 <u>9.5</u>		60 6.9	110 24.8		
F	·						
Formby Rd South	S of Broomehill Jerramungup Rd			220 22.1	200 30.3	200 22.7	
	N of Chester Pass Rd	190 <u>13.</u> 2		290 17.5	220 20.2	280 26.5	
Frankland Cranbrook Rd	E of Albany Hwy			160 22.0	160 22.1	170 25.6	
Frenchman Bay Rd	S of Woolstores Pl	7 420 13.7		10 030 5.4		6 940 <u>12.5</u>	
G					I		
George St	S of South Coast Hwy	1 020 <i>10.3</i>		1 030 10.9	1 020 <i>20.9</i>		
Gillam St	E of Albany Hwy			40 18.2	50 34.7		
Gnowangerup Jerramungup Rd	N of Formby South Rd			570 17.3	560 43.7	510 27.4	
	E of Formby South Rd	380 34.2					
	E of Formby Rd South			340 16.1			
	E of Chester Pass Rd	460 24.5		340 18.7	340 <u>30.1</u>	420 47.0	
	E of Lamont St			290 27.1	330 26.3		
	E of Stewarts Rd	470 26.0		310 21.0		360 <u>55.3</u>	
Golf Links Rd	S of Middleton Rd					2 100 8.7	
Great Southern Hwy	S of Stronach Rd	580 <u>16.1</u>		540 25.5		550 <mark>37.3</mark>	
	S of Cornwall St		1 180 <i>20.</i>	2			
	S of Katanning NPS				1 300 <mark>21.6</mark>	1 300 21.2	
	N of Broomehill Gnowangerup Rd	990 21.6		950 20.4	1 160 <i>18</i> .3	1 020 33.4	
	N of Toolbrunup Rd			490 21.7	580 <mark>21.9</mark>	670 36.0	
	N of Wansbrough West Rd	460 22.6		430 23.5		600 <u>43.0</u>	
	E of Albany Hwy NPS	730 22.8	740 25.	1 740 27.5	760 26.5	780 26.6	
Н							
Hanrahan Rd	N of Frenchman Bay Rd		8 620 <i>14</i> .	9 7 860 15.6		7 210 25.1	
Hopetoun Ravensthorpe Rd	S of Old Ravensthorpe Rd			460 21.4		400 23.6	
Hunton Rd	S of South Coast Hwy		110 <i>16</i> .	7 90 6.9	110 24.5		
J							
Jackson Rd	E of Albany Hwy	60 <mark>22.0</mark>		60 22.4		70 28.8	
Jingalup Rd	W of Albany Hwy			70 24.6		140 <i>61.8</i>	

cation	2020/21	2021/22	2022/23	2023/24	2024/25	2025/26
		380 15.	0			
NPS	250 20.3	250 <i>19.</i>	9 250 21.5	260 25.3	250 25.7	
g Rd			150 17.2	160 33.5		
abing Rd			260 21.9		410 35.8	
	350 17.6					
jonup Rd			180 11.8	180 <u>20.4</u>		
		540 17.	3 520 15.3		570 28.3	
l	530 26.2		510 22.2		560 <u>30.1</u>	
	·				·	·
	3 290 15.2		3 530 5.9		3 500 7.6	
Hwy	940 5.9					
,						
	170 12.2					
Hwy	170 12.2					
D/	390 25.6		220 7.0		260 40 7	
/y NPS	330 22.0		330 7.3	970 36.0	360 13.7 1 360 43.0	
NPS	920 33.4		720 31.9	970 36.0 1 130 29.4	1 360 43.0 1 430 46.2	
NPS			720 31.9	1 130 29.4	1 430 46.2 1 760 35.1	
NF3					1 410 10.4	
ЛУ			40 14.3	70 42.0	1410 10.4	
y	220 16.6		+0 14.3	10 42.0		
	320 19.9		250 8.8	310 24.6	370 21.1	
	680 17.1		470 12.5	660 26.0	620 30.9	
NPS	1 340 15.1	1 250 15.		1 310 16.7	1 320 17.9	
Barker Rd	1 250 20.6	1 200 10.	1 120 18.3	1010 10.7	1 190 24.5	
	1 200 20.0		670 18.3		890 24.0	
			000 05 0	070 00 0		
vy	00 00 7		980 25.0	870 28.8		
₹d	90 29.7					
d	170 23.6					
			490 9.9	800 <i>10.8</i>		
vy			140 30.4	180 <u>31.4</u>		
		40 28.	6 30 17.2		30 <u>42.4</u>	
vy	290 <mark>13.7</mark>					
		70 20.	0			
			460 6.3	730 11.3		
		9 690 13.	5 6 060 <i>13.0</i>		5 360 14.6	
		3 140 <mark>17.</mark>	6 2 890 17.4			
			880 50.4			
	140 <u>31.0</u>		110 5.3	130 <u>21.6</u>		
	120 23.3		90 15.1		90 23.9	
Hwy	240 10.6					
		120 23.3	120 23.3 Hwy 240 10.6	140 31.0 110 5.3 120 23.3 90 15.1 Hwy 240 10.6	140 31.0 110 5.3 130 21.6 120 23.3 90 15.1 Hwy 240 10.6 100 10.6	140 31.0 110 5.3 130 21.6 120 23.3 90 15.1 90 23.9 Hwy 240 10.6 0 0

M-S

Road Name	Location	2020/21	2021/22	2022/23	2023/24	2024/25	2025/26
S							
Sandalwood Rd	E of Albany Lake Grace Rd	30 0.0					
South Coast Hwy	W of Peaceful Bay Rd	720 12.6			730 22.4	680 19.4	
,	W of William Bay Rd	2 280 17.5					
	E of William Bay Rd	2 150 14.1		2 310 12.0	1 780 <i>15.8</i>	1 850 15.0	
	W of Denmark Mount Barker Rd		4 830 13.7	4 060 12.5	4 940 13.6		
	E of Denmark Mount Barker Rd		3 930 14.0	3 310 <i>13.6</i>	3 780 9.6		
	E of Lower Denmark Rd		2 220 16.3	1 840 11.3	2 380 14.7		
	W of Albany NPS	2 350 11.2	2 460 12.6	2 690 14.6	2 870 13.6	3 170 14.0	
	W of Link Rd		3 110 18.5	2 590 12.3	3 340 19.8		
	W of Bottlebrush Rd			3 470 9.5			
	W of Albany Hwy		6 670 <u>15.1</u>	5 990 4.4		6 590 8.6	
	W of Palmdale Rd NPS	920 22.5	1 090 25.9	1 100 26.2	1 140 26.0		
	N of Taylor St	640 18.3	900 32.0	650 18.6	960 <u>20.3</u>		
	E of Kojaneerup Rd West	530 25.7	600 38.6	450 15.5	710 31.4	580 40.5	
	S of Sandalwood Rd	500 18.4		540 <u>14.7</u>	690 <u>18.0</u>	680 <u>38.3</u>	
	E of Nornalup NPS			670 11.7	780 13.6	830 14.0	
	N of Borden Bremer Bay Rd			320 19.4	370 22.2	330 44.7	
	E of Gnowangerup Jerramungup Rd			530 18.3	610 <u>21.5</u>		
	W of Cameron Rd			520 <u>31.4</u>		650 2 <i>4.3</i>	
	E of Ravensthorpe NPS	790 28.5	800 <u>31.5</u>	880 33.7	870 <u>32.9</u>	840 <u>31.9</u>	
South Stirling Rd	S of Chillinup Rd	170 <u>16.4</u>					
South West Hwy	W of Springdale Hts Rd	3 000 <i>10.5</i>					
Spencer Rd	W of Albany Hwy	370 26.7					
	E of Denmark Mount Barker Rd		190 <u>13.5</u>	190 <i>14.9</i>	200 <mark>23.3</mark>		
Sturdee Rd	W of Albany Hwy		150 <i>14.1</i>				
Swamp Rd	N of Bremer Bay Rd			150 <u>15.2</u>		150 <u>30.8</u>	
Т	· · · · · ·						
Takalarup Rd	E of Chester Pass Rd			60 16.4	90 19.5		
Tambellup West Rd	E of Albany Hwy			70 17.4	80 29.5		
Thompson Dr	E of South Stirling Rd	40 11.9					
Toolbrunup Rd	E of Great Southern Hwy	50 22.9					
V							
Valley of The Giants Rd	N of South Western Hwy			260 10.1		290 14.5	
W	N OF SOUTH WESTERN HWY			200 10.1		230 14.3	
	E of Courth Coopet Liver			100 11 1		000 45 4	
Wheeldon Rd	E of South Coast Hwy	700 40.0		190 <i>11.1</i>		230 15.1	
Woogenellup Rd	E of Albany Hwy	720 16.2		680 13.7		1 140 25.2	
	W of Chester Pass Rd	230 <mark>26.1</mark>					
Υ							
Yellanup Rd	W of Pingrup Lake Grace Rd			140 <mark>23.5</mark>	190 <mark>25.0</mark>		